

6.2.2 Transmitter maximum output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	24.53	21	25	PASS
Band1	5	18025	8	#0	QPSK	24.64	21	25	PASS
Band1	5	18025	25	#0	QPSK	23.70	21	25	PASS
Band1	5	18025	1	#0	QAM16	23.75	21	25	PASS
Band1	5	18025	8	#0	QAM16	23.70	21	25	PASS
Band1	5	18025	25	#0	QAM16	22.70	21	25	PASS
Band1	5	18300	1	#0	QPSK	24.59	21	25	PASS
Band1	5	18300	8	#0	QPSK	24.66	21	25	PASS
Band1	5	18300	25	#0	QPSK	23.71	21	25	PASS
Band1	5	18300	1	#0	QAM16	23.80	21	25	PASS
Band1	5	18300	8	#0	QAM16	23.72	21	25	PASS
Band1	5	18300	25	#0	QAM16	22.70	21	25	PASS
Band1	5	18575	1	#0	QPSK	24.53	21	25	PASS
Band1	5	18575	8	#0	QPSK	24.56	21	25	PASS
Band1	5	18575	25	#0	QPSK	23.63	21	25	PASS
Band1	5	18575	1	#0	QAM16	23.79	21	25	PASS
Band1	5	18575	8	#0	QAM16	23.65	21	25	PASS
Band1	5	18575	25	#0	QAM16	22.63	21	25	PASS
Band1	20	18100	1	#0	QPSK	24.42	21	25	PASS
Band1	20	18100	18	#0	QPSK	24.60	21	25	PASS
Band1	20	18100	100	#0	QPSK	23.73	21	25	PASS
Band1	20	18100	1	#0	QAM16	23.68	21	25	PASS
Band1	20	18100	18	#0	QAM16	23.61	21	25	PASS
Band1	20	18100	100	#0	QAM16	22.70	21	25	PASS
Band1	20	18300	1	#0	QPSK	24.47	21	25	PASS
Band1	20	18300	18	#0	QPSK	24.59	21	25	PASS
Band1	20	18300	100	#0	QPSK	23.68	21	25	PASS
Band1	20	18300	1	#0	QAM16	23.74	21	25	PASS
Band1	20	18300	18	#0	QAM16	23.62	21	25	PASS
Band1	20	18300	100	#0	QAM16	22.66	21	25	PASS
Band1	20	18500	1	#0	QPSK	24.53	21	25	PASS
Band1	20	18500	18	#0	QPSK	24.71	21	25	PASS
Band1	20	18500	100	#0	QPSK	23.77	21	25	PASS
Band1	20	18500	1	#0	QAM16	23.85	21	25	PASS
Band1	20	18500	18	#0	QAM16	23.71	21	25	PASS
Band1	20	18500	100	#0	QAM16	22.76	21	25	PASS
Band20	5	24175	1	#0	QPSK	23.99	19.5	25	PASS
Band20	5	24175	8	#0	QPSK	24.01	19.5	25	PASS
Band20	5	24175	25	#0	QPSK	23.11	21	25	PASS
Band20	5	24175	1	#0	QAM16	23.29	19.5	25	PASS

Band20	5	24175	8	#0	QAM16	23.08	19.5	25	PASS
Band20	5	24175	25	#0	QAM16	22.09	21	25	PASS
Band20	5	24300	1	#0	QPSK	24.06	21	25	PASS
Band20	5	24300	8	#0	QPSK	24.11	21	25	PASS
Band20	5	24300	25	#0	QPSK	23.11	21	25	PASS
Band20	5	24300	1	#0	QAM16	23.33	21	25	PASS
Band20	5	24300	8	#0	QAM16	23.17	21	25	PASS
Band20	5	24300	25	#0	QAM16	22.09	21	25	PASS
Band20	5	24425	1	#0	QPSK	23.85	21	25	PASS
Band20	5	24425	8	#0	QPSK	23.99	21	25	PASS
Band20	5	24425	25	#0	QPSK	23.02	21	25	PASS
Band20	5	24425	1	#0	QAM16	23.03	21	25	PASS
Band20	5	24425	8	#0	QAM16	22.99	21	25	PASS
Band20	5	24425	25	#0	QAM16	22.04	21	25	PASS
Band20	20	24250	1	#0	QPSK	23.88	19.5	25	PASS
Band20	20	24250	18	#0	QPSK	24.03	19.5	25	PASS
Band20	20	24250	100	#0	QPSK	23.26	21	25	PASS
Band20	20	24250	1	#0	QAM16	23.07	19.5	25	PASS
Band20	20	24250	18	#0	QAM16	23.02	19.5	25	PASS
Band20	20	24250	100	#0	QAM16	22.23	21	25	PASS
Band20	20	24300	1	#0	QPSK	23.95	21	25	PASS
Band20	20	24300	18	#0	QPSK	24.15	21	25	PASS
Band20	20	24300	100	#0	QPSK	23.05	21	25	PASS
Band20	20	24300	1	#0	QAM16	23.18	21	25	PASS
Band20	20	24300	18	#0	QAM16	23.15	21	25	PASS
Band20	20	24300	100	#0	QAM16	22.06	21	25	PASS
Band20	20	24350	1	#0	QPSK	23.98	21	25	PASS
Band20	20	24350	18	#0	QPSK	24.07	21	25	PASS
Band20	20	24350	100	#0	QPSK	23.06	21	25	PASS
Band20	20	24350	1	#0	QAM16	23.19	21	25	PASS
Band20	20	24350	18	#0	QAM16	23.07	21	25	PASS
Band20	20	24350	100	#0	QAM16	22.07	21	25	PASS
Band3	1.4	19207	1	#0	QPSK	24.35	19.5	25	PASS
Band3	1.4	19207	5	#0	QPSK	24.46	19.5	25	PASS
Band3	1.4	19207	6	#0	QPSK	23.45	19.5	25	PASS
Band3	1.4	19207	1	#0	QAM16	23.54	19.5	25	PASS
Band3	1.4	19207	5	#0	QAM16	23.51	19.5	25	PASS
Band3	1.4	19207	6	#0	QAM16	22.51	19.5	25	PASS
Band3	1.4	19575	1	#0	QPSK	24.53	21	25	PASS
Band3	1.4	19575	5	#0	QPSK	24.68	21	25	PASS
Band3	1.4	19575	6	#0	QPSK	23.66	21	25	PASS
Band3	1.4	19575	1	#0	QAM16	23.78	21	25	PASS
Band3	1.4	19575	5	#0	QAM16	23.65	21	25	PASS
Band3	1.4	19575	6	#0	QAM16	22.72	21	25	PASS

Band3	1.4	19943	1	#0	QPSK	24.61	19.5	25	PASS
Band3	1.4	19943	5	#0	QPSK	24.71	19.5	25	PASS
Band3	1.4	19943	6	#0	QPSK	23.73	19.5	25	PASS
Band3	1.4	19943	1	#0	QAM16	23.98	19.5	25	PASS
Band3	1.4	19943	5	#0	QAM16	23.85	19.5	25	PASS
Band3	1.4	19943	6	#0	QAM16	22.87	19.5	25	PASS
Band3	5	19225	1	#0	QPSK	24.31	19.5	25	PASS
Band3	5	19225	8	#0	QPSK	24.35	19.5	25	PASS
Band3	5	19225	25	#0	QPSK	23.46	21	25	PASS
Band3	5	19225	1	#0	QAM16	23.45	19.5	25	PASS
Band3	5	19225	8	#0	QAM16	23.34	19.5	25	PASS
Band3	5	19225	25	#0	QAM16	22.41	21	25	PASS
Band3	5	19575	1	#0	QPSK	24.54	21	25	PASS
Band3	5	19575	8	#0	QPSK	24.59	21	25	PASS
Band3	5	19575	25	#0	QPSK	23.61	21	25	PASS
Band3	5	19575	1	#0	QAM16	23.68	21	25	PASS
Band3	5	19575	8	#0	QAM16	23.60	21	25	PASS
Band3	5	19575	25	#0	QAM16	22.58	21	25	PASS
Band3	5	19925	1	#0	QPSK	24.62	21	25	PASS
Band3	5	19925	8	#0	QPSK	24.68	21	25	PASS
Band3	5	19925	25	#0	QPSK	23.72	21	25	PASS
Band3	5	19925	1	#0	QAM16	23.89	21	25	PASS
Band3	5	19925	8	#0	QAM16	23.76	21	25	PASS
Band3	5	19925	25	#0	QAM16	22.76	21	25	PASS
Band3	20	19300	1	#0	QPSK	24.13	19.5	25	PASS
Band3	20	19300	18	#0	QPSK	24.30	19.5	25	PASS
Band3	20	19300	100	#0	QPSK	23.51	21	25	PASS
Band3	20	19300	1	#0	QAM16	23.28	19.5	25	PASS
Band3	20	19300	18	#0	QAM16	23.25	19.5	25	PASS
Band3	20	19300	100	#0	QAM16	22.45	21	25	PASS
Band3	20	19575	1	#0	QPSK	24.32	21	25	PASS
Band3	20	19575	18	#0	QPSK	24.50	21	25	PASS
Band3	20	19575	100	#0	QPSK	23.58	21	25	PASS
Band3	20	19575	1	#0	QAM16	23.44	21	25	PASS
Band3	20	19575	18	#0	QAM16	23.48	21	25	PASS
Band3	20	19575	100	#0	QAM16	22.52	21	25	PASS
Band3	20	19850	1	#0	QPSK	24.42	21	25	PASS
Band3	20	19850	18	#0	QPSK	24.56	21	25	PASS
Band3	20	19850	100	#0	QPSK	23.63	21	25	PASS
Band3	20	19850	1	#0	QAM16	23.73	21	25	PASS
Band3	20	19850	18	#0	QAM16	23.60	21	25	PASS
Band3	20	19850	100	#0	QAM16	22.64	21	25	PASS
Band40	5	38675	1	#0	QPSK	22.73	20.3	25.7	PASS
Band40	5	38675	8	#0	QPSK	22.77	20.3	25.7	PASS

Band40	5	38675	25	#0	QPSK	21.84	20.3	25.7	PASS
Band40	5	38675	1	#0	QAM16	21.28	20.3	25.7	PASS
Band40	5	38675	8	#0	QAM16	21.92	20.3	25.7	PASS
Band40	5	38675	25	#0	QAM16	20.38	20.3	25.7	PASS
Band40	5	39150	1	#0	QPSK	23.30	20.3	25.7	PASS
Band40	5	39150	8	#0	QPSK	22.95	20.3	25.7	PASS
Band40	5	39150	25	#0	QPSK	21.84	20.3	25.7	PASS
Band40	5	39150	1	#0	QAM16	21.49	20.3	25.7	PASS
Band40	5	39150	8	#0	QAM16	22.15	20.3	25.7	PASS
Band40	5	39150	25	#0	QAM16	20.57	20.3	25.7	PASS
Band40	5	39625	1	#0	QPSK	23.74	20.3	25.7	PASS
Band40	5	39625	8	#0	QPSK	23.34	20.3	25.7	PASS
Band40	5	39625	25	#0	QPSK	22.19	20.3	25.7	PASS
Band40	5	39625	1	#0	QAM16	21.79	20.3	25.7	PASS
Band40	5	39625	8	#0	QAM16	22.46	20.3	25.7	PASS
Band40	5	39625	25	#0	QAM16	20.70	20.3	25.7	PASS
Band40	20	38750	1	#0	QPSK	23.10	20.3	25.7	PASS
Band40	20	38750	18	#0	QPSK	22.94	20.3	25.7	PASS
Band40	20	38750	100	#0	QPSK	21.93	20.3	25.7	PASS
Band40	20	38750	1	#0	QAM16	21.51	20.3	25.7	PASS
Band40	20	38750	18	#0	QAM16	21.92	20.3	25.7	PASS
Band40	20	38750	100	#0	QAM16	20.43	20.3	25.7	PASS
Band40	20	39150	1	#0	QPSK	23.74	20.3	25.7	PASS
Band40	20	39150	18	#0	QPSK	23.17	20.3	25.7	PASS
Band40	20	39150	100	#0	QPSK	21.84	20.3	25.7	PASS
Band40	20	39150	1	#0	QAM16	21.70	20.3	25.7	PASS
Band40	20	39150	18	#0	QAM16	22.42	20.3	25.7	PASS
Band40	20	39150	100	#0	QAM16	20.56	20.3	25.7	PASS
Band40	20	39550	1	#0	QPSK	23.44	20.3	25.7	PASS
Band40	20	39550	18	#0	QPSK	22.86	20.3	25.7	PASS
Band40	20	39550	100	#0	QPSK	21.96	20.3	25.7	PASS
Band40	20	39550	1	#0	QAM16	21.60	20.3	25.7	PASS
Band40	20	39550	18	#0	QAM16	22.19	20.3	25.7	PASS
Band40	20	39550	100	#0	QAM16	20.60	20.3	25.7	PASS
Band7	5	20775	1	#0	QPSK	24.68	19.5	25	PASS
Band7	5	20775	8	#0	QPSK	24.74	19.5	25	PASS
Band7	5	20775	25	#0	QPSK	23.83	21	25	PASS
Band7	5	20775	1	#0	QAM16	23.85	19.5	25	PASS
Band7	5	20775	8	#0	QAM16	23.76	19.5	25	PASS
Band7	5	20775	25	#0	QAM16	22.83	21	25	PASS
Band7	5	21100	1	#0	QPSK	24.60	21	25	PASS
Band7	5	21100	8	#0	QPSK	24.71	21	25	PASS
Band7	5	21100	25	#0	QPSK	23.81	21	25	PASS
Band7	5	21100	1	#0	QAM16	23.85	21	25	PASS

Band7	5	21100	8	#0	QAM16	23.68	21	25	PASS
Band7	5	21100	25	#0	QAM16	22.79	21	25	PASS
Band7	5	21425	1	#0	QPSK	24.86	21	25	PASS
Band7	5	21425	8	#0	QPSK	24.99	21	25	PASS
Band7	5	21425	25	#0	QPSK	24.04	21	25	PASS
Band7	5	21425	1	#0	QAM16	24.02	21	25	PASS
Band7	5	21425	8	#0	QAM16	23.96	21	25	PASS
Band7	5	21425	25	#0	QAM16	23.02	21	25	PASS
Band7	20	20850	1	#0	QPSK	24.53	19.5	25	PASS
Band7	20	20850	18	#0	QPSK	24.70	19.5	25	PASS
Band7	20	20850	100	#0	QPSK	23.86	21	25	PASS
Band7	20	20850	1	#0	QAM16	23.74	19.5	25	PASS
Band7	20	20850	18	#0	QAM16	23.69	19.5	25	PASS
Band7	20	20850	100	#0	QAM16	22.82	21	25	PASS
Band7	20	21100	1	#0	QPSK	24.44	21	25	PASS
Band7	20	21100	18	#0	QPSK	24.61	21	25	PASS
Band7	20	21100	100	#0	QPSK	23.81	21	25	PASS
Band7	20	21100	1	#0	QAM16	23.63	21	25	PASS
Band7	20	21100	18	#0	QAM16	23.54	21	25	PASS
Band7	20	21100	100	#0	QAM16	22.79	21	25	PASS
Band7	20	21350	1	#0	QPSK	24.55	21	25	PASS
Band7	20	21350	18	#0	QPSK	24.73	21	25	PASS
Band7	20	21350	100	#0	QPSK	23.93	21	25	PASS
Band7	20	21350	1	#0	QAM16	23.82	21	25	PASS
Band7	20	21350	18	#0	QAM16	23.66	21	25	PASS
Band7	20	21350	100	#0	QAM16	22.86	21	25	PASS
Band8	1.4	21457	1	#0	QPSK	24.09	19.5	25	PASS
Band8	1.4	21457	5	#0	QPSK	24.20	19.5	25	PASS
Band8	1.4	21457	6	#0	QPSK	23.20	19.5	25	PASS
Band8	1.4	21457	1	#0	QAM16	23.32	19.5	25	PASS
Band8	1.4	21457	5	#0	QAM16	23.23	19.5	25	PASS
Band8	1.4	21457	6	#0	QAM16	22.25	19.5	25	PASS
Band8	1.4	21625	1	#0	QPSK	24.15	21	25	PASS
Band8	1.4	21625	5	#0	QPSK	24.27	21	25	PASS
Band8	1.4	21625	6	#0	QPSK	23.28	21	25	PASS
Band8	1.4	21625	1	#0	QAM16	23.31	21	25	PASS
Band8	1.4	21625	5	#0	QAM16	23.30	21	25	PASS
Band8	1.4	21625	6	#0	QAM16	22.37	21	25	PASS
Band8	1.4	21793	1	#0	QPSK	24.13	19.5	25	PASS
Band8	1.4	21793	5	#0	QPSK	24.24	19.5	25	PASS
Band8	1.4	21793	6	#0	QPSK	23.26	19.5	25	PASS
Band8	1.4	21793	1	#0	QAM16	23.45	19.5	25	PASS
Band8	1.4	21793	5	#0	QAM16	23.29	19.5	25	PASS
Band8	1.4	21793	6	#0	QAM16	22.34	19.5	25	PASS

Band8	5	21475	1	#0	QPSK	24.02	19.5	25	PASS
Band8	5	21475	8	#0	QPSK	24.06	19.5	25	PASS
Band8	5	21475	25	#0	QPSK	23.13	21	25	PASS
Band8	5	21475	1	#0	QAM16	23.26	19.5	25	PASS
Band8	5	21475	8	#0	QAM16	23.12	19.5	25	PASS
Band8	5	21475	25	#0	QAM16	22.13	21	25	PASS
Band8	5	21625	1	#0	QPSK	24.05	21	25	PASS
Band8	5	21625	8	#0	QPSK	24.13	21	25	PASS
Band8	5	21625	25	#0	QPSK	23.24	21	25	PASS
Band8	5	21625	1	#0	QAM16	23.32	21	25	PASS
Band8	5	21625	8	#0	QAM16	23.17	21	25	PASS
Band8	5	21625	25	#0	QAM16	22.25	21	25	PASS
Band8	5	21775	1	#0	QPSK	24.00	21	25	PASS
Band8	5	21775	8	#0	QPSK	24.13	21	25	PASS
Band8	5	21775	25	#0	QPSK	23.21	21	25	PASS
Band8	5	21775	1	#0	QAM16	23.23	21	25	PASS
Band8	5	21775	8	#0	QAM16	23.11	21	25	PASS
Band8	5	21775	25	#0	QAM16	22.17	21	25	PASS
Band8	10	21500	1	#0	QPSK	24.10	19.5	25	PASS
Band8	10	21500	12	#0	QPSK	24.13	19.5	25	PASS
Band8	10	21500	50	#0	QPSK	23.14	21	25	PASS
Band8	10	21500	1	#0	QAM16	23.36	19.5	25	PASS
Band8	10	21500	12	#0	QAM16	23.11	19.5	25	PASS
Band8	10	21500	50	#0	QAM16	22.13	21	25	PASS
Band8	10	21625	1	#0	QPSK	24.06	21	25	PASS
Band8	10	21625	12	#0	QPSK	24.18	21	25	PASS
Band8	10	21625	50	#0	QPSK	23.29	21	25	PASS
Band8	10	21625	1	#0	QAM16	23.20	21	25	PASS
Band8	10	21625	12	#0	QAM16	23.14	21	25	PASS
Band8	10	21625	50	#0	QAM16	22.27	21	25	PASS
Band8	10	21750	1	#0	QPSK	24.22	21	25	PASS
Band8	10	21750	12	#0	QPSK	24.27	21	25	PASS
Band8	10	21750	50	#0	QPSK	23.25	21	25	PASS
Band8	10	21750	1	#0	QAM16	23.52	21	25	PASS
Band8	10	21750	12	#0	QAM16	23.23	21	25	PASS
Band8	10	21750	50	#0	QAM16	22.21	21	25	PASS

6.6.2.1 Transmitter spectrum emission mask

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Offset (MHz)	SEM Margin (dB)	Verdict
Band1	5	18025	8	#0	QPSK	-0.015	7.48	PASS
Band1	5	18025	8	#0	QPSK	-1.5	18.28	PASS
Band1	5	18025	8	#0	QPSK	-5.5	28.09	PASS
Band1	5	18025	8	#0	QPSK	-6.5	18.24	PASS
Band1	5	18025	8	#0	QPSK	0.985	30.19	PASS

Band1	5	18025	8	#0	QPSK	2	18.02	PASS
Band1	5	18025	8	#0	QPSK	5.5	30.46	PASS
Band1	5	18025	8	#0	QPSK	6.5	19.60	PASS
Band1	5	18025	8	#Max	QPSK	-0.985	30.02	PASS
Band1	5	18025	8	#Max	QPSK	-2	17.56	PASS
Band1	5	18025	8	#Max	QPSK	-5.5	30.39	PASS
Band1	5	18025	8	#Max	QPSK	-6.5	19.62	PASS
Band1	5	18025	8	#Max	QPSK	0.015	8.62	PASS
Band1	5	18025	8	#Max	QPSK	1.5	18.29	PASS
Band1	5	18025	8	#Max	QPSK	5.5	27.59	PASS
Band1	5	18025	8	#Max	QPSK	6.5	17.83	PASS
Band1	5	18025	25	#0	QPSK	-0.015	14.08	PASS
Band1	5	18025	25	#0	QPSK	-1.5	13.70	PASS
Band1	5	18025	25	#0	QPSK	-5.5	24.02	PASS
Band1	5	18025	25	#0	QPSK	-6.5	11.82	PASS
Band1	5	18025	25	#0	QPSK	0.015	13.82	PASS
Band1	5	18025	25	#0	QPSK	1.5	14.13	PASS
Band1	5	18025	25	#0	QPSK	5.5	24.15	PASS
Band1	5	18025	25	#0	QPSK	6.5	11.81	PASS
Band1	5	18025	8	#0	QAM16	-0.015	8.68	PASS
Band1	5	18025	8	#0	QAM16	-1.5	19.70	PASS
Band1	5	18025	8	#0	QAM16	-5.5	28.75	PASS
Band1	5	18025	8	#0	QAM16	-6.5	18.66	PASS
Band1	5	18025	8	#0	QAM16	0.945	31.51	PASS
Band1	5	18025	8	#0	QAM16	2	19.34	PASS
Band1	5	18025	8	#0	QAM16	5.5	30.66	PASS
Band1	5	18025	8	#0	QAM16	6.5	19.70	PASS
Band1	5	18025	8	#Max	QAM16	-0.945	31.74	PASS
Band1	5	18025	8	#Max	QAM16	-2	19.00	PASS
Band1	5	18025	8	#Max	QAM16	-5.5	30.60	PASS
Band1	5	18025	8	#Max	QAM16	-6.5	19.71	PASS
Band1	5	18025	8	#Max	QAM16	0.015	9.39	PASS
Band1	5	18025	8	#Max	QAM16	1.5	19.42	PASS
Band1	5	18025	8	#Max	QAM16	5.5	28.62	PASS
Band1	5	18025	8	#Max	QAM16	6.5	18.46	PASS
Band1	5	18025	25	#0	QAM16	-0.015	14.98	PASS
Band1	5	18025	25	#0	QAM16	-1.5	14.37	PASS
Band1	5	18025	25	#0	QAM16	-5.5	23.53	PASS
Band1	5	18025	25	#0	QAM16	-6.5	13.28	PASS
Band1	5	18025	25	#0	QAM16	0.015	15.57	PASS
Band1	5	18025	25	#0	QAM16	1.5	14.90	PASS
Band1	5	18025	25	#0	QAM16	5.5	23.60	PASS
Band1	5	18025	25	#0	QAM16	6.5	13.23	PASS
Band1	5	18300	8	#0	QPSK	-0.015	7.44	PASS

Band1	5	18300	8	#0	QPSK	-1.5	17.13	PASS
Band1	5	18300	8	#0	QPSK	-5.5	28.33	PASS
Band1	5	18300	8	#0	QPSK	-6.5	18.27	PASS
Band1	5	18300	8	#0	QPSK	0.985	30.39	PASS
Band1	5	18300	8	#0	QPSK	2	18.69	PASS
Band1	5	18300	8	#0	QPSK	5.5	31.16	PASS
Band1	5	18300	8	#0	QPSK	6.5	19.92	PASS
Band1	5	18300	8	#Max	QPSK	-0.945	29.26	PASS
Band1	5	18300	8	#Max	QPSK	-2	16.83	PASS
Band1	5	18300	8	#Max	QPSK	-5.5	30.55	PASS
Band1	5	18300	8	#Max	QPSK	-6.5	19.67	PASS
Band1	5	18300	8	#Max	QPSK	0.015	8.83	PASS
Band1	5	18300	8	#Max	QPSK	1.5	17.95	PASS
Band1	5	18300	8	#Max	QPSK	5.5	28.56	PASS
Band1	5	18300	8	#Max	QPSK	6.5	18.35	PASS
Band1	5	18300	25	#0	QPSK	-0.015	13.70	PASS
Band1	5	18300	25	#0	QPSK	-1.5	12.22	PASS
Band1	5	18300	25	#0	QPSK	-5.5	23.96	PASS
Band1	5	18300	25	#0	QPSK	-6.5	11.68	PASS
Band1	5	18300	25	#0	QPSK	0.015	13.99	PASS
Band1	5	18300	25	#0	QPSK	1.5	13.59	PASS
Band1	5	18300	25	#0	QPSK	5.5	25.31	PASS
Band1	5	18300	25	#0	QPSK	6.5	13.22	PASS
Band1	5	18300	8	#0	QAM16	-0.015	8.88	PASS
Band1	5	18300	8	#0	QAM16	-1.5	18.84	PASS
Band1	5	18300	8	#0	QAM16	-5.5	28.89	PASS
Band1	5	18300	8	#0	QAM16	-6.5	18.69	PASS
Band1	5	18300	8	#0	QAM16	0.945	31.82	PASS
Band1	5	18300	8	#0	QAM16	2	19.84	PASS
Band1	5	18300	8	#0	QAM16	5.5	31.21	PASS
Band1	5	18300	8	#0	QAM16	6.5	19.94	PASS
Band1	5	18300	8	#Max	QAM16	-0.945	30.73	PASS
Band1	5	18300	8	#Max	QAM16	-2	18.27	PASS
Band1	5	18300	8	#Max	QAM16	-5.5	30.59	PASS
Band1	5	18300	8	#Max	QAM16	-6.5	19.80	PASS
Band1	5	18300	8	#Max	QAM16	0.015	8.95	PASS
Band1	5	18300	8	#Max	QAM16	1.5	19.41	PASS
Band1	5	18300	8	#Max	QAM16	5.5	29.42	PASS
Band1	5	18300	8	#Max	QAM16	6.5	18.90	PASS
Band1	5	18300	25	#0	QAM16	-0.015	14.52	PASS
Band1	5	18300	25	#0	QAM16	-1.5	13.47	PASS
Band1	5	18300	25	#0	QAM16	-5.5	23.59	PASS
Band1	5	18300	25	#0	QAM16	-6.5	13.24	PASS
Band1	5	18300	25	#0	QAM16	0.015	15.39	PASS

Band1	5	18300	25	#0	QAM16	1.5	14.71	PASS
Band1	5	18300	25	#0	QAM16	5.5	25.09	PASS
Band1	5	18300	25	#0	QAM16	6.5	14.65	PASS
Band1	5	18575	8	#0	QPSK	-0.015	8.16	PASS
Band1	5	18575	8	#0	QPSK	-1.5	16.92	PASS
Band1	5	18575	8	#0	QPSK	-5.5	27.98	PASS
Band1	5	18575	8	#0	QPSK	-6.5	18.22	PASS
Band1	5	18575	8	#0	QPSK	0.985	28.91	PASS
Band1	5	18575	8	#0	QPSK	2	16.50	PASS
Band1	5	18575	8	#0	QPSK	5.5	30.40	PASS
Band1	5	18575	8	#0	QPSK	6.5	19.42	PASS
Band1	5	18575	8	#Max	QPSK	-0.885	29.65	PASS
Band1	5	18575	8	#Max	QPSK	-2	17.37	PASS
Band1	5	18575	8	#Max	QPSK	-5.5	30.65	PASS
Band1	5	18575	8	#Max	QPSK	-6.5	19.58	PASS
Band1	5	18575	8	#Max	QPSK	0.015	9.49	PASS
Band1	5	18575	8	#Max	QPSK	1.5	16.36	PASS
Band1	5	18575	8	#Max	QPSK	5.5	27.00	PASS
Band1	5	18575	8	#Max	QPSK	6.5	17.31	PASS
Band1	5	18575	25	#0	QPSK	-0.015	15.40	PASS
Band1	5	18575	25	#0	QPSK	-1.5	18.47	PASS
Band1	5	18575	25	#0	QPSK	-5.5	23.16	PASS
Band1	5	18575	25	#0	QPSK	-6.5	11.23	PASS
Band1	5	18575	25	#0	QPSK	0.015	14.94	PASS
Band1	5	18575	25	#0	QPSK	1.5	17.44	PASS
Band1	5	18575	25	#0	QPSK	5.5	22.23	PASS
Band1	5	18575	25	#0	QPSK	6.5	10.48	PASS
Band1	5	18575	8	#0	QAM16	-0.015	9.74	PASS
Band1	5	18575	8	#0	QAM16	-1.5	18.71	PASS
Band1	5	18575	8	#0	QAM16	-5.5	28.86	PASS
Band1	5	18575	8	#0	QAM16	-6.5	18.61	PASS
Band1	5	18575	8	#0	QAM16	0.945	29.66	PASS
Band1	5	18575	8	#0	QAM16	2	17.53	PASS
Band1	5	18575	8	#0	QAM16	5.5	30.51	PASS
Band1	5	18575	8	#0	QAM16	6.5	19.51	PASS
Band1	5	18575	8	#Max	QAM16	-0.945	31.21	PASS
Band1	5	18575	8	#Max	QAM16	-2	18.61	PASS
Band1	5	18575	8	#Max	QAM16	-5.5	30.78	PASS
Band1	5	18575	8	#Max	QAM16	-6.5	19.67	PASS
Band1	5	18575	8	#Max	QAM16	0.015	9.61	PASS
Band1	5	18575	8	#Max	QAM16	1.5	18.22	PASS
Band1	5	18575	8	#Max	QAM16	5.5	28.22	PASS
Band1	5	18575	8	#Max	QAM16	6.5	18.05	PASS
Band1	5	18575	25	#0	QAM16	-0.015	15.86	PASS

Band1	5	18575	25	#0	QAM16	-1.5	18.96	PASS
Band1	5	18575	25	#0	QAM16	-5.5	23.17	PASS
Band1	5	18575	25	#0	QAM16	-6.5	12.67	PASS
Band1	5	18575	25	#0	QAM16	0.015	15.66	PASS
Band1	5	18575	25	#0	QAM16	1.5	18.37	PASS
Band1	5	18575	25	#0	QAM16	5.5	22.43	PASS
Band1	5	18575	25	#0	QAM16	6.5	11.92	PASS
Band1	10	18050	12	#0	QPSK	-0.015	10.03	PASS
Band1	10	18050	12	#0	QPSK	-1.5	14.43	PASS
Band1	10	18050	12	#0	QPSK	-5.5	27.29	PASS
Band1	10	18050	12	#0	QPSK	-11.5	19.04	PASS
Band1	10	18050	12	#0	QPSK	0.015	34.17	PASS
Band1	10	18050	12	#0	QPSK	4.5	19.08	PASS
Band1	10	18050	12	#0	QPSK	5.5	15.11	PASS
Band1	10	18050	12	#0	QPSK	10.5	20.01	PASS
Band1	10	18050	12	#Max	QPSK	-0.015	34.64	PASS
Band1	10	18050	12	#Max	QPSK	-4.5	20.03	PASS
Band1	10	18050	12	#Max	QPSK	-5.5	16.13	PASS
Band1	10	18050	12	#Max	QPSK	-10.5	20.25	PASS
Band1	10	18050	12	#Max	QPSK	0.015	10.76	PASS
Band1	10	18050	12	#Max	QPSK	1.5	15.52	PASS
Band1	10	18050	12	#Max	QPSK	5.5	27.71	PASS
Band1	10	18050	12	#Max	QPSK	11.5	17.55	PASS
Band1	10	18050	50	#0	QPSK	-0.015	17.79	PASS
Band1	10	18050	50	#0	QPSK	-1.5	15.14	PASS
Band1	10	18050	50	#0	QPSK	-5.5	15.24	PASS
Band1	10	18050	50	#0	QPSK	-11.5	14.69	PASS
Band1	10	18050	50	#0	QPSK	0.015	17.48	PASS
Band1	10	18050	50	#0	QPSK	1.5	15.32	PASS
Band1	10	18050	50	#0	QPSK	5.5	15.84	PASS
Band1	10	18050	50	#0	QPSK	13.5	13.82	PASS
Band1	10	18050	12	#0	QAM16	-0.015	10.95	PASS
Band1	10	18050	12	#0	QAM16	-1.5	16.83	PASS
Band1	10	18050	12	#0	QAM16	-5.5	28.17	PASS
Band1	10	18050	12	#0	QAM16	-10.5	19.45	PASS
Band1	10	18050	12	#0	QAM16	0.015	34.63	PASS
Band1	10	18050	12	#0	QAM16	4.5	20.32	PASS
Band1	10	18050	12	#0	QAM16	5.5	16.55	PASS
Band1	10	18050	12	#0	QAM16	10.5	20.12	PASS
Band1	10	18050	12	#Max	QAM16	-0.015	34.53	PASS
Band1	10	18050	12	#Max	QAM16	-4.5	21.30	PASS
Band1	10	18050	12	#Max	QAM16	-5.5	17.60	PASS
Band1	10	18050	12	#Max	QAM16	-10.5	20.26	PASS
Band1	10	18050	12	#Max	QAM16	0.015	11.47	PASS

Band1	10	18050	12	#Max	QAM16	1.5	17.16	PASS
Band1	10	18050	12	#Max	QAM16	5.5	28.29	PASS
Band1	10	18050	12	#Max	QAM16	12.5	18.38	PASS
Band1	10	18050	50	#0	QAM16	-0.015	18.82	PASS
Band1	10	18050	50	#0	QAM16	-1.5	16.12	PASS
Band1	10	18050	50	#0	QAM16	-5.5	16.72	PASS
Band1	10	18050	50	#0	QAM16	-10.5	14.01	PASS
Band1	10	18050	50	#0	QAM16	0.015	18.52	PASS
Band1	10	18050	50	#0	QAM16	1.5	16.44	PASS
Band1	10	18050	50	#0	QAM16	5.5	17.56	PASS
Band1	10	18050	50	#0	QAM16	10.5	13.24	PASS
Band1	10	18300	12	#0	QPSK	-0.015	9.69	PASS
Band1	10	18300	12	#0	QPSK	-1.5	13.65	PASS
Band1	10	18300	12	#0	QPSK	-5.5	27.70	PASS
Band1	10	18300	12	#0	QPSK	-11.5	19.29	PASS
Band1	10	18300	12	#0	QPSK	0.015	35.48	PASS
Band1	10	18300	12	#0	QPSK	4.5	21.06	PASS
Band1	10	18300	12	#0	QPSK	5.5	17.26	PASS
Band1	10	18300	12	#0	QPSK	10.5	20.25	PASS
Band1	10	18300	12	#Max	QPSK	-0.015	33.54	PASS
Band1	10	18300	12	#Max	QPSK	-4.5	19.94	PASS
Band1	10	18300	12	#Max	QPSK	-5.5	16.21	PASS
Band1	10	18300	12	#Max	QPSK	-10.5	20.14	PASS
Band1	10	18300	12	#Max	QPSK	0.015	10.06	PASS
Band1	10	18300	12	#Max	QPSK	1.5	14.72	PASS
Band1	10	18300	12	#Max	QPSK	5.5	28.39	PASS
Band1	10	18300	12	#Max	QPSK	11.5	18.74	PASS
Band1	10	18300	50	#0	QPSK	-0.015	17.20	PASS
Band1	10	18300	50	#0	QPSK	-1.5	14.30	PASS
Band1	10	18300	50	#0	QPSK	-5.5	14.83	PASS
Band1	10	18300	50	#0	QPSK	-13.5	14.34	PASS
Band1	10	18300	50	#0	QPSK	0.015	18.33	PASS
Band1	10	18300	50	#0	QPSK	1.5	16.39	PASS
Band1	10	18300	50	#0	QPSK	5.5	17.47	PASS
Band1	10	18300	50	#0	QPSK	10.5	15.82	PASS
Band1	10	18300	12	#0	QAM16	-0.015	10.87	PASS
Band1	10	18300	12	#0	QAM16	-1.5	15.87	PASS
Band1	10	18300	12	#0	QAM16	-5.5	28.33	PASS
Band1	10	18300	12	#0	QAM16	-11.5	19.75	PASS
Band1	10	18300	12	#0	QAM16	0.015	35.68	PASS
Band1	10	18300	12	#0	QAM16	4.5	22.50	PASS
Band1	10	18300	12	#0	QAM16	5.5	18.75	PASS
Band1	10	18300	12	#0	QAM16	10.5	20.23	PASS
Band1	10	18300	12	#Max	QAM16	-0.045	34.00	PASS

Band1	10	18300	12	#Max	QAM16	-4.5	21.56	PASS
Band1	10	18300	12	#Max	QAM16	-5.5	17.95	PASS
Band1	10	18300	12	#Max	QAM16	-10.5	20.20	PASS
Band1	10	18300	12	#Max	QAM16	0.015	11.51	PASS
Band1	10	18300	12	#Max	QAM16	1.5	17.03	PASS
Band1	10	18300	12	#Max	QAM16	5.5	29.02	PASS
Band1	10	18300	12	#Max	QAM16	11.5	19.30	PASS
Band1	10	18300	50	#0	QAM16	-0.015	18.52	PASS
Band1	10	18300	50	#0	QAM16	-1.5	15.49	PASS
Band1	10	18300	50	#0	QAM16	-5.5	16.62	PASS
Band1	10	18300	50	#0	QAM16	-10.5	14.12	PASS
Band1	10	18300	50	#0	QAM16	0.015	19.72	PASS
Band1	10	18300	50	#0	QAM16	1.5	17.40	PASS
Band1	10	18300	50	#0	QAM16	5.5	19.32	PASS
Band1	10	18300	50	#0	QAM16	10.5	15.53	PASS
Band1	10	18550	12	#0	QPSK	-0.015	11.39	PASS
Band1	10	18550	12	#0	QPSK	-1.5	15.53	PASS
Band1	10	18550	12	#0	QPSK	-5.5	26.94	PASS
Band1	10	18550	12	#0	QPSK	-11.5	18.91	PASS
Band1	10	18550	12	#0	QPSK	0.015	33.79	PASS
Band1	10	18550	12	#0	QPSK	4.5	18.70	PASS
Band1	10	18550	12	#0	QPSK	5.5	14.79	PASS
Band1	10	18550	12	#0	QPSK	10.5	19.76	PASS
Band1	10	18550	12	#Max	QPSK	-0.015	34.63	PASS
Band1	10	18550	12	#Max	QPSK	-4.5	20.95	PASS
Band1	10	18550	12	#Max	QPSK	-5.5	17.16	PASS
Band1	10	18550	12	#Max	QPSK	-10.5	19.97	PASS
Band1	10	18550	12	#Max	QPSK	0.015	11.17	PASS
Band1	10	18550	12	#Max	QPSK	1.5	14.80	PASS
Band1	10	18550	12	#Max	QPSK	5.5	27.07	PASS
Band1	10	18550	12	#Max	QPSK	11.5	17.59	PASS
Band1	10	18550	50	#0	QPSK	-0.015	19.49	PASS
Band1	10	18550	50	#0	QPSK	-1.5	19.98	PASS
Band1	10	18550	50	#0	QPSK	-5.5	19.54	PASS
Band1	10	18550	50	#0	QPSK	-13.5	12.95	PASS
Band1	10	18550	50	#0	QPSK	0.015	18.17	PASS
Band1	10	18550	50	#0	QPSK	1.5	18.25	PASS
Band1	10	18550	50	#0	QPSK	5.5	18.17	PASS
Band1	10	18550	50	#0	QPSK	10.5	12.48	PASS
Band1	10	18550	12	#0	QAM16	-0.015	12.00	PASS
Band1	10	18550	12	#0	QAM16	-1.5	17.06	PASS
Band1	10	18550	12	#0	QAM16	-5.5	27.95	PASS
Band1	10	18550	12	#0	QAM16	-11.5	19.29	PASS
Band1	10	18550	12	#0	QAM16	0.015	34.09	PASS

Band1	10	18550	12	#0	QAM16	4.5	19.71	PASS
Band1	10	18550	12	#0	QAM16	5.5	15.93	PASS
Band1	10	18550	12	#0	QAM16	10.5	19.88	PASS
Band1	10	18550	12	#Max	QAM16	-0.015	34.72	PASS
Band1	10	18550	12	#Max	QAM16	-4.5	22.05	PASS
Band1	10	18550	12	#Max	QAM16	-5.5	18.41	PASS
Band1	10	18550	12	#Max	QAM16	-10.5	20.02	PASS
Band1	10	18550	12	#Max	QAM16	0.015	11.90	PASS
Band1	10	18550	12	#Max	QAM16	1.5	17.15	PASS
Band1	10	18550	12	#Max	QAM16	5.5	28.07	PASS
Band1	10	18550	12	#Max	QAM16	11.5	18.55	PASS
Band1	10	18550	50	#0	QAM16	-0.015	20.90	PASS
Band1	10	18550	50	#0	QAM16	-1.5	20.82	PASS
Band1	10	18550	50	#0	QAM16	-5.5	20.37	PASS
Band1	10	18550	50	#0	QAM16	-10.5	13.28	PASS
Band1	10	18550	50	#0	QAM16	0.015	19.48	PASS
Band1	10	18550	50	#0	QAM16	1.5	19.65	PASS
Band1	10	18550	50	#0	QAM16	5.5	19.51	PASS
Band1	10	18550	50	#0	QAM16	10.5	12.46	PASS
Band1	20	18100	18	#0	QPSK	-0.015	12.27	PASS
Band1	20	18100	18	#0	QPSK	-1.5	14.13	PASS
Band1	20	18100	18	#0	QPSK	-5.5	26.13	PASS
Band1	20	18100	18	#0	QPSK	-21.5	20.66	PASS
Band1	20	18100	18	#0	QPSK	0.195	33.19	PASS
Band1	20	18100	18	#0	QPSK	1.5	30.98	PASS
Band1	20	18100	18	#0	QPSK	12.5	17.94	PASS
Band1	20	18100	18	#0	QPSK	21.5	20.04	PASS
Band1	20	18100	18	#Max	QPSK	-0.045	34.75	PASS
Band1	20	18100	18	#Max	QPSK	-1.5	32.21	PASS
Band1	20	18100	18	#Max	QPSK	-11.5	20.29	PASS
Band1	20	18100	18	#Max	QPSK	-21.5	20.68	PASS
Band1	20	18100	18	#Max	QPSK	0.015	12.54	PASS
Band1	20	18100	18	#Max	QPSK	1.5	14.35	PASS
Band1	20	18100	18	#Max	QPSK	5.5	26.58	PASS
Band1	20	18100	18	#Max	QPSK	24.5	19.56	PASS
Band1	20	18100	100	#0	QPSK	-0.015	20.30	PASS
Band1	20	18100	100	#0	QPSK	-1.5	17.83	PASS
Band1	20	18100	100	#0	QPSK	-5.5	16.29	PASS
Band1	20	18100	100	#0	QPSK	-20.5	20.16	PASS
Band1	20	18100	100	#0	QPSK	0.015	20.01	PASS
Band1	20	18100	100	#0	QPSK	1.5	18.24	PASS
Band1	20	18100	100	#0	QPSK	5.5	17.42	PASS
Band1	20	18100	100	#0	QPSK	20.5	17.22	PASS
Band1	20	18100	18	#0	QAM16	-0.045	13.42	PASS

Band1	20	18100	18	#0	QAM16	-1.5	16.14	PASS
Band1	20	18100	18	#0	QAM16	-5.5	26.51	PASS
Band1	20	18100	18	#0	QAM16	-20.5	20.70	PASS
Band1	20	18100	18	#0	QAM16	0.015	33.51	PASS
Band1	20	18100	18	#0	QAM16	1.5	31.10	PASS
Band1	20	18100	18	#0	QAM16	12.5	19.34	PASS
Band1	20	18100	18	#0	QAM16	24.5	20.04	PASS
Band1	20	18100	18	#Max	QAM16	-0.015	34.79	PASS
Band1	20	18100	18	#Max	QAM16	-1.5	32.20	PASS
Band1	20	18100	18	#Max	QAM16	-11.5	21.46	PASS
Band1	20	18100	18	#Max	QAM16	-23.5	20.70	PASS
Band1	20	18100	18	#Max	QAM16	0.015	13.79	PASS
Band1	20	18100	18	#Max	QAM16	1.5	16.42	PASS
Band1	20	18100	18	#Max	QAM16	5.5	27.09	PASS
Band1	20	18100	18	#Max	QAM16	24.5	19.81	PASS
Band1	20	18100	100	#0	QAM16	-0.015	21.16	PASS
Band1	20	18100	100	#0	QAM16	-1.5	18.77	PASS
Band1	20	18100	100	#0	QAM16	-5.5	16.86	PASS
Band1	20	18100	100	#0	QAM16	-20.5	20.16	PASS
Band1	20	18100	100	#0	QAM16	0.015	21.07	PASS
Band1	20	18100	100	#0	QAM16	1.5	19.38	PASS
Band1	20	18100	100	#0	QAM16	5.5	18.24	PASS
Band1	20	18100	100	#0	QAM16	20.5	16.67	PASS
Band1	20	18300	18	#0	QPSK	-0.015	12.07	PASS
Band1	20	18300	18	#0	QPSK	-1.5	13.77	PASS
Band1	20	18300	18	#0	QPSK	-5.5	26.70	PASS
Band1	20	18300	18	#0	QPSK	-24.5	20.34	PASS
Band1	20	18300	18	#0	QPSK	0.015	35.27	PASS
Band1	20	18300	18	#0	QPSK	1.5	32.66	PASS
Band1	20	18300	18	#0	QPSK	12.5	20.39	PASS
Band1	20	18300	18	#0	QPSK	20.5	19.99	PASS
Band1	20	18300	18	#Max	QPSK	-0.015	32.80	PASS
Band1	20	18300	18	#Max	QPSK	-1.5	30.83	PASS
Band1	20	18300	18	#Max	QPSK	-12.5	18.67	PASS
Band1	20	18300	18	#Max	QPSK	-20.5	20.47	PASS
Band1	20	18300	18	#Max	QPSK	0.015	12.58	PASS
Band1	20	18300	18	#Max	QPSK	1.5	14.51	PASS
Band1	20	18300	18	#Max	QPSK	5.5	26.66	PASS
Band1	20	18300	18	#Max	QPSK	24.5	19.22	PASS
Band1	20	18300	100	#0	QPSK	-0.015	19.41	PASS
Band1	20	18300	100	#0	QPSK	-1.5	17.10	PASS
Band1	20	18300	100	#0	QPSK	-5.5	15.96	PASS
Band1	20	18300	100	#0	QPSK	-24.5	16.95	PASS
Band1	20	18300	100	#0	QPSK	0.015	22.08	PASS

Band1	20	18300	100	#0	QPSK	1.5	20.51	PASS
Band1	20	18300	100	#0	QPSK	5.5	20.03	PASS
Band1	20	18300	100	#0	QPSK	21.5	17.11	PASS
Band1	20	18300	18	#0	QAM16	-0.075	13.31	PASS
Band1	20	18300	18	#0	QAM16	-1.5	15.90	PASS
Band1	20	18300	18	#0	QAM16	-5.5	27.26	PASS
Band1	20	18300	18	#0	QAM16	-24.5	20.41	PASS
Band1	20	18300	18	#0	QAM16	0.105	35.30	PASS
Band1	20	18300	18	#0	QAM16	1.5	32.67	PASS
Band1	20	18300	18	#0	QAM16	12.5	21.82	PASS
Band1	20	18300	18	#0	QAM16	20.5	20.01	PASS
Band1	20	18300	18	#Max	QAM16	-0.255	33.18	PASS
Band1	20	18300	18	#Max	QAM16	-1.5	30.87	PASS
Band1	20	18300	18	#Max	QAM16	-11.5	20.34	PASS
Band1	20	18300	18	#Max	QAM16	-20.5	20.43	PASS
Band1	20	18300	18	#Max	QAM16	0.015	14.44	PASS
Band1	20	18300	18	#Max	QAM16	1.5	17.01	PASS
Band1	20	18300	18	#Max	QAM16	5.5	26.85	PASS
Band1	20	18300	18	#Max	QAM16	24.5	19.53	PASS
Band1	20	18300	100	#0	QAM16	-0.015	20.87	PASS
Band1	20	18300	100	#0	QAM16	-1.5	18.19	PASS
Band1	20	18300	100	#0	QAM16	-5.5	17.05	PASS
Band1	20	18300	100	#0	QAM16	-20.5	16.70	PASS
Band1	20	18300	100	#0	QAM16	0.015	23.07	PASS
Band1	20	18300	100	#0	QAM16	1.5	21.38	PASS
Band1	20	18300	100	#0	QAM16	5.5	20.63	PASS
Band1	20	18300	100	#0	QAM16	20.5	16.92	PASS
Band1	20	18500	18	#0	QPSK	-0.015	12.65	PASS
Band1	20	18500	18	#0	QPSK	-1.5	14.57	PASS
Band1	20	18500	18	#0	QPSK	-5.5	25.19	PASS
Band1	20	18500	18	#0	QPSK	-24.5	19.65	PASS
Band1	20	18500	18	#0	QPSK	0.135	33.67	PASS
Band1	20	18500	18	#0	QPSK	1.5	31.30	PASS
Band1	20	18500	18	#0	QPSK	12.5	16.66	PASS
Band1	20	18500	18	#0	QPSK	24.5	19.87	PASS
Band1	20	18500	18	#Max	QPSK	-0.015	33.98	PASS
Band1	20	18500	18	#Max	QPSK	-1.5	31.62	PASS
Band1	20	18500	18	#Max	QPSK	-12.5	16.91	PASS
Band1	20	18500	18	#Max	QPSK	-20.5	20.18	PASS
Band1	20	18500	18	#Max	QPSK	0.015	13.38	PASS
Band1	20	18500	18	#Max	QPSK	1.5	15.39	PASS
Band1	20	18500	18	#Max	QPSK	5.5	25.12	PASS
Band1	20	18500	18	#Max	QPSK	24.5	19.77	PASS
Band1	20	18500	100	#0	QPSK	-0.015	22.38	PASS

Band1	20	18500	100	#0	QPSK	-1.5	21.46	PASS
Band1	20	18500	100	#0	QPSK	-5.5	19.48	PASS
Band1	20	18500	100	#0	QPSK	-21.5	14.71	PASS
Band1	20	18500	100	#0	QPSK	0.015	21.37	PASS
Band1	20	18500	100	#0	QPSK	1.5	20.02	PASS
Band1	20	18500	100	#0	QPSK	5.5	18.63	PASS
Band1	20	18500	100	#0	QPSK	20.5	17.14	PASS
Band1	20	18500	18	#0	QAM16	-0.015	14.04	PASS
Band1	20	18500	18	#0	QAM16	-1.5	16.81	PASS
Band1	20	18500	18	#0	QAM16	-5.5	25.22	PASS
Band1	20	18500	18	#0	QAM16	-24.5	19.69	PASS
Band1	20	18500	18	#0	QAM16	0.075	33.55	PASS
Band1	20	18500	18	#0	QAM16	1.5	31.12	PASS
Band1	20	18500	18	#0	QAM16	12.5	18.33	PASS
Band1	20	18500	18	#0	QAM16	21.5	19.91	PASS
Band1	20	18500	18	#Max	QAM16	-0.165	33.89	PASS
Band1	20	18500	18	#Max	QAM16	-1.5	31.58	PASS
Band1	20	18500	18	#Max	QAM16	-12.5	18.49	PASS
Band1	20	18500	18	#Max	QAM16	-20.5	20.22	PASS
Band1	20	18500	18	#Max	QAM16	0.015	15.09	PASS
Band1	20	18500	18	#Max	QAM16	1.5	17.44	PASS
Band1	20	18500	18	#Max	QAM16	5.5	25.79	PASS
Band1	20	18500	18	#Max	QAM16	23.5	19.80	PASS
Band1	20	18500	100	#0	QAM16	-0.015	23.76	PASS
Band1	20	18500	100	#0	QAM16	-1.5	22.30	PASS
Band1	20	18500	100	#0	QAM16	-5.5	20.29	PASS
Band1	20	18500	100	#0	QAM16	-20.5	14.79	PASS
Band1	20	18500	100	#0	QAM16	0.015	23.05	PASS
Band1	20	18500	100	#0	QAM16	1.5	21.81	PASS
Band1	20	18500	100	#0	QAM16	5.5	20.28	PASS
Band1	20	18500	100	#0	QAM16	20.5	16.97	PASS
Band3	1.4	19207	5	#0	QPSK	-0.015	12.78	PASS
Band3	1.4	19207	5	#0	QPSK	-1.5	22.44	PASS
Band3	1.4	19207	5	#0	QPSK	-3	14.31	PASS
Band3	1.4	19207	5	#0	QPSK	0	0.00	PASS
Band3	1.4	19207	5	#0	QPSK	0.015	15.34	PASS
Band3	1.4	19207	5	#0	QPSK	1.5	23.47	PASS
Band3	1.4	19207	5	#0	QPSK	3	14.17	PASS
Band3	1.4	19207	5	#0	QPSK	0	0.00	PASS
Band3	1.4	19207	5	#Max	QPSK	-0.015	14.97	PASS
Band3	1.4	19207	5	#Max	QPSK	-1.5	24.18	PASS
Band3	1.4	19207	5	#Max	QPSK	-3	14.20	PASS
Band3	1.4	19207	5	#Max	QPSK	0	0.00	PASS
Band3	1.4	19207	5	#Max	QPSK	0.015	12.60	PASS

Band3	1.4	19207	5	#Max	QPSK	1.5	21.97	PASS
Band3	1.4	19207	5	#Max	QPSK	3	14.22	PASS
Band3	1.4	19207	5	#Max	QPSK	0	0.00	PASS
Band3	1.4	19207	6	#0	QPSK	-0.015	16.60	PASS
Band3	1.4	19207	6	#0	QPSK	-1.5	22.64	PASS
Band3	1.4	19207	6	#0	QPSK	-3	14.67	PASS
Band3	1.4	19207	6	#0	QPSK	0	0.00	PASS
Band3	1.4	19207	6	#0	QPSK	0.015	16.95	PASS
Band3	1.4	19207	6	#0	QPSK	1.5	22.01	PASS
Band3	1.4	19207	6	#0	QPSK	3	14.42	PASS
Band3	1.4	19207	6	#0	QPSK	0	0.00	PASS
Band3	1.4	19207	5	#0	QAM16	-0.015	15.49	PASS
Band3	1.4	19207	5	#0	QAM16	-1.5	24.36	PASS
Band3	1.4	19207	5	#0	QAM16	-3	14.85	PASS
Band3	1.4	19207	5	#0	QAM16	0	0.00	PASS
Band3	1.4	19207	5	#0	QAM16	0.015	18.17	PASS
Band3	1.4	19207	5	#0	QAM16	1.5	25.69	PASS
Band3	1.4	19207	5	#0	QAM16	3	14.66	PASS
Band3	1.4	19207	5	#0	QAM16	0	0.00	PASS
Band3	1.4	19207	5	#Max	QAM16	-0.015	17.35	PASS
Band3	1.4	19207	5	#Max	QAM16	-1.5	26.15	PASS
Band3	1.4	19207	5	#Max	QAM16	-3	14.69	PASS
Band3	1.4	19207	5	#Max	QAM16	0	0.00	PASS
Band3	1.4	19207	5	#Max	QAM16	0.015	15.15	PASS
Band3	1.4	19207	5	#Max	QAM16	1.5	23.57	PASS
Band3	1.4	19207	5	#Max	QAM16	3	14.66	PASS
Band3	1.4	19207	5	#Max	QAM16	0	0.00	PASS
Band3	1.4	19207	6	#0	QAM16	-0.015	18.47	PASS
Band3	1.4	19207	6	#0	QAM16	-1.5	24.12	PASS
Band3	1.4	19207	6	#0	QAM16	-3	15.06	PASS
Band3	1.4	19207	6	#0	QAM16	0	0.00	PASS
Band3	1.4	19207	6	#0	QAM16	0.015	18.28	PASS
Band3	1.4	19207	6	#0	QAM16	1.5	23.26	PASS
Band3	1.4	19207	6	#0	QAM16	3	14.81	PASS
Band3	1.4	19207	6	#0	QAM16	0	0.00	PASS
Band3	1.4	19575	5	#0	QPSK	-0.015	10.30	PASS
Band3	1.4	19575	5	#0	QPSK	-1.5	24.33	PASS
Band3	1.4	19575	5	#0	QPSK	-3	13.84	PASS
Band3	1.4	19575	5	#0	QPSK	0	0.00	PASS
Band3	1.4	19575	5	#0	QPSK	0.015	12.66	PASS
Band3	1.4	19575	5	#0	QPSK	1.5	25.11	PASS
Band3	1.4	19575	5	#0	QPSK	3	14.23	PASS
Band3	1.4	19575	5	#0	QPSK	0	0.00	PASS
Band3	1.4	19575	5	#Max	QPSK	-0.015	12.64	PASS

Band3	1.4	19575	5	#Max	QPSK	-1.5	25.04	PASS
Band3	1.4	19575	5	#Max	QPSK	-3	13.82	PASS
Band3	1.4	19575	5	#Max	QPSK	0	0.00	PASS
Band3	1.4	19575	5	#Max	QPSK	0.015	10.22	PASS
Band3	1.4	19575	5	#Max	QPSK	1.5	24.39	PASS
Band3	1.4	19575	5	#Max	QPSK	3	14.30	PASS
Band3	1.4	19575	5	#Max	QPSK	0	0.00	PASS
Band3	1.4	19575	6	#0	QPSK	-0.015	14.13	PASS
Band3	1.4	19575	6	#0	QPSK	-1.5	25.39	PASS
Band3	1.4	19575	6	#0	QPSK	-3	14.26	PASS
Band3	1.4	19575	6	#0	QPSK	0	0.00	PASS
Band3	1.4	19575	6	#0	QPSK	0.015	14.70	PASS
Band3	1.4	19575	6	#0	QPSK	1.5	25.56	PASS
Band3	1.4	19575	6	#0	QPSK	3	14.86	PASS
Band3	1.4	19575	6	#0	QPSK	0	0.00	PASS
Band3	1.4	19575	5	#0	QAM16	-0.015	12.88	PASS
Band3	1.4	19575	5	#0	QAM16	-1.5	25.84	PASS
Band3	1.4	19575	5	#0	QAM16	-3	14.40	PASS
Band3	1.4	19575	5	#0	QAM16	0	0.00	PASS
Band3	1.4	19575	5	#0	QAM16	0.015	15.64	PASS
Band3	1.4	19575	5	#0	QAM16	1.5	26.74	PASS
Band3	1.4	19575	5	#0	QAM16	3	14.78	PASS
Band3	1.4	19575	5	#0	QAM16	0	0.00	PASS
Band3	1.4	19575	5	#Max	QAM16	-0.015	15.16	PASS
Band3	1.4	19575	5	#Max	QAM16	-1.5	26.86	PASS
Band3	1.4	19575	5	#Max	QAM16	-3	14.38	PASS
Band3	1.4	19575	5	#Max	QAM16	0	0.00	PASS
Band3	1.4	19575	5	#Max	QAM16	0.015	13.33	PASS
Band3	1.4	19575	5	#Max	QAM16	1.5	25.81	PASS
Band3	1.4	19575	5	#Max	QAM16	3	14.80	PASS
Band3	1.4	19575	5	#Max	QAM16	0	0.00	PASS
Band3	1.4	19575	6	#0	QAM16	-0.015	16.19	PASS
Band3	1.4	19575	6	#0	QAM16	-1.5	26.15	PASS
Band3	1.4	19575	6	#0	QAM16	-3	14.79	PASS
Band3	1.4	19575	6	#0	QAM16	0	0.00	PASS
Band3	1.4	19575	6	#0	QAM16	0.015	16.72	PASS
Band3	1.4	19575	6	#0	QAM16	1.5	26.11	PASS
Band3	1.4	19575	6	#0	QAM16	3	15.26	PASS
Band3	1.4	19575	6	#0	QAM16	0	0.00	PASS
Band3	1.4	19943	5	#0	QPSK	-0.015	14.21	PASS
Band3	1.4	19943	5	#0	QPSK	-1.5	14.67	PASS
Band3	1.4	19943	5	#0	QPSK	-3	11.08	PASS
Band3	1.4	19943	5	#0	QPSK	0	0.00	PASS
Band3	1.4	19943	5	#0	QPSK	0.015	16.05	PASS

Band3	1.4	19943	5	#0	QPSK	1.5	17.62	PASS
Band3	1.4	19943	5	#0	QPSK	3	12.63	PASS
Band3	1.4	19943	5	#0	QPSK	0	0.00	PASS
Band3	1.4	19943	5	#Max	QPSK	-0.015	15.27	PASS
Band3	1.4	19943	5	#Max	QPSK	-1.5	16.40	PASS
Band3	1.4	19943	5	#Max	QPSK	-3	10.90	PASS
Band3	1.4	19943	5	#Max	QPSK	0	0.00	PASS
Band3	1.4	19943	5	#Max	QPSK	0.015	14.03	PASS
Band3	1.4	19943	5	#Max	QPSK	1.5	14.69	PASS
Band3	1.4	19943	5	#Max	QPSK	3	11.89	PASS
Band3	1.4	19943	5	#Max	QPSK	0	0.00	PASS
Band3	1.4	19943	6	#0	QPSK	-0.015	17.17	PASS
Band3	1.4	19943	6	#0	QPSK	-1.5	15.41	PASS
Band3	1.4	19943	6	#0	QPSK	-3	11.89	PASS
Band3	1.4	19943	6	#0	QPSK	0	0.00	PASS
Band3	1.4	19943	6	#0	QPSK	0.015	17.78	PASS
Band3	1.4	19943	6	#0	QPSK	1.5	16.05	PASS
Band3	1.4	19943	6	#0	QPSK	3	13.23	PASS
Band3	1.4	19943	6	#0	QPSK	0	0.00	PASS
Band3	1.4	19943	5	#0	QAM16	-0.015	15.41	PASS
Band3	1.4	19943	5	#0	QAM16	-1.5	17.62	PASS
Band3	1.4	19943	5	#0	QAM16	-3	12.43	PASS
Band3	1.4	19943	5	#0	QAM16	0	0.00	PASS
Band3	1.4	19943	5	#0	QAM16	0.015	17.45	PASS
Band3	1.4	19943	5	#0	QAM16	1.5	20.24	PASS
Band3	1.4	19943	5	#0	QAM16	3	13.94	PASS
Band3	1.4	19943	5	#0	QAM16	0	0.00	PASS
Band3	1.4	19943	5	#Max	QAM16	-0.015	17.06	PASS
Band3	1.4	19943	5	#Max	QAM16	-1.5	19.39	PASS
Band3	1.4	19943	5	#Max	QAM16	-3	12.57	PASS
Band3	1.4	19943	5	#Max	QAM16	0	0.00	PASS
Band3	1.4	19943	5	#Max	QAM16	0.015	15.14	PASS
Band3	1.4	19943	5	#Max	QAM16	1.5	18.04	PASS
Band3	1.4	19943	5	#Max	QAM16	3	13.49	PASS
Band3	1.4	19943	5	#Max	QAM16	0	0.00	PASS
Band3	1.4	19943	6	#0	QAM16	-0.015	18.52	PASS
Band3	1.4	19943	6	#0	QAM16	-1.5	19.32	PASS
Band3	1.4	19943	6	#0	QAM16	-3	13.34	PASS
Band3	1.4	19943	6	#0	QAM16	0	0.00	PASS
Band3	1.4	19943	6	#0	QAM16	0.015	19.08	PASS
Band3	1.4	19943	6	#0	QAM16	1.5	19.90	PASS
Band3	1.4	19943	6	#0	QAM16	3	14.67	PASS
Band3	1.4	19943	6	#0	QAM16	0	0.00	PASS
Band3	5	19225	8	#0	QPSK	-0.015	7.09	PASS

Band3	5	19225	8	#0	QPSK	-1.5	16.00	PASS
Band3	5	19225	8	#0	QPSK	-5.5	28.77	PASS
Band3	5	19225	8	#0	QPSK	-6.5	18.68	PASS
Band3	5	19225	8	#0	QPSK	0.985	32.06	PASS
Band3	5	19225	8	#0	QPSK	2	20.71	PASS
Band3	5	19225	8	#0	QPSK	5.5	30.60	PASS
Band3	5	19225	8	#0	QPSK	6.5	19.67	PASS
Band3	5	19225	8	#Max	QPSK	-0.945	31.49	PASS
Band3	5	19225	8	#Max	QPSK	-2	19.57	PASS
Band3	5	19225	8	#Max	QPSK	-5.5	30.97	PASS
Band3	5	19225	8	#Max	QPSK	-6.5	19.87	PASS
Band3	5	19225	8	#Max	QPSK	0.015	6.90	PASS
Band3	5	19225	8	#Max	QPSK	1.5	15.32	PASS
Band3	5	19225	8	#Max	QPSK	5.5	28.64	PASS
Band3	5	19225	8	#Max	QPSK	6.5	18.32	PASS
Band3	5	19225	25	#0	QPSK	-0.015	13.92	PASS
Band3	5	19225	25	#0	QPSK	-1.5	12.14	PASS
Band3	5	19225	25	#0	QPSK	-5.5	24.23	PASS
Band3	5	19225	25	#0	QPSK	-6.5	15.12	PASS
Band3	5	19225	25	#0	QPSK	0.015	13.15	PASS
Band3	5	19225	25	#0	QPSK	1.5	11.07	PASS
Band3	5	19225	25	#0	QPSK	5.5	23.66	PASS
Band3	5	19225	25	#0	QPSK	6.5	14.66	PASS
Band3	5	19225	8	#0	QAM16	-0.015	8.84	PASS
Band3	5	19225	8	#0	QAM16	-1.5	18.70	PASS
Band3	5	19225	8	#0	QAM16	-5.5	29.31	PASS
Band3	5	19225	8	#0	QAM16	-6.5	19.06	PASS
Band3	5	19225	8	#0	QAM16	0.945	33.05	PASS
Band3	5	19225	8	#0	QAM16	2	21.59	PASS
Band3	5	19225	8	#0	QAM16	5.5	30.69	PASS
Band3	5	19225	8	#0	QAM16	6.5	19.66	PASS
Band3	5	19225	8	#Max	QAM16	-0.945	32.87	PASS
Band3	5	19225	8	#Max	QAM16	-2	20.51	PASS
Band3	5	19225	8	#Max	QAM16	-5.5	31.27	PASS
Band3	5	19225	8	#Max	QAM16	-6.5	20.02	PASS
Band3	5	19225	8	#Max	QAM16	0.015	8.18	PASS
Band3	5	19225	8	#Max	QAM16	1.5	18.09	PASS
Band3	5	19225	8	#Max	QAM16	5.5	29.58	PASS
Band3	5	19225	8	#Max	QAM16	6.5	18.96	PASS
Band3	5	19225	25	#0	QAM16	-0.015	15.23	PASS
Band3	5	19225	25	#0	QAM16	-1.5	13.81	PASS
Band3	5	19225	25	#0	QAM16	-5.5	25.25	PASS
Band3	5	19225	25	#0	QAM16	-6.5	16.21	PASS
Band3	5	19225	25	#0	QAM16	0.015	15.30	PASS

Band3	5	19225	25	#0	QAM16	1.5	13.04	PASS
Band3	5	19225	25	#0	QAM16	5.5	24.79	PASS
Band3	5	19225	25	#0	QAM16	6.5	15.65	PASS
Band3	5	19575	8	#0	QPSK	-0.015	5.27	PASS
Band3	5	19575	8	#0	QPSK	-1.5	18.20	PASS
Band3	5	19575	8	#0	QPSK	-5.5	28.44	PASS
Band3	5	19575	8	#0	QPSK	-6.5	18.39	PASS
Band3	5	19575	8	#0	QPSK	0.985	31.05	PASS
Band3	5	19575	8	#0	QPSK	2	19.43	PASS
Band3	5	19575	8	#0	QPSK	5.5	30.94	PASS
Band3	5	19575	8	#0	QPSK	6.5	19.81	PASS
Band3	5	19575	8	#Max	QPSK	-0.985	30.44	PASS
Band3	5	19575	8	#Max	QPSK	-2	18.32	PASS
Band3	5	19575	8	#Max	QPSK	-5.5	30.90	PASS
Band3	5	19575	8	#Max	QPSK	-6.5	19.91	PASS
Band3	5	19575	8	#Max	QPSK	0.015	5.86	PASS
Band3	5	19575	8	#Max	QPSK	1.5	18.14	PASS
Band3	5	19575	8	#Max	QPSK	5.5	29.09	PASS
Band3	5	19575	8	#Max	QPSK	6.5	18.66	PASS
Band3	5	19575	25	#0	QPSK	-0.015	12.35	PASS
Band3	5	19575	25	#0	QPSK	-1.5	8.95	PASS
Band3	5	19575	25	#0	QPSK	-5.5	25.66	PASS
Band3	5	19575	25	#0	QPSK	-6.5	15.65	PASS
Band3	5	19575	25	#0	QPSK	0.015	13.10	PASS
Band3	5	19575	25	#0	QPSK	1.5	9.97	PASS
Band3	5	19575	25	#0	QPSK	5.5	28.19	PASS
Band3	5	19575	25	#0	QPSK	6.5	17.69	PASS
Band3	5	19575	8	#0	QAM16	-0.015	7.65	PASS
Band3	5	19575	8	#0	QAM16	-1.5	20.87	PASS
Band3	5	19575	8	#0	QAM16	-5.5	29.19	PASS
Band3	5	19575	8	#0	QAM16	-6.5	18.99	PASS
Band3	5	19575	8	#0	QAM16	0.945	32.70	PASS
Band3	5	19575	8	#0	QAM16	2	21.00	PASS
Band3	5	19575	8	#0	QAM16	5.5	31.00	PASS
Band3	5	19575	8	#0	QAM16	6.5	19.88	PASS
Band3	5	19575	8	#Max	QAM16	-0.985	32.61	PASS
Band3	5	19575	8	#Max	QAM16	-2	20.04	PASS
Band3	5	19575	8	#Max	QAM16	-5.5	30.85	PASS
Band3	5	19575	8	#Max	QAM16	-6.5	19.90	PASS
Band3	5	19575	8	#Max	QAM16	0.015	7.41	PASS
Band3	5	19575	8	#Max	QAM16	1.5	20.86	PASS
Band3	5	19575	8	#Max	QAM16	5.5	29.79	PASS
Band3	5	19575	8	#Max	QAM16	6.5	19.19	PASS
Band3	5	19575	25	#0	QAM16	-0.015	14.17	PASS

Band3	5	19575	25	#0	QAM16	-1.5	11.16	PASS
Band3	5	19575	25	#0	QAM16	-5.5	26.32	PASS
Band3	5	19575	25	#0	QAM16	-6.5	16.40	PASS
Band3	5	19575	25	#0	QAM16	0.015	15.08	PASS
Band3	5	19575	25	#0	QAM16	1.5	12.39	PASS
Band3	5	19575	25	#0	QAM16	5.5	28.40	PASS
Band3	5	19575	25	#0	QAM16	6.5	17.91	PASS
Band3	5	19925	8	#0	QPSK	-0.015	8.05	PASS
Band3	5	19925	8	#0	QPSK	-1.5	12.63	PASS
Band3	5	19925	8	#0	QPSK	-5.5	27.42	PASS
Band3	5	19925	8	#0	QPSK	-6.5	17.44	PASS
Band3	5	19925	8	#0	QPSK	0.975	29.33	PASS
Band3	5	19925	8	#0	QPSK	2	18.00	PASS
Band3	5	19925	8	#0	QPSK	5.5	31.69	PASS
Band3	5	19925	8	#0	QPSK	6.5	20.63	PASS
Band3	5	19925	8	#Max	QPSK	-0.985	28.44	PASS
Band3	5	19925	8	#Max	QPSK	-2	16.71	PASS
Band3	5	19925	8	#Max	QPSK	-5.5	30.28	PASS
Band3	5	19925	8	#Max	QPSK	-6.5	19.96	PASS
Band3	5	19925	8	#Max	QPSK	0.015	8.26	PASS
Band3	5	19925	8	#Max	QPSK	1.5	10.33	PASS
Band3	5	19925	8	#Max	QPSK	5.5	27.68	PASS
Band3	5	19925	8	#Max	QPSK	6.5	18.31	PASS
Band3	5	19925	25	#0	QPSK	-0.015	13.78	PASS
Band3	5	19925	25	#0	QPSK	-1.5	13.58	PASS
Band3	5	19925	25	#0	QPSK	-5.5	20.43	PASS
Band3	5	19925	25	#0	QPSK	-6.5	10.57	PASS
Band3	5	19925	25	#0	QPSK	0.015	15.17	PASS
Band3	5	19925	25	#0	QPSK	1.5	15.24	PASS
Band3	5	19925	25	#0	QPSK	5.5	22.27	PASS
Band3	5	19925	25	#0	QPSK	6.5	14.04	PASS
Band3	5	19925	8	#0	QAM16	-0.015	9.31	PASS
Band3	5	19925	8	#0	QAM16	-1.5	15.92	PASS
Band3	5	19925	8	#0	QAM16	-5.5	28.51	PASS
Band3	5	19925	8	#0	QAM16	-6.5	18.74	PASS
Band3	5	19925	8	#0	QAM16	0.945	31.58	PASS
Band3	5	19925	8	#0	QAM16	2	20.12	PASS
Band3	5	19925	8	#0	QAM16	5.5	31.91	PASS
Band3	5	19925	8	#0	QAM16	6.5	20.74	PASS
Band3	5	19925	8	#Max	QAM16	-0.985	29.93	PASS
Band3	5	19925	8	#Max	QAM16	-2	17.91	PASS
Band3	5	19925	8	#Max	QAM16	-5.5	30.67	PASS
Band3	5	19925	8	#Max	QAM16	-6.5	20.23	PASS
Band3	5	19925	8	#Max	QAM16	0.015	8.75	PASS

Band3	5	19925	8	#Max	QAM16	1.5	13.32	PASS
Band3	5	19925	8	#Max	QAM16	5.5	28.78	PASS
Band3	5	19925	8	#Max	QAM16	6.5	19.02	PASS
Band3	5	19925	25	#0	QAM16	-0.015	15.17	PASS
Band3	5	19925	25	#0	QAM16	-1.5	15.48	PASS
Band3	5	19925	25	#0	QAM16	-5.5	24.11	PASS
Band3	5	19925	25	#0	QAM16	-6.5	14.21	PASS
Band3	5	19925	25	#0	QAM16	0.015	16.46	PASS
Band3	5	19925	25	#0	QAM16	1.5	16.32	PASS
Band3	5	19925	25	#0	QAM16	5.5	25.64	PASS
Band3	5	19925	25	#0	QAM16	6.5	16.64	PASS
Band3	10	19250	12	#0	QPSK	-0.015	9.03	PASS
Band3	10	19250	12	#0	QPSK	-1.5	12.47	PASS
Band3	10	19250	12	#0	QPSK	-5.5	27.73	PASS
Band3	10	19250	12	#0	QPSK	-10.5	20.35	PASS
Band3	10	19250	12	#0	QPSK	0.015	34.26	PASS
Band3	10	19250	12	#0	QPSK	4.5	22.95	PASS
Band3	10	19250	12	#0	QPSK	5.5	19.20	PASS
Band3	10	19250	12	#0	QPSK	10.5	20.04	PASS
Band3	10	19250	12	#Max	QPSK	-0.015	34.67	PASS
Band3	10	19250	12	#Max	QPSK	-4.5	23.69	PASS
Band3	10	19250	12	#Max	QPSK	-5.5	20.16	PASS
Band3	10	19250	12	#Max	QPSK	-10.5	20.58	PASS
Band3	10	19250	12	#Max	QPSK	0.015	7.72	PASS
Band3	10	19250	12	#Max	QPSK	1.5	11.49	PASS
Band3	10	19250	12	#Max	QPSK	5.5	27.54	PASS
Band3	10	19250	12	#Max	QPSK	11.5	19.01	PASS
Band3	10	19250	50	#0	QPSK	-0.015	16.26	PASS
Band3	10	19250	50	#0	QPSK	-1.5	12.92	PASS
Band3	10	19250	50	#0	QPSK	-5.5	14.70	PASS
Band3	10	19250	50	#0	QPSK	-10.5	18.15	PASS
Band3	10	19250	50	#0	QPSK	0.015	15.72	PASS
Band3	10	19250	50	#0	QPSK	1.5	12.81	PASS
Band3	10	19250	50	#0	QPSK	5.5	14.78	PASS
Band3	10	19250	50	#0	QPSK	10.5	13.89	PASS
Band3	10	19250	12	#0	QAM16	-0.015	10.73	PASS
Band3	10	19250	12	#0	QAM16	-1.5	15.32	PASS
Band3	10	19250	12	#0	QAM16	-5.5	28.47	PASS
Band3	10	19250	12	#0	QAM16	-10.5	20.47	PASS
Band3	10	19250	12	#0	QAM16	0.045	34.63	PASS
Band3	10	19250	12	#0	QAM16	4.5	24.29	PASS
Band3	10	19250	12	#0	QAM16	5.5	20.68	PASS
Band3	10	19250	12	#0	QAM16	10.5	20.11	PASS
Band3	10	19250	12	#Max	QAM16	-0.045	35.16	PASS

Band3	10	19250	12	#Max	QAM16	-4.5	24.02	PASS
Band3	10	19250	12	#Max	QAM16	-5.5	20.48	PASS
Band3	10	19250	12	#Max	QAM16	-10.5	20.55	PASS
Band3	10	19250	12	#Max	QAM16	0.015	9.37	PASS
Band3	10	19250	12	#Max	QAM16	1.5	14.30	PASS
Band3	10	19250	12	#Max	QAM16	5.5	28.41	PASS
Band3	10	19250	12	#Max	QAM16	11.5	19.39	PASS
Band3	10	19250	50	#0	QAM16	-0.015	18.21	PASS
Band3	10	19250	50	#0	QAM16	-1.5	14.61	PASS
Band3	10	19250	50	#0	QAM16	-5.5	16.54	PASS
Band3	10	19250	50	#0	QAM16	-10.5	19.03	PASS
Band3	10	19250	50	#0	QAM16	0.015	17.91	PASS
Band3	10	19250	50	#0	QAM16	1.5	15.07	PASS
Band3	10	19250	50	#0	QAM16	5.5	17.33	PASS
Band3	10	19250	50	#0	QAM16	10.5	14.88	PASS
Band3	10	19575	12	#0	QPSK	-0.015	6.84	PASS
Band3	10	19575	12	#0	QPSK	-1.5	11.88	PASS
Band3	10	19575	12	#0	QPSK	-5.5	26.77	PASS
Band3	10	19575	12	#0	QPSK	-12.5	18.97	PASS
Band3	10	19575	12	#0	QPSK	0.015	34.62	PASS
Band3	10	19575	12	#0	QPSK	4.5	21.59	PASS
Band3	10	19575	12	#0	QPSK	5.5	17.87	PASS
Band3	10	19575	12	#0	QPSK	10.5	20.18	PASS
Band3	10	19575	12	#Max	QPSK	-0.015	33.72	PASS
Band3	10	19575	12	#Max	QPSK	-4.5	20.46	PASS
Band3	10	19575	12	#Max	QPSK	-5.5	16.76	PASS
Band3	10	19575	12	#Max	QPSK	-10.5	20.30	PASS
Band3	10	19575	12	#Max	QPSK	0.015	6.78	PASS
Band3	10	19575	12	#Max	QPSK	1.5	11.66	PASS
Band3	10	19575	12	#Max	QPSK	5.5	27.47	PASS
Band3	10	19575	12	#Max	QPSK	11.5	19.48	PASS
Band3	10	19575	50	#0	QPSK	-0.015	14.00	PASS
Band3	10	19575	50	#0	QPSK	-1.5	10.03	PASS
Band3	10	19575	50	#0	QPSK	-5.5	11.39	PASS
Band3	10	19575	50	#0	QPSK	-10.5	14.73	PASS
Band3	10	19575	50	#0	QPSK	0.015	15.18	PASS
Band3	10	19575	50	#0	QPSK	1.5	11.74	PASS
Band3	10	19575	50	#0	QPSK	5.5	14.29	PASS
Band3	10	19575	50	#0	QPSK	10.5	18.37	PASS
Band3	10	19575	12	#0	QAM16	-0.015	9.22	PASS
Band3	10	19575	12	#0	QAM16	-1.5	14.70	PASS
Band3	10	19575	12	#0	QAM16	-5.5	27.79	PASS
Band3	10	19575	12	#0	QAM16	-11.5	19.73	PASS
Band3	10	19575	12	#0	QAM16	0.015	34.90	PASS

Band3	10	19575	12	#0	QAM16	4.5	23.24	PASS
Band3	10	19575	12	#0	QAM16	5.5	19.65	PASS
Band3	10	19575	12	#0	QAM16	10.5	20.19	PASS
Band3	10	19575	12	#Max	QAM16	-0.045	34.17	PASS
Band3	10	19575	12	#Max	QAM16	-4.5	21.87	PASS
Band3	10	19575	12	#Max	QAM16	-5.5	18.28	PASS
Band3	10	19575	12	#Max	QAM16	-10.5	20.37	PASS
Band3	10	19575	12	#Max	QAM16	0.015	8.74	PASS
Band3	10	19575	12	#Max	QAM16	1.5	14.48	PASS
Band3	10	19575	12	#Max	QAM16	5.5	28.46	PASS
Band3	10	19575	12	#Max	QAM16	10.5	19.95	PASS
Band3	10	19575	50	#0	QAM16	-0.045	16.30	PASS
Band3	10	19575	50	#0	QAM16	-1.5	12.17	PASS
Band3	10	19575	50	#0	QAM16	-5.5	13.87	PASS
Band3	10	19575	50	#0	QAM16	-10.5	15.40	PASS
Band3	10	19575	50	#0	QAM16	0.075	17.79	PASS
Band3	10	19575	50	#0	QAM16	1.5	14.14	PASS
Band3	10	19575	50	#0	QAM16	5.5	17.13	PASS
Band3	10	19575	50	#0	QAM16	10.5	18.72	PASS
Band3	10	19900	12	#0	QPSK	-0.015	11.98	PASS
Band3	10	19900	12	#0	QPSK	-1.5	14.65	PASS
Band3	10	19900	12	#0	QPSK	-5.5	26.67	PASS
Band3	10	19900	12	#0	QPSK	-12.5	19.26	PASS
Band3	10	19900	12	#0	QPSK	0.015	34.11	PASS
Band3	10	19900	12	#0	QPSK	4.5	21.33	PASS
Band3	10	19900	12	#0	QPSK	5.5	18.11	PASS
Band3	10	19900	12	#0	QPSK	14.5	21.06	PASS
Band3	10	19900	12	#Max	QPSK	-0.015	32.69	PASS
Band3	10	19900	12	#Max	QPSK	-4.5	20.15	PASS
Band3	10	19900	12	#Max	QPSK	-5.5	16.46	PASS
Band3	10	19900	12	#Max	QPSK	-10.5	20.62	PASS
Band3	10	19900	12	#Max	QPSK	0.045	11.02	PASS
Band3	10	19900	12	#Max	QPSK	1.5	10.57	PASS
Band3	10	19900	12	#Max	QPSK	5.5	26.60	PASS
Band3	10	19900	12	#Max	QPSK	10.5	20.95	PASS
Band3	10	19900	50	#0	QPSK	-0.015	18.11	PASS
Band3	10	19900	50	#0	QPSK	-1.5	16.62	PASS
Band3	10	19900	50	#0	QPSK	-5.5	18.06	PASS
Band3	10	19900	50	#0	QPSK	-10.5	13.73	PASS
Band3	10	19900	50	#0	QPSK	0.015	18.79	PASS
Band3	10	19900	50	#0	QPSK	1.5	17.74	PASS
Band3	10	19900	50	#0	QPSK	5.5	20.43	PASS
Band3	10	19900	50	#0	QPSK	10.5	19.94	PASS
Band3	10	19900	12	#0	QAM16	-0.015	12.68	PASS

Band3	10	19900	12	#0	QAM16	-1.5	17.65	PASS
Band3	10	19900	12	#0	QAM16	-5.5	28.07	PASS
Band3	10	19900	12	#0	QAM16	-12.5	20.04	PASS
Band3	10	19900	12	#0	QAM16	0.015	35.06	PASS
Band3	10	19900	12	#0	QAM16	4.5	23.07	PASS
Band3	10	19900	12	#0	QAM16	5.5	20.08	PASS
Band3	10	19900	12	#0	QAM16	14.5	21.06	PASS
Band3	10	19900	12	#Max	QAM16	-0.045	33.78	PASS
Band3	10	19900	12	#Max	QAM16	-4.5	21.21	PASS
Band3	10	19900	12	#Max	QAM16	-5.5	17.59	PASS
Band3	10	19900	12	#Max	QAM16	-10.5	20.72	PASS
Band3	10	19900	12	#Max	QAM16	0.015	10.77	PASS
Band3	10	19900	12	#Max	QAM16	1.5	13.30	PASS
Band3	10	19900	12	#Max	QAM16	5.5	28.15	PASS
Band3	10	19900	12	#Max	QAM16	10.5	20.94	PASS
Band3	10	19900	50	#0	QAM16	-0.015	19.27	PASS
Band3	10	19900	50	#0	QAM16	-1.5	18.39	PASS
Band3	10	19900	50	#0	QAM16	-5.5	20.16	PASS
Band3	10	19900	50	#0	QAM16	-10.5	15.89	PASS
Band3	10	19900	50	#0	QAM16	0.015	19.83	PASS
Band3	10	19900	50	#0	QAM16	1.5	18.55	PASS
Band3	10	19900	50	#0	QAM16	5.5	20.97	PASS
Band3	10	19900	50	#0	QAM16	10.5	20.26	PASS
Band3	20	19300	18	#0	QPSK	-0.015	10.15	PASS
Band3	20	19300	18	#0	QPSK	-1.5	12.50	PASS
Band3	20	19300	18	#0	QPSK	-5.5	28.25	PASS
Band3	20	19300	18	#0	QPSK	-24.5	20.69	PASS
Band3	20	19300	18	#0	QPSK	0.015	34.39	PASS
Band3	20	19300	18	#0	QPSK	1.5	32.12	PASS
Band3	20	19300	18	#0	QPSK	12.5	20.88	PASS
Band3	20	19300	18	#0	QPSK	24.5	19.98	PASS
Band3	20	19300	18	#Max	QPSK	-0.045	34.20	PASS
Band3	20	19300	18	#Max	QPSK	-1.5	31.85	PASS
Band3	20	19300	18	#Max	QPSK	-9.5	26.93	PASS
Band3	20	19300	18	#Max	QPSK	-23.5	20.63	PASS
Band3	20	19300	18	#Max	QPSK	0.015	10.57	PASS
Band3	20	19300	18	#Max	QPSK	1.5	12.69	PASS
Band3	20	19300	18	#Max	QPSK	5.5	28.10	PASS
Band3	20	19300	18	#Max	QPSK	20.5	19.88	PASS
Band3	20	19300	100	#0	QPSK	-0.015	17.81	PASS
Band3	20	19300	100	#0	QPSK	-1.5	15.52	PASS
Band3	20	19300	100	#0	QPSK	-5.5	14.87	PASS
Band3	20	19300	100	#0	QPSK	-20.5	20.40	PASS
Band3	20	19300	100	#0	QPSK	0.075	18.58	PASS

Band3	20	19300	100	#0	QPSK	1.5	16.82	PASS
Band3	20	19300	100	#0	QPSK	5.5	16.22	PASS
Band3	20	19300	100	#0	QPSK	20.5	16.74	PASS
Band3	20	19300	18	#0	QAM16	-0.045	11.87	PASS
Band3	20	19300	18	#0	QAM16	-1.5	14.84	PASS
Band3	20	19300	18	#0	QAM16	-5.5	28.90	PASS
Band3	20	19300	18	#0	QAM16	-23.5	20.66	PASS
Band3	20	19300	18	#0	QAM16	0.105	34.62	PASS
Band3	20	19300	18	#0	QAM16	1.5	32.19	PASS
Band3	20	19300	18	#0	QAM16	12.5	22.39	PASS
Band3	20	19300	18	#0	QAM16	20.5	19.97	PASS
Band3	20	19300	18	#Max	QAM16	-0.105	34.25	PASS
Band3	20	19300	18	#Max	QAM16	-1.5	32.03	PASS
Band3	20	19300	18	#Max	QAM16	-9.5	27.93	PASS
Band3	20	19300	18	#Max	QAM16	-23.5	20.67	PASS
Band3	20	19300	18	#Max	QAM16	0.015	12.08	PASS
Band3	20	19300	18	#Max	QAM16	1.5	15.17	PASS
Band3	20	19300	18	#Max	QAM16	5.5	28.56	PASS
Band3	20	19300	18	#Max	QAM16	24.5	19.89	PASS
Band3	20	19300	100	#0	QAM16	-0.015	19.35	PASS
Band3	20	19300	100	#0	QAM16	-1.5	17.31	PASS
Band3	20	19300	100	#0	QAM16	-5.5	16.34	PASS
Band3	20	19300	100	#0	QAM16	-20.5	20.48	PASS
Band3	20	19300	100	#0	QAM16	0.015	21.00	PASS
Band3	20	19300	100	#0	QAM16	1.5	19.29	PASS
Band3	20	19300	100	#0	QAM16	5.5	18.74	PASS
Band3	20	19300	100	#0	QAM16	20.5	17.62	PASS
Band3	20	19575	18	#0	QPSK	-0.015	8.67	PASS
Band3	20	19575	18	#0	QPSK	-1.5	11.38	PASS
Band3	20	19575	18	#0	QPSK	-5.5	28.17	PASS
Band3	20	19575	18	#0	QPSK	-24.5	20.31	PASS
Band3	20	19575	18	#0	QPSK	0.105	34.63	PASS
Band3	20	19575	18	#0	QPSK	1.5	32.30	PASS
Band3	20	19575	18	#0	QPSK	12.5	20.33	PASS
Band3	20	19575	18	#0	QPSK	21.5	19.98	PASS
Band3	20	19575	18	#Max	QPSK	-0.075	33.44	PASS
Band3	20	19575	18	#Max	QPSK	-1.5	31.46	PASS
Band3	20	19575	18	#Max	QPSK	-12.5	18.80	PASS
Band3	20	19575	18	#Max	QPSK	-20.5	20.47	PASS
Band3	20	19575	18	#Max	QPSK	0.015	7.76	PASS
Band3	20	19575	18	#Max	QPSK	1.5	10.52	PASS
Band3	20	19575	18	#Max	QPSK	5.5	26.08	PASS
Band3	20	19575	18	#Max	QPSK	24.5	19.22	PASS
Band3	20	19575	100	#0	QPSK	-0.075	14.96	PASS

Band3	20	19575	100	#0	QPSK	-1.5	12.58	PASS
Band3	20	19575	100	#0	QPSK	-5.5	11.64	PASS
Band3	20	19575	100	#0	QPSK	-20.5	15.05	PASS
Band3	20	19575	100	#0	QPSK	0.045	17.77	PASS
Band3	20	19575	100	#0	QPSK	1.5	15.99	PASS
Band3	20	19575	100	#0	QPSK	5.5	15.94	PASS
Band3	20	19575	100	#0	QPSK	20.5	19.02	PASS
Band3	20	19575	18	#0	QAM16	-0.045	10.78	PASS
Band3	20	19575	18	#0	QAM16	-1.5	13.97	PASS
Band3	20	19575	18	#0	QAM16	-5.5	28.50	PASS
Band3	20	19575	18	#0	QAM16	-24.5	20.38	PASS
Band3	20	19575	18	#0	QAM16	0.075	34.72	PASS
Band3	20	19575	18	#0	QAM16	1.5	32.44	PASS
Band3	20	19575	18	#0	QAM16	12.5	21.49	PASS
Band3	20	19575	18	#0	QAM16	21.5	19.99	PASS
Band3	20	19575	18	#Max	QAM16	-0.165	33.75	PASS
Band3	20	19575	18	#Max	QAM16	-1.5	31.58	PASS
Band3	20	19575	18	#Max	QAM16	-12.5	20.43	PASS
Band3	20	19575	18	#Max	QAM16	-20.5	20.49	PASS
Band3	20	19575	18	#Max	QAM16	0.075	9.62	PASS
Band3	20	19575	18	#Max	QAM16	1.5	13.13	PASS
Band3	20	19575	18	#Max	QAM16	5.5	27.77	PASS
Band3	20	19575	18	#Max	QAM16	24.5	19.59	PASS
Band3	20	19575	100	#0	QAM16	-0.015	17.39	PASS
Band3	20	19575	100	#0	QAM16	-1.5	14.64	PASS
Band3	20	19575	100	#0	QAM16	-5.5	13.28	PASS
Band3	20	19575	100	#0	QAM16	-20.5	15.85	PASS
Band3	20	19575	100	#0	QAM16	0.015	20.23	PASS
Band3	20	19575	100	#0	QAM16	1.5	18.31	PASS
Band3	20	19575	100	#0	QAM16	5.5	18.02	PASS
Band3	20	19575	100	#0	QAM16	20.5	19.37	PASS
Band3	20	19850	18	#0	QPSK	-0.015	10.29	PASS
Band3	20	19850	18	#0	QPSK	-1.5	12.90	PASS
Band3	20	19850	18	#0	QPSK	-5.5	25.65	PASS
Band3	20	19850	18	#0	QPSK	-24.5	19.17	PASS
Band3	20	19850	18	#0	QPSK	0.105	34.18	PASS
Band3	20	19850	18	#0	QPSK	1.5	31.86	PASS
Band3	20	19850	18	#0	QPSK	9.5	26.93	PASS
Band3	20	19850	18	#0	QPSK	23.5	20.86	PASS
Band3	20	19850	18	#Max	QPSK	-0.015	33.99	PASS
Band3	20	19850	18	#Max	QPSK	-1.5	31.89	PASS
Band3	20	19850	18	#Max	QPSK	-12.5	18.58	PASS
Band3	20	19850	18	#Max	QPSK	-20.5	21.13	PASS
Band3	20	19850	18	#Max	QPSK	0.015	13.23	PASS

Band3	20	19850	18	#Max	QPSK	1.5	13.54	PASS
Band3	20	19850	18	#Max	QPSK	5.5	26.70	PASS
Band3	20	19850	18	#Max	QPSK	23.5	20.86	PASS
Band3	20	19850	100	#0	QPSK	-0.015	19.40	PASS
Band3	20	19850	100	#0	QPSK	-1.5	16.89	PASS
Band3	20	19850	100	#0	QPSK	-5.5	15.10	PASS
Band3	20	19850	100	#0	QPSK	-20.5	16.03	PASS
Band3	20	19850	100	#0	QPSK	0.045	20.65	PASS
Band3	20	19850	100	#0	QPSK	1.5	19.00	PASS
Band3	20	19850	100	#0	QPSK	5.5	19.64	PASS
Band3	20	19850	100	#0	QPSK	24.5	20.88	PASS
Band3	20	19850	18	#0	QAM16	-0.045	11.42	PASS
Band3	20	19850	18	#0	QAM16	-1.5	14.34	PASS
Band3	20	19850	18	#0	QAM16	-5.5	27.14	PASS
Band3	20	19850	18	#0	QAM16	-24.5	19.92	PASS
Band3	20	19850	18	#0	QAM16	0.075	34.09	PASS
Band3	20	19850	18	#0	QAM16	1.5	32.01	PASS
Band3	20	19850	18	#0	QAM16	9.5	29.15	PASS
Band3	20	19850	18	#0	QAM16	24.5	20.85	PASS
Band3	20	19850	18	#Max	QAM16	-0.075	34.24	PASS
Band3	20	19850	18	#Max	QAM16	-1.5	32.09	PASS
Band3	20	19850	18	#Max	QAM16	-12.5	19.71	PASS
Band3	20	19850	18	#Max	QAM16	-20.5	21.13	PASS
Band3	20	19850	18	#Max	QAM16	0.045	14.15	PASS
Band3	20	19850	18	#Max	QAM16	1.5	15.61	PASS
Band3	20	19850	18	#Max	QAM16	5.5	27.57	PASS
Band3	20	19850	18	#Max	QAM16	22.5	20.87	PASS
Band3	20	19850	100	#0	QAM16	-0.075	20.73	PASS
Band3	20	19850	100	#0	QAM16	-1.5	18.31	PASS
Band3	20	19850	100	#0	QAM16	-5.5	16.41	PASS
Band3	20	19850	100	#0	QAM16	-20.5	15.91	PASS
Band3	20	19850	100	#0	QAM16	0.015	21.58	PASS
Band3	20	19850	100	#0	QAM16	1.5	19.73	PASS
Band3	20	19850	100	#0	QAM16	5.5	19.87	PASS
Band3	20	19850	100	#0	QAM16	24.5	20.84	PASS
Band40	5	38675	8	#0	QPSK	-0.015	8.36	PASS
Band40	5	38675	8	#0	QPSK	-1.5	18.60	PASS
Band40	5	38675	8	#0	QPSK	-5.5	26.41	PASS
Band40	5	38675	8	#0	QPSK	-6.5	15.83	PASS
Band40	5	38675	8	#0	QPSK	0.795	30.74	PASS
Band40	5	38675	8	#0	QPSK	2	19.45	PASS
Band40	5	38675	8	#0	QPSK	5.5	28.52	PASS
Band40	5	38675	8	#0	QPSK	6.5	17.37	PASS
Band40	5	38675	8	#Max	QPSK	-0.985	29.59	PASS

Band40	5	38675	8	#Max	QPSK	-2	18.04	PASS
Band40	5	38675	8	#Max	QPSK	-5.5	28.60	PASS
Band40	5	38675	8	#Max	QPSK	-6.5	17.75	PASS
Band40	5	38675	8	#Max	QPSK	0.015	8.78	PASS
Band40	5	38675	8	#Max	QPSK	1.5	18.78	PASS
Band40	5	38675	8	#Max	QPSK	5.5	26.49	PASS
Band40	5	38675	8	#Max	QPSK	6.5	15.94	PASS
Band40	5	38675	25	#0	QPSK	-0.015	15.42	PASS
Band40	5	38675	25	#0	QPSK	-1.5	16.28	PASS
Band40	5	38675	25	#0	QPSK	-5.5	24.48	PASS
Band40	5	38675	25	#0	QPSK	-6.5	13.72	PASS
Band40	5	38675	25	#0	QPSK	0.015	14.82	PASS
Band40	5	38675	25	#0	QPSK	1.5	15.87	PASS
Band40	5	38675	25	#0	QPSK	5.5	24.11	PASS
Band40	5	38675	25	#0	QPSK	6.5	13.45	PASS
Band40	5	38675	8	#0	QAM16	-0.015	9.15	PASS
Band40	5	38675	8	#0	QAM16	-1.5	19.38	PASS
Band40	5	38675	8	#0	QAM16	-5.5	27.34	PASS
Band40	5	38675	8	#0	QAM16	-6.5	17.45	PASS
Band40	5	38675	8	#0	QAM16	0.945	31.99	PASS
Band40	5	38675	8	#0	QAM16	2	20.81	PASS
Band40	5	38675	8	#0	QAM16	5.5	29.16	PASS
Band40	5	38675	8	#0	QAM16	6.5	18.28	PASS
Band40	5	38675	8	#Max	QAM16	-0.825	31.55	PASS
Band40	5	38675	8	#Max	QAM16	-2	19.03	PASS
Band40	5	38675	8	#Max	QAM16	-5.5	28.98	PASS
Band40	5	38675	8	#Max	QAM16	-6.5	17.78	PASS
Band40	5	38675	8	#Max	QAM16	0.015	8.74	PASS
Band40	5	38675	8	#Max	QAM16	1.5	19.47	PASS
Band40	5	38675	8	#Max	QAM16	5.5	27.00	PASS
Band40	5	38675	8	#Max	QAM16	6.5	16.26	PASS
Band40	5	38675	25	#0	QAM16	-0.015	16.17	PASS
Band40	5	38675	25	#0	QAM16	-1.5	19.53	PASS
Band40	5	38675	25	#0	QAM16	-5.5	24.64	PASS
Band40	5	38675	25	#0	QAM16	-6.5	14.98	PASS
Band40	5	38675	25	#0	QAM16	0.015	19.30	PASS
Band40	5	38675	25	#0	QAM16	1.5	19.39	PASS
Band40	5	38675	25	#0	QAM16	5.5	24.32	PASS
Band40	5	38675	25	#0	QAM16	6.5	14.17	PASS
Band40	5	39150	8	#0	QPSK	-0.015	4.77	PASS
Band40	5	39150	8	#0	QPSK	-1.5	13.33	PASS
Band40	5	39150	8	#0	QPSK	-5.5	27.90	PASS
Band40	5	39150	8	#0	QPSK	-6.5	17.42	PASS
Band40	5	39150	8	#0	QPSK	0.585	32.09	PASS

Band40	5	39150	8	#0	QPSK	2	21.10	PASS
Band40	5	39150	8	#0	QPSK	5.5	29.19	PASS
Band40	5	39150	8	#0	QPSK	6.5	18.09	PASS
Band40	5	39150	8	#Max	QPSK	-0.015	32.29	PASS
Band40	5	39150	8	#Max	QPSK	-2.3	21.20	PASS
Band40	5	39150	8	#Max	QPSK	-5.5	29.23	PASS
Band40	5	39150	8	#Max	QPSK	-6.5	18.06	PASS
Band40	5	39150	8	#Max	QPSK	0.015	5.00	PASS
Band40	5	39150	8	#Max	QPSK	1.5	13.34	PASS
Band40	5	39150	8	#Max	QPSK	5.5	28.14	PASS
Band40	5	39150	8	#Max	QPSK	6.5	17.56	PASS
Band40	5	39150	25	#0	QPSK	-0.015	12.55	PASS
Band40	5	39150	25	#0	QPSK	-1.5	9.29	PASS
Band40	5	39150	25	#0	QPSK	-5.5	20.00	PASS
Band40	5	39150	25	#0	QPSK	-6.5	9.65	PASS
Band40	5	39150	25	#0	QPSK	0.015	12.65	PASS
Band40	5	39150	25	#0	QPSK	1.5	9.26	PASS
Band40	5	39150	25	#0	QPSK	5.5	20.82	PASS
Band40	5	39150	25	#0	QPSK	6.5	10.36	PASS
Band40	5	39150	8	#0	QAM16	-0.015	6.99	PASS
Band40	5	39150	8	#0	QAM16	-1.5	14.33	PASS
Band40	5	39150	8	#0	QAM16	-5.5	28.03	PASS
Band40	5	39150	8	#0	QAM16	-6.5	17.53	PASS
Band40	5	39150	8	#0	QAM16	0.165	33.06	PASS
Band40	5	39150	8	#0	QAM16	2	22.39	PASS
Band40	5	39150	8	#0	QAM16	5.5	29.25	PASS
Band40	5	39150	8	#0	QAM16	6.5	18.08	PASS
Band40	5	39150	8	#Max	QAM16	-0.015	33.29	PASS
Band40	5	39150	8	#Max	QAM16	-2.3	22.41	PASS
Band40	5	39150	8	#Max	QAM16	-5.5	29.22	PASS
Band40	5	39150	8	#Max	QAM16	-6.5	18.09	PASS
Band40	5	39150	8	#Max	QAM16	0.015	5.95	PASS
Band40	5	39150	8	#Max	QAM16	1.5	14.49	PASS
Band40	5	39150	8	#Max	QAM16	5.5	28.40	PASS
Band40	5	39150	8	#Max	QAM16	6.5	17.56	PASS
Band40	5	39150	25	#0	QAM16	-0.015	14.80	PASS
Band40	5	39150	25	#0	QAM16	-1.5	13.05	PASS
Band40	5	39150	25	#0	QAM16	-5.5	20.36	PASS
Band40	5	39150	25	#0	QAM16	-6.5	11.37	PASS
Band40	5	39150	25	#0	QAM16	0.015	16.86	PASS
Band40	5	39150	25	#0	QAM16	1.5	13.18	PASS
Band40	5	39150	25	#0	QAM16	5.5	21.13	PASS
Band40	5	39150	25	#0	QAM16	6.5	11.53	PASS
Band40	5	39625	8	#0	QPSK	-0.045	3.50	PASS

Band40	5	39625	8	#0	QPSK	-1.5	13.85	PASS
Band40	5	39625	8	#0	QPSK	-5.5	28.14	PASS
Band40	5	39625	8	#0	QPSK	-6.5	17.93	PASS
Band40	5	39625	8	#0	QPSK	0.015	30.90	PASS
Band40	5	39625	8	#0	QPSK	2	21.64	PASS
Band40	5	39625	8	#0	QPSK	5.5	30.10	PASS
Band40	5	39625	8	#0	QPSK	6.5	18.84	PASS
Band40	5	39625	8	#Max	QPSK	-0.105	30.94	PASS
Band40	5	39625	8	#Max	QPSK	-2	20.33	PASS
Band40	5	39625	8	#Max	QPSK	-5.5	29.59	PASS
Band40	5	39625	8	#Max	QPSK	-6.5	18.71	PASS
Band40	5	39625	8	#Max	QPSK	0.015	3.81	PASS
Band40	5	39625	8	#Max	QPSK	1.5	14.51	PASS
Band40	5	39625	8	#Max	QPSK	5.5	28.10	PASS
Band40	5	39625	8	#Max	QPSK	6.5	17.76	PASS
Band40	5	39625	25	#0	QPSK	-0.045	10.63	PASS
Band40	5	39625	25	#0	QPSK	-1.5	6.60	PASS
Band40	5	39625	25	#0	QPSK	-5.5	19.87	PASS
Band40	5	39625	25	#0	QPSK	-6.5	8.35	PASS
Band40	5	39625	25	#0	QPSK	0.015	11.15	PASS
Band40	5	39625	25	#0	QPSK	1.5	6.98	PASS
Band40	5	39625	25	#0	QPSK	5.5	21.58	PASS
Band40	5	39625	25	#0	QPSK	6.5	10.11	PASS
Band40	5	39625	8	#0	QAM16	-0.015	6.39	PASS
Band40	5	39625	8	#0	QAM16	-1.5	14.37	PASS
Band40	5	39625	8	#0	QAM16	-5.5	28.29	PASS
Band40	5	39625	8	#0	QAM16	-6.5	18.09	PASS
Band40	5	39625	8	#0	QAM16	0.135	32.76	PASS
Band40	5	39625	8	#0	QAM16	2	23.12	PASS
Band40	5	39625	8	#0	QAM16	5.5	30.04	PASS
Band40	5	39625	8	#0	QAM16	6.5	18.85	PASS
Band40	5	39625	8	#Max	QAM16	-0.045	31.21	PASS
Band40	5	39625	8	#Max	QAM16	-2.3	21.89	PASS
Band40	5	39625	8	#Max	QAM16	-5.5	29.68	PASS
Band40	5	39625	8	#Max	QAM16	-6.5	18.68	PASS
Band40	5	39625	8	#Max	QAM16	0.015	5.29	PASS
Band40	5	39625	8	#Max	QAM16	1.5	15.61	PASS
Band40	5	39625	8	#Max	QAM16	5.5	28.48	PASS
Band40	5	39625	8	#Max	QAM16	6.5	17.97	PASS
Band40	5	39625	25	#0	QAM16	-0.045	13.47	PASS
Band40	5	39625	25	#0	QAM16	-1.5	10.25	PASS
Band40	5	39625	25	#0	QAM16	-5.5	19.97	PASS
Band40	5	39625	25	#0	QAM16	-6.5	10.52	PASS
Band40	5	39625	25	#0	QAM16	0.015	15.17	PASS

Band40	5	39625	25	#0	QAM16	1.5	10.66	PASS
Band40	5	39625	25	#0	QAM16	5.5	21.83	PASS
Band40	5	39625	25	#0	QAM16	6.5	11.93	PASS
Band40	10	38700	12	#0	QPSK	-0.045	11.81	PASS
Band40	10	38700	12	#0	QPSK	-1.5	17.22	PASS
Band40	10	38700	12	#0	QPSK	-5.5	27.22	PASS
Band40	10	38700	12	#0	QPSK	-12.5	18.10	PASS
Band40	10	38700	12	#0	QPSK	0.225	34.11	PASS
Band40	10	38700	12	#0	QPSK	4.5	21.85	PASS
Band40	10	38700	12	#0	QPSK	5.5	18.15	PASS
Band40	10	38700	12	#0	QPSK	10.5	18.67	PASS
Band40	10	38700	12	#Max	QPSK	-0.015	32.89	PASS
Band40	10	38700	12	#Max	QPSK	-4.5	22.15	PASS
Band40	10	38700	12	#Max	QPSK	-5.5	18.42	PASS
Band40	10	38700	12	#Max	QPSK	-10.5	18.28	PASS
Band40	10	38700	12	#Max	QPSK	0.015	8.77	PASS
Band40	10	38700	12	#Max	QPSK	1.5	14.60	PASS
Band40	10	38700	12	#Max	QPSK	5.5	26.06	PASS
Band40	10	38700	12	#Max	QPSK	11.5	16.89	PASS
Band40	10	38700	50	#0	QPSK	-0.015	18.99	PASS
Band40	10	38700	50	#0	QPSK	-1.5	18.05	PASS
Band40	10	38700	50	#0	QPSK	-5.5	19.66	PASS
Band40	10	38700	50	#0	QPSK	-10.5	14.73	PASS
Band40	10	38700	50	#0	QPSK	0.015	18.18	PASS
Band40	10	38700	50	#0	QPSK	1.5	16.93	PASS
Band40	10	38700	50	#0	QPSK	5.5	17.87	PASS
Band40	10	38700	50	#0	QPSK	10.5	13.90	PASS
Band40	10	38700	12	#0	QAM16	-0.075	13.48	PASS
Band40	10	38700	12	#0	QAM16	-1.5	18.68	PASS
Band40	10	38700	12	#0	QAM16	-5.5	28.27	PASS
Band40	10	38700	12	#0	QAM16	-10.5	18.52	PASS
Band40	10	38700	12	#0	QAM16	0.165	34.10	PASS
Band40	10	38700	12	#0	QAM16	4.5	23.28	PASS
Band40	10	38700	12	#0	QAM16	5.5	19.61	PASS
Band40	10	38700	12	#0	QAM16	10.5	18.65	PASS
Band40	10	38700	12	#Max	QAM16	-0.015	34.14	PASS
Band40	10	38700	12	#Max	QAM16	-4.5	23.35	PASS
Band40	10	38700	12	#Max	QAM16	-5.5	19.66	PASS
Band40	10	38700	12	#Max	QAM16	-10.5	18.77	PASS
Band40	10	38700	12	#Max	QAM16	0.015	12.19	PASS
Band40	10	38700	12	#Max	QAM16	1.5	16.86	PASS
Band40	10	38700	12	#Max	QAM16	5.5	27.98	PASS
Band40	10	38700	12	#Max	QAM16	10.5	17.97	PASS
Band40	10	38700	50	#0	QAM16	-0.015	20.68	PASS

Band40	10	38700	50	#0	QAM16	-1.5	20.67	PASS
Band40	10	38700	50	#0	QAM16	-5.5	21.09	PASS
Band40	10	38700	50	#0	QAM16	-10.5	14.71	PASS
Band40	10	38700	50	#0	QAM16	0.045	21.31	PASS
Band40	10	38700	50	#0	QAM16	1.5	19.54	PASS
Band40	10	38700	50	#0	QAM16	5.5	19.68	PASS
Band40	10	38700	50	#0	QAM16	10.5	13.52	PASS
Band40	10	39150	12	#0	QPSK	-0.045	5.61	PASS
Band40	10	39150	12	#0	QPSK	-1.5	10.24	PASS
Band40	10	39150	12	#0	QPSK	-5.5	24.66	PASS
Band40	10	39150	12	#0	QPSK	-10.5	18.22	PASS
Band40	10	39150	12	#0	QPSK	0.045	33.48	PASS
Band40	10	39150	12	#0	QPSK	4.5	23.08	PASS
Band40	10	39150	12	#0	QPSK	5.5	19.43	PASS
Band40	10	39150	12	#0	QPSK	10.5	18.38	PASS
Band40	10	39150	12	#Max	QPSK	-0.015	32.92	PASS
Band40	10	39150	12	#Max	QPSK	-4.5	22.94	PASS
Band40	10	39150	12	#Max	QPSK	-5.5	19.18	PASS
Band40	10	39150	12	#Max	QPSK	-10.5	18.46	PASS
Band40	10	39150	12	#Max	QPSK	0.015	5.20	PASS
Band40	10	39150	12	#Max	QPSK	1.5	10.15	PASS
Band40	10	39150	12	#Max	QPSK	5.5	26.03	PASS
Band40	10	39150	12	#Max	QPSK	10.5	18.20	PASS
Band40	10	39150	50	#0	QPSK	-0.075	15.25	PASS
Band40	10	39150	50	#0	QPSK	-1.5	11.85	PASS
Band40	10	39150	50	#0	QPSK	-5.5	13.34	PASS
Band40	10	39150	50	#0	QPSK	-10.5	10.77	PASS
Band40	10	39150	50	#0	QPSK	0.195	14.92	PASS
Band40	10	39150	50	#0	QPSK	1.5	11.45	PASS
Band40	10	39150	50	#0	QPSK	5.5	13.37	PASS
Band40	10	39150	50	#0	QPSK	10.5	11.90	PASS
Band40	10	39150	12	#0	QAM16	-0.075	8.91	PASS
Band40	10	39150	12	#0	QAM16	-1.5	12.15	PASS
Band40	10	39150	12	#0	QAM16	-5.5	26.74	PASS
Band40	10	39150	12	#0	QAM16	-10.5	18.35	PASS
Band40	10	39150	12	#0	QAM16	0.165	33.90	PASS
Band40	10	39150	12	#0	QAM16	4.5	24.84	PASS
Band40	10	39150	12	#0	QAM16	5.5	21.18	PASS
Band40	10	39150	12	#0	QAM16	10.5	18.34	PASS
Band40	10	39150	12	#Max	QAM16	-0.015	33.17	PASS
Band40	10	39150	12	#Max	QAM16	-4.5	24.76	PASS
Band40	10	39150	12	#Max	QAM16	-5.5	20.95	PASS
Band40	10	39150	12	#Max	QAM16	-10.5	18.55	PASS
Band40	10	39150	12	#Max	QAM16	0.015	8.83	PASS

Band40	10	39150	12	#Max	QAM16	1.5	12.64	PASS
Band40	10	39150	12	#Max	QAM16	5.5	27.93	PASS
Band40	10	39150	12	#Max	QAM16	10.5	18.22	PASS
Band40	10	39150	50	#0	QAM16	-0.045	17.23	PASS
Band40	10	39150	50	#0	QAM16	-1.5	14.49	PASS
Band40	10	39150	50	#0	QAM16	-5.5	15.34	PASS
Band40	10	39150	50	#0	QAM16	-10.5	10.63	PASS
Band40	10	39150	50	#0	QAM16	0.045	17.33	PASS
Band40	10	39150	50	#0	QAM16	1.5	14.17	PASS
Band40	10	39150	50	#0	QAM16	5.5	15.83	PASS
Band40	10	39150	50	#0	QAM16	10.5	11.67	PASS
Band40	10	39600	12	#0	QPSK	-0.045	4.90	PASS
Band40	10	39600	12	#0	QPSK	-1.5	11.02	PASS
Band40	10	39600	12	#0	QPSK	-5.5	23.29	PASS
Band40	10	39600	12	#0	QPSK	-11.5	18.51	PASS
Band40	10	39600	12	#0	QPSK	0.045	32.88	PASS
Band40	10	39600	12	#0	QPSK	4.5	24.26	PASS
Band40	10	39600	12	#0	QPSK	5.5	20.71	PASS
Band40	10	39600	12	#0	QPSK	10.5	19.18	PASS
Band40	10	39600	12	#Max	QPSK	-0.015	32.53	PASS
Band40	10	39600	12	#Max	QPSK	-4.5	22.54	PASS
Band40	10	39600	12	#Max	QPSK	-5.5	18.64	PASS
Band40	10	39600	12	#Max	QPSK	-10.5	19.09	PASS
Band40	10	39600	12	#Max	QPSK	0.015	3.72	PASS
Band40	10	39600	12	#Max	QPSK	1.5	9.62	PASS
Band40	10	39600	12	#Max	QPSK	5.5	24.72	PASS
Band40	10	39600	12	#Max	QPSK	11.5	18.30	PASS
Band40	10	39600	50	#0	QPSK	-0.105	12.40	PASS
Band40	10	39600	50	#0	QPSK	-1.5	9.03	PASS
Band40	10	39600	50	#0	QPSK	-5.5	10.98	PASS
Band40	10	39600	50	#0	QPSK	-13.5	10.56	PASS
Band40	10	39600	50	#0	QPSK	0.435	12.41	PASS
Band40	10	39600	50	#0	QPSK	1.5	8.87	PASS
Band40	10	39600	50	#0	QPSK	5.5	11.49	PASS
Band40	10	39600	50	#0	QPSK	12.5	13.48	PASS
Band40	10	39600	12	#0	QAM16	-0.045	7.94	PASS
Band40	10	39600	12	#0	QAM16	-1.5	11.82	PASS
Band40	10	39600	12	#0	QAM16	-5.5	22.86	PASS
Band40	10	39600	12	#0	QAM16	-11.5	14.22	PASS
Band40	10	39600	12	#0	QAM16	0.945	33.51	PASS
Band40	10	39600	12	#0	QAM16	4.5	23.75	PASS
Band40	10	39600	12	#0	QAM16	5.5	20.16	PASS
Band40	10	39600	12	#0	QAM16	11.5	17.36	PASS
Band40	10	39600	12	#Max	QAM16	-0.015	32.74	PASS

Band40	10	39600	12	#Max	QAM16	-4.5	24.57	PASS
Band40	10	39600	12	#Max	QAM16	-5.5	20.72	PASS
Band40	10	39600	12	#Max	QAM16	-10.5	19.14	PASS
Band40	10	39600	12	#Max	QAM16	0.015	6.73	PASS
Band40	10	39600	12	#Max	QAM16	1.5	11.90	PASS
Band40	10	39600	12	#Max	QAM16	5.5	26.91	PASS
Band40	10	39600	12	#Max	QAM16	10.5	18.84	PASS
Band40	10	39600	50	#0	QAM16	-0.135	15.16	PASS
Band40	10	39600	50	#0	QAM16	-1.5	11.91	PASS
Band40	10	39600	50	#0	QAM16	-5.5	13.45	PASS
Band40	10	39600	50	#0	QAM16	-10.5	10.09	PASS
Band40	10	39600	50	#0	QAM16	0.045	15.30	PASS
Band40	10	39600	50	#0	QAM16	1.5	11.76	PASS
Band40	10	39600	50	#0	QAM16	5.5	14.48	PASS
Band40	10	39600	50	#0	QAM16	10.5	12.85	PASS
Band40	20	38750	18	#0	QPSK	-0.015	14.24	PASS
Band40	20	38750	18	#0	QPSK	-1.5	17.59	PASS
Band40	20	38750	18	#0	QPSK	-5.5	26.72	PASS
Band40	20	38750	18	#0	QPSK	-24.5	18.81	PASS
Band40	20	38750	18	#0	QPSK	0.015	33.22	PASS
Band40	20	38750	18	#0	QPSK	1.5	30.74	PASS
Band40	20	38750	18	#0	QPSK	12.5	19.56	PASS
Band40	20	38750	18	#0	QPSK	20.5	18.49	PASS
Band40	20	38750	18	#Max	QPSK	-0.015	33.69	PASS
Band40	20	38750	18	#Max	QPSK	-1.5	31.32	PASS
Band40	20	38750	18	#Max	QPSK	-12.5	21.88	PASS
Band40	20	38750	18	#Max	QPSK	-21.5	19.03	PASS
Band40	20	38750	18	#Max	QPSK	0.225	8.97	PASS
Band40	20	38750	18	#Max	QPSK	1.5	11.76	PASS
Band40	20	38750	18	#Max	QPSK	5.5	25.16	PASS
Band40	20	38750	18	#Max	QPSK	24.5	18.43	PASS
Band40	20	38750	100	#0	QPSK	-0.015	20.74	PASS
Band40	20	38750	100	#0	QPSK	-1.5	18.87	PASS
Band40	20	38750	100	#0	QPSK	-5.5	18.04	PASS
Band40	20	38750	100	#0	QPSK	-20.5	15.71	PASS
Band40	20	38750	100	#0	QPSK	0.105	19.46	PASS
Band40	20	38750	100	#0	QPSK	1.5	17.15	PASS
Band40	20	38750	100	#0	QPSK	5.5	16.01	PASS
Band40	20	38750	100	#0	QPSK	20.5	14.70	PASS
Band40	20	38750	18	#0	QAM16	-0.135	16.28	PASS
Band40	20	38750	18	#0	QAM16	-1.5	19.44	PASS
Band40	20	38750	18	#0	QAM16	-5.5	27.26	PASS
Band40	20	38750	18	#0	QAM16	-24.5	18.93	PASS
Band40	20	38750	18	#0	QAM16	0.135	32.97	PASS

Band40	20	38750	18	#0	QAM16	1.5	30.76	PASS
Band40	20	38750	18	#0	QAM16	12.5	21.23	PASS
Band40	20	38750	18	#0	QAM16	21.5	18.50	PASS
Band40	20	38750	18	#Max	QAM16	-0.285	33.70	PASS
Band40	20	38750	18	#Max	QAM16	-1.5	31.24	PASS
Band40	20	38750	18	#Max	QAM16	-11.5	23.75	PASS
Band40	20	38750	18	#Max	QAM16	-23.5	19.05	PASS
Band40	20	38750	18	#Max	QAM16	0.015	11.37	PASS
Band40	20	38750	18	#Max	QAM16	1.5	14.88	PASS
Band40	20	38750	18	#Max	QAM16	5.5	26.44	PASS
Band40	20	38750	18	#Max	QAM16	24.5	18.46	PASS
Band40	20	38750	100	#0	QAM16	-0.015	21.81	PASS
Band40	20	38750	100	#0	QAM16	-1.5	21.77	PASS
Band40	20	38750	100	#0	QAM16	-5.5	20.29	PASS
Band40	20	38750	100	#0	QAM16	-20.5	15.65	PASS
Band40	20	38750	100	#0	QAM16	0.015	21.02	PASS
Band40	20	38750	100	#0	QAM16	2	20.25	PASS
Band40	20	38750	100	#0	QAM16	5.5	18.44	PASS
Band40	20	38750	100	#0	QAM16	20.5	14.11	PASS
Band40	20	39150	18	#0	QPSK	-0.195	7.39	PASS
Band40	20	39150	18	#0	QPSK	-1.5	9.89	PASS
Band40	20	39150	18	#0	QPSK	-5.5	23.66	PASS
Band40	20	39150	18	#0	QPSK	-24.5	18.55	PASS
Band40	20	39150	18	#0	QPSK	0.165	32.95	PASS
Band40	20	39150	18	#0	QPSK	1.5	30.79	PASS
Band40	20	39150	18	#0	QPSK	12.5	21.27	PASS
Band40	20	39150	18	#0	QPSK	20.5	18.21	PASS
Band40	20	39150	18	#Max	QPSK	-0.105	32.80	PASS
Band40	20	39150	18	#Max	QPSK	-1.5	30.60	PASS
Band40	20	39150	18	#Max	QPSK	-12.5	20.75	PASS
Band40	20	39150	18	#Max	QPSK	-20.5	18.62	PASS
Band40	20	39150	18	#Max	QPSK	0.225	8.92	PASS
Band40	20	39150	18	#Max	QPSK	1.5	11.55	PASS
Band40	20	39150	18	#Max	QPSK	5.5	25.35	PASS
Band40	20	39150	18	#Max	QPSK	24.5	18.14	PASS
Band40	20	39150	100	#0	QPSK	-0.195	16.13	PASS
Band40	20	39150	100	#0	QPSK	-1.5	14.19	PASS
Band40	20	39150	100	#0	QPSK	-5.5	13.04	PASS
Band40	20	39150	100	#0	QPSK	-20.5	12.56	PASS
Band40	20	39150	100	#0	QPSK	0.985	15.83	PASS
Band40	20	39150	100	#0	QPSK	1.5	13.65	PASS
Band40	20	39150	100	#0	QPSK	5.5	13.26	PASS
Band40	20	39150	100	#0	QPSK	20.5	13.77	PASS
Band40	20	39150	18	#0	QAM16	-0.075	9.69	PASS

Band40	20	39150	18	#0	QAM16	-1.5	12.54	PASS
Band40	20	39150	18	#0	QAM16	-5.5	25.10	PASS
Band40	20	39150	18	#0	QAM16	-24.5	18.58	PASS
Band40	20	39150	18	#0	QAM16	0.225	32.89	PASS
Band40	20	39150	18	#0	QAM16	1.5	30.82	PASS
Band40	20	39150	18	#0	QAM16	12.5	22.95	PASS
Band40	20	39150	18	#0	QAM16	22.5	18.20	PASS
Band40	20	39150	18	#Max	QAM16	-0.195	32.69	PASS
Band40	20	39150	18	#Max	QAM16	-1.5	30.58	PASS
Band40	20	39150	18	#Max	QAM16	-11.5	22.52	PASS
Band40	20	39150	18	#Max	QAM16	-20.5	18.70	PASS
Band40	20	39150	18	#Max	QAM16	0.015	11.15	PASS
Band40	20	39150	18	#Max	QAM16	1.5	14.52	PASS
Band40	20	39150	18	#Max	QAM16	5.5	26.61	PASS
Band40	20	39150	18	#Max	QAM16	24.5	18.20	PASS
Band40	20	39150	100	#0	QAM16	-0.015	18.32	PASS
Band40	20	39150	100	#0	QAM16	-1.5	17.06	PASS
Band40	20	39150	100	#0	QAM16	-5.5	15.69	PASS
Band40	20	39150	100	#0	QAM16	-20.5	12.30	PASS
Band40	20	39150	100	#0	QAM16	0.165	18.43	PASS
Band40	20	39150	100	#0	QAM16	1.5	17.13	PASS
Band40	20	39150	100	#0	QAM16	5.5	15.83	PASS
Band40	20	39150	100	#0	QAM16	20.5	13.27	PASS
Band40	20	39550	18	#0	QPSK	-0.075	10.41	PASS
Band40	20	39550	18	#0	QPSK	-1.5	14.04	PASS
Band40	20	39550	18	#0	QPSK	-5.5	26.22	PASS
Band40	20	39550	18	#0	QPSK	-24.5	18.27	PASS
Band40	20	39550	18	#0	QPSK	0.165	32.96	PASS
Band40	20	39550	18	#0	QPSK	1.5	30.87	PASS
Band40	20	39550	18	#0	QPSK	12.5	22.52	PASS
Band40	20	39550	18	#0	QPSK	24.5	18.08	PASS
Band40	20	39550	18	#Max	QPSK	-0.045	32.24	PASS
Band40	20	39550	18	#Max	QPSK	-1.5	30.48	PASS
Band40	20	39550	18	#Max	QPSK	-12.5	20.54	PASS
Band40	20	39550	18	#Max	QPSK	-21.5	18.47	PASS
Band40	20	39550	18	#Max	QPSK	0.225	5.52	PASS
Band40	20	39550	18	#Max	QPSK	1.5	8.71	PASS
Band40	20	39550	18	#Max	QPSK	5.5	24.95	PASS
Band40	20	39550	18	#Max	QPSK	24.5	18.09	PASS
Band40	20	39550	100	#0	QPSK	-0.225	14.88	PASS
Band40	20	39550	100	#0	QPSK	-1.5	12.86	PASS
Band40	20	39550	100	#0	QPSK	-5.5	12.18	PASS
Band40	20	39550	100	#0	QPSK	-24.5	13.01	PASS
Band40	20	39550	100	#0	QPSK	0.525	15.21	PASS

Band40	20	39550	100	#0	QPSK	1.5	12.97	PASS
Band40	20	39550	100	#0	QPSK	5.5	12.93	PASS
Band40	20	39550	100	#0	QPSK	20.5	18.01	PASS
Band40	20	39550	18	#0	QAM16	-0.195	12.53	PASS
Band40	20	39550	18	#0	QAM16	-1.5	16.28	PASS
Band40	20	39550	18	#0	QAM16	-5.5	26.58	PASS
Band40	20	39550	18	#0	QAM16	-24.5	18.31	PASS
Band40	20	39550	18	#0	QAM16	0.075	32.95	PASS
Band40	20	39550	18	#0	QAM16	1.5	30.96	PASS
Band40	20	39550	18	#0	QAM16	12.5	24.17	PASS
Band40	20	39550	18	#0	QAM16	23.5	18.11	PASS
Band40	20	39550	18	#Max	QAM16	-0.375	32.16	PASS
Band40	20	39550	18	#Max	QAM16	-1.5	30.49	PASS
Band40	20	39550	18	#Max	QAM16	-11.5	22.76	PASS
Band40	20	39550	18	#Max	QAM16	-21.5	18.50	PASS
Band40	20	39550	18	#Max	QAM16	0.015	8.17	PASS
Band40	20	39550	18	#Max	QAM16	1.5	11.88	PASS
Band40	20	39550	18	#Max	QAM16	5.5	25.66	PASS
Band40	20	39550	18	#Max	QAM16	24.5	18.10	PASS
Band40	20	39550	100	#0	QAM16	-0.015	17.65	PASS
Band40	20	39550	100	#0	QAM16	-1.5	16.35	PASS
Band40	20	39550	100	#0	QAM16	-5.5	15.11	PASS
Band40	20	39550	100	#0	QAM16	-20.5	12.29	PASS
Band40	20	39550	100	#0	QAM16	0.165	17.70	PASS
Band40	20	39550	100	#0	QAM16	1.5	16.23	PASS
Band40	20	39550	100	#0	QAM16	5.5	15.52	PASS
Band40	20	39550	100	#0	QAM16	20.5	18.02	PASS
Band7	5	20775	8	#0	QPSK	-0.015	9.77	PASS
Band7	5	20775	8	#0	QPSK	-1.5	14.94	PASS
Band7	5	20775	8	#0	QPSK	-5.5	27.22	PASS
Band7	5	20775	8	#0	QPSK	-6.5	17.18	PASS
Band7	5	20775	8	#0	QPSK	0.985	31.21	PASS
Band7	5	20775	8	#0	QPSK	2	19.30	PASS
Band7	5	20775	8	#0	QPSK	5.5	29.67	PASS
Band7	5	20775	8	#0	QPSK	6.5	18.52	PASS
Band7	5	20775	8	#Max	QPSK	-0.945	31.37	PASS
Band7	5	20775	8	#Max	QPSK	-2	19.09	PASS
Band7	5	20775	8	#Max	QPSK	-5.5	29.91	PASS
Band7	5	20775	8	#Max	QPSK	-6.5	18.70	PASS
Band7	5	20775	8	#Max	QPSK	0.015	11.45	PASS
Band7	5	20775	8	#Max	QPSK	1.5	15.50	PASS
Band7	5	20775	8	#Max	QPSK	5.5	26.73	PASS
Band7	5	20775	8	#Max	QPSK	6.5	16.88	PASS
Band7	5	20775	25	#0	QPSK	-0.015	18.42	PASS

Band7	5	20775	25	#0	QPSK	-1.5	14.04	PASS
Band7	5	20775	25	#0	QPSK	-5.5	23.77	PASS
Band7	5	20775	25	#0	QPSK	-6.5	13.91	PASS
Band7	5	20775	25	#0	QPSK	0.015	18.09	PASS
Band7	5	20775	25	#0	QPSK	1.5	13.15	PASS
Band7	5	20775	25	#0	QPSK	5.5	22.48	PASS
Band7	5	20775	25	#0	QPSK	6.5	12.23	PASS
Band7	5	20775	8	#0	QAM16	-0.015	11.95	PASS
Band7	5	20775	8	#0	QAM16	-1.5	17.60	PASS
Band7	5	20775	8	#0	QAM16	-5.5	27.92	PASS
Band7	5	20775	8	#0	QAM16	-6.5	17.59	PASS
Band7	5	20775	8	#0	QAM16	0.945	31.99	PASS
Band7	5	20775	8	#0	QAM16	2	20.32	PASS
Band7	5	20775	8	#0	QAM16	5.5	29.71	PASS
Band7	5	20775	8	#0	QAM16	6.5	18.58	PASS
Band7	5	20775	8	#Max	QAM16	-0.945	33.11	PASS
Band7	5	20775	8	#Max	QAM16	-2	20.58	PASS
Band7	5	20775	8	#Max	QAM16	-5.5	29.93	PASS
Band7	5	20775	8	#Max	QAM16	-6.5	18.69	PASS
Band7	5	20775	8	#Max	QAM16	0.015	13.46	PASS
Band7	5	20775	8	#Max	QAM16	1.5	18.15	PASS
Band7	5	20775	8	#Max	QAM16	5.5	27.69	PASS
Band7	5	20775	8	#Max	QAM16	6.5	17.29	PASS
Band7	5	20775	25	#0	QAM16	-0.015	20.44	PASS
Band7	5	20775	25	#0	QAM16	-1.5	16.98	PASS
Band7	5	20775	25	#0	QAM16	-5.5	24.89	PASS
Band7	5	20775	25	#0	QAM16	-6.5	15.18	PASS
Band7	5	20775	25	#0	QAM16	0.015	20.72	PASS
Band7	5	20775	25	#0	QAM16	1.5	16.29	PASS
Band7	5	20775	25	#0	QAM16	5.5	23.53	PASS
Band7	5	20775	25	#0	QAM16	6.5	13.67	PASS
Band7	5	21100	8	#0	QPSK	-0.015	9.92	PASS
Band7	5	21100	8	#0	QPSK	-1.5	15.42	PASS
Band7	5	21100	8	#0	QPSK	-5.5	27.27	PASS
Band7	5	21100	8	#0	QPSK	-6.5	17.29	PASS
Band7	5	21100	8	#0	QPSK	0.985	31.69	PASS
Band7	5	21100	8	#0	QPSK	2	19.73	PASS
Band7	5	21100	8	#0	QPSK	5.5	29.75	PASS
Band7	5	21100	8	#0	QPSK	6.5	18.55	PASS
Band7	5	21100	8	#Max	QPSK	-0.945	31.27	PASS
Band7	5	21100	8	#Max	QPSK	-2	18.92	PASS
Band7	5	21100	8	#Max	QPSK	-5.5	29.73	PASS
Band7	5	21100	8	#Max	QPSK	-6.5	18.56	PASS
Band7	5	21100	8	#Max	QPSK	0.015	10.52	PASS

Band7	5	21100	8	#Max	QPSK	1.5	15.69	PASS
Band7	5	21100	8	#Max	QPSK	5.5	27.52	PASS
Band7	5	21100	8	#Max	QPSK	6.5	17.26	PASS
Band7	5	21100	25	#0	QPSK	-0.015	17.52	PASS
Band7	5	21100	25	#0	QPSK	-1.5	12.63	PASS
Band7	5	21100	25	#0	QPSK	-5.5	23.45	PASS
Band7	5	21100	25	#0	QPSK	-6.5	12.85	PASS
Band7	5	21100	25	#0	QPSK	0.015	17.61	PASS
Band7	5	21100	25	#0	QPSK	1.5	12.55	PASS
Band7	5	21100	25	#0	QPSK	5.5	23.46	PASS
Band7	5	21100	25	#0	QPSK	6.5	12.75	PASS
Band7	5	21100	8	#0	QAM16	-0.015	12.15	PASS
Band7	5	21100	8	#0	QAM16	-1.5	17.27	PASS
Band7	5	21100	8	#0	QAM16	-5.5	27.93	PASS
Band7	5	21100	8	#0	QAM16	-6.5	17.60	PASS
Band7	5	21100	8	#0	QAM16	0.945	32.82	PASS
Band7	5	21100	8	#0	QAM16	2	21.10	PASS
Band7	5	21100	8	#0	QAM16	5.5	29.79	PASS
Band7	5	21100	8	#0	QAM16	6.5	18.54	PASS
Band7	5	21100	8	#Max	QAM16	-0.985	32.55	PASS
Band7	5	21100	8	#Max	QAM16	-2	20.50	PASS
Band7	5	21100	8	#Max	QAM16	-5.5	29.76	PASS
Band7	5	21100	8	#Max	QAM16	-6.5	18.57	PASS
Band7	5	21100	8	#Max	QAM16	0.015	12.52	PASS
Band7	5	21100	8	#Max	QAM16	1.5	17.72	PASS
Band7	5	21100	8	#Max	QAM16	5.5	28.25	PASS
Band7	5	21100	8	#Max	QAM16	6.5	17.69	PASS
Band7	5	21100	25	#0	QAM16	-0.015	19.56	PASS
Band7	5	21100	25	#0	QAM16	-1.5	15.70	PASS
Band7	5	21100	25	#0	QAM16	-5.5	23.65	PASS
Band7	5	21100	25	#0	QAM16	-6.5	14.06	PASS
Band7	5	21100	25	#0	QAM16	0.015	20.31	PASS
Band7	5	21100	25	#0	QAM16	1.5	15.62	PASS
Band7	5	21100	25	#0	QAM16	5.5	23.62	PASS
Band7	5	21100	25	#0	QAM16	6.5	13.88	PASS
Band7	5	21425	8	#0	QPSK	-0.015	7.15	PASS
Band7	5	21425	8	#0	QPSK	-1.5	14.65	PASS
Band7	5	21425	8	#0	QPSK	-5.5	26.30	PASS
Band7	5	21425	8	#0	QPSK	-6.5	16.49	PASS
Band7	5	21425	8	#0	QPSK	0.985	30.81	PASS
Band7	5	21425	8	#0	QPSK	2	19.17	PASS
Band7	5	21425	8	#0	QPSK	5.5	29.86	PASS
Band7	5	21425	8	#0	QPSK	6.5	18.50	PASS
Band7	5	21425	8	#Max	QPSK	-0.985	29.32	PASS

Band7	5	21425	8	#Max	QPSK	-2	17.06	PASS
Band7	5	21425	8	#Max	QPSK	-5.5	28.63	PASS
Band7	5	21425	8	#Max	QPSK	-6.5	17.42	PASS
Band7	5	21425	8	#Max	QPSK	0.015	8.04	PASS
Band7	5	21425	8	#Max	QPSK	1.5	14.97	PASS
Band7	5	21425	8	#Max	QPSK	5.5	26.12	PASS
Band7	5	21425	8	#Max	QPSK	6.5	16.14	PASS
Band7	5	21425	25	#0	QPSK	-0.015	14.81	PASS
Band7	5	21425	25	#0	QPSK	-1.5	9.44	PASS
Band7	5	21425	25	#0	QPSK	-5.5	23.45	PASS
Band7	5	21425	25	#0	QPSK	-6.5	12.51	PASS
Band7	5	21425	25	#0	QPSK	0.015	14.83	PASS
Band7	5	21425	25	#0	QPSK	1.5	9.66	PASS
Band7	5	21425	25	#0	QPSK	5.5	23.66	PASS
Band7	5	21425	25	#0	QPSK	6.5	12.46	PASS
Band7	5	21425	8	#0	QAM16	-0.015	9.74	PASS
Band7	5	21425	8	#0	QAM16	-1.5	16.40	PASS
Band7	5	21425	8	#0	QAM16	-5.5	27.13	PASS
Band7	5	21425	8	#0	QAM16	-6.5	17.07	PASS
Band7	5	21425	8	#0	QAM16	0.945	31.82	PASS
Band7	5	21425	8	#0	QAM16	2	20.01	PASS
Band7	5	21425	8	#0	QAM16	5.5	29.93	PASS
Band7	5	21425	8	#0	QAM16	6.5	18.59	PASS
Band7	5	21425	8	#Max	QAM16	-0.985	31.14	PASS
Band7	5	21425	8	#Max	QAM16	-2	18.70	PASS
Band7	5	21425	8	#Max	QAM16	-5.5	29.61	PASS
Band7	5	21425	8	#Max	QAM16	-6.5	18.48	PASS
Band7	5	21425	8	#Max	QAM16	0.015	10.21	PASS
Band7	5	21425	8	#Max	QAM16	1.5	16.97	PASS
Band7	5	21425	8	#Max	QAM16	5.5	27.73	PASS
Band7	5	21425	8	#Max	QAM16	6.5	17.33	PASS
Band7	5	21425	25	#0	QAM16	-0.015	17.63	PASS
Band7	5	21425	25	#0	QAM16	-1.5	12.63	PASS
Band7	5	21425	25	#0	QAM16	-5.5	23.33	PASS
Band7	5	21425	25	#0	QAM16	-6.5	13.48	PASS
Band7	5	21425	25	#0	QAM16	0.015	18.15	PASS
Band7	5	21425	25	#0	QAM16	1.5	12.94	PASS
Band7	5	21425	25	#0	QAM16	5.5	23.65	PASS
Band7	5	21425	25	#0	QAM16	6.5	13.62	PASS
Band7	10	20800	12	#0	QPSK	-0.015	10.18	PASS
Band7	10	20800	12	#0	QPSK	-1.5	12.67	PASS
Band7	10	20800	12	#0	QPSK	-5.5	24.43	PASS
Band7	10	20800	12	#0	QPSK	-11.5	17.15	PASS
Band7	10	20800	12	#0	QPSK	0.015	34.72	PASS

Band7	10	20800	12	#0	QPSK	4.5	20.40	PASS
Band7	10	20800	12	#0	QPSK	5.5	16.51	PASS
Band7	10	20800	12	#0	QPSK	10.5	18.81	PASS
Band7	10	20800	12	#Max	QPSK	-0.015	35.60	PASS
Band7	10	20800	12	#Max	QPSK	-4.5	21.35	PASS
Band7	10	20800	12	#Max	QPSK	-5.5	17.54	PASS
Band7	10	20800	12	#Max	QPSK	-10.5	19.10	PASS
Band7	10	20800	12	#Max	QPSK	0.015	12.06	PASS
Band7	10	20800	12	#Max	QPSK	1.5	13.90	PASS
Band7	10	20800	12	#Max	QPSK	5.5	26.73	PASS
Band7	10	20800	12	#Max	QPSK	12.5	16.55	PASS
Band7	10	20800	50	#0	QPSK	-0.015	20.80	PASS
Band7	10	20800	50	#0	QPSK	-1.5	16.79	PASS
Band7	10	20800	50	#0	QPSK	-5.5	18.33	PASS
Band7	10	20800	50	#0	QPSK	-10.5	14.83	PASS
Band7	10	20800	50	#0	QPSK	0.015	19.14	PASS
Band7	10	20800	50	#0	QPSK	1.5	14.53	PASS
Band7	10	20800	50	#0	QPSK	5.5	15.11	PASS
Band7	10	20800	50	#0	QPSK	10.5	11.50	PASS
Band7	10	20800	12	#0	QAM16	-0.045	12.34	PASS
Band7	10	20800	12	#0	QAM16	-1.5	15.36	PASS
Band7	10	20800	12	#0	QAM16	-5.5	25.50	PASS
Band7	10	20800	12	#0	QAM16	-12.5	17.78	PASS
Band7	10	20800	12	#0	QAM16	0.015	35.24	PASS
Band7	10	20800	12	#0	QAM16	4.5	21.52	PASS
Band7	10	20800	12	#0	QAM16	5.5	17.78	PASS
Band7	10	20800	12	#0	QAM16	10.5	18.85	PASS
Band7	10	20800	12	#Max	QAM16	-0.015	35.59	PASS
Band7	10	20800	12	#Max	QAM16	-4.5	22.63	PASS
Band7	10	20800	12	#Max	QAM16	-5.5	19.05	PASS
Band7	10	20800	12	#Max	QAM16	-10.5	19.13	PASS
Band7	10	20800	12	#Max	QAM16	0.015	14.13	PASS
Band7	10	20800	12	#Max	QAM16	1.5	16.64	PASS
Band7	10	20800	12	#Max	QAM16	5.5	26.95	PASS
Band7	10	20800	12	#Max	QAM16	12.5	17.36	PASS
Band7	10	20800	50	#0	QAM16	-0.015	23.50	PASS
Band7	10	20800	50	#0	QAM16	-1.5	19.53	PASS
Band7	10	20800	50	#0	QAM16	-5.5	20.83	PASS
Band7	10	20800	50	#0	QAM16	-10.5	15.63	PASS
Band7	10	20800	50	#0	QAM16	0.015	21.96	PASS
Band7	10	20800	50	#0	QAM16	1.5	17.46	PASS
Band7	10	20800	50	#0	QAM16	5.5	17.71	PASS
Band7	10	20800	50	#0	QAM16	10.5	12.32	PASS
Band7	10	21100	12	#0	QPSK	-0.015	10.17	PASS

Band7	10	21100	12	#0	QPSK	-1.5	13.08	PASS
Band7	10	21100	12	#0	QPSK	-5.5	23.69	PASS
Band7	10	21100	12	#0	QPSK	-12.5	16.91	PASS
Band7	10	21100	12	#0	QPSK	0.015	35.29	PASS
Band7	10	21100	12	#0	QPSK	4.5	21.86	PASS
Band7	10	21100	12	#0	QPSK	5.5	18.08	PASS
Band7	10	21100	12	#0	QPSK	10.5	18.81	PASS
Band7	10	21100	12	#Max	QPSK	-0.255	35.58	PASS
Band7	10	21100	12	#Max	QPSK	-4.5	20.47	PASS
Band7	10	21100	12	#Max	QPSK	-5.5	16.67	PASS
Band7	10	21100	12	#Max	QPSK	-10.5	18.89	PASS
Band7	10	21100	12	#Max	QPSK	0.015	10.28	PASS
Band7	10	21100	12	#Max	QPSK	1.5	12.97	PASS
Band7	10	21100	12	#Max	QPSK	5.5	27.14	PASS
Band7	10	21100	12	#Max	QPSK	12.5	16.96	PASS
Band7	10	21100	50	#0	QPSK	-0.015	18.38	PASS
Band7	10	21100	50	#0	QPSK	-1.5	13.90	PASS
Band7	10	21100	50	#0	QPSK	-5.5	15.35	PASS
Band7	10	21100	50	#0	QPSK	-10.5	13.31	PASS
Band7	10	21100	50	#0	QPSK	0.015	18.22	PASS
Band7	10	21100	50	#0	QPSK	1.5	13.59	PASS
Band7	10	21100	50	#0	QPSK	5.5	15.11	PASS
Band7	10	21100	50	#0	QPSK	10.5	13.01	PASS
Band7	10	21100	12	#0	QAM16	-0.045	12.42	PASS
Band7	10	21100	12	#0	QAM16	-1.5	15.49	PASS
Band7	10	21100	12	#0	QAM16	-5.5	24.84	PASS
Band7	10	21100	12	#0	QAM16	-12.5	17.71	PASS
Band7	10	21100	12	#0	QAM16	0.045	35.56	PASS
Band7	10	21100	12	#0	QAM16	4.5	22.97	PASS
Band7	10	21100	12	#0	QAM16	5.5	19.31	PASS
Band7	10	21100	12	#0	QAM16	10.5	18.79	PASS
Band7	10	21100	12	#Max	QAM16	-0.105	35.38	PASS
Band7	10	21100	12	#Max	QAM16	-4.5	22.12	PASS
Band7	10	21100	12	#Max	QAM16	-5.5	18.40	PASS
Band7	10	21100	12	#Max	QAM16	-10.5	18.95	PASS
Band7	10	21100	12	#Max	QAM16	0.015	12.67	PASS
Band7	10	21100	12	#Max	QAM16	1.5	15.73	PASS
Band7	10	21100	12	#Max	QAM16	5.5	27.19	PASS
Band7	10	21100	12	#Max	QAM16	12.5	17.72	PASS
Band7	10	21100	50	#0	QAM16	-0.015	21.77	PASS
Band7	10	21100	50	#0	QAM16	-1.5	17.29	PASS
Band7	10	21100	50	#0	QAM16	-5.5	18.22	PASS
Band7	10	21100	50	#0	QAM16	-10.5	13.45	PASS
Band7	10	21100	50	#0	QAM16	0.075	21.49	PASS

Band7	10	21100	50	#0	QAM16	1.5	16.95	PASS
Band7	10	21100	50	#0	QAM16	5.5	17.98	PASS
Band7	10	21100	50	#0	QAM16	10.5	13.18	PASS
Band7	10	21400	12	#0	QPSK	-0.015	7.84	PASS
Band7	10	21400	12	#0	QPSK	-1.5	11.72	PASS
Band7	10	21400	12	#0	QPSK	-5.5	23.60	PASS
Band7	10	21400	12	#0	QPSK	-12.5	15.78	PASS
Band7	10	21400	12	#0	QPSK	0.015	34.85	PASS
Band7	10	21400	12	#0	QPSK	4.5	21.63	PASS
Band7	10	21400	12	#0	QPSK	5.5	17.94	PASS
Band7	10	21400	12	#0	QPSK	10.5	18.80	PASS
Band7	10	21400	12	#Max	QPSK	-0.045	35.05	PASS
Band7	10	21400	12	#Max	QPSK	-4.5	20.21	PASS
Band7	10	21400	12	#Max	QPSK	-5.5	16.44	PASS
Band7	10	21400	12	#Max	QPSK	-10.5	18.87	PASS
Band7	10	21400	12	#Max	QPSK	0.015	7.46	PASS
Band7	10	21400	12	#Max	QPSK	1.5	11.16	PASS
Band7	10	21400	12	#Max	QPSK	5.5	26.42	PASS
Band7	10	21400	12	#Max	QPSK	11.5	16.54	PASS
Band7	10	21400	50	#0	QPSK	-0.015	15.82	PASS
Band7	10	21400	50	#0	QPSK	-1.5	11.20	PASS
Band7	10	21400	50	#0	QPSK	-5.5	13.12	PASS
Band7	10	21400	50	#0	QPSK	-10.5	13.48	PASS
Band7	10	21400	50	#0	QPSK	0.015	15.82	PASS
Band7	10	21400	50	#0	QPSK	1.5	11.10	PASS
Band7	10	21400	50	#0	QPSK	5.5	13.41	PASS
Band7	10	21400	50	#0	QPSK	10.5	13.86	PASS
Band7	10	21400	12	#0	QAM16	-0.015	10.43	PASS
Band7	10	21400	12	#0	QAM16	-1.5	14.26	PASS
Band7	10	21400	12	#0	QAM16	-5.5	24.49	PASS
Band7	10	21400	12	#0	QAM16	-12.5	16.97	PASS
Band7	10	21400	12	#0	QAM16	0.015	35.48	PASS
Band7	10	21400	12	#0	QAM16	4.5	22.73	PASS
Band7	10	21400	12	#0	QAM16	5.5	19.14	PASS
Band7	10	21400	12	#0	QAM16	10.5	18.83	PASS
Band7	10	21400	12	#Max	QAM16	-0.075	34.92	PASS
Band7	10	21400	12	#Max	QAM16	-4.5	20.61	PASS
Band7	10	21400	12	#Max	QAM16	-5.5	16.95	PASS
Band7	10	21400	12	#Max	QAM16	-10.5	18.90	PASS
Band7	10	21400	12	#Max	QAM16	0.015	10.09	PASS
Band7	10	21400	12	#Max	QAM16	1.5	13.89	PASS
Band7	10	21400	12	#Max	QAM16	5.5	27.11	PASS
Band7	10	21400	12	#Max	QAM16	11.5	17.37	PASS
Band7	10	21400	50	#0	QAM16	-0.135	19.26	PASS

Band7	10	21400	50	#0	QAM16	-1.5	14.24	PASS
Band7	10	21400	50	#0	QAM16	-5.5	16.03	PASS
Band7	10	21400	50	#0	QAM16	-10.5	13.10	PASS
Band7	10	21400	50	#0	QAM16	0.075	19.00	PASS
Band7	10	21400	50	#0	QAM16	1.5	14.28	PASS
Band7	10	21400	50	#0	QAM16	5.5	16.37	PASS
Band7	10	21400	50	#0	QAM16	10.5	13.61	PASS
Band7	20	20850	18	#0	QPSK	-0.015	11.69	PASS
Band7	20	20850	18	#0	QPSK	-1.5	13.52	PASS
Band7	20	20850	18	#0	QPSK	-5.5	27.65	PASS
Band7	20	20850	18	#0	QPSK	-23.5	19.23	PASS
Band7	20	20850	18	#0	QPSK	0.135	33.74	PASS
Band7	20	20850	18	#0	QPSK	1.5	30.81	PASS
Band7	20	20850	18	#0	QPSK	12.5	19.58	PASS
Band7	20	20850	18	#0	QPSK	22.5	18.66	PASS
Band7	20	20850	18	#Max	QPSK	-0.045	35.00	PASS
Band7	20	20850	18	#Max	QPSK	-1.5	31.80	PASS
Band7	20	20850	18	#Max	QPSK	-11.5	21.48	PASS
Band7	20	20850	18	#Max	QPSK	-22.5	19.25	PASS
Band7	20	20850	18	#Max	QPSK	0.015	11.68	PASS
Band7	20	20850	18	#Max	QPSK	1.5	13.53	PASS
Band7	20	20850	18	#Max	QPSK	5.5	27.33	PASS
Band7	20	20850	18	#Max	QPSK	24.5	17.91	PASS
Band7	20	20850	100	#0	QPSK	-0.075	23.27	PASS
Band7	20	20850	100	#0	QPSK	-1.5	21.46	PASS
Band7	20	20850	100	#0	QPSK	-5.5	20.79	PASS
Band7	20	20850	100	#0	QPSK	-20.5	19.05	PASS
Band7	20	20850	100	#0	QPSK	0.075	19.45	PASS
Band7	20	20850	100	#0	QPSK	1.5	16.91	PASS
Band7	20	20850	100	#0	QPSK	5.5	15.21	PASS
Band7	20	20850	100	#0	QPSK	20.5	13.30	PASS
Band7	20	20850	18	#0	QAM16	-0.045	13.92	PASS
Band7	20	20850	18	#0	QAM16	-1.5	16.11	PASS
Band7	20	20850	18	#0	QAM16	-5.5	28.09	PASS
Band7	20	20850	18	#0	QAM16	-22.5	19.31	PASS
Band7	20	20850	18	#0	QAM16	0.165	34.00	PASS
Band7	20	20850	18	#0	QAM16	1.5	30.93	PASS
Band7	20	20850	18	#0	QAM16	12.5	20.87	PASS
Band7	20	20850	18	#0	QAM16	20.5	18.59	PASS
Band7	20	20850	18	#Max	QAM16	-0.015	34.88	PASS
Band7	20	20850	18	#Max	QAM16	-1.5	31.86	PASS
Band7	20	20850	18	#Max	QAM16	-11.5	22.77	PASS
Band7	20	20850	18	#Max	QAM16	-20.5	19.30	PASS
Band7	20	20850	18	#Max	QAM16	0.015	14.75	PASS

Band7	20	20850	18	#Max	QAM16	1.5	16.56	PASS
Band7	20	20850	18	#Max	QAM16	5.5	27.89	PASS
Band7	20	20850	18	#Max	QAM16	24.5	18.15	PASS
Band7	20	20850	100	#0	QAM16	-0.075	26.45	PASS
Band7	20	20850	100	#0	QAM16	-1.5	24.13	PASS
Band7	20	20850	100	#0	QAM16	-5.5	23.24	PASS
Band7	20	20850	100	#0	QAM16	-20.5	19.19	PASS
Band7	20	20850	100	#0	QAM16	0.045	22.90	PASS
Band7	20	20850	100	#0	QAM16	1.5	19.83	PASS
Band7	20	20850	100	#0	QAM16	5.5	17.90	PASS
Band7	20	20850	100	#0	QAM16	20.5	13.57	PASS
Band7	20	21100	18	#0	QPSK	-0.015	10.37	PASS
Band7	20	21100	18	#0	QPSK	-1.5	12.41	PASS
Band7	20	21100	18	#0	QPSK	-5.5	26.83	PASS
Band7	20	21100	18	#0	QPSK	-24.5	18.37	PASS
Band7	20	21100	18	#0	QPSK	0.195	34.31	PASS
Band7	20	21100	18	#0	QPSK	1.5	31.48	PASS
Band7	20	21100	18	#0	QPSK	12.5	20.88	PASS
Band7	20	21100	18	#0	QPSK	23.5	18.58	PASS
Band7	20	21100	18	#Max	QPSK	-0.015	34.34	PASS
Band7	20	21100	18	#Max	QPSK	-1.5	31.14	PASS
Band7	20	21100	18	#Max	QPSK	-12.5	19.49	PASS
Band7	20	21100	18	#Max	QPSK	-20.5	19.13	PASS
Band7	20	21100	18	#Max	QPSK	0.015	11.20	PASS
Band7	20	21100	18	#Max	QPSK	1.5	12.98	PASS
Band7	20	21100	18	#Max	QPSK	5.5	27.05	PASS
Band7	20	21100	18	#Max	QPSK	24.5	18.05	PASS
Band7	20	21100	100	#0	QPSK	-0.075	19.63	PASS
Band7	20	21100	100	#0	QPSK	-1.5	17.21	PASS
Band7	20	21100	100	#0	QPSK	-5.5	16.31	PASS
Band7	20	21100	100	#0	QPSK	-20.5	16.13	PASS
Band7	20	21100	100	#0	QPSK	0.105	18.74	PASS
Band7	20	21100	100	#0	QPSK	1.5	16.38	PASS
Band7	20	21100	100	#0	QPSK	5.5	15.40	PASS
Band7	20	21100	100	#0	QPSK	20.5	14.70	PASS
Band7	20	21100	18	#0	QAM16	-0.075	12.66	PASS
Band7	20	21100	18	#0	QAM16	-1.5	14.91	PASS
Band7	20	21100	18	#0	QAM16	-5.5	27.41	PASS
Band7	20	21100	18	#0	QAM16	-24.5	18.60	PASS
Band7	20	21100	18	#0	QAM16	0.045	34.33	PASS
Band7	20	21100	18	#0	QAM16	1.5	31.58	PASS
Band7	20	21100	18	#0	QAM16	12.5	21.57	PASS
Band7	20	21100	18	#0	QAM16	22.5	18.60	PASS
Band7	20	21100	18	#Max	QAM16	-0.135	34.32	PASS

Band7	20	21100	18	#Max	QAM16	-1.5	31.16	PASS
Band7	20	21100	18	#Max	QAM16	-12.5	21.04	PASS
Band7	20	21100	18	#Max	QAM16	-21.5	19.15	PASS
Band7	20	21100	18	#Max	QAM16	0.015	13.95	PASS
Band7	20	21100	18	#Max	QAM16	1.5	15.78	PASS
Band7	20	21100	18	#Max	QAM16	5.5	27.64	PASS
Band7	20	21100	18	#Max	QAM16	24.5	18.27	PASS
Band7	20	21100	100	#0	QAM16	-0.075	23.12	PASS
Band7	20	21100	100	#0	QAM16	-1.5	20.30	PASS
Band7	20	21100	100	#0	QAM16	-5.5	19.38	PASS
Band7	20	21100	100	#0	QAM16	-20.5	16.08	PASS
Band7	20	21100	100	#0	QAM16	0.045	22.41	PASS
Band7	20	21100	100	#0	QAM16	1.5	19.80	PASS
Band7	20	21100	100	#0	QAM16	5.5	18.57	PASS
Band7	20	21100	100	#0	QAM16	20.5	14.76	PASS
Band7	20	21350	18	#0	QPSK	-0.015	10.26	PASS
Band7	20	21350	18	#0	QPSK	-1.5	12.44	PASS
Band7	20	21350	18	#0	QPSK	-5.5	27.21	PASS
Band7	20	21350	18	#0	QPSK	-24.5	17.83	PASS
Band7	20	21350	18	#0	QPSK	0.135	34.63	PASS
Band7	20	21350	18	#0	QPSK	1.5	31.60	PASS
Band7	20	21350	18	#0	QPSK	12.5	20.87	PASS
Band7	20	21350	18	#0	QPSK	24.5	18.60	PASS
Band7	20	21350	18	#Max	QPSK	-0.135	34.18	PASS
Band7	20	21350	18	#Max	QPSK	-1.5	31.07	PASS
Band7	20	21350	18	#Max	QPSK	-12.5	17.80	PASS
Band7	20	21350	18	#Max	QPSK	-20.5	19.10	PASS
Band7	20	21350	18	#Max	QPSK	0.015	7.59	PASS
Band7	20	21350	18	#Max	QPSK	1.5	10.17	PASS
Band7	20	21350	18	#Max	QPSK	5.5	26.58	PASS
Band7	20	21350	18	#Max	QPSK	24.5	18.57	PASS
Band7	20	21350	100	#0	QPSK	-0.075	17.07	PASS
Band7	20	21350	100	#0	QPSK	-1.5	14.71	PASS
Band7	20	21350	100	#0	QPSK	-5.5	13.95	PASS
Band7	20	21350	100	#0	QPSK	-20.5	15.49	PASS
Band7	20	21350	100	#0	QPSK	0.075	16.79	PASS
Band7	20	21350	100	#0	QPSK	1.5	14.48	PASS
Band7	20	21350	100	#0	QPSK	5.5	13.74	PASS
Band7	20	21350	100	#0	QPSK	20.5	17.86	PASS
Band7	20	21350	18	#0	QAM16	-0.015	12.52	PASS
Band7	20	21350	18	#0	QAM16	-1.5	15.06	PASS
Band7	20	21350	18	#0	QAM16	-5.5	27.70	PASS
Band7	20	21350	18	#0	QAM16	-24.5	18.13	PASS
Band7	20	21350	18	#0	QAM16	0.045	34.54	PASS

Band7	20	21350	18	#0	QAM16	1.5	31.64	PASS
Band7	20	21350	18	#0	QAM16	11.5	22.17	PASS
Band7	20	21350	18	#0	QAM16	23.5	18.60	PASS
Band7	20	21350	18	#Max	QAM16	-0.405	34.33	PASS
Band7	20	21350	18	#Max	QAM16	-1.5	31.08	PASS
Band7	20	21350	18	#Max	QAM16	-12.5	19.68	PASS
Band7	20	21350	18	#Max	QAM16	-20.5	19.05	PASS
Band7	20	21350	18	#Max	QAM16	0.015	10.62	PASS
Band7	20	21350	18	#Max	QAM16	1.5	13.27	PASS
Band7	20	21350	18	#Max	QAM16	5.5	27.33	PASS
Band7	20	21350	18	#Max	QAM16	20.5	18.58	PASS
Band7	20	21350	100	#0	QAM16	-0.075	20.93	PASS
Band7	20	21350	100	#0	QAM16	-1.5	18.20	PASS
Band7	20	21350	100	#0	QAM16	-5.5	17.21	PASS
Band7	20	21350	100	#0	QAM16	-20.5	15.31	PASS
Band7	20	21350	100	#0	QAM16	0.225	20.77	PASS
Band7	20	21350	100	#0	QAM16	1.5	17.93	PASS
Band7	20	21350	100	#0	QAM16	5.5	17.04	PASS
Band7	20	21350	100	#0	QAM16	20.5	17.53	PASS
Band8	1.4	21457	5	#0	QPSK	-0.015	17.43	PASS
Band8	1.4	21457	5	#0	QPSK	-1.5	23.15	PASS
Band8	1.4	21457	5	#0	QPSK	-3	15.53	PASS
Band8	1.4	21457	5	#0	QPSK	0	0.00	PASS
Band8	1.4	21457	5	#0	QPSK	0.015	20.47	PASS
Band8	1.4	21457	5	#0	QPSK	1.5	25.94	PASS
Band8	1.4	21457	5	#0	QPSK	3	15.65	PASS
Band8	1.4	21457	5	#0	QPSK	0	0.00	PASS
Band8	1.4	21457	5	#Max	QPSK	-0.015	20.28	PASS
Band8	1.4	21457	5	#Max	QPSK	-1.5	24.80	PASS
Band8	1.4	21457	5	#Max	QPSK	-3	14.85	PASS
Band8	1.4	21457	5	#Max	QPSK	0	0.00	PASS
Band8	1.4	21457	5	#Max	QPSK	0.015	17.59	PASS
Band8	1.4	21457	5	#Max	QPSK	1.5	23.57	PASS
Band8	1.4	21457	5	#Max	QPSK	3	15.02	PASS
Band8	1.4	21457	5	#Max	QPSK	0	0.00	PASS
Band8	1.4	21457	6	#0	QPSK	-0.015	20.85	PASS
Band8	1.4	21457	6	#0	QPSK	-1.5	23.69	PASS
Band8	1.4	21457	6	#0	QPSK	-3	15.92	PASS
Band8	1.4	21457	6	#0	QPSK	0	0.00	PASS
Band8	1.4	21457	6	#0	QPSK	0.015	21.51	PASS
Band8	1.4	21457	6	#0	QPSK	1.5	24.75	PASS
Band8	1.4	21457	6	#0	QPSK	3	16.09	PASS
Band8	1.4	21457	6	#0	QPSK	0	0.00	PASS
Band8	1.4	21457	5	#0	QAM16	-0.015	18.82	PASS

Band8	1.4	21457	5	#0	QAM16	-1.5	24.97	PASS
Band8	1.4	21457	5	#0	QAM16	-3	15.85	PASS
Band8	1.4	21457	5	#0	QAM16	0	0.00	PASS
Band8	1.4	21457	5	#0	QAM16	0.015	21.97	PASS
Band8	1.4	21457	5	#0	QAM16	1.5	27.62	PASS
Band8	1.4	21457	5	#0	QAM16	3	15.97	PASS
Band8	1.4	21457	5	#0	QAM16	0	0.00	PASS
Band8	1.4	21457	5	#Max	QAM16	-0.015	22.11	PASS
Band8	1.4	21457	5	#Max	QAM16	-1.5	27.05	PASS
Band8	1.4	21457	5	#Max	QAM16	-3	15.82	PASS
Band8	1.4	21457	5	#Max	QAM16	0	0.00	PASS
Band8	1.4	21457	5	#Max	QAM16	0.015	19.21	PASS
Band8	1.4	21457	5	#Max	QAM16	1.5	25.84	PASS
Band8	1.4	21457	5	#Max	QAM16	3	15.99	PASS
Band8	1.4	21457	5	#Max	QAM16	0	0.00	PASS
Band8	1.4	21457	6	#0	QAM16	-0.015	21.49	PASS
Band8	1.4	21457	6	#0	QAM16	-1.5	24.89	PASS
Band8	1.4	21457	6	#0	QAM16	-3	16.20	PASS
Band8	1.4	21457	6	#0	QAM16	0	0.00	PASS
Band8	1.4	21457	6	#0	QAM16	0.015	21.46	PASS
Band8	1.4	21457	6	#0	QAM16	1.5	25.86	PASS
Band8	1.4	21457	6	#0	QAM16	3	16.28	PASS
Band8	1.4	21457	6	#0	QAM16	0	0.00	PASS
Band8	1.4	21625	5	#0	QPSK	-0.015	15.58	PASS
Band8	1.4	21625	5	#0	QPSK	-1.5	23.29	PASS
Band8	1.4	21625	5	#0	QPSK	-3	15.04	PASS
Band8	1.4	21625	5	#0	QPSK	0	0.00	PASS
Band8	1.4	21625	5	#0	QPSK	0.015	18.49	PASS
Band8	1.4	21625	5	#0	QPSK	1.5	26.62	PASS
Band8	1.4	21625	5	#0	QPSK	3	15.77	PASS
Band8	1.4	21625	5	#0	QPSK	0	0.00	PASS
Band8	1.4	21625	5	#Max	QPSK	-0.015	18.43	PASS
Band8	1.4	21625	5	#Max	QPSK	-1.5	25.03	PASS
Band8	1.4	21625	5	#Max	QPSK	-3	14.73	PASS
Band8	1.4	21625	5	#Max	QPSK	0	0.00	PASS
Band8	1.4	21625	5	#Max	QPSK	0.015	15.82	PASS
Band8	1.4	21625	5	#Max	QPSK	1.5	24.33	PASS
Band8	1.4	21625	5	#Max	QPSK	3	15.61	PASS
Band8	1.4	21625	5	#Max	QPSK	0	0.00	PASS
Band8	1.4	21625	6	#0	QPSK	-0.015	19.97	PASS
Band8	1.4	21625	6	#0	QPSK	-1.5	23.64	PASS
Band8	1.4	21625	6	#0	QPSK	-3	15.37	PASS
Band8	1.4	21625	6	#0	QPSK	0	0.00	PASS
Band8	1.4	21625	6	#0	QPSK	0.015	20.69	PASS

Band8	1.4	21625	6	#0	QPSK	1.5	25.00	PASS
Band8	1.4	21625	6	#0	QPSK	3	16.16	PASS
Band8	1.4	21625	6	#0	QPSK	0	0.00	PASS
Band8	1.4	21625	5	#0	QAM16	-0.015	17.86	PASS
Band8	1.4	21625	5	#0	QAM16	-1.5	25.24	PASS
Band8	1.4	21625	5	#0	QAM16	-3	15.48	PASS
Band8	1.4	21625	5	#0	QAM16	0	0.00	PASS
Band8	1.4	21625	5	#0	QAM16	0.015	20.83	PASS
Band8	1.4	21625	5	#0	QAM16	1.5	28.20	PASS
Band8	1.4	21625	5	#0	QAM16	3	16.14	PASS
Band8	1.4	21625	5	#0	QAM16	0	0.00	PASS
Band8	1.4	21625	5	#Max	QAM16	-0.015	20.84	PASS
Band8	1.4	21625	5	#Max	QAM16	-1.5	27.22	PASS
Band8	1.4	21625	5	#Max	QAM16	-3	15.28	PASS
Band8	1.4	21625	5	#Max	QAM16	0	0.00	PASS
Band8	1.4	21625	5	#Max	QAM16	0.015	18.00	PASS
Band8	1.4	21625	5	#Max	QAM16	1.5	26.39	PASS
Band8	1.4	21625	5	#Max	QAM16	3	16.16	PASS
Band8	1.4	21625	5	#Max	QAM16	0	0.00	PASS
Band8	1.4	21625	6	#0	QAM16	-0.015	21.44	PASS
Band8	1.4	21625	6	#0	QAM16	-1.5	25.08	PASS
Band8	1.4	21625	6	#0	QAM16	-3	15.71	PASS
Band8	1.4	21625	6	#0	QAM16	0	0.00	PASS
Band8	1.4	21625	6	#0	QAM16	0.015	21.53	PASS
Band8	1.4	21625	6	#0	QAM16	1.5	26.47	PASS
Band8	1.4	21625	6	#0	QAM16	3	16.41	PASS
Band8	1.4	21625	6	#0	QAM16	0	0.00	PASS
Band8	1.4	21793	5	#0	QPSK	-0.015	15.65	PASS
Band8	1.4	21793	5	#0	QPSK	-1.5	21.67	PASS
Band8	1.4	21793	5	#0	QPSK	-3	14.68	PASS
Band8	1.4	21793	5	#0	QPSK	0	0.00	PASS
Band8	1.4	21793	5	#0	QPSK	0.015	18.73	PASS
Band8	1.4	21793	5	#0	QPSK	1.5	24.45	PASS
Band8	1.4	21793	5	#0	QPSK	3	16.81	PASS
Band8	1.4	21793	5	#0	QPSK	0	0.00	PASS
Band8	1.4	21793	5	#Max	QPSK	-0.015	18.19	PASS
Band8	1.4	21793	5	#Max	QPSK	-1.5	23.18	PASS
Band8	1.4	21793	5	#Max	QPSK	-3	14.76	PASS
Band8	1.4	21793	5	#Max	QPSK	0	0.00	PASS
Band8	1.4	21793	5	#Max	QPSK	0.015	15.99	PASS
Band8	1.4	21793	5	#Max	QPSK	1.5	22.27	PASS
Band8	1.4	21793	5	#Max	QPSK	3	17.09	PASS
Band8	1.4	21793	5	#Max	QPSK	0	0.00	PASS
Band8	1.4	21793	6	#0	QPSK	-0.015	19.95	PASS

Band8	1.4	21793	6	#0	QPSK	-1.5	22.36	PASS
Band8	1.4	21793	6	#0	QPSK	-3	14.95	PASS
Band8	1.4	21793	6	#0	QPSK	0	0.00	PASS
Band8	1.4	21793	6	#0	QPSK	0.015	21.06	PASS
Band8	1.4	21793	6	#0	QPSK	1.5	23.55	PASS
Band8	1.4	21793	6	#0	QPSK	3	17.27	PASS
Band8	1.4	21793	6	#0	QPSK	0	0.00	PASS
Band8	1.4	21793	5	#0	QAM16	-0.015	17.81	PASS
Band8	1.4	21793	5	#0	QAM16	-1.5	23.53	PASS
Band8	1.4	21793	5	#0	QAM16	-3	15.15	PASS
Band8	1.4	21793	5	#0	QAM16	0	0.00	PASS
Band8	1.4	21793	5	#0	QAM16	0.015	20.86	PASS
Band8	1.4	21793	5	#0	QAM16	1.5	26.70	PASS
Band8	1.4	21793	5	#0	QAM16	3	17.29	PASS
Band8	1.4	21793	5	#0	QAM16	0	0.00	PASS
Band8	1.4	21793	5	#Max	QAM16	-0.015	20.27	PASS
Band8	1.4	21793	5	#Max	QAM16	-1.5	25.79	PASS
Band8	1.4	21793	5	#Max	QAM16	-3	15.05	PASS
Band8	1.4	21793	5	#Max	QAM16	0	0.00	PASS
Band8	1.4	21793	5	#Max	QAM16	0.015	18.31	PASS
Band8	1.4	21793	5	#Max	QAM16	1.5	24.47	PASS
Band8	1.4	21793	5	#Max	QAM16	3	17.33	PASS
Band8	1.4	21793	5	#Max	QAM16	0	0.00	PASS
Band8	1.4	21793	6	#0	QAM16	-0.015	20.82	PASS
Band8	1.4	21793	6	#0	QAM16	-1.5	23.38	PASS
Band8	1.4	21793	6	#0	QAM16	-3	15.66	PASS
Band8	1.4	21793	6	#0	QAM16	0	0.00	PASS
Band8	1.4	21793	6	#0	QAM16	0.015	21.01	PASS
Band8	1.4	21793	6	#0	QAM16	1.5	24.57	PASS
Band8	1.4	21793	6	#0	QAM16	3	17.63	PASS
Band8	1.4	21793	6	#0	QAM16	0	0.00	PASS
Band8	5	21475	8	#0	QPSK	-0.015	9.00	PASS
Band8	5	21475	8	#0	QPSK	-1.5	16.76	PASS
Band8	5	21475	8	#0	QPSK	-5.5	27.69	PASS
Band8	5	21475	8	#0	QPSK	-6.5	19.54	PASS
Band8	5	21475	8	#0	QPSK	0.975	34.73	PASS
Band8	5	21475	8	#0	QPSK	2	24.14	PASS
Band8	5	21475	8	#0	QPSK	5.5	31.32	PASS
Band8	5	21475	8	#0	QPSK	6.5	20.78	PASS
Band8	5	21475	8	#Max	QPSK	-0.985	34.58	PASS
Band8	5	21475	8	#Max	QPSK	-2	23.58	PASS
Band8	5	21475	8	#Max	QPSK	-5.5	32.49	PASS
Band8	5	21475	8	#Max	QPSK	-6.5	21.45	PASS
Band8	5	21475	8	#Max	QPSK	0.015	9.52	PASS

Band8	5	21475	8	#Max	QPSK	1.5	16.59	PASS
Band8	5	21475	8	#Max	QPSK	5.5	25.69	PASS
Band8	5	21475	8	#Max	QPSK	6.5	17.22	PASS
Band8	5	21475	25	#0	QPSK	-0.015	15.33	PASS
Band8	5	21475	25	#0	QPSK	-1.5	16.83	PASS
Band8	5	21475	25	#0	QPSK	-5.5	27.88	PASS
Band8	5	21475	25	#0	QPSK	-6.5	19.47	PASS
Band8	5	21475	25	#0	QPSK	0.015	16.06	PASS
Band8	5	21475	25	#0	QPSK	1.5	18.73	PASS
Band8	5	21475	25	#0	QPSK	5.5	24.14	PASS
Band8	5	21475	25	#0	QPSK	6.5	15.00	PASS
Band8	5	21475	8	#0	QAM16	-0.015	10.35	PASS
Band8	5	21475	8	#0	QAM16	-1.5	19.49	PASS
Band8	5	21475	8	#0	QAM16	-5.5	28.68	PASS
Band8	5	21475	8	#0	QAM16	-6.5	19.77	PASS
Band8	5	21475	8	#0	QAM16	0.015	35.64	PASS
Band8	5	21475	8	#0	QAM16	2	25.27	PASS
Band8	5	21475	8	#0	QAM16	5.5	31.51	PASS
Band8	5	21475	8	#0	QAM16	6.5	20.84	PASS
Band8	5	21475	8	#Max	QAM16	-0.015	35.35	PASS
Band8	5	21475	8	#Max	QAM16	-2	24.66	PASS
Band8	5	21475	8	#Max	QAM16	-5.5	32.58	PASS
Band8	5	21475	8	#Max	QAM16	-6.5	21.45	PASS
Band8	5	21475	8	#Max	QAM16	0.015	10.31	PASS
Band8	5	21475	8	#Max	QAM16	1.5	19.24	PASS
Band8	5	21475	8	#Max	QAM16	5.5	26.89	PASS
Band8	5	21475	8	#Max	QAM16	6.5	17.32	PASS
Band8	5	21475	25	#0	QAM16	-0.015	15.91	PASS
Band8	5	21475	25	#0	QAM16	-1.5	17.12	PASS
Band8	5	21475	25	#0	QAM16	-5.5	28.51	PASS
Band8	5	21475	25	#0	QAM16	-6.5	20.15	PASS
Band8	5	21475	25	#0	QAM16	0.015	16.41	PASS
Band8	5	21475	25	#0	QAM16	1.5	19.02	PASS
Band8	5	21475	25	#0	QAM16	5.5	25.49	PASS
Band8	5	21475	25	#0	QAM16	6.5	16.45	PASS
Band8	5	21625	8	#0	QPSK	-0.015	7.94	PASS
Band8	5	21625	8	#0	QPSK	-1.5	16.15	PASS
Band8	5	21625	8	#0	QPSK	-5.5	26.68	PASS
Band8	5	21625	8	#0	QPSK	-6.5	17.31	PASS
Band8	5	21625	8	#0	QPSK	0.975	34.78	PASS
Band8	5	21625	8	#0	QPSK	2	23.31	PASS
Band8	5	21625	8	#0	QPSK	5.5	31.30	PASS
Band8	5	21625	8	#0	QPSK	6.5	20.44	PASS
Band8	5	21625	8	#Max	QPSK	-0.985	33.86	PASS

Band8	5	21625	8	#Max	QPSK	-2.3	22.57	PASS
Band8	5	21625	8	#Max	QPSK	-5.5	31.15	PASS
Band8	5	21625	8	#Max	QPSK	-6.5	20.67	PASS
Band8	5	21625	8	#Max	QPSK	0.015	9.44	PASS
Band8	5	21625	8	#Max	QPSK	1.5	17.87	PASS
Band8	5	21625	8	#Max	QPSK	5.5	25.41	PASS
Band8	5	21625	8	#Max	QPSK	6.5	16.69	PASS
Band8	5	21625	25	#0	QPSK	-0.015	15.01	PASS
Band8	5	21625	25	#0	QPSK	-1.5	15.22	PASS
Band8	5	21625	25	#0	QPSK	-5.5	23.94	PASS
Band8	5	21625	25	#0	QPSK	-6.5	14.74	PASS
Band8	5	21625	25	#0	QPSK	0.015	15.42	PASS
Band8	5	21625	25	#0	QPSK	1.5	17.01	PASS
Band8	5	21625	25	#0	QPSK	5.5	25.73	PASS
Band8	5	21625	25	#0	QPSK	6.5	16.25	PASS
Band8	5	21625	8	#0	QAM16	-0.015	9.16	PASS
Band8	5	21625	8	#0	QAM16	-1.5	18.87	PASS
Band8	5	21625	8	#0	QAM16	-5.5	27.63	PASS
Band8	5	21625	8	#0	QAM16	-6.5	17.63	PASS
Band8	5	21625	8	#0	QAM16	0.015	35.60	PASS
Band8	5	21625	8	#0	QAM16	2	24.66	PASS
Band8	5	21625	8	#0	QAM16	5.5	31.47	PASS
Band8	5	21625	8	#0	QAM16	6.5	20.50	PASS
Band8	5	21625	8	#Max	QAM16	-0.015	34.84	PASS
Band8	5	21625	8	#Max	QAM16	-2	23.64	PASS
Band8	5	21625	8	#Max	QAM16	-5.5	31.27	PASS
Band8	5	21625	8	#Max	QAM16	-6.5	20.71	PASS
Band8	5	21625	8	#Max	QAM16	0.015	9.77	PASS
Band8	5	21625	8	#Max	QAM16	1.5	20.43	PASS
Band8	5	21625	8	#Max	QAM16	5.5	26.60	PASS
Band8	5	21625	8	#Max	QAM16	6.5	16.83	PASS
Band8	5	21625	25	#0	QAM16	-0.015	15.64	PASS
Band8	5	21625	25	#0	QAM16	-1.5	16.27	PASS
Band8	5	21625	25	#0	QAM16	-5.5	25.28	PASS
Band8	5	21625	25	#0	QAM16	-6.5	16.39	PASS
Band8	5	21625	25	#0	QAM16	0.015	17.00	PASS
Band8	5	21625	25	#0	QAM16	1.5	18.41	PASS
Band8	5	21625	25	#0	QAM16	5.5	26.92	PASS
Band8	5	21625	25	#0	QAM16	6.5	17.49	PASS
Band8	5	21775	8	#0	QPSK	-0.015	5.02	PASS
Band8	5	21775	8	#0	QPSK	-1.5	14.10	PASS
Band8	5	21775	8	#0	QPSK	-5.5	25.84	PASS
Band8	5	21775	8	#0	QPSK	-6.5	16.99	PASS
Band8	5	21775	8	#0	QPSK	0.975	34.41	PASS

Band8	5	21775	8	#0	QPSK	2	23.63	PASS
Band8	5	21775	8	#0	QPSK	5.5	33.44	PASS
Band8	5	21775	8	#0	QPSK	8.5	21.38	PASS
Band8	5	21775	8	#Max	QPSK	-0.885	32.39	PASS
Band8	5	21775	8	#Max	QPSK	-2.3	20.04	PASS
Band8	5	21775	8	#Max	QPSK	-5.5	31.29	PASS
Band8	5	21775	8	#Max	QPSK	-6.5	20.78	PASS
Band8	5	21775	8	#Max	QPSK	0.015	9.16	PASS
Band8	5	21775	8	#Max	QPSK	1.5	17.02	PASS
Band8	5	21775	8	#Max	QPSK	5.5	32.32	PASS
Band8	5	21775	8	#Max	QPSK	6.5	21.07	PASS
Band8	5	21775	25	#0	QPSK	-0.015	13.42	PASS
Band8	5	21775	25	#0	QPSK	-1.5	10.64	PASS
Band8	5	21775	25	#0	QPSK	-5.5	21.02	PASS
Band8	5	21775	25	#0	QPSK	-6.5	12.10	PASS
Band8	5	21775	25	#0	QPSK	0.015	14.47	PASS
Band8	5	21775	25	#0	QPSK	1.5	12.59	PASS
Band8	5	21775	25	#0	QPSK	5.5	33.03	PASS
Band8	5	21775	25	#0	QPSK	6.5	21.33	PASS
Band8	5	21775	8	#0	QAM16	-0.015	7.10	PASS
Band8	5	21775	8	#0	QAM16	-1.5	16.23	PASS
Band8	5	21775	8	#0	QAM16	-5.5	27.15	PASS
Band8	5	21775	8	#0	QAM16	-6.5	17.65	PASS
Band8	5	21775	8	#0	QAM16	0.945	35.48	PASS
Band8	5	21775	8	#0	QAM16	2	24.69	PASS
Band8	5	21775	8	#0	QAM16	5.5	33.46	PASS
Band8	5	21775	8	#0	QAM16	6.5	21.45	PASS
Band8	5	21775	8	#Max	QAM16	-0.985	33.50	PASS
Band8	5	21775	8	#Max	QAM16	-2	21.25	PASS
Band8	5	21775	8	#Max	QAM16	-5.5	31.32	PASS
Band8	5	21775	8	#Max	QAM16	-6.5	20.70	PASS
Band8	5	21775	8	#Max	QAM16	0.015	9.85	PASS
Band8	5	21775	8	#Max	QAM16	1.5	19.60	PASS
Band8	5	21775	8	#Max	QAM16	5.5	32.53	PASS
Band8	5	21775	8	#Max	QAM16	6.5	21.08	PASS
Band8	5	21775	25	#0	QAM16	-0.015	14.95	PASS
Band8	5	21775	25	#0	QAM16	-1.5	13.60	PASS
Band8	5	21775	25	#0	QAM16	-5.5	22.96	PASS
Band8	5	21775	25	#0	QAM16	-6.5	14.23	PASS
Band8	5	21775	25	#0	QAM16	0.015	16.18	PASS
Band8	5	21775	25	#0	QAM16	1.5	15.54	PASS
Band8	5	21775	25	#0	QAM16	5.5	33.09	PASS
Band8	5	21775	25	#0	QAM16	6.5	21.39	PASS
Band8	10	21500	12	#0	QPSK	-0.015	12.13	PASS


Band8	10	21500	12	#0	QPSK	-1.5	14.84	PASS
Band8	10	21500	12	#0	QPSK	-5.5	30.63	PASS
Band8	10	21500	12	#0	QPSK	-11.5	21.74	PASS
Band8	10	21500	12	#0	QPSK	0.015	34.96	PASS
Band8	10	21500	12	#0	QPSK	4.5	26.20	PASS
Band8	10	21500	12	#0	QPSK	5.5	22.34	PASS
Band8	10	21500	12	#0	QPSK	10.5	21.03	PASS
Band8	10	21500	12	#Max	QPSK	-0.015	35.29	PASS
Band8	10	21500	12	#Max	QPSK	-4.5	26.74	PASS
Band8	10	21500	12	#Max	QPSK	-5.5	24.40	PASS
Band8	10	21500	12	#Max	QPSK	-11.5	21.80	PASS
Band8	10	21500	12	#Max	QPSK	0.015	8.57	PASS
Band8	10	21500	12	#Max	QPSK	1.5	12.46	PASS
Band8	10	21500	12	#Max	QPSK	5.5	29.41	PASS
Band8	10	21500	12	#Max	QPSK	11.5	17.52	PASS
Band8	10	21500	50	#0	QPSK	-0.015	18.84	PASS
Band8	10	21500	50	#0	QPSK	-1.5	17.81	PASS
Band8	10	21500	50	#0	QPSK	-5.5	22.30	PASS
Band8	10	21500	50	#0	QPSK	-10.5	21.82	PASS
Band8	10	21500	50	#0	QPSK	0.015	18.53	PASS
Band8	10	21500	50	#0	QPSK	1.5	17.55	PASS
Band8	10	21500	50	#0	QPSK	5.5	18.29	PASS
Band8	10	21500	50	#0	QPSK	10.5	13.53	PASS
Band8	10	21500	12	#0	QAM16	-0.015	13.21	PASS
Band8	10	21500	12	#0	QAM16	-1.5	17.40	PASS
Band8	10	21500	12	#0	QAM16	-5.5	31.08	PASS
Band8	10	21500	12	#0	QAM16	-10.5	21.76	PASS
Band8	10	21500	12	#0	QAM16	0.045	35.34	PASS
Band8	10	21500	12	#0	QAM16	4.5	27.16	PASS
Band8	10	21500	12	#0	QAM16	5.5	23.56	PASS
Band8	10	21500	12	#0	QAM16	10.5	21.14	PASS
Band8	10	21500	12	#Max	QAM16	-0.015	35.38	PASS
Band8	10	21500	12	#Max	QAM16	-4.5	28.20	PASS
Band8	10	21500	12	#Max	QAM16	-5.5	26.05	PASS
Band8	10	21500	12	#Max	QAM16	-14.5	21.83	PASS
Band8	10	21500	12	#Max	QAM16	0.015	10.44	PASS
Band8	10	21500	12	#Max	QAM16	1.5	15.49	PASS
Band8	10	21500	12	#Max	QAM16	5.5	29.86	PASS
Band8	10	21500	12	#Max	QAM16	11.5	18.78	PASS
Band8	10	21500	50	#0	QAM16	-0.015	20.30	PASS
Band8	10	21500	50	#0	QAM16	-1.5	19.43	PASS
Band8	10	21500	50	#0	QAM16	-5.5	24.01	PASS
Band8	10	21500	50	#0	QAM16	-10.5	21.80	PASS
Band8	10	21500	50	#0	QAM16	0.015	19.89	PASS

Band8	10	21500	50	#0	QAM16	1.5	19.07	PASS
Band8	10	21500	50	#0	QAM16	5.5	20.58	PASS
Band8	10	21500	50	#0	QAM16	10.5	15.34	PASS
Band8	10	21625	12	#0	QPSK	-0.045	8.40	PASS
Band8	10	21625	12	#0	QPSK	-1.5	11.47	PASS
Band8	10	21625	12	#0	QPSK	-5.5	28.49	PASS
Band8	10	21625	12	#0	QPSK	-12.5	16.70	PASS
Band8	10	21625	12	#0	QPSK	0.015	35.23	PASS
Band8	10	21625	12	#0	QPSK	4.5	25.84	PASS
Band8	10	21625	12	#0	QPSK	5.5	21.95	PASS
Band8	10	21625	12	#0	QPSK	10.5	21.05	PASS
Band8	10	21625	12	#Max	QPSK	-0.015	34.43	PASS
Band8	10	21625	12	#Max	QPSK	-4.5	23.56	PASS
Band8	10	21625	12	#Max	QPSK	-5.5	19.86	PASS
Band8	10	21625	12	#Max	QPSK	-10.5	21.04	PASS
Band8	10	21625	12	#Max	QPSK	0.015	12.57	PASS
Band8	10	21625	12	#Max	QPSK	1.5	16.11	PASS
Band8	10	21625	12	#Max	QPSK	5.5	29.40	PASS
Band8	10	21625	12	#Max	QPSK	11.5	15.80	PASS
Band8	10	21625	50	#0	QPSK	-0.015	17.77	PASS
Band8	10	21625	50	#0	QPSK	-1.5	14.94	PASS
Band8	10	21625	50	#0	QPSK	-5.5	15.80	PASS
Band8	10	21625	50	#0	QPSK	-10.5	13.18	PASS
Band8	10	21625	50	#0	QPSK	0.015	18.48	PASS
Band8	10	21625	50	#0	QPSK	1.5	17.73	PASS
Band8	10	21625	50	#0	QPSK	5.5	19.61	PASS
Band8	10	21625	50	#0	QPSK	10.5	16.13	PASS
Band8	10	21625	12	#0	QAM16	-0.015	9.98	PASS
Band8	10	21625	12	#0	QAM16	-1.5	14.59	PASS
Band8	10	21625	12	#0	QAM16	-5.5	29.14	PASS
Band8	10	21625	12	#0	QAM16	-12.5	17.74	PASS
Band8	10	21625	12	#0	QAM16	0.015	35.47	PASS
Band8	10	21625	12	#0	QAM16	4.5	26.68	PASS
Band8	10	21625	12	#0	QAM16	5.5	23.08	PASS
Band8	10	21625	12	#0	QAM16	10.5	21.18	PASS
Band8	10	21625	12	#Max	QAM16	-0.045	34.50	PASS
Band8	10	21625	12	#Max	QAM16	-4.5	24.68	PASS
Band8	10	21625	12	#Max	QAM16	-5.5	21.11	PASS
Band8	10	21625	12	#Max	QAM16	-10.5	21.15	PASS
Band8	10	21625	12	#Max	QAM16	0.015	12.74	PASS
Band8	10	21625	12	#Max	QAM16	1.5	18.23	PASS
Band8	10	21625	12	#Max	QAM16	5.5	29.77	PASS
Band8	10	21625	12	#Max	QAM16	11.5	17.03	PASS
Band8	10	21625	50	#0	QAM16	-0.015	19.15	PASS

Band8	10	21625	50	#0	QAM16	-1.5	16.44	PASS
Band8	10	21625	50	#0	QAM16	-5.5	17.71	PASS
Band8	10	21625	50	#0	QAM16	-10.5	14.55	PASS
Band8	10	21625	50	#0	QAM16	0.015	19.89	PASS
Band8	10	21625	50	#0	QAM16	1.5	19.61	PASS
Band8	10	21625	50	#0	QAM16	5.5	21.71	PASS
Band8	10	21625	50	#0	QAM16	10.5	17.08	PASS
Band8	10	21750	12	#0	QPSK	-0.015	10.53	PASS
Band8	10	21750	12	#0	QPSK	-1.5	13.30	PASS
Band8	10	21750	12	#0	QPSK	-5.5	28.90	PASS
Band8	10	21750	12	#0	QPSK	-12.5	15.38	PASS
Band8	10	21750	12	#0	QPSK	0.015	36.06	PASS
Band8	10	21750	12	#0	QPSK	3.3	30.18	PASS
Band8	10	21750	12	#0	QPSK	5.5	32.88	PASS
Band8	10	21750	12	#0	QPSK	13.5	21.39	PASS
Band8	10	21750	12	#Max	QPSK	-0.015	34.19	PASS
Band8	10	21750	12	#Max	QPSK	-4.5	23.35	PASS
Band8	10	21750	12	#Max	QPSK	-5.5	19.44	PASS
Band8	10	21750	12	#Max	QPSK	-10.5	21.00	PASS
Band8	10	21750	12	#Max	QPSK	0.015	10.31	PASS
Band8	10	21750	12	#Max	QPSK	1.5	14.55	PASS
Band8	10	21750	12	#Max	QPSK	5.5	32.73	PASS
Band8	10	21750	12	#Max	QPSK	14.5	21.39	PASS
Band8	10	21750	50	#0	QPSK	-0.015	17.86	PASS
Band8	10	21750	50	#0	QPSK	-1.5	15.80	PASS
Band8	10	21750	50	#0	QPSK	-7.5	16.38	PASS
Band8	10	21750	50	#0	QPSK	-10.5	11.23	PASS
Band8	10	21750	50	#0	QPSK	0.015	16.75	PASS
Band8	10	21750	50	#0	QPSK	1.5	13.41	PASS
Band8	10	21750	50	#0	QPSK	5.5	31.96	PASS
Band8	10	21750	50	#0	QPSK	13.5	21.40	PASS
Band8	10	21750	12	#0	QAM16	-0.015	11.75	PASS
Band8	10	21750	12	#0	QAM16	-1.5	16.13	PASS
Band8	10	21750	12	#0	QAM16	-5.5	29.63	PASS
Band8	10	21750	12	#0	QAM16	-12.5	16.81	PASS
Band8	10	21750	12	#0	QAM16	0.015	36.41	PASS
Band8	10	21750	12	#0	QAM16	3.3	31.22	PASS
Band8	10	21750	12	#0	QAM16	5.5	32.84	PASS
Band8	10	21750	12	#0	QAM16	13.5	21.41	PASS
Band8	10	21750	12	#Max	QAM16	-0.045	34.29	PASS
Band8	10	21750	12	#Max	QAM16	-4.5	24.15	PASS
Band8	10	21750	12	#Max	QAM16	-5.5	20.43	PASS
Band8	10	21750	12	#Max	QAM16	-10.5	21.08	PASS
Band8	10	21750	12	#Max	QAM16	0.015	11.59	PASS

Band8	10	21750	12	#Max	QAM16	1.5	17.36	PASS
Band8	10	21750	12	#Max	QAM16	5.5	32.91	PASS
Band8	10	21750	12	#Max	QAM16	14.5	21.37	PASS
Band8	10	21750	50	#0	QAM16	-0.015	19.41	PASS
Band8	10	21750	50	#0	QAM16	-1.5	17.95	PASS
Band8	10	21750	50	#0	QAM16	-5.5	18.26	PASS
Band8	10	21750	50	#0	QAM16	-10.5	12.53	PASS
Band8	10	21750	50	#0	QAM16	0.015	18.73	PASS
Band8	10	21750	50	#0	QAM16	1.5	15.47	PASS
Band8	10	21750	50	#0	QAM16	5.5	32.48	PASS
Band8	10	21750	50	#0	QAM16	13.5	21.34	PASS


Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0



Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#Max



Band1 QAM16 BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#0



Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0



Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18300 RB Size=50 Position=#0



Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18500 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#Max



Band3 QAM16 BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0



Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0



Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#Max



Band3 QAM16 BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19575 RB Size=50 Position=#0



Band3 QPSK BW=10MHz Channel=1990 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=1990 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=1990 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=1990 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=1990 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=1990 RB Size=50 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#0



Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19850 RB Size=100 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=38675 RB Size=25 Position=#0



Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#Max



Band40 QAM16 BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#Max



Band40 QAM16 BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#Max



Band40 QPSK BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39625 RB Size=25 Position=#0



Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=38700 RB Size=50 Position=#0



Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=39600 RB Size=50 Position=#0



Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#0



Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=38750 RB Size=100 Position=#0



Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39550 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=39550 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max



Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0



Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#Max



Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0



Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#Max



Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max



Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0



Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#0



Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0



Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#Max



Band8 QAM16 BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0



Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21750 RB Size=50 Position=#0



6.6.3 Transmitter Spurious Emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.74	-36	PASS
Band1	5	18025	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.60	-36	PASS
Band1	5	18025	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-70.00	-36	PASS
Band1	5	18025	1	#0	QPSK	1000 MHz-1910.00 MHz	1 MHz	1910.00	-55.97	-30	PASS
Band1	5	18025	1	#0	QPSK	1935.00 MHz-3000 MHz	1 MHz	1937.66	-52.19	-30	PASS
Band1	5	18025	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3840.94	-46.66	-30	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2111.08	-76.99	-50	PASS
Band1	5	18025	1	#0	QPSK	1805	1	1874.83	-80.02	-50	PASS

						MHz-1880 MHz	MHz				
Band1	5	18025	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2620.77	-71.69	-50	PASS
Band1	5	18025	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.18	-77.51	-50	PASS
Band1	5	18025	1	#0	QPSK	791 MHz-821 MHz	1 MHz	792.14	-82.11	-50	PASS
Band1	5	18025	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.72	-78.60	-50	PASS
Band1	5	18025	1	#0	QPSK	758 MHz-803 MHz	1 MHz	789.77	-82.11	-50	PASS
Band1	5	18025	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.22	-82.51	-50	PASS
Band1	5	18025	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1477.78	-81.58	-50	PASS
Band1	5	18025	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.65	-80.18	-50	PASS
Band1	5	18025	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.05	-65.29	-50	PASS
Band1	5	18025	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2381.50	-79.50	-50	PASS
Band1	5	18025	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.80	-78.38	-50	PASS
Band1	5	18025	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3645.60	-80.53	-50	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2111.35	-77.18	-50	PASS
Band1	5	18025	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.38	-82.37	-50	PASS
Band1	5	18025	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.63	-82.16	-50	PASS
Band1	5	18025	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1911.40	-36.03	-15.5	PASS

						MHz					
Band1	5	18025	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1919.83	-35.37	1.6	PASS
Band1	5	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.93	-36	PASS
Band1	5	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.72	-36	PASS
Band1	5	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	868.27	-69.43	-36	PASS
Band1	5	18300	1	#0	QPSK	1000 MHz-1937.50 MHz	1 MHz	1937.50	-55.95	-30	PASS
Band1	5	18300	1	#0	QPSK	1962.50 MHz-3000 MHz	1 MHz	1965.09	-56.74	-30	PASS
Band1	5	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3895.38	-51.02	-30	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2138.56	-76.80	-50	PASS
Band1	5	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.90	-80.04	-50	PASS
Band1	5	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2631.20	-69.03	-50	PASS
Band1	5	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.22	-76.33	-50	PASS
Band1	5	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	807.17	-81.97	-50	PASS
Band1	5	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.84	-78.61	-50	PASS
Band1	5	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	801.88	-82.04	-50	PASS
Band1	5	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.31	-82.51	-50	PASS
Band1	5	18300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1457.10	-81.57	-50	PASS
Band1	5	18300	1	#0	QPSK	2010	1	2014.38	-79.45	-50	PASS

						MHz-2025 MHz	MHz				
Band1	5	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.30	-79.15	-50	PASS
Band1	5	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2379.60	-79.45	-50	PASS
Band1	5	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.20	-78.32	-50	PASS
Band1	5	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3647.20	-80.43	-50	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2138.26	-76.82	-50	PASS
Band1	5	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.66	-82.28	-50	PASS
Band1	5	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.69	-82.10	-50	PASS
Band1	5	18300	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1909.82	-52.14	-15.5	PASS
Band1	5	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.22	-53.51	1.6	PASS
Band1	5	18575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.44	-36	PASS
Band1	5	18575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.42	-36	PASS
Band1	5	18575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-69.37	-36	PASS
Band1	5	18575	1	#0	QPSK	1000 MHz-1965.00 MHz	1 MHz	1965.00	-55.16	-30	PASS
Band1	5	18575	1	#0	QPSK	1990.00 MHz-3000 MHz	1 MHz	1992.53	-55.74	-30	PASS
Band1	5	18575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3950.63	-47.89	-30	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2166.70	-76.59	-50	PASS

						MHz					
Band1	5	18575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.60	-79.91	-50	PASS
Band1	5	18575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2644.50	-78.88	-50	PASS
Band1	5	18575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.29	-75.92	-50	PASS
Band1	5	18575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	800.54	-81.99	-50	PASS
Band1	5	18575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.88	-78.46	-50	PASS
Band1	5	18575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.39	-82.01	-50	PASS
Band1	5	18575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.39	-82.45	-50	PASS
Band1	5	18575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1483.42	-81.47	-50	PASS
Band1	5	18575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.08	-79.88	-50	PASS
Band1	5	18575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.60	-79.06	-50	PASS
Band1	5	18575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.10	-79.47	-50	PASS
Band1	5	18575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.40	-78.45	-50	PASS
Band1	5	18575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3652.00	-80.38	-50	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2167.60	-76.70	-50	PASS
Band1	5	18575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.82	-82.22	-50	PASS
Band1	5	18575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.64	-82.04	-50	PASS

Band1	5	18575	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1895.72	-53.18	-15.5	PASS
Band1	5	18575	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.19	-53.62	1.6	PASS
Band1	20	18100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.31	-36	PASS
Band1	20	18100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.55	-36	PASS
Band1	20	18100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-69.45	-36	PASS
Band1	20	18100	1	#0	QPSK	1000 MHz-1895.00 MHz	1 MHz	1661.41	-57.13	-30	PASS
Band1	20	18100	1	#0	QPSK	1965.00 MHz-3000 MHz	1 MHz	1991.74	-53.69	-30	PASS
Band1	20	18100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3842.56	-47.61	-30	PASS
Band1	20	18100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2127.22	-76.40	-50	PASS
Band1	20	18100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1868.23	-80.22	-50	PASS
Band1	20	18100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2631.76	-62.85	-50	PASS
Band1	20	18100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.25	-77.57	-50	PASS
Band1	20	18100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.83	-82.02	-50	PASS
Band1	20	18100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.52	-78.59	-50	PASS
Band1	20	18100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	789.95	-82.08	-50	PASS
Band1	20	18100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.46	-82.53	-50	PASS
Band1	20	18100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1487.46	-81.62	-50	PASS

						MHz					
Band1	20	18100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.82	-80.13	-50	PASS
Band1	20	18100	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.20	-79.19	-50	PASS
Band1	20	18100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2379.00	-79.57	-50	PASS
Band1	20	18100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.40	-78.48	-50	PASS
Band1	20	18100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3607.60	-80.50	-50	PASS
Band1	20	18100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2124.49	-76.37	-50	PASS
Band1	20	18100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.58	-82.37	-50	PASS
Band1	20	18100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.79	-82.16	-50	PASS
Band1	20	18100	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1904.26	-37.28	-15.5	PASS
Band1	20	18100	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1919.97	-40.39	1.6	PASS
Band1	20	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.96	-36	PASS
Band1	20	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.79	-36	PASS
Band1	20	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-68.50	-36	PASS
Band1	20	18300	1	#0	QPSK	1000 MHz-1915.00 MHz	1 MHz	1905.85	-50.64	-30	PASS
Band1	20	18300	1	#0	QPSK	1985.00 MHz-3000 MHz	1 MHz	2006.15	-59.14	-30	PASS
Band1	20	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3882.38	-47.36	-30	PASS

Band1	20	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2132.38	-76.99	-50	PASS
Band1	20	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1870.03	-79.75	-50	PASS
Band1	20	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2641.70	-78.96	-50	PASS
Band1	20	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.15	-77.64	-50	PASS
Band1	20	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.73	-82.04	-50	PASS
Band1	20	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.20	-78.59	-50	PASS
Band1	20	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	791.80	-82.03	-50	PASS
Band1	20	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.12	-82.50	-50	PASS
Band1	20	18300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1492.57	-81.56	-50	PASS
Band1	20	18300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.98	-79.90	-50	PASS
Band1	20	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.25	-79.22	-50	PASS
Band1	20	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.80	-79.52	-50	PASS
Band1	20	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.60	-78.48	-50	PASS
Band1	20	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3629.00	-80.44	-50	PASS
Band1	20	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.78	-77.02	-50	PASS
Band1	20	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.48	-82.26	-50	PASS

Band1	20	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.49	-82.07	-50	PASS
Band1	20	18300	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1905.20	-41.45	-15.5	PASS
Band1	20	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.16	-53.53	1.6	PASS
Band1	20	18500	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.37	-36	PASS
Band1	20	18500	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.14	-36	PASS
Band1	20	18500	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	868.27	-69.20	-36	PASS
Band1	20	18500	1	#0	QPSK	1000 MHz-1935.00 MHz	1 MHz	1925.65	-42.15	-30	PASS
Band1	20	18500	1	#0	QPSK	2005.00 MHz-3000 MHz	1 MHz	2025.73	-59.53	-30	PASS
Band1	20	18500	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3922.19	-49.71	-30	PASS
Band1	20	18500	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2154.22	-77.13	-50	PASS
Band1	20	18500	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.83	-79.88	-50	PASS
Band1	20	18500	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2640.44	-78.83	-50	PASS
Band1	20	18500	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.22	-77.17	-50	PASS
Band1	20	18500	1	#0	QPSK	791 MHz-821 MHz	1 MHz	816.26	-82.00	-50	PASS
Band1	20	18500	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.84	-78.49	-50	PASS
Band1	20	18500	1	#0	QPSK	758 MHz-803 MHz	1 MHz	801.16	-81.95	-50	PASS
Band1	20	18500	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.88	-82.36	-50	PASS

Band1	20	18500	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1478.97	-81.53	-50	PASS
Band1	20	18500	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.61	-79.81	-50	PASS
Band1	20	18500	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.85	-79.16	-50	PASS
Band1	20	18500	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.20	-79.47	-50	PASS
Band1	20	18500	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3600.00	-78.39	-50	PASS
Band1	20	18500	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3644.60	-80.41	-50	PASS
Band1	20	18500	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2156.62	-77.09	-50	PASS
Band1	20	18500	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.54	-82.32	-50	PASS
Band1	20	18500	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.55	-82.08	-50	PASS
Band1	20	18500	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1907.50	-53.22	-15.5	PASS
Band1	20	18500	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.17	-53.63	1.6	PASS
Band20	5	24175	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.23	-36	PASS
Band20	5	24175	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.16	-36	PASS
Band20	5	24175	1	#0	QPSK	30 MHz-822.00 MHz	100 kHz	572.36	-57.09	-36	PASS
Band20	5	24175	1	#0	QPSK	847.00 MHz-1000 MHz	100 kHz	849.60	-63.44	-30	PASS
Band20	5	24175	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1092.50	-59.42	-30	PASS

Band20	5	24175	1	#0	QPSK	1500 MHz-12.75 GHz	1 MHz	12278.37	-57.92	-30	PASS
Band20	5	24175	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2125.12	-81.62	-50	PASS
Band20	5	24175	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1863.80	-82.37	-50	PASS
Band20	5	24175	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2644.43	-81.19	-50	PASS
Band20	5	24175	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.18	-82.83	-50	PASS
Band20	5	24175	1	#0	QPSK	791 MHz-821 MHz	1 MHz	792.59	-74.90	-50	PASS
Band20	5	24175	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.28	-80.86	-50	PASS
Band20	5	24175	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.35	-84.78	-50	PASS
Band20	5	24175	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1492.70	-83.72	-50	PASS
Band20	5	24175	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.38	-82.94	-50	PASS
Band20	5	24175	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.40	-82.49	-50	PASS
Band20	5	24175	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.80	-81.22	-50	PASS
Band20	5	24175	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2394.50	-81.63	-50	PASS
Band20	5	24175	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.20	-80.68	-50	PASS
Band20	5	24175	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3664.20	-82.63	-50	PASS
Band20	5	24175	1	#0	QPSK	2110	1	2123.23	-81.93	-50	PASS

						MHz-2200 MHz	MHz				
Band20	5	24175	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.70	-84.59	-50	PASS
Band20	5	24175	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.87	-84.33	-50	PASS
Band20	5	24175	1	#0	QPSK	758 MHz-788 MHz	1 MHz	782.72	-84.19	-50	PASS
Band20	5	24175	1	#0	QPSK	470 MHz-790 MHz	8 MHz	789.68	-70.61	-50	PASS
Band20	5	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.74	-36	PASS
Band20	5	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.09	-36	PASS
Band20	5	24300	1	#0	QPSK	30 MHz-834.50 MHz	100 kHz	584.86	-57.90	-36	PASS
Band20	5	24300	1	#0	QPSK	859.50 MHz-1000 MHz	100 kHz	862.17	-67.35	-30	PASS
Band20	5	24300	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1105.00	-59.00	-30	PASS
Band20	5	24300	1	#0	QPSK	1500 MHz-12.75 GHz	1 MHz	12249.81	-57.83	-30	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2125.60	-81.98	-50	PASS
Band20	5	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1865.08	-82.21	-50	PASS
Band20	5	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2638.06	-81.16	-50	PASS
Band20	5	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.14	-82.52	-50	PASS
Band20	5	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.92	-74.85	-50	PASS
Band20	5	24300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.52	-80.82	-50	PASS
Band20	5	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.55	-84.70	-50	PASS

						MHz					
Band20	5	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1495.03	-83.66	-50	PASS
Band20	5	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.56	-82.41	-50	PASS
Band20	5	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.08	-82.45	-50	PASS
Band20	5	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.10	-81.17	-50	PASS
Band20	5	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2374.60	-81.67	-50	PASS
Band20	5	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.40	-80.59	-50	PASS
Band20	5	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3632.00	-82.71	-50	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2125.75	-81.29	-50	PASS
Band20	5	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	751.08	-84.54	-50	PASS
Band20	5	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.87	-84.28	-50	PASS
Band20	5	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	777.65	-84.19	-50	PASS
Band20	5	24300	1	#0	QPSK	470 MHz-790 MHz	8 MHz	782.64	-75.64	-50	PASS
Band20	5	24425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.41	-36	PASS
Band20	5	24425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.13	-36	PASS
Band20	5	24425	1	#0	QPSK	30 MHz-847.00 MHz	100 kHz	597.32	-57.86	-36	PASS
Band20	5	24425	1	#0	QPSK	872.00 MHz-1000 MHz	100 kHz	872.13	-68.87	-30	PASS
Band20	5	24425	1	#0	QPSK	1000	1	1117.50	-58.95	-30	PASS

						MHz-1500 MHz	MHz				
Band20	5	24425	1	#0	QPSK	1500 MHz-12.75 GHz	1 MHz	12264.52	-57.83	-30	PASS
Band20	5	24425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2120.14	-81.53	-50	PASS
Band20	5	24425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.58	-82.64	-50	PASS
Band20	5	24425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2636.03	-81.14	-50	PASS
Band20	5	24425	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.29	-82.41	-50	PASS
Band20	5	24425	1	#0	QPSK	791 MHz-821 MHz	1 MHz	817.76	-75.23	-50	PASS
Band20	5	24425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.60	-80.73	-50	PASS
Band20	5	24425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.22	-84.67	-50	PASS
Band20	5	24425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1495.43	-83.72	-50	PASS
Band20	5	24425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1905.66	-82.80	-50	PASS
Band20	5	24425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.27	-82.41	-50	PASS
Band20	5	24425	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.75	-81.15	-50	PASS
Band20	5	24425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2374.60	-81.67	-50	PASS
Band20	5	24425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.00	-80.64	-50	PASS
Band20	5	24425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3672.60	-82.64	-50	PASS

						MHz					
Band20	5	24425	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2121.79	-81.67	-50	PASS
Band20	5	24425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.98	-84.49	-50	PASS
Band20	5	24425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.83	-84.20	-50	PASS
Band20	5	24425	1	#0	QPSK	758 MHz-788 MHz	1 MHz	783.47	-84.23	-50	PASS
Band20	5	24425	1	#0	QPSK	470 MHz-790 MHz	8 MHz	784.24	-75.65	-50	PASS
Band20	20	24250	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.30	-36	PASS
Band20	20	24250	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.58	-36	PASS
Band20	20	24250	1	#0	QPSK	30 MHz-807.00 MHz	100 kHz	573.12	-58.65	-36	PASS
Band20	20	24250	1	#0	QPSK	877.00 MHz-1000 MHz	100 kHz	996.43	-72.70	-30	PASS
Band20	20	24250	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1093.00	-59.49	-30	PASS
Band20	20	24250	1	#0	QPSK	1500 MHz-12.75 GHz	1 MHz	12241.15	-57.76	-30	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2125.42	-81.42	-50	PASS
Band20	20	24250	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1809.13	-82.27	-50	PASS
Band20	20	24250	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2640.44	-81.22	-50	PASS
Band20	20	24250	1	#0	QPSK	925 MHz-960 MHz	1 MHz	947.89	-83.23	-50	PASS
Band20	20	24250	1	#0	QPSK	791 MHz-821 MHz	1 MHz	805.28	-75.19	-50	PASS
Band20	20	24250	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.76	-80.82	-50	PASS

Band20	20	24250	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.27	-84.75	-50	PASS
Band20	20	24250	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1487.68	-83.76	-50	PASS
Band20	20	24250	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.00	-82.94	-50	PASS
Band20	20	24250	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.39	-82.45	-50	PASS
Band20	20	24250	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.90	-81.25	-50	PASS
Band20	20	24250	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2395.10	-81.71	-50	PASS
Band20	20	24250	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.40	-80.60	-50	PASS
Band20	20	24250	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3658.40	-82.71	-50	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.71	-81.65	-50	PASS
Band20	20	24250	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.82	-84.54	-50	PASS
Band20	20	24250	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.31	-84.24	-50	PASS
Band20	20	24250	1	#0	QPSK	758 MHz-788 MHz	1 MHz	779.66	-84.26	-50	PASS
Band20	20	24250	1	#0	QPSK	470 MHz-790 MHz	8 MHz	790.00	-71.56	-50	PASS
Band20	20	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.01	-36	PASS
Band20	20	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-62.93	-36	PASS
Band20	20	24300	1	#0	QPSK	30 MHz-812.00 MHz	100 kHz	578.10	-59.07	-36	PASS
Band20	20	24300	1	#0	QPSK	882.00 MHz-1000 kHz	100 kHz	991.86	-72.89	-30	PASS

						MHz					
Band20	20	24300	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1098.00	-59.20	-30	PASS
Band20	20	24300	1	#0	QPSK	1500 MHz-12.75 GHz	1 MHz	2514.23	-56.93	-30	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2125.24	-81.44	-50	PASS
Band20	20	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1873.63	-82.52	-50	PASS
Band20	20	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2635.54	-81.18	-50	PASS
Band20	20	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	947.93	-83.22	-50	PASS
Band20	20	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.23	-75.26	-50	PASS
Band20	20	24300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.76	-80.75	-50	PASS
Band20	20	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.97	-84.74	-50	PASS
Band20	20	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1491.95	-83.69	-50	PASS
Band20	20	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.96	-82.74	-50	PASS
Band20	20	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.61	-82.45	-50	PASS
Band20	20	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.75	-81.20	-50	PASS
Band20	20	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2379.10	-81.71	-50	PASS
Band20	20	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.40	-80.64	-50	PASS

Band20	20	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3622.00	-82.65	-50	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2124.94	-82.08	-50	PASS
Band20	20	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.88	-84.47	-50	PASS
Band20	20	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.53	-84.31	-50	PASS
Band20	20	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	786.41	-84.15	-50	PASS
Band20	20	24300	1	#0	QPSK	470 MHz-790 MHz	8 MHz	780.40	-75.68	-50	PASS
Band20	20	24350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.11	-36	PASS
Band20	20	24350	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.11	-36	PASS
Band20	20	24350	1	#0	QPSK	30 MHz-817.00 MHz	100 kHz	583.10	-58.38	-36	PASS
Band20	20	24350	1	#0	QPSK	887.00 MHz-1000 MHz	100 kHz	908.13	-72.62	-30	PASS
Band20	20	24350	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1103.00	-59.21	-30	PASS
Band20	20	24350	1	#0	QPSK	1500 MHz-12.75 GHz	1 MHz	12229.90	-57.84	-30	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2113.66	-82.04	-50	PASS
Band20	20	24350	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1863.73	-82.41	-50	PASS
Band20	20	24350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2640.16	-81.14	-50	PASS
Band20	20	24350	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.10	-83.22	-50	PASS
Band20	20	24350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	805.01	-75.21	-50	PASS
Band20	20	24350	1	#0	QPSK	3510	1	3588.96	-80.75	-50	PASS

						MHz-3590 MHz	MHz				
Band20	20	24350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.25	-84.76	-50	PASS
Band20	20	24350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1488.74	-83.79	-50	PASS
Band20	20	24350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1908.30	-82.87	-50	PASS
Band20	20	24350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.63	-82.46	-50	PASS
Band20	20	24350	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.25	-81.21	-50	PASS
Band20	20	24350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2378.30	-81.70	-50	PASS
Band20	20	24350	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.80	-80.62	-50	PASS
Band20	20	24350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3652.60	-82.62	-50	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2118.91	-81.79	-50	PASS
Band20	20	24350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.20	-84.52	-50	PASS
Band20	20	24350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.98	-84.24	-50	PASS
Band20	20	24350	1	#0	QPSK	758 MHz-788 MHz	1 MHz	784.49	-84.26	-50	PASS
Band20	20	24350	1	#0	QPSK	470 MHz-790 MHz	8 MHz	785.84	-75.64	-50	PASS
Band3	1.4	19207	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.23	-36	PASS
Band3	1.4	19207	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.57	-36	PASS
Band3	1.4	19207	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-70.29	-36	PASS
Band3	1.4	19207	1	#0	QPSK	1000	1	1707.20	-40.08	-30	PASS

						MHz-1707.20 MHz	MHz				
Band3	1.4	19207	1	#0	QPSK	1714.20 MHz-3000 MHz	1 MHz	1715.27	-44.93	-30	PASS
Band3	1.4	19207	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3420.88	-47.02	-30	PASS
Band3	1.4	19207	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2125.12	-83.28	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1861.03	-83.64	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2637.36	-82.08	-50	PASS
Band3	1.4	19207	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.58	-85.11	-50	PASS
Band3	1.4	19207	1	#0	QPSK	791 MHz-821 MHz	1 MHz	805.43	-85.16	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.04	-81.73	-50	PASS
Band3	1.4	19207	1	#0	QPSK	758 MHz-803 MHz	1 MHz	779.78	-85.20	-50	PASS
Band3	1.4	19207	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.26	-85.65	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1492.83	-84.71	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.70	-83.81	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.19	-83.39	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.60	-82.31	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2399.50	-82.65	-50	PASS

Band3	1.4	19207	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3418.80	-81.03	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3658.40	-83.57	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2132.23	-83.27	-50	PASS
Band3	1.4	19207	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.26	-85.48	-50	PASS
Band3	1.4	19207	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.71	-85.28	-50	PASS
Band3	1.4	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.09	-36	PASS
Band3	1.4	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.43	-36	PASS
Band3	1.4	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-70.01	-36	PASS
Band3	1.4	19575	1	#0	QPSK	1000 MHz-1744.00 MHz	1 MHz	1744.00	-40.03	-30	PASS
Band3	1.4	19575	1	#0	QPSK	1751.00 MHz-3000 MHz	1 MHz	1752.04	-45.18	-30	PASS
Band3	1.4	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3494.00	-48.88	-30	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2118.28	-83.21	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1868.15	-83.66	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2638.83	-82.05	-50	PASS
Band3	1.4	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	934.31	-85.02	-50	PASS
Band3	1.4	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.95	-85.11	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.24	-81.68	-50	PASS

Band3	1.4	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.90	-85.17	-50	PASS
Band3	1.4	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.58	-85.65	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1486.36	-84.74	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.60	-83.77	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.24	-83.39	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.60	-82.29	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2376.30	-82.59	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.60	-81.52	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3646.20	-83.53	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2122.87	-83.30	-50	PASS
Band3	1.4	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.32	-85.39	-50	PASS
Band3	1.4	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.95	-85.22	-50	PASS
Band3	1.4	19943	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.14	-36	PASS
Band3	1.4	19943	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.77	-36	PASS
Band3	1.4	19943	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	868.27	-69.47	-36	PASS
Band3	1.4	19943	1	#0	QPSK	1000 MHz-1780.80 MHz	1 MHz	1780.80	-39.05	-30	PASS
Band3	1.4	19943	1	#0	QPSK	1787.80 MHz-3000 MHz	1 MHz	1788.81	-46.27	-30	PASS

						MHz					
Band3	1.4	19943	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3567.94	-50.51	-30	PASS
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2142.52	-83.07	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.78	-83.48	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2630.29	-81.99	-50	PASS
Band3	1.4	19943	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.53	-84.93	-50	PASS
Band3	1.4	19943	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.55	-84.98	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3566.16	-79.93	-50	PASS
Band3	1.4	19943	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.47	-85.03	-50	PASS
Band3	1.4	19943	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.72	-85.55	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1475.10	-84.54	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.60	-83.65	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.98	-83.24	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.85	-82.18	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2380.60	-82.41	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3591.40	-81.46	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3600	1	3649.60	-83.43	-50	PASS

						MHz-3800 MHz	MHz				
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2113.78	-83.15	-50	PASS
Band3	1.4	19943	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.38	-85.22	-50	PASS
Band3	1.4	19943	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.60	-85.03	-50	PASS
Band3	5	19225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-54.78	-36	PASS
Band3	5	19225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.66	-36	PASS
Band3	5	19225	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-70.68	-36	PASS
Band3	5	19225	1	#0	QPSK	1000 MHz-1700.00 MHz	1 MHz	1700.00	-52.93	-30	PASS
Band3	5	19225	1	#0	QPSK	1725.00 MHz-3000 MHz	1 MHz	2646.19	-50.71	-30	PASS
Band3	5	19225	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3420.88	-46.23	-30	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2127.70	-83.30	-50	PASS
Band3	5	19225	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.65	-83.65	-50	PASS
Band3	5	19225	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2632.25	-81.82	-50	PASS
Band3	5	19225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.25	-85.06	-50	PASS
Band3	5	19225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	807.29	-85.13	-50	PASS
Band3	5	19225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.04	-81.68	-50	PASS
Band3	5	19225	1	#0	QPSK	758 MHz-803 MHz	1 MHz	789.59	-85.19	-50	PASS
Band3	5	19225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.17	-85.68	-50	PASS

						MHz					
Band3	5	19225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1485.22	-84.70	-50	PASS
Band3	5	19225	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.70	-83.85	-50	PASS
Band3	5	19225	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.82	-83.42	-50	PASS
Band3	5	19225	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.45	-82.34	-50	PASS
Band3	5	19225	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2380.70	-82.53	-50	PASS
Band3	5	19225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-81.45	-50	PASS
Band3	5	19225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3631.40	-83.62	-50	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2195.32	-83.28	-50	PASS
Band3	5	19225	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.48	-85.41	-50	PASS
Band3	5	19225	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.13	-85.19	-50	PASS
Band3	5	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.49	-36	PASS
Band3	5	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.88	-36	PASS
Band3	5	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	890.97	-66.52	-36	PASS
Band3	5	19575	1	#0	QPSK	1000 MHz-1735.00 MHz	1 MHz	1735.00	-52.34	-30	PASS
Band3	5	19575	1	#0	QPSK	1760.00 MHz-3000 MHz	1 MHz	2645.57	-50.67	-30	PASS
Band3	5	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3490.75	-50.25	-30	PASS

Band3	5	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2137.12	-83.26	-50	PASS
Band3	5	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1856.98	-83.66	-50	PASS
Band3	5	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2641.07	-82.10	-50	PASS
Band3	5	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.23	-85.06	-50	PASS
Band3	5	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	806.54	-85.14	-50	PASS
Band3	5	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.20	-81.67	-50	PASS
Band3	5	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.17	-85.18	-50	PASS
Band3	5	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.71	-85.66	-50	PASS
Band3	5	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1492.88	-84.58	-50	PASS
Band3	5	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.74	-83.76	-50	PASS
Band3	5	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.36	-83.42	-50	PASS
Band3	5	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.15	-81.87	-50	PASS
Band3	5	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2377.20	-82.61	-50	PASS
Band3	5	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.20	-81.48	-50	PASS
Band3	5	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3638.60	-83.59	-50	PASS
Band3	5	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2139.88	-83.25	-50	PASS

						MHz					
Band3	5	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.66	-85.46	-50	PASS
Band3	5	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.72	-85.21	-50	PASS
Band3	5	19925	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.04	-36	PASS
Band3	5	19925	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.87	-36	PASS
Band3	5	19925	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	868.27	-69.90	-36	PASS
Band3	5	19925	1	#0	QPSK	1000 MHz-1770.00 MHz	1 MHz	1770.00	-51.95	-30	PASS
Band3	5	19925	1	#0	QPSK	1795.00 MHz-3000 MHz	1 MHz	2997.99	-50.42	-30	PASS
Band3	5	19925	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3560.63	-48.18	-30	PASS
Band3	5	19925	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2126.44	-83.08	-50	PASS
Band3	5	19925	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1862.15	-83.54	-50	PASS
Band3	5	19925	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2634.42	-81.91	-50	PASS
Band3	5	19925	1	#0	QPSK	925 MHz-960 MHz	1 MHz	935.82	-84.95	-50	PASS
Band3	5	19925	1	#0	QPSK	791 MHz-821 MHz	1 MHz	807.89	-84.96	-50	PASS
Band3	5	19925	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.88	-81.47	-50	PASS
Band3	5	19925	1	#0	QPSK	758 MHz-803 MHz	1 MHz	788.60	-85.04	-50	PASS
Band3	5	19925	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.39	-85.47	-50	PASS
Band3	5	19925	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1486.28	-84.58	-50	PASS

Band3	5	19925	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.64	-83.66	-50	PASS
Band3	5	19925	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.56	-83.25	-50	PASS
Band3	5	19925	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.70	-82.13	-50	PASS
Band3	5	19925	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.50	-82.46	-50	PASS
Band3	5	19925	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.40	-81.40	-50	PASS
Band3	5	19925	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3634.20	-83.39	-50	PASS
Band3	5	19925	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2112.70	-83.12	-50	PASS
Band3	5	19925	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.52	-85.29	-50	PASS
Band3	5	19925	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.05	-85.02	-50	PASS
Band3	20	19300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.68	-36	PASS
Band3	20	19300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.31	-36	PASS
Band3	20	19300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	868.27	-68.96	-36	PASS
Band3	20	19300	1	#0	QPSK	1000 MHz-1685.00 MHz	1 MHz	1451.42	-53.02	-30	PASS
Band3	20	19300	1	#0	QPSK	1755.00 MHz-3000 MHz	1 MHz	3000.00	-50.70	-30	PASS
Band3	20	19300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3422.50	-46.68	-30	PASS
Band3	20	19300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2130.28	-83.25	-50	PASS
Band3	20	19300	1	#0	QPSK	1805	1	1875.88	-83.67	-50	PASS

						MHz-1880 MHz	MHz				
Band3	20	19300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2640.09	-82.05	-50	PASS
Band3	20	19300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	940.75	-85.03	-50	PASS
Band3	20	19300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	806.75	-85.03	-50	PASS
Band3	20	19300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.16	-81.73	-50	PASS
Band3	20	19300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.93	-85.15	-50	PASS
Band3	20	19300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.85	-85.65	-50	PASS
Band3	20	19300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.86	-84.70	-50	PASS
Band3	20	19300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1908.90	-83.87	-50	PASS
Band3	20	19300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.82	-83.35	-50	PASS
Band3	20	19300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.40	-82.38	-50	PASS
Band3	20	19300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2395.50	-82.64	-50	PASS
Band3	20	19300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.00	-81.58	-50	PASS
Band3	20	19300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3629.40	-83.57	-50	PASS
Band3	20	19300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2133.31	-83.32	-50	PASS
Band3	20	19300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.00	-85.42	-50	PASS
Band3	20	19300	1	#0	QPSK	753 MHz-783	1	778.29	-85.20	-50	PASS

						MHz	MHz				
Band3	20	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.50	-36	PASS
Band3	20	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.78	-36	PASS
Band3	20	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	868.27	-69.31	-36	PASS
Band3	20	19575	1	#0	QPSK	1000 MHz-1712.50 MHz	1 MHz	1703.24	-48.22	-30	PASS
Band3	20	19575	1	#0	QPSK	1782.50 MHz-3000 MHz	1 MHz	3000.00	-50.61	-30	PASS
Band3	20	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3476.94	-47.62	-30	PASS
Band3	20	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2122.48	-83.23	-50	PASS
Band3	20	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.95	-83.65	-50	PASS
Band3	20	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2636.24	-82.03	-50	PASS
Band3	20	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.54	-85.04	-50	PASS
Band3	20	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.80	-85.14	-50	PASS
Band3	20	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.20	-81.73	-50	PASS
Band3	20	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.18	-85.15	-50	PASS
Band3	20	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.44	-85.62	-50	PASS
Band3	20	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1488.87	-84.65	-50	PASS
Band3	20	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.68	-83.76	-50	PASS
Band3	20	19575	1	#0	QPSK	2010 MHz	1 MHz	2011.19	-83.34	-50	PASS

						MHz-2025 MHz	MHz				
Band3	20	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2620.00	-82.35	-50	PASS
Band3	20	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2389.20	-82.57	-50	PASS
Band3	20	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3600.00	-81.50	-50	PASS
Band3	20	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3655.80	-83.57	-50	PASS
Band3	20	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2132.41	-83.27	-50	PASS
Band3	20	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.44	-85.46	-50	PASS
Band3	20	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.05	-85.23	-50	PASS
Band3	20	19850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.06	-36	PASS
Band3	20	19850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.80	-36	PASS
Band3	20	19850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	868.27	-68.49	-36	PASS
Band3	20	19850	1	#0	QPSK	1000 MHz-1740.00 MHz	1 MHz	1730.38	-35.80	-30	PASS
Band3	20	19850	1	#0	QPSK	1810.00 MHz-3000 MHz	1 MHz	3000.00	-50.52	-30	PASS
Band3	20	19850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3532.19	-47.94	-30	PASS
Band3	20	19850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.00	-83.15	-50	PASS
Band3	20	19850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.50	-83.51	-50	PASS
Band3	20	19850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2647.23	-81.98	-50	PASS

						MHz					
Band3	20	19850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.54	-84.96	-50	PASS
Band3	20	19850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	811.34	-85.05	-50	PASS
Band3	20	19850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.68	-81.59	-50	PASS
Band3	20	19850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.80	-84.97	-50	PASS
Band3	20	19850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.16	-85.44	-50	PASS
Band3	20	19850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1471.40	-84.57	-50	PASS
Band3	20	19850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1909.22	-83.70	-50	PASS
Band3	20	19850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.02	-83.25	-50	PASS
Band3	20	19850	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.35	-82.20	-50	PASS
Band3	20	19850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2370.80	-82.46	-50	PASS
Band3	20	19850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3600.00	-81.41	-50	PASS
Band3	20	19850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.60	-83.48	-50	PASS
Band3	20	19850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.21	-83.11	-50	PASS
Band3	20	19850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.66	-85.30	-50	PASS
Band3	20	19850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.91	-85.08	-50	PASS
Band40	5	38675	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.86	-36	PASS
Band40	5	38675	1	#0	QPSK	150 kHz-30	10	0.16	-61.76	-36	PASS

						MHz	kHz				
Band40	5	38675	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-68.81	-36	PASS
Band40	5	38675	1	#0	QPSK	1000 MHz-2290.00 MHz	1 MHz	2290.00	-58.51	-30	PASS
Band40	5	38675	1	#0	QPSK	2315.00 MHz-3000 MHz	1 MHz	2560.46	-57.94	-30	PASS
Band40	5	38675	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12277.94	-54.05	-30	PASS
Band40	5	38675	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2116.84	-67.61	-50	PASS
Band40	5	38675	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.80	-70.02	-50	PASS
Band40	5	38675	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2629.66	-68.50	-50	PASS
Band40	5	38675	1	#0	QPSK	925 MHz-960 MHz	1 MHz	947.96	-71.92	-50	PASS
Band40	5	38675	1	#0	QPSK	791 MHz-821 MHz	1 MHz	808.25	-72.74	-50	PASS
Band40	5	38675	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.92	-69.76	-50	PASS
Band40	5	38675	1	#0	QPSK	758 MHz-803 MHz	1 MHz	784.60	-72.84	-50	PASS
Band40	5	38675	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.23	-73.28	-50	PASS
Band40	5	38675	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1494.37	-71.18	-50	PASS
Band40	5	38675	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.52	-69.52	-50	PASS
Band40	5	38675	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.92	-67.70	-50	PASS
Band40	5	38675	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2570.95	-67.99	-50	PASS

						MHz					
Band40	5	38675	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.40	-69.58	-50	PASS
Band40	5	38675	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3634.80	-72.00	-50	PASS
Band40	5	38675	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2187.31	-68.82	-50	PASS
Band40	5	38675	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.30	-73.16	-50	PASS
Band40	5	38675	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.79	-72.81	-50	PASS
Band40	5	39150	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.28	-36	PASS
Band40	5	39150	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-62.02	-36	PASS
Band40	5	39150	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-68.47	-36	PASS
Band40	5	39150	1	#0	QPSK	1000 MHz-2337.50 MHz	1 MHz	2087.39	-57.45	-30	PASS
Band40	5	39150	1	#0	QPSK	2362.50 MHz-3000 MHz	1 MHz	2607.94	-58.50	-30	PASS
Band40	5	39150	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12202.38	-53.95	-30	PASS
Band40	5	39150	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.42	-57.79	-50	PASS
Band40	5	39150	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.80	-70.42	-50	PASS
Band40	5	39150	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2624.06	-66.75	-50	PASS
Band40	5	39150	1	#0	QPSK	925 MHz-960 MHz	1 MHz	960.00	-67.20	-50	PASS
Band40	5	39150	1	#0	QPSK	791 MHz-821 MHz	1 MHz	812.42	-72.66	-50	PASS
Band40	5	39150	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.08	-69.12	-50	PASS

						MHz					
Band40	5	39150	1	#0	QPSK	758 MHz-803 MHz	1 MHz	797.87	-72.69	-50	PASS
Band40	5	39150	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.49	-72.97	-50	PASS
Band40	5	39150	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1494.24	-53.42	-50	PASS
Band40	5	39150	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.18	-69.57	-50	PASS
Band40	5	39150	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.95	-68.23	-50	PASS
Band40	5	39150	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2607.80	-57.06	-50	PASS
Band40	5	39150	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.60	-69.39	-50	PASS
Band40	5	39150	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3662.20	-71.87	-50	PASS
Band40	5	39150	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.66	-60.98	-50	PASS
Band40	5	39150	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.76	-72.93	-50	PASS
Band40	5	39150	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.68	-72.81	-50	PASS
Band40	5	39625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.37	-36	PASS
Band40	5	39625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-61.90	-36	PASS
Band40	5	39625	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-68.25	-36	PASS
Band40	5	39625	1	#0	QPSK	1000 MHz-2385.00 MHz	1 MHz	2385.00	-55.00	-30	PASS
Band40	5	39625	1	#0	QPSK	2410.00 MHz-3000 MHz	1 MHz	2411.48	-57.82	-30	PASS
Band40	5	39625	1	#0	QPSK	3000 MHz	1 MHz	12288.50	-53.89	-30	PASS

						MHz-12.75 GHz	MHz				
Band40	5	39625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2135.50	-58.36	-50	PASS
Band40	5	39625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1865.30	-70.55	-50	PASS
Band40	5	39625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.42	-58.74	-50	PASS
Band40	5	39625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	947.89	-72.08	-50	PASS
Band40	5	39625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.53	-72.70	-50	PASS
Band40	5	39625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.88	-69.36	-50	PASS
Band40	5	39625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	788.65	-72.73	-50	PASS
Band40	5	39625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.54	-73.06	-50	PASS
Band40	5	39625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1493.14	-71.38	-50	PASS
Band40	5	39625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.78	-70.58	-50	PASS
Band40	5	39625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.16	-68.63	-50	PASS
Band40	5	39625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2609.35	-66.37	-50	PASS
Band40	5	39625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.00	-69.26	-50	PASS
Band40	5	39625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3661.00	-71.96	-50	PASS
Band40	5	39625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2174.08	-67.47	-50	PASS

Band40	5	39625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	739.44	-72.97	-50	PASS
Band40	5	39625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	766.74	-72.49	-50	PASS
Band40	20	38750	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.38	-36	PASS
Band40	20	38750	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.23	-36	PASS
Band40	20	38750	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-68.78	-36	PASS
Band40	20	38750	1	#0	QPSK	1000 MHz-2275.00 MHz	1 MHz	2041.68	-58.90	-30	PASS
Band40	20	38750	1	#0	QPSK	2345.00 MHz-3000 MHz	1 MHz	2561.70	-59.21	-30	PASS
Band40	20	38750	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12217.81	-54.00	-30	PASS
Band40	20	38750	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2110.84	-67.77	-50	PASS
Band40	20	38750	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.03	-70.01	-50	PASS
Band40	20	38750	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2634.63	-69.18	-50	PASS
Band40	20	38750	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.00	-71.79	-50	PASS
Band40	20	38750	1	#0	QPSK	791 MHz-821 MHz	1 MHz	792.08	-72.85	-50	PASS
Band40	20	38750	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.56	-69.76	-50	PASS
Band40	20	38750	1	#0	QPSK	758 MHz-803 MHz	1 MHz	779.92	-72.83	-50	PASS
Band40	20	38750	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.53	-73.27	-50	PASS
Band40	20	38750	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1490.06	-71.61	-50	PASS
Band40	20	38750	1	#0	QPSK	1900 MHz	1 MHz	1901.18	-69.73	-50	PASS

						MHz-1920 MHz	MHz				
Band40	20	38750	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.20	-67.79	-50	PASS
Band40	20	38750	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2571.10	-67.93	-50	PASS
Band40	20	38750	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.60	-69.67	-50	PASS
Band40	20	38750	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3640.40	-71.97	-50	PASS
Band40	20	38750	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2187.94	-68.77	-50	PASS
Band40	20	38750	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.46	-73.19	-50	PASS
Band40	20	38750	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.99	-72.96	-50	PASS
Band40	20	39150	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.62	-36	PASS
Band40	20	39150	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.68	-36	PASS
Band40	20	39150	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-67.15	-36	PASS
Band40	20	39150	1	#0	QPSK	1000 MHz-2315.00 MHz	1 MHz	2305.80	-45.12	-30	PASS
Band40	20	39150	1	#0	QPSK	2385.00 MHz-3000 MHz	1 MHz	2601.28	-57.96	-30	PASS
Band40	20	39150	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12225.13	-53.88	-30	PASS
Band40	20	39150	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2120.68	-61.79	-50	PASS
Band40	20	39150	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1870.78	-70.29	-50	PASS
Band40	20	39150	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2620.14	-66.10	-50	PASS

						MHz					
Band40	20	39150	1	#0	QPSK	925 MHz-960 MHz	1 MHz	950.27	-54.94	-50	PASS
Band40	20	39150	1	#0	QPSK	791 MHz-821 MHz	1 MHz	807.65	-72.67	-50	PASS
Band40	20	39150	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.24	-69.54	-50	PASS
Band40	20	39150	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.85	-72.69	-50	PASS
Band40	20	39150	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.32	-72.71	-50	PASS
Band40	20	39150	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1460.58	-50.79	-50	PASS
Band40	20	39150	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1911.44	-69.48	-50	PASS
Band40	20	39150	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.59	-68.38	-50	PASS
Band40	20	39150	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2601.30	-59.02	-50	PASS
Band40	20	39150	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.00	-69.36	-50	PASS
Band40	20	39150	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3644.80	-71.94	-50	PASS
Band40	20	39150	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.62	-62.98	-50	PASS
Band40	20	39150	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.04	-72.88	-50	PASS
Band40	20	39150	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.02	-72.70	-50	PASS
Band40	20	39550	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.39	-36	PASS
Band40	20	39550	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.41	-36	PASS
Band40	20	39550	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-68.29	-36	PASS

Band40	20	39550	1	#0	QPSK	1000 MHz-2355.00 MHz	1 MHz	2345.52	-49.74	-30	PASS
Band40	20	39550	1	#0	QPSK	2425.00 MHz-3000 MHz	1 MHz	2641.10	-56.28	-30	PASS
Band40	20	39550	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12219.44	-53.89	-30	PASS
Band40	20	39550	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2120.98	-57.37	-50	PASS
Band40	20	39550	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.53	-70.69	-50	PASS
Band40	20	39550	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2641.07	-58.43	-50	PASS
Band40	20	39550	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.35	-71.53	-50	PASS
Band40	20	39550	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.91	-72.77	-50	PASS
Band40	20	39550	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.52	-69.53	-50	PASS
Band40	20	39550	1	#0	QPSK	758 MHz-803 MHz	1 MHz	773.93	-72.79	-50	PASS
Band40	20	39550	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.44	-73.16	-50	PASS
Band40	20	39550	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1489.62	-71.44	-50	PASS
Band40	20	39550	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.60	-70.05	-50	PASS
Band40	20	39550	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.23	-69.08	-50	PASS
Band40	20	39550	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2614.05	-66.03	-50	PASS
Band40	20	39550	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3407.20	-69.10	-50	PASS

						MHz					
Band40	20	39550	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3664.20	-71.96	-50	PASS
Band40	20	39550	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2140.87	-68.89	-50	PASS
Band40	20	39550	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.90	-72.97	-50	PASS
Band40	20	39550	1	#0	QPSK	753 MHz-783 MHz	1 MHz	774.87	-72.73	-50	PASS
Band7	5	20775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.80	-36	PASS
Band7	5	20775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.49	-36	PASS
Band7	5	20775	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-68.64	-36	PASS
Band7	5	20775	1	#0	QPSK	1000 MHz-2490.00 MHz	1 MHz	2490.00	-55.02	-30	PASS
Band7	5	20775	1	#0	QPSK	2515.00 MHz-3000 MHz	1 MHz	2517.43	-56.65	-30	PASS
Band7	5	20775	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12228.38	-53.83	-30	PASS
Band7	5	20775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2125.30	-78.70	-50	PASS
Band7	5	20775	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.30	-79.00	-50	PASS
Band7	5	20775	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2624.06	-75.53	-50	PASS
Band7	5	20775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.14	-73.17	-50	PASS
Band7	5	20775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.83	-80.88	-50	PASS
Band7	5	20775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.60	-77.38	-50	PASS
Band7	5	20775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.61	-80.91	-50	PASS

Band7	5	20775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.23	-81.27	-50	PASS
Band7	5	20775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1486.41	-80.39	-50	PASS
Band7	5	20775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.68	-79.55	-50	PASS
Band7	5	20775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.41	-79.02	-50	PASS
Band7	5	20775	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.20	-78.36	-50	PASS
Band7	5	20775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.20	-77.32	-50	PASS
Band7	5	20775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3648.80	-79.24	-50	PASS
Band7	5	20775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2113.96	-78.43	-50	PASS
Band7	5	20775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.98	-81.12	-50	PASS
Band7	5	20775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	774.24	-80.89	-50	PASS
Band7	5	20775	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2574.63	-51.44	1.6	PASS
Band7	5	20775	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2583.24	-51.35	-15.5	PASS
Band7	5	20775	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2595.18	-77.63	-40	PASS
Band7	5	21100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.49	-36	PASS
Band7	5	21100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.10	-36	PASS
Band7	5	21100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-69.48	-36	PASS
Band7	5	21100	1	#0	QPSK	1000	1	2490.53	-56.51	-30	PASS

						MHz-2522.50 MHz	MHz				
Band7	5	21100	1	#0	QPSK	2547.50 MHz-3000 MHz	1 MHz	2550.14	-55.74	-30	PASS
Band7	5	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12238.13	-53.73	-30	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2113.78	-78.29	-50	PASS
Band7	5	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1870.55	-79.21	-50	PASS
Band7	5	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.30	-72.78	-50	PASS
Band7	5	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	947.96	-72.98	-50	PASS
Band7	5	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	809.30	-80.82	-50	PASS
Band7	5	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.24	-77.38	-50	PASS
Band7	5	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.18	-80.83	-50	PASS
Band7	5	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.34	-81.31	-50	PASS
Band7	5	21100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1492.39	-80.36	-50	PASS
Band7	5	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1909.48	-79.53	-50	PASS
Band7	5	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.08	-79.02	-50	PASS
Band7	5	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2395.50	-78.33	-50	PASS
Band7	5	21100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.00	-77.26	-50	PASS

Band7	5	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3626.80	-79.30	-50	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2113.33	-78.19	-50	PASS
Band7	5	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.34	-81.14	-50	PASS
Band7	5	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.51	-80.78	-50	PASS
Band7	5	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2574.59	-51.43	1.6	PASS
Band7	5	21100	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2582.28	-51.28	-15.5	PASS
Band7	5	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2595.60	-77.49	-40	PASS
Band7	5	21425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.63	-36	PASS
Band7	5	21425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	4.10	-50.30	-36	PASS
Band7	5	21425	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-68.61	-36	PASS
Band7	5	21425	1	#0	QPSK	1000 MHz-2555.00 MHz	1 MHz	2522.35	-56.48	-30	PASS
Band7	5	21425	1	#0	QPSK	2580.00 MHz-3000 MHz	1 MHz	2825.35	-56.53	-30	PASS
Band7	5	21425	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12224.31	-53.73	-30	PASS
Band7	5	21425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2112.82	-78.54	-50	PASS
Band7	5	21425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.05	-78.67	-50	PASS
Band7	5	21425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2686.01	-70.60	-50	PASS
Band7	5	21425	1	#0	QPSK	925 MHz-960	1	948.10	-72.55	-50	PASS

						MHz	MHz				
Band7	5	21425	1	#0	QPSK	791 MHz-821 MHz	1 MHz	809.75	-80.85	-50	PASS
Band7	5	21425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.08	-77.38	-50	PASS
Band7	5	21425	1	#0	QPSK	758 MHz-803 MHz	1 MHz	793.28	-80.86	-50	PASS
Band7	5	21425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.27	-81.30	-50	PASS
Band7	5	21425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1485.97	-80.36	-50	PASS
Band7	5	21425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1912.48	-79.47	-50	PASS
Band7	5	21425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.55	-79.07	-50	PASS
Band7	5	21425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2377.30	-78.25	-50	PASS
Band7	5	21425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3591.80	-77.24	-50	PASS
Band7	5	21425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3655.40	-79.27	-50	PASS
Band7	5	21425	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2113.33	-78.04	-50	PASS
Band7	5	21425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.98	-81.15	-50	PASS
Band7	5	21425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.29	-80.86	-50	PASS
Band7	5	21425	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2574.87	-37.34	1.6	PASS
Band7	5	21425	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2579.14	-36.78	-15.5	PASS
Band7	5	21425	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2595.20	-61.57	-40	PASS

						MHz					
Band7	20	20850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.74	-36	PASS
Band7	20	20850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.20	-36	PASS
Band7	20	20850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-69.03	-36	PASS
Band7	20	20850	1	#0	QPSK	1000 MHz-2475.00 MHz	1 MHz	2405.68	-56.81	-30	PASS
Band7	20	20850	1	#0	QPSK	2545.00 MHz-3000 MHz	1 MHz	2761.13	-56.70	-30	PASS
Band7	20	20850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12295.81	-53.73	-30	PASS
Band7	20	20850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2113.06	-78.12	-50	PASS
Band7	20	20850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.65	-79.08	-50	PASS
Band7	20	20850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2637.22	-72.73	-50	PASS
Band7	20	20850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.10	-71.83	-50	PASS
Band7	20	20850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	806.15	-80.85	-50	PASS
Band7	20	20850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.76	-77.33	-50	PASS
Band7	20	20850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	770.47	-80.78	-50	PASS
Band7	20	20850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.98	-81.38	-50	PASS
Band7	20	20850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1478.36	-80.39	-50	PASS
Band7	20	20850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.98	-79.50	-50	PASS
Band7	20	20850	1	#0	QPSK	2010 MHz	1 MHz	2012.16	-78.84	-50	PASS

						MHz-2025 MHz	MHz				
Band7	20	20850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2389.50	-78.32	-50	PASS
Band7	20	20850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.20	-77.23	-50	PASS
Band7	20	20850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3646.00	-79.25	-50	PASS
Band7	20	20850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2112.97	-78.26	-50	PASS
Band7	20	20850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.62	-81.16	-50	PASS
Band7	20	20850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.16	-80.90	-50	PASS
Band7	20	20850	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2574.94	-51.42	1.6	PASS
Band7	20	20850	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2583.04	-51.35	-15.5	PASS
Band7	20	20850	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2595.60	-77.72	-40	PASS
Band7	20	21100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.76	-36	PASS
Band7	20	21100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.94	-36	PASS
Band7	20	21100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-68.77	-36	PASS
Band7	20	21100	1	#0	QPSK	1000 MHz-2500.00 MHz	1 MHz	2491.00	-44.98	-30	PASS
Band7	20	21100	1	#0	QPSK	2570.00 MHz-3000 MHz	1 MHz	2570.72	-56.70	-30	PASS
Band7	20	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12285.25	-53.60	-30	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2113.00	-78.35	-50	PASS

						MHz					
Band7	20	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.50	-78.98	-50	PASS
Band7	20	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2648.42	-72.49	-50	PASS
Band7	20	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.14	-72.41	-50	PASS
Band7	20	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	814.97	-80.85	-50	PASS
Band7	20	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.12	-77.36	-50	PASS
Band7	20	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.93	-80.92	-50	PASS
Band7	20	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.23	-81.34	-50	PASS
Band7	20	21100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1491.07	-80.37	-50	PASS
Band7	20	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.10	-79.47	-50	PASS
Band7	20	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.40	-79.06	-50	PASS
Band7	20	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2383.30	-78.35	-50	PASS
Band7	20	21100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3600.00	-77.26	-50	PASS
Band7	20	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3661.20	-79.23	-50	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2123.68	-78.44	-50	PASS
Band7	20	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.78	-81.08	-50	PASS
Band7	20	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.98	-80.83	-50	PASS

Band7	20	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2572.24	-51.42	1.6	PASS
Band7	20	21100	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2578.78	-51.27	-15.5	PASS
Band7	20	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2595.28	-77.51	-40	PASS
Band7	20	21350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.97	-36	PASS
Band7	20	21350	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.30	-36	PASS
Band7	20	21350	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	259.99	-67.89	-36	PASS
Band7	20	21350	1	#0	QPSK	1000 MHz-2525.00 MHz	1 MHz	2517.38	-56.53	-30	PASS
Band7	20	21350	1	#0	QPSK	2595.00 MHz-3000 MHz	1 MHz	2811.00	-56.83	-30	PASS
Band7	20	21350	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12252.75	-53.61	-30	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2123.32	-78.54	-50	PASS
Band7	20	21350	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1868.45	-79.09	-50	PASS
Band7	20	21350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2684.05	-70.44	-50	PASS
Band7	20	21350	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.07	-74.02	-50	PASS
Band7	20	21350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.16	-80.81	-50	PASS
Band7	20	21350	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.68	-77.32	-50	PASS
Band7	20	21350	1	#0	QPSK	758 MHz-803 MHz	1 MHz	790.99	-80.81	-50	PASS
Band7	20	21350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.92	-81.29	-50	PASS

						MHz					
Band7	20	21350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1491.38	-80.36	-50	PASS
Band7	20	21350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.44	-79.51	-50	PASS
Band7	20	21350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.42	-79.06	-50	PASS
Band7	20	21350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2389.70	-78.26	-50	PASS
Band7	20	21350	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-77.19	-50	PASS
Band7	20	21350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3675.00	-79.26	-50	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2122.15	-78.23	-50	PASS
Band7	20	21350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.20	-81.09	-50	PASS
Band7	20	21350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.99	-80.87	-50	PASS
Band7	20	21350	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2574.98	-46.11	1.6	PASS
Band7	20	21350	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2586.80	-30.02	-15.5	PASS
Band7	20	21350	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2595.05	-75.78	-40	PASS
Band8	1.4	21457	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.26	-36	PASS
Band8	1.4	21457	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.62	-36	PASS
Band8	1.4	21457	1	#0	QPSK	30 MHz-877.20 MHz	100 kHz	877.03	-48.90	-36	PASS
Band8	1.4	21457	1	#0	QPSK	884.20 MHz-1000 kHz	100 kHz	884.43	-48.39	-30	PASS

						MHz					
Band8	1.4	21457	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1140.00	-58.66	-30	PASS
Band8	1.4	21457	1	#0	QPSK	1500 MHz-12.75 GHz	1 MHz	2640.58	-56.49	-30	PASS
Band8	1.4	21457	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2122.72	-83.70	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.73	-84.52	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2638.97	-83.33	-50	PASS
Band8	1.4	21457	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.39	-86.32	-50	PASS
Band8	1.4	21457	1	#0	QPSK	791 MHz-821 MHz	1 MHz	812.27	-86.34	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.20	-82.89	-50	PASS
Band8	1.4	21457	1	#0	QPSK	758 MHz-803 MHz	1 MHz	788.60	-86.39	-50	PASS
Band8	1.4	21457	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.63	-86.83	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1489.97	-85.87	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1912.00	-84.97	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.40	-84.56	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.95	-83.60	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2378.10	-83.78	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3400	1	3598.20	-82.75	-50	PASS

						MHz-3600 MHz	MHz				
Band8	1.4	21457	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3703.00	-84.37	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2122.51	-83.86	-50	PASS
Band8	1.4	21457	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.80	-86.71	-50	PASS
Band8	1.4	21457	1	#0	QPSK	753 MHz-783 MHz	1 MHz	775.20	-86.38	-50	PASS
Band8	1.4	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.49	-36	PASS
Band8	1.4	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-61.88	-36	PASS
Band8	1.4	21625	1	#0	QPSK	30 MHz-894.00 MHz	100 kHz	893.65	-47.79	-36	PASS
Band8	1.4	21625	1	#0	QPSK	901.00 MHz-1000 MHz	100 kHz	901.10	-49.37	-30	PASS
Band8	1.4	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1157.00	-58.45	-30	PASS
Band8	1.4	21625	1	#0	QPSK	1500 MHz-12.75 GHz	1 MHz	2690.77	-56.85	-30	PASS
Band8	1.4	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2123.50	-83.46	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1865.68	-84.54	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2663.96	-83.03	-50	PASS
Band8	1.4	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.01	-86.17	-50	PASS
Band8	1.4	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.37	-86.19	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.60	-82.92	-50	PASS

Band8	1.4	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	791.08	-86.38	-50	PASS
Band8	1.4	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.45	-86.84	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1482.32	-85.87	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1909.28	-85.01	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.14	-84.57	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.00	-83.51	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2398.10	-83.71	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.80	-82.62	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3769.80	-84.54	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2122.06	-83.75	-50	PASS
Band8	1.4	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.48	-86.67	-50	PASS
Band8	1.4	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.10	-86.39	-50	PASS
Band8	1.4	21793	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.05	-36	PASS
Band8	1.4	21793	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.80	-36	PASS
Band8	1.4	21793	1	#0	QPSK	30 MHz-910.80 MHz	100 kHz	910.36	-49.17	-36	PASS
Band8	1.4	21793	1	#0	QPSK	917.80 MHz-1000 MHz	100 kHz	917.88	-54.35	-30	PASS
Band8	1.4	21793	1	#0	QPSK	1000	1	1174.00	-57.69	-30	PASS

						MHz-1500 MHz	MHz				
Band8	1.4	21793	1	#0	QPSK	1500 MHz-12.75 GHz	1 MHz	2741.83	-52.42	-30	PASS
Band8	1.4	21793	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2123.20	-83.89	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1826.15	-84.13	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.38	-83.21	-50	PASS
Band8	1.4	21793	1	#0	QPSK	925 MHz-960 MHz	1 MHz	931.51	-86.12	-50	PASS
Band8	1.4	21793	1	#0	QPSK	791 MHz-821 MHz	1 MHz	806.60	-86.28	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.04	-82.85	-50	PASS
Band8	1.4	21793	1	#0	QPSK	758 MHz-803 MHz	1 MHz	778.30	-86.37	-50	PASS
Band8	1.4	21793	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.89	-86.83	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1485.04	-85.84	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.68	-75.86	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.37	-84.55	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.10	-83.48	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2380.10	-83.73	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-82.69	-50	PASS

Band8	1.4	21793	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3621.60	-84.80	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2122.87	-84.03	-50	PASS
Band8	1.4	21793	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.76	-86.60	-50	PASS
Band8	1.4	21793	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.16	-86.39	-50	PASS
Band8	5	21475	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.54	-36	PASS
Band8	5	21475	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.35	-36	PASS
Band8	5	21475	1	#0	QPSK	30 MHz-870.00 MHz	100 kHz	259.99	-70.77	-36	PASS
Band8	5	21475	1	#0	QPSK	895.00 MHz-1000 MHz	100 kHz	897.63	-67.60	-30	PASS
Band8	5	21475	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1140.50	-59.30	-30	PASS
Band8	5	21475	1	#0	QPSK	1500 MHz-12.75 GHz	1 MHz	2641.44	-57.01	-30	PASS
Band8	5	21475	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2122.84	-83.05	-50	PASS
Band8	5	21475	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.25	-84.35	-50	PASS
Band8	5	21475	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2634.98	-83.28	-50	PASS
Band8	5	21475	1	#0	QPSK	925 MHz-960 MHz	1 MHz	933.09	-86.29	-50	PASS
Band8	5	21475	1	#0	QPSK	791 MHz-821 MHz	1 MHz	792.32	-86.37	-50	PASS
Band8	5	21475	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.44	-82.87	-50	PASS
Band8	5	21475	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.14	-86.33	-50	PASS

Band8	5	21475	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.59	-86.88	-50	PASS
Band8	5	21475	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.86	-85.93	-50	PASS
Band8	5	21475	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1909.22	-85.00	-50	PASS
Band8	5	21475	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.84	-84.55	-50	PASS
Band8	5	21475	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2620.00	-83.57	-50	PASS
Band8	5	21475	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.70	-83.81	-50	PASS
Band8	5	21475	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3402.40	-80.51	-50	PASS
Band8	5	21475	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3710.00	-84.47	-50	PASS
Band8	5	21475	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2122.15	-83.67	-50	PASS
Band8	5	21475	1	#0	QPSK	738 MHz-758 MHz	1 MHz	749.48	-86.70	-50	PASS
Band8	5	21475	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.10	-86.47	-50	PASS
Band8	5	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.52	-36	PASS
Band8	5	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-61.12	-36	PASS
Band8	5	21625	1	#0	QPSK	30 MHz-885.00 MHz	100 kHz	884.66	-67.15	-36	PASS
Band8	5	21625	1	#0	QPSK	910.00 MHz-1000 MHz	100 kHz	912.61	-68.38	-30	PASS
Band8	5	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1155.50	-58.44	-30	PASS

Band8	5	21625	1	#0	QPSK	1500 MHz-12.75 GHz	1 MHz	12248.08	-57.61	-30	PASS
Band8	5	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2122.42	-83.22	-50	PASS
Band8	5	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.25	-84.35	-50	PASS
Band8	5	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2647.65	-83.26	-50	PASS
Band8	5	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	931.13	-86.23	-50	PASS
Band8	5	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.91	-86.36	-50	PASS
Band8	5	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3577.20	-83.09	-50	PASS
Band8	5	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.73	-86.35	-50	PASS
Band8	5	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.89	-86.79	-50	PASS
Band8	5	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1490.50	-85.84	-50	PASS
Band8	5	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.86	-85.00	-50	PASS
Band8	5	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.08	-84.61	-50	PASS
Band8	5	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.95	-83.46	-50	PASS
Band8	5	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2379.30	-83.76	-50	PASS
Band8	5	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3576.60	-83.21	-50	PASS
Band8	5	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3770.00	-84.35	-50	PASS

						MHz					
Band8	5	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2123.68	-84.20	-50	PASS
Band8	5	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.44	-86.67	-50	PASS
Band8	5	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.89	-86.43	-50	PASS
Band8	5	21775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.59	-36	PASS
Band8	5	21775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.17	-36	PASS
Band8	5	21775	1	#0	QPSK	30 MHz-900.00 MHz	100 kHz	899.48	-67.58	-36	PASS
Band8	5	21775	1	#0	QPSK	925.00 MHz-1000 MHz	100 kHz	926.43	-73.08	-30	PASS
Band8	5	21775	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1170.50	-57.99	-30	PASS
Band8	5	21775	1	#0	QPSK	1500 MHz-12.75 GHz	1 MHz	1821.06	-49.74	-30	PASS
Band8	5	21775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2123.08	-83.73	-50	PASS
Band8	5	21775	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1818.95	-84.12	-50	PASS
Band8	5	21775	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2646.95	-83.23	-50	PASS
Band8	5	21775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.87	-86.18	-50	PASS
Band8	5	21775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	791.84	-86.36	-50	PASS
Band8	5	21775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.48	-82.90	-50	PASS
Band8	5	21775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	780.19	-86.32	-50	PASS
Band8	5	21775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.35	-86.85	-50	PASS

						MHz					
Band8	5	21775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1485.53	-85.82	-50	PASS
Band8	5	21775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1917.50	-84.91	-50	PASS
Band8	5	21775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.53	-84.36	-50	PASS
Band8	5	21775	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.65	-83.49	-50	PASS
Band8	5	21775	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2381.70	-83.73	-50	PASS
Band8	5	21775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.00	-82.57	-50	PASS
Band8	5	21775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3631.20	-84.74	-50	PASS
Band8	5	21775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2122.33	-83.69	-50	PASS
Band8	5	21775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.96	-86.66	-50	PASS
Band8	5	21775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.47	-86.39	-50	PASS
Band8	10	21500	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.31	-36	PASS
Band8	10	21500	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.32	-36	PASS
Band8	10	21500	1	#0	QPSK	30 MHz-865.00 MHz	100 kHz	259.96	-71.79	-36	PASS
Band8	10	21500	1	#0	QPSK	905.00 MHz-1000 MHz	100 kHz	907.00	-70.30	-30	PASS
Band8	10	21500	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1140.50	-58.23	-30	PASS
Band8	10	21500	1	#0	QPSK	1500 MHz-12.75 MHz	1 MHz	2641.44	-56.92	-30	PASS

						GHz					
Band8	10	21500	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2125.36	-83.80	-50	PASS
Band8	10	21500	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.43	-84.53	-50	PASS
Band8	10	21500	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2637.36	-83.34	-50	PASS
Band8	10	21500	1	#0	QPSK	925 MHz-960 MHz	1 MHz	934.45	-86.25	-50	PASS
Band8	10	21500	1	#0	QPSK	791 MHz-821 MHz	1 MHz	807.35	-86.24	-50	PASS
Band8	10	21500	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.08	-82.94	-50	PASS
Band8	10	21500	1	#0	QPSK	758 MHz-803 MHz	1 MHz	782.84	-86.36	-50	PASS
Band8	10	21500	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.12	-86.88	-50	PASS
Band8	10	21500	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1488.87	-85.76	-50	PASS
Band8	10	21500	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.18	-77.43	-50	PASS
Band8	10	21500	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.85	-84.57	-50	PASS
Band8	10	21500	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2614.55	-83.58	-50	PASS
Band8	10	21500	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2396.00	-83.83	-50	PASS
Band8	10	21500	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-82.65	-50	PASS
Band8	10	21500	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3719.80	-84.33	-50	PASS
Band8	10	21500	1	#0	QPSK	2110	1	2122.78	-83.41	-50	PASS

						MHz-2200 MHz	MHz				
Band8	10	21500	1	#0	QPSK	738 MHz-758 MHz	1 MHz	748.62	-86.73	-50	PASS
Band8	10	21500	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.65	-86.39	-50	PASS
Band8	10	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.88	-36	PASS
Band8	10	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.19	-36	PASS
Band8	10	21625	1	#0	QPSK	30 MHz-877.50 MHz	100 kHz	875.47	-40.75	-36	PASS
Band8	10	21625	1	#0	QPSK	917.50 MHz-1000 MHz	100 kHz	917.58	-71.58	-30	PASS
Band8	10	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1153.00	-57.81	-30	PASS
Band8	10	21625	1	#0	QPSK	1500 MHz-12.75 GHz	1 MHz	12301.73	-57.52	-30	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2123.44	-83.49	-50	PASS
Band8	10	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.48	-84.33	-50	PASS
Band8	10	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2633.72	-83.25	-50	PASS
Band8	10	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.04	-86.19	-50	PASS
Band8	10	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.50	-86.34	-50	PASS
Band8	10	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3567.52	-83.22	-50	PASS
Band8	10	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	793.01	-86.36	-50	PASS
Band8	10	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.45	-86.75	-50	PASS
Band8	10	21625	1	#0	QPSK	1452	1	1468.37	-85.83	-50	PASS


						MHz-1496 MHz	MHz				
Band8	10	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.14	-84.96	-50	PASS
Band8	10	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.37	-84.57	-50	PASS
Band8	10	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.65	-83.42	-50	PASS
Band8	10	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.10	-83.82	-50	PASS
Band8	10	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3410.40	-83.12	-50	PASS
Band8	10	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3770.00	-84.50	-50	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2115.04	-83.90	-50	PASS
Band8	10	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.62	-86.62	-50	PASS
Band8	10	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.81	-86.40	-50	PASS
Band8	10	21750	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.65	-36	PASS
Band8	10	21750	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.47	-36	PASS
Band8	10	21750	1	#0	QPSK	30 MHz-890.00 MHz	100 kHz	887.94	-36.87	-36	PASS
Band8	10	21750	1	#0	QPSK	930.00 MHz-1000 MHz	100 kHz	970.60	-72.86	-30	PASS
Band8	10	21750	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1165.50	-57.97	-30	PASS
Band8	10	21750	1	#0	QPSK	1500 MHz-12.75 GHz	1 MHz	2716.73	-52.90	-30	PASS
Band8	10	21750	1	#0	QPSK	2110	1	2122.96	-83.51	-50	PASS

						MHz-2170 MHz	MHz				
Band8	10	21750	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1863.20	-84.66	-50	PASS
Band8	10	21750	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2647.72	-83.24	-50	PASS
Band8	10	21750	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.10	-86.22	-50	PASS
Band8	10	21750	1	#0	QPSK	791 MHz-821 MHz	1 MHz	805.07	-86.32	-50	PASS
Band8	10	21750	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.64	-82.81	-50	PASS
Band8	10	21750	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.64	-86.29	-50	PASS
Band8	10	21750	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.26	-86.76	-50	PASS
Band8	10	21750	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1494.02	-85.81	-50	PASS
Band8	10	21750	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.14	-84.94	-50	PASS
Band8	10	21750	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.90	-84.52	-50	PASS
Band8	10	21750	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.95	-83.44	-50	PASS
Band8	10	21750	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.90	-83.77	-50	PASS
Band8	10	21750	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.60	-82.75	-50	PASS
Band8	10	21750	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3678.20	-84.76	-50	PASS
Band8	10	21750	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2123.14	-83.56	-50	PASS

Band8	10	21750	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.62	-86.62	-50	PASS
Band8	10	21750	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.62	-86.35	-50	PASS


Band1 QPSK BW=5MHz Channel=18025 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=5MHz Channel=18300 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=5MHz Channel=18575 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18100 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18300 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18500 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24175 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24300 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24425 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24250 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24300 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24350 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19225 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19925 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=38675 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=39150 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=39625 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=38750 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39150 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39550 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21475 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21775 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21500 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21750 RB Size=1 Position=#0

Conducted spurious emissions



6.3.2 Transmitter minimum output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Limit (dBm)	Verdict
Band1	5	18025	25	#0	QPSK	-47.03	-39	PASS
Band1	5	18300	25	#0	QPSK	-46.89	-39	PASS
Band1	5	18575	25	#0	QPSK	-47.10	-39	PASS
Band1	20	18100	100	#0	QPSK	-46.97	-39	PASS
Band1	20	18300	100	#0	QPSK	-47.01	-39	PASS
Band1	20	18500	100	#0	QPSK	-46.81	-39	PASS
Band20	5	24175	25	#0	QPSK	-48.32	-39	PASS
Band20	5	24300	25	#0	QPSK	-48.82	-39	PASS
Band20	5	24425	25	#0	QPSK	-49.01	-39	PASS
Band20	20	24250	100	#0	QPSK	-48.16	-39	PASS
Band20	20	24300	100	#0	QPSK	-48.84	-39	PASS
Band20	20	24350	100	#0	QPSK	-48.84	-39	PASS
Band3	1.4	19207	6	#0	QPSK	-47.69	-39	PASS
Band3	1.4	19575	6	#0	QPSK	-47.39	-39	PASS
Band3	1.4	19943	6	#0	QPSK	-47.18	-39	PASS
Band3	5	19225	25	#0	QPSK	-47.74	-39	PASS
Band3	5	19575	25	#0	QPSK	-47.28	-39	PASS
Band3	5	19925	25	#0	QPSK	-47.01	-39	PASS
Band3	20	19300	100	#0	QPSK	-47.62	-39	PASS
Band3	20	19575	100	#0	QPSK	-47.30	-39	PASS
Band3	20	19850	100	#0	QPSK	-47.19	-39	PASS

Band40	5	38675	25	#0	QPSK	-42.92	-39	PASS
Band40	5	39150	25	#0	QPSK	-46.76	-39	PASS
Band40	5	39625	25	#0	QPSK	-47.08	-39	PASS
Band40	20	38750	100	#0	QPSK	-43.67	-39	PASS
Band40	20	39150	100	#0	QPSK	-46.87	-39	PASS
Band40	20	39550	100	#0	QPSK	-47.00	-39	PASS
Band7	5	20775	25	#0	QPSK	-45.89	-39	PASS
Band7	5	21100	25	#0	QPSK	-47.16	-39	PASS
Band7	5	21425	25	#0	QPSK	-46.76	-39	PASS
Band7	20	20850	100	#0	QPSK	-45.85	-39	PASS
Band7	20	21100	100	#0	QPSK	-47.20	-39	PASS
Band7	20	21350	100	#0	QPSK	-46.88	-39	PASS
Band8	1.4	21457	6	#0	QPSK	-48.20	-39	PASS
Band8	1.4	21625	6	#0	QPSK	-48.92	-39	PASS
Band8	1.4	21793	6	#0	QPSK	-48.93	-39	PASS
Band8	5	21475	25	#0	QPSK	-48.15	-39	PASS
Band8	5	21625	25	#0	QPSK	-48.75	-39	PASS
Band8	5	21775	25	#0	QPSK	-48.88	-39	PASS
Band8	10	21500	50	#0	QPSK	-48.30	-39	PASS
Band8	10	21625	50	#0	QPSK	-48.83	-39	PASS
Band8	10	21750	50	#0	QPSK	-48.90	-39	PASS

7.5 Receiver adjacent channel selectivity

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2134.9975	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case1	2145.0025	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2134.9975	-25	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2145.0025	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2127.4975	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2152.5025	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2127.4975	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2152.5025	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	800.9975	-51.5	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	811.0025	-51.5	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	800.9975	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	811.0025	-25	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	793.4975	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	818.5025	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	793.4975	-25	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	818.5025	-25	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1841.0975	-56.2	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1843.9025	-56.2	100.00	95	PASS

Band3	1.4	19575	6	QPSK	Case2	1841.0975	-25	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1843.9025	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1837.4975	-51.5	95.24	95	PASS
Band3	5	19575	25	QPSK	Case1	1847.5025	-51.5	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1837.4975	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1847.5025	-25	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1829.9975	-51.5	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1855.0025	-51.5	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1829.9975	-25	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1855.0025	-25	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2344.9975	-54.5	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2355.0025	-54.5	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2344.9975	-25	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2355.0025	-25	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2337.4975	-54.5	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2362.5025	-54.5	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2337.4975	-25	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2362.5025	-25	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2649.9975	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2660.0025	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2649.9975	-25	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2660.0025	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2642.4975	-52.5	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2667.5025	-52.5	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2642.4975	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2667.5025	-25	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	941.0975	-56.7	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	943.9025	-56.7	99.80	95	PASS
Band8	1.4	21625	6	QPSK	Case2	941.0975	-25	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	943.9025	-25	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	937.4975	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	947.5025	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	937.4975	-25	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	947.5025	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	934.9925	-48.5	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	950.0075	-48.5	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	934.9925	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	950.0075	-25	100.00	95	PASS

7.6.1 Receiver blocking characteristics in-band

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2129.9875	-56	100.00	95	PASS

Band1	5	18300	25	QPSK	Case1	2150.0125	-56	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2124.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2119.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2114.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2109.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2104.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2099.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2155.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2160.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2165.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2170.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2175.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2180.0075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2122.4875	-56	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2157.5125	-56	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2117.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2112.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2107.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2102.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2097.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2162.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2167.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2172.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2177.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2182.5075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	795.9875	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	816.0125	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	790.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	785.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	780.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	821.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	826.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	831.0075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	788.4875	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	823.5125	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	783.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	778.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	828.5075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	833.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1839.6875	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1845.3125	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1838.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1836.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1835.4925	-44	100.00	95	PASS

Band3	1.4	19575	6	QPSK	Case2	1834.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1832.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1831.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1829.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1828.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1827.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1825.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1824.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1822.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1821.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1820.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1818.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1817.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1815.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1814.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1813.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1811.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1810.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1808.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1807.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1806.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1804.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1803.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1801.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1800.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1799.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1797.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1796.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1794.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1793.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1792.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1790.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1846.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1848.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1849.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1850.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1852.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1853.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1855.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1856.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1857.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1859.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1860.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1862.1075	-44	100.00	95	PASS

Band3	1.4	19575	6	QPSK	Case2	1863.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1864.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1866.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1867.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1869.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1870.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1871.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1873.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1874.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1876.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1877.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1878.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1880.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1881.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1883.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1884.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1885.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1887.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1888.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1890.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1891.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1892.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1894.3075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1832.4875	-56	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1852.5125	-56	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1827.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1822.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1817.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1812.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1807.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1802.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1797.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1792.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1857.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1862.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1867.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1872.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1877.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1882.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1887.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1892.5075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1824.9875	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1860.0125	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1819.9925	-44	100.00	95	PASS

Band3	20	19575	100	QPSK	Case2	1814.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1809.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1804.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1799.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1794.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1865.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1870.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1875.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1880.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1885.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1890.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2339.9875	-56	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2360.0125	-56	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2334.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2329.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2324.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2319.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2314.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2309.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2304.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2299.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2294.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2289.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2365.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2370.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2375.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2380.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2385.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2390.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2395.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2400.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2405.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2410.0075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2332.4875	-56	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2367.5125	-56	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2327.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2322.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2317.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2312.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2307.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2302.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2297.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2292.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2287.4925	-44	100.00	95	PASS

Band40	20	39150	100	QPSK	Case2	2372.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2377.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2382.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2387.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2392.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2397.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2402.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2407.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2412.5075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2644.9875	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2665.0125	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2639.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2634.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2629.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2624.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2619.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2614.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2609.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2670.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2675.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2680.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2685.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2690.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2695.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2700.0075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2637.4875	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2672.5125	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2632.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2627.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2622.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2617.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2612.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2607.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2677.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2682.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2687.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2692.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2697.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2702.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	939.6875	-56	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	945.3125	-56	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	938.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	936.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	935.4925	-44	100.00	95	PASS

Band8	1.4	21625	6	QPSK	Case2	934.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	932.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	931.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	929.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	928.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	927.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	925.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	924.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	922.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	921.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	920.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	918.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	917.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	915.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	914.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	913.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	911.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	910.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	946.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	948.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	949.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	950.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	952.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	953.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	955.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	956.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	957.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	959.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	960.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	962.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	963.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	964.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	966.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	967.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	969.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	970.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	971.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	973.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	974.7075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	932.4875	-56	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	952.5125	-56	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	927.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	922.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	917.4925	-44	100.00	95	PASS

Band8	5	21625	25	QPSK	Case2	912.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	957.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	962.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	967.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	972.5075	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	929.9975	-56	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	955.0025	-56	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	924.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	919.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	914.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	960.0125	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	965.0125	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	970.0125	-44	100.00	95	PASS

7.6.3 Receiver blocking characteristics narrow-band

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	2137.2925	-55	100.00	95	PASS
Band1	5	18300	25	QPSK	2142.7075	-55	100.00	95	PASS
Band1	20	18300	100	QPSK	2129.7925	-55	100.00	95	PASS
Band1	20	18300	100	QPSK	2150.2075	-55	100.00	95	PASS
Band20	5	24300	25	QPSK	803.2925	-55	100.00	95	PASS
Band20	5	24300	25	QPSK	808.7075	-55	100.00	95	PASS
Band20	20	24300	100	QPSK	795.7925	-55	100.00	95	PASS
Band20	20	24300	100	QPSK	816.2075	-55	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1841.5925	-55	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1843.4075	-55	100.00	95	PASS
Band3	5	19575	25	QPSK	1839.7925	-55	100.00	95	PASS
Band3	5	19575	25	QPSK	1845.2075	-55	100.00	95	PASS
Band3	20	19575	100	QPSK	1832.2925	-55	100.00	95	PASS
Band3	20	19575	100	QPSK	1852.7075	-55	100.00	95	PASS
Band40	5	39150	25	QPSK	2347.2925	-55	100.00	95	PASS
Band40	5	39150	25	QPSK	2352.7075	-55	100.00	95	PASS
Band40	20	39150	100	QPSK	2339.7925	-55	100.00	95	PASS
Band40	20	39150	100	QPSK	2360.2075	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2652.2925	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2657.7075	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2644.7925	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2665.2075	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	941.5925	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	943.4075	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	939.7925	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	945.2075	-55	100.00	95	PASS
Band8	10	21625	50	QPSK	937.2875	-55	100.00	95	PASS

Band8	10	21625	50	QPSK	947.7125	-55	100.00	95	PASS
-------	----	-------	----	------	----------	-----	--------	----	------

7.7 Receiver Spurious Response

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
------	-----------------	------------	------------	------------	-------------------------	--------------------------	----------------	-----------	---------

7.8.1 Receiver intermodulation characteristics

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference1 Freq (MHz)	Interference1 Level (dBm)	Interference2 Freq (MHz)	Interference2 Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	2130	-46	2120	-46	100.00	95	PASS
Band1	5	18300	25	QPSK	2150	-46	2160	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2122.5	-46	2105	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2157.5	-46	2175	-46	100.00	95	PASS
Band20	5	24300	25	QPSK	796	-46	786	-46	100.00	95	PASS
Band20	5	24300	25	QPSK	816	-46	826	-46	100.00	95	PASS
Band20	20	24300	100	QPSK	788.5	-46	771	-46	100.00	95	PASS
Band20	20	24300	100	QPSK	823.5	-46	841	-46	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1839.7	-46	1836.9	-46	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1845.3	-46	1848.1	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1832.5	-46	1822.5	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1852.5	-46	1862.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1825	-46	1807.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1860	-46	1877.5	-46	100.00	95	PASS
Band40	5	39150	25	QPSK	2340	-46	2330	-46	100.00	95	PASS
Band40	5	39150	25	QPSK	2360	-46	2370	-46	100.00	95	PASS
Band40	20	39150	100	QPSK	2332.5	-46	2315	-46	100.00	95	PASS
Band40	20	39150	100	QPSK	2367.5	-46	2385	-46	100.00	95	PASS
Band7	5	21100	25	QPSK	2645	-46	2635	-46	100.00	95	PASS
Band7	5	21100	25	QPSK	2665	-46	2675	-46	100.00	95	PASS
Band7	20	21100	100	QPSK	2637.5	-46	2620	-46	100.00	95	PASS
Band7	20	21100	100	QPSK	2672.5	-46	2690	-46	100.00	95	PASS
Band8	1.4	21625	6	QPSK	939.7	-46	936.9	-46	100.00	95	PASS
Band8	1.4	21625	6	QPSK	945.3	-46	948.1	-46	100.00	95	PASS
Band8	5	21625	25	QPSK	932.5	-46	922.5	-46	100.00	95	PASS

Band8	5	21625	25	QPSK	952.5	-46	962.5	-46	100.00	95	PASS
Band8	10	21625	50	QPSK	930	-46	917.5	-46	99.60	95	PASS
Band8	10	21625	50	QPSK	955	-46	967.5	-46	99.50	95	PASS


7.9 Receiver spurious emissions

Band	Bandwidth (MHz)	UL Channel	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band1	20	18100	QPSK	30 MHz-1000 MHz	100 kHz	868.27	-79.01	-57	PASS
Band1	20	18100	QPSK	1000 MHz-12.75 GHz	1 MHz	2124.08	-75.13	-47	PASS
Band1	20	18300	QPSK	30 MHz-1000 MHz	100 kHz	948.20	-80.09	-57	PASS
Band1	20	18300	QPSK	1000 MHz-12.75 GHz	1 MHz	1726.54	-64.24	-47	PASS
Band1	20	18500	QPSK	30 MHz-1000 MHz	100 kHz	944.23	-82.93	-57	PASS
Band1	20	18500	QPSK	1000 MHz-12.75 GHz	1 MHz	2153.46	-76.88	-47	PASS
Band20	20	24250	QPSK	30 MHz-1000 MHz	100 kHz	806.68	-84.77	-57	PASS
Band20	20	24250	QPSK	1000 MHz-12.75 GHz	1 MHz	9611.77	-77.88	-47	PASS
Band20	20	24300	QPSK	30 MHz-1000 MHz	100 kHz	805.71	-85.67	-57	PASS
Band20	20	24300	QPSK	1000 MHz-12.75 GHz	1 MHz	2402.17	-72.57	-47	PASS
Band20	20	24350	QPSK	30 MHz-1000 MHz	100 kHz	819.19	-85.10	-57	PASS
Band20	20	24350	QPSK	1000 MHz-12.75 GHz	1 MHz	9732.21	-79.33	-47	PASS
Band3	20	19300	QPSK	30 MHz-1000 MHz	100 kHz	868.27	-72.55	-57	PASS
Band3	20	19300	QPSK	1000 MHz-12.75 GHz	1 MHz	1808.79	-74.35	-47	PASS
Band3	20	19575	QPSK	30 MHz-1000 MHz	100 kHz	948.20	-81.23	-57	PASS
Band3	20	19575	QPSK	1000 MHz-12.75 GHz	1 MHz	1834.25	-76.47	-47	PASS
Band3	20	19850	QPSK	30 MHz-1000 MHz	100 kHz	945.78	-81.85	-57	PASS
Band3	20	19850	QPSK	1000 MHz-12.75 GHz	1 MHz	1866.56	-79.47	-47	PASS
Band40	20	38750	QPSK	30 MHz-1000 MHz	100 kHz	944.23	-85.02	-57	PASS

				MHz	kHz				
Band40	20	38750	QPSK	1000 MHz-12.75 GHz	1 MHz	9239.69	-64.21	-47	PASS
Band40	20	39150	QPSK	30 MHz-1000 MHz	100 kHz	944.23	-83.31	-57	PASS
Band40	20	39150	QPSK	1000 MHz-12.75 GHz	1 MHz	9400.27	-66.63	-47	PASS
Band40	20	39550	QPSK	30 MHz-1000 MHz	100 kHz	948.20	-83.78	-57	PASS
Band40	20	39550	QPSK	1000 MHz-12.75 GHz	1 MHz	9559.88	-70.72	-47	PASS
Band7	20	20850	QPSK	30 MHz-1000 MHz	100 kHz	948.20	-84.74	-57	PASS
Band7	20	20850	QPSK	1000 MHz-12.75 GHz	1 MHz	2638.15	-75.39	-47	PASS
Band7	20	21100	QPSK	30 MHz-1000 MHz	100 kHz	948.20	-76.97	-57	PASS
Band7	20	21100	QPSK	1000 MHz-12.75 GHz	1 MHz	2651.85	-73.12	-47	PASS
Band7	20	21350	QPSK	30 MHz-1000 MHz	100 kHz	945.87	-82.48	-57	PASS
Band7	20	21350	QPSK	1000 MHz-12.75 GHz	1 MHz	2686.13	-71.00	-47	PASS
Band8	10	21500	QPSK	30 MHz-1000 MHz	100 kHz	930.16	-88.35	-57	PASS
Band8	10	21500	QPSK	1000 MHz-12.75 GHz	1 MHz	12219.29	-81.20	-47	PASS
Band8	10	21625	QPSK	30 MHz-1000 MHz	100 kHz	948.20	-82.04	-57	PASS
Band8	10	21625	QPSK	1000 MHz-12.75 GHz	1 MHz	12226.15	-81.16	-47	PASS
Band8	10	21750	QPSK	30 MHz-1000 MHz	100 kHz	958.58	-85.76	-57	PASS
Band8	10	21750	QPSK	1000 MHz-12.75 GHz	1 MHz	12236.92	-81.19	-47	PASS


Band1 QPSK BW=20MHz Channel=18100

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18300

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18500

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24250

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24300

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24350

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=38750

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39150

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39550

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21100

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21350

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21500

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21625

Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21750

Conducted spurious emissions



6.6.2.3 Transmitter adjacent channel leakage power ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Type	ACLR (dBc)	Limit (dBc)	Verdict
Band1	5	18025	8	#0	QPSK	U-ACLR2-	66.33	35.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR1-	43.63	32.2	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR1-	40.52	29.2	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR1+	46.88	29.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR1+	47.09	32.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR2+	70.04	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2-	70.71	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR1-	46.55	32.2	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR1-	46.34	29.2	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR1+	41.57	29.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR1+	44.54	32.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2+	64.75	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR2-	55.87	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR1-	41.47	32.2	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR1-	40.61	29.2	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR1+	41.01	29.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR1+	41.92	32.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR2+	55.75	35.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR2-	66.63	35.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR1-	45.15	32.2	PASS
Band1	5	18025	8	#0	QAM16	E-ACLR1-	41.87	29.2	PASS
Band1	5	18025	8	#0	QAM16	E-ACLR1+	47.09	29.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR1+	47.30	32.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR2+	69.95	35.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR2-	70.43	35.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR1-	47.06	32.2	PASS
Band1	5	18025	8	#Max	QAM16	E-ACLR1-	46.87	29.2	PASS
Band1	5	18025	8	#Max	QAM16	E-ACLR1+	42.53	29.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR1+	45.69	32.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR2+	65.67	35.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR2-	56.70	35.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR1-	41.83	32.2	PASS
Band1	5	18025	25	#0	QAM16	E-ACLR1-	40.95	29.2	PASS
Band1	5	18025	25	#0	QAM16	E-ACLR1+	41.33	29.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR1+	42.30	32.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR2+	56.64	35.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR2-	66.39	35.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR1-	42.65	32.2	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR1-	39.64	29.2	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR1+	47.40	29.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR1+	47.63	32.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR2+	71.55	35.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2-	70.58	35.2	PASS

Band1	5	18300	8	#Max	QPSK	U-ACLR1-	47.30	32.2	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR1-	47.06	29.2	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR1+	40.40	29.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR1+	43.45	32.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2+	66.78	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2-	55.49	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR1-	40.87	32.2	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR1-	40.02	29.2	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR1+	41.40	29.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR1+	42.32	32.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2+	57.53	35.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR2-	66.80	35.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR1-	44.54	32.2	PASS
Band1	5	18300	8	#0	QAM16	E-ACLR1-	41.31	29.2	PASS
Band1	5	18300	8	#0	QAM16	E-ACLR1+	47.74	29.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR1+	47.94	32.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR2+	71.21	35.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR2-	69.90	35.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR1-	47.73	32.2	PASS
Band1	5	18300	8	#Max	QAM16	E-ACLR1-	47.52	29.2	PASS
Band1	5	18300	8	#Max	QAM16	E-ACLR1+	42.11	29.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR1+	45.32	32.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR2+	67.27	35.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR2-	56.70	35.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR1-	41.39	32.2	PASS
Band1	5	18300	25	#0	QAM16	E-ACLR1-	40.52	29.2	PASS
Band1	5	18300	25	#0	QAM16	E-ACLR1+	41.79	29.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR1+	42.76	32.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR2+	58.62	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2-	66.23	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR1-	44.91	32.2	PASS
Band1	5	18575	8	#0	QPSK	E-ACLR1-	42.40	29.2	PASS
Band1	5	18575	8	#0	QPSK	E-ACLR1+	46.46	29.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR1+	46.68	32.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2+	69.35	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2-	71.19	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR1-	46.40	32.2	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR1-	46.18	29.2	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR1+	42.02	29.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR1+	44.48	32.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2+	63.74	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2-	55.17	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR1-	45.52	32.2	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR1-	44.63	29.2	PASS

Band1	5	18575	25	#0	QPSK	E-ACLR1+	43.65	29.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR1+	44.53	32.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2+	54.37	35.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR2-	66.66	35.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR1-	46.17	32.2	PASS
Band1	5	18575	8	#0	QAM16	E-ACLR1-	43.65	29.2	PASS
Band1	5	18575	8	#0	QAM16	E-ACLR1+	47.12	29.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR1+	47.33	32.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR2+	69.42	35.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR2-	70.83	35.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR1-	46.85	32.2	PASS
Band1	5	18575	8	#Max	QAM16	E-ACLR1-	46.66	29.2	PASS
Band1	5	18575	8	#Max	QAM16	E-ACLR1+	43.50	29.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR1+	46.01	32.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR2+	64.78	35.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR2-	56.15	35.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR1-	45.71	32.2	PASS
Band1	5	18575	25	#0	QAM16	E-ACLR1-	44.82	29.2	PASS
Band1	5	18575	25	#0	QAM16	E-ACLR1+	44.10	29.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR1+	44.99	32.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR2+	55.31	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2-	63.43	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR1-	43.04	32.2	PASS
Band1	10	18050	12	#0	QPSK	E-ACLR1-	42.55	29.2	PASS
Band1	10	18050	12	#0	QPSK	E-ACLR1+	45.36	29.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR1+	51.00	32.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2+	49.18	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2-	50.64	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR1-	52.11	32.2	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR1-	46.66	29.2	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR1+	43.66	29.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR1+	44.16	32.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2+	63.38	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2-	48.30	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR1-	42.33	32.2	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR1-	40.63	29.2	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR1+	40.95	29.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR1+	42.62	32.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2+	48.44	35.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR2-	62.75	35.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR1-	43.83	32.2	PASS
Band1	10	18050	12	#0	QAM16	E-ACLR1-	43.31	29.2	PASS
Band1	10	18050	12	#0	QAM16	E-ACLR1+	45.85	29.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR1+	51.46	32.2	PASS

Band1	10	18050	12	#0	QAM16	U-ACLR2+	49.79	35.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR2-	51.25	35.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR1-	52.66	32.2	PASS
Band1	10	18050	12	#Max	QAM16	E-ACLR1-	47.20	29.2	PASS
Band1	10	18050	12	#Max	QAM16	E-ACLR1+	44.25	29.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR1+	44.73	32.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR2+	62.71	35.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR2-	49.15	35.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR1-	42.30	32.2	PASS
Band1	10	18050	50	#0	QAM16	E-ACLR1-	40.79	29.2	PASS
Band1	10	18050	50	#0	QAM16	E-ACLR1+	41.29	29.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR1+	42.80	32.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR2+	49.34	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR2-	63.28	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR1-	42.21	32.2	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR1-	41.75	29.2	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR1+	49.06	29.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR1+	54.31	32.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR2+	53.12	35.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR2-	50.40	35.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR1-	51.53	32.2	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR1-	46.29	29.2	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR1+	42.62	29.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR1+	43.09	32.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR2+	64.94	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2-	47.66	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR1-	41.32	32.2	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR1-	39.71	29.2	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR1+	42.30	29.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR1+	43.82	32.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2+	50.39	35.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR2-	62.46	35.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR1-	43.28	32.2	PASS
Band1	10	18300	12	#0	QAM16	E-ACLR1-	42.76	29.2	PASS
Band1	10	18300	12	#0	QAM16	E-ACLR1+	48.56	29.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR1+	53.86	32.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR2+	52.70	35.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR2-	51.10	35.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR1-	52.10	32.2	PASS
Band1	10	18300	12	#Max	QAM16	E-ACLR1-	46.89	29.2	PASS
Band1	10	18300	12	#Max	QAM16	E-ACLR1+	43.74	29.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR1+	44.21	32.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR2+	64.19	35.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR2-	48.96	35.2	PASS

Band1	10	18300	50	#0	QAM16	U-ACLR1-	41.69	32.2	PASS
Band1	10	18300	50	#0	QAM16	E-ACLR1-	40.27	29.2	PASS
Band1	10	18300	50	#0	QAM16	E-ACLR1+	42.70	29.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR1+	44.03	32.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR2+	51.58	35.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR2-	63.55	35.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR1-	44.17	32.2	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR1-	43.74	29.2	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR1+	45.20	29.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR1+	50.73	32.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR2+	49.14	35.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2-	51.59	35.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR1-	52.89	32.2	PASS
Band1	10	18550	12	#Max	QPSK	E-ACLR1-	47.54	29.2	PASS
Band1	10	18550	12	#Max	QPSK	E-ACLR1+	43.30	29.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR1+	43.70	32.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2+	63.31	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2-	51.20	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR1-	46.86	32.2	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR1-	44.84	29.2	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR1+	43.08	29.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR1+	45.01	32.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2+	49.49	35.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR2-	63.22	35.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR1-	44.89	32.2	PASS
Band1	10	18550	12	#0	QAM16	E-ACLR1-	44.44	29.2	PASS
Band1	10	18550	12	#0	QAM16	E-ACLR1+	45.42	29.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR1+	50.99	32.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR2+	49.42	35.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR2-	52.18	35.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR1-	53.39	32.2	PASS
Band1	10	18550	12	#Max	QAM16	E-ACLR1-	48.07	29.2	PASS
Band1	10	18550	12	#Max	QAM16	E-ACLR1+	44.22	29.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR1+	44.64	32.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR2+	62.81	35.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR2-	51.27	35.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR1-	47.07	32.2	PASS
Band1	10	18550	50	#0	QAM16	E-ACLR1-	45.00	29.2	PASS
Band1	10	18550	50	#0	QAM16	E-ACLR1+	43.78	29.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR1+	45.82	32.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR2+	50.01	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2-	60.61	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR1-	44.11	32.2	PASS
Band1	20	18100	18	#0	QPSK	E-ACLR1-	45.87	29.2	PASS

Band1	20	18100	18	#0	QPSK	E-ACLR1+	46.69	29.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR1+	60.75	32.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2+	56.59	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2-	58.48	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR1-	62.53	32.2	PASS
Band1	20	18100	18	#Max	QPSK	E-ACLR1-	48.76	29.2	PASS
Band1	20	18100	18	#Max	QPSK	E-ACLR1+	45.91	29.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR1+	44.20	32.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2+	61.67	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2-	46.12	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR1-	44.53	32.2	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR1-	40.65	29.2	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR1+	41.82	29.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR1+	45.09	32.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2+	47.87	35.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR2-	60.20	35.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR1-	44.82	32.2	PASS
Band1	20	18100	18	#0	QAM16	E-ACLR1-	46.60	29.2	PASS
Band1	20	18100	18	#0	QAM16	E-ACLR1+	47.32	29.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR1+	59.85	32.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR2+	57.54	35.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR2-	59.08	35.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR1-	61.76	32.2	PASS
Band1	20	18100	18	#Max	QAM16	E-ACLR1-	49.27	29.2	PASS
Band1	20	18100	18	#Max	QAM16	E-ACLR1+	46.69	29.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR1+	44.99	32.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR2+	61.21	35.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR2-	45.96	35.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR1-	44.47	32.2	PASS
Band1	20	18100	100	#0	QAM16	E-ACLR1-	40.73	29.2	PASS
Band1	20	18100	100	#0	QAM16	E-ACLR1+	42.24	29.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR1+	45.36	32.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR2+	48.20	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2-	61.91	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR1-	43.54	32.2	PASS
Band1	20	18300	18	#0	QPSK	E-ACLR1-	45.32	29.2	PASS
Band1	20	18300	18	#0	QPSK	E-ACLR1+	49.28	29.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR1+	63.76	32.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2+	59.75	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR2-	56.74	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR1-	60.38	32.2	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR1-	46.93	29.2	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR1+	45.67	29.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR1+	43.96	32.2	PASS

Band1	20	18300	18	#Max	QPSK	U-ACLR2+	61.04	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2-	45.85	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR1-	43.63	32.2	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR1-	40.15	29.2	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR1+	44.19	29.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR1+	47.49	32.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2+	50.41	35.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR2-	61.53	35.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR1-	44.47	32.2	PASS
Band1	20	18300	18	#0	QAM16	E-ACLR1-	46.28	29.2	PASS
Band1	20	18300	18	#0	QAM16	E-ACLR1+	49.76	29.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR1+	62.92	32.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR2+	60.48	35.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR2-	57.57	35.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR1-	59.49	32.2	PASS
Band1	20	18300	18	#Max	QAM16	E-ACLR1-	47.49	29.2	PASS
Band1	20	18300	18	#Max	QAM16	E-ACLR1+	46.91	29.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR1+	45.23	32.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR2+	61.07	35.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR2-	46.25	35.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR1-	43.89	32.2	PASS
Band1	20	18300	100	#0	QAM16	E-ACLR1-	40.63	29.2	PASS
Band1	20	18300	100	#0	QAM16	E-ACLR1+	44.29	29.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR1+	47.45	32.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR2+	50.40	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR2-	59.14	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR1-	44.09	32.2	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR1-	45.46	29.2	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR1+	46.87	29.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR1+	61.23	32.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR2+	56.91	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2-	56.09	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR1-	61.60	32.2	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR1-	45.66	29.2	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR1+	45.80	29.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR1+	44.69	32.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2+	59.96	35.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2-	49.63	35.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR1-	48.36	32.2	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR1-	43.79	29.2	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR1+	42.58	29.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR1+	46.47	32.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2+	48.44	35.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR2-	59.12	35.2	PASS

Band1	20	18500	18	#0	QAM16	U-ACLR1-	45.16	32.2	PASS
Band1	20	18500	18	#0	QAM16	E-ACLR1-	46.42	29.2	PASS
Band1	20	18500	18	#0	QAM16	E-ACLR1+	47.21	29.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR1+	60.35	32.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR2+	57.51	35.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR2-	56.95	35.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR1-	60.78	32.2	PASS
Band1	20	18500	18	#Max	QAM16	E-ACLR1-	46.20	29.2	PASS
Band1	20	18500	18	#Max	QAM16	E-ACLR1+	46.45	29.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR1+	45.41	32.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR2+	59.77	35.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR2-	49.18	35.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR1-	48.19	32.2	PASS
Band1	20	18500	100	#0	QAM16	E-ACLR1-	43.56	29.2	PASS
Band1	20	18500	100	#0	QAM16	E-ACLR1+	43.63	29.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR1+	47.67	32.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR2+	49.55	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2-	67.34	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR1-	44.26	32.2	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR1-	41.23	29.2	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR1+	53.82	29.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR1+	54.32	32.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2+	70.91	35.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2-	73.37	35.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR1-	56.62	32.2	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR1-	56.00	29.2	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR1+	38.31	29.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR1+	41.95	32.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2+	61.46	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2-	69.43	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR1-	44.11	32.2	PASS
Band20	5	24175	25	#0	QPSK	E-ACLR1-	43.00	29.2	PASS
Band20	5	24175	25	#0	QPSK	E-ACLR1+	38.73	29.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR1+	39.64	32.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2+	63.10	35.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR2-	67.39	35.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR1-	46.26	32.2	PASS
Band20	5	24175	8	#0	QAM16	E-ACLR1-	43.05	29.2	PASS
Band20	5	24175	8	#0	QAM16	E-ACLR1+	53.77	29.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR1+	54.33	32.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR2+	70.70	35.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR2-	72.42	35.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR1-	56.27	32.2	PASS
Band20	5	24175	8	#Max	QAM16	E-ACLR1-	55.60	29.2	PASS

Band20	5	24175	8	#Max	QAM16	E-ACLR1+	40.36	29.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR1+	44.15	32.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR2+	61.74	35.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR2-	70.54	35.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR1-	46.02	32.2	PASS
Band20	5	24175	25	#0	QAM16	E-ACLR1-	44.86	29.2	PASS
Band20	5	24175	25	#0	QAM16	E-ACLR1+	40.20	29.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR1+	41.12	32.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR2+	64.08	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2-	58.97	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR1-	45.72	32.2	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR1-	43.14	29.2	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR1+	51.22	29.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR1+	51.66	32.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2+	66.31	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2-	72.81	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR1-	51.35	32.2	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR1-	51.04	29.2	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR1+	40.89	29.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR1+	44.36	32.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2+	62.90	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2-	63.27	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR1-	46.08	32.2	PASS
Band20	5	24300	25	#0	QPSK	E-ACLR1-	44.99	29.2	PASS
Band20	5	24300	25	#0	QPSK	E-ACLR1+	43.39	29.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR1+	44.38	32.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2+	64.29	35.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR2-	59.45	35.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR1-	46.92	32.2	PASS
Band20	5	24300	8	#0	QAM16	E-ACLR1-	44.30	29.2	PASS
Band20	5	24300	8	#0	QAM16	E-ACLR1+	52.03	29.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR1+	52.53	32.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR2+	66.05	35.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR2-	71.93	35.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR1-	51.69	32.2	PASS
Band20	5	24300	8	#Max	QAM16	E-ACLR1-	51.34	29.2	PASS
Band20	5	24300	8	#Max	QAM16	E-ACLR1+	42.61	29.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR1+	46.27	32.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR2+	63.16	35.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR2-	64.02	35.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR1-	46.66	32.2	PASS
Band20	5	24300	25	#0	QAM16	E-ACLR1-	45.55	29.2	PASS
Band20	5	24300	25	#0	QAM16	E-ACLR1+	44.24	29.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR1+	45.32	32.2	PASS

Band20	5	24300	25	#0	QAM16	U-ACLR2+	65.40	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2-	60.39	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR1-	44.34	32.2	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR1-	41.38	29.2	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR1+	52.88	29.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR1+	53.28	32.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2+	71.97	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2-	71.65	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR1-	51.96	32.2	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR1-	51.61	29.2	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR1+	43.31	29.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR1+	46.09	32.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2+	60.17	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR2-	60.64	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR1-	42.90	32.2	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR1-	41.98	29.2	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR1+	43.23	29.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR1+	44.22	32.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR2+	62.24	35.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR2-	60.72	35.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR1-	46.05	32.2	PASS
Band20	5	24425	8	#0	QAM16	E-ACLR1-	42.96	29.2	PASS
Band20	5	24425	8	#0	QAM16	E-ACLR1+	52.82	29.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR1+	53.26	32.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR2+	71.10	35.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR2-	70.67	35.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR1-	52.02	32.2	PASS
Band20	5	24425	8	#Max	QAM16	E-ACLR1-	51.63	29.2	PASS
Band20	5	24425	8	#Max	QAM16	E-ACLR1+	44.41	29.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR1+	47.47	32.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR2+	60.35	35.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR2-	61.89	35.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR1-	43.52	32.2	PASS
Band20	5	24425	25	#0	QAM16	E-ACLR1-	42.58	29.2	PASS
Band20	5	24425	25	#0	QAM16	E-ACLR1+	43.96	29.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR1+	44.99	32.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR2+	63.41	35.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR2-	73.18	35.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR1-	43.73	32.2	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR1-	43.32	29.2	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR1+	52.53	29.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR1+	57.28	32.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR2+	56.79	35.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2-	70.19	35.2	PASS

Band20	10	24200	12	#Max	QPSK	U-ACLR1-	59.89	32.2	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR1-	58.47	29.2	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR1+	43.78	29.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR1+	44.25	32.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2+	62.45	35.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR2-	60.54	35.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR1-	45.20	32.2	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR1-	44.61	29.2	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR1+	39.25	29.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR1+	40.50	32.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR2+	48.82	35.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR2-	72.23	35.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR1-	45.52	32.2	PASS
Band20	10	24200	12	#0	QAM16	E-ACLR1-	45.11	29.2	PASS
Band20	10	24200	12	#0	QAM16	E-ACLR1+	52.89	29.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR1+	57.07	32.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR2+	57.31	35.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR2-	71.27	35.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR1-	59.14	32.2	PASS
Band20	10	24200	12	#Max	QAM16	E-ACLR1-	57.96	29.2	PASS
Band20	10	24200	12	#Max	QAM16	E-ACLR1+	45.02	29.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR1+	45.48	32.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR2+	62.66	35.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR2-	62.17	35.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR1-	46.58	32.2	PASS
Band20	10	24200	50	#0	QAM16	E-ACLR1-	45.97	29.2	PASS
Band20	10	24200	50	#0	QAM16	E-ACLR1+	40.63	29.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR1+	41.78	32.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR2+	50.84	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2-	62.93	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR1-	46.83	32.2	PASS
Band20	10	24300	12	#0	QPSK	E-ACLR1-	46.44	29.2	PASS
Band20	10	24300	12	#0	QPSK	E-ACLR1+	53.86	29.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR1+	58.12	32.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2+	58.30	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2-	59.01	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR1-	58.00	32.2	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR1-	54.25	29.2	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR1+	41.81	29.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR1+	42.33	32.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2+	64.66	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2-	51.82	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR1-	47.26	32.2	PASS
Band20	10	24300	50	#0	QPSK	E-ACLR1-	45.38	29.2	PASS

Band20	10	24300	50	#0	QPSK	E-ACLR1+	43.55	29.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR1+	45.02	32.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2+	51.60	35.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR2-	63.17	35.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR1-	46.93	32.2	PASS
Band20	10	24300	12	#0	QAM16	E-ACLR1-	46.45	29.2	PASS
Band20	10	24300	12	#0	QAM16	E-ACLR1+	53.91	29.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR1+	57.68	32.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR2+	58.61	35.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR2-	59.04	35.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR1-	57.60	32.2	PASS
Band20	10	24300	12	#Max	QAM16	E-ACLR1-	54.08	29.2	PASS
Band20	10	24300	12	#Max	QAM16	E-ACLR1+	43.66	29.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR1+	44.15	32.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR2+	64.59	35.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR2-	53.13	35.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR1-	47.27	32.2	PASS
Band20	10	24300	50	#0	QAM16	E-ACLR1-	45.65	29.2	PASS
Band20	10	24300	50	#0	QAM16	E-ACLR1+	44.61	29.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR1+	45.84	32.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR2+	53.77	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2-	62.52	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR1-	41.40	32.2	PASS
Band20	10	24400	12	#0	QPSK	E-ACLR1-	40.91	29.2	PASS
Band20	10	24400	12	#0	QPSK	E-ACLR1+	52.82	29.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR1+	57.53	32.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2+	56.92	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2-	55.86	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR1-	55.53	32.2	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR1-	51.35	29.2	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR1+	45.02	29.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR1+	45.47	32.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2+	63.26	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2-	48.15	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR1-	41.68	32.2	PASS
Band20	10	24400	50	#0	QPSK	E-ACLR1-	40.13	29.2	PASS
Band20	10	24400	50	#0	QPSK	E-ACLR1+	42.15	29.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR1+	43.45	32.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2+	50.73	35.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR2-	62.81	35.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR1-	43.08	32.2	PASS
Band20	10	24400	12	#0	QAM16	E-ACLR1-	42.57	29.2	PASS
Band20	10	24400	12	#0	QAM16	E-ACLR1+	53.26	29.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR1+	57.44	32.2	PASS

Band20	10	24400	12	#0	QAM16	U-ACLR2+	57.61	35.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR2-	56.25	35.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR1-	55.54	32.2	PASS
Band20	10	24400	12	#Max	QAM16	E-ACLR1-	51.55	29.2	PASS
Band20	10	24400	12	#Max	QAM16	E-ACLR1+	46.20	29.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR1+	46.65	32.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR2+	63.48	35.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR2-	50.06	35.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR1-	42.55	32.2	PASS
Band20	10	24400	50	#0	QAM16	E-ACLR1-	41.18	29.2	PASS
Band20	10	24400	50	#0	QAM16	E-ACLR1+	43.48	29.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR1+	44.63	32.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR2+	52.96	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR2-	73.07	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR1-	44.06	32.2	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR1-	46.38	29.2	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR1+	51.97	29.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR1+	62.29	32.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR2+	61.62	35.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR2-	73.22	35.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR1-	63.34	32.2	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR1-	64.73	29.2	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR1+	46.07	29.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR1+	43.64	32.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR2+	64.16	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR2-	60.15	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR1-	46.02	32.2	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR1-	45.99	29.2	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR1+	41.79	29.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR1+	45.03	32.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR2+	48.11	35.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR2-	72.18	35.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR1-	45.99	32.2	PASS
Band20	20	24250	18	#0	QAM16	E-ACLR1-	48.25	29.2	PASS
Band20	20	24250	18	#0	QAM16	E-ACLR1+	52.48	29.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR1+	61.32	32.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR2+	61.82	35.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR2-	72.24	35.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR1-	62.48	32.2	PASS
Band20	20	24250	18	#Max	QAM16	E-ACLR1-	64.06	29.2	PASS
Band20	20	24250	18	#Max	QAM16	E-ACLR1+	47.81	29.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR1+	45.24	32.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR2+	63.55	35.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR2-	61.28	35.2	PASS

Band20	20	24250	100	#0	QAM16	U-ACLR1-	47.06	32.2	PASS
Band20	20	24250	100	#0	QAM16	E-ACLR1-	47.01	29.2	PASS
Band20	20	24250	100	#0	QAM16	E-ACLR1+	43.75	29.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR1+	46.79	32.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR2+	50.03	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2-	64.16	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR1-	43.35	32.2	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR1-	45.38	29.2	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR1+	52.34	29.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR1+	62.17	32.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2+	61.62	35.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2-	63.71	35.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR1-	61.09	32.2	PASS
Band20	20	24300	18	#Max	QPSK	E-ACLR1-	58.61	29.2	PASS
Band20	20	24300	18	#Max	QPSK	E-ACLR1+	45.64	29.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR1+	43.20	32.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2+	63.18	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2-	49.67	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR1-	46.91	32.2	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR1-	44.54	29.2	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR1+	43.16	29.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR1+	46.28	32.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2+	48.81	35.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR2-	63.83	35.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR1-	44.59	32.2	PASS
Band20	20	24300	18	#0	QAM16	E-ACLR1-	46.74	29.2	PASS
Band20	20	24300	18	#0	QAM16	E-ACLR1+	52.56	29.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR1+	61.28	32.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR2+	61.52	35.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR2-	63.14	35.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR1-	60.23	32.2	PASS
Band20	20	24300	18	#Max	QAM16	E-ACLR1-	58.09	29.2	PASS
Band20	20	24300	18	#Max	QAM16	E-ACLR1+	47.62	29.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR1+	45.17	32.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR2+	62.85	35.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR2-	49.58	35.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR1-	46.91	32.2	PASS
Band20	20	24300	100	#0	QAM16	E-ACLR1-	44.55	29.2	PASS
Band20	20	24300	100	#0	QAM16	E-ACLR1+	44.60	29.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR1+	47.46	32.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR2+	50.41	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2-	62.70	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR1-	47.91	32.2	PASS
Band20	20	24350	18	#0	QPSK	E-ACLR1-	48.88	29.2	PASS

Band20	20	24350	18	#0	QPSK	E-ACLR1+	54.58	29.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR1+	62.49	32.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2+	61.54	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2-	61.32	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR1-	61.15	32.2	PASS
Band20	20	24350	18	#Max	QPSK	E-ACLR1-	54.98	29.2	PASS
Band20	20	24350	18	#Max	QPSK	E-ACLR1+	47.60	29.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR1+	45.96	32.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2+	63.18	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2-	50.21	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR1-	48.49	32.2	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR1-	43.94	29.2	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR1+	43.71	29.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR1+	45.94	32.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2+	49.26	35.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR2-	62.41	35.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR1-	48.18	32.2	PASS
Band20	20	24350	18	#0	QAM16	E-ACLR1-	49.49	29.2	PASS
Band20	20	24350	18	#0	QAM16	E-ACLR1+	54.78	29.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR1+	61.67	32.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR2+	61.63	35.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR2-	61.07	35.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR1-	60.34	32.2	PASS
Band20	20	24350	18	#Max	QAM16	E-ACLR1-	54.80	29.2	PASS
Band20	20	24350	18	#Max	QAM16	E-ACLR1+	48.82	29.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR1+	47.05	32.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR2+	62.69	35.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR2-	48.69	35.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR1-	48.11	32.2	PASS
Band20	20	24350	100	#0	QAM16	E-ACLR1-	43.36	29.2	PASS
Band20	20	24350	100	#0	QAM16	E-ACLR1+	44.74	29.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR1+	46.92	32.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR2+	50.42	35.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR1-	44.82	32.2	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR1-	38.34	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR1+	40.79	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR1+	47.94	32.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR1-	48.42	32.2	PASS
Band3	1.4	19207	5	#Max	QPSK	E-ACLR1-	41.00	29.2	PASS
Band3	1.4	19207	5	#Max	QPSK	E-ACLR1+	38.23	29.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR1+	44.55	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	U-ACLR1-	45.12	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR1-	40.37	29.2	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR1+	40.29	29.2	PASS

Band3	1.4	19207	6	#0	QPSK	U-ACLR1+	44.84	32.2	PASS
Band3	1.4	19207	5	#0	QAM16	U-ACLR1-	46.69	32.2	PASS
Band3	1.4	19207	5	#0	QAM16	E-ACLR1-	40.09	29.2	PASS
Band3	1.4	19207	5	#0	QAM16	E-ACLR1+	42.75	29.2	PASS
Band3	1.4	19207	5	#0	QAM16	U-ACLR1+	49.46	32.2	PASS
Band3	1.4	19207	5	#Max	QAM16	U-ACLR1-	49.93	32.2	PASS
Band3	1.4	19207	5	#Max	QAM16	E-ACLR1-	43.02	29.2	PASS
Band3	1.4	19207	5	#Max	QAM16	E-ACLR1+	40.14	29.2	PASS
Band3	1.4	19207	5	#Max	QAM16	U-ACLR1+	46.45	32.2	PASS
Band3	1.4	19207	6	#0	QAM16	U-ACLR1-	46.54	32.2	PASS
Band3	1.4	19207	6	#0	QAM16	E-ACLR1-	41.46	29.2	PASS
Band3	1.4	19207	6	#0	QAM16	E-ACLR1+	41.36	29.2	PASS
Band3	1.4	19207	6	#0	QAM16	U-ACLR1+	46.13	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR1-	44.78	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR1-	36.59	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR1+	40.17	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR1+	49.84	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR1-	49.66	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR1-	40.06	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR1+	36.85	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR1+	44.86	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR1-	44.60	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR1-	38.40	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR1+	38.74	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR1+	45.03	32.2	PASS
Band3	1.4	19575	5	#0	QAM16	U-ACLR1-	46.68	32.2	PASS
Band3	1.4	19575	5	#0	QAM16	E-ACLR1-	38.45	29.2	PASS
Band3	1.4	19575	5	#0	QAM16	E-ACLR1+	42.33	29.2	PASS
Band3	1.4	19575	5	#0	QAM16	U-ACLR1+	51.32	32.2	PASS
Band3	1.4	19575	5	#Max	QAM16	U-ACLR1-	51.05	32.2	PASS
Band3	1.4	19575	5	#Max	QAM16	E-ACLR1-	42.05	29.2	PASS
Band3	1.4	19575	5	#Max	QAM16	E-ACLR1+	38.66	29.2	PASS
Band3	1.4	19575	5	#Max	QAM16	U-ACLR1+	46.78	32.2	PASS
Band3	1.4	19575	6	#0	QAM16	U-ACLR1-	46.37	32.2	PASS
Band3	1.4	19575	6	#0	QAM16	E-ACLR1-	40.08	29.2	PASS
Band3	1.4	19575	6	#0	QAM16	E-ACLR1+	40.51	29.2	PASS
Band3	1.4	19575	6	#0	QAM16	U-ACLR1+	46.75	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR1-	40.52	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR1-	37.07	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR1+	38.88	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR1+	42.98	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	U-ACLR1-	41.77	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR1-	37.69	29.2	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR1+	36.90	29.2	PASS

Band3	1.4	19943	5	#Max	QPSK	U-ACLR1+	40.47	32.2	PASS
Band3	1.4	19943	6	#0	QPSK	U-ACLR1-	43.10	32.2	PASS
Band3	1.4	19943	6	#0	QPSK	E-ACLR1-	40.47	29.2	PASS
Band3	1.4	19943	6	#0	QPSK	E-ACLR1+	40.96	29.2	PASS
Band3	1.4	19943	6	#0	QPSK	U-ACLR1+	43.73	32.2	PASS
Band3	1.4	19943	5	#0	QAM16	U-ACLR1-	42.50	32.2	PASS
Band3	1.4	19943	5	#0	QAM16	E-ACLR1-	38.25	29.2	PASS
Band3	1.4	19943	5	#0	QAM16	E-ACLR1+	40.35	29.2	PASS
Band3	1.4	19943	5	#0	QAM16	U-ACLR1+	45.30	32.2	PASS
Band3	1.4	19943	5	#Max	QAM16	U-ACLR1-	44.43	32.2	PASS
Band3	1.4	19943	5	#Max	QAM16	E-ACLR1-	39.66	29.2	PASS
Band3	1.4	19943	5	#Max	QAM16	E-ACLR1+	38.35	29.2	PASS
Band3	1.4	19943	5	#Max	QAM16	U-ACLR1+	42.75	32.2	PASS
Band3	1.4	19943	6	#0	QAM16	U-ACLR1-	44.69	32.2	PASS
Band3	1.4	19943	6	#0	QAM16	E-ACLR1-	41.15	29.2	PASS
Band3	1.4	19943	6	#0	QAM16	E-ACLR1+	41.46	29.2	PASS
Band3	1.4	19943	6	#0	QAM16	U-ACLR1+	45.17	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2-	66.92	35.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR1-	41.96	32.2	PASS
Band3	5	19225	8	#0	QPSK	E-ACLR1-	38.81	29.2	PASS
Band3	5	19225	8	#0	QPSK	E-ACLR1+	49.56	29.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR1+	49.84	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2+	69.65	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2-	71.23	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR1-	49.99	32.2	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR1-	49.72	29.2	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR1+	37.63	29.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR1+	40.87	32.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2+	66.02	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2-	59.50	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR1-	39.78	32.2	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR1-	38.83	29.2	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR1+	37.93	29.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR1+	38.79	32.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2+	58.81	35.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR2-	67.42	35.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR1-	43.57	32.2	PASS
Band3	5	19225	8	#0	QAM16	E-ACLR1-	40.26	29.2	PASS
Band3	5	19225	8	#0	QAM16	E-ACLR1+	49.68	29.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR1+	49.97	32.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR2+	68.66	35.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR2-	70.66	35.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR1-	49.12	32.2	PASS
Band3	5	19225	8	#Max	QAM16	E-ACLR1-	48.89	29.2	PASS

Band3	5	19225	8	#Max	QAM16	E-ACLR1+	39.03	29.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR1+	42.35	32.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR2+	66.39	35.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR2-	60.35	35.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR1-	40.93	32.2	PASS
Band3	5	19225	25	#0	QAM16	E-ACLR1-	40.00	29.2	PASS
Band3	5	19225	25	#0	QAM16	E-ACLR1+	39.30	29.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR1+	40.21	32.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR2+	59.56	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR2-	66.36	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR1-	40.44	32.2	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR1-	36.82	29.2	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR1+	48.69	29.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR1+	48.93	32.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR2+	70.05	35.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR2-	70.59	35.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR1-	47.64	32.2	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR1-	47.42	29.2	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR1+	36.89	29.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR1+	40.62	32.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR2+	67.17	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2-	60.24	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR1-	37.17	32.2	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR1-	36.24	29.2	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR1+	37.34	29.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR1+	38.34	32.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2+	63.13	35.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR2-	66.97	35.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR1-	42.39	32.2	PASS
Band3	5	19575	8	#0	QAM16	E-ACLR1-	38.57	29.2	PASS
Band3	5	19575	8	#0	QAM16	E-ACLR1+	49.23	29.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR1+	49.48	32.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR2+	69.72	35.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR2-	69.92	35.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR1-	48.35	32.2	PASS
Band3	5	19575	8	#Max	QAM16	E-ACLR1-	48.13	29.2	PASS
Band3	5	19575	8	#Max	QAM16	E-ACLR1+	38.58	29.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR1+	42.46	32.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR2+	67.42	35.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR2-	60.54	35.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR1-	38.69	32.2	PASS
Band3	5	19575	25	#0	QAM16	E-ACLR1-	37.75	29.2	PASS
Band3	5	19575	25	#0	QAM16	E-ACLR1+	38.95	29.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR1+	39.97	32.2	PASS

Band3	5	19575	25	#0	QAM16	U-ACLR2+	62.95	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2-	63.88	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR1-	42.01	32.2	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR1-	39.93	29.2	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR1+	47.31	29.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR1+	47.58	32.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2+	71.85	35.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2-	69.11	35.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR1-	45.93	32.2	PASS
Band3	5	19925	8	#Max	QPSK	E-ACLR1-	45.64	29.2	PASS
Band3	5	19925	8	#Max	QPSK	E-ACLR1+	38.20	29.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR1+	40.06	32.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2+	65.44	35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2-	53.79	35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR1-	41.78	32.2	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR1-	40.80	29.2	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR1+	42.36	29.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR1+	43.36	32.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2+	58.26	35.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR2-	65.14	35.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR1-	43.60	32.2	PASS
Band3	5	19925	8	#0	QAM16	E-ACLR1-	41.30	29.2	PASS
Band3	5	19925	8	#0	QAM16	E-ACLR1+	48.59	29.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR1+	48.86	32.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR2+	71.63	35.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR2-	69.43	35.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR1-	46.25	32.2	PASS
Band3	5	19925	8	#Max	QAM16	E-ACLR1-	46.02	29.2	PASS
Band3	5	19925	8	#Max	QAM16	E-ACLR1+	39.70	29.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR1+	41.80	32.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR2+	66.09	35.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR2-	57.03	35.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR1-	42.87	32.2	PASS
Band3	5	19925	25	#0	QAM16	E-ACLR1-	41.90	29.2	PASS
Band3	5	19925	25	#0	QAM16	E-ACLR1+	42.76	29.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR1+	43.72	32.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR2+	60.87	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2-	63.54	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR1-	41.36	32.2	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR1-	40.88	29.2	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR1+	49.59	29.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR1+	54.68	32.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2+	53.66	35.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2-	54.98	35.2	PASS

Band3	10	19250	12	#Max	QPSK	U-ACLR1-	55.18	32.2	PASS
Band3	10	19250	12	#Max	QPSK	E-ACLR1-	50.47	29.2	PASS
Band3	10	19250	12	#Max	QPSK	E-ACLR1+	39.60	29.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR1+	40.10	32.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2+	62.69	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2-	47.39	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR1-	39.74	32.2	PASS
Band3	10	19250	50	#0	QPSK	E-ACLR1-	38.44	29.2	PASS
Band3	10	19250	50	#0	QPSK	E-ACLR1+	38.36	29.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR1+	39.69	32.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2+	47.03	35.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR2-	63.30	35.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR1-	42.39	32.2	PASS
Band3	10	19250	12	#0	QAM16	E-ACLR1-	41.90	29.2	PASS
Band3	10	19250	12	#0	QAM16	E-ACLR1+	49.84	29.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR1+	54.78	32.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR2+	54.07	35.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR2-	55.81	35.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR1-	55.67	32.2	PASS
Band3	10	19250	12	#Max	QAM16	E-ACLR1-	51.12	29.2	PASS
Band3	10	19250	12	#Max	QAM16	E-ACLR1+	41.16	29.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR1+	41.65	32.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR2+	62.71	35.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR2-	49.15	35.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR1-	40.49	32.2	PASS
Band3	10	19250	50	#0	QAM16	E-ACLR1-	39.31	29.2	PASS
Band3	10	19250	50	#0	QAM16	E-ACLR1+	39.86	29.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR1+	41.08	32.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR2+	49.03	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2-	62.14	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR1-	39.82	32.2	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR1-	39.29	29.2	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR1+	48.57	29.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR1+	53.88	32.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2+	52.60	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR2-	51.30	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR1-	52.43	32.2	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR1-	47.18	29.2	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR1+	39.02	29.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR1+	39.58	32.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR2+	63.06	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2-	45.16	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR1-	37.00	32.2	PASS
Band3	10	19575	50	#0	QPSK	E-ACLR1-	35.72	29.2	PASS

Band3	10	19575	50	#0	QPSK	E-ACLR1+	37.95	29.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR1+	38.98	32.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2+	48.87	35.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR2-	62.17	35.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR1-	41.27	32.2	PASS
Band3	10	19575	12	#0	QAM16	E-ACLR1-	40.71	29.2	PASS
Band3	10	19575	12	#0	QAM16	E-ACLR1+	49.32	29.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR1+	54.47	32.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR2+	53.53	35.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR2-	52.17	35.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR1-	53.15	32.2	PASS
Band3	10	19575	12	#Max	QAM16	E-ACLR1-	47.97	29.2	PASS
Band3	10	19575	12	#Max	QAM16	E-ACLR1+	40.75	29.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR1+	41.27	32.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR2+	63.08	35.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR2-	47.14	35.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR1-	38.26	32.2	PASS
Band3	10	19575	50	#0	QAM16	E-ACLR1-	37.09	29.2	PASS
Band3	10	19575	50	#0	QAM16	E-ACLR1+	39.58	29.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR1+	40.53	32.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR2+	50.98	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2-	61.84	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR1-	44.40	32.2	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR1-	44.01	29.2	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR1+	49.67	29.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR1+	53.91	32.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2+	55.03	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2-	50.86	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR1-	51.63	32.2	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR1-	46.67	29.2	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR1+	40.57	29.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR1+	40.87	32.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2+	63.66	35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR2-	51.04	35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR1-	43.97	32.2	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR1-	42.54	29.2	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR1+	44.42	29.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR1+	45.55	32.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR2+	54.16	35.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR2-	62.31	35.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR1-	45.54	32.2	PASS
Band3	10	19900	12	#0	QAM16	E-ACLR1-	45.06	29.2	PASS
Band3	10	19900	12	#0	QAM16	E-ACLR1+	49.78	29.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR1+	54.11	32.2	PASS

Band3	10	19900	12	#0	QAM16	U-ACLR2+	55.12	35.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR2-	51.33	35.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR1-	52.33	32.2	PASS
Band3	10	19900	12	#Max	QAM16	E-ACLR1-	47.19	29.2	PASS
Band3	10	19900	12	#Max	QAM16	E-ACLR1+	42.08	29.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR1+	42.43	32.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR2+	64.20	35.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR2-	52.68	35.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR1-	44.83	32.2	PASS
Band3	10	19900	50	#0	QAM16	E-ACLR1-	43.56	29.2	PASS
Band3	10	19900	50	#0	QAM16	E-ACLR1+	44.05	29.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR1+	45.12	32.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR2+	54.53	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2-	63.87	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR1-	41.85	32.2	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR1-	44.15	29.2	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR1+	49.70	29.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR1+	62.36	32.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2+	59.72	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2-	61.69	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR1-	61.85	32.2	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR1-	57.00	29.2	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR1+	44.72	29.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR1+	42.50	32.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2+	62.19	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2-	46.03	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR1-	42.17	32.2	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR1-	40.31	29.2	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR1+	40.55	29.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR1+	43.40	32.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2+	46.61	35.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR2-	63.41	35.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR1-	43.17	32.2	PASS
Band3	20	19300	18	#0	QAM16	E-ACLR1-	45.43	29.2	PASS
Band3	20	19300	18	#0	QAM16	E-ACLR1+	50.22	29.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR1+	61.46	32.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR2+	60.32	35.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR2-	61.87	35.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR1-	61.22	32.2	PASS
Band3	20	19300	18	#Max	QAM16	E-ACLR1-	56.93	29.2	PASS
Band3	20	19300	18	#Max	QAM16	E-ACLR1+	45.90	29.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR1+	43.71	32.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR2+	61.71	35.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR2-	46.56	35.2	PASS

Band3	20	19300	100	#0	QAM16	U-ACLR1-	42.77	32.2	PASS
Band3	20	19300	100	#0	QAM16	E-ACLR1-	40.88	29.2	PASS
Band3	20	19300	100	#0	QAM16	E-ACLR1+	42.20	29.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR1+	44.89	32.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR2+	48.27	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2-	62.23	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR1-	41.06	32.2	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR1-	43.80	29.2	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR1+	49.49	29.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR1+	62.71	32.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2+	59.79	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2-	57.62	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR1-	61.34	32.2	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR1-	47.65	29.2	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR1+	42.92	29.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR1+	40.22	32.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2+	60.99	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2-	41.80	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR1-	39.25	32.2	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR1-	36.08	29.2	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR1+	40.60	29.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR1+	42.91	32.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2+	46.62	35.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR2-	61.75	35.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR1-	42.77	32.2	PASS
Band3	20	19575	18	#0	QAM16	E-ACLR1-	45.38	29.2	PASS
Band3	20	19575	18	#0	QAM16	E-ACLR1+	49.44	29.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR1+	62.10	32.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR2+	59.95	35.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR2-	58.12	35.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR1-	60.35	32.2	PASS
Band3	20	19575	18	#Max	QAM16	E-ACLR1-	47.92	29.2	PASS
Band3	20	19575	18	#Max	QAM16	E-ACLR1+	44.36	29.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR1+	41.57	32.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR2+	61.14	35.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR2-	42.45	35.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR1-	40.18	32.2	PASS
Band3	20	19575	100	#0	QAM16	E-ACLR1-	36.96	29.2	PASS
Band3	20	19575	100	#0	QAM16	E-ACLR1+	41.81	29.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR1+	44.15	32.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR2+	47.83	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2-	60.24	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR1-	42.70	32.2	PASS
Band3	20	19850	18	#0	QPSK	E-ACLR1-	44.88	29.2	PASS

Band3	20	19850	18	#0	QPSK	E-ACLR1+	57.38	29.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR1+	61.93	32.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2+	62.55	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2-	57.01	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR1-	60.70	32.2	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR1-	47.26	29.2	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR1+	43.40	29.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR1+	42.43	32.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2+	61.56	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2-	45.32	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR1-	43.65	32.2	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR1-	39.83	29.2	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR1+	45.20	29.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR1+	46.27	32.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2+	52.56	35.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR2-	60.02	35.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR1-	43.18	32.2	PASS
Band3	20	19850	18	#0	QAM16	E-ACLR1-	45.31	29.2	PASS
Band3	20	19850	18	#0	QAM16	E-ACLR1+	57.74	29.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR1+	61.22	32.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR2+	63.60	35.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR2-	57.59	35.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR1-	59.93	32.2	PASS
Band3	20	19850	18	#Max	QAM16	E-ACLR1-	47.67	29.2	PASS
Band3	20	19850	18	#Max	QAM16	E-ACLR1+	45.37	29.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR1+	44.12	32.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR2+	61.75	35.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR2-	45.82	35.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR1-	44.12	32.2	PASS
Band3	20	19850	100	#0	QAM16	E-ACLR1-	40.40	29.2	PASS
Band3	20	19850	100	#0	QAM16	E-ACLR1+	44.65	29.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR1+	45.96	32.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR2+	51.56	35.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR2-	55.78	35.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR1-	41.86	32.2	PASS
Band40	5	38675	8	#0	QPSK	E-ACLR1-	43.15	29.2	PASS
Band40	5	38675	8	#0	QPSK	E-ACLR1+	49.20	29.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR1+	54.95	32.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR2+	52.54	35.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR2-	50.69	35.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR1-	52.12	32.2	PASS
Band40	5	38675	8	#Max	QPSK	E-ACLR1-	47.02	29.2	PASS
Band40	5	38675	8	#Max	QPSK	E-ACLR1+	41.27	29.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR1+	40.68	32.2	PASS

Band40	5	38675	8	#Max	QPSK	U-ACLR2+	51.49	35.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR2-	48.92	35.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR1-	45.31	32.2	PASS
Band40	5	38675	25	#0	QPSK	E-ACLR1-	43.03	29.2	PASS
Band40	5	38675	25	#0	QPSK	E-ACLR1+	42.44	29.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR1+	44.62	32.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR2+	48.51	35.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR2-	55.78	35.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR1-	42.37	32.2	PASS
Band40	5	38675	8	#0	QAM16	E-ACLR1-	43.65	29.2	PASS
Band40	5	38675	8	#0	QAM16	E-ACLR1+	49.38	29.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR1+	54.82	32.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR2+	52.71	35.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR2-	50.77	35.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR1-	54.08	32.2	PASS
Band40	5	38675	8	#Max	QAM16	E-ACLR1-	47.81	29.2	PASS
Band40	5	38675	8	#Max	QAM16	E-ACLR1+	42.95	29.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR1+	41.86	32.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR2+	55.56	35.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR2-	50.72	35.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR1-	47.38	32.2	PASS
Band40	5	38675	25	#0	QAM16	E-ACLR1-	45.18	29.2	PASS
Band40	5	38675	25	#0	QAM16	E-ACLR1+	44.90	29.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR1+	47.55	32.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR2+	50.54	35.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR2-	50.77	35.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR1-	35.79	32.2	PASS
Band40	5	39150	8	#0	QPSK	E-ACLR1-	36.68	29.2	PASS
Band40	5	39150	8	#0	QPSK	E-ACLR1+	50.75	29.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR1+	55.88	32.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR2+	54.32	35.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR2-	54.42	35.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR1-	56.31	32.2	PASS
Band40	5	39150	8	#Max	QPSK	E-ACLR1-	50.95	29.2	PASS
Band40	5	39150	8	#Max	QPSK	E-ACLR1+	37.08	29.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR1+	36.28	32.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR2+	51.39	35.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR2-	42.71	35.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR1-	39.45	32.2	PASS
Band40	5	39150	25	#0	QPSK	E-ACLR1-	36.95	29.2	PASS
Band40	5	39150	25	#0	QPSK	E-ACLR1+	36.85	29.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR1+	39.14	32.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR2+	42.79	35.2	PASS
Band40	5	39150	8	#0	QAM16	U-ACLR2-	51.61	35.2	PASS

Band40	5	39150	8	#0	QAM16	U-ACLR1-	37.05	32.2	PASS
Band40	5	39150	8	#0	QAM16	E-ACLR1-	37.96	29.2	PASS
Band40	5	39150	8	#0	QAM16	E-ACLR1+	51.21	29.2	PASS
Band40	5	39150	8	#0	QAM16	U-ACLR1+	56.08	32.2	PASS
Band40	5	39150	8	#0	QAM16	U-ACLR2+	54.83	35.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR2-	54.50	35.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR1-	56.55	32.2	PASS
Band40	5	39150	8	#Max	QAM16	E-ACLR1-	51.14	29.2	PASS
Band40	5	39150	8	#Max	QAM16	E-ACLR1+	37.90	29.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR1+	37.09	32.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR2+	52.13	35.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR2-	45.30	35.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR1-	42.26	32.2	PASS
Band40	5	39150	25	#0	QAM16	E-ACLR1-	39.72	29.2	PASS
Band40	5	39150	25	#0	QAM16	E-ACLR1+	39.81	29.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR1+	42.27	32.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR2+	45.58	35.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR2-	49.92	35.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR1-	34.13	32.2	PASS
Band40	5	39625	8	#0	QPSK	E-ACLR1-	35.03	29.2	PASS
Band40	5	39625	8	#0	QPSK	E-ACLR1+	51.52	29.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR1+	56.24	32.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR2+	55.15	35.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR2-	53.36	35.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR1-	55.23	32.2	PASS
Band40	5	39625	8	#Max	QPSK	E-ACLR1-	49.96	29.2	PASS
Band40	5	39625	8	#Max	QPSK	E-ACLR1+	35.82	29.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR1+	34.92	32.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR2+	52.02	35.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR2-	40.17	35.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR1-	36.53	32.2	PASS
Band40	5	39625	25	#0	QPSK	E-ACLR1-	34.43	29.2	PASS
Band40	5	39625	25	#0	QPSK	E-ACLR1+	34.74	29.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR1+	36.55	32.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR2+	40.80	35.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR2-	50.79	35.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR1-	35.42	32.2	PASS
Band40	5	39625	8	#0	QAM16	E-ACLR1-	36.35	29.2	PASS
Band40	5	39625	8	#0	QAM16	E-ACLR1+	51.92	29.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR1+	56.60	32.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR2+	55.59	35.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR2-	53.85	35.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR1-	55.78	32.2	PASS
Band40	5	39625	8	#Max	QAM16	E-ACLR1-	50.50	29.2	PASS

Band40	5	39625	8	#Max	QAM16	E-ACLR1+	36.59	29.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR1+	35.72	32.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR2+	52.73	35.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR2-	42.73	35.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR1-	39.29	32.2	PASS
Band40	5	39625	25	#0	QAM16	E-ACLR1-	37.08	29.2	PASS
Band40	5	39625	25	#0	QAM16	E-ACLR1+	37.48	29.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR1+	39.44	32.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR2+	43.46	35.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR2-	55.73	35.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR1-	43.31	32.2	PASS
Band40	10	38700	12	#0	QPSK	E-ACLR1-	45.03	29.2	PASS
Band40	10	38700	12	#0	QPSK	E-ACLR1+	48.72	29.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR1+	62.61	32.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR2+	61.35	35.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR2-	60.18	35.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR1-	60.51	32.2	PASS
Band40	10	38700	12	#Max	QPSK	E-ACLR1-	47.93	29.2	PASS
Band40	10	38700	12	#Max	QPSK	E-ACLR1+	41.75	29.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR1+	39.92	32.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR2+	53.19	35.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR2-	49.38	35.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR1-	47.37	32.2	PASS
Band40	10	38700	50	#0	QPSK	E-ACLR1-	43.03	29.2	PASS
Band40	10	38700	50	#0	QPSK	E-ACLR1+	41.70	29.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR1+	46.35	32.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR2+	48.40	35.2	PASS
Band40	10	38700	12	#0	QAM16	U-ACLR2-	54.58	35.2	PASS
Band40	10	38700	12	#0	QAM16	U-ACLR1-	44.30	32.2	PASS
Band40	10	38700	12	#0	QAM16	E-ACLR1-	46.04	29.2	PASS
Band40	10	38700	12	#0	QAM16	E-ACLR1+	49.19	29.2	PASS
Band40	10	38700	12	#0	QAM16	U-ACLR1+	61.77	32.2	PASS
Band40	10	38700	12	#0	QAM16	U-ACLR2+	61.32	35.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR2-	60.77	35.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR1-	60.82	32.2	PASS
Band40	10	38700	12	#Max	QAM16	E-ACLR1-	49.12	29.2	PASS
Band40	10	38700	12	#Max	QAM16	E-ACLR1+	43.34	29.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR1+	41.87	32.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR2+	52.01	35.2	PASS
Band40	10	38700	50	#0	QAM16	U-ACLR2-	51.29	35.2	PASS
Band40	10	38700	50	#0	QAM16	U-ACLR1-	49.43	32.2	PASS
Band40	10	38700	50	#0	QAM16	E-ACLR1-	44.68	29.2	PASS
Band40	10	38700	50	#0	QAM16	E-ACLR1+	43.47	29.2	PASS
Band40	10	38700	50	#0	QAM16	U-ACLR1+	48.79	32.2	PASS

Band40	10	38700	50	#0	QAM16	U-ACLR2+	50.24	35.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR2-	50.33	35.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR1-	36.58	32.2	PASS
Band40	10	39150	12	#0	QPSK	E-ACLR1-	38.48	29.2	PASS
Band40	10	39150	12	#0	QPSK	E-ACLR1+	50.65	29.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR1+	62.81	32.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR2+	62.66	35.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR2-	62.71	35.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR1-	62.71	32.2	PASS
Band40	10	39150	12	#Max	QPSK	E-ACLR1-	50.29	29.2	PASS
Band40	10	39150	12	#Max	QPSK	E-ACLR1+	38.82	29.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR1+	36.75	32.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR2+	51.14	35.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR2-	43.94	35.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR1-	42.20	32.2	PASS
Band40	10	39150	50	#0	QPSK	E-ACLR1-	37.55	29.2	PASS
Band40	10	39150	50	#0	QPSK	E-ACLR1+	37.60	29.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR1+	41.86	32.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR2+	43.95	35.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR2-	49.82	35.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR1-	38.26	32.2	PASS
Band40	10	39150	12	#0	QAM16	E-ACLR1-	39.97	29.2	PASS
Band40	10	39150	12	#0	QAM16	E-ACLR1+	51.28	29.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR1+	61.95	32.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR2+	62.47	35.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR2-	62.27	35.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR1-	61.68	32.2	PASS
Band40	10	39150	12	#Max	QAM16	E-ACLR1-	51.08	29.2	PASS
Band40	10	39150	12	#Max	QAM16	E-ACLR1+	40.60	29.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR1+	38.96	32.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR2+	50.40	35.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR2-	45.63	35.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR1-	44.28	32.2	PASS
Band40	10	39150	50	#0	QAM16	E-ACLR1-	39.26	29.2	PASS
Band40	10	39150	50	#0	QAM16	E-ACLR1+	39.47	29.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR1+	44.14	32.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR2+	45.76	35.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR2-	50.63	35.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR1-	36.05	32.2	PASS
Band40	10	39600	12	#0	QPSK	E-ACLR1-	38.26	29.2	PASS
Band40	10	39600	12	#0	QPSK	E-ACLR1+	51.90	29.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR1+	62.76	32.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR2+	63.70	35.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR2-	62.52	35.2	PASS

Band40	10	39600	12	#Max	QPSK	U-ACLR1-	61.84	32.2	PASS
Band40	10	39600	12	#Max	QPSK	E-ACLR1-	49.75	29.2	PASS
Band40	10	39600	12	#Max	QPSK	E-ACLR1+	37.30	29.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR1+	34.90	32.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR2+	50.99	35.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR2-	41.14	35.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR1-	39.20	32.2	PASS
Band40	10	39600	50	#0	QPSK	E-ACLR1-	35.08	29.2	PASS
Band40	10	39600	50	#0	QPSK	E-ACLR1+	35.51	29.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR1+	39.20	32.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR2+	41.59	35.2	PASS
Band40	10	39600	12	#0	QAM16	U-ACLR2-	50.80	35.2	PASS
Band40	10	39600	12	#0	QAM16	U-ACLR1-	37.49	32.2	PASS
Band40	10	39600	12	#0	QAM16	E-ACLR1-	39.48	29.2	PASS
Band40	10	39600	12	#0	QAM16	E-ACLR1+	52.33	29.2	PASS
Band40	10	39600	12	#0	QAM16	U-ACLR1+	61.92	32.2	PASS
Band40	10	39600	12	#0	QAM16	U-ACLR2+	63.12	35.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR2-	62.19	35.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR1-	61.23	32.2	PASS
Band40	10	39600	12	#Max	QAM16	E-ACLR1-	50.60	29.2	PASS
Band40	10	39600	12	#Max	QAM16	E-ACLR1+	38.95	29.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR1+	36.89	32.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR2+	51.13	35.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR2-	42.95	35.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR1-	41.57	32.2	PASS
Band40	10	39600	50	#0	QAM16	E-ACLR1-	36.97	29.2	PASS
Band40	10	39600	50	#0	QAM16	E-ACLR1+	37.45	29.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR1+	41.57	32.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR2+	43.35	35.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR2-	54.01	35.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR1-	45.80	32.2	PASS
Band40	20	38750	18	#0	QPSK	E-ACLR1-	48.27	29.2	PASS
Band40	20	38750	18	#0	QPSK	E-ACLR1+	48.18	29.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR1+	63.97	32.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR2+	65.70	35.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR2-	66.72	35.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR1-	65.20	32.2	PASS
Band40	20	38750	18	#Max	QPSK	E-ACLR1-	50.65	29.2	PASS
Band40	20	38750	18	#Max	QPSK	E-ACLR1+	43.27	29.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR1+	40.03	32.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR2+	50.00	35.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR2-	50.45	35.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR1-	49.42	32.2	PASS
Band40	20	38750	100	#0	QPSK	E-ACLR1-	42.44	29.2	PASS

Band40	20	38750	100	#0	QPSK	E-ACLR1+	40.07	29.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR1+	47.72	32.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR2+	48.96	35.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR2-	53.78	35.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR1-	47.30	32.2	PASS
Band40	20	38750	18	#0	QAM16	E-ACLR1-	48.56	29.2	PASS
Band40	20	38750	18	#0	QAM16	E-ACLR1+	48.65	29.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR1+	62.86	32.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR2+	64.85	35.2	PASS
Band40	20	38750	18	#Max	QAM16	U-ACLR2-	65.42	35.2	PASS
Band40	20	38750	18	#Max	QAM16	U-ACLR1-	64.09	32.2	PASS
Band40	20	38750	18	#Max	QAM16	E-ACLR1-	51.22	29.2	PASS
Band40	20	38750	18	#Max	QAM16	E-ACLR1+	44.63	29.2	PASS
Band40	20	38750	18	#Max	QAM16	U-ACLR1+	42.21	32.2	PASS
Band40	20	38750	18	#Max	QAM16	U-ACLR2+	50.14	35.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR2-	52.30	35.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR1-	51.31	32.2	PASS
Band40	20	38750	100	#0	QAM16	E-ACLR1-	43.74	29.2	PASS
Band40	20	38750	100	#0	QAM16	E-ACLR1+	41.62	29.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR1+	49.68	32.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR2+	50.46	35.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR2-	47.85	35.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR1-	38.77	32.2	PASS
Band40	20	39150	18	#0	QPSK	E-ACLR1-	41.87	29.2	PASS
Band40	20	39150	18	#0	QPSK	E-ACLR1+	50.44	29.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR1+	64.78	32.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR2+	66.75	35.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR2-	66.33	35.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR1-	64.80	32.2	PASS
Band40	20	39150	18	#Max	QPSK	E-ACLR1-	50.11	29.2	PASS
Band40	20	39150	18	#Max	QPSK	E-ACLR1+	43.61	29.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR1+	40.59	32.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR2+	49.53	35.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR2-	46.43	35.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR1-	45.42	32.2	PASS
Band40	20	39150	100	#0	QPSK	E-ACLR1-	38.12	29.2	PASS
Band40	20	39150	100	#0	QPSK	E-ACLR1+	38.11	29.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR1+	44.96	32.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR2+	46.27	35.2	PASS
Band40	20	39150	18	#0	QAM16	U-ACLR2-	48.37	35.2	PASS
Band40	20	39150	18	#0	QAM16	U-ACLR1-	40.66	32.2	PASS
Band40	20	39150	18	#0	QAM16	E-ACLR1-	42.98	29.2	PASS
Band40	20	39150	18	#0	QAM16	E-ACLR1+	51.05	29.2	PASS
Band40	20	39150	18	#0	QAM16	U-ACLR1+	63.77	32.2	PASS

Band40	20	39150	18	#0	QAM16	U-ACLR2+	65.74	35.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR2-	65.31	35.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR1-	63.84	32.2	PASS
Band40	20	39150	18	#Max	QAM16	E-ACLR1-	50.60	29.2	PASS
Band40	20	39150	18	#Max	QAM16	E-ACLR1+	44.96	29.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR1+	42.61	32.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR2+	50.23	35.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR2-	48.20	35.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR1-	47.48	32.2	PASS
Band40	20	39150	100	#0	QAM16	E-ACLR1-	39.75	29.2	PASS
Band40	20	39150	100	#0	QAM16	E-ACLR1+	39.93	29.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR1+	47.37	32.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR2+	48.11	35.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR2-	54.71	35.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR1-	42.33	32.2	PASS
Band40	20	39550	18	#0	QPSK	E-ACLR1-	46.31	29.2	PASS
Band40	20	39550	18	#0	QPSK	E-ACLR1+	52.11	29.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR1+	65.05	32.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR2+	67.45	35.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR2-	66.24	35.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR1-	64.24	32.2	PASS
Band40	20	39550	18	#Max	QPSK	E-ACLR1-	49.88	29.2	PASS
Band40	20	39550	18	#Max	QPSK	E-ACLR1+	41.31	29.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR1+	37.11	32.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR2+	50.05	35.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR2-	45.11	35.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR1-	43.94	32.2	PASS
Band40	20	39550	100	#0	QPSK	E-ACLR1-	37.41	29.2	PASS
Band40	20	39550	100	#0	QPSK	E-ACLR1+	38.09	29.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR1+	43.89	32.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR2+	45.58	35.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR2-	54.02	35.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR1-	43.89	32.2	PASS
Band40	20	39550	18	#0	QAM16	E-ACLR1-	46.97	29.2	PASS
Band40	20	39550	18	#0	QAM16	E-ACLR1+	52.61	29.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR1+	64.12	32.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR2+	66.39	35.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR2-	65.07	35.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR1-	63.41	32.2	PASS
Band40	20	39550	18	#Max	QAM16	E-ACLR1-	50.69	29.2	PASS
Band40	20	39550	18	#Max	QAM16	E-ACLR1+	42.95	29.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR1+	39.10	32.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR2+	49.81	35.2	PASS
Band40	20	39550	100	#0	QAM16	U-ACLR2-	47.29	35.2	PASS

Band40	20	39550	100	#0	QAM16	U-ACLR1-	46.59	32.2	PASS
Band40	20	39550	100	#0	QAM16	E-ACLR1-	39.29	29.2	PASS
Band40	20	39550	100	#0	QAM16	E-ACLR1+	39.95	29.2	PASS
Band40	20	39550	100	#0	QAM16	U-ACLR1+	46.42	32.2	PASS
Band40	20	39550	100	#0	QAM16	U-ACLR2+	47.28	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2-	64.58	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR1-	41.70	32.2	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR1-	38.70	29.2	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR1+	48.04	29.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR1+	48.25	32.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2+	67.44	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2-	68.29	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR1-	48.32	32.2	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR1-	48.10	29.2	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR1+	40.10	29.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR1+	42.98	32.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2+	64.02	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2-	58.85	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR1-	42.26	32.2	PASS
Band7	5	20775	25	#0	QPSK	E-ACLR1-	41.35	29.2	PASS
Band7	5	20775	25	#0	QPSK	E-ACLR1+	40.36	29.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR1+	41.21	32.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2+	56.50	35.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR2-	64.64	35.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR1-	43.59	32.2	PASS
Band7	5	20775	8	#0	QAM16	E-ACLR1-	40.63	29.2	PASS
Band7	5	20775	8	#0	QAM16	E-ACLR1+	48.29	29.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR1+	48.51	32.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR2+	66.55	35.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR2-	67.13	35.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR1-	48.78	32.2	PASS
Band7	5	20775	8	#Max	QAM16	E-ACLR1-	48.56	29.2	PASS
Band7	5	20775	8	#Max	QAM16	E-ACLR1+	41.95	29.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR1+	44.71	32.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR2+	63.98	35.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR2-	59.43	35.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR1-	44.16	32.2	PASS
Band7	5	20775	25	#0	QAM16	E-ACLR1-	43.25	29.2	PASS
Band7	5	20775	25	#0	QAM16	E-ACLR1+	42.43	29.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR1+	43.29	32.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR2+	57.54	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2-	64.72	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR1-	41.75	32.2	PASS
Band7	5	21100	8	#0	QPSK	E-ACLR1-	38.72	29.2	PASS

Band7	5	21100	8	#0	QPSK	E-ACLR1+	48.68	29.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR1+	48.90	32.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2+	67.61	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2-	68.08	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR1-	48.16	32.2	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR1-	47.93	29.2	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR1+	39.14	29.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR1+	42.23	32.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2+	64.84	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR2-	57.11	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR1-	40.47	32.2	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR1-	39.57	29.2	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR1+	39.55	29.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR1+	40.44	32.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR2+	57.00	35.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR2-	64.72	35.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR1-	43.52	32.2	PASS
Band7	5	21100	8	#0	QAM16	E-ACLR1-	40.65	29.2	PASS
Band7	5	21100	8	#0	QAM16	E-ACLR1+	49.23	29.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR1+	49.46	32.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR2+	66.92	35.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR2-	67.06	35.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR1-	48.79	32.2	PASS
Band7	5	21100	8	#Max	QAM16	E-ACLR1-	48.57	29.2	PASS
Band7	5	21100	8	#Max	QAM16	E-ACLR1+	40.89	29.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR1+	43.82	32.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR2+	64.69	35.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR2-	57.95	35.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR1-	42.77	32.2	PASS
Band7	5	21100	25	#0	QAM16	E-ACLR1-	41.88	29.2	PASS
Band7	5	21100	25	#0	QAM16	E-ACLR1+	41.89	29.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR1+	42.77	32.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR2+	57.94	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2-	63.84	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR1-	39.76	32.2	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR1-	36.46	29.2	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR1+	48.19	29.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR1+	48.40	32.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2+	68.53	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR2-	68.16	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR1-	47.73	32.2	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR1-	47.52	29.2	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR1+	36.89	29.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR1+	40.26	32.2	PASS

Band7	5	21425	8	#Max	QPSK	U-ACLR2+	64.01	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2-	57.19	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR1-	37.84	32.2	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR1-	36.91	29.2	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR1+	37.16	29.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR1+	38.12	32.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2+	57.09	35.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR2-	63.91	35.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR1-	41.42	32.2	PASS
Band7	5	21425	8	#0	QAM16	E-ACLR1-	38.18	29.2	PASS
Band7	5	21425	8	#0	QAM16	E-ACLR1+	48.49	29.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR1+	48.71	32.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR2+	67.55	35.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR2-	63.03	35.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR1-	47.23	32.2	PASS
Band7	5	21425	8	#Max	QAM16	E-ACLR1-	47.02	29.2	PASS
Band7	5	21425	8	#Max	QAM16	E-ACLR1+	38.50	29.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR1+	41.79	32.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR2+	61.90	35.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR2-	57.42	35.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR1-	39.94	32.2	PASS
Band7	5	21425	25	#0	QAM16	E-ACLR1-	39.01	29.2	PASS
Band7	5	21425	25	#0	QAM16	E-ACLR1+	39.30	29.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR1+	40.24	32.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR2+	57.65	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2-	59.98	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR1-	41.48	32.2	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR1-	40.93	29.2	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR1+	47.62	29.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR1+	52.96	32.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2+	51.58	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2-	52.22	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR1-	53.37	32.2	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR1-	48.10	29.2	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR1+	42.39	29.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR1+	42.90	32.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2+	61.50	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2-	50.75	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR1-	43.99	32.2	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR1-	42.58	29.2	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR1+	39.78	29.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR1+	41.50	32.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2+	46.92	35.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR2-	60.05	35.2	PASS

Band7	10	20800	12	#0	QAM16	U-ACLR1-	43.18	32.2	PASS
Band7	10	20800	12	#0	QAM16	E-ACLR1-	42.58	29.2	PASS
Band7	10	20800	12	#0	QAM16	E-ACLR1+	48.66	29.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR1+	53.87	32.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR2+	52.74	35.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR2-	52.89	35.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR1-	53.84	32.2	PASS
Band7	10	20800	12	#Max	QAM16	E-ACLR1-	48.67	29.2	PASS
Band7	10	20800	12	#Max	QAM16	E-ACLR1+	44.29	29.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR1+	44.82	32.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR2+	60.92	35.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR2-	52.40	35.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR1-	46.00	32.2	PASS
Band7	10	20800	50	#0	QAM16	E-ACLR1-	44.51	29.2	PASS
Band7	10	20800	50	#0	QAM16	E-ACLR1+	41.72	29.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR1+	43.55	32.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR2+	48.59	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2-	59.03	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR1-	41.61	32.2	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR1-	41.02	29.2	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR1+	48.46	29.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR1+	53.73	32.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2+	52.47	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2-	51.29	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR1-	52.82	32.2	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR1-	47.36	29.2	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR1+	40.99	29.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR1+	41.51	32.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2+	62.17	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2-	47.48	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR1-	40.96	32.2	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR1-	39.50	29.2	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR1+	39.25	29.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR1+	40.71	32.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2+	47.27	35.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR2-	59.38	35.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR1-	43.22	32.2	PASS
Band7	10	21100	12	#0	QAM16	E-ACLR1-	42.61	29.2	PASS
Band7	10	21100	12	#0	QAM16	E-ACLR1+	48.97	29.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR1+	54.11	32.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR2+	53.13	35.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR2-	52.06	35.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR1-	53.48	32.2	PASS
Band7	10	21100	12	#Max	QAM16	E-ACLR1-	48.09	29.2	PASS

Band7	10	21100	12	#Max	QAM16	E-ACLR1+	43.04	29.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR1+	43.55	32.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR2+	61.51	35.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR2-	49.13	35.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR1-	43.27	32.2	PASS
Band7	10	21100	50	#0	QAM16	E-ACLR1-	41.67	29.2	PASS
Band7	10	21100	50	#0	QAM16	E-ACLR1+	41.45	29.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR1+	43.05	32.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR2+	48.96	35.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR2-	58.88	35.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR1-	40.07	32.2	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR1-	39.48	29.2	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR1+	48.54	29.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR1+	53.77	32.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR2+	52.63	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2-	51.17	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR1-	52.57	32.2	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR1-	47.20	29.2	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR1+	38.90	29.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR1+	39.47	32.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2+	61.75	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2-	46.49	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR1-	38.49	32.2	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR1-	37.26	29.2	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR1+	37.38	29.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR1+	38.56	32.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2+	46.97	35.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR2-	59.10	35.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR1-	41.55	32.2	PASS
Band7	10	21400	12	#0	QAM16	E-ACLR1-	40.94	29.2	PASS
Band7	10	21400	12	#0	QAM16	E-ACLR1+	49.01	29.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR1+	54.11	32.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR2+	53.27	35.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR2-	51.32	35.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR1-	52.53	32.2	PASS
Band7	10	21400	12	#Max	QAM16	E-ACLR1-	47.26	29.2	PASS
Band7	10	21400	12	#Max	QAM16	E-ACLR1+	40.59	29.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR1+	41.15	32.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR2+	60.02	35.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR2-	48.07	35.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR1-	40.56	32.2	PASS
Band7	10	21400	50	#0	QAM16	E-ACLR1-	39.25	29.2	PASS
Band7	10	21400	50	#0	QAM16	E-ACLR1+	39.43	29.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR1+	40.67	32.2	PASS

Band7	10	21400	50	#0	QAM16	U-ACLR2+	48.55	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2-	62.25	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR1-	42.92	32.2	PASS
Band7	20	20850	18	#0	QPSK	E-ACLR1-	44.97	29.2	PASS
Band7	20	20850	18	#0	QPSK	E-ACLR1+	48.27	29.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR1+	60.83	32.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2+	58.04	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2-	60.23	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR1-	62.37	32.2	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR1-	51.33	29.2	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR1+	45.38	29.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR1+	43.29	32.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2+	61.92	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2-	51.43	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR1-	48.29	32.2	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR1-	45.53	29.2	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR1+	39.34	29.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR1+	43.53	32.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2+	45.21	35.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR2-	61.99	35.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR1-	44.76	32.2	PASS
Band7	20	20850	18	#0	QAM16	E-ACLR1-	46.65	29.2	PASS
Band7	20	20850	18	#0	QAM16	E-ACLR1+	48.57	29.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR1+	59.89	32.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR2+	58.40	35.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR2-	60.22	35.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR1-	61.39	32.2	PASS
Band7	20	20850	18	#Max	QAM16	E-ACLR1-	51.05	29.2	PASS
Band7	20	20850	18	#Max	QAM16	E-ACLR1+	46.88	29.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR1+	45.11	32.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR2+	61.48	35.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR2-	53.38	35.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR1-	50.43	32.2	PASS
Band7	20	20850	100	#0	QAM16	E-ACLR1-	47.48	29.2	PASS
Band7	20	20850	100	#0	QAM16	E-ACLR1+	41.07	29.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR1+	45.45	32.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR2+	46.91	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2-	61.60	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR1-	41.96	32.2	PASS
Band7	20	21100	18	#0	QPSK	E-ACLR1-	44.15	29.2	PASS
Band7	20	21100	18	#0	QPSK	E-ACLR1+	49.80	29.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR1+	61.84	32.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2+	59.39	35.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2-	58.02	35.2	PASS

Band7	20	21100	18	#Max	QPSK	U-ACLR1-	61.33	32.2	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR1-	48.18	29.2	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR1+	44.87	29.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR1+	42.83	32.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2+	61.97	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2-	46.98	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR1-	44.11	32.2	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR1-	40.94	29.2	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR1+	39.77	29.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR1+	43.20	32.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2+	45.78	35.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR2-	61.26	35.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR1-	43.64	32.2	PASS
Band7	20	21100	18	#0	QAM16	E-ACLR1-	45.51	29.2	PASS
Band7	20	21100	18	#0	QAM16	E-ACLR1+	50.08	29.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR1+	60.80	32.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR2+	59.65	35.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR2-	58.94	35.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR1-	60.36	32.2	PASS
Band7	20	21100	18	#Max	QAM16	E-ACLR1-	48.99	29.2	PASS
Band7	20	21100	18	#Max	QAM16	E-ACLR1+	46.24	29.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR1+	44.47	32.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR2+	61.52	35.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR2-	48.83	35.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR1-	46.09	32.2	PASS
Band7	20	21100	100	#0	QAM16	E-ACLR1-	42.76	29.2	PASS
Band7	20	21100	100	#0	QAM16	E-ACLR1+	41.78	29.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR1+	45.48	32.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR2+	47.78	35.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR2-	62.08	35.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR1-	42.10	32.2	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR1-	44.42	29.2	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR1+	49.91	29.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR1+	62.36	32.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR2+	59.31	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2-	57.07	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR1-	61.42	32.2	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR1-	46.80	29.2	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR1+	42.82	29.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR1+	40.12	32.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2+	61.88	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2-	44.49	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR1-	41.62	32.2	PASS
Band7	20	21350	100	#0	QPSK	E-ACLR1-	38.62	29.2	PASS

Band7	20	21350	100	#0	QPSK	E-ACLR1+	38.65	29.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR1+	41.44	32.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2+	44.41	35.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR2-	61.54	35.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR1-	43.49	32.2	PASS
Band7	20	21350	18	#0	QAM16	E-ACLR1-	45.58	29.2	PASS
Band7	20	21350	18	#0	QAM16	E-ACLR1+	50.19	29.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR1+	61.43	32.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR2+	59.73	35.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR2-	58.00	35.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR1-	60.39	32.2	PASS
Band7	20	21350	18	#Max	QAM16	E-ACLR1-	47.69	29.2	PASS
Band7	20	21350	18	#Max	QAM16	E-ACLR1+	44.39	29.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR1+	41.90	32.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR2+	61.59	35.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR2-	46.69	35.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR1-	44.02	32.2	PASS
Band7	20	21350	100	#0	QAM16	E-ACLR1-	40.81	29.2	PASS
Band7	20	21350	100	#0	QAM16	E-ACLR1+	40.81	29.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR1+	43.79	32.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR2+	46.61	35.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR1-	46.70	32.2	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR1-	41.84	29.2	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR1+	44.64	29.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR1+	50.60	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR1-	49.52	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	E-ACLR1-	44.11	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	E-ACLR1+	43.07	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR1+	48.06	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR1-	47.49	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR1-	44.39	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR1+	45.17	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR1+	48.63	32.2	PASS
Band8	1.4	21457	5	#0	QAM16	U-ACLR1-	48.37	32.2	PASS
Band8	1.4	21457	5	#0	QAM16	E-ACLR1-	43.41	29.2	PASS
Band8	1.4	21457	5	#0	QAM16	E-ACLR1+	46.52	29.2	PASS
Band8	1.4	21457	5	#0	QAM16	U-ACLR1+	51.98	32.2	PASS
Band8	1.4	21457	5	#Max	QAM16	U-ACLR1-	50.68	32.2	PASS
Band8	1.4	21457	5	#Max	QAM16	E-ACLR1-	45.30	29.2	PASS
Band8	1.4	21457	5	#Max	QAM16	E-ACLR1+	43.97	29.2	PASS
Band8	1.4	21457	5	#Max	QAM16	U-ACLR1+	49.31	32.2	PASS
Band8	1.4	21457	6	#0	QAM16	U-ACLR1-	48.44	32.2	PASS
Band8	1.4	21457	6	#0	QAM16	E-ACLR1-	44.68	29.2	PASS
Band8	1.4	21457	6	#0	QAM16	E-ACLR1+	45.67	29.2	PASS

Band8	1.4	21457	6	#0	QAM16	U-ACLR1+	49.58	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR1-	46.30	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR1-	40.81	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR1+	43.90	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR1+	50.65	32.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR1-	49.16	32.2	PASS
Band8	1.4	21625	5	#Max	QPSK	E-ACLR1-	43.14	29.2	PASS
Band8	1.4	21625	5	#Max	QPSK	E-ACLR1+	41.59	29.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR1+	47.42	32.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR1-	46.97	32.2	PASS
Band8	1.4	21625	6	#0	QPSK	E-ACLR1-	43.30	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	E-ACLR1+	44.18	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR1+	48.34	32.2	PASS
Band8	1.4	21625	5	#0	QAM16	U-ACLR1-	47.84	32.2	PASS
Band8	1.4	21625	5	#0	QAM16	E-ACLR1-	42.33	29.2	PASS
Band8	1.4	21625	5	#0	QAM16	E-ACLR1+	45.81	29.2	PASS
Band8	1.4	21625	5	#0	QAM16	U-ACLR1+	52.05	32.2	PASS
Band8	1.4	21625	5	#Max	QAM16	U-ACLR1-	50.62	32.2	PASS
Band8	1.4	21625	5	#Max	QAM16	E-ACLR1-	44.84	29.2	PASS
Band8	1.4	21625	5	#Max	QAM16	E-ACLR1+	43.12	29.2	PASS
Band8	1.4	21625	5	#Max	QAM16	U-ACLR1+	49.20	32.2	PASS
Band8	1.4	21625	6	#0	QAM16	U-ACLR1-	48.06	32.2	PASS
Band8	1.4	21625	6	#0	QAM16	E-ACLR1-	43.89	29.2	PASS
Band8	1.4	21625	6	#0	QAM16	E-ACLR1+	44.96	29.2	PASS
Band8	1.4	21625	6	#0	QAM16	U-ACLR1+	49.45	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR1-	45.62	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR1-	40.36	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR1+	43.48	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR1+	49.64	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR1-	48.39	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR1-	42.61	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR1+	41.43	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR1+	46.77	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR1-	45.85	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR1-	42.61	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR1+	44.29	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR1+	47.60	32.2	PASS
Band8	1.4	21793	5	#0	QAM16	U-ACLR1-	47.12	32.2	PASS
Band8	1.4	21793	5	#0	QAM16	E-ACLR1-	41.74	29.2	PASS
Band8	1.4	21793	5	#0	QAM16	E-ACLR1+	45.28	29.2	PASS
Band8	1.4	21793	5	#0	QAM16	U-ACLR1+	51.19	32.2	PASS
Band8	1.4	21793	5	#Max	QAM16	U-ACLR1-	49.71	32.2	PASS
Band8	1.4	21793	5	#Max	QAM16	E-ACLR1-	44.05	29.2	PASS
Band8	1.4	21793	5	#Max	QAM16	E-ACLR1+	42.82	29.2	PASS

Band8	1.4	21793	5	#Max	QAM16	U-ACLR1+	48.45	32.2	PASS
Band8	1.4	21793	6	#0	QAM16	U-ACLR1-	46.92	32.2	PASS
Band8	1.4	21793	6	#0	QAM16	E-ACLR1-	43.03	29.2	PASS
Band8	1.4	21793	6	#0	QAM16	E-ACLR1+	45.10	29.2	PASS
Band8	1.4	21793	6	#0	QAM16	U-ACLR1+	48.88	32.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR2-	67.06	35.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR1-	44.70	32.2	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR1-	42.33	29.2	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR1+	52.23	29.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR1+	52.60	32.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR2+	71.63	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2-	73.17	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR1-	52.24	32.2	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR1-	51.90	29.2	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR1+	42.46	29.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR1+	44.79	32.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2+	62.20	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2-	66.41	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR1-	43.87	32.2	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR1-	42.98	29.2	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR1+	44.29	29.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR1+	45.14	32.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2+	59.25	35.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR2-	67.65	35.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR1-	46.06	32.2	PASS
Band8	5	21475	8	#0	QAM16	E-ACLR1-	43.44	29.2	PASS
Band8	5	21475	8	#0	QAM16	E-ACLR1+	52.48	29.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR1+	52.91	32.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR2+	70.94	35.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR2-	72.27	35.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR1-	52.48	32.2	PASS
Band8	5	21475	8	#Max	QAM16	E-ACLR1-	52.11	29.2	PASS
Band8	5	21475	8	#Max	QAM16	E-ACLR1+	43.72	29.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR1+	46.30	32.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR2+	62.58	35.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR2-	67.09	35.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR1-	43.78	32.2	PASS
Band8	5	21475	25	#0	QAM16	E-ACLR1-	42.85	29.2	PASS
Band8	5	21475	25	#0	QAM16	E-ACLR1+	44.25	29.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR1+	45.16	32.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR2+	60.21	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2-	63.25	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR1-	42.35	32.2	PASS
Band8	5	21625	8	#0	QPSK	E-ACLR1-	39.38	29.2	PASS

Band8	5	21625	8	#0	QPSK	E-ACLR1+	52.70	29.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR1+	53.06	32.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2+	71.66	35.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2-	71.90	35.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR1-	51.08	32.2	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR1-	50.78	29.2	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR1+	43.15	29.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR1+	45.68	32.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2+	61.75	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2-	58.78	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR1-	42.28	32.2	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR1-	41.41	29.2	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR1+	43.44	29.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR1+	44.36	32.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2+	60.58	35.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR2-	63.60	35.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR1-	44.40	32.2	PASS
Band8	5	21625	8	#0	QAM16	E-ACLR1-	41.34	29.2	PASS
Band8	5	21625	8	#0	QAM16	E-ACLR1+	52.50	29.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR1+	52.87	32.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR2+	71.18	35.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR2-	71.46	35.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR1-	51.44	32.2	PASS
Band8	5	21625	8	#Max	QAM16	E-ACLR1-	51.10	29.2	PASS
Band8	5	21625	8	#Max	QAM16	E-ACLR1+	44.38	29.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR1+	47.30	32.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR2+	61.89	35.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR2-	60.17	35.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR1-	42.88	32.2	PASS
Band8	5	21625	25	#0	QAM16	E-ACLR1-	41.97	29.2	PASS
Band8	5	21625	25	#0	QAM16	E-ACLR1+	44.21	29.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR1+	45.17	32.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR2+	62.02	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2-	62.34	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR1-	37.89	32.2	PASS
Band8	5	21775	8	#0	QPSK	E-ACLR1-	34.46	29.2	PASS
Band8	5	21775	8	#0	QPSK	E-ACLR1+	52.39	29.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR1+	52.75	32.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2+	73.15	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR2-	71.31	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR1-	48.66	32.2	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR1-	48.43	29.2	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR1+	41.71	29.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR1+	44.48	32.2	PASS

Band8	5	21775	8	#Max	QPSK	U-ACLR2+	72.94	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2-	55.56	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR1-	38.12	32.2	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR1-	37.27	29.2	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR1+	39.88	29.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR1+	41.08	32.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2+	72.18	35.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR2-	62.96	35.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR1-	39.82	32.2	PASS
Band8	5	21775	8	#0	QAM16	E-ACLR1-	36.37	29.2	PASS
Band8	5	21775	8	#0	QAM16	E-ACLR1+	52.53	29.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR1+	52.91	32.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR2+	72.18	35.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR2-	70.94	35.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR1-	49.04	32.2	PASS
Band8	5	21775	8	#Max	QAM16	E-ACLR1-	48.79	29.2	PASS
Band8	5	21775	8	#Max	QAM16	E-ACLR1+	43.53	29.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR1+	46.48	32.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR2+	72.03	35.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR2-	57.22	35.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR1-	40.20	32.2	PASS
Band8	5	21775	25	#0	QAM16	E-ACLR1-	39.25	29.2	PASS
Band8	5	21775	25	#0	QAM16	E-ACLR1+	41.75	29.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR1+	42.95	32.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR2+	71.19	35.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR2-	72.22	35.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR1-	44.53	32.2	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR1-	44.21	29.2	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR1+	52.05	29.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR1+	56.71	32.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR2+	56.27	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2-	61.98	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR1-	56.82	32.2	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR1-	53.99	29.2	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR1+	39.95	29.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR1+	40.46	32.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2+	63.88	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2-	58.47	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR1-	45.17	32.2	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR1-	44.47	29.2	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR1+	42.44	29.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR1+	44.49	32.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2+	48.35	35.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR2-	71.90	35.2	PASS

Band8	10	21500	12	#0	QAM16	U-ACLR1-	45.26	32.2	PASS
Band8	10	21500	12	#0	QAM16	E-ACLR1-	44.88	29.2	PASS
Band8	10	21500	12	#0	QAM16	E-ACLR1+	52.08	29.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR1+	56.45	32.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR2+	56.50	35.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR2-	62.83	35.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR1-	57.03	32.2	PASS
Band8	10	21500	12	#Max	QAM16	E-ACLR1-	54.44	29.2	PASS
Band8	10	21500	12	#Max	QAM16	E-ACLR1+	41.77	29.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR1+	42.26	32.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR2+	63.89	35.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR2-	60.15	35.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR1-	45.67	32.2	PASS
Band8	10	21500	50	#0	QAM16	E-ACLR1-	45.03	29.2	PASS
Band8	10	21500	50	#0	QAM16	E-ACLR1+	43.49	29.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR1+	45.16	32.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR2+	50.53	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2-	62.49	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR1-	39.86	32.2	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR1-	39.37	29.2	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR1+	51.82	29.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR1+	56.66	32.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2+	55.95	35.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2-	53.91	35.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR1-	54.68	32.2	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR1-	49.85	29.2	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR1+	45.95	29.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR1+	46.27	32.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2+	63.42	35.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR2-	47.16	35.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR1-	41.95	32.2	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR1-	40.18	29.2	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR1+	43.38	29.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR1+	44.98	32.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR2+	50.56	35.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR2-	62.71	35.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR1-	41.74	32.2	PASS
Band8	10	21625	12	#0	QAM16	E-ACLR1-	41.24	29.2	PASS
Band8	10	21625	12	#0	QAM16	E-ACLR1+	52.17	29.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR1+	56.67	32.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR2+	56.54	35.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR2-	54.21	35.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR1-	54.76	32.2	PASS
Band8	10	21625	12	#Max	QAM16	E-ACLR1-	50.00	29.2	PASS


Band8	10	21625	12	#Max	QAM16	E-ACLR1+	46.10	29.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR1+	46.51	32.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR2+	63.38	35.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR2-	48.82	35.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR1-	42.37	32.2	PASS
Band8	10	21625	50	#0	QAM16	E-ACLR1-	40.84	29.2	PASS
Band8	10	21625	50	#0	QAM16	E-ACLR1+	44.25	29.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR1+	45.66	32.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR2+	52.38	35.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR2-	63.60	35.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR1-	42.29	32.2	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR1-	41.89	29.2	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR1+	58.99	29.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR1+	59.49	32.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR2+	73.25	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2-	53.16	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR1-	54.20	32.2	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR1-	49.21	29.2	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR1+	42.68	29.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR1+	43.09	32.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2+	73.17	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2-	46.25	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR1-	42.48	32.2	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR1-	40.46	29.2	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR1+	41.29	29.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR1+	41.49	32.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2+	72.16	35.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR2-	63.59	35.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR1-	43.76	32.2	PASS
Band8	10	21750	12	#0	QAM16	E-ACLR1-	43.32	29.2	PASS
Band8	10	21750	12	#0	QAM16	E-ACLR1+	59.01	29.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR1+	59.51	32.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR2+	72.24	35.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR2-	53.42	35.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR1-	54.35	32.2	PASS
Band8	10	21750	12	#Max	QAM16	E-ACLR1-	49.40	29.2	PASS
Band8	10	21750	12	#Max	QAM16	E-ACLR1+	44.52	29.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR1+	44.90	32.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR2+	72.18	35.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR2-	47.74	35.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR1-	43.66	32.2	PASS
Band8	10	21750	50	#0	QAM16	E-ACLR1-	41.62	29.2	PASS
Band8	10	21750	50	#0	QAM16	E-ACLR1+	42.24	29.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR1+	42.44	32.2	PASS

Band8	10	21750	50	#0	QAM16	U-ACLR2+	71.28	35.2	PASS
-------	----	-------	----	----	-------	----------	-------	------	------

Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#0



Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18300 RB Size=25 Position=#0



Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#0



Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#Max



Band1 QAM16 BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18050 RB Size=50 Position=#0



Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0



Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18300 RB Size=50 Position=#0



Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0



Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max



Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max



Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0



Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#0



Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18300 RB Size=100 Position=#0



Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0



Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max



Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0



Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#0



Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18500 RB Size=100 Position=#0



Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#0



Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#Max



Band20 QAM16 BW=5MHz Channel=24175 RB Size=25 Position=#0



Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0



Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#0



Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max



Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#Max



Band20 QAM16 BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#0



Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0



Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#0



Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0



Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#0



Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24400 RB Size=50 Position=#0



Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0



Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0



Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#0



Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0



Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#0



Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#Max



Band20 QAM16 BW=20MHz Channel=24300 RB Size=100 Position=#




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24350 RB Size=100 Position=#




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=6 Position=#0



Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0



Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#0



Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max



Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0



Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#Max



Band3 QAM16 BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max



Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#0



Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#Max



Band3 QAM16 BW=5MHz Channel=19925 RB Size=25 Position=#0



Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#0



Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0



Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#0



Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19575 RB Size=50 Position=#0



Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=1990 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=1990 RB Size=12 Position=#0



Band3 QAM16 BW=10MHz Channel=1990 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=1990 RB Size=50 Position=#0



Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#0



Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#Max



Band3 QAM16 BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max



Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#0



Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19575 RB Size=100 Position=#0



Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max



Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#Max



Band3 QAM16 BW=20MHz Channel=19850 RB Size=100 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#Max



Band40 QAM16 BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#Max



Band40 QPSK BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#0



Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39625 RB Size=25 Position=#0



Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#0



Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#Max



Band40 QAM16 BW=5MHz Channel=39625 RB Size=25 Position=#0



Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#Max



Band40 QPSK BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#0



Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#Max



Band40 QAM16 BW=10MHz Channel=38700 RB Size=50 Position=#0



Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#0



Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#Max



Band40 QPSK BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#0



Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=39150 RB Size=50 Position=#0



Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#Max



Band40 QPSK BW=10MHz Channel=39600 RB Size=50 Position=#0



Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#Max



Band40 QAM16 BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#0



Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#Max



Band40 QAM16 BW=20MHz Channel=38750 RB Size=100 Position=#




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#0



Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39150 RB Size=100 Position=#0



Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#0



Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39550 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=39550 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0



Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max



Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#0



Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0



Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#0



Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#Max



Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0



Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0



Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#0



Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max



Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#0



Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max



Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#0



Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0



Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#0



Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max



Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#0



Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=6 Position=#0



Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0



Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#0



Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21625 RB Size=25 Position=#0



Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0



Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#0



Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#Max



Band8 QAM16 BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0



Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21500 RB Size=50 Position=#0



Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max



Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21625 RB Size=50 Position=#0



Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21750 RB Size=50 Position=#0



7.3 Receiver Reference Sensitivity Level

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Ref Sensitivity (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18025	25	QPSK	-98.6	100.00	95	PASS
Band1	5	18300	25	QPSK	-98.6	100.00	95	PASS
Band1	5	18575	25	QPSK	-98.6	100.00	95	PASS
Band1	20	18100	100	QPSK	-92.6	100.00	95	PASS
Band1	20	18300	100	QPSK	-92.6	100.00	95	PASS
Band1	20	18500	100	QPSK	-92.6	100.00	95	PASS
Band20	5	24175	25	QPSK	-95.6	100.00	95	PASS
Band20	5	24300	25	QPSK	-95.6	100.00	95	PASS
Band20	5	24425	25	QPSK	-95.6	100.00	95	PASS
Band20	20	24250	100	QPSK	-88.6	100.00	95	PASS
Band20	20	24300	100	QPSK	-88.6	100.00	95	PASS
Band20	20	24350	100	QPSK	-88.6	100.00	95	PASS
Band3	1.4	19207	6	QPSK	-100.3	95.93	95	PASS
Band3	1.4	19575	6	QPSK	-100.3	100.00	95	PASS
Band3	1.4	19943	6	QPSK	-100.3	97.92	95	PASS
Band3	5	19225	25	QPSK	-95.6	99.40	95	PASS
Band3	5	19575	25	QPSK	-95.6	100.00	95	PASS
Band3	5	19925	25	QPSK	-95.6	95.93	95	PASS
Band3	20	19300	100	QPSK	-89.6	98.02	95	PASS
Band3	20	19575	100	QPSK	-89.6	100.00	95	PASS

Band3	20	19850	100	QPSK	-89.6	100.00	95	PASS
Band40	5	38675	25	QPSK	-98.6	100.00	95	PASS
Band40	5	39150	25	QPSK	-98.6	100.00	95	PASS
Band40	5	39625	25	QPSK	-98.6	100.00	95	PASS
Band40	20	38750	100	QPSK	-92.6	100.00	95	PASS
Band40	20	39150	100	QPSK	-92.6	100.00	95	PASS
Band40	20	39550	100	QPSK	-92.6	100.00	95	PASS
Band7	5	20775	25	QPSK	-96.6	100.00	95	PASS
Band7	5	21100	25	QPSK	-96.6	100.00	95	PASS
Band7	5	21425	25	QPSK	-96.6	100.00	95	PASS
Band7	20	20850	100	QPSK	-90.6	100.00	95	PASS
Band7	20	21100	100	QPSK	-90.6	100.00	95	PASS
Band7	20	21350	100	QPSK	-90.6	100.00	95	PASS
Band8	1.4	21457	6	QPSK	-100.8	100.00	95	PASS
Band8	1.4	21625	6	QPSK	-100.8	100.00	95	PASS
Band8	1.4	21793	6	QPSK	-100.8	99.60	95	PASS
Band8	5	21475	25	QPSK	-95.6	100.00	95	PASS
Band8	5	21625	25	QPSK	-95.6	96.53	95	PASS
Band8	5	21775	25	QPSK	-95.6	100.00	95	PASS
Band8	10	21500	50	QPSK	-92.6	100.00	95	PASS
Band8	10	21625	50	QPSK	-92.6	100.00	95	PASS
Band8	10	21750	50	QPSK	-92.6	100.00	95	PASS

6.6.2.2 Transmitter additional spectrum emission mask


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Offset (MHz)	SEM Margin (dB)	Verdict
Band20	5	24175	8	#0	QPSK	0	0.00	PASS
Band20	5	24175	8	#0	QPSK	0	0.00	PASS
Band20	5	24175	8	#Max	QPSK	0	0.00	PASS
Band20	5	24175	8	#Max	QPSK	0	0.00	PASS
Band20	5	24175	25	#0	QPSK	0	0.00	PASS
Band20	5	24175	25	#0	QPSK	0	0.00	PASS
Band20	5	24175	25	#Max	QPSK	0	0.00	PASS
Band20	5	24175	25	#Max	QPSK	0	0.00	PASS
Band20	5	24175	8	#0	QAM16	0	0.00	PASS
Band20	5	24175	8	#0	QAM16	0	0.00	PASS
Band20	5	24175	8	#Max	QAM16	0	0.00	PASS
Band20	5	24175	8	#Max	QAM16	0	0.00	PASS
Band20	5	24175	25	#0	QAM16	0	0.00	PASS
Band20	5	24175	25	#0	QAM16	0	0.00	PASS
Band20	5	24175	25	#Max	QAM16	0	0.00	PASS
Band20	5	24175	25	#Max	QAM16	0	0.00	PASS
Band20	5	24175	25	#Max	QAM16	0	0.00	PASS
Band20	5	24300	8	#0	QPSK	0	0.00	PASS
Band20	5	24300	8	#0	QPSK	0	0.00	PASS
Band20	5	24300	8	#Max	QPSK	0	0.00	PASS

Band20	5	24300	8	#Max	QPSK	0	0.00	PASS
Band20	5	24300	25	#0	QPSK	0	0.00	PASS
Band20	5	24300	25	#0	QPSK	0	0.00	PASS
Band20	5	24300	25	#Max	QPSK	0	0.00	PASS
Band20	5	24300	25	#Max	QPSK	0	0.00	PASS
Band20	5	24300	8	#0	QAM16	0	0.00	PASS
Band20	5	24300	8	#0	QAM16	0	0.00	PASS
Band20	5	24300	8	#Max	QAM16	0	0.00	PASS
Band20	5	24300	8	#Max	QAM16	0	0.00	PASS
Band20	5	24300	25	#0	QAM16	0	0.00	PASS
Band20	5	24300	25	#0	QAM16	0	0.00	PASS
Band20	5	24300	25	#Max	QAM16	0	0.00	PASS
Band20	5	24300	25	#Max	QAM16	0	0.00	PASS
Band20	5	24425	8	#0	QPSK	0	0.00	PASS
Band20	5	24425	8	#0	QPSK	0	0.00	PASS
Band20	5	24425	8	#Max	QPSK	0	0.00	PASS
Band20	5	24425	8	#Max	QPSK	0	0.00	PASS
Band20	5	24425	25	#0	QPSK	0	0.00	PASS
Band20	5	24425	25	#0	QPSK	0	0.00	PASS
Band20	5	24425	25	#Max	QPSK	0	0.00	PASS
Band20	5	24425	25	#Max	QPSK	0	0.00	PASS
Band20	5	24425	8	#0	QAM16	0	0.00	PASS
Band20	5	24425	8	#0	QAM16	0	0.00	PASS
Band20	5	24425	8	#Max	QAM16	0	0.00	PASS
Band20	5	24425	8	#Max	QAM16	0	0.00	PASS
Band20	5	24425	25	#0	QAM16	0	0.00	PASS
Band20	5	24425	25	#0	QAM16	0	0.00	PASS
Band20	5	24425	25	#Max	QAM16	0	0.00	PASS
Band20	5	24425	25	#Max	QAM16	0	0.00	PASS
Band20	10	24200	12	#0	QPSK	0	0.00	PASS
Band20	10	24200	12	#0	QPSK	0	0.00	PASS
Band20	10	24200	12	#Max	QPSK	0	0.00	PASS
Band20	10	24200	12	#Max	QPSK	0	0.00	PASS
Band20	10	24200	50	#0	QPSK	0	0.00	PASS
Band20	10	24200	50	#0	QPSK	0	0.00	PASS
Band20	10	24200	50	#Max	QPSK	0	0.00	PASS
Band20	10	24200	50	#Max	QPSK	0	0.00	PASS
Band20	10	24200	12	#0	QAM16	0	0.00	PASS
Band20	10	24200	12	#0	QAM16	0	0.00	PASS
Band20	10	24200	12	#Max	QAM16	0	0.00	PASS
Band20	10	24200	12	#Max	QAM16	0	0.00	PASS
Band20	10	24200	50	#0	QAM16	0	0.00	PASS
Band20	10	24200	50	#0	QAM16	0	0.00	PASS
Band20	10	24200	50	#Max	QAM16	0	0.00	PASS


Band20	10	24200	50	#Max	QAM16	0	0.00	PASS
Band20	10	24300	12	#0	QPSK	0	0.00	PASS
Band20	10	24300	12	#0	QPSK	0	0.00	PASS
Band20	10	24300	12	#Max	QPSK	0	0.00	PASS
Band20	10	24300	12	#Max	QPSK	0	0.00	PASS
Band20	10	24300	50	#0	QPSK	0	0.00	PASS
Band20	10	24300	50	#0	QPSK	0	0.00	PASS
Band20	10	24300	50	#Max	QPSK	0	0.00	PASS
Band20	10	24300	50	#Max	QPSK	0	0.00	PASS
Band20	10	24300	12	#0	QAM16	0	0.00	PASS
Band20	10	24300	12	#0	QAM16	0	0.00	PASS
Band20	10	24300	12	#Max	QAM16	0	0.00	PASS
Band20	10	24300	12	#Max	QAM16	0	0.00	PASS
Band20	10	24300	50	#0	QAM16	0	0.00	PASS
Band20	10	24300	50	#0	QAM16	0	0.00	PASS
Band20	10	24300	50	#Max	QAM16	0	0.00	PASS
Band20	10	24300	50	#Max	QAM16	0	0.00	PASS
Band20	10	24400	12	#0	QPSK	0	0.00	PASS
Band20	10	24400	12	#0	QPSK	0	0.00	PASS
Band20	10	24400	12	#Max	QPSK	0	0.00	PASS
Band20	10	24400	12	#Max	QPSK	0	0.00	PASS
Band20	10	24400	50	#0	QPSK	0	0.00	PASS
Band20	10	24400	50	#0	QPSK	0	0.00	PASS
Band20	10	24400	50	#Max	QPSK	0	0.00	PASS
Band20	10	24400	50	#Max	QPSK	0	0.00	PASS
Band20	10	24400	12	#0	QAM16	0	0.00	PASS
Band20	10	24400	12	#0	QAM16	0	0.00	PASS
Band20	10	24400	12	#Max	QAM16	0	0.00	PASS
Band20	10	24400	12	#Max	QAM16	0	0.00	PASS
Band20	10	24400	50	#0	QAM16	0	0.00	PASS
Band20	10	24400	50	#0	QAM16	0	0.00	PASS
Band20	10	24400	50	#Max	QAM16	0	0.00	PASS
Band20	10	24400	50	#Max	QAM16	0	0.00	PASS
Band20	20	24250	18	#0	QPSK	0	0.00	PASS
Band20	20	24250	18	#0	QPSK	0	0.00	PASS
Band20	20	24250	18	#Max	QPSK	0	0.00	PASS
Band20	20	24250	18	#Max	QPSK	0	0.00	PASS
Band20	20	24250	100	#0	QPSK	0	0.00	PASS
Band20	20	24250	100	#0	QPSK	0	0.00	PASS
Band20	20	24250	100	#Max	QPSK	0	0.00	PASS
Band20	20	24250	100	#Max	QPSK	0	0.00	PASS
Band20	20	24250	100	#Max	QPSK	0	0.00	PASS
Band20	20	24250	18	#0	QAM16	0	0.00	PASS
Band20	20	24250	18	#0	QAM16	0	0.00	PASS
Band20	20	24250	18	#Max	QAM16	0	0.00	PASS

Band20	20	24250	18	#Max	QAM16	0	0.00	PASS
Band20	20	24250	100	#0	QAM16	0	0.00	PASS
Band20	20	24250	100	#0	QAM16	0	0.00	PASS
Band20	20	24250	100	#Max	QAM16	0	0.00	PASS
Band20	20	24250	100	#Max	QAM16	0	0.00	PASS
Band20	20	24300	18	#0	QPSK	0	0.00	PASS
Band20	20	24300	18	#0	QPSK	0	0.00	PASS
Band20	20	24300	18	#Max	QPSK	0	0.00	PASS
Band20	20	24300	18	#Max	QPSK	0	0.00	PASS
Band20	20	24300	100	#0	QPSK	0	0.00	PASS
Band20	20	24300	100	#0	QPSK	0	0.00	PASS
Band20	20	24300	100	#Max	QPSK	0	0.00	PASS
Band20	20	24300	100	#Max	QPSK	0	0.00	PASS
Band20	20	24300	18	#0	QAM16	0	0.00	PASS
Band20	20	24300	18	#0	QAM16	0	0.00	PASS
Band20	20	24300	18	#Max	QAM16	0	0.00	PASS
Band20	20	24300	18	#Max	QAM16	0	0.00	PASS
Band20	20	24300	100	#0	QAM16	0	0.00	PASS
Band20	20	24300	100	#0	QAM16	0	0.00	PASS
Band20	20	24300	100	#Max	QAM16	0	0.00	PASS
Band20	20	24300	100	#Max	QAM16	0	0.00	PASS
Band20	20	24350	18	#0	QPSK	0	0.00	PASS
Band20	20	24350	18	#0	QPSK	0	0.00	PASS
Band20	20	24350	18	#Max	QPSK	0	0.00	PASS
Band20	20	24350	18	#Max	QPSK	0	0.00	PASS
Band20	20	24350	100	#0	QPSK	0	0.00	PASS
Band20	20	24350	100	#0	QPSK	0	0.00	PASS
Band20	20	24350	100	#Max	QPSK	0	0.00	PASS
Band20	20	24350	100	#Max	QPSK	0	0.00	PASS
Band20	20	24350	18	#0	QAM16	0	0.00	PASS
Band20	20	24350	18	#0	QAM16	0	0.00	PASS
Band20	20	24350	18	#Max	QAM16	0	0.00	PASS
Band20	20	24350	18	#Max	QAM16	0	0.00	PASS
Band20	20	24350	100	#0	QAM16	0	0.00	PASS
Band20	20	24350	100	#0	QAM16	0	0.00	PASS
Band20	20	24350	100	#Max	QAM16	0	0.00	PASS
Band20	20	24350	100	#Max	QAM16	0	0.00	PASS


Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#Max




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=25 Position=#Max




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#Max




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=25 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#Max




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=25 Position=#Max




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#Max




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=50 Position=#Max




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#Max




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=50 Position=#Max




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#Max




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=50 Position=#Max




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#Max




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=100 Position=#Max




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#Max




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=100 Position=#Max




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#Max




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#0



Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#Max



Band20 QAM16 BW=20MHz Channel=24350 RB Size=100 Position=#0



Band20 QAM16 BW=20MHz Channel=24350 RB Size=100 Position=#Max

