

**Clause 4.2.2 LTE Transmitter maximum output power**

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	24.13	21	25	PASS
Band1	5	18025	8	#0	QPSK	24.16	21	25	PASS
Band1	5	18025	25	#0	QPSK	23.16	21	25	PASS
Band1	5	18025	1	#0	QAM16	23.19	21	25	PASS
Band1	5	18025	8	#0	QAM16	23.07	21	25	PASS
Band1	5	18025	25	#0	QAM16	22.09	21	25	PASS
Band1	5	18300	1	#0	QPSK	23.96	21	25	PASS
Band1	5	18300	8	#0	QPSK	24.08	21	25	PASS
Band1	5	18300	25	#0	QPSK	23.16	21	25	PASS
Band1	5	18300	1	#0	QAM16	23.22	21	25	PASS
Band1	5	18300	8	#0	QAM16	23.06	21	25	PASS
Band1	5	18300	25	#0	QAM16	22.17	21	25	PASS
Band1	5	18575	1	#0	QPSK	24.02	21	25	PASS
Band1	5	18575	8	#0	QPSK	24.16	21	25	PASS
Band1	5	18575	25	#0	QPSK	23.16	21	25	PASS
Band1	5	18575	1	#0	QAM16	23.26	21	25	PASS
Band1	5	18575	8	#0	QAM16	23.09	21	25	PASS
Band1	5	18575	25	#0	QAM16	22.13	21	25	PASS
Band1	20	18100	1	#0	QPSK	23.99	21	25	PASS
Band1	20	18100	18	#0	QPSK	24.02	21	25	PASS
Band1	20	18100	100	#0	QPSK	23.10	21	25	PASS
Band1	20	18100	1	#0	QAM16	23.08	21	25	PASS
Band1	20	18100	18	#0	QAM16	22.94	21	25	PASS
Band1	20	18100	100	#0	QAM16	22.10	21	25	PASS
Band1	20	18300	1	#0	QPSK	23.97	21	25	PASS
Band1	20	18300	18	#0	QPSK	23.77	21	25	PASS
Band1	20	18300	100	#0	QPSK	23.12	21	25	PASS
Band1	20	18300	1	#0	QAM16	22.45	21	25	PASS
Band1	20	18300	18	#0	QAM16	22.44	21	25	PASS
Band1	20	18300	100	#0	QAM16	21.90	21	25	PASS
Band1	20	18500	1	#0	QPSK	23.49	21	25	PASS
Band1	20	18500	18	#0	QPSK	23.58	21	25	PASS
Band1	20	18500	100	#0	QPSK	22.60	21	25	PASS
Band1	20	18500	1	#0	QAM16	22.26	21	25	PASS
Band1	20	18500	18	#0	QAM16	22.59	21	25	PASS
Band1	20	18500	100	#0	QAM16	21.63	21	25	PASS
Band20	5	24175	1	#0	QPSK	23.52	19.5	25	PASS
Band20	5	24175	8	#0	QPSK	23.50	19.5	25	PASS
Band20	5	24175	25	#0	QPSK	22.37	21	25	PASS
Band20	5	24175	1	#0	QAM16	22.37	19.5	25	PASS

Band20	5	24175	8	#0	QAM16	22.15	19.5	25	PASS
Band20	5	24175	25	#0	QAM16	21.25	21	25	PASS
Band20	5	24300	1	#0	QPSK	23.16	21	25	PASS
Band20	5	24300	8	#0	QPSK	23.25	21	25	PASS
Band20	5	24300	25	#0	QPSK	22.33	21	25	PASS
Band20	5	24300	1	#0	QAM16	22.35	21	25	PASS
Band20	5	24300	8	#0	QAM16	22.21	21	25	PASS
Band20	5	24300	25	#0	QAM16	21.29	21	25	PASS
Band20	5	24425	1	#0	QPSK	23.05	21	25	PASS
Band20	5	24425	8	#0	QPSK	23.20	21	25	PASS
Band20	5	24425	25	#0	QPSK	22.16	21	25	PASS
Band20	5	24425	1	#0	QAM16	22.29	21	25	PASS
Band20	5	24425	8	#0	QAM16	22.16	21	25	PASS
Band20	5	24425	25	#0	QAM16	21.16	21	25	PASS
Band20	20	24250	1	#0	QPSK	22.93	19.5	25	PASS
Band20	20	24250	18	#0	QPSK	23.07	19.5	25	PASS
Band20	20	24250	100	#0	QPSK	22.15	21	25	PASS
Band20	20	24250	1	#0	QAM16	22.07	19.5	25	PASS
Band20	20	24250	18	#0	QAM16	21.99	19.5	25	PASS
Band20	20	24250	100	#0	QAM16	21.18	21	25	PASS
Band20	20	24300	1	#0	QPSK	23.07	21	25	PASS
Band20	20	24300	18	#0	QPSK	23.09	21	25	PASS
Band20	20	24300	100	#0	QPSK	22.26	21	25	PASS
Band20	20	24300	1	#0	QAM16	21.87	21	25	PASS
Band20	20	24300	18	#0	QAM16	22.00	21	25	PASS
Band20	20	24300	100	#0	QAM16	21.30	21	25	PASS
Band20	20	24350	1	#0	QPSK	22.97	21	25	PASS
Band20	20	24350	18	#0	QPSK	23.16	21	25	PASS
Band20	20	24350	100	#0	QPSK	22.18	21	25	PASS
Band20	20	24350	1	#0	QAM16	21.72	21	25	PASS
Band20	20	24350	18	#0	QAM16	22.14	21	25	PASS
Band20	20	24350	100	#0	QAM16	21.22	21	25	PASS
Band28	3	27225	1	#0	QPSK	22.87	20.5	25	PASS
Band28	3	27225	4	#0	QPSK	22.84	20.5	25	PASS
Band28	3	27225	15	#0	QPSK	21.91	20.5	25	PASS
Band28	3	27225	1	#0	QAM16	22.30	20.5	25	PASS
Band28	3	27225	4	#0	QAM16	21.94	20.5	25	PASS
Band28	3	27225	15	#0	QAM16	20.90	20.5	25	PASS
Band28	3	27375	1	#0	QPSK	23.11	20.5	25	PASS
Band28	3	27375	4	#0	QPSK	23.02	20.5	25	PASS
Band28	3	27375	15	#0	QPSK	22.03	20.5	25	PASS
Band28	3	27375	1	#0	QAM16	22.26	20.5	25	PASS
Band28	3	27375	4	#0	QAM16	22.24	20.5	25	PASS
Band28	3	27375	15	#0	QAM16	20.93	20.5	25	PASS

Band28	3	27645	1	#0	QPSK	23.36	20.5	25	PASS
Band28	3	27645	4	#0	QPSK	23.31	20.5	25	PASS
Band28	3	27645	15	#0	QPSK	22.32	20.5	25	PASS
Band28	3	27645	1	#0	QAM16	22.29	20.5	25	PASS
Band28	3	27645	4	#0	QAM16	22.27	20.5	25	PASS
Band28	3	27645	15	#0	QAM16	21.37	20.5	25	PASS
Band28	5	27235	1	#0	QPSK	22.87	20.5	25	PASS
Band28	5	27235	8	#0	QPSK	22.81	20.5	25	PASS
Band28	5	27235	25	#0	QPSK	21.98	20.5	25	PASS
Band28	5	27235	1	#0	QAM16	22.22	20.5	25	PASS
Band28	5	27235	8	#0	QAM16	21.92	20.5	25	PASS
Band28	5	27235	25	#0	QAM16	20.94	20.5	25	PASS
Band28	5	27385	1	#0	QPSK	22.98	20.5	25	PASS
Band28	5	27385	8	#0	QPSK	22.99	20.5	25	PASS
Band28	5	27385	25	#0	QPSK	22.09	20.5	25	PASS
Band28	5	27385	1	#0	QAM16	22.18	20.5	25	PASS
Band28	5	27385	8	#0	QAM16	22.02	20.5	25	PASS
Band28	5	27385	25	#0	QAM16	21.02	20.5	25	PASS
Band28	5	27635	1	#0	QPSK	23.16	20.5	25	PASS
Band28	5	27635	8	#0	QPSK	23.29	20.5	25	PASS
Band28	5	27635	25	#0	QPSK	22.35	20.5	25	PASS
Band28	5	27635	1	#0	QAM16	22.54	20.5	25	PASS
Band28	5	27635	8	#0	QAM16	22.30	20.5	25	PASS
Band28	5	27635	25	#0	QAM16	21.29	20.5	25	PASS
Band28	20	27310	1	#0	QPSK	22.70	20.5	25	PASS
Band28	20	27310	18	#0	QPSK	22.80	20.5	25	PASS
Band28	20	27310	100	#0	QPSK	21.92	20.5	25	PASS
Band28	20	27310	1	#0	QAM16	21.95	20.5	25	PASS
Band28	20	27310	18	#0	QAM16	21.80	20.5	25	PASS
Band28	20	27310	100	#0	QAM16	20.88	20.5	25	PASS
Band28	20	27460	1	#0	QPSK	22.94	20.5	25	PASS
Band28	20	27460	18	#0	QPSK	23.04	20.5	25	PASS
Band28	20	27460	100	#0	QPSK	22.37	20.5	25	PASS
Band28	20	27460	1	#0	QAM16	21.74	20.5	25	PASS
Band28	20	27460	18	#0	QAM16	21.93	20.5	25	PASS
Band28	20	27460	100	#0	QAM16	21.31	20.5	25	PASS
Band28	20	27560	1	#0	QPSK	23.12	20.5	25	PASS
Band28	20	27560	18	#0	QPSK	23.41	20.5	25	PASS
Band28	20	27560	100	#0	QPSK	22.48	20.5	25	PASS
Band28	20	27560	1	#0	QAM16	21.94	20.5	25	PASS
Band28	20	27560	18	#0	QAM16	22.41	20.5	25	PASS
Band28	20	27560	100	#0	QAM16	21.46	20.5	25	PASS
Band3	1.4	19207	1	#0	QPSK	24.38	19.5	25	PASS
Band3	1.4	19207	5	#0	QPSK	24.37	19.5	25	PASS

Band3	1.4	19207	6	#0	QPSK	23.37	19.5	25	PASS
Band3	1.4	19207	1	#0	QAM16	23.25	19.5	25	PASS
Band3	1.4	19207	5	#0	QAM16	23.46	19.5	25	PASS
Band3	1.4	19207	6	#0	QAM16	22.35	19.5	25	PASS
Band3	1.4	19575	1	#0	QPSK	24.22	21	25	PASS
Band3	1.4	19575	5	#0	QPSK	24.30	21	25	PASS
Band3	1.4	19575	6	#0	QPSK	23.28	21	25	PASS
Band3	1.4	19575	1	#0	QAM16	23.34	21	25	PASS
Band3	1.4	19575	5	#0	QAM16	23.49	21	25	PASS
Band3	1.4	19575	6	#0	QAM16	22.22	21	25	PASS
Band3	1.4	19943	1	#0	QPSK	24.29	19.5	25	PASS
Band3	1.4	19943	5	#0	QPSK	24.33	19.5	25	PASS
Band3	1.4	19943	6	#0	QPSK	23.32	19.5	25	PASS
Band3	1.4	19943	1	#0	QAM16	23.11	19.5	25	PASS
Band3	1.4	19943	5	#0	QAM16	23.31	19.5	25	PASS
Band3	1.4	19943	6	#0	QAM16	22.25	19.5	25	PASS
Band3	5	19225	1	#0	QPSK	24.25	19.5	25	PASS
Band3	5	19225	8	#0	QPSK	24.34	19.5	25	PASS
Band3	5	19225	25	#0	QPSK	23.28	21	25	PASS
Band3	5	19225	1	#0	QAM16	23.48	19.5	25	PASS
Band3	5	19225	8	#0	QAM16	23.28	19.5	25	PASS
Band3	5	19225	25	#0	QAM16	22.31	21	25	PASS
Band3	5	19575	1	#0	QPSK	24.21	21	25	PASS
Band3	5	19575	8	#0	QPSK	24.30	21	25	PASS
Band3	5	19575	25	#0	QPSK	23.24	21	25	PASS
Band3	5	19575	1	#0	QAM16	23.36	21	25	PASS
Band3	5	19575	8	#0	QAM16	23.22	21	25	PASS
Band3	5	19575	25	#0	QAM16	22.24	21	25	PASS
Band3	5	19925	1	#0	QPSK	24.15	21	25	PASS
Band3	5	19925	8	#0	QPSK	24.26	21	25	PASS
Band3	5	19925	25	#0	QPSK	23.28	21	25	PASS
Band3	5	19925	1	#0	QAM16	23.42	21	25	PASS
Band3	5	19925	8	#0	QAM16	23.25	21	25	PASS
Band3	5	19925	25	#0	QAM16	22.24	21	25	PASS
Band3	20	19300	1	#0	QPSK	24.14	19.5	25	PASS
Band3	20	19300	18	#0	QPSK	24.16	19.5	25	PASS
Band3	20	19300	100	#0	QPSK	23.25	21	25	PASS
Band3	20	19300	1	#0	QAM16	23.25	19.5	25	PASS
Band3	20	19300	18	#0	QAM16	23.10	19.5	25	PASS
Band3	20	19300	100	#0	QAM16	22.25	21	25	PASS
Band3	20	19575	1	#0	QPSK	24.19	21	25	PASS
Band3	20	19575	18	#0	QPSK	24.21	21	25	PASS
Band3	20	19575	100	#0	QPSK	23.24	21	25	PASS
Band3	20	19575	1	#0	QAM16	22.54	21	25	PASS



Band3	20	19575	18	#0	QAM16	22.76	21	25	PASS
Band3	20	19575	100	#0	QAM16	21.80	21	25	PASS
Band3	20	19850	1	#0	QPSK	23.69	21	25	PASS
Band3	20	19850	18	#0	QPSK	23.80	21	25	PASS
Band3	20	19850	100	#0	QPSK	22.81	21	25	PASS
Band3	20	19850	1	#0	QAM16	22.44	21	25	PASS
Band3	20	19850	18	#0	QAM16	22.71	21	25	PASS
Band3	20	19850	100	#0	QAM16	21.78	21	25	PASS
Band40	5	38675	1	#0	QPSK	23.60	21	25	PASS
Band40	5	38675	8	#0	QPSK	23.58	21	25	PASS
Band40	5	38675	25	#0	QPSK	22.61	21	25	PASS
Band40	5	39150	1	#0	QPSK	23.26	21	25	PASS
Band40	5	39150	8	#0	QPSK	23.29	21	25	PASS
Band40	5	39150	25	#0	QPSK	22.35	21	25	PASS
Band40	5	39625	1	#0	QPSK	23.43	21	25	PASS
Band40	5	39625	8	#0	QPSK	23.45	21	25	PASS
Band40	5	39625	25	#0	QPSK	22.49	21	25	PASS
Band40	20	38750	1	#0	QPSK	23.44	21	25	PASS
Band40	20	38750	18	#0	QPSK	23.50	21	25	PASS
Band40	20	38750	100	#0	QPSK	22.52	21	25	PASS
Band40	20	39150	1	#0	QPSK	23.23	21	25	PASS
Band40	20	39150	18	#0	QPSK	23.29	21	25	PASS
Band40	20	39150	100	#0	QPSK	22.39	21	25	PASS
Band40	20	39550	1	#0	QPSK	23.13	21	25	PASS
Band40	20	39550	18	#0	QPSK	23.24	21	25	PASS
Band40	20	39550	100	#0	QPSK	22.52	21	25	PASS
Band7	5	20775	1	#0	QPSK	24.56	19.5	25	PASS
Band7	5	20775	8	#0	QPSK	24.70	19.5	25	PASS
Band7	5	20775	25	#0	QPSK	23.58	21	25	PASS
Band7	5	20775	1	#0	QAM16	23.73	19.5	25	PASS
Band7	5	20775	8	#0	QAM16	23.54	19.5	25	PASS
Band7	5	20775	25	#0	QAM16	22.58	21	25	PASS
Band7	5	21100	1	#0	QPSK	24.54	21	25	PASS
Band7	5	21100	8	#0	QPSK	24.70	21	25	PASS
Band7	5	21100	25	#0	QPSK	23.65	21	25	PASS
Band7	5	21100	1	#0	QAM16	23.76	21	25	PASS
Band7	5	21100	8	#0	QAM16	23.63	21	25	PASS
Band7	5	21100	25	#0	QAM16	22.62	21	25	PASS
Band7	5	21425	1	#0	QPSK	24.57	21	25	PASS
Band7	5	21425	8	#0	QPSK	24.72	21	25	PASS
Band7	5	21425	25	#0	QPSK	23.62	21	25	PASS
Band7	5	21425	1	#0	QAM16	23.61	21	25	PASS
Band7	5	21425	8	#0	QAM16	23.56	21	25	PASS
Band7	5	21425	25	#0	QAM16	22.55	21	25	PASS

Band7	20	20850	1	#0	QPSK	24.49	19.5	25	PASS
Band7	20	20850	18	#0	QPSK	24.54	19.5	25	PASS
Band7	20	20850	100	#0	QPSK	23.20	21	25	PASS
Band7	20	20850	1	#0	QAM16	23.02	19.5	25	PASS
Band7	20	20850	18	#0	QAM16	22.94	19.5	25	PASS
Band7	20	20850	100	#0	QAM16	22.19	21	25	PASS
Band7	20	21100	1	#0	QPSK	24.13	21	25	PASS
Band7	20	21100	18	#0	QPSK	24.13	21	25	PASS
Band7	20	21100	100	#0	QPSK	23.15	21	25	PASS
Band7	20	21100	1	#0	QAM16	22.89	21	25	PASS
Band7	20	21100	18	#0	QAM16	23.02	21	25	PASS
Band7	20	21100	100	#0	QAM16	22.16	21	25	PASS
Band7	20	21350	1	#0	QPSK	24.09	21	25	PASS
Band7	20	21350	18	#0	QPSK	24.07	21	25	PASS
Band7	20	21350	100	#0	QPSK	23.00	21	25	PASS
Band7	20	21350	1	#0	QAM16	22.82	21	25	PASS
Band7	20	21350	18	#0	QAM16	23.02	21	25	PASS
Band7	20	21350	100	#0	QAM16	22.04	21	25	PASS
Band8	1.4	21457	1	#0	QPSK	23.78	19.5	25	PASS
Band8	1.4	21457	5	#0	QPSK	23.78	19.5	25	PASS
Band8	1.4	21457	6	#0	QPSK	22.79	19.5	25	PASS
Band8	1.4	21457	1	#0	QAM16	22.68	19.5	25	PASS
Band8	1.4	21457	5	#0	QAM16	22.87	19.5	25	PASS
Band8	1.4	21457	6	#0	QAM16	21.76	19.5	25	PASS
Band8	1.4	21625	1	#0	QPSK	23.67	21	25	PASS
Band8	1.4	21625	5	#0	QPSK	23.71	21	25	PASS
Band8	1.4	21625	6	#0	QPSK	22.75	21	25	PASS
Band8	1.4	21625	1	#0	QAM16	22.80	21	25	PASS
Band8	1.4	21625	5	#0	QAM16	22.94	21	25	PASS
Band8	1.4	21625	6	#0	QAM16	21.68	21	25	PASS
Band8	1.4	21793	1	#0	QPSK	23.73	19.5	25	PASS
Band8	1.4	21793	5	#0	QPSK	23.78	19.5	25	PASS
Band8	1.4	21793	6	#0	QPSK	22.79	19.5	25	PASS
Band8	1.4	21793	1	#0	QAM16	22.58	19.5	25	PASS
Band8	1.4	21793	5	#0	QAM16	22.86	19.5	25	PASS
Band8	1.4	21793	6	#0	QAM16	21.75	19.5	25	PASS
Band8	5	21475	1	#0	QPSK	23.64	19.5	25	PASS
Band8	5	21475	8	#0	QPSK	23.76	19.5	25	PASS
Band8	5	21475	25	#0	QPSK	22.79	21	25	PASS
Band8	5	21475	1	#0	QAM16	22.88	19.5	25	PASS
Band8	5	21475	8	#0	QAM16	22.73	19.5	25	PASS
Band8	5	21475	25	#0	QAM16	21.79	21	25	PASS
Band8	5	21625	1	#0	QPSK	23.61	21	25	PASS
Band8	5	21625	8	#0	QPSK	23.61	21	25	PASS

Band8	5	21625	25	#0	QPSK	22.69	21	25	PASS
Band8	5	21625	1	#0	QAM16	22.79	21	25	PASS
Band8	5	21625	8	#0	QAM16	22.64	21	25	PASS
Band8	5	21625	25	#0	QAM16	21.66	21	25	PASS
Band8	5	21775	1	#0	QPSK	23.36	21	25	PASS
Band8	5	21775	8	#0	QPSK	23.51	21	25	PASS
Band8	5	21775	25	#0	QPSK	22.52	21	25	PASS
Band8	5	21775	1	#0	QAM16	22.57	21	25	PASS
Band8	5	21775	8	#0	QAM16	22.18	21	25	PASS
Band8	5	21775	25	#0	QAM16	21.31	21	25	PASS
Band8	10	21500	1	#0	QPSK	23.57	19.5	25	PASS
Band8	10	21500	12	#0	QPSK	23.45	19.5	25	PASS
Band8	10	21500	50	#0	QPSK	22.41	21	25	PASS
Band8	10	21500	1	#0	QAM16	22.39	19.5	25	PASS
Band8	10	21500	12	#0	QAM16	22.27	19.5	25	PASS
Band8	10	21500	50	#0	QAM16	21.42	21	25	PASS
Band8	10	21625	1	#0	QPSK	23.21	21	25	PASS
Band8	10	21625	12	#0	QPSK	23.23	21	25	PASS
Band8	10	21625	50	#0	QPSK	22.14	21	25	PASS
Band8	10	21625	1	#0	QAM16	22.35	21	25	PASS
Band8	10	21625	12	#0	QAM16	22.14	21	25	PASS
Band8	10	21625	50	#0	QAM16	21.12	21	25	PASS
Band8	10	21750	1	#0	QPSK	23.20	21	25	PASS
Band8	10	21750	12	#0	QPSK	23.17	21	25	PASS
Band8	10	21750	50	#0	QPSK	22.26	21	25	PASS
Band8	10	21750	1	#0	QAM16	22.01	21	25	PASS
Band8	10	21750	12	#0	QAM16	22.29	21	25	PASS
Band8	10	21750	50	#0	QAM16	21.24	21	25	PASS

#### Clause 4.2.3 LTE Transmitter spectrum emission mask

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range	SEM Margin (dB)	Verdict
Band1	5	18025	8	#0	QPSK	-1MHz-0MHz	6.25	PASS
Band1	5	18025	8	#0	QPSK	-5MHz--1MHz	11.99	PASS
Band1	5	18025	8	#0	QPSK	-6MHz--5MHz	24.62	PASS
Band1	5	18025	8	#0	QPSK	-10MHz--6MHz	12.83	PASS
Band1	5	18025	8	#0	QPSK	0MHz-1MHz	31.74	PASS
Band1	5	18025	8	#0	QPSK	1MHz-5MHz	20.59	PASS
Band1	5	18025	8	#0	QPSK	5MHz-6MHz	25.03	PASS
Band1	5	18025	8	#0	QPSK	6MHz-10MHz	13.29	PASS
Band1	5	18025	8	#Max	QPSK	-1MHz-0MHz	32.39	PASS
Band1	5	18025	8	#Max	QPSK	-5MHz--1MHz	20.89	PASS
Band1	5	18025	8	#Max	QPSK	-6MHz--5MHz	24.99	PASS
Band1	5	18025	8	#Max	QPSK	-10MHz--6MHz	12.88	PASS
Band1	5	18025	8	#Max	QPSK	0MHz-1MHz	6.47	PASS

Band1	5	18025	8	#Max	QPSK	1MHz-5MHz	11.56	PASS
Band1	5	18025	8	#Max	QPSK	5MHz-6MHz	24.88	PASS
Band1	5	18025	8	#Max	QPSK	6MHz-10MHz	13.06	PASS
Band1	5	18025	25	#0	QPSK	-1MHz-0MHz	15.90	PASS
Band1	5	18025	25	#0	QPSK	-5MHz--1MHz	14.56	PASS
Band1	5	18025	25	#0	QPSK	-6MHz--5MHz	19.33	PASS
Band1	5	18025	25	#0	QPSK	-10MHz--6MHz	8.69	PASS
Band1	5	18025	25	#0	QPSK	0MHz-1MHz	16.50	PASS
Band1	5	18025	25	#0	QPSK	1MHz-5MHz	14.39	PASS
Band1	5	18025	25	#0	QPSK	5MHz-6MHz	19.65	PASS
Band1	5	18025	25	#0	QPSK	6MHz-10MHz	8.82	PASS
Band1	5	18025	8	#0	QAM16	-1MHz-0MHz	9.40	PASS
Band1	5	18025	8	#0	QAM16	-5MHz--1MHz	14.73	PASS
Band1	5	18025	8	#0	QAM16	-6MHz--5MHz	24.79	PASS
Band1	5	18025	8	#0	QAM16	-10MHz--6MHz	12.84	PASS
Band1	5	18025	8	#0	QAM16	0MHz-1MHz	32.83	PASS
Band1	5	18025	8	#0	QAM16	1MHz-5MHz	21.79	PASS
Band1	5	18025	8	#0	QAM16	5MHz-6MHz	25.09	PASS
Band1	5	18025	8	#0	QAM16	6MHz-10MHz	13.25	PASS
Band1	5	18025	8	#Max	QAM16	-1MHz-0MHz	32.72	PASS
Band1	5	18025	8	#Max	QAM16	-5MHz--1MHz	22.12	PASS
Band1	5	18025	8	#Max	QAM16	-6MHz--5MHz	24.96	PASS
Band1	5	18025	8	#Max	QAM16	-10MHz--6MHz	12.88	PASS
Band1	5	18025	8	#Max	QAM16	0MHz-1MHz	10.89	PASS
Band1	5	18025	8	#Max	QAM16	1MHz-5MHz	14.26	PASS
Band1	5	18025	8	#Max	QAM16	5MHz-6MHz	24.87	PASS
Band1	5	18025	8	#Max	QAM16	6MHz-10MHz	13.18	PASS
Band1	5	18025	25	#0	QAM16	-1MHz-0MHz	17.25	PASS
Band1	5	18025	25	#0	QAM16	-5MHz--1MHz	15.46	PASS
Band1	5	18025	25	#0	QAM16	-6MHz--5MHz	20.54	PASS
Band1	5	18025	25	#0	QAM16	-10MHz--6MHz	9.99	PASS
Band1	5	18025	25	#0	QAM16	0MHz-1MHz	16.74	PASS
Band1	5	18025	25	#0	QAM16	1MHz-5MHz	15.16	PASS
Band1	5	18025	25	#0	QAM16	5MHz-6MHz	20.46	PASS
Band1	5	18025	25	#0	QAM16	6MHz-10MHz	10.08	PASS
Band1	5	18300	8	#0	QPSK	-1MHz-0MHz	9.21	PASS
Band1	5	18300	8	#0	QPSK	-5MHz--1MHz	13.70	PASS
Band1	5	18300	8	#0	QPSK	-6MHz--5MHz	24.44	PASS
Band1	5	18300	8	#0	QPSK	-10MHz--6MHz	12.78	PASS
Band1	5	18300	8	#0	QPSK	0MHz-1MHz	30.78	PASS
Band1	5	18300	8	#0	QPSK	1MHz-5MHz	19.49	PASS
Band1	5	18300	8	#0	QPSK	5MHz-6MHz	24.85	PASS
Band1	5	18300	8	#0	QPSK	6MHz-10MHz	13.04	PASS
Band1	5	18300	8	#Max	QPSK	-1MHz-0MHz	30.92	PASS

Band1	5	18300	8	#Max	QPSK	-5MHz--1MHz	19.50	PASS
Band1	5	18300	8	#Max	QPSK	-6MHz--5MHz	24.74	PASS
Band1	5	18300	8	#Max	QPSK	-10MHz--6MHz	12.73	PASS
Band1	5	18300	8	#Max	QPSK	0MHz-1MHz	7.82	PASS
Band1	5	18300	8	#Max	QPSK	1MHz-5MHz	14.78	PASS
Band1	5	18300	8	#Max	QPSK	5MHz-6MHz	24.65	PASS
Band1	5	18300	8	#Max	QPSK	6MHz-10MHz	12.81	PASS
Band1	5	18300	25	#0	QPSK	-1MHz-0MHz	17.24	PASS
Band1	5	18300	25	#0	QPSK	-5MHz--1MHz	16.32	PASS
Band1	5	18300	25	#0	QPSK	-6MHz--5MHz	21.31	PASS
Band1	5	18300	25	#0	QPSK	-10MHz--6MHz	10.06	PASS
Band1	5	18300	25	#0	QPSK	0MHz-1MHz	15.62	PASS
Band1	5	18300	25	#0	QPSK	1MHz-5MHz	16.33	PASS
Band1	5	18300	25	#0	QPSK	5MHz-6MHz	21.48	PASS
Band1	5	18300	25	#0	QPSK	6MHz-10MHz	10.55	PASS
Band1	5	18300	8	#0	QAM16	-1MHz-0MHz	11.08	PASS
Band1	5	18300	8	#0	QAM16	-5MHz--1MHz	16.43	PASS
Band1	5	18300	8	#0	QAM16	-6MHz--5MHz	24.67	PASS
Band1	5	18300	8	#0	QAM16	-10MHz--6MHz	12.68	PASS
Band1	5	18300	8	#0	QAM16	0MHz-1MHz	31.72	PASS
Band1	5	18300	8	#0	QAM16	1MHz-5MHz	20.54	PASS
Band1	5	18300	8	#0	QAM16	5MHz-6MHz	24.99	PASS
Band1	5	18300	8	#0	QAM16	6MHz-10MHz	13.15	PASS
Band1	5	18300	8	#Max	QAM16	-1MHz-0MHz	33.09	PASS
Band1	5	18300	8	#Max	QAM16	-5MHz--1MHz	20.61	PASS
Band1	5	18300	8	#Max	QAM16	-6MHz--5MHz	24.91	PASS
Band1	5	18300	8	#Max	QAM16	-10MHz--6MHz	12.77	PASS
Band1	5	18300	8	#Max	QAM16	0MHz-1MHz	12.24	PASS
Band1	5	18300	8	#Max	QAM16	1MHz-5MHz	17.46	PASS
Band1	5	18300	8	#Max	QAM16	5MHz-6MHz	24.77	PASS
Band1	5	18300	8	#Max	QAM16	6MHz-10MHz	12.96	PASS
Band1	5	18300	25	#0	QAM16	-1MHz-0MHz	16.02	PASS
Band1	5	18300	25	#0	QAM16	-5MHz--1MHz	17.68	PASS
Band1	5	18300	25	#0	QAM16	-6MHz--5MHz	21.54	PASS
Band1	5	18300	25	#0	QAM16	-10MHz--6MHz	10.73	PASS
Band1	5	18300	25	#0	QAM16	0MHz-1MHz	18.70	PASS
Band1	5	18300	25	#0	QAM16	1MHz-5MHz	17.39	PASS
Band1	5	18300	25	#0	QAM16	5MHz-6MHz	21.77	PASS
Band1	5	18300	25	#0	QAM16	6MHz-10MHz	10.97	PASS
Band1	5	18575	8	#0	QPSK	-1MHz-0MHz	7.69	PASS
Band1	5	18575	8	#0	QPSK	-5MHz--1MHz	13.86	PASS
Band1	5	18575	8	#0	QPSK	-6MHz--5MHz	24.96	PASS
Band1	5	18575	8	#0	QPSK	-10MHz--6MHz	13.18	PASS
Band1	5	18575	8	#0	QPSK	0MHz-1MHz	30.98	PASS

Band1	5	18575	8	#0	QPSK	1MHz-5MHz	18.81	PASS
Band1	5	18575	8	#0	QPSK	5MHz-6MHz	25.62	PASS
Band1	5	18575	8	#0	QPSK	6MHz-10MHz	13.70	PASS
Band1	5	18575	8	#Max	QPSK	-1MHz-0MHz	31.34	PASS
Band1	5	18575	8	#Max	QPSK	-5MHz--1MHz	19.62	PASS
Band1	5	18575	8	#Max	QPSK	-6MHz--5MHz	25.32	PASS
Band1	5	18575	8	#Max	QPSK	-10MHz--6MHz	13.35	PASS
Band1	5	18575	8	#Max	QPSK	0MHz-1MHz	7.54	PASS
Band1	5	18575	8	#Max	QPSK	1MHz-5MHz	13.22	PASS
Band1	5	18575	8	#Max	QPSK	5MHz-6MHz	24.81	PASS
Band1	5	18575	8	#Max	QPSK	6MHz-10MHz	13.29	PASS
Band1	5	18575	25	#0	QPSK	-1MHz-0MHz	16.68	PASS
Band1	5	18575	25	#0	QPSK	-5MHz--1MHz	16.37	PASS
Band1	5	18575	25	#0	QPSK	-6MHz--5MHz	20.75	PASS
Band1	5	18575	25	#0	QPSK	-10MHz--6MHz	10.02	PASS
Band1	5	18575	25	#0	QPSK	0MHz-1MHz	16.30	PASS
Band1	5	18575	25	#0	QPSK	1MHz-5MHz	16.87	PASS
Band1	5	18575	25	#0	QPSK	5MHz-6MHz	21.25	PASS
Band1	5	18575	25	#0	QPSK	6MHz-10MHz	10.42	PASS
Band1	5	18575	8	#0	QAM16	-1MHz-0MHz	12.89	PASS
Band1	5	18575	8	#0	QAM16	-5MHz--1MHz	17.44	PASS
Band1	5	18575	8	#0	QAM16	-6MHz--5MHz	25.29	PASS
Band1	5	18575	8	#0	QAM16	-10MHz--6MHz	13.33	PASS
Band1	5	18575	8	#0	QAM16	0MHz-1MHz	32.48	PASS
Band1	5	18575	8	#0	QAM16	1MHz-5MHz	20.07	PASS
Band1	5	18575	8	#0	QAM16	5MHz-6MHz	25.65	PASS
Band1	5	18575	8	#0	QAM16	6MHz-10MHz	13.75	PASS
Band1	5	18575	8	#Max	QAM16	-1MHz-0MHz	32.49	PASS
Band1	5	18575	8	#Max	QAM16	-5MHz--1MHz	20.22	PASS
Band1	5	18575	8	#Max	QAM16	-6MHz--5MHz	25.38	PASS
Band1	5	18575	8	#Max	QAM16	-10MHz--6MHz	13.41	PASS
Band1	5	18575	8	#Max	QAM16	0MHz-1MHz	11.15	PASS
Band1	5	18575	8	#Max	QAM16	1MHz-5MHz	17.24	PASS
Band1	5	18575	8	#Max	QAM16	5MHz-6MHz	25.42	PASS
Band1	5	18575	8	#Max	QAM16	6MHz-10MHz	13.58	PASS
Band1	5	18575	25	#0	QAM16	-1MHz-0MHz	20.10	PASS
Band1	5	18575	25	#0	QAM16	-5MHz--1MHz	17.30	PASS
Band1	5	18575	25	#0	QAM16	-6MHz--5MHz	20.92	PASS
Band1	5	18575	25	#0	QAM16	-10MHz--6MHz	10.50	PASS
Band1	5	18575	25	#0	QAM16	0MHz-1MHz	16.53	PASS
Band1	5	18575	25	#0	QAM16	1MHz-5MHz	17.48	PASS
Band1	5	18575	25	#0	QAM16	5MHz-6MHz	21.66	PASS
Band1	5	18575	25	#0	QAM16	6MHz-10MHz	10.76	PASS
Band1	10	18050	12	#0	QPSK	-1MHz-0MHz	9.26	PASS

Band1	10	18050	12	#0	QPSK	-5MHz--1MHz	10.17	PASS
Band1	10	18050	12	#0	QPSK	-10MHz--5MHz	24.12	PASS
Band1	10	18050	12	#0	QPSK	-15MHz--10MHz	11.25	PASS
Band1	10	18050	12	#0	QPSK	0MHz-1MHz	32.70	PASS
Band1	10	18050	12	#0	QPSK	1MHz-5MHz	22.31	PASS
Band1	10	18050	12	#0	QPSK	5MHz-10MHz	18.78	PASS
Band1	10	18050	12	#0	QPSK	10MHz-15MHz	13.25	PASS
Band1	10	18050	12	#Max	QPSK	-1MHz-0MHz	32.44	PASS
Band1	10	18050	12	#Max	QPSK	-5MHz--1MHz	22.51	PASS
Band1	10	18050	12	#Max	QPSK	-10MHz--5MHz	19.17	PASS
Band1	10	18050	12	#Max	QPSK	-15MHz--10MHz	11.37	PASS
Band1	10	18050	12	#Max	QPSK	0MHz-1MHz	7.75	PASS
Band1	10	18050	12	#Max	QPSK	1MHz-5MHz	9.33	PASS
Band1	10	18050	12	#Max	QPSK	5MHz-10MHz	24.33	PASS
Band1	10	18050	12	#Max	QPSK	10MHz-15MHz	13.01	PASS
Band1	10	18050	50	#0	QPSK	-1MHz-0MHz	19.33	PASS
Band1	10	18050	50	#0	QPSK	-5MHz--1MHz	15.67	PASS
Band1	10	18050	50	#0	QPSK	-10MHz--5MHz	14.21	PASS
Band1	10	18050	50	#0	QPSK	-15MHz--10MHz	8.97	PASS
Band1	10	18050	50	#0	QPSK	0MHz-1MHz	16.91	PASS
Band1	10	18050	50	#0	QPSK	1MHz-5MHz	16.00	PASS
Band1	10	18050	50	#0	QPSK	5MHz-10MHz	14.82	PASS
Band1	10	18050	50	#0	QPSK	10MHz-15MHz	9.64	PASS
Band1	10	18050	12	#0	QAM16	-1MHz-0MHz	10.74	PASS
Band1	10	18050	12	#0	QAM16	-5MHz--1MHz	13.36	PASS
Band1	10	18050	12	#0	QAM16	-10MHz--5MHz	24.35	PASS
Band1	10	18050	12	#0	QAM16	-15MHz--10MHz	11.29	PASS
Band1	10	18050	12	#0	QAM16	0MHz-1MHz	33.20	PASS
Band1	10	18050	12	#0	QAM16	1MHz-5MHz	23.36	PASS
Band1	10	18050	12	#0	QAM16	5MHz-10MHz	19.93	PASS
Band1	10	18050	12	#0	QAM16	10MHz-15MHz	13.26	PASS
Band1	10	18050	12	#Max	QAM16	-1MHz-0MHz	32.88	PASS
Band1	10	18050	12	#Max	QAM16	-5MHz--1MHz	23.44	PASS
Band1	10	18050	12	#Max	QAM16	-10MHz--5MHz	20.09	PASS
Band1	10	18050	12	#Max	QAM16	-15MHz--10MHz	11.39	PASS
Band1	10	18050	12	#Max	QAM16	0MHz-1MHz	10.11	PASS
Band1	10	18050	12	#Max	QAM16	1MHz-5MHz	12.18	PASS
Band1	10	18050	12	#Max	QAM16	5MHz-10MHz	24.64	PASS
Band1	10	18050	12	#Max	QAM16	10MHz-15MHz	13.13	PASS
Band1	10	18050	50	#0	QAM16	-1MHz-0MHz	17.81	PASS
Band1	10	18050	50	#0	QAM16	-5MHz--1MHz	17.09	PASS
Band1	10	18050	50	#0	QAM16	-10MHz--5MHz	15.64	PASS
Band1	10	18050	50	#0	QAM16	-15MHz--10MHz	9.38	PASS
Band1	10	18050	50	#0	QAM16	0MHz-1MHz	19.07	PASS



Band1	10	18050	50	#0	QAM16	1MHz-5MHz	17.02	PASS
Band1	10	18050	50	#0	QAM16	5MHz-10MHz	15.97	PASS
Band1	10	18050	50	#0	QAM16	10MHz-15MHz	9.79	PASS
Band1	10	18300	12	#0	QPSK	-1MHz-0MHz	9.93	PASS
Band1	10	18300	12	#0	QPSK	-5MHz--1MHz	11.46	PASS
Band1	10	18300	12	#0	QPSK	-10MHz--5MHz	23.84	PASS
Band1	10	18300	12	#0	QPSK	-15MHz--10MHz	11.18	PASS
Band1	10	18300	12	#0	QPSK	0MHz-1MHz	32.48	PASS
Band1	10	18300	12	#0	QPSK	1MHz-5MHz	21.12	PASS
Band1	10	18300	12	#0	QPSK	5MHz-10MHz	17.41	PASS
Band1	10	18300	12	#0	QPSK	10MHz-15MHz	13.04	PASS
Band1	10	18300	12	#Max	QPSK	-1MHz-0MHz	32.85	PASS
Band1	10	18300	12	#Max	QPSK	-5MHz--1MHz	21.12	PASS
Band1	10	18300	12	#Max	QPSK	-10MHz--5MHz	17.57	PASS
Band1	10	18300	12	#Max	QPSK	-15MHz--10MHz	11.30	PASS
Band1	10	18300	12	#Max	QPSK	0MHz-1MHz	10.00	PASS
Band1	10	18300	12	#Max	QPSK	1MHz-5MHz	13.07	PASS
Band1	10	18300	12	#Max	QPSK	5MHz-10MHz	24.19	PASS
Band1	10	18300	12	#Max	QPSK	10MHz-15MHz	12.45	PASS
Band1	10	18300	50	#0	QPSK	-1MHz-0MHz	18.13	PASS
Band1	10	18300	50	#0	QPSK	-5MHz--1MHz	17.06	PASS
Band1	10	18300	50	#0	QPSK	-10MHz--5MHz	17.37	PASS
Band1	10	18300	50	#0	QPSK	-15MHz--10MHz	9.82	PASS
Band1	10	18300	50	#0	QPSK	0MHz-1MHz	20.18	PASS
Band1	10	18300	50	#0	QPSK	1MHz-5MHz	17.55	PASS
Band1	10	18300	50	#0	QPSK	5MHz-10MHz	17.44	PASS
Band1	10	18300	50	#0	QPSK	10MHz-15MHz	10.62	PASS
Band1	10	18300	12	#0	QAM16	-1MHz-0MHz	10.84	PASS
Band1	10	18300	12	#0	QAM16	-5MHz--1MHz	14.68	PASS
Band1	10	18300	12	#0	QAM16	-10MHz--5MHz	24.03	PASS
Band1	10	18300	12	#0	QAM16	-15MHz--10MHz	11.35	PASS
Band1	10	18300	12	#0	QAM16	0MHz-1MHz	32.99	PASS
Band1	10	18300	12	#0	QAM16	1MHz-5MHz	21.70	PASS
Band1	10	18300	12	#0	QAM16	5MHz-10MHz	18.28	PASS
Band1	10	18300	12	#0	QAM16	10MHz-15MHz	13.11	PASS
Band1	10	18300	12	#Max	QAM16	-1MHz-0MHz	32.73	PASS
Band1	10	18300	12	#Max	QAM16	-5MHz--1MHz	22.22	PASS
Band1	10	18300	12	#Max	QAM16	-10MHz--5MHz	18.61	PASS
Band1	10	18300	12	#Max	QAM16	-15MHz--10MHz	11.18	PASS
Band1	10	18300	12	#Max	QAM16	0MHz-1MHz	11.89	PASS
Band1	10	18300	12	#Max	QAM16	1MHz-5MHz	16.02	PASS
Band1	10	18300	12	#Max	QAM16	5MHz-10MHz	24.49	PASS
Band1	10	18300	12	#Max	QAM16	10MHz-15MHz	12.77	PASS
Band1	10	18300	50	#0	QAM16	-1MHz-0MHz	19.73	PASS



Band1	10	18300	50	#0	QAM16	-5MHz--1MHz	18.58	PASS
Band1	10	18300	50	#0	QAM16	-10MHz--5MHz	18.37	PASS
Band1	10	18300	50	#0	QAM16	-15MHz--10MHz	10.01	PASS
Band1	10	18300	50	#0	QAM16	0MHz-1MHz	19.33	PASS
Band1	10	18300	50	#0	QAM16	1MHz-5MHz	18.57	PASS
Band1	10	18300	50	#0	QAM16	5MHz-10MHz	18.19	PASS
Band1	10	18300	50	#0	QAM16	10MHz-15MHz	10.80	PASS
Band1	10	18550	12	#0	QPSK	-1MHz-0MHz	9.69	PASS
Band1	10	18550	12	#0	QPSK	-5MHz--1MHz	13.90	PASS
Band1	10	18550	12	#0	QPSK	-10MHz--5MHz	24.43	PASS
Band1	10	18550	12	#0	QPSK	-15MHz--10MHz	11.75	PASS
Band1	10	18550	12	#0	QPSK	0MHz-1MHz	32.66	PASS
Band1	10	18550	12	#0	QPSK	1MHz-5MHz	22.38	PASS
Band1	10	18550	12	#0	QPSK	5MHz-10MHz	18.75	PASS
Band1	10	18550	12	#0	QPSK	10MHz-15MHz	13.66	PASS
Band1	10	18550	12	#Max	QPSK	-1MHz-0MHz	32.35	PASS
Band1	10	18550	12	#Max	QPSK	-5MHz--1MHz	22.07	PASS
Band1	10	18550	12	#Max	QPSK	-10MHz--5MHz	18.75	PASS
Band1	10	18550	12	#Max	QPSK	-15MHz--10MHz	11.82	PASS
Band1	10	18550	12	#Max	QPSK	0MHz-1MHz	9.99	PASS
Band1	10	18550	12	#Max	QPSK	1MHz-5MHz	12.94	PASS
Band1	10	18550	12	#Max	QPSK	5MHz-10MHz	24.68	PASS
Band1	10	18550	12	#Max	QPSK	10MHz-15MHz	13.48	PASS
Band1	10	18550	50	#0	QPSK	-1MHz-0MHz	20.70	PASS
Band1	10	18550	50	#0	QPSK	-5MHz--1MHz	18.99	PASS
Band1	10	18550	50	#0	QPSK	-10MHz--5MHz	18.16	PASS
Band1	10	18550	50	#0	QPSK	-15MHz--10MHz	10.75	PASS
Band1	10	18550	50	#0	QPSK	0MHz-1MHz	20.86	PASS
Band1	10	18550	50	#0	QPSK	1MHz-5MHz	19.65	PASS
Band1	10	18550	50	#0	QPSK	5MHz-10MHz	18.45	PASS
Band1	10	18550	50	#0	QPSK	10MHz-15MHz	11.55	PASS
Band1	10	18550	12	#0	QAM16	-1MHz-0MHz	12.09	PASS
Band1	10	18550	12	#0	QAM16	-5MHz--1MHz	16.47	PASS
Band1	10	18550	12	#0	QAM16	-10MHz--5MHz	24.62	PASS
Band1	10	18550	12	#0	QAM16	-15MHz--10MHz	11.77	PASS
Band1	10	18550	12	#0	QAM16	0MHz-1MHz	33.49	PASS
Band1	10	18550	12	#0	QAM16	1MHz-5MHz	21.93	PASS
Band1	10	18550	12	#0	QAM16	5MHz-10MHz	18.59	PASS
Band1	10	18550	12	#0	QAM16	10MHz-15MHz	13.75	PASS
Band1	10	18550	12	#Max	QAM16	-1MHz-0MHz	32.84	PASS
Band1	10	18550	12	#Max	QAM16	-5MHz--1MHz	23.13	PASS
Band1	10	18550	12	#Max	QAM16	-10MHz--5MHz	19.87	PASS
Band1	10	18550	12	#Max	QAM16	-15MHz--10MHz	11.93	PASS
Band1	10	18550	12	#Max	QAM16	0MHz-1MHz	12.46	PASS

Band1	10	18550	12	#Max	QAM16	1MHz-5MHz	15.90	PASS
Band1	10	18550	12	#Max	QAM16	5MHz-10MHz	25.08	PASS
Band1	10	18550	12	#Max	QAM16	10MHz-15MHz	13.58	PASS
Band1	10	18550	50	#0	QAM16	-1MHz-0MHz	18.13	PASS
Band1	10	18550	50	#0	QAM16	-5MHz--1MHz	18.73	PASS
Band1	10	18550	50	#0	QAM16	-10MHz--5MHz	18.52	PASS
Band1	10	18550	50	#0	QAM16	-15MHz--10MHz	10.52	PASS
Band1	10	18550	50	#0	QAM16	0MHz-1MHz	20.14	PASS
Band1	10	18550	50	#0	QAM16	1MHz-5MHz	19.41	PASS
Band1	10	18550	50	#0	QAM16	5MHz-10MHz	19.05	PASS
Band1	10	18550	50	#0	QAM16	10MHz-15MHz	11.22	PASS
Band1	20	18100	18	#0	QPSK	-1MHz-0MHz	9.73	PASS
Band1	20	18100	18	#0	QPSK	-5MHz--1MHz	11.25	PASS
Band1	20	18100	18	#0	QPSK	-20MHz--5MHz	22.90	PASS
Band1	20	18100	18	#0	QPSK	-25MHz--20MHz	13.52	PASS
Band1	20	18100	18	#0	QPSK	0MHz-1MHz	30.97	PASS
Band1	20	18100	18	#0	QPSK	1MHz-5MHz	27.69	PASS
Band1	20	18100	18	#0	QPSK	5MHz-20MHz	19.61	PASS
Band1	20	18100	18	#0	QPSK	20MHz-25MHz	13.32	PASS
Band1	20	18100	18	#Max	QPSK	-1MHz-0MHz	29.74	PASS
Band1	20	18100	18	#Max	QPSK	-5MHz--1MHz	27.00	PASS
Band1	20	18100	18	#Max	QPSK	-20MHz--5MHz	20.69	PASS
Band1	20	18100	18	#Max	QPSK	-25MHz--20MHz	13.56	PASS
Band1	20	18100	18	#Max	QPSK	0MHz-1MHz	9.14	PASS
Band1	20	18100	18	#Max	QPSK	1MHz-5MHz	10.84	PASS
Band1	20	18100	18	#Max	QPSK	5MHz-20MHz	22.89	PASS
Band1	20	18100	18	#Max	QPSK	20MHz-25MHz	13.17	PASS
Band1	20	18100	100	#0	QPSK	-1MHz-0MHz	17.73	PASS
Band1	20	18100	100	#0	QPSK	-5MHz--1MHz	17.16	PASS
Band1	20	18100	100	#0	QPSK	-20MHz--5MHz	15.27	PASS
Band1	20	18100	100	#0	QPSK	-25MHz--20MHz	11.88	PASS
Band1	20	18100	100	#0	QPSK	0MHz-1MHz	20.40	PASS
Band1	20	18100	100	#0	QPSK	1MHz-5MHz	19.01	PASS
Band1	20	18100	100	#0	QPSK	5MHz-20MHz	17.23	PASS
Band1	20	18100	100	#0	QPSK	20MHz-25MHz	10.95	PASS
Band1	20	18100	18	#0	QAM16	-1MHz-0MHz	12.13	PASS
Band1	20	18100	18	#0	QAM16	-5MHz--1MHz	13.48	PASS
Band1	20	18100	18	#0	QAM16	-20MHz--5MHz	23.11	PASS
Band1	20	18100	18	#0	QAM16	-25MHz--20MHz	13.50	PASS
Band1	20	18100	18	#0	QAM16	0MHz-1MHz	30.93	PASS
Band1	20	18100	18	#0	QAM16	1MHz-5MHz	27.74	PASS
Band1	20	18100	18	#0	QAM16	5MHz-20MHz	20.71	PASS
Band1	20	18100	18	#0	QAM16	20MHz-25MHz	13.32	PASS
Band1	20	18100	18	#Max	QAM16	-1MHz-0MHz	30.12	PASS

Band1	20	18100	18	#Max	QAM16	-5MHz--1MHz	27.03	PASS
Band1	20	18100	18	#Max	QAM16	-20MHz--5MHz	21.60	PASS
Band1	20	18100	18	#Max	QAM16	-25MHz--20MHz	13.57	PASS
Band1	20	18100	18	#Max	QAM16	0MHz-1MHz	12.34	PASS
Band1	20	18100	18	#Max	QAM16	1MHz-5MHz	13.11	PASS
Band1	20	18100	18	#Max	QAM16	5MHz-20MHz	24.11	PASS
Band1	20	18100	18	#Max	QAM16	20MHz-25MHz	13.14	PASS
Band1	20	18100	100	#0	QAM16	-1MHz-0MHz	18.35	PASS
Band1	20	18100	100	#0	QAM16	-5MHz--1MHz	18.37	PASS
Band1	20	18100	100	#0	QAM16	-20MHz--5MHz	16.97	PASS
Band1	20	18100	100	#0	QAM16	-25MHz--20MHz	12.07	PASS
Band1	20	18100	100	#0	QAM16	0MHz-1MHz	21.18	PASS
Band1	20	18100	100	#0	QAM16	1MHz-5MHz	19.96	PASS
Band1	20	18100	100	#0	QAM16	5MHz-20MHz	17.95	PASS
Band1	20	18100	100	#0	QAM16	20MHz-25MHz	11.09	PASS
Band1	20	18300	18	#0	QPSK	-1MHz-0MHz	9.49	PASS
Band1	20	18300	18	#0	QPSK	-5MHz--1MHz	11.01	PASS
Band1	20	18300	18	#0	QPSK	-20MHz--5MHz	21.88	PASS
Band1	20	18300	18	#0	QPSK	-25MHz--20MHz	13.17	PASS
Band1	20	18300	18	#0	QPSK	0MHz-1MHz	30.75	PASS
Band1	20	18300	18	#0	QPSK	1MHz-5MHz	27.48	PASS
Band1	20	18300	18	#0	QPSK	5MHz-20MHz	19.37	PASS
Band1	20	18300	18	#0	QPSK	20MHz-25MHz	13.95	PASS
Band1	20	18300	18	#Max	QPSK	-1MHz-0MHz	30.47	PASS
Band1	20	18300	18	#Max	QPSK	-5MHz--1MHz	26.90	PASS
Band1	20	18300	18	#Max	QPSK	-20MHz--5MHz	19.58	PASS
Band1	20	18300	18	#Max	QPSK	-25MHz--20MHz	13.43	PASS
Band1	20	18300	18	#Max	QPSK	0MHz-1MHz	11.73	PASS
Band1	20	18300	18	#Max	QPSK	1MHz-5MHz	14.38	PASS
Band1	20	18300	18	#Max	QPSK	5MHz-20MHz	23.79	PASS
Band1	20	18300	18	#Max	QPSK	20MHz-25MHz	13.74	PASS
Band1	20	18300	100	#0	QPSK	-1MHz-0MHz	20.34	PASS
Band1	20	18300	100	#0	QPSK	-5MHz--1MHz	19.15	PASS
Band1	20	18300	100	#0	QPSK	-20MHz--5MHz	17.35	PASS
Band1	20	18300	100	#0	QPSK	-25MHz--20MHz	10.95	PASS
Band1	20	18300	100	#0	QPSK	0MHz-1MHz	20.60	PASS
Band1	20	18300	100	#0	QPSK	1MHz-5MHz	19.77	PASS
Band1	20	18300	100	#0	QPSK	5MHz-20MHz	18.25	PASS
Band1	20	18300	100	#0	QPSK	20MHz-25MHz	11.70	PASS
Band1	20	18300	18	#0	QAM16	-1MHz-0MHz	12.11	PASS
Band1	20	18300	18	#0	QAM16	-5MHz--1MHz	13.65	PASS
Band1	20	18300	18	#0	QAM16	-20MHz--5MHz	22.75	PASS
Band1	20	18300	18	#0	QAM16	-25MHz--20MHz	13.20	PASS
Band1	20	18300	18	#0	QAM16	0MHz-1MHz	30.58	PASS

Band1	20	18300	18	#0	QAM16	1MHz-5MHz	27.52	PASS
Band1	20	18300	18	#0	QAM16	5MHz-20MHz	20.11	PASS
Band1	20	18300	18	#0	QAM16	20MHz-25MHz	13.94	PASS
Band1	20	18300	18	#Max	QAM16	-1MHz-0MHz	30.26	PASS
Band1	20	18300	18	#Max	QAM16	-5MHz--1MHz	26.99	PASS
Band1	20	18300	18	#Max	QAM16	-20MHz--5MHz	20.86	PASS
Band1	20	18300	18	#Max	QAM16	-25MHz--20MHz	13.36	PASS
Band1	20	18300	18	#Max	QAM16	0MHz-1MHz	14.05	PASS
Band1	20	18300	18	#Max	QAM16	1MHz-5MHz	17.57	PASS
Band1	20	18300	18	#Max	QAM16	5MHz-20MHz	23.98	PASS
Band1	20	18300	18	#Max	QAM16	20MHz-25MHz	13.89	PASS
Band1	20	18300	100	#0	QAM16	-1MHz-0MHz	21.61	PASS
Band1	20	18300	100	#0	QAM16	-5MHz--1MHz	20.73	PASS
Band1	20	18300	100	#0	QAM16	-20MHz--5MHz	18.35	PASS
Band1	20	18300	100	#0	QAM16	-25MHz--20MHz	11.15	PASS
Band1	20	18300	100	#0	QAM16	0MHz-1MHz	20.63	PASS
Band1	20	18300	100	#0	QAM16	1MHz-5MHz	20.64	PASS
Band1	20	18300	100	#0	QAM16	5MHz-20MHz	18.89	PASS
Band1	20	18300	100	#0	QAM16	20MHz-25MHz	12.26	PASS
Band1	20	18500	18	#0	QPSK	-1MHz-0MHz	13.99	PASS
Band1	20	18500	18	#0	QPSK	-5MHz--1MHz	15.90	PASS
Band1	20	18500	18	#0	QPSK	-20MHz--5MHz	23.55	PASS
Band1	20	18500	18	#0	QPSK	-25MHz--20MHz	13.23	PASS
Band1	20	18500	18	#0	QPSK	0MHz-1MHz	31.01	PASS
Band1	20	18500	18	#0	QPSK	1MHz-5MHz	28.19	PASS
Band1	20	18500	18	#0	QPSK	5MHz-20MHz	19.31	PASS
Band1	20	18500	18	#0	QPSK	20MHz-25MHz	13.80	PASS
Band1	20	18500	18	#Max	QPSK	-1MHz-0MHz	30.73	PASS
Band1	20	18500	18	#Max	QPSK	-5MHz--1MHz	27.71	PASS
Band1	20	18500	18	#Max	QPSK	-20MHz--5MHz	20.26	PASS
Band1	20	18500	18	#Max	QPSK	-25MHz--20MHz	13.42	PASS
Band1	20	18500	18	#Max	QPSK	0MHz-1MHz	12.05	PASS
Band1	20	18500	18	#Max	QPSK	1MHz-5MHz	13.74	PASS
Band1	20	18500	18	#Max	QPSK	5MHz-20MHz	24.32	PASS
Band1	20	18500	18	#Max	QPSK	20MHz-25MHz	13.66	PASS
Band1	20	18500	100	#0	QPSK	-1MHz-0MHz	21.59	PASS
Band1	20	18500	100	#0	QPSK	-5MHz--1MHz	21.52	PASS
Band1	20	18500	100	#0	QPSK	-20MHz--5MHz	19.78	PASS
Band1	20	18500	100	#0	QPSK	-25MHz--20MHz	11.95	PASS
Band1	20	18500	100	#0	QPSK	0MHz-1MHz	23.65	PASS
Band1	20	18500	100	#0	QPSK	1MHz-5MHz	21.78	PASS
Band1	20	18500	100	#0	QPSK	5MHz-20MHz	19.83	PASS
Band1	20	18500	100	#0	QPSK	20MHz-25MHz	13.08	PASS
Band1	20	18500	18	#0	QAM16	-1MHz-0MHz	15.19	PASS

Band1	20	18500	18	#0	QAM16	-5MHz--1MHz	17.89	PASS
Band1	20	18500	18	#0	QAM16	-20MHz--5MHz	23.54	PASS
Band1	20	18500	18	#0	QAM16	-25MHz--20MHz	13.26	PASS
Band1	20	18500	18	#0	QAM16	0MHz-1MHz	31.28	PASS
Band1	20	18500	18	#0	QAM16	1MHz-5MHz	28.15	PASS
Band1	20	18500	18	#0	QAM16	5MHz-20MHz	20.03	PASS
Band1	20	18500	18	#0	QAM16	20MHz-25MHz	13.82	PASS
Band1	20	18500	18	#Max	QAM16	-1MHz-0MHz	30.75	PASS
Band1	20	18500	18	#Max	QAM16	-5MHz--1MHz	27.66	PASS
Band1	20	18500	18	#Max	QAM16	-20MHz--5MHz	21.41	PASS
Band1	20	18500	18	#Max	QAM16	-25MHz--20MHz	13.40	PASS
Band1	20	18500	18	#Max	QAM16	0MHz-1MHz	14.40	PASS
Band1	20	18500	18	#Max	QAM16	1MHz-5MHz	15.96	PASS
Band1	20	18500	18	#Max	QAM16	5MHz-20MHz	24.25	PASS
Band1	20	18500	18	#Max	QAM16	20MHz-25MHz	13.65	PASS
Band1	20	18500	100	#0	QAM16	-1MHz-0MHz	22.36	PASS
Band1	20	18500	100	#0	QAM16	-5MHz--1MHz	22.18	PASS
Band1	20	18500	100	#0	QAM16	-20MHz--5MHz	20.18	PASS
Band1	20	18500	100	#0	QAM16	-25MHz--20MHz	11.91	PASS
Band1	20	18500	100	#0	QAM16	0MHz-1MHz	23.33	PASS
Band1	20	18500	100	#0	QAM16	1MHz-5MHz	22.20	PASS
Band1	20	18500	100	#0	QAM16	5MHz-20MHz	20.16	PASS
Band1	20	18500	100	#0	QAM16	20MHz-25MHz	13.12	PASS
Band20	5	24175	8	#0	QPSK	-1MHz-0MHz	8.69	PASS
Band20	5	24175	8	#0	QPSK	-5MHz--1MHz	22.50	PASS
Band20	5	24175	8	#0	QPSK	-6MHz--5MHz	24.99	PASS
Band20	5	24175	8	#0	QPSK	-10MHz--6MHz	12.95	PASS
Band20	5	24175	8	#0	QPSK	0MHz-1MHz	30.85	PASS
Band20	5	24175	8	#0	QPSK	1MHz-5MHz	19.64	PASS
Band20	5	24175	8	#0	QPSK	5MHz-6MHz	25.24	PASS
Band20	5	24175	8	#0	QPSK	6MHz-10MHz	13.34	PASS
Band20	5	24175	8	#Max	QPSK	-1MHz-0MHz	32.03	PASS
Band20	5	24175	8	#Max	QPSK	-5MHz--1MHz	20.85	PASS
Band20	5	24175	8	#Max	QPSK	-6MHz--5MHz	25.29	PASS
Band20	5	24175	8	#Max	QPSK	-10MHz--6MHz	13.12	PASS
Band20	5	24175	8	#Max	QPSK	0MHz-1MHz	8.23	PASS
Band20	5	24175	8	#Max	QPSK	1MHz-5MHz	21.26	PASS
Band20	5	24175	8	#Max	QPSK	5MHz-6MHz	24.60	PASS
Band20	5	24175	8	#Max	QPSK	6MHz-10MHz	13.15	PASS
Band20	5	24175	25	#0	QPSK	-1MHz-0MHz	18.55	PASS
Band20	5	24175	25	#0	QPSK	-5MHz--1MHz	21.74	PASS
Band20	5	24175	25	#0	QPSK	-6MHz--5MHz	24.81	PASS
Band20	5	24175	25	#0	QPSK	-10MHz--6MHz	13.03	PASS
Band20	5	24175	25	#0	QPSK	0MHz-1MHz	17.35	PASS

Band20	5	24175	25	#0	QPSK	1MHz-5MHz	18.48	PASS
Band20	5	24175	25	#0	QPSK	5MHz-6MHz	22.84	PASS
Band20	5	24175	25	#0	QPSK	6MHz-10MHz	10.97	PASS
Band20	5	24175	8	#0	QAM16	-1MHz-0MHz	9.94	PASS
Band20	5	24175	8	#0	QAM16	-5MHz--1MHz	23.33	PASS
Band20	5	24175	8	#0	QAM16	-6MHz--5MHz	25.05	PASS
Band20	5	24175	8	#0	QAM16	-10MHz--6MHz	13.01	PASS
Band20	5	24175	8	#0	QAM16	0MHz-1MHz	32.11	PASS
Band20	5	24175	8	#0	QAM16	1MHz-5MHz	20.85	PASS
Band20	5	24175	8	#0	QAM16	5MHz-6MHz	25.24	PASS
Band20	5	24175	8	#0	QAM16	6MHz-10MHz	13.35	PASS
Band20	5	24175	8	#Max	QAM16	-1MHz-0MHz	32.62	PASS
Band20	5	24175	8	#Max	QAM16	-5MHz--1MHz	22.04	PASS
Band20	5	24175	8	#Max	QAM16	-6MHz--5MHz	25.31	PASS
Band20	5	24175	8	#Max	QAM16	-10MHz--6MHz	13.06	PASS
Band20	5	24175	8	#Max	QAM16	0MHz-1MHz	11.73	PASS
Band20	5	24175	8	#Max	QAM16	1MHz-5MHz	22.00	PASS
Band20	5	24175	8	#Max	QAM16	5MHz-6MHz	24.82	PASS
Band20	5	24175	8	#Max	QAM16	6MHz-10MHz	13.14	PASS
Band20	5	24175	25	#0	QAM16	-1MHz-0MHz	17.61	PASS
Band20	5	24175	25	#0	QAM16	-5MHz--1MHz	22.79	PASS
Band20	5	24175	25	#0	QAM16	-6MHz--5MHz	24.78	PASS
Band20	5	24175	25	#0	QAM16	-10MHz--6MHz	13.07	PASS
Band20	5	24175	25	#0	QAM16	0MHz-1MHz	17.34	PASS
Band20	5	24175	25	#0	QAM16	1MHz-5MHz	18.77	PASS
Band20	5	24175	25	#0	QAM16	5MHz-6MHz	22.70	PASS
Band20	5	24175	25	#0	QAM16	6MHz-10MHz	11.47	PASS
Band20	5	24300	8	#0	QPSK	-1MHz-0MHz	11.18	PASS
Band20	5	24300	8	#0	QPSK	-5MHz--1MHz	19.79	PASS
Band20	5	24300	8	#0	QPSK	-6MHz--5MHz	24.64	PASS
Band20	5	24300	8	#0	QPSK	-10MHz--6MHz	12.91	PASS
Band20	5	24300	8	#0	QPSK	0MHz-1MHz	31.72	PASS
Band20	5	24300	8	#0	QPSK	1MHz-5MHz	20.33	PASS
Band20	5	24300	8	#0	QPSK	5MHz-6MHz	25.21	PASS
Band20	5	24300	8	#0	QPSK	6MHz-10MHz	13.23	PASS
Band20	5	24300	8	#Max	QPSK	-1MHz-0MHz	31.54	PASS
Band20	5	24300	8	#Max	QPSK	-5MHz--1MHz	19.73	PASS
Band20	5	24300	8	#Max	QPSK	-6MHz--5MHz	24.95	PASS
Band20	5	24300	8	#Max	QPSK	-10MHz--6MHz	12.92	PASS
Band20	5	24300	8	#Max	QPSK	0MHz-1MHz	9.51	PASS
Band20	5	24300	8	#Max	QPSK	1MHz-5MHz	20.25	PASS
Band20	5	24300	8	#Max	QPSK	5MHz-6MHz	24.70	PASS
Band20	5	24300	8	#Max	QPSK	6MHz-10MHz	13.14	PASS
Band20	5	24300	25	#0	QPSK	-1MHz-0MHz	18.13	PASS

Band20	5	24300	25	#0	QPSK	-5MHz--1MHz	19.24	PASS
Band20	5	24300	25	#0	QPSK	-6MHz--5MHz	23.99	PASS
Band20	5	24300	25	#0	QPSK	-10MHz--6MHz	12.33	PASS
Band20	5	24300	25	#0	QPSK	0MHz-1MHz	16.42	PASS
Band20	5	24300	25	#0	QPSK	1MHz-5MHz	18.27	PASS
Band20	5	24300	25	#0	QPSK	5MHz-6MHz	22.96	PASS
Band20	5	24300	25	#0	QPSK	6MHz-10MHz	11.52	PASS
Band20	5	24300	8	#0	QAM16	-1MHz-0MHz	12.74	PASS
Band20	5	24300	8	#0	QAM16	-5MHz--1MHz	21.21	PASS
Band20	5	24300	8	#0	QAM16	-6MHz--5MHz	24.86	PASS
Band20	5	24300	8	#0	QAM16	-10MHz--6MHz	13.05	PASS
Band20	5	24300	8	#0	QAM16	0MHz-1MHz	32.99	PASS
Band20	5	24300	8	#0	QAM16	1MHz-5MHz	21.29	PASS
Band20	5	24300	8	#0	QAM16	5MHz-6MHz	25.22	PASS
Band20	5	24300	8	#0	QAM16	6MHz-10MHz	13.39	PASS
Band20	5	24300	8	#Max	QAM16	-1MHz-0MHz	33.01	PASS
Band20	5	24300	8	#Max	QAM16	-5MHz--1MHz	20.71	PASS
Band20	5	24300	8	#Max	QAM16	-6MHz--5MHz	25.07	PASS
Band20	5	24300	8	#Max	QAM16	-10MHz--6MHz	13.03	PASS
Band20	5	24300	8	#Max	QAM16	0MHz-1MHz	13.74	PASS
Band20	5	24300	8	#Max	QAM16	1MHz-5MHz	21.29	PASS
Band20	5	24300	8	#Max	QAM16	5MHz-6MHz	24.85	PASS
Band20	5	24300	8	#Max	QAM16	6MHz-10MHz	13.12	PASS
Band20	5	24300	25	#0	QAM16	-1MHz-0MHz	16.36	PASS
Band20	5	24300	25	#0	QAM16	-5MHz--1MHz	20.33	PASS
Band20	5	24300	25	#0	QAM16	-6MHz--5MHz	23.85	PASS
Band20	5	24300	25	#0	QAM16	-10MHz--6MHz	12.38	PASS
Band20	5	24300	25	#0	QAM16	0MHz-1MHz	19.19	PASS
Band20	5	24300	25	#0	QAM16	1MHz-5MHz	18.36	PASS
Band20	5	24300	25	#0	QAM16	5MHz-6MHz	22.94	PASS
Band20	5	24300	25	#0	QAM16	6MHz-10MHz	11.78	PASS
Band20	5	24425	8	#0	QPSK	-1MHz-0MHz	8.93	PASS
Band20	5	24425	8	#0	QPSK	-5MHz--1MHz	19.43	PASS
Band20	5	24425	8	#0	QPSK	-6MHz--5MHz	24.67	PASS
Band20	5	24425	8	#0	QPSK	-10MHz--6MHz	12.87	PASS
Band20	5	24425	8	#0	QPSK	0MHz-1MHz	32.08	PASS
Band20	5	24425	8	#0	QPSK	1MHz-5MHz	19.90	PASS
Band20	5	24425	8	#0	QPSK	5MHz-6MHz	25.03	PASS
Band20	5	24425	8	#0	QPSK	6MHz-10MHz	13.20	PASS
Band20	5	24425	8	#Max	QPSK	-1MHz-0MHz	30.76	PASS
Band20	5	24425	8	#Max	QPSK	-5MHz--1MHz	18.83	PASS
Band20	5	24425	8	#Max	QPSK	-6MHz--5MHz	24.95	PASS
Band20	5	24425	8	#Max	QPSK	-10MHz--6MHz	12.87	PASS
Band20	5	24425	8	#Max	QPSK	0MHz-1MHz	10.99	PASS



Band20	5	24425	8	#Max	QPSK	1MHz-5MHz	21.15	PASS
Band20	5	24425	8	#Max	QPSK	5MHz-6MHz	24.76	PASS
Band20	5	24425	8	#Max	QPSK	6MHz-10MHz	13.10	PASS
Band20	5	24425	25	#0	QPSK	-1MHz-0MHz	17.65	PASS
Band20	5	24425	25	#0	QPSK	-5MHz--1MHz	19.76	PASS
Band20	5	24425	25	#0	QPSK	-6MHz--5MHz	24.18	PASS
Band20	5	24425	25	#0	QPSK	-10MHz--6MHz	12.60	PASS
Band20	5	24425	25	#0	QPSK	0MHz-1MHz	16.99	PASS
Band20	5	24425	25	#0	QPSK	1MHz-5MHz	20.13	PASS
Band20	5	24425	25	#0	QPSK	5MHz-6MHz	23.52	PASS
Band20	5	24425	25	#0	QPSK	6MHz-10MHz	12.11	PASS
Band20	5	24425	8	#0	QAM16	-1MHz-0MHz	13.67	PASS
Band20	5	24425	8	#0	QAM16	-5MHz--1MHz	21.76	PASS
Band20	5	24425	8	#0	QAM16	-6MHz--5MHz	24.88	PASS
Band20	5	24425	8	#0	QAM16	-10MHz--6MHz	12.74	PASS
Band20	5	24425	8	#0	QAM16	0MHz-1MHz	33.51	PASS
Band20	5	24425	8	#0	QAM16	1MHz-5MHz	21.39	PASS
Band20	5	24425	8	#0	QAM16	5MHz-6MHz	25.23	PASS
Band20	5	24425	8	#0	QAM16	6MHz-10MHz	13.30	PASS
Band20	5	24425	8	#Max	QAM16	-1MHz-0MHz	32.77	PASS
Band20	5	24425	8	#Max	QAM16	-5MHz--1MHz	20.46	PASS
Band20	5	24425	8	#Max	QAM16	-6MHz--5MHz	24.95	PASS
Band20	5	24425	8	#Max	QAM16	-10MHz--6MHz	12.83	PASS
Band20	5	24425	8	#Max	QAM16	0MHz-1MHz	12.89	PASS
Band20	5	24425	8	#Max	QAM16	1MHz-5MHz	22.76	PASS
Band20	5	24425	8	#Max	QAM16	5MHz-6MHz	24.99	PASS
Band20	5	24425	8	#Max	QAM16	6MHz-10MHz	13.24	PASS
Band20	5	24425	25	#0	QAM16	-1MHz-0MHz	21.55	PASS
Band20	5	24425	25	#0	QAM16	-5MHz--1MHz	21.11	PASS
Band20	5	24425	25	#0	QAM16	-6MHz--5MHz	23.98	PASS
Band20	5	24425	25	#0	QAM16	-10MHz--6MHz	12.46	PASS
Band20	5	24425	25	#0	QAM16	0MHz-1MHz	18.05	PASS
Band20	5	24425	25	#0	QAM16	1MHz-5MHz	19.67	PASS
Band20	5	24425	25	#0	QAM16	5MHz-6MHz	23.44	PASS
Band20	5	24425	25	#0	QAM16	6MHz-10MHz	12.38	PASS
Band20	10	24200	12	#0	QPSK	-1MHz-0MHz	14.03	PASS
Band20	10	24200	12	#0	QPSK	-5MHz--1MHz	21.37	PASS
Band20	10	24200	12	#0	QPSK	-10MHz--5MHz	24.65	PASS
Band20	10	24200	12	#0	QPSK	-15MHz--10MHz	11.63	PASS
Band20	10	24200	12	#0	QPSK	0MHz-1MHz	32.35	PASS
Band20	10	24200	12	#0	QPSK	1MHz-5MHz	22.28	PASS
Band20	10	24200	12	#0	QPSK	5MHz-10MHz	18.61	PASS
Band20	10	24200	12	#0	QPSK	10MHz-15MHz	13.36	PASS
Band20	10	24200	12	#Max	QPSK	-1MHz-0MHz	32.80	PASS



Band20	10	24200	12	#Max	QPSK	-5MHz--1MHz	23.99	PASS
Band20	10	24200	12	#Max	QPSK	-10MHz--5MHz	21.79	PASS
Band20	10	24200	12	#Max	QPSK	-15MHz--10MHz	11.67	PASS
Band20	10	24200	12	#Max	QPSK	0MHz-1MHz	11.14	PASS
Band20	10	24200	12	#Max	QPSK	1MHz-5MHz	17.97	PASS
Band20	10	24200	12	#Max	QPSK	5MHz-10MHz	24.41	PASS
Band20	10	24200	12	#Max	QPSK	10MHz-15MHz	13.16	PASS
Band20	10	24200	50	#0	QPSK	-1MHz-0MHz	22.27	PASS
Band20	10	24200	50	#0	QPSK	-5MHz--1MHz	22.88	PASS
Band20	10	24200	50	#0	QPSK	-10MHz--5MHz	23.63	PASS
Band20	10	24200	50	#0	QPSK	-15MHz--10MHz	11.57	PASS
Band20	10	24200	50	#0	QPSK	0MHz-1MHz	18.53	PASS
Band20	10	24200	50	#0	QPSK	1MHz-5MHz	19.55	PASS
Band20	10	24200	50	#0	QPSK	5MHz-10MHz	17.60	PASS
Band20	10	24200	50	#0	QPSK	10MHz-15MHz	11.54	PASS
Band20	10	24200	12	#0	QAM16	-1MHz-0MHz	16.27	PASS
Band20	10	24200	12	#0	QAM16	-5MHz--1MHz	22.65	PASS
Band20	10	24200	12	#0	QAM16	-10MHz--5MHz	24.65	PASS
Band20	10	24200	12	#0	QAM16	-15MHz--10MHz	11.56	PASS
Band20	10	24200	12	#0	QAM16	0MHz-1MHz	32.95	PASS
Band20	10	24200	12	#0	QAM16	1MHz-5MHz	23.21	PASS
Band20	10	24200	12	#0	QAM16	5MHz-10MHz	19.77	PASS
Band20	10	24200	12	#0	QAM16	10MHz-15MHz	13.32	PASS
Band20	10	24200	12	#Max	QAM16	-1MHz-0MHz	33.26	PASS
Band20	10	24200	12	#Max	QAM16	-5MHz--1MHz	24.80	PASS
Band20	10	24200	12	#Max	QAM16	-10MHz--5MHz	22.62	PASS
Band20	10	24200	12	#Max	QAM16	-15MHz--10MHz	11.51	PASS
Band20	10	24200	12	#Max	QAM16	0MHz-1MHz	14.37	PASS
Band20	10	24200	12	#Max	QAM16	1MHz-5MHz	20.07	PASS
Band20	10	24200	12	#Max	QAM16	5MHz-10MHz	24.73	PASS
Band20	10	24200	12	#Max	QAM16	10MHz-15MHz	13.28	PASS
Band20	10	24200	50	#0	QAM16	-1MHz-0MHz	19.54	PASS
Band20	10	24200	50	#0	QAM16	-5MHz--1MHz	24.60	PASS
Band20	10	24200	50	#0	QAM16	-10MHz--5MHz	24.79	PASS
Band20	10	24200	50	#0	QAM16	-15MHz--10MHz	12.49	PASS
Band20	10	24200	50	#0	QAM16	0MHz-1MHz	19.91	PASS
Band20	10	24200	50	#0	QAM16	1MHz-5MHz	20.35	PASS
Band20	10	24200	50	#0	QAM16	5MHz-10MHz	18.74	PASS
Band20	10	24200	50	#0	QAM16	10MHz-15MHz	12.14	PASS
Band20	10	24300	12	#0	QPSK	-1MHz-0MHz	12.29	PASS
Band20	10	24300	12	#0	QPSK	-5MHz--1MHz	17.05	PASS
Band20	10	24300	12	#0	QPSK	-10MHz--5MHz	24.35	PASS
Band20	10	24300	12	#0	QPSK	-15MHz--10MHz	11.38	PASS
Band20	10	24300	12	#0	QPSK	0MHz-1MHz	32.63	PASS

Band20	10	24300	12	#0	QPSK	1MHz-5MHz	22.26	PASS
Band20	10	24300	12	#0	QPSK	5MHz-10MHz	18.68	PASS
Band20	10	24300	12	#0	QPSK	10MHz-15MHz	13.24	PASS
Band20	10	24300	12	#Max	QPSK	-1MHz-0MHz	32.60	PASS
Band20	10	24300	12	#Max	QPSK	-5MHz--1MHz	22.62	PASS
Band20	10	24300	12	#Max	QPSK	-10MHz--5MHz	19.37	PASS
Band20	10	24300	12	#Max	QPSK	-15MHz--10MHz	11.52	PASS
Band20	10	24300	12	#Max	QPSK	0MHz-1MHz	12.43	PASS
Band20	10	24300	12	#Max	QPSK	1MHz-5MHz	18.25	PASS
Band20	10	24300	12	#Max	QPSK	5MHz-10MHz	24.46	PASS
Band20	10	24300	12	#Max	QPSK	10MHz-15MHz	13.06	PASS
Band20	10	24300	50	#0	QPSK	-1MHz-0MHz	19.99	PASS
Band20	10	24300	50	#0	QPSK	-5MHz--1MHz	20.97	PASS
Band20	10	24300	50	#0	QPSK	-10MHz--5MHz	21.15	PASS
Band20	10	24300	50	#0	QPSK	-15MHz--10MHz	11.48	PASS
Band20	10	24300	50	#0	QPSK	0MHz-1MHz	21.67	PASS
Band20	10	24300	50	#0	QPSK	1MHz-5MHz	19.67	PASS
Band20	10	24300	50	#0	QPSK	5MHz-10MHz	18.28	PASS
Band20	10	24300	50	#0	QPSK	10MHz-15MHz	11.82	PASS
Band20	10	24300	12	#0	QAM16	-1MHz-0MHz	12.95	PASS
Band20	10	24300	12	#0	QAM16	-5MHz--1MHz	20.08	PASS
Band20	10	24300	12	#0	QAM16	-10MHz--5MHz	24.39	PASS
Band20	10	24300	12	#0	QAM16	-15MHz--10MHz	11.42	PASS
Band20	10	24300	12	#0	QAM16	0MHz-1MHz	32.99	PASS
Band20	10	24300	12	#0	QAM16	1MHz-5MHz	22.93	PASS
Band20	10	24300	12	#0	QAM16	5MHz-10MHz	19.71	PASS
Band20	10	24300	12	#0	QAM16	10MHz-15MHz	13.28	PASS
Band20	10	24300	12	#Max	QAM16	-1MHz-0MHz	32.55	PASS
Band20	10	24300	12	#Max	QAM16	-5MHz--1MHz	23.58	PASS
Band20	10	24300	12	#Max	QAM16	-10MHz--5MHz	20.17	PASS
Band20	10	24300	12	#Max	QAM16	-15MHz--10MHz	11.52	PASS
Band20	10	24300	12	#Max	QAM16	0MHz-1MHz	13.59	PASS
Band20	10	24300	12	#Max	QAM16	1MHz-5MHz	20.27	PASS
Band20	10	24300	12	#Max	QAM16	5MHz-10MHz	24.63	PASS
Band20	10	24300	12	#Max	QAM16	10MHz-15MHz	13.16	PASS
Band20	10	24300	50	#0	QAM16	-1MHz-0MHz	21.48	PASS
Band20	10	24300	50	#0	QAM16	-5MHz--1MHz	22.12	PASS
Band20	10	24300	50	#0	QAM16	-10MHz--5MHz	22.21	PASS
Band20	10	24300	50	#0	QAM16	-15MHz--10MHz	11.38	PASS
Band20	10	24300	50	#0	QAM16	0MHz-1MHz	20.05	PASS
Band20	10	24300	50	#0	QAM16	1MHz-5MHz	19.62	PASS
Band20	10	24300	50	#0	QAM16	5MHz-10MHz	19.09	PASS
Band20	10	24300	50	#0	QAM16	10MHz-15MHz	11.71	PASS
Band20	10	24400	12	#0	QPSK	-1MHz-0MHz	11.61	PASS

Band20	10	24400	12	#0	QPSK	-5MHz--1MHz	19.01	PASS
Band20	10	24400	12	#0	QPSK	-10MHz--5MHz	24.07	PASS
Band20	10	24400	12	#0	QPSK	-15MHz--10MHz	11.32	PASS
Band20	10	24400	12	#0	QPSK	0MHz-1MHz	33.22	PASS
Band20	10	24400	12	#0	QPSK	1MHz-5MHz	22.55	PASS
Band20	10	24400	12	#0	QPSK	5MHz-10MHz	19.59	PASS
Band20	10	24400	12	#0	QPSK	10MHz-15MHz	13.21	PASS
Band20	10	24400	12	#Max	QPSK	-1MHz-0MHz	31.86	PASS
Band20	10	24400	12	#Max	QPSK	-5MHz--1MHz	21.50	PASS
Band20	10	24400	12	#Max	QPSK	-10MHz--5MHz	18.12	PASS
Band20	10	24400	12	#Max	QPSK	-15MHz--10MHz	11.42	PASS
Band20	10	24400	12	#Max	QPSK	0MHz-1MHz	15.41	PASS
Band20	10	24400	12	#Max	QPSK	1MHz-5MHz	20.33	PASS
Band20	10	24400	12	#Max	QPSK	5MHz-10MHz	24.61	PASS
Band20	10	24400	12	#Max	QPSK	10MHz-15MHz	13.21	PASS
Band20	10	24400	50	#0	QPSK	-1MHz-0MHz	22.30	PASS
Band20	10	24400	50	#0	QPSK	-5MHz--1MHz	23.06	PASS
Band20	10	24400	50	#0	QPSK	-10MHz--5MHz	22.03	PASS
Band20	10	24400	50	#0	QPSK	-15MHz--10MHz	11.29	PASS
Band20	10	24400	50	#0	QPSK	0MHz-1MHz	22.87	PASS
Band20	10	24400	50	#0	QPSK	1MHz-5MHz	20.63	PASS
Band20	10	24400	50	#0	QPSK	5MHz-10MHz	19.98	PASS
Band20	10	24400	50	#0	QPSK	10MHz-15MHz	13.17	PASS
Band20	10	24400	12	#0	QAM16	-1MHz-0MHz	13.65	PASS
Band20	10	24400	12	#0	QAM16	-5MHz--1MHz	21.19	PASS
Band20	10	24400	12	#0	QAM16	-10MHz--5MHz	24.40	PASS
Band20	10	24400	12	#0	QAM16	-15MHz--10MHz	11.34	PASS
Band20	10	24400	12	#0	QAM16	0MHz-1MHz	33.36	PASS
Band20	10	24400	12	#0	QAM16	1MHz-5MHz	23.42	PASS
Band20	10	24400	12	#0	QAM16	5MHz-10MHz	20.77	PASS
Band20	10	24400	12	#0	QAM16	10MHz-15MHz	13.21	PASS
Band20	10	24400	12	#Max	QAM16	-1MHz-0MHz	32.76	PASS
Band20	10	24400	12	#Max	QAM16	-5MHz--1MHz	22.59	PASS
Band20	10	24400	12	#Max	QAM16	-10MHz--5MHz	19.24	PASS
Band20	10	24400	12	#Max	QAM16	-15MHz--10MHz	11.30	PASS
Band20	10	24400	12	#Max	QAM16	0MHz-1MHz	15.50	PASS
Band20	10	24400	12	#Max	QAM16	1MHz-5MHz	21.84	PASS
Band20	10	24400	12	#Max	QAM16	5MHz-10MHz	24.81	PASS
Band20	10	24400	12	#Max	QAM16	10MHz-15MHz	13.17	PASS
Band20	10	24400	50	#0	QAM16	-1MHz-0MHz	19.36	PASS
Band20	10	24400	50	#0	QAM16	-5MHz--1MHz	23.38	PASS
Band20	10	24400	50	#0	QAM16	-10MHz--5MHz	22.19	PASS
Band20	10	24400	50	#0	QAM16	-15MHz--10MHz	12.34	PASS
Band20	10	24400	50	#0	QAM16	0MHz-1MHz	21.09	PASS

Band20	10	24400	50	#0	QAM16	1MHz-5MHz	21.03	PASS
Band20	10	24400	50	#0	QAM16	5MHz-10MHz	20.34	PASS
Band20	10	24400	50	#0	QAM16	10MHz-15MHz	14.21	PASS
Band20	20	24250	18	#0	QPSK	-1MHz-0MHz	17.03	PASS
Band20	20	24250	18	#0	QPSK	-5MHz--1MHz	21.66	PASS
Band20	20	24250	18	#0	QPSK	-20MHz--5MHz	23.41	PASS
Band20	20	24250	18	#0	QPSK	-25MHz--20MHz	13.51	PASS
Band20	20	24250	18	#0	QPSK	0MHz-1MHz	31.11	PASS
Band20	20	24250	18	#0	QPSK	1MHz-5MHz	27.73	PASS
Band20	20	24250	18	#0	QPSK	5MHz-20MHz	20.07	PASS
Band20	20	24250	18	#0	QPSK	20MHz-25MHz	13.34	PASS
Band20	20	24250	18	#Max	QPSK	-1MHz-0MHz	30.80	PASS
Band20	20	24250	18	#Max	QPSK	-5MHz--1MHz	27.45	PASS
Band20	20	24250	18	#Max	QPSK	-20MHz--5MHz	23.49	PASS
Band20	20	24250	18	#Max	QPSK	-25MHz--20MHz	13.76	PASS
Band20	20	24250	18	#Max	QPSK	0MHz-1MHz	15.13	PASS
Band20	20	24250	18	#Max	QPSK	1MHz-5MHz	18.26	PASS
Band20	20	24250	18	#Max	QPSK	5MHz-20MHz	24.18	PASS
Band20	20	24250	18	#Max	QPSK	20MHz-25MHz	13.27	PASS
Band20	20	24250	100	#0	QPSK	-1MHz-0MHz	24.92	PASS
Band20	20	24250	100	#0	QPSK	-5MHz--1MHz	24.75	PASS
Band20	20	24250	100	#0	QPSK	-20MHz--5MHz	23.46	PASS
Band20	20	24250	100	#0	QPSK	-25MHz--20MHz	13.54	PASS
Band20	20	24250	100	#0	QPSK	0MHz-1MHz	20.75	PASS
Band20	20	24250	100	#0	QPSK	1MHz-5MHz	19.94	PASS
Band20	20	24250	100	#0	QPSK	5MHz-20MHz	17.87	PASS
Band20	20	24250	100	#0	QPSK	20MHz-25MHz	13.24	PASS
Band20	20	24250	18	#0	QAM16	-1MHz-0MHz	19.23	PASS
Band20	20	24250	18	#0	QAM16	-5MHz--1MHz	22.90	PASS
Band20	20	24250	18	#0	QAM16	-20MHz--5MHz	23.41	PASS
Band20	20	24250	18	#0	QAM16	-25MHz--20MHz	13.59	PASS
Band20	20	24250	18	#0	QAM16	0MHz-1MHz	31.17	PASS
Band20	20	24250	18	#0	QAM16	1MHz-5MHz	27.85	PASS
Band20	20	24250	18	#0	QAM16	5MHz-20MHz	20.99	PASS
Band20	20	24250	18	#0	QAM16	20MHz-25MHz	13.44	PASS
Band20	20	24250	18	#Max	QAM16	-1MHz-0MHz	30.82	PASS
Band20	20	24250	18	#Max	QAM16	-5MHz--1MHz	27.47	PASS
Band20	20	24250	18	#Max	QAM16	-20MHz--5MHz	23.41	PASS
Band20	20	24250	18	#Max	QAM16	-25MHz--20MHz	13.64	PASS
Band20	20	24250	18	#Max	QAM16	0MHz-1MHz	17.72	PASS
Band20	20	24250	18	#Max	QAM16	1MHz-5MHz	19.77	PASS
Band20	20	24250	18	#Max	QAM16	5MHz-20MHz	24.40	PASS
Band20	20	24250	18	#Max	QAM16	20MHz-25MHz	13.30	PASS
Band20	20	24250	100	#0	QAM16	-1MHz-0MHz	23.40	PASS

Band20	20	24250	100	#0	QAM16	-5MHz--1MHz	25.33	PASS
Band20	20	24250	100	#0	QAM16	-20MHz--5MHz	24.37	PASS
Band20	20	24250	100	#0	QAM16	-25MHz--20MHz	14.50	PASS
Band20	20	24250	100	#0	QAM16	0MHz-1MHz	21.31	PASS
Band20	20	24250	100	#0	QAM16	1MHz-5MHz	20.61	PASS
Band20	20	24250	100	#0	QAM16	5MHz-20MHz	18.50	PASS
Band20	20	24250	100	#0	QAM16	20MHz-25MHz	14.23	PASS
Band20	20	24300	18	#0	QPSK	-1MHz-0MHz	17.99	PASS
Band20	20	24300	18	#0	QPSK	-5MHz--1MHz	20.28	PASS
Band20	20	24300	18	#0	QPSK	-20MHz--5MHz	23.28	PASS
Band20	20	24300	18	#0	QPSK	-25MHz--20MHz	13.42	PASS
Band20	20	24300	18	#0	QPSK	0MHz-1MHz	30.86	PASS
Band20	20	24300	18	#0	QPSK	1MHz-5MHz	27.96	PASS
Band20	20	24300	18	#0	QPSK	5MHz-20MHz	22.42	PASS
Band20	20	24300	18	#0	QPSK	20MHz-25MHz	13.41	PASS
Band20	20	24300	18	#Max	QPSK	-1MHz-0MHz	30.18	PASS
Band20	20	24300	18	#Max	QPSK	-5MHz--1MHz	27.22	PASS
Band20	20	24300	18	#Max	QPSK	-20MHz--5MHz	21.71	PASS
Band20	20	24300	18	#Max	QPSK	-25MHz--20MHz	13.66	PASS
Band20	20	24300	18	#Max	QPSK	0MHz-1MHz	14.12	PASS
Band20	20	24300	18	#Max	QPSK	1MHz-5MHz	17.24	PASS
Band20	20	24300	18	#Max	QPSK	5MHz-20MHz	24.22	PASS
Band20	20	24300	18	#Max	QPSK	20MHz-25MHz	13.27	PASS
Band20	20	24300	100	#0	QPSK	-1MHz-0MHz	23.08	PASS
Band20	20	24300	100	#0	QPSK	-5MHz--1MHz	23.42	PASS
Band20	20	24300	100	#0	QPSK	-20MHz--5MHz	21.89	PASS
Band20	20	24300	100	#0	QPSK	-25MHz--20MHz	13.53	PASS
Band20	20	24300	100	#0	QPSK	0MHz-1MHz	20.56	PASS
Band20	20	24300	100	#0	QPSK	1MHz-5MHz	20.29	PASS
Band20	20	24300	100	#0	QPSK	5MHz-20MHz	18.69	PASS
Band20	20	24300	100	#0	QPSK	20MHz-25MHz	13.24	PASS
Band20	20	24300	18	#0	QAM16	-1MHz-0MHz	20.01	PASS
Band20	20	24300	18	#0	QAM16	-5MHz--1MHz	22.37	PASS
Band20	20	24300	18	#0	QAM16	-20MHz--5MHz	23.37	PASS
Band20	20	24300	18	#0	QAM16	-25MHz--20MHz	13.54	PASS
Band20	20	24300	18	#0	QAM16	0MHz-1MHz	30.93	PASS
Band20	20	24300	18	#0	QAM16	1MHz-5MHz	27.90	PASS
Band20	20	24300	18	#0	QAM16	5MHz-20MHz	23.14	PASS
Band20	20	24300	18	#0	QAM16	20MHz-25MHz	13.40	PASS
Band20	20	24300	18	#Max	QAM16	-1MHz-0MHz	30.49	PASS
Band20	20	24300	18	#Max	QAM16	-5MHz--1MHz	27.24	PASS
Band20	20	24300	18	#Max	QAM16	-20MHz--5MHz	22.26	PASS
Band20	20	24300	18	#Max	QAM16	-25MHz--20MHz	13.64	PASS
Band20	20	24300	18	#Max	QAM16	0MHz-1MHz	16.67	PASS

Band20	20	24300	18	#Max	QAM16	1MHz-5MHz	20.29	PASS
Band20	20	24300	18	#Max	QAM16	5MHz-20MHz	24.37	PASS
Band20	20	24300	18	#Max	QAM16	20MHz-25MHz	13.31	PASS
Band20	20	24300	100	#0	QAM16	-1MHz-0MHz	23.44	PASS
Band20	20	24300	100	#0	QAM16	-5MHz--1MHz	24.21	PASS
Band20	20	24300	100	#0	QAM16	-20MHz--5MHz	21.98	PASS
Band20	20	24300	100	#0	QAM16	-25MHz--20MHz	13.51	PASS
Band20	20	24300	100	#0	QAM16	0MHz-1MHz	21.79	PASS
Band20	20	24300	100	#0	QAM16	1MHz-5MHz	20.91	PASS
Band20	20	24300	100	#0	QAM16	5MHz-20MHz	18.94	PASS
Band20	20	24300	100	#0	QAM16	20MHz-25MHz	13.34	PASS
Band20	20	24350	18	#0	QPSK	-1MHz-0MHz	15.57	PASS
Band20	20	24350	18	#0	QPSK	-5MHz--1MHz	17.60	PASS
Band20	20	24350	18	#0	QPSK	-20MHz--5MHz	23.21	PASS
Band20	20	24350	18	#0	QPSK	-25MHz--20MHz	13.46	PASS
Band20	20	24350	18	#0	QPSK	0MHz-1MHz	31.11	PASS
Band20	20	24350	18	#0	QPSK	1MHz-5MHz	27.86	PASS
Band20	20	24350	18	#0	QPSK	5MHz-20MHz	24.84	PASS
Band20	20	24350	18	#0	QPSK	20MHz-25MHz	13.33	PASS
Band20	20	24350	18	#Max	QPSK	-1MHz-0MHz	30.37	PASS
Band20	20	24350	18	#Max	QPSK	-5MHz--1MHz	27.07	PASS
Band20	20	24350	18	#Max	QPSK	-20MHz--5MHz	20.81	PASS
Band20	20	24350	18	#Max	QPSK	-25MHz--20MHz	13.58	PASS
Band20	20	24350	18	#Max	QPSK	0MHz-1MHz	16.74	PASS
Band20	20	24350	18	#Max	QPSK	1MHz-5MHz	18.85	PASS
Band20	20	24350	18	#Max	QPSK	5MHz-20MHz	24.28	PASS
Band20	20	24350	18	#Max	QPSK	20MHz-25MHz	13.25	PASS
Band20	20	24350	100	#0	QPSK	-1MHz-0MHz	22.45	PASS
Band20	20	24350	100	#0	QPSK	-5MHz--1MHz	23.08	PASS
Band20	20	24350	100	#0	QPSK	-20MHz--5MHz	21.07	PASS
Band20	20	24350	100	#0	QPSK	-25MHz--20MHz	13.52	PASS
Band20	20	24350	100	#0	QPSK	0MHz-1MHz	22.38	PASS
Band20	20	24350	100	#0	QPSK	1MHz-5MHz	21.34	PASS
Band20	20	24350	100	#0	QPSK	5MHz-20MHz	20.81	PASS
Band20	20	24350	100	#0	QPSK	20MHz-25MHz	13.24	PASS
Band20	20	24350	18	#0	QAM16	-1MHz-0MHz	16.38	PASS
Band20	20	24350	18	#0	QAM16	-5MHz--1MHz	20.24	PASS
Band20	20	24350	18	#0	QAM16	-20MHz--5MHz	23.13	PASS
Band20	20	24350	18	#0	QAM16	-25MHz--20MHz	13.44	PASS
Band20	20	24350	18	#0	QAM16	0MHz-1MHz	31.27	PASS
Band20	20	24350	18	#0	QAM16	1MHz-5MHz	27.78	PASS
Band20	20	24350	18	#0	QAM16	5MHz-20MHz	24.99	PASS
Band20	20	24350	18	#0	QAM16	20MHz-25MHz	13.33	PASS
Band20	20	24350	18	#Max	QAM16	-1MHz-0MHz	30.19	PASS

Band20	20	24350	18	#Max	QAM16	-5MHz--1MHz	27.10	PASS
Band20	20	24350	18	#Max	QAM16	-20MHz--5MHz	21.50	PASS
Band20	20	24350	18	#Max	QAM16	-25MHz--20MHz	13.61	PASS
Band20	20	24350	18	#Max	QAM16	0MHz-1MHz	16.66	PASS
Band20	20	24350	18	#Max	QAM16	1MHz-5MHz	20.47	PASS
Band20	20	24350	18	#Max	QAM16	5MHz-20MHz	24.57	PASS
Band20	20	24350	18	#Max	QAM16	20MHz-25MHz	13.13	PASS
Band20	20	24350	100	#0	QAM16	-1MHz-0MHz	23.26	PASS
Band20	20	24350	100	#0	QAM16	-5MHz--1MHz	23.77	PASS
Band20	20	24350	100	#0	QAM16	-20MHz--5MHz	21.88	PASS
Band20	20	24350	100	#0	QAM16	-25MHz--20MHz	14.62	PASS
Band20	20	24350	100	#0	QAM16	0MHz-1MHz	22.76	PASS
Band20	20	24350	100	#0	QAM16	1MHz-5MHz	21.57	PASS
Band20	20	24350	100	#0	QAM16	5MHz-20MHz	20.71	PASS
Band20	20	24350	100	#0	QAM16	20MHz-25MHz	14.04	PASS
Band28	3	27225	4	#0	QPSK	-1MHz-0MHz	13.21	PASS
Band28	3	27225	4	#0	QPSK	-5MHz--1MHz	17.18	PASS
Band28	3	27225	4	#0	QPSK	-6MHz--5MHz	11.00	PASS
Band28	3	27225	4	#0	QPSK	0MHz-1MHz	30.64	PASS
Band28	3	27225	4	#0	QPSK	1MHz-5MHz	17.85	PASS
Band28	3	27225	4	#0	QPSK	5MHz-6MHz	11.08	PASS
Band28	3	27225	4	#Max	QPSK	-1MHz-0MHz	33.68	PASS
Band28	3	27225	4	#Max	QPSK	-5MHz--1MHz	20.98	PASS
Band28	3	27225	4	#Max	QPSK	-6MHz--5MHz	11.03	PASS
Band28	3	27225	4	#Max	QPSK	0MHz-1MHz	14.34	PASS
Band28	3	27225	4	#Max	QPSK	1MHz-5MHz	16.55	PASS
Band28	3	27225	4	#Max	QPSK	5MHz-6MHz	11.02	PASS
Band28	3	27225	15	#0	QPSK	-1MHz-0MHz	23.44	PASS
Band28	3	27225	15	#0	QPSK	-5MHz--1MHz	15.48	PASS
Band28	3	27225	15	#0	QPSK	-6MHz--5MHz	9.74	PASS
Band28	3	27225	15	#0	QPSK	0MHz-1MHz	21.27	PASS
Band28	3	27225	15	#0	QPSK	1MHz-5MHz	13.08	PASS
Band28	3	27225	15	#0	QPSK	5MHz-6MHz	8.05	PASS
Band28	3	27225	4	#0	QAM16	-1MHz-0MHz	16.29	PASS
Band28	3	27225	4	#0	QAM16	-5MHz--1MHz	19.94	PASS
Band28	3	27225	4	#0	QAM16	-6MHz--5MHz	10.96	PASS
Band28	3	27225	4	#0	QAM16	0MHz-1MHz	32.13	PASS
Band28	3	27225	4	#0	QAM16	1MHz-5MHz	19.42	PASS
Band28	3	27225	4	#0	QAM16	5MHz-6MHz	11.05	PASS
Band28	3	27225	4	#Max	QAM16	-1MHz-0MHz	34.74	PASS
Band28	3	27225	4	#Max	QAM16	-5MHz--1MHz	22.35	PASS
Band28	3	27225	4	#Max	QAM16	-6MHz--5MHz	10.95	PASS
Band28	3	27225	4	#Max	QAM16	0MHz-1MHz	15.81	PASS
Band28	3	27225	4	#Max	QAM16	1MHz-5MHz	19.21	PASS



Band28	3	27225	4	#Max	QAM16	5MHz-6MHz	11.04	PASS
Band28	3	27225	15	#0	QAM16	-1MHz-0MHz	23.94	PASS
Band28	3	27225	15	#0	QAM16	-5MHz--1MHz	17.21	PASS
Band28	3	27225	15	#0	QAM16	-6MHz--5MHz	11.27	PASS
Band28	3	27225	15	#0	QAM16	0MHz-1MHz	22.23	PASS
Band28	3	27225	15	#0	QAM16	1MHz-5MHz	15.03	PASS
Band28	3	27225	15	#0	QAM16	5MHz-6MHz	10.40	PASS
Band28	3	27375	4	#0	QPSK	-1MHz-0MHz	19.84	PASS
Band28	3	27375	4	#0	QPSK	-5MHz--1MHz	20.03	PASS
Band28	3	27375	4	#0	QPSK	-6MHz--5MHz	10.84	PASS
Band28	3	27375	4	#0	QPSK	0MHz-1MHz	30.41	PASS
Band28	3	27375	4	#0	QPSK	1MHz-5MHz	17.82	PASS
Band28	3	27375	4	#0	QPSK	5MHz-6MHz	11.09	PASS
Band28	3	27375	4	#Max	QPSK	-1MHz-0MHz	32.44	PASS
Band28	3	27375	4	#Max	QPSK	-5MHz--1MHz	19.52	PASS
Band28	3	27375	4	#Max	QPSK	-6MHz--5MHz	10.87	PASS
Band28	3	27375	4	#Max	QPSK	0MHz-1MHz	18.90	PASS
Band28	3	27375	4	#Max	QPSK	1MHz-5MHz	21.10	PASS
Band28	3	27375	4	#Max	QPSK	5MHz-6MHz	11.10	PASS
Band28	3	27375	15	#0	QPSK	-1MHz-0MHz	25.00	PASS
Band28	3	27375	15	#0	QPSK	-5MHz--1MHz	18.70	PASS
Band28	3	27375	15	#0	QPSK	-6MHz--5MHz	9.68	PASS
Band28	3	27375	15	#0	QPSK	0MHz-1MHz	22.65	PASS
Band28	3	27375	15	#0	QPSK	1MHz-5MHz	17.69	PASS
Band28	3	27375	15	#0	QPSK	5MHz-6MHz	10.16	PASS
Band28	3	27375	4	#0	QAM16	-1MHz-0MHz	19.81	PASS
Band28	3	27375	4	#0	QAM16	-5MHz--1MHz	21.38	PASS
Band28	3	27375	4	#0	QAM16	-6MHz--5MHz	10.87	PASS
Band28	3	27375	4	#0	QAM16	0MHz-1MHz	31.53	PASS
Band28	3	27375	4	#0	QAM16	1MHz-5MHz	19.26	PASS
Band28	3	27375	4	#0	QAM16	5MHz-6MHz	11.25	PASS
Band28	3	27375	4	#Max	QAM16	-1MHz-0MHz	33.27	PASS
Band28	3	27375	4	#Max	QAM16	-5MHz--1MHz	20.84	PASS
Band28	3	27375	4	#Max	QAM16	-6MHz--5MHz	10.76	PASS
Band28	3	27375	4	#Max	QAM16	0MHz-1MHz	18.97	PASS
Band28	3	27375	4	#Max	QAM16	1MHz-5MHz	22.28	PASS
Band28	3	27375	4	#Max	QAM16	5MHz-6MHz	11.02	PASS
Band28	3	27375	15	#0	QAM16	-1MHz-0MHz	25.49	PASS
Band28	3	27375	15	#0	QAM16	-5MHz--1MHz	19.02	PASS
Band28	3	27375	15	#0	QAM16	-6MHz--5MHz	10.76	PASS
Band28	3	27375	15	#0	QAM16	0MHz-1MHz	23.68	PASS
Band28	3	27375	15	#0	QAM16	1MHz-5MHz	17.86	PASS
Band28	3	27375	15	#0	QAM16	5MHz-6MHz	11.32	PASS
Band28	3	27645	4	#0	QPSK	-1MHz-0MHz	14.19	PASS



Band28	3	27645	4	#0	QPSK	-5MHz--1MHz	19.57	PASS
Band28	3	27645	4	#0	QPSK	-6MHz--5MHz	10.70	PASS
Band28	3	27645	4	#0	QPSK	0MHz-1MHz	32.94	PASS
Band28	3	27645	4	#0	QPSK	1MHz-5MHz	20.23	PASS
Band28	3	27645	4	#0	QPSK	5MHz-6MHz	11.06	PASS
Band28	3	27645	4	#Max	QPSK	-1MHz-0MHz	27.44	PASS
Band28	3	27645	4	#Max	QPSK	-5MHz--1MHz	14.67	PASS
Band28	3	27645	4	#Max	QPSK	-6MHz--5MHz	10.59	PASS
Band28	3	27645	4	#Max	QPSK	0MHz-1MHz	12.14	PASS
Band28	3	27645	4	#Max	QPSK	1MHz-5MHz	17.24	PASS
Band28	3	27645	4	#Max	QPSK	5MHz-6MHz	11.26	PASS
Band28	3	27645	15	#0	QPSK	-1MHz-0MHz	23.60	PASS
Band28	3	27645	15	#0	QPSK	-5MHz--1MHz	16.19	PASS
Band28	3	27645	15	#0	QPSK	-6MHz--5MHz	8.93	PASS
Band28	3	27645	15	#0	QPSK	0MHz-1MHz	26.68	PASS
Band28	3	27645	15	#0	QPSK	1MHz-5MHz	17.96	PASS
Band28	3	27645	15	#0	QPSK	5MHz-6MHz	11.10	PASS
Band28	3	27645	4	#0	QAM16	-1MHz-0MHz	17.13	PASS
Band28	3	27645	4	#0	QAM16	-5MHz--1MHz	22.09	PASS
Band28	3	27645	4	#0	QAM16	-6MHz--5MHz	10.71	PASS
Band28	3	27645	4	#0	QAM16	0MHz-1MHz	34.24	PASS
Band28	3	27645	4	#0	QAM16	1MHz-5MHz	22.02	PASS
Band28	3	27645	4	#0	QAM16	5MHz-6MHz	11.16	PASS
Band28	3	27645	4	#Max	QAM16	-1MHz-0MHz	28.74	PASS
Band28	3	27645	4	#Max	QAM16	-5MHz--1MHz	16.18	PASS
Band28	3	27645	4	#Max	QAM16	-6MHz--5MHz	10.55	PASS
Band28	3	27645	4	#Max	QAM16	0MHz-1MHz	16.03	PASS
Band28	3	27645	4	#Max	QAM16	1MHz-5MHz	19.49	PASS
Band28	3	27645	4	#Max	QAM16	5MHz-6MHz	11.19	PASS
Band28	3	27645	15	#0	QAM16	-1MHz-0MHz	22.77	PASS
Band28	3	27645	15	#0	QAM16	-5MHz--1MHz	16.99	PASS
Band28	3	27645	15	#0	QAM16	-6MHz--5MHz	9.37	PASS
Band28	3	27645	15	#0	QAM16	0MHz-1MHz	26.41	PASS
Band28	3	27645	15	#0	QAM16	1MHz-5MHz	18.43	PASS
Band28	3	27645	15	#0	QAM16	5MHz-6MHz	11.14	PASS
Band28	5	27235	8	#0	QPSK	-1MHz-0MHz	8.98	PASS
Band28	5	27235	8	#0	QPSK	-5MHz--1MHz	14.49	PASS
Band28	5	27235	8	#0	QPSK	-6MHz--5MHz	22.44	PASS
Band28	5	27235	8	#0	QPSK	-10MHz--6MHz	10.73	PASS
Band28	5	27235	8	#0	QPSK	0MHz-1MHz	28.89	PASS
Band28	5	27235	8	#0	QPSK	1MHz-5MHz	20.06	PASS
Band28	5	27235	8	#0	QPSK	5MHz-6MHz	23.08	PASS
Band28	5	27235	8	#0	QPSK	6MHz-10MHz	11.18	PASS
Band28	5	27235	8	#Max	QPSK	-1MHz-0MHz	31.86	PASS

Band28	5	27235	8	#Max	QPSK	-5MHz--1MHz	22.94	PASS
Band28	5	27235	8	#Max	QPSK	-6MHz--5MHz	22.97	PASS
Band28	5	27235	8	#Max	QPSK	-10MHz--6MHz	10.81	PASS
Band28	5	27235	8	#Max	QPSK	0MHz-1MHz	8.57	PASS
Band28	5	27235	8	#Max	QPSK	1MHz-5MHz	14.39	PASS
Band28	5	27235	8	#Max	QPSK	5MHz-6MHz	22.62	PASS
Band28	5	27235	8	#Max	QPSK	6MHz-10MHz	10.87	PASS
Band28	5	27235	25	#0	QPSK	-1MHz-0MHz	19.31	PASS
Band28	5	27235	25	#0	QPSK	-5MHz--1MHz	17.27	PASS
Band28	5	27235	25	#0	QPSK	-6MHz--5MHz	20.93	PASS
Band28	5	27235	25	#0	QPSK	-10MHz--6MHz	9.83	PASS
Band28	5	27235	25	#0	QPSK	0MHz-1MHz	16.00	PASS
Band28	5	27235	25	#0	QPSK	1MHz-5MHz	15.07	PASS
Band28	5	27235	25	#0	QPSK	5MHz-6MHz	18.42	PASS
Band28	5	27235	25	#0	QPSK	6MHz-10MHz	6.52	PASS
Band28	5	27235	8	#0	QAM16	-1MHz-0MHz	9.33	PASS
Band28	5	27235	8	#0	QAM16	-5MHz--1MHz	16.57	PASS
Band28	5	27235	8	#0	QAM16	-6MHz--5MHz	22.64	PASS
Band28	5	27235	8	#0	QAM16	-10MHz--6MHz	10.84	PASS
Band28	5	27235	8	#0	QAM16	0MHz-1MHz	30.52	PASS
Band28	5	27235	8	#0	QAM16	1MHz-5MHz	21.26	PASS
Band28	5	27235	8	#0	QAM16	5MHz-6MHz	23.02	PASS
Band28	5	27235	8	#0	QAM16	6MHz-10MHz	11.25	PASS
Band28	5	27235	8	#Max	QAM16	-1MHz-0MHz	33.05	PASS
Band28	5	27235	8	#Max	QAM16	-5MHz--1MHz	23.74	PASS
Band28	5	27235	8	#Max	QAM16	-6MHz--5MHz	22.93	PASS
Band28	5	27235	8	#Max	QAM16	-10MHz--6MHz	10.75	PASS
Band28	5	27235	8	#Max	QAM16	0MHz-1MHz	11.58	PASS
Band28	5	27235	8	#Max	QAM16	1MHz-5MHz	16.43	PASS
Band28	5	27235	8	#Max	QAM16	5MHz-6MHz	22.89	PASS
Band28	5	27235	8	#Max	QAM16	6MHz-10MHz	11.15	PASS
Band28	5	27235	25	#0	QAM16	-1MHz-0MHz	17.07	PASS
Band28	5	27235	25	#0	QAM16	-5MHz--1MHz	18.21	PASS
Band28	5	27235	25	#0	QAM16	-6MHz--5MHz	22.11	PASS
Band28	5	27235	25	#0	QAM16	-10MHz--6MHz	11.21	PASS
Band28	5	27235	25	#0	QAM16	0MHz-1MHz	16.63	PASS
Band28	5	27235	25	#0	QAM16	1MHz-5MHz	15.89	PASS
Band28	5	27235	25	#0	QAM16	5MHz-6MHz	19.71	PASS
Band28	5	27235	25	#0	QAM16	6MHz-10MHz	8.77	PASS
Band28	5	27385	8	#0	QPSK	-1MHz-0MHz	13.37	PASS
Band28	5	27385	8	#0	QPSK	-5MHz--1MHz	17.09	PASS
Band28	5	27385	8	#0	QPSK	-6MHz--5MHz	22.22	PASS
Band28	5	27385	8	#0	QPSK	-10MHz--6MHz	10.54	PASS
Band28	5	27385	8	#0	QPSK	0MHz-1MHz	31.13	PASS

Band28	5	27385	8	#0	QPSK	1MHz-5MHz	20.88	PASS
Band28	5	27385	8	#0	QPSK	5MHz-6MHz	23.06	PASS
Band28	5	27385	8	#0	QPSK	6MHz-10MHz	11.19	PASS
Band28	5	27385	8	#Max	QPSK	-1MHz-0MHz	31.97	PASS
Band28	5	27385	8	#Max	QPSK	-5MHz--1MHz	22.18	PASS
Band28	5	27385	8	#Max	QPSK	-6MHz--5MHz	22.84	PASS
Band28	5	27385	8	#Max	QPSK	-10MHz--6MHz	10.71	PASS
Band28	5	27385	8	#Max	QPSK	0MHz-1MHz	10.23	PASS
Band28	5	27385	8	#Max	QPSK	1MHz-5MHz	19.21	PASS
Band28	5	27385	8	#Max	QPSK	5MHz-6MHz	22.72	PASS
Band28	5	27385	8	#Max	QPSK	6MHz-10MHz	11.03	PASS
Band28	5	27385	25	#0	QPSK	-1MHz-0MHz	18.66	PASS
Band28	5	27385	25	#0	QPSK	-5MHz--1MHz	20.92	PASS
Band28	5	27385	25	#0	QPSK	-6MHz--5MHz	20.60	PASS
Band28	5	27385	25	#0	QPSK	-10MHz--6MHz	8.60	PASS
Band28	5	27385	25	#0	QPSK	0MHz-1MHz	16.37	PASS
Band28	5	27385	25	#0	QPSK	1MHz-5MHz	19.27	PASS
Band28	5	27385	25	#0	QPSK	5MHz-6MHz	20.97	PASS
Band28	5	27385	25	#0	QPSK	6MHz-10MHz	9.23	PASS
Band28	5	27385	8	#0	QAM16	-1MHz-0MHz	13.66	PASS
Band28	5	27385	8	#0	QAM16	-5MHz--1MHz	18.20	PASS
Band28	5	27385	8	#0	QAM16	-6MHz--5MHz	22.55	PASS
Band28	5	27385	8	#0	QAM16	-10MHz--6MHz	10.84	PASS
Band28	5	27385	8	#0	QAM16	0MHz-1MHz	32.56	PASS
Band28	5	27385	8	#0	QAM16	1MHz-5MHz	21.91	PASS
Band28	5	27385	8	#0	QAM16	5MHz-6MHz	23.20	PASS
Band28	5	27385	8	#0	QAM16	6MHz-10MHz	11.21	PASS
Band28	5	27385	8	#Max	QAM16	-1MHz-0MHz	32.53	PASS
Band28	5	27385	8	#Max	QAM16	-5MHz--1MHz	22.27	PASS
Band28	5	27385	8	#Max	QAM16	-6MHz--5MHz	22.89	PASS
Band28	5	27385	8	#Max	QAM16	-10MHz--6MHz	10.78	PASS
Band28	5	27385	8	#Max	QAM16	0MHz-1MHz	13.31	PASS
Band28	5	27385	8	#Max	QAM16	1MHz-5MHz	19.84	PASS
Band28	5	27385	8	#Max	QAM16	5MHz-6MHz	22.92	PASS
Band28	5	27385	8	#Max	QAM16	6MHz-10MHz	11.11	PASS
Band28	5	27385	25	#0	QAM16	-1MHz-0MHz	17.28	PASS
Band28	5	27385	25	#0	QAM16	-5MHz--1MHz	20.34	PASS
Band28	5	27385	25	#0	QAM16	-6MHz--5MHz	21.19	PASS
Band28	5	27385	25	#0	QAM16	-10MHz--6MHz	9.74	PASS
Band28	5	27385	25	#0	QAM16	0MHz-1MHz	19.66	PASS
Band28	5	27385	25	#0	QAM16	1MHz-5MHz	18.73	PASS
Band28	5	27385	25	#0	QAM16	5MHz-6MHz	21.56	PASS
Band28	5	27385	25	#0	QAM16	6MHz-10MHz	10.40	PASS
Band28	5	27635	8	#0	QPSK	-1MHz-0MHz	9.78	PASS

Band28	5	27635	8	#0	QPSK	-5MHz--1MHz	17.35	PASS
Band28	5	27635	8	#0	QPSK	-6MHz--5MHz	21.94	PASS
Band28	5	27635	8	#0	QPSK	-10MHz--6MHz	10.43	PASS
Band28	5	27635	8	#0	QPSK	0MHz-1MHz	33.47	PASS
Band28	5	27635	8	#0	QPSK	1MHz-5MHz	22.59	PASS
Band28	5	27635	8	#0	QPSK	5MHz-6MHz	23.20	PASS
Band28	5	27635	8	#0	QPSK	6MHz-10MHz	11.04	PASS
Band28	5	27635	8	#Max	QPSK	-1MHz-0MHz	26.65	PASS
Band28	5	27635	8	#Max	QPSK	-5MHz--1MHz	17.16	PASS
Band28	5	27635	8	#Max	QPSK	-6MHz--5MHz	22.62	PASS
Band28	5	27635	8	#Max	QPSK	-10MHz--6MHz	10.63	PASS
Band28	5	27635	8	#Max	QPSK	0MHz-1MHz	11.88	PASS
Band28	5	27635	8	#Max	QPSK	1MHz-5MHz	14.34	PASS
Band28	5	27635	8	#Max	QPSK	5MHz-6MHz	23.21	PASS
Band28	5	27635	8	#Max	QPSK	6MHz-10MHz	11.09	PASS
Band28	5	27635	25	#0	QPSK	-1MHz-0MHz	16.88	PASS
Band28	5	27635	25	#0	QPSK	-5MHz--1MHz	19.14	PASS
Band28	5	27635	25	#0	QPSK	-6MHz--5MHz	20.28	PASS
Band28	5	27635	25	#0	QPSK	-10MHz--6MHz	8.46	PASS
Band28	5	27635	25	#0	QPSK	0MHz-1MHz	18.34	PASS
Band28	5	27635	25	#0	QPSK	1MHz-5MHz	18.94	PASS
Band28	5	27635	25	#0	QPSK	5MHz-6MHz	23.02	PASS
Band28	5	27635	25	#0	QPSK	6MHz-10MHz	11.05	PASS
Band28	5	27635	8	#0	QAM16	-1MHz-0MHz	13.17	PASS
Band28	5	27635	8	#0	QAM16	-5MHz--1MHz	19.39	PASS
Band28	5	27635	8	#0	QAM16	-6MHz--5MHz	22.26	PASS
Band28	5	27635	8	#0	QAM16	-10MHz--6MHz	10.57	PASS
Band28	5	27635	8	#0	QAM16	0MHz-1MHz	33.89	PASS
Band28	5	27635	8	#0	QAM16	1MHz-5MHz	23.44	PASS
Band28	5	27635	8	#0	QAM16	5MHz-6MHz	23.26	PASS
Band28	5	27635	8	#0	QAM16	6MHz-10MHz	11.02	PASS
Band28	5	27635	8	#Max	QAM16	-1MHz-0MHz	29.78	PASS
Band28	5	27635	8	#Max	QAM16	-5MHz--1MHz	18.64	PASS
Band28	5	27635	8	#Max	QAM16	-6MHz--5MHz	22.69	PASS
Band28	5	27635	8	#Max	QAM16	-10MHz--6MHz	10.56	PASS
Band28	5	27635	8	#Max	QAM16	0MHz-1MHz	13.21	PASS
Band28	5	27635	8	#Max	QAM16	1MHz-5MHz	17.10	PASS
Band28	5	27635	8	#Max	QAM16	5MHz-6MHz	23.11	PASS
Band28	5	27635	8	#Max	QAM16	6MHz-10MHz	11.12	PASS
Band28	5	27635	25	#0	QAM16	-1MHz-0MHz	20.16	PASS
Band28	5	27635	25	#0	QAM16	-5MHz--1MHz	19.99	PASS
Band28	5	27635	25	#0	QAM16	-6MHz--5MHz	20.70	PASS
Band28	5	27635	25	#0	QAM16	-10MHz--6MHz	9.11	PASS
Band28	5	27635	25	#0	QAM16	0MHz-1MHz	19.99	PASS

Band28	5	27635	25	#0	QAM16	1MHz-5MHz	19.10	PASS
Band28	5	27635	25	#0	QAM16	5MHz-6MHz	23.08	PASS
Band28	5	27635	25	#0	QAM16	6MHz-10MHz	11.06	PASS
Band28	10	27260	12	#0	QPSK	-1MHz-0MHz	11.81	PASS
Band28	10	27260	12	#0	QPSK	-5MHz--1MHz	14.05	PASS
Band28	10	27260	12	#0	QPSK	-10MHz--5MHz	21.76	PASS
Band28	10	27260	12	#0	QPSK	-15MHz--10MHz	9.49	PASS
Band28	10	27260	12	#0	QPSK	0MHz-1MHz	30.50	PASS
Band28	10	27260	12	#0	QPSK	1MHz-5MHz	21.73	PASS
Band28	10	27260	12	#0	QPSK	5MHz-10MHz	18.00	PASS
Band28	10	27260	12	#0	QPSK	10MHz-15MHz	11.24	PASS
Band28	10	27260	12	#Max	QPSK	-1MHz-0MHz	31.73	PASS
Band28	10	27260	12	#Max	QPSK	-5MHz--1MHz	24.64	PASS
Band28	10	27260	12	#Max	QPSK	-10MHz--5MHz	21.82	PASS
Band28	10	27260	12	#Max	QPSK	-15MHz--10MHz	9.52	PASS
Band28	10	27260	12	#Max	QPSK	0MHz-1MHz	12.93	PASS
Band28	10	27260	12	#Max	QPSK	1MHz-5MHz	16.32	PASS
Band28	10	27260	12	#Max	QPSK	5MHz-10MHz	21.95	PASS
Band28	10	27260	12	#Max	QPSK	10MHz-15MHz	10.99	PASS
Band28	10	27260	50	#0	QPSK	-1MHz-0MHz	21.98	PASS
Band28	10	27260	50	#0	QPSK	-5MHz--1MHz	21.29	PASS
Band28	10	27260	50	#0	QPSK	-10MHz--5MHz	20.18	PASS
Band28	10	27260	50	#0	QPSK	-15MHz--10MHz	9.61	PASS
Band28	10	27260	50	#0	QPSK	0MHz-1MHz	19.14	PASS
Band28	10	27260	50	#0	QPSK	1MHz-5MHz	19.49	PASS
Band28	10	27260	50	#0	QPSK	5MHz-10MHz	15.83	PASS
Band28	10	27260	50	#0	QPSK	10MHz-15MHz	8.55	PASS
Band28	10	27260	12	#0	QAM16	-1MHz-0MHz	15.34	PASS
Band28	10	27260	12	#0	QAM16	-5MHz--1MHz	15.99	PASS
Band28	10	27260	12	#0	QAM16	-10MHz--5MHz	22.15	PASS
Band28	10	27260	12	#0	QAM16	-15MHz--10MHz	9.55	PASS
Band28	10	27260	12	#0	QAM16	0MHz-1MHz	30.99	PASS
Band28	10	27260	12	#0	QAM16	1MHz-5MHz	22.83	PASS
Band28	10	27260	12	#0	QAM16	5MHz-10MHz	19.28	PASS
Band28	10	27260	12	#0	QAM16	10MHz-15MHz	11.19	PASS
Band28	10	27260	12	#Max	QAM16	-1MHz-0MHz	31.65	PASS
Band28	10	27260	12	#Max	QAM16	-5MHz--1MHz	25.07	PASS
Band28	10	27260	12	#Max	QAM16	-10MHz--5MHz	21.99	PASS
Band28	10	27260	12	#Max	QAM16	-15MHz--10MHz	9.55	PASS
Band28	10	27260	12	#Max	QAM16	0MHz-1MHz	14.83	PASS
Band28	10	27260	12	#Max	QAM16	1MHz-5MHz	18.13	PASS
Band28	10	27260	12	#Max	QAM16	5MHz-10MHz	22.35	PASS
Band28	10	27260	12	#Max	QAM16	10MHz-15MHz	11.06	PASS
Band28	10	27260	50	#0	QAM16	-1MHz-0MHz	20.64	PASS

Band28	10	27260	50	#0	QAM16	-5MHz--1MHz	21.94	PASS
Band28	10	27260	50	#0	QAM16	-10MHz--5MHz	21.65	PASS
Band28	10	27260	50	#0	QAM16	-15MHz--10MHz	11.21	PASS
Band28	10	27260	50	#0	QAM16	0MHz-1MHz	20.15	PASS
Band28	10	27260	50	#0	QAM16	1MHz-5MHz	19.47	PASS
Band28	10	27260	50	#0	QAM16	5MHz-10MHz	17.79	PASS
Band28	10	27260	50	#0	QAM16	10MHz-15MHz	9.71	PASS
Band28	10	27410	12	#0	QPSK	-1MHz-0MHz	13.05	PASS
Band28	10	27410	12	#0	QPSK	-5MHz--1MHz	17.32	PASS
Band28	10	27410	12	#0	QPSK	-10MHz--5MHz	21.60	PASS
Band28	10	27410	12	#0	QPSK	-15MHz--10MHz	9.41	PASS
Band28	10	27410	12	#0	QPSK	0MHz-1MHz	31.41	PASS
Band28	10	27410	12	#0	QPSK	1MHz-5MHz	23.20	PASS
Band28	10	27410	12	#0	QPSK	5MHz-10MHz	19.78	PASS
Band28	10	27410	12	#0	QPSK	10MHz-15MHz	11.10	PASS
Band28	10	27410	12	#Max	QPSK	-1MHz-0MHz	30.79	PASS
Band28	10	27410	12	#Max	QPSK	-5MHz--1MHz	23.09	PASS
Band28	10	27410	12	#Max	QPSK	-10MHz--5MHz	19.85	PASS
Band28	10	27410	12	#Max	QPSK	-15MHz--10MHz	9.58	PASS
Band28	10	27410	12	#Max	QPSK	0MHz-1MHz	13.99	PASS
Band28	10	27410	12	#Max	QPSK	1MHz-5MHz	16.94	PASS
Band28	10	27410	12	#Max	QPSK	5MHz-10MHz	22.23	PASS
Band28	10	27410	12	#Max	QPSK	10MHz-15MHz	10.91	PASS
Band28	10	27410	50	#0	QPSK	-1MHz-0MHz	21.36	PASS
Band28	10	27410	50	#0	QPSK	-5MHz--1MHz	22.86	PASS
Band28	10	27410	50	#0	QPSK	-10MHz--5MHz	20.43	PASS
Band28	10	27410	50	#0	QPSK	-15MHz--10MHz	8.76	PASS
Band28	10	27410	50	#0	QPSK	0MHz-1MHz	22.55	PASS
Band28	10	27410	50	#0	QPSK	1MHz-5MHz	20.60	PASS
Band28	10	27410	50	#0	QPSK	5MHz-10MHz	18.19	PASS
Band28	10	27410	50	#0	QPSK	10MHz-15MHz	9.98	PASS
Band28	10	27410	12	#0	QAM16	-1MHz-0MHz	12.49	PASS
Band28	10	27410	12	#0	QAM16	-5MHz--1MHz	19.09	PASS
Band28	10	27410	12	#0	QAM16	-10MHz--5MHz	21.91	PASS
Band28	10	27410	12	#0	QAM16	-15MHz--10MHz	9.40	PASS
Band28	10	27410	12	#0	QAM16	0MHz-1MHz	31.55	PASS
Band28	10	27410	12	#0	QAM16	1MHz-5MHz	23.77	PASS
Band28	10	27410	12	#0	QAM16	5MHz-10MHz	20.58	PASS
Band28	10	27410	12	#0	QAM16	10MHz-15MHz	11.13	PASS
Band28	10	27410	12	#Max	QAM16	-1MHz-0MHz	30.93	PASS
Band28	10	27410	12	#Max	QAM16	-5MHz--1MHz	23.85	PASS
Band28	10	27410	12	#Max	QAM16	-10MHz--5MHz	20.65	PASS
Band28	10	27410	12	#Max	QAM16	-15MHz--10MHz	9.53	PASS
Band28	10	27410	12	#Max	QAM16	0MHz-1MHz	14.19	PASS

Band28	10	27410	12	#Max	QAM16	1MHz-5MHz	19.04	PASS
Band28	10	27410	12	#Max	QAM16	5MHz-10MHz	22.54	PASS
Band28	10	27410	12	#Max	QAM16	10MHz-15MHz	10.99	PASS
Band28	10	27410	50	#0	QAM16	-1MHz-0MHz	22.23	PASS
Band28	10	27410	50	#0	QAM16	-5MHz--1MHz	22.47	PASS
Band28	10	27410	50	#0	QAM16	-10MHz--5MHz	20.99	PASS
Band28	10	27410	50	#0	QAM16	-15MHz--10MHz	10.07	PASS
Band28	10	27410	50	#0	QAM16	0MHz-1MHz	20.72	PASS
Band28	10	27410	50	#0	QAM16	1MHz-5MHz	20.13	PASS
Band28	10	27410	50	#0	QAM16	5MHz-10MHz	19.33	PASS
Band28	10	27410	50	#0	QAM16	10MHz-15MHz	11.08	PASS
Band28	10	27610	12	#0	QPSK	-1MHz-0MHz	7.23	PASS
Band28	10	27610	12	#0	QPSK	-5MHz--1MHz	9.58	PASS
Band28	10	27610	12	#0	QPSK	-10MHz--5MHz	19.06	PASS
Band28	10	27610	12	#0	QPSK	-15MHz--10MHz	8.99	PASS
Band28	10	27610	12	#0	QPSK	0MHz-1MHz	31.38	PASS
Band28	10	27610	12	#0	QPSK	1MHz-5MHz	24.45	PASS
Band28	10	27610	12	#0	QPSK	5MHz-10MHz	22.79	PASS
Band28	10	27610	12	#0	QPSK	10MHz-15MHz	11.05	PASS
Band28	10	27610	12	#Max	QPSK	-1MHz-0MHz	30.85	PASS
Band28	10	27610	12	#Max	QPSK	-5MHz--1MHz	22.39	PASS
Band28	10	27610	12	#Max	QPSK	-10MHz--5MHz	19.01	PASS
Band28	10	27610	12	#Max	QPSK	-15MHz--10MHz	9.35	PASS
Band28	10	27610	12	#Max	QPSK	0MHz-1MHz	16.78	PASS
Band28	10	27610	12	#Max	QPSK	1MHz-5MHz	17.70	PASS
Band28	10	27610	12	#Max	QPSK	5MHz-10MHz	23.04	PASS
Band28	10	27610	12	#Max	QPSK	10MHz-15MHz	10.99	PASS
Band28	10	27610	50	#0	QPSK	-1MHz-0MHz	20.94	PASS
Band28	10	27610	50	#0	QPSK	-5MHz--1MHz	18.17	PASS
Band28	10	27610	50	#0	QPSK	-10MHz--5MHz	16.61	PASS
Band28	10	27610	50	#0	QPSK	-15MHz--10MHz	8.18	PASS
Band28	10	27610	50	#0	QPSK	0MHz-1MHz	23.50	PASS
Band28	10	27610	50	#0	QPSK	1MHz-5MHz	21.10	PASS
Band28	10	27610	50	#0	QPSK	5MHz-10MHz	22.62	PASS
Band28	10	27610	50	#0	QPSK	10MHz-15MHz	11.00	PASS
Band28	10	27610	12	#0	QAM16	-1MHz-0MHz	9.30	PASS
Band28	10	27610	12	#0	QAM16	-5MHz--1MHz	11.32	PASS
Band28	10	27610	12	#0	QAM16	-10MHz--5MHz	20.45	PASS
Band28	10	27610	12	#0	QAM16	-15MHz--10MHz	9.15	PASS
Band28	10	27610	12	#0	QAM16	0MHz-1MHz	31.25	PASS
Band28	10	27610	12	#0	QAM16	1MHz-5MHz	24.66	PASS
Band28	10	27610	12	#0	QAM16	5MHz-10MHz	22.98	PASS
Band28	10	27610	12	#0	QAM16	10MHz-15MHz	11.05	PASS
Band28	10	27610	12	#Max	QAM16	-1MHz-0MHz	30.85	PASS



Band28	10	27610	12	#Max	QAM16	-5MHz--1MHz	23.14	PASS
Band28	10	27610	12	#Max	QAM16	-10MHz--5MHz	19.88	PASS
Band28	10	27610	12	#Max	QAM16	-15MHz--10MHz	9.44	PASS
Band28	10	27610	12	#Max	QAM16	0MHz-1MHz	16.55	PASS
Band28	10	27610	12	#Max	QAM16	1MHz-5MHz	19.41	PASS
Band28	10	27610	12	#Max	QAM16	5MHz-10MHz	23.04	PASS
Band28	10	27610	12	#Max	QAM16	10MHz-15MHz	11.09	PASS
Band28	10	27610	50	#0	QAM16	-1MHz-0MHz	18.94	PASS
Band28	10	27610	50	#0	QAM16	-5MHz--1MHz	19.82	PASS
Band28	10	27610	50	#0	QAM16	-10MHz--5MHz	18.65	PASS
Band28	10	27610	50	#0	QAM16	-15MHz--10MHz	8.44	PASS
Band28	10	27610	50	#0	QAM16	0MHz-1MHz	22.57	PASS
Band28	10	27610	50	#0	QAM16	1MHz-5MHz	21.24	PASS
Band28	10	27610	50	#0	QAM16	5MHz-10MHz	22.78	PASS
Band28	10	27610	50	#0	QAM16	10MHz-15MHz	11.11	PASS
Band28	20	27310	18	#0	QPSK	-1MHz-0MHz	14.49	PASS
Band28	20	27310	18	#0	QPSK	-5MHz--1MHz	16.01	PASS
Band28	20	27310	18	#0	QPSK	-20MHz--5MHz	20.49	PASS
Band28	20	27310	18	#0	QPSK	-25MHz--20MHz	11.28	PASS
Band28	20	27310	18	#0	QPSK	0MHz-1MHz	29.04	PASS
Band28	20	27310	18	#0	QPSK	1MHz-5MHz	25.64	PASS
Band28	20	27310	18	#0	QPSK	5MHz-20MHz	19.60	PASS
Band28	20	27310	18	#0	QPSK	20MHz-25MHz	11.03	PASS
Band28	20	27310	18	#Max	QPSK	-1MHz-0MHz	28.91	PASS
Band28	20	27310	18	#Max	QPSK	-5MHz--1MHz	25.36	PASS
Band28	20	27310	18	#Max	QPSK	-20MHz--5MHz	21.45	PASS
Band28	20	27310	18	#Max	QPSK	-25MHz--20MHz	11.09	PASS
Band28	20	27310	18	#Max	QPSK	0MHz-1MHz	15.95	PASS
Band28	20	27310	18	#Max	QPSK	1MHz-5MHz	18.16	PASS
Band28	20	27310	18	#Max	QPSK	5MHz-20MHz	21.61	PASS
Band28	20	27310	18	#Max	QPSK	20MHz-25MHz	11.08	PASS
Band28	20	27310	100	#0	QPSK	-1MHz-0MHz	24.22	PASS
Band28	20	27310	100	#0	QPSK	-5MHz--1MHz	23.30	PASS
Band28	20	27310	100	#0	QPSK	-20MHz--5MHz	21.25	PASS
Band28	20	27310	100	#0	QPSK	-25MHz--20MHz	11.28	PASS
Band28	20	27310	100	#0	QPSK	0MHz-1MHz	22.48	PASS
Band28	20	27310	100	#0	QPSK	1MHz-5MHz	21.56	PASS
Band28	20	27310	100	#0	QPSK	5MHz-20MHz	18.77	PASS
Band28	20	27310	100	#0	QPSK	20MHz-25MHz	9.43	PASS
Band28	20	27310	18	#0	QAM16	-1MHz-0MHz	15.98	PASS
Band28	20	27310	18	#0	QAM16	-5MHz--1MHz	17.49	PASS
Band28	20	27310	18	#0	QAM16	-20MHz--5MHz	21.40	PASS
Band28	20	27310	18	#0	QAM16	-25MHz--20MHz	11.16	PASS
Band28	20	27310	18	#0	QAM16	0MHz-1MHz	28.73	PASS



Band28	20	27310	18	#0	QAM16	1MHz-5MHz	25.67	PASS
Band28	20	27310	18	#0	QAM16	5MHz-20MHz	20.36	PASS
Band28	20	27310	18	#0	QAM16	20MHz-25MHz	11.03	PASS
Band28	20	27310	18	#Max	QAM16	-1MHz-0MHz	29.02	PASS
Band28	20	27310	18	#Max	QAM16	-5MHz--1MHz	25.42	PASS
Band28	20	27310	18	#Max	QAM16	-20MHz--5MHz	21.43	PASS
Band28	20	27310	18	#Max	QAM16	-25MHz--20MHz	11.17	PASS
Band28	20	27310	18	#Max	QAM16	0MHz-1MHz	17.07	PASS
Band28	20	27310	18	#Max	QAM16	1MHz-5MHz	18.97	PASS
Band28	20	27310	18	#Max	QAM16	5MHz-20MHz	22.05	PASS
Band28	20	27310	18	#Max	QAM16	20MHz-25MHz	11.07	PASS
Band28	20	27310	100	#0	QAM16	-1MHz-0MHz	25.17	PASS
Band28	20	27310	100	#0	QAM16	-5MHz--1MHz	24.21	PASS
Band28	20	27310	100	#0	QAM16	-20MHz--5MHz	22.71	PASS
Band28	20	27310	100	#0	QAM16	-25MHz--20MHz	12.32	PASS
Band28	20	27310	100	#0	QAM16	0MHz-1MHz	22.11	PASS
Band28	20	27310	100	#0	QAM16	1MHz-5MHz	21.81	PASS
Band28	20	27310	100	#0	QAM16	5MHz-20MHz	20.27	PASS
Band28	20	27310	100	#0	QAM16	20MHz-25MHz	11.12	PASS
Band28	20	27460	18	#0	QPSK	-1MHz-0MHz	19.31	PASS
Band28	20	27460	18	#0	QPSK	-5MHz--1MHz	18.99	PASS
Band28	20	27460	18	#0	QPSK	-20MHz--5MHz	20.64	PASS
Band28	20	27460	18	#0	QPSK	-25MHz--20MHz	11.13	PASS
Band28	20	27460	18	#0	QPSK	0MHz-1MHz	29.30	PASS
Band28	20	27460	18	#0	QPSK	1MHz-5MHz	25.97	PASS
Band28	20	27460	18	#0	QPSK	5MHz-20MHz	21.00	PASS
Band28	20	27460	18	#0	QPSK	20MHz-25MHz	10.98	PASS
Band28	20	27460	18	#Max	QPSK	-1MHz-0MHz	27.59	PASS
Band28	20	27460	18	#Max	QPSK	-5MHz--1MHz	24.85	PASS
Band28	20	27460	18	#Max	QPSK	-20MHz--5MHz	20.15	PASS
Band28	20	27460	18	#Max	QPSK	-25MHz--20MHz	11.20	PASS
Band28	20	27460	18	#Max	QPSK	0MHz-1MHz	6.04	PASS
Band28	20	27460	18	#Max	QPSK	1MHz-5MHz	8.14	PASS
Band28	20	27460	18	#Max	QPSK	5MHz-20MHz	15.49	PASS
Band28	20	27460	18	#Max	QPSK	20MHz-25MHz	11.12	PASS
Band28	20	27460	100	#0	QPSK	-1MHz-0MHz	20.90	PASS
Band28	20	27460	100	#0	QPSK	-5MHz--1MHz	19.42	PASS
Band28	20	27460	100	#0	QPSK	-20MHz--5MHz	17.77	PASS
Band28	20	27460	100	#0	QPSK	-25MHz--20MHz	10.75	PASS
Band28	20	27460	100	#0	QPSK	0MHz-1MHz	22.45	PASS
Band28	20	27460	100	#0	QPSK	1MHz-5MHz	20.05	PASS
Band28	20	27460	100	#0	QPSK	5MHz-20MHz	17.18	PASS
Band28	20	27460	100	#0	QPSK	20MHz-25MHz	11.13	PASS
Band28	20	27460	18	#0	QAM16	-1MHz-0MHz	18.71	PASS

Band28	20	27460	18	#0	QAM16	-5MHz--1MHz	20.09	PASS
Band28	20	27460	18	#0	QAM16	-20MHz--5MHz	21.21	PASS
Band28	20	27460	18	#0	QAM16	-25MHz--20MHz	11.25	PASS
Band28	20	27460	18	#0	QAM16	0MHz-1MHz	29.30	PASS
Band28	20	27460	18	#0	QAM16	1MHz-5MHz	25.91	PASS
Band28	20	27460	18	#0	QAM16	5MHz-20MHz	21.52	PASS
Band28	20	27460	18	#0	QAM16	20MHz-25MHz	10.96	PASS
Band28	20	27460	18	#Max	QAM16	-1MHz-0MHz	28.24	PASS
Band28	20	27460	18	#Max	QAM16	-5MHz--1MHz	25.00	PASS
Band28	20	27460	18	#Max	QAM16	-20MHz--5MHz	20.34	PASS
Band28	20	27460	18	#Max	QAM16	-25MHz--20MHz	11.17	PASS
Band28	20	27460	18	#Max	QAM16	0MHz-1MHz	8.92	PASS
Band28	20	27460	18	#Max	QAM16	1MHz-5MHz	10.44	PASS
Band28	20	27460	18	#Max	QAM16	5MHz-20MHz	17.56	PASS
Band28	20	27460	18	#Max	QAM16	20MHz-25MHz	11.16	PASS
Band28	20	27460	100	#0	QAM16	-1MHz-0MHz	22.43	PASS
Band28	20	27460	100	#0	QAM16	-5MHz--1MHz	20.59	PASS
Band28	20	27460	100	#0	QAM16	-20MHz--5MHz	18.98	PASS
Band28	20	27460	100	#0	QAM16	-25MHz--20MHz	10.96	PASS
Band28	20	27460	100	#0	QAM16	0MHz-1MHz	23.44	PASS
Band28	20	27460	100	#0	QAM16	1MHz-5MHz	20.42	PASS
Band28	20	27460	100	#0	QAM16	5MHz-20MHz	17.58	PASS
Band28	20	27460	100	#0	QAM16	20MHz-25MHz	11.16	PASS
Band28	20	27560	18	#0	QPSK	-1MHz-0MHz	11.52	PASS
Band28	20	27560	18	#0	QPSK	-5MHz--1MHz	12.89	PASS
Band28	20	27560	18	#0	QPSK	-20MHz--5MHz	17.28	PASS
Band28	20	27560	18	#0	QPSK	-25MHz--20MHz	10.80	PASS
Band28	20	27560	18	#0	QPSK	0MHz-1MHz	29.30	PASS
Band28	20	27560	18	#0	QPSK	1MHz-5MHz	25.96	PASS
Band28	20	27560	18	#0	QPSK	5MHz-20MHz	23.08	PASS
Band28	20	27560	18	#0	QPSK	20MHz-25MHz	11.76	PASS
Band28	20	27560	18	#Max	QPSK	-1MHz-0MHz	28.51	PASS
Band28	20	27560	18	#Max	QPSK	-5MHz--1MHz	25.11	PASS
Band28	20	27560	18	#Max	QPSK	-20MHz--5MHz	20.41	PASS
Band28	20	27560	18	#Max	QPSK	-25MHz--20MHz	11.06	PASS
Band28	20	27560	18	#Max	QPSK	0MHz-1MHz	17.93	PASS
Band28	20	27560	18	#Max	QPSK	1MHz-5MHz	18.44	PASS
Band28	20	27560	18	#Max	QPSK	5MHz-20MHz	23.03	PASS
Band28	20	27560	18	#Max	QPSK	20MHz-25MHz	11.95	PASS
Band28	20	27560	100	#0	QPSK	-1MHz-0MHz	17.79	PASS
Band28	20	27560	100	#0	QPSK	-5MHz--1MHz	16.32	PASS
Band28	20	27560	100	#0	QPSK	-20MHz--5MHz	13.43	PASS
Band28	20	27560	100	#0	QPSK	-25MHz--20MHz	8.93	PASS
Band28	20	27560	100	#0	QPSK	0MHz-1MHz	20.64	PASS

Band28	20	27560	100	#0	QPSK	1MHz-5MHz	19.46	PASS
Band28	20	27560	100	#0	QPSK	5MHz-20MHz	22.57	PASS
Band28	20	27560	100	#0	QPSK	20MHz-25MHz	11.92	PASS
Band28	20	27560	18	#0	QAM16	-1MHz-0MHz	13.01	PASS
Band28	20	27560	18	#0	QAM16	-5MHz--1MHz	14.66	PASS
Band28	20	27560	18	#0	QAM16	-20MHz--5MHz	19.25	PASS
Band28	20	27560	18	#0	QAM16	-25MHz--20MHz	10.91	PASS
Band28	20	27560	18	#0	QAM16	0MHz-1MHz	29.25	PASS
Band28	20	27560	18	#0	QAM16	1MHz-5MHz	25.86	PASS
Band28	20	27560	18	#0	QAM16	5MHz-20MHz	23.05	PASS
Band28	20	27560	18	#0	QAM16	20MHz-25MHz	11.77	PASS
Band28	20	27560	18	#Max	QAM16	-1MHz-0MHz	28.40	PASS
Band28	20	27560	18	#Max	QAM16	-5MHz--1MHz	25.10	PASS
Band28	20	27560	18	#Max	QAM16	-20MHz--5MHz	20.60	PASS
Band28	20	27560	18	#Max	QAM16	-25MHz--20MHz	11.04	PASS
Band28	20	27560	18	#Max	QAM16	0MHz-1MHz	17.28	PASS
Band28	20	27560	18	#Max	QAM16	1MHz-5MHz	19.71	PASS
Band28	20	27560	18	#Max	QAM16	5MHz-20MHz	23.11	PASS
Band28	20	27560	18	#Max	QAM16	20MHz-25MHz	11.87	PASS
Band28	20	27560	100	#0	QAM16	-1MHz-0MHz	19.68	PASS
Band28	20	27560	100	#0	QAM16	-5MHz--1MHz	17.78	PASS
Band28	20	27560	100	#0	QAM16	-20MHz--5MHz	15.12	PASS
Band28	20	27560	100	#0	QAM16	-25MHz--20MHz	9.56	PASS
Band28	20	27560	100	#0	QAM16	0MHz-1MHz	21.41	PASS
Band28	20	27560	100	#0	QAM16	1MHz-5MHz	20.56	PASS
Band28	20	27560	100	#0	QAM16	5MHz-20MHz	22.66	PASS
Band28	20	27560	100	#0	QAM16	20MHz-25MHz	11.92	PASS
Band3	1.4	19207	5	#0	QPSK	-1MHz-0MHz	12.15	PASS
Band3	1.4	19207	5	#0	QPSK	-2.5MHz--1MHz	20.62	PASS
Band3	1.4	19207	5	#0	QPSK	-3.5MHz--2.5MHz	11.86	PASS
Band3	1.4	19207	5	#0	QPSK	0MHz-1MHz	13.25	PASS
Band3	1.4	19207	5	#0	QPSK	1MHz-2.5MHz	21.87	PASS
Band3	1.4	19207	5	#0	QPSK	2.5MHz-3.5MHz	11.76	PASS
Band3	1.4	19207	5	#Max	QPSK	-1MHz-0MHz	14.94	PASS
Band3	1.4	19207	5	#Max	QPSK	-2.5MHz--1MHz	22.47	PASS
Band3	1.4	19207	5	#Max	QPSK	-3.5MHz--2.5MHz	11.93	PASS
Band3	1.4	19207	5	#Max	QPSK	0MHz-1MHz	11.70	PASS
Band3	1.4	19207	5	#Max	QPSK	1MHz-2.5MHz	20.59	PASS
Band3	1.4	19207	5	#Max	QPSK	2.5MHz-3.5MHz	11.86	PASS
Band3	1.4	19207	6	#0	QPSK	-1MHz-0MHz	19.30	PASS
Band3	1.4	19207	6	#0	QPSK	-2.5MHz--1MHz	21.30	PASS
Band3	1.4	19207	6	#0	QPSK	-3.5MHz--2.5MHz	12.30	PASS
Band3	1.4	19207	6	#0	QPSK	0MHz-1MHz	20.55	PASS
Band3	1.4	19207	6	#0	QPSK	1MHz-2.5MHz	21.93	PASS

Band3	1.4	19207	6	#0	QPSK	2.5MHz-3.5MHz	11.81	PASS
Band3	1.4	19207	5	#0	QAM16	-1MHz-0MHz	15.85	PASS
Band3	1.4	19207	5	#0	QAM16	-2.5MHz--1MHz	22.35	PASS
Band3	1.4	19207	5	#0	QAM16	-3.5MHz--2.5MHz	12.11	PASS
Band3	1.4	19207	5	#0	QAM16	0MHz-1MHz	17.82	PASS
Band3	1.4	19207	5	#0	QAM16	1MHz-2.5MHz	23.69	PASS
Band3	1.4	19207	5	#0	QAM16	2.5MHz-3.5MHz	12.01	PASS
Band3	1.4	19207	5	#Max	QAM16	-1MHz-0MHz	17.38	PASS
Band3	1.4	19207	5	#Max	QAM16	-2.5MHz--1MHz	23.90	PASS
Band3	1.4	19207	5	#Max	QAM16	-3.5MHz--2.5MHz	12.17	PASS
Band3	1.4	19207	5	#Max	QAM16	0MHz-1MHz	16.09	PASS
Band3	1.4	19207	5	#Max	QAM16	1MHz-2.5MHz	22.28	PASS
Band3	1.4	19207	5	#Max	QAM16	2.5MHz-3.5MHz	11.93	PASS
Band3	1.4	19207	6	#0	QAM16	-1MHz-0MHz	22.15	PASS
Band3	1.4	19207	6	#0	QAM16	-2.5MHz--1MHz	23.41	PASS
Band3	1.4	19207	6	#0	QAM16	-3.5MHz--2.5MHz	12.37	PASS
Band3	1.4	19207	6	#0	QAM16	0MHz-1MHz	23.31	PASS
Band3	1.4	19207	6	#0	QAM16	1MHz-2.5MHz	23.31	PASS
Band3	1.4	19207	6	#0	QAM16	2.5MHz-3.5MHz	12.18	PASS
Band3	1.4	19575	5	#0	QPSK	-1MHz-0MHz	13.72	PASS
Band3	1.4	19575	5	#0	QPSK	-2.5MHz--1MHz	24.28	PASS
Band3	1.4	19575	5	#0	QPSK	-3.5MHz--2.5MHz	11.91	PASS
Band3	1.4	19575	5	#0	QPSK	0MHz-1MHz	14.79	PASS
Band3	1.4	19575	5	#0	QPSK	1MHz-2.5MHz	25.10	PASS
Band3	1.4	19575	5	#0	QPSK	2.5MHz-3.5MHz	11.98	PASS
Band3	1.4	19575	5	#Max	QPSK	-1MHz-0MHz	15.13	PASS
Band3	1.4	19575	5	#Max	QPSK	-2.5MHz--1MHz	25.18	PASS
Band3	1.4	19575	5	#Max	QPSK	-3.5MHz--2.5MHz	11.95	PASS
Band3	1.4	19575	5	#Max	QPSK	0MHz-1MHz	14.04	PASS
Band3	1.4	19575	5	#Max	QPSK	1MHz-2.5MHz	24.35	PASS
Band3	1.4	19575	5	#Max	QPSK	2.5MHz-3.5MHz	12.02	PASS
Band3	1.4	19575	6	#0	QPSK	-1MHz-0MHz	16.95	PASS
Band3	1.4	19575	6	#0	QPSK	-2.5MHz--1MHz	24.38	PASS
Band3	1.4	19575	6	#0	QPSK	-3.5MHz--2.5MHz	12.13	PASS
Band3	1.4	19575	6	#0	QPSK	0MHz-1MHz	17.41	PASS
Band3	1.4	19575	6	#0	QPSK	1MHz-2.5MHz	24.68	PASS
Band3	1.4	19575	6	#0	QPSK	2.5MHz-3.5MHz	12.16	PASS
Band3	1.4	19575	5	#0	QAM16	-1MHz-0MHz	14.69	PASS
Band3	1.4	19575	5	#0	QAM16	-2.5MHz--1MHz	24.88	PASS
Band3	1.4	19575	5	#0	QAM16	-3.5MHz--2.5MHz	11.99	PASS
Band3	1.4	19575	5	#0	QAM16	0MHz-1MHz	18.13	PASS
Band3	1.4	19575	5	#0	QAM16	1MHz-2.5MHz	25.52	PASS
Band3	1.4	19575	5	#0	QAM16	2.5MHz-3.5MHz	12.16	PASS
Band3	1.4	19575	5	#Max	QAM16	-1MHz-0MHz	17.59	PASS

Band3	1.4	19575	5	#Max	QAM16	-2.5MHz--1MHz	25.45	PASS
Band3	1.4	19575	5	#Max	QAM16	-3.5MHz--2.5MHz	12.06	PASS
Band3	1.4	19575	5	#Max	QAM16	0MHz-1MHz	15.22	PASS
Band3	1.4	19575	5	#Max	QAM16	1MHz-2.5MHz	24.84	PASS
Band3	1.4	19575	5	#Max	QAM16	2.5MHz-3.5MHz	12.15	PASS
Band3	1.4	19575	6	#0	QAM16	-1MHz-0MHz	20.88	PASS
Band3	1.4	19575	6	#0	QAM16	-2.5MHz--1MHz	25.50	PASS
Band3	1.4	19575	6	#0	QAM16	-3.5MHz--2.5MHz	12.23	PASS
Band3	1.4	19575	6	#0	QAM16	0MHz-1MHz	20.36	PASS
Band3	1.4	19575	6	#0	QAM16	1MHz-2.5MHz	25.49	PASS
Band3	1.4	19575	6	#0	QAM16	2.5MHz-3.5MHz	12.30	PASS
Band3	1.4	19943	5	#0	QPSK	-1MHz-0MHz	11.47	PASS
Band3	1.4	19943	5	#0	QPSK	-2.5MHz--1MHz	23.62	PASS
Band3	1.4	19943	5	#0	QPSK	-3.5MHz--2.5MHz	11.85	PASS
Band3	1.4	19943	5	#0	QPSK	0MHz-1MHz	13.12	PASS
Band3	1.4	19943	5	#0	QPSK	1MHz-2.5MHz	24.14	PASS
Band3	1.4	19943	5	#0	QPSK	2.5MHz-3.5MHz	11.88	PASS
Band3	1.4	19943	5	#Max	QPSK	-1MHz-0MHz	12.12	PASS
Band3	1.4	19943	5	#Max	QPSK	-2.5MHz--1MHz	24.14	PASS
Band3	1.4	19943	5	#Max	QPSK	-3.5MHz--2.5MHz	11.87	PASS
Band3	1.4	19943	5	#Max	QPSK	0MHz-1MHz	11.30	PASS
Band3	1.4	19943	5	#Max	QPSK	1MHz-2.5MHz	23.64	PASS
Band3	1.4	19943	5	#Max	QPSK	2.5MHz-3.5MHz	11.94	PASS
Band3	1.4	19943	6	#0	QPSK	-1MHz-0MHz	15.77	PASS
Band3	1.4	19943	6	#0	QPSK	-2.5MHz--1MHz	23.57	PASS
Band3	1.4	19943	6	#0	QPSK	-3.5MHz--2.5MHz	11.85	PASS
Band3	1.4	19943	6	#0	QPSK	0MHz-1MHz	15.57	PASS
Band3	1.4	19943	6	#0	QPSK	1MHz-2.5MHz	23.56	PASS
Band3	1.4	19943	6	#0	QPSK	2.5MHz-3.5MHz	11.93	PASS
Band3	1.4	19943	5	#0	QAM16	-1MHz-0MHz	14.34	PASS
Band3	1.4	19943	5	#0	QAM16	-2.5MHz--1MHz	24.13	PASS
Band3	1.4	19943	5	#0	QAM16	-3.5MHz--2.5MHz	12.03	PASS
Band3	1.4	19943	5	#0	QAM16	0MHz-1MHz	17.06	PASS
Band3	1.4	19943	5	#0	QAM16	1MHz-2.5MHz	24.84	PASS
Band3	1.4	19943	5	#0	QAM16	2.5MHz-3.5MHz	12.17	PASS
Band3	1.4	19943	5	#Max	QAM16	-1MHz-0MHz	16.25	PASS
Band3	1.4	19943	5	#Max	QAM16	-2.5MHz--1MHz	24.64	PASS
Band3	1.4	19943	5	#Max	QAM16	-3.5MHz--2.5MHz	12.22	PASS
Band3	1.4	19943	5	#Max	QAM16	0MHz-1MHz	14.68	PASS
Band3	1.4	19943	5	#Max	QAM16	1MHz-2.5MHz	24.03	PASS
Band3	1.4	19943	5	#Max	QAM16	2.5MHz-3.5MHz	12.11	PASS
Band3	1.4	19943	6	#0	QAM16	-1MHz-0MHz	16.25	PASS
Band3	1.4	19943	6	#0	QAM16	-2.5MHz--1MHz	24.01	PASS
Band3	1.4	19943	6	#0	QAM16	-3.5MHz--2.5MHz	12.16	PASS

Band3	1.4	19943	6	#0	QAM16	0MHz-1MHz	19.04	PASS
Band3	1.4	19943	6	#0	QAM16	1MHz-2.5MHz	23.94	PASS
Band3	1.4	19943	6	#0	QAM16	2.5MHz-3.5MHz	12.18	PASS
Band3	5	19225	8	#0	QPSK	-1MHz-0MHz	6.73	PASS
Band3	5	19225	8	#0	QPSK	-5MHz--1MHz	15.09	PASS
Band3	5	19225	8	#0	QPSK	-6MHz--5MHz	24.73	PASS
Band3	5	19225	8	#0	QPSK	-10MHz--6MHz	12.84	PASS
Band3	5	19225	8	#0	QPSK	0MHz-1MHz	31.06	PASS
Band3	5	19225	8	#0	QPSK	1MHz-5MHz	19.88	PASS
Band3	5	19225	8	#0	QPSK	5MHz-6MHz	24.85	PASS
Band3	5	19225	8	#0	QPSK	6MHz-10MHz	13.23	PASS
Band3	5	19225	8	#Max	QPSK	-1MHz-0MHz	32.08	PASS
Band3	5	19225	8	#Max	QPSK	-5MHz--1MHz	20.89	PASS
Band3	5	19225	8	#Max	QPSK	-6MHz--5MHz	25.06	PASS
Band3	5	19225	8	#Max	QPSK	-10MHz--6MHz	12.93	PASS
Band3	5	19225	8	#Max	QPSK	0MHz-1MHz	6.94	PASS
Band3	5	19225	8	#Max	QPSK	1MHz-5MHz	16.21	PASS
Band3	5	19225	8	#Max	QPSK	5MHz-6MHz	25.01	PASS
Band3	5	19225	8	#Max	QPSK	6MHz-10MHz	13.09	PASS
Band3	5	19225	25	#0	QPSK	-1MHz-0MHz	16.65	PASS
Band3	5	19225	25	#0	QPSK	-5MHz--1MHz	15.53	PASS
Band3	5	19225	25	#0	QPSK	-6MHz--5MHz	22.20	PASS
Band3	5	19225	25	#0	QPSK	-10MHz--6MHz	11.55	PASS
Band3	5	19225	25	#0	QPSK	0MHz-1MHz	16.26	PASS
Band3	5	19225	25	#0	QPSK	1MHz-5MHz	14.74	PASS
Band3	5	19225	25	#0	QPSK	5MHz-6MHz	22.36	PASS
Band3	5	19225	25	#0	QPSK	6MHz-10MHz	11.47	PASS
Band3	5	19225	8	#0	QAM16	-1MHz-0MHz	9.03	PASS
Band3	5	19225	8	#0	QAM16	-5MHz--1MHz	18.92	PASS
Band3	5	19225	8	#0	QAM16	-6MHz--5MHz	24.90	PASS
Band3	5	19225	8	#0	QAM16	-10MHz--6MHz	12.85	PASS
Band3	5	19225	8	#0	QAM16	0MHz-1MHz	32.36	PASS
Band3	5	19225	8	#0	QAM16	1MHz-5MHz	21.18	PASS
Band3	5	19225	8	#0	QAM16	5MHz-6MHz	25.05	PASS
Band3	5	19225	8	#0	QAM16	6MHz-10MHz	13.27	PASS
Band3	5	19225	8	#Max	QAM16	-1MHz-0MHz	32.94	PASS
Band3	5	19225	8	#Max	QAM16	-5MHz--1MHz	22.29	PASS
Band3	5	19225	8	#Max	QAM16	-6MHz--5MHz	24.93	PASS
Band3	5	19225	8	#Max	QAM16	-10MHz--6MHz	12.86	PASS
Band3	5	19225	8	#Max	QAM16	0MHz-1MHz	10.88	PASS
Band3	5	19225	8	#Max	QAM16	1MHz-5MHz	20.12	PASS
Band3	5	19225	8	#Max	QAM16	5MHz-6MHz	25.06	PASS
Band3	5	19225	8	#Max	QAM16	6MHz-10MHz	13.18	PASS
Band3	5	19225	25	#0	QAM16	-1MHz-0MHz	17.10	PASS

Band3	5	19225	25	#0	QAM16	-5MHz--1MHz	18.59	PASS
Band3	5	19225	25	#0	QAM16	-6MHz--5MHz	23.46	PASS
Band3	5	19225	25	#0	QAM16	-10MHz--6MHz	12.29	PASS
Band3	5	19225	25	#0	QAM16	0MHz-1MHz	17.42	PASS
Band3	5	19225	25	#0	QAM16	1MHz-5MHz	18.27	PASS
Band3	5	19225	25	#0	QAM16	5MHz-6MHz	23.35	PASS
Band3	5	19225	25	#0	QAM16	6MHz-10MHz	12.20	PASS
Band3	5	19575	8	#0	QPSK	-1MHz-0MHz	9.26	PASS
Band3	5	19575	8	#0	QPSK	-5MHz--1MHz	17.98	PASS
Band3	5	19575	8	#0	QPSK	-6MHz--5MHz	24.83	PASS
Band3	5	19575	8	#0	QPSK	-10MHz--6MHz	12.89	PASS
Band3	5	19575	8	#0	QPSK	0MHz-1MHz	31.51	PASS
Band3	5	19575	8	#0	QPSK	1MHz-5MHz	20.18	PASS
Band3	5	19575	8	#0	QPSK	5MHz-6MHz	25.08	PASS
Band3	5	19575	8	#0	QPSK	6MHz-10MHz	13.32	PASS
Band3	5	19575	8	#Max	QPSK	-1MHz-0MHz	30.91	PASS
Band3	5	19575	8	#Max	QPSK	-5MHz--1MHz	19.13	PASS
Band3	5	19575	8	#Max	QPSK	-6MHz--5MHz	24.95	PASS
Band3	5	19575	8	#Max	QPSK	-10MHz--6MHz	12.81	PASS
Band3	5	19575	8	#Max	QPSK	0MHz-1MHz	7.52	PASS
Band3	5	19575	8	#Max	QPSK	1MHz-5MHz	18.86	PASS
Band3	5	19575	8	#Max	QPSK	5MHz-6MHz	24.98	PASS
Band3	5	19575	8	#Max	QPSK	6MHz-10MHz	13.24	PASS
Band3	5	19575	25	#0	QPSK	-1MHz-0MHz	16.32	PASS
Band3	5	19575	25	#0	QPSK	-5MHz--1MHz	13.59	PASS
Band3	5	19575	25	#0	QPSK	-6MHz--5MHz	24.08	PASS
Band3	5	19575	25	#0	QPSK	-10MHz--6MHz	12.51	PASS
Band3	5	19575	25	#0	QPSK	0MHz-1MHz	15.19	PASS
Band3	5	19575	25	#0	QPSK	1MHz-5MHz	14.25	PASS
Band3	5	19575	25	#0	QPSK	5MHz-6MHz	24.64	PASS
Band3	5	19575	25	#0	QPSK	6MHz-10MHz	12.99	PASS
Band3	5	19575	8	#0	QAM16	-1MHz-0MHz	10.18	PASS
Band3	5	19575	8	#0	QAM16	-5MHz--1MHz	20.48	PASS
Band3	5	19575	8	#0	QAM16	-6MHz--5MHz	24.90	PASS
Band3	5	19575	8	#0	QAM16	-10MHz--6MHz	12.84	PASS
Band3	5	19575	8	#0	QAM16	0MHz-1MHz	31.82	PASS
Band3	5	19575	8	#0	QAM16	1MHz-5MHz	20.79	PASS
Band3	5	19575	8	#0	QAM16	5MHz-6MHz	25.19	PASS
Band3	5	19575	8	#0	QAM16	6MHz-10MHz	13.38	PASS
Band3	5	19575	8	#Max	QAM16	-1MHz-0MHz	32.90	PASS
Band3	5	19575	8	#Max	QAM16	-5MHz--1MHz	20.43	PASS
Band3	5	19575	8	#Max	QAM16	-6MHz--5MHz	24.93	PASS
Band3	5	19575	8	#Max	QAM16	-10MHz--6MHz	12.97	PASS
Band3	5	19575	8	#Max	QAM16	0MHz-1MHz	10.83	PASS



Band3	5	19575	8	#Max	QAM16	1MHz-5MHz	21.40	PASS
Band3	5	19575	8	#Max	QAM16	5MHz-6MHz	25.08	PASS
Band3	5	19575	8	#Max	QAM16	6MHz-10MHz	13.27	PASS
Band3	5	19575	25	#0	QAM16	-1MHz-0MHz	16.25	PASS
Band3	5	19575	25	#0	QAM16	-5MHz--1MHz	15.85	PASS
Band3	5	19575	25	#0	QAM16	-6MHz--5MHz	24.24	PASS
Band3	5	19575	25	#0	QAM16	-10MHz--6MHz	12.66	PASS
Band3	5	19575	25	#0	QAM16	0MHz-1MHz	18.91	PASS
Band3	5	19575	25	#0	QAM16	1MHz-5MHz	16.27	PASS
Band3	5	19575	25	#0	QAM16	5MHz-6MHz	24.76	PASS
Band3	5	19575	25	#0	QAM16	6MHz-10MHz	13.05	PASS
Band3	5	19925	8	#0	QPSK	-1MHz-0MHz	6.05	PASS
Band3	5	19925	8	#0	QPSK	-5MHz--1MHz	18.22	PASS
Band3	5	19925	8	#0	QPSK	-6MHz--5MHz	24.57	PASS
Band3	5	19925	8	#0	QPSK	-10MHz--6MHz	12.70	PASS
Band3	5	19925	8	#0	QPSK	0MHz-1MHz	30.95	PASS
Band3	5	19925	8	#0	QPSK	1MHz-5MHz	18.98	PASS
Band3	5	19925	8	#0	QPSK	5MHz-6MHz	25.17	PASS
Band3	5	19925	8	#0	QPSK	6MHz-10MHz	13.18	PASS
Band3	5	19925	8	#Max	QPSK	-1MHz-0MHz	30.68	PASS
Band3	5	19925	8	#Max	QPSK	-5MHz--1MHz	18.48	PASS
Band3	5	19925	8	#Max	QPSK	-6MHz--5MHz	24.87	PASS
Band3	5	19925	8	#Max	QPSK	-10MHz--6MHz	12.73	PASS
Band3	5	19925	8	#Max	QPSK	0MHz-1MHz	5.34	PASS
Band3	5	19925	8	#Max	QPSK	1MHz-5MHz	16.88	PASS
Band3	5	19925	8	#Max	QPSK	5MHz-6MHz	24.99	PASS
Band3	5	19925	8	#Max	QPSK	6MHz-10MHz	13.22	PASS
Band3	5	19925	25	#0	QPSK	-1MHz-0MHz	14.56	PASS
Band3	5	19925	25	#0	QPSK	-5MHz--1MHz	11.07	PASS
Band3	5	19925	25	#0	QPSK	-6MHz--5MHz	23.82	PASS
Band3	5	19925	25	#0	QPSK	-10MHz--6MHz	11.93	PASS
Band3	5	19925	25	#0	QPSK	0MHz-1MHz	13.49	PASS
Band3	5	19925	25	#0	QPSK	1MHz-5MHz	11.29	PASS
Band3	5	19925	25	#0	QPSK	5MHz-6MHz	24.47	PASS
Band3	5	19925	25	#0	QPSK	6MHz-10MHz	12.86	PASS
Band3	5	19925	8	#0	QAM16	-1MHz-0MHz	9.70	PASS
Band3	5	19925	8	#0	QAM16	-5MHz--1MHz	20.52	PASS
Band3	5	19925	8	#0	QAM16	-6MHz--5MHz	24.68	PASS
Band3	5	19925	8	#0	QAM16	-10MHz--6MHz	12.77	PASS
Band3	5	19925	8	#0	QAM16	0MHz-1MHz	32.72	PASS
Band3	5	19925	8	#0	QAM16	1MHz-5MHz	20.62	PASS
Band3	5	19925	8	#0	QAM16	5MHz-6MHz	25.22	PASS
Band3	5	19925	8	#0	QAM16	6MHz-10MHz	13.23	PASS
Band3	5	19925	8	#Max	QAM16	-1MHz-0MHz	32.40	PASS

Band3	5	19925	8	#Max	QAM16	-5MHz--1MHz	20.27	PASS
Band3	5	19925	8	#Max	QAM16	-6MHz--5MHz	24.83	PASS
Band3	5	19925	8	#Max	QAM16	-10MHz--6MHz	12.84	PASS
Band3	5	19925	8	#Max	QAM16	0MHz-1MHz	9.02	PASS
Band3	5	19925	8	#Max	QAM16	1MHz-5MHz	20.11	PASS
Band3	5	19925	8	#Max	QAM16	5MHz-6MHz	25.06	PASS
Band3	5	19925	8	#Max	QAM16	6MHz-10MHz	13.17	PASS
Band3	5	19925	25	#0	QAM16	-1MHz-0MHz	18.87	PASS
Band3	5	19925	25	#0	QAM16	-5MHz--1MHz	13.56	PASS
Band3	5	19925	25	#0	QAM16	-6MHz--5MHz	23.67	PASS
Band3	5	19925	25	#0	QAM16	-10MHz--6MHz	12.01	PASS
Band3	5	19925	25	#0	QAM16	0MHz-1MHz	16.32	PASS
Band3	5	19925	25	#0	QAM16	1MHz-5MHz	13.67	PASS
Band3	5	19925	25	#0	QAM16	5MHz-6MHz	24.28	PASS
Band3	5	19925	25	#0	QAM16	6MHz-10MHz	12.69	PASS
Band3	10	19250	12	#0	QPSK	-1MHz-0MHz	10.16	PASS
Band3	10	19250	12	#0	QPSK	-5MHz--1MHz	12.96	PASS
Band3	10	19250	12	#0	QPSK	-10MHz--5MHz	24.16	PASS
Band3	10	19250	12	#0	QPSK	-15MHz--10MHz	11.26	PASS
Band3	10	19250	12	#0	QPSK	0MHz-1MHz	32.12	PASS
Band3	10	19250	12	#0	QPSK	1MHz-5MHz	21.30	PASS
Band3	10	19250	12	#0	QPSK	5MHz-10MHz	17.75	PASS
Band3	10	19250	12	#0	QPSK	10MHz-15MHz	13.27	PASS
Band3	10	19250	12	#Max	QPSK	-1MHz-0MHz	32.90	PASS
Band3	10	19250	12	#Max	QPSK	-5MHz--1MHz	23.44	PASS
Band3	10	19250	12	#Max	QPSK	-10MHz--5MHz	20.03	PASS
Band3	10	19250	12	#Max	QPSK	-15MHz--10MHz	11.32	PASS
Band3	10	19250	12	#Max	QPSK	0MHz-1MHz	9.15	PASS
Band3	10	19250	12	#Max	QPSK	1MHz-5MHz	14.44	PASS
Band3	10	19250	12	#Max	QPSK	5MHz-10MHz	24.17	PASS
Band3	10	19250	12	#Max	QPSK	10MHz-15MHz	13.15	PASS
Band3	10	19250	50	#0	QPSK	-1MHz-0MHz	19.18	PASS
Band3	10	19250	50	#0	QPSK	-5MHz--1MHz	17.41	PASS
Band3	10	19250	50	#0	QPSK	-10MHz--5MHz	18.46	PASS
Band3	10	19250	50	#0	QPSK	-15MHz--10MHz	11.25	PASS
Band3	10	19250	50	#0	QPSK	0MHz-1MHz	16.86	PASS
Band3	10	19250	50	#0	QPSK	1MHz-5MHz	16.31	PASS
Band3	10	19250	50	#0	QPSK	5MHz-10MHz	17.16	PASS
Band3	10	19250	50	#0	QPSK	10MHz-15MHz	11.58	PASS
Band3	10	19250	12	#0	QAM16	-1MHz-0MHz	11.31	PASS
Band3	10	19250	12	#0	QAM16	-5MHz--1MHz	16.13	PASS
Band3	10	19250	12	#0	QAM16	-10MHz--5MHz	24.29	PASS
Band3	10	19250	12	#0	QAM16	-15MHz--10MHz	11.27	PASS
Band3	10	19250	12	#0	QAM16	0MHz-1MHz	32.51	PASS

Band3	10	19250	12	#0	QAM16	1MHz-5MHz	22.30	PASS
Band3	10	19250	12	#0	QAM16	5MHz-10MHz	18.89	PASS
Band3	10	19250	12	#0	QAM16	10MHz-15MHz	13.30	PASS
Band3	10	19250	12	#Max	QAM16	-1MHz-0MHz	33.12	PASS
Band3	10	19250	12	#Max	QAM16	-5MHz--1MHz	24.47	PASS
Band3	10	19250	12	#Max	QAM16	-10MHz--5MHz	21.11	PASS
Band3	10	19250	12	#Max	QAM16	-15MHz--10MHz	11.42	PASS
Band3	10	19250	12	#Max	QAM16	0MHz-1MHz	11.77	PASS
Band3	10	19250	12	#Max	QAM16	1MHz-5MHz	17.29	PASS
Band3	10	19250	12	#Max	QAM16	5MHz-10MHz	24.44	PASS
Band3	10	19250	12	#Max	QAM16	10MHz-15MHz	13.16	PASS
Band3	10	19250	50	#0	QAM16	-1MHz-0MHz	18.98	PASS
Band3	10	19250	50	#0	QAM16	-5MHz--1MHz	20.05	PASS
Band3	10	19250	50	#0	QAM16	-10MHz--5MHz	20.35	PASS
Band3	10	19250	50	#0	QAM16	-15MHz--10MHz	11.27	PASS
Band3	10	19250	50	#0	QAM16	0MHz-1MHz	19.40	PASS
Band3	10	19250	50	#0	QAM16	1MHz-5MHz	19.13	PASS
Band3	10	19250	50	#0	QAM16	5MHz-10MHz	19.79	PASS
Band3	10	19250	50	#0	QAM16	10MHz-15MHz	12.04	PASS
Band3	10	19575	12	#0	QPSK	-1MHz-0MHz	9.69	PASS
Band3	10	19575	12	#0	QPSK	-5MHz--1MHz	13.59	PASS
Band3	10	19575	12	#0	QPSK	-10MHz--5MHz	24.15	PASS
Band3	10	19575	12	#0	QPSK	-15MHz--10MHz	11.34	PASS
Band3	10	19575	12	#0	QPSK	0MHz-1MHz	32.67	PASS
Band3	10	19575	12	#0	QPSK	1MHz-5MHz	21.74	PASS
Band3	10	19575	12	#0	QPSK	5MHz-10MHz	18.18	PASS
Band3	10	19575	12	#0	QPSK	10MHz-15MHz	13.26	PASS
Band3	10	19575	12	#Max	QPSK	-1MHz-0MHz	32.88	PASS
Band3	10	19575	12	#Max	QPSK	-5MHz--1MHz	20.70	PASS
Band3	10	19575	12	#Max	QPSK	-10MHz--5MHz	17.18	PASS
Band3	10	19575	12	#Max	QPSK	-15MHz--10MHz	11.37	PASS
Band3	10	19575	12	#Max	QPSK	0MHz-1MHz	8.77	PASS
Band3	10	19575	12	#Max	QPSK	1MHz-5MHz	14.31	PASS
Band3	10	19575	12	#Max	QPSK	5MHz-10MHz	24.39	PASS
Band3	10	19575	12	#Max	QPSK	10MHz-15MHz	13.23	PASS
Band3	10	19575	50	#0	QPSK	-1MHz-0MHz	16.33	PASS
Band3	10	19575	50	#0	QPSK	-5MHz--1MHz	14.78	PASS
Band3	10	19575	50	#0	QPSK	-10MHz--5MHz	15.44	PASS
Band3	10	19575	50	#0	QPSK	-15MHz--10MHz	11.08	PASS
Band3	10	19575	50	#0	QPSK	0MHz-1MHz	18.06	PASS
Band3	10	19575	50	#0	QPSK	1MHz-5MHz	15.66	PASS
Band3	10	19575	50	#0	QPSK	5MHz-10MHz	16.38	PASS
Band3	10	19575	50	#0	QPSK	10MHz-15MHz	12.96	PASS
Band3	10	19575	12	#0	QAM16	-1MHz-0MHz	11.11	PASS

Band3	10	19575	12	#0	QAM16	-5MHz--1MHz	17.27	PASS
Band3	10	19575	12	#0	QAM16	-10MHz--5MHz	24.24	PASS
Band3	10	19575	12	#0	QAM16	-15MHz--10MHz	11.41	PASS
Band3	10	19575	12	#0	QAM16	0MHz-1MHz	32.92	PASS
Band3	10	19575	12	#0	QAM16	1MHz-5MHz	22.73	PASS
Band3	10	19575	12	#0	QAM16	5MHz-10MHz	19.35	PASS
Band3	10	19575	12	#0	QAM16	10MHz-15MHz	13.31	PASS
Band3	10	19575	12	#Max	QAM16	-1MHz-0MHz	32.74	PASS
Band3	10	19575	12	#Max	QAM16	-5MHz--1MHz	22.11	PASS
Band3	10	19575	12	#Max	QAM16	-10MHz--5MHz	18.55	PASS
Band3	10	19575	12	#Max	QAM16	-15MHz--10MHz	11.48	PASS
Band3	10	19575	12	#Max	QAM16	0MHz-1MHz	11.77	PASS
Band3	10	19575	12	#Max	QAM16	1MHz-5MHz	17.43	PASS
Band3	10	19575	12	#Max	QAM16	5MHz-10MHz	24.54	PASS
Band3	10	19575	12	#Max	QAM16	10MHz-15MHz	13.24	PASS
Band3	10	19575	50	#0	QAM16	-1MHz-0MHz	18.67	PASS
Band3	10	19575	50	#0	QAM16	-5MHz--1MHz	16.94	PASS
Band3	10	19575	50	#0	QAM16	-10MHz--5MHz	17.74	PASS
Band3	10	19575	50	#0	QAM16	-15MHz--10MHz	11.08	PASS
Band3	10	19575	50	#0	QAM16	0MHz-1MHz	18.92	PASS
Band3	10	19575	50	#0	QAM16	1MHz-5MHz	17.47	PASS
Band3	10	19575	50	#0	QAM16	5MHz-10MHz	18.77	PASS
Band3	10	19575	50	#0	QAM16	10MHz-15MHz	13.02	PASS
Band3	10	19900	12	#0	QPSK	-1MHz-0MHz	7.62	PASS
Band3	10	19900	12	#0	QPSK	-5MHz--1MHz	13.58	PASS
Band3	10	19900	12	#0	QPSK	-10MHz--5MHz	23.91	PASS
Band3	10	19900	12	#0	QPSK	-15MHz--10MHz	11.27	PASS
Band3	10	19900	12	#0	QPSK	0MHz-1MHz	32.96	PASS
Band3	10	19900	12	#0	QPSK	1MHz-5MHz	21.90	PASS
Band3	10	19900	12	#0	QPSK	5MHz-10MHz	18.97	PASS
Band3	10	19900	12	#0	QPSK	10MHz-15MHz	13.26	PASS
Band3	10	19900	12	#Max	QPSK	-1MHz-0MHz	32.20	PASS
Band3	10	19900	12	#Max	QPSK	-5MHz--1MHz	20.18	PASS
Band3	10	19900	12	#Max	QPSK	-10MHz--5MHz	16.79	PASS
Band3	10	19900	12	#Max	QPSK	-15MHz--10MHz	11.25	PASS
Band3	10	19900	12	#Max	QPSK	0MHz-1MHz	7.71	PASS
Band3	10	19900	12	#Max	QPSK	1MHz-5MHz	12.80	PASS
Band3	10	19900	12	#Max	QPSK	5MHz-10MHz	24.40	PASS
Band3	10	19900	12	#Max	QPSK	10MHz-15MHz	13.28	PASS
Band3	10	19900	50	#0	QPSK	-1MHz-0MHz	15.39	PASS
Band3	10	19900	50	#0	QPSK	-5MHz--1MHz	12.39	PASS
Band3	10	19900	50	#0	QPSK	-10MHz--5MHz	13.89	PASS
Band3	10	19900	50	#0	QPSK	-15MHz--10MHz	11.04	PASS
Band3	10	19900	50	#0	QPSK	0MHz-1MHz	16.61	PASS

Band3	10	19900	50	#0	QPSK	1MHz-5MHz	13.81	PASS
Band3	10	19900	50	#0	QPSK	5MHz-10MHz	16.63	PASS
Band3	10	19900	50	#0	QPSK	10MHz-15MHz	13.18	PASS
Band3	10	19900	12	#0	QAM16	-1MHz-0MHz	10.83	PASS
Band3	10	19900	12	#0	QAM16	-5MHz--1MHz	16.90	PASS
Band3	10	19900	12	#0	QAM16	-10MHz--5MHz	24.09	PASS
Band3	10	19900	12	#0	QAM16	-15MHz--10MHz	11.24	PASS
Band3	10	19900	12	#0	QAM16	0MHz-1MHz	32.69	PASS
Band3	10	19900	12	#0	QAM16	1MHz-5MHz	22.91	PASS
Band3	10	19900	12	#0	QAM16	5MHz-10MHz	20.14	PASS
Band3	10	19900	12	#0	QAM16	10MHz-15MHz	13.16	PASS
Band3	10	19900	12	#Max	QAM16	-1MHz-0MHz	32.80	PASS
Band3	10	19900	12	#Max	QAM16	-5MHz--1MHz	21.69	PASS
Band3	10	19900	12	#Max	QAM16	-10MHz--5MHz	18.41	PASS
Band3	10	19900	12	#Max	QAM16	-15MHz--10MHz	11.32	PASS
Band3	10	19900	12	#Max	QAM16	0MHz-1MHz	10.74	PASS
Band3	10	19900	12	#Max	QAM16	1MHz-5MHz	16.45	PASS
Band3	10	19900	12	#Max	QAM16	5MHz-10MHz	24.64	PASS
Band3	10	19900	12	#Max	QAM16	10MHz-15MHz	13.19	PASS
Band3	10	19900	50	#0	QAM16	-1MHz-0MHz	16.54	PASS
Band3	10	19900	50	#0	QAM16	-5MHz--1MHz	14.68	PASS
Band3	10	19900	50	#0	QAM16	-10MHz--5MHz	16.29	PASS
Band3	10	19900	50	#0	QAM16	-15MHz--10MHz	10.95	PASS
Band3	10	19900	50	#0	QAM16	0MHz-1MHz	17.32	PASS
Band3	10	19900	50	#0	QAM16	1MHz-5MHz	16.09	PASS
Band3	10	19900	50	#0	QAM16	5MHz-10MHz	18.35	PASS
Band3	10	19900	50	#0	QAM16	10MHz-15MHz	13.16	PASS
Band3	20	19300	18	#0	QPSK	-1MHz-0MHz	11.64	PASS
Band3	20	19300	18	#0	QPSK	-5MHz--1MHz	14.71	PASS
Band3	20	19300	18	#0	QPSK	-20MHz--5MHz	23.11	PASS
Band3	20	19300	18	#0	QPSK	-25MHz--20MHz	13.38	PASS
Band3	20	19300	18	#0	QPSK	0MHz-1MHz	30.29	PASS
Band3	20	19300	18	#0	QPSK	1MHz-5MHz	27.45	PASS
Band3	20	19300	18	#0	QPSK	5MHz-20MHz	19.41	PASS
Band3	20	19300	18	#0	QPSK	20MHz-25MHz	13.42	PASS
Band3	20	19300	18	#Max	QPSK	-1MHz-0MHz	30.41	PASS
Band3	20	19300	18	#Max	QPSK	-5MHz--1MHz	27.25	PASS
Band3	20	19300	18	#Max	QPSK	-20MHz--5MHz	21.76	PASS
Band3	20	19300	18	#Max	QPSK	-25MHz--20MHz	13.53	PASS
Band3	20	19300	18	#Max	QPSK	0MHz-1MHz	12.04	PASS
Band3	20	19300	18	#Max	QPSK	1MHz-5MHz	15.00	PASS
Band3	20	19300	18	#Max	QPSK	5MHz-20MHz	24.51	PASS
Band3	20	19300	18	#Max	QPSK	20MHz-25MHz	13.35	PASS
Band3	20	19300	100	#0	QPSK	-1MHz-0MHz	21.91	PASS

Band3	20	19300	100	#0	QPSK	-5MHz--1MHz	20.83	PASS
Band3	20	19300	100	#0	QPSK	-20MHz--5MHz	19.50	PASS
Band3	20	19300	100	#0	QPSK	-25MHz--20MHz	13.38	PASS
Band3	20	19300	100	#0	QPSK	0MHz-1MHz	21.39	PASS
Band3	20	19300	100	#0	QPSK	1MHz-5MHz	20.27	PASS
Band3	20	19300	100	#0	QPSK	5MHz-20MHz	18.85	PASS
Band3	20	19300	100	#0	QPSK	20MHz-25MHz	12.69	PASS
Band3	20	19300	18	#0	QAM16	-1MHz-0MHz	13.05	PASS
Band3	20	19300	18	#0	QAM16	-5MHz--1MHz	17.14	PASS
Band3	20	19300	18	#0	QAM16	-20MHz--5MHz	23.14	PASS
Band3	20	19300	18	#0	QAM16	-25MHz--20MHz	13.40	PASS
Band3	20	19300	18	#0	QAM16	0MHz-1MHz	30.59	PASS
Band3	20	19300	18	#0	QAM16	1MHz-5MHz	27.60	PASS
Band3	20	19300	18	#0	QAM16	5MHz-20MHz	20.63	PASS
Band3	20	19300	18	#0	QAM16	20MHz-25MHz	13.49	PASS
Band3	20	19300	18	#Max	QAM16	-1MHz-0MHz	30.72	PASS
Band3	20	19300	18	#Max	QAM16	-5MHz--1MHz	27.19	PASS
Band3	20	19300	18	#Max	QAM16	-20MHz--5MHz	22.25	PASS
Band3	20	19300	18	#Max	QAM16	-25MHz--20MHz	13.54	PASS
Band3	20	19300	18	#Max	QAM16	0MHz-1MHz	14.76	PASS
Band3	20	19300	18	#Max	QAM16	1MHz-5MHz	17.66	PASS
Band3	20	19300	18	#Max	QAM16	5MHz-20MHz	24.61	PASS
Band3	20	19300	18	#Max	QAM16	20MHz-25MHz	13.39	PASS
Band3	20	19300	100	#0	QAM16	-1MHz-0MHz	23.46	PASS
Band3	20	19300	100	#0	QAM16	-5MHz--1MHz	22.86	PASS
Band3	20	19300	100	#0	QAM16	-20MHz--5MHz	20.84	PASS
Band3	20	19300	100	#0	QAM16	-25MHz--20MHz	13.44	PASS
Band3	20	19300	100	#0	QAM16	0MHz-1MHz	23.49	PASS
Band3	20	19300	100	#0	QAM16	1MHz-5MHz	23.00	PASS
Band3	20	19300	100	#0	QAM16	5MHz-20MHz	21.29	PASS
Band3	20	19300	100	#0	QAM16	20MHz-25MHz	12.95	PASS
Band3	20	19575	18	#0	QPSK	-1MHz-0MHz	10.49	PASS
Band3	20	19575	18	#0	QPSK	-5MHz--1MHz	12.94	PASS
Band3	20	19575	18	#0	QPSK	-20MHz--5MHz	22.92	PASS
Band3	20	19575	18	#0	QPSK	-25MHz--20MHz	13.41	PASS
Band3	20	19575	18	#0	QPSK	0MHz-1MHz	30.30	PASS
Band3	20	19575	18	#0	QPSK	1MHz-5MHz	27.65	PASS
Band3	20	19575	18	#0	QPSK	5MHz-20MHz	18.83	PASS
Band3	20	19575	18	#0	QPSK	20MHz-25MHz	13.41	PASS
Band3	20	19575	18	#Max	QPSK	-1MHz-0MHz	30.10	PASS
Band3	20	19575	18	#Max	QPSK	-5MHz--1MHz	27.01	PASS
Band3	20	19575	18	#Max	QPSK	-20MHz--5MHz	18.68	PASS
Band3	20	19575	18	#Max	QPSK	-25MHz--20MHz	13.40	PASS
Band3	20	19575	18	#Max	QPSK	0MHz-1MHz	9.95	PASS

Band3	20	19575	18	#Max	QPSK	1MHz-5MHz	12.53	PASS
Band3	20	19575	18	#Max	QPSK	5MHz-20MHz	24.58	PASS
Band3	20	19575	18	#Max	QPSK	20MHz-25MHz	13.34	PASS
Band3	20	19575	100	#0	QPSK	-1MHz-0MHz	17.18	PASS
Band3	20	19575	100	#0	QPSK	-5MHz--1MHz	16.01	PASS
Band3	20	19575	100	#0	QPSK	-20MHz--5MHz	15.49	PASS
Band3	20	19575	100	#0	QPSK	-25MHz--20MHz	12.28	PASS
Band3	20	19575	100	#0	QPSK	0MHz-1MHz	18.33	PASS
Band3	20	19575	100	#0	QPSK	1MHz-5MHz	17.22	PASS
Band3	20	19575	100	#0	QPSK	5MHz-20MHz	16.63	PASS
Band3	20	19575	100	#0	QPSK	20MHz-25MHz	12.89	PASS
Band3	20	19575	18	#0	QAM16	-1MHz-0MHz	12.54	PASS
Band3	20	19575	18	#0	QAM16	-5MHz--1MHz	16.07	PASS
Band3	20	19575	18	#0	QAM16	-20MHz--5MHz	22.93	PASS
Band3	20	19575	18	#0	QAM16	-25MHz--20MHz	13.47	PASS
Band3	20	19575	18	#0	QAM16	0MHz-1MHz	30.99	PASS
Band3	20	19575	18	#0	QAM16	1MHz-5MHz	27.66	PASS
Band3	20	19575	18	#0	QAM16	5MHz-20MHz	20.02	PASS
Band3	20	19575	18	#0	QAM16	20MHz-25MHz	13.46	PASS
Band3	20	19575	18	#Max	QAM16	-1MHz-0MHz	30.34	PASS
Band3	20	19575	18	#Max	QAM16	-5MHz--1MHz	27.07	PASS
Band3	20	19575	18	#Max	QAM16	-20MHz--5MHz	19.52	PASS
Band3	20	19575	18	#Max	QAM16	-25MHz--20MHz	13.52	PASS
Band3	20	19575	18	#Max	QAM16	0MHz-1MHz	12.21	PASS
Band3	20	19575	18	#Max	QAM16	1MHz-5MHz	15.77	PASS
Band3	20	19575	18	#Max	QAM16	5MHz-20MHz	24.60	PASS
Band3	20	19575	18	#Max	QAM16	20MHz-25MHz	13.30	PASS
Band3	20	19575	100	#0	QAM16	-1MHz-0MHz	20.02	PASS
Band3	20	19575	100	#0	QAM16	-5MHz--1MHz	18.59	PASS
Band3	20	19575	100	#0	QAM16	-20MHz--5MHz	17.43	PASS
Band3	20	19575	100	#0	QAM16	-25MHz--20MHz	12.68	PASS
Band3	20	19575	100	#0	QAM16	0MHz-1MHz	20.35	PASS
Band3	20	19575	100	#0	QAM16	1MHz-5MHz	19.65	PASS
Band3	20	19575	100	#0	QAM16	5MHz-20MHz	18.59	PASS
Band3	20	19575	100	#0	QAM16	20MHz-25MHz	12.96	PASS
Band3	20	19850	18	#0	QPSK	-1MHz-0MHz	10.54	PASS
Band3	20	19850	18	#0	QPSK	-5MHz--1MHz	12.86	PASS
Band3	20	19850	18	#0	QPSK	-20MHz--5MHz	23.06	PASS
Band3	20	19850	18	#0	QPSK	-25MHz--20MHz	13.39	PASS
Band3	20	19850	18	#0	QPSK	0MHz-1MHz	30.93	PASS
Band3	20	19850	18	#0	QPSK	1MHz-5MHz	27.65	PASS
Band3	20	19850	18	#0	QPSK	5MHz-20MHz	24.97	PASS
Band3	20	19850	18	#0	QPSK	20MHz-25MHz	13.39	PASS
Band3	20	19850	18	#Max	QPSK	-1MHz-0MHz	29.78	PASS



Band3	20	19850	18	#Max	QPSK	-5MHz--1MHz	27.02	PASS
Band3	20	19850	18	#Max	QPSK	-20MHz--5MHz	19.74	PASS
Band3	20	19850	18	#Max	QPSK	-25MHz--20MHz	13.43	PASS
Band3	20	19850	18	#Max	QPSK	0MHz-1MHz	9.64	PASS
Band3	20	19850	18	#Max	QPSK	1MHz-5MHz	11.57	PASS
Band3	20	19850	18	#Max	QPSK	5MHz-20MHz	24.63	PASS
Band3	20	19850	18	#Max	QPSK	20MHz-25MHz	13.31	PASS
Band3	20	19850	100	#0	QPSK	-1MHz-0MHz	15.90	PASS
Band3	20	19850	100	#0	QPSK	-5MHz--1MHz	15.43	PASS
Band3	20	19850	100	#0	QPSK	-20MHz--5MHz	14.86	PASS
Band3	20	19850	100	#0	QPSK	-25MHz--20MHz	12.94	PASS
Band3	20	19850	100	#0	QPSK	0MHz-1MHz	17.71	PASS
Band3	20	19850	100	#0	QPSK	1MHz-5MHz	16.77	PASS
Band3	20	19850	100	#0	QPSK	5MHz-20MHz	17.58	PASS
Band3	20	19850	100	#0	QPSK	20MHz-25MHz	13.29	PASS
Band3	20	19850	18	#0	QAM16	-1MHz-0MHz	11.78	PASS
Band3	20	19850	18	#0	QAM16	-5MHz--1MHz	15.02	PASS
Band3	20	19850	18	#0	QAM16	-20MHz--5MHz	23.10	PASS
Band3	20	19850	18	#0	QAM16	-25MHz--20MHz	13.40	PASS
Band3	20	19850	18	#0	QAM16	0MHz-1MHz	30.91	PASS
Band3	20	19850	18	#0	QAM16	1MHz-5MHz	27.70	PASS
Band3	20	19850	18	#0	QAM16	5MHz-20MHz	25.01	PASS
Band3	20	19850	18	#0	QAM16	20MHz-25MHz	13.42	PASS
Band3	20	19850	18	#Max	QAM16	-1MHz-0MHz	30.22	PASS
Band3	20	19850	18	#Max	QAM16	-5MHz--1MHz	27.02	PASS
Band3	20	19850	18	#Max	QAM16	-20MHz--5MHz	21.22	PASS
Band3	20	19850	18	#Max	QAM16	-25MHz--20MHz	13.50	PASS
Band3	20	19850	18	#Max	QAM16	0MHz-1MHz	11.30	PASS
Band3	20	19850	18	#Max	QAM16	1MHz-5MHz	14.73	PASS
Band3	20	19850	18	#Max	QAM16	5MHz-20MHz	24.57	PASS
Band3	20	19850	18	#Max	QAM16	20MHz-25MHz	13.34	PASS
Band3	20	19850	100	#0	QAM16	-1MHz-0MHz	19.16	PASS
Band3	20	19850	100	#0	QAM16	-5MHz--1MHz	17.87	PASS
Band3	20	19850	100	#0	QAM16	-20MHz--5MHz	16.64	PASS
Band3	20	19850	100	#0	QAM16	-25MHz--20MHz	12.92	PASS
Band3	20	19850	100	#0	QAM16	0MHz-1MHz	20.37	PASS
Band3	20	19850	100	#0	QAM16	1MHz-5MHz	18.96	PASS
Band3	20	19850	100	#0	QAM16	5MHz-20MHz	18.80	PASS
Band3	20	19850	100	#0	QAM16	20MHz-25MHz	13.30	PASS
Band40	5	38675	8	#0	QPSK	-1MHz-0MHz	9.03	PASS
Band40	5	38675	8	#0	QPSK	-5MHz--1MHz	16.29	PASS
Band40	5	38675	8	#0	QPSK	-6MHz--5MHz	22.36	PASS
Band40	5	38675	8	#0	QPSK	-10MHz--6MHz	10.57	PASS
Band40	5	38675	8	#0	QPSK	0MHz-1MHz	28.73	PASS

Band40	5	38675	8	#0	QPSK	1MHz-5MHz	17.28	PASS
Band40	5	38675	8	#0	QPSK	5MHz-6MHz	22.96	PASS
Band40	5	38675	8	#0	QPSK	6MHz-10MHz	11.16	PASS
Band40	5	38675	8	#Max	QPSK	-1MHz-0MHz	29.69	PASS
Band40	5	38675	8	#Max	QPSK	-5MHz--1MHz	17.56	PASS
Band40	5	38675	8	#Max	QPSK	-6MHz--5MHz	22.84	PASS
Band40	5	38675	8	#Max	QPSK	-10MHz--6MHz	10.66	PASS
Band40	5	38675	8	#Max	QPSK	0MHz-1MHz	8.19	PASS
Band40	5	38675	8	#Max	QPSK	1MHz-5MHz	15.96	PASS
Band40	5	38675	8	#Max	QPSK	5MHz-6MHz	22.30	PASS
Band40	5	38675	8	#Max	QPSK	6MHz-10MHz	10.68	PASS
Band40	5	38675	25	#0	QPSK	-1MHz-0MHz	17.67	PASS
Band40	5	38675	25	#0	QPSK	-5MHz--1MHz	17.86	PASS
Band40	5	38675	25	#0	QPSK	-6MHz--5MHz	20.48	PASS
Band40	5	38675	25	#0	QPSK	-10MHz--6MHz	8.96	PASS
Band40	5	38675	25	#0	QPSK	0MHz-1MHz	16.63	PASS
Band40	5	38675	25	#0	QPSK	1MHz-5MHz	17.21	PASS
Band40	5	38675	25	#0	QPSK	5MHz-6MHz	20.06	PASS
Band40	5	38675	25	#0	QPSK	6MHz-10MHz	8.10	PASS
Band40	5	38675	8	#0	QAM16	-1MHz-0MHz	9.51	PASS
Band40	5	38675	8	#0	QAM16	-5MHz--1MHz	17.50	PASS
Band40	5	38675	8	#0	QAM16	-6MHz--5MHz	22.57	PASS
Band40	5	38675	8	#0	QAM16	-10MHz--6MHz	10.70	PASS
Band40	5	38675	8	#0	QAM16	0MHz-1MHz	30.08	PASS
Band40	5	38675	8	#0	QAM16	1MHz-5MHz	18.81	PASS
Band40	5	38675	8	#0	QAM16	5MHz-6MHz	23.03	PASS
Band40	5	38675	8	#0	QAM16	6MHz-10MHz	11.07	PASS
Band40	5	38675	8	#Max	QAM16	-1MHz-0MHz	29.74	PASS
Band40	5	38675	8	#Max	QAM16	-5MHz--1MHz	19.05	PASS
Band40	5	38675	8	#Max	QAM16	-6MHz--5MHz	22.89	PASS
Band40	5	38675	8	#Max	QAM16	-10MHz--6MHz	10.66	PASS
Band40	5	38675	8	#Max	QAM16	0MHz-1MHz	12.36	PASS
Band40	5	38675	8	#Max	QAM16	1MHz-5MHz	17.12	PASS
Band40	5	38675	8	#Max	QAM16	5MHz-6MHz	22.51	PASS
Band40	5	38675	8	#Max	QAM16	6MHz-10MHz	10.97	PASS
Band40	5	38675	25	#0	QAM16	-1MHz-0MHz	16.70	PASS
Band40	5	38675	25	#0	QAM16	-5MHz--1MHz	17.81	PASS
Band40	5	38675	25	#0	QAM16	-6MHz--5MHz	20.70	PASS
Band40	5	38675	25	#0	QAM16	-10MHz--6MHz	9.40	PASS
Band40	5	38675	25	#0	QAM16	0MHz-1MHz	17.40	PASS
Band40	5	38675	25	#0	QAM16	1MHz-5MHz	17.26	PASS
Band40	5	38675	25	#0	QAM16	5MHz-6MHz	20.04	PASS
Band40	5	38675	25	#0	QAM16	6MHz-10MHz	8.96	PASS
Band40	5	39150	8	#0	QPSK	-1MHz-0MHz	13.48	PASS

Band40	5	39150	8	#0	QPSK	-5MHz--1MHz	16.20	PASS
Band40	5	39150	8	#0	QPSK	-6MHz--5MHz	22.78	PASS
Band40	5	39150	8	#0	QPSK	-10MHz--6MHz	11.12	PASS
Band40	5	39150	8	#0	QPSK	0MHz-1MHz	28.56	PASS
Band40	5	39150	8	#0	QPSK	1MHz-5MHz	17.32	PASS
Band40	5	39150	8	#0	QPSK	5MHz-6MHz	23.32	PASS
Band40	5	39150	8	#0	QPSK	6MHz-10MHz	11.45	PASS
Band40	5	39150	8	#Max	QPSK	-1MHz-0MHz	29.76	PASS
Band40	5	39150	8	#Max	QPSK	-5MHz--1MHz	18.02	PASS
Band40	5	39150	8	#Max	QPSK	-6MHz--5MHz	23.29	PASS
Band40	5	39150	8	#Max	QPSK	-10MHz--6MHz	11.19	PASS
Band40	5	39150	8	#Max	QPSK	0MHz-1MHz	9.99	PASS
Band40	5	39150	8	#Max	QPSK	1MHz-5MHz	15.08	PASS
Band40	5	39150	8	#Max	QPSK	5MHz-6MHz	22.70	PASS
Band40	5	39150	8	#Max	QPSK	6MHz-10MHz	11.11	PASS
Band40	5	39150	25	#0	QPSK	-1MHz-0MHz	17.20	PASS
Band40	5	39150	25	#0	QPSK	-5MHz--1MHz	18.50	PASS
Band40	5	39150	25	#0	QPSK	-6MHz--5MHz	20.74	PASS
Band40	5	39150	25	#0	QPSK	-10MHz--6MHz	9.17	PASS
Band40	5	39150	25	#0	QPSK	0MHz-1MHz	14.97	PASS
Band40	5	39150	25	#0	QPSK	1MHz-5MHz	17.11	PASS
Band40	5	39150	25	#0	QPSK	5MHz-6MHz	19.47	PASS
Band40	5	39150	25	#0	QPSK	6MHz-10MHz	7.96	PASS
Band40	5	39150	8	#0	QAM16	-1MHz-0MHz	12.76	PASS
Band40	5	39150	8	#0	QAM16	-5MHz--1MHz	17.07	PASS
Band40	5	39150	8	#0	QAM16	-6MHz--5MHz	22.93	PASS
Band40	5	39150	8	#0	QAM16	-10MHz--6MHz	11.18	PASS
Band40	5	39150	8	#0	QAM16	0MHz-1MHz	29.24	PASS
Band40	5	39150	8	#0	QAM16	1MHz-5MHz	18.55	PASS
Band40	5	39150	8	#0	QAM16	5MHz-6MHz	23.42	PASS
Band40	5	39150	8	#0	QAM16	6MHz-10MHz	11.47	PASS
Band40	5	39150	8	#Max	QAM16	-1MHz-0MHz	31.45	PASS
Band40	5	39150	8	#Max	QAM16	-5MHz--1MHz	19.14	PASS
Band40	5	39150	8	#Max	QAM16	-6MHz--5MHz	23.27	PASS
Band40	5	39150	8	#Max	QAM16	-10MHz--6MHz	11.13	PASS
Band40	5	39150	8	#Max	QAM16	0MHz-1MHz	13.20	PASS
Band40	5	39150	8	#Max	QAM16	1MHz-5MHz	16.42	PASS
Band40	5	39150	8	#Max	QAM16	5MHz-6MHz	22.71	PASS
Band40	5	39150	8	#Max	QAM16	6MHz-10MHz	11.31	PASS
Band40	5	39150	25	#0	QAM16	-1MHz-0MHz	16.70	PASS
Band40	5	39150	25	#0	QAM16	-5MHz--1MHz	17.79	PASS
Band40	5	39150	25	#0	QAM16	-6MHz--5MHz	20.54	PASS
Band40	5	39150	25	#0	QAM16	-10MHz--6MHz	9.65	PASS
Band40	5	39150	25	#0	QAM16	0MHz-1MHz	16.48	PASS

Band40	5	39150	25	#0	QAM16	1MHz-5MHz	16.69	PASS
Band40	5	39150	25	#0	QAM16	5MHz-6MHz	19.41	PASS
Band40	5	39150	25	#0	QAM16	6MHz-10MHz	8.43	PASS
Band40	5	39625	8	#0	QPSK	-1MHz-0MHz	9.04	PASS
Band40	5	39625	8	#0	QPSK	-5MHz--1MHz	14.37	PASS
Band40	5	39625	8	#0	QPSK	-6MHz--5MHz	22.41	PASS
Band40	5	39625	8	#0	QPSK	-10MHz--6MHz	10.69	PASS
Band40	5	39625	8	#0	QPSK	0MHz-1MHz	28.96	PASS
Band40	5	39625	8	#0	QPSK	1MHz-5MHz	17.13	PASS
Band40	5	39625	8	#0	QPSK	5MHz-6MHz	23.09	PASS
Band40	5	39625	8	#0	QPSK	6MHz-10MHz	11.00	PASS
Band40	5	39625	8	#Max	QPSK	-1MHz-0MHz	29.29	PASS
Band40	5	39625	8	#Max	QPSK	-5MHz--1MHz	18.05	PASS
Band40	5	39625	8	#Max	QPSK	-6MHz--5MHz	23.01	PASS
Band40	5	39625	8	#Max	QPSK	-10MHz--6MHz	10.70	PASS
Band40	5	39625	8	#Max	QPSK	0MHz-1MHz	7.04	PASS
Band40	5	39625	8	#Max	QPSK	1MHz-5MHz	13.20	PASS
Band40	5	39625	8	#Max	QPSK	5MHz-6MHz	22.63	PASS
Band40	5	39625	8	#Max	QPSK	6MHz-10MHz	10.88	PASS
Band40	5	39625	25	#0	QPSK	-1MHz-0MHz	18.00	PASS
Band40	5	39625	25	#0	QPSK	-5MHz--1MHz	17.05	PASS
Band40	5	39625	25	#0	QPSK	-6MHz--5MHz	20.55	PASS
Band40	5	39625	25	#0	QPSK	-10MHz--6MHz	9.09	PASS
Band40	5	39625	25	#0	QPSK	0MHz-1MHz	17.08	PASS
Band40	5	39625	25	#0	QPSK	1MHz-5MHz	15.92	PASS
Band40	5	39625	25	#0	QPSK	5MHz-6MHz	20.27	PASS
Band40	5	39625	25	#0	QPSK	6MHz-10MHz	9.02	PASS
Band40	5	39625	8	#0	QAM16	-1MHz-0MHz	12.96	PASS
Band40	5	39625	8	#0	QAM16	-5MHz--1MHz	16.97	PASS
Band40	5	39625	8	#0	QAM16	-6MHz--5MHz	22.70	PASS
Band40	5	39625	8	#0	QAM16	-10MHz--6MHz	10.76	PASS
Band40	5	39625	8	#0	QAM16	0MHz-1MHz	30.09	PASS
Band40	5	39625	8	#0	QAM16	1MHz-5MHz	18.43	PASS
Band40	5	39625	8	#0	QAM16	5MHz-6MHz	23.16	PASS
Band40	5	39625	8	#0	QAM16	6MHz-10MHz	11.07	PASS
Band40	5	39625	8	#Max	QAM16	-1MHz-0MHz	31.25	PASS
Band40	5	39625	8	#Max	QAM16	-5MHz--1MHz	19.38	PASS
Band40	5	39625	8	#Max	QAM16	-6MHz--5MHz	22.92	PASS
Band40	5	39625	8	#Max	QAM16	-10MHz--6MHz	10.78	PASS
Band40	5	39625	8	#Max	QAM16	0MHz-1MHz	10.45	PASS
Band40	5	39625	8	#Max	QAM16	1MHz-5MHz	15.93	PASS
Band40	5	39625	8	#Max	QAM16	5MHz-6MHz	22.75	PASS
Band40	5	39625	8	#Max	QAM16	6MHz-10MHz	10.99	PASS
Band40	5	39625	25	#0	QAM16	-1MHz-0MHz	20.25	PASS

Band40	5	39625	25	#0	QAM16	-5MHz--1MHz	17.31	PASS
Band40	5	39625	25	#0	QAM16	-6MHz--5MHz	20.34	PASS
Band40	5	39625	25	#0	QAM16	-10MHz--6MHz	9.66	PASS
Band40	5	39625	25	#0	QAM16	0MHz-1MHz	16.13	PASS
Band40	5	39625	25	#0	QAM16	1MHz-5MHz	16.16	PASS
Band40	5	39625	25	#0	QAM16	5MHz-6MHz	20.27	PASS
Band40	5	39625	25	#0	QAM16	6MHz-10MHz	9.39	PASS
Band40	10	38700	12	#0	QPSK	-1MHz-0MHz	11.42	PASS
Band40	10	38700	12	#0	QPSK	-5MHz--1MHz	15.09	PASS
Band40	10	38700	12	#0	QPSK	-10MHz--5MHz	22.00	PASS
Band40	10	38700	12	#0	QPSK	-15MHz--10MHz	9.28	PASS
Band40	10	38700	12	#0	QPSK	0MHz-1MHz	30.78	PASS
Band40	10	38700	12	#0	QPSK	1MHz-5MHz	19.68	PASS
Band40	10	38700	12	#0	QPSK	5MHz-10MHz	16.08	PASS
Band40	10	38700	12	#0	QPSK	10MHz-15MHz	11.00	PASS
Band40	10	38700	12	#Max	QPSK	-1MHz-0MHz	31.43	PASS
Band40	10	38700	12	#Max	QPSK	-5MHz--1MHz	20.56	PASS
Band40	10	38700	12	#Max	QPSK	-10MHz--5MHz	17.04	PASS
Band40	10	38700	12	#Max	QPSK	-15MHz--10MHz	9.37	PASS
Band40	10	38700	12	#Max	QPSK	0MHz-1MHz	11.69	PASS
Band40	10	38700	12	#Max	QPSK	1MHz-5MHz	15.48	PASS
Band40	10	38700	12	#Max	QPSK	5MHz-10MHz	22.22	PASS
Band40	10	38700	12	#Max	QPSK	10MHz-15MHz	10.81	PASS
Band40	10	38700	50	#0	QPSK	-1MHz-0MHz	21.91	PASS
Band40	10	38700	50	#0	QPSK	-5MHz--1MHz	19.89	PASS
Band40	10	38700	50	#0	QPSK	-10MHz--5MHz	18.02	PASS
Band40	10	38700	50	#0	QPSK	-15MHz--10MHz	9.22	PASS
Band40	10	38700	50	#0	QPSK	0MHz-1MHz	17.98	PASS
Band40	10	38700	50	#0	QPSK	1MHz-5MHz	19.50	PASS
Band40	10	38700	50	#0	QPSK	5MHz-10MHz	16.41	PASS
Band40	10	38700	50	#0	QPSK	10MHz-15MHz	9.48	PASS
Band40	10	38700	12	#0	QAM16	-1MHz-0MHz	13.08	PASS
Band40	10	38700	12	#0	QAM16	-5MHz--1MHz	16.86	PASS
Band40	10	38700	12	#0	QAM16	-10MHz--5MHz	22.13	PASS
Band40	10	38700	12	#0	QAM16	-15MHz--10MHz	9.43	PASS
Band40	10	38700	12	#0	QAM16	0MHz-1MHz	30.98	PASS
Band40	10	38700	12	#0	QAM16	1MHz-5MHz	20.79	PASS
Band40	10	38700	12	#0	QAM16	5MHz-10MHz	17.17	PASS
Band40	10	38700	12	#0	QAM16	10MHz-15MHz	11.03	PASS
Band40	10	38700	12	#Max	QAM16	-1MHz-0MHz	31.54	PASS
Band40	10	38700	12	#Max	QAM16	-5MHz--1MHz	21.61	PASS
Band40	10	38700	12	#Max	QAM16	-10MHz--5MHz	18.08	PASS
Band40	10	38700	12	#Max	QAM16	-15MHz--10MHz	9.51	PASS
Band40	10	38700	12	#Max	QAM16	0MHz-1MHz	14.69	PASS

Band40	10	38700	12	#Max	QAM16	1MHz-5MHz	16.93	PASS
Band40	10	38700	12	#Max	QAM16	5MHz-10MHz	22.53	PASS
Band40	10	38700	12	#Max	QAM16	10MHz-15MHz	10.91	PASS
Band40	10	38700	50	#0	QAM16	-1MHz-0MHz	17.93	PASS
Band40	10	38700	50	#0	QAM16	-5MHz--1MHz	20.21	PASS
Band40	10	38700	50	#0	QAM16	-10MHz--5MHz	18.73	PASS
Band40	10	38700	50	#0	QAM16	-15MHz--10MHz	9.23	PASS
Band40	10	38700	50	#0	QAM16	0MHz-1MHz	19.44	PASS
Band40	10	38700	50	#0	QAM16	1MHz-5MHz	19.29	PASS
Band40	10	38700	50	#0	QAM16	5MHz-10MHz	17.54	PASS
Band40	10	38700	50	#0	QAM16	10MHz-15MHz	9.07	PASS
Band40	10	39150	12	#0	QPSK	-1MHz-0MHz	10.58	PASS
Band40	10	39150	12	#0	QPSK	-5MHz--1MHz	15.46	PASS
Band40	10	39150	12	#0	QPSK	-10MHz--5MHz	22.44	PASS
Band40	10	39150	12	#0	QPSK	-15MHz--10MHz	9.86	PASS
Band40	10	39150	12	#0	QPSK	0MHz-1MHz	30.63	PASS
Band40	10	39150	12	#0	QPSK	1MHz-5MHz	18.80	PASS
Band40	10	39150	12	#0	QPSK	5MHz-10MHz	14.85	PASS
Band40	10	39150	12	#0	QPSK	10MHz-15MHz	11.35	PASS
Band40	10	39150	12	#Max	QPSK	-1MHz-0MHz	31.76	PASS
Band40	10	39150	12	#Max	QPSK	-5MHz--1MHz	21.18	PASS
Band40	10	39150	12	#Max	QPSK	-10MHz--5MHz	17.93	PASS
Band40	10	39150	12	#Max	QPSK	-15MHz--10MHz	10.00	PASS
Band40	10	39150	12	#Max	QPSK	0MHz-1MHz	13.12	PASS
Band40	10	39150	12	#Max	QPSK	1MHz-5MHz	13.91	PASS
Band40	10	39150	12	#Max	QPSK	5MHz-10MHz	22.42	PASS
Band40	10	39150	12	#Max	QPSK	10MHz-15MHz	11.06	PASS
Band40	10	39150	50	#0	QPSK	-1MHz-0MHz	19.79	PASS
Band40	10	39150	50	#0	QPSK	-5MHz--1MHz	20.01	PASS
Band40	10	39150	50	#0	QPSK	-10MHz--5MHz	18.03	PASS
Band40	10	39150	50	#0	QPSK	-15MHz--10MHz	9.26	PASS
Band40	10	39150	50	#0	QPSK	0MHz-1MHz	20.07	PASS
Band40	10	39150	50	#0	QPSK	1MHz-5MHz	18.50	PASS
Band40	10	39150	50	#0	QPSK	5MHz-10MHz	15.16	PASS
Band40	10	39150	50	#0	QPSK	10MHz-15MHz	8.92	PASS
Band40	10	39150	12	#0	QAM16	-1MHz-0MHz	11.94	PASS
Band40	10	39150	12	#0	QAM16	-5MHz--1MHz	17.06	PASS
Band40	10	39150	12	#0	QAM16	-10MHz--5MHz	22.52	PASS
Band40	10	39150	12	#0	QAM16	-15MHz--10MHz	9.84	PASS
Band40	10	39150	12	#0	QAM16	0MHz-1MHz	31.07	PASS
Band40	10	39150	12	#0	QAM16	1MHz-5MHz	19.58	PASS
Band40	10	39150	12	#0	QAM16	5MHz-10MHz	16.31	PASS
Band40	10	39150	12	#0	QAM16	10MHz-15MHz	11.37	PASS
Band40	10	39150	12	#Max	QAM16	-1MHz-0MHz	31.87	PASS

Band40	10	39150	12	#Max	QAM16	-5MHz--1MHz	22.21	PASS
Band40	10	39150	12	#Max	QAM16	-10MHz--5MHz	18.74	PASS
Band40	10	39150	12	#Max	QAM16	-15MHz--10MHz	9.92	PASS
Band40	10	39150	12	#Max	QAM16	0MHz-1MHz	11.63	PASS
Band40	10	39150	12	#Max	QAM16	1MHz-5MHz	15.27	PASS
Band40	10	39150	12	#Max	QAM16	5MHz-10MHz	22.60	PASS
Band40	10	39150	12	#Max	QAM16	10MHz-15MHz	11.14	PASS
Band40	10	39150	50	#0	QAM16	-1MHz-0MHz	21.24	PASS
Band40	10	39150	50	#0	QAM16	-5MHz--1MHz	19.88	PASS
Band40	10	39150	50	#0	QAM16	-10MHz--5MHz	18.84	PASS
Band40	10	39150	50	#0	QAM16	-15MHz--10MHz	9.53	PASS
Band40	10	39150	50	#0	QAM16	0MHz-1MHz	19.45	PASS
Band40	10	39150	50	#0	QAM16	1MHz-5MHz	18.42	PASS
Band40	10	39150	50	#0	QAM16	5MHz-10MHz	16.83	PASS
Band40	10	39150	50	#0	QAM16	10MHz-15MHz	8.66	PASS
Band40	10	39600	12	#0	QPSK	-1MHz-0MHz	10.70	PASS
Band40	10	39600	12	#0	QPSK	-5MHz--1MHz	16.18	PASS
Band40	10	39600	12	#0	QPSK	-10MHz--5MHz	22.24	PASS
Band40	10	39600	12	#0	QPSK	-15MHz--10MHz	9.53	PASS
Band40	10	39600	12	#0	QPSK	0MHz-1MHz	30.40	PASS
Band40	10	39600	12	#0	QPSK	1MHz-5MHz	19.07	PASS
Band40	10	39600	12	#0	QPSK	5MHz-10MHz	15.82	PASS
Band40	10	39600	12	#0	QPSK	10MHz-15MHz	10.96	PASS
Band40	10	39600	12	#Max	QPSK	-1MHz-0MHz	31.36	PASS
Band40	10	39600	12	#Max	QPSK	-5MHz--1MHz	20.78	PASS
Band40	10	39600	12	#Max	QPSK	-10MHz--5MHz	17.42	PASS
Band40	10	39600	12	#Max	QPSK	-15MHz--10MHz	9.64	PASS
Band40	10	39600	12	#Max	QPSK	0MHz-1MHz	9.87	PASS
Band40	10	39600	12	#Max	QPSK	1MHz-5MHz	12.77	PASS
Band40	10	39600	12	#Max	QPSK	5MHz-10MHz	22.74	PASS
Band40	10	39600	12	#Max	QPSK	10MHz-15MHz	10.90	PASS
Band40	10	39600	50	#0	QPSK	-1MHz-0MHz	22.49	PASS
Band40	10	39600	50	#0	QPSK	-5MHz--1MHz	20.19	PASS
Band40	10	39600	50	#0	QPSK	-10MHz--5MHz	18.19	PASS
Band40	10	39600	50	#0	QPSK	-15MHz--10MHz	9.07	PASS
Band40	10	39600	50	#0	QPSK	0MHz-1MHz	18.54	PASS
Band40	10	39600	50	#0	QPSK	1MHz-5MHz	18.14	PASS
Band40	10	39600	50	#0	QPSK	5MHz-10MHz	17.91	PASS
Band40	10	39600	50	#0	QPSK	10MHz-15MHz	10.08	PASS
Band40	10	39600	12	#0	QAM16	-1MHz-0MHz	13.44	PASS
Band40	10	39600	12	#0	QAM16	-5MHz--1MHz	17.71	PASS
Band40	10	39600	12	#0	QAM16	-10MHz--5MHz	22.31	PASS
Band40	10	39600	12	#0	QAM16	-15MHz--10MHz	9.70	PASS
Band40	10	39600	12	#0	QAM16	0MHz-1MHz	30.98	PASS



Band40	10	39600	12	#0	QAM16	1MHz-5MHz	20.33	PASS
Band40	10	39600	12	#0	QAM16	5MHz-10MHz	17.27	PASS
Band40	10	39600	12	#0	QAM16	10MHz-15MHz	10.96	PASS
Band40	10	39600	12	#Max	QAM16	-1MHz-0MHz	31.76	PASS
Band40	10	39600	12	#Max	QAM16	-5MHz--1MHz	21.90	PASS
Band40	10	39600	12	#Max	QAM16	-10MHz--5MHz	18.44	PASS
Band40	10	39600	12	#Max	QAM16	-15MHz--10MHz	9.77	PASS
Band40	10	39600	12	#Max	QAM16	0MHz-1MHz	11.74	PASS
Band40	10	39600	12	#Max	QAM16	1MHz-5MHz	15.09	PASS
Band40	10	39600	12	#Max	QAM16	5MHz-10MHz	22.69	PASS
Band40	10	39600	12	#Max	QAM16	10MHz-15MHz	10.94	PASS
Band40	10	39600	50	#0	QAM16	-1MHz-0MHz	19.10	PASS
Band40	10	39600	50	#0	QAM16	-5MHz--1MHz	19.63	PASS
Band40	10	39600	50	#0	QAM16	-10MHz--5MHz	18.72	PASS
Band40	10	39600	50	#0	QAM16	-15MHz--10MHz	9.12	PASS
Band40	10	39600	50	#0	QAM16	0MHz-1MHz	18.57	PASS
Band40	10	39600	50	#0	QAM16	1MHz-5MHz	17.89	PASS
Band40	10	39600	50	#0	QAM16	5MHz-10MHz	18.08	PASS
Band40	10	39600	50	#0	QAM16	10MHz-15MHz	9.74	PASS
Band40	20	38750	18	#0	QPSK	-1MHz-0MHz	15.13	PASS
Band40	20	38750	18	#0	QPSK	-5MHz--1MHz	16.28	PASS
Band40	20	38750	18	#0	QPSK	-20MHz--5MHz	21.19	PASS
Band40	20	38750	18	#0	QPSK	-25MHz--20MHz	11.19	PASS
Band40	20	38750	18	#0	QPSK	0MHz-1MHz	28.99	PASS
Band40	20	38750	18	#0	QPSK	1MHz-5MHz	25.65	PASS
Band40	20	38750	18	#0	QPSK	5MHz-20MHz	17.95	PASS
Band40	20	38750	18	#0	QPSK	20MHz-25MHz	11.70	PASS
Band40	20	38750	18	#Max	QPSK	-1MHz-0MHz	28.77	PASS
Band40	20	38750	18	#Max	QPSK	-5MHz--1MHz	25.26	PASS
Band40	20	38750	18	#Max	QPSK	-20MHz--5MHz	19.40	PASS
Band40	20	38750	18	#Max	QPSK	-25MHz--20MHz	11.04	PASS
Band40	20	38750	18	#Max	QPSK	0MHz-1MHz	14.83	PASS
Band40	20	38750	18	#Max	QPSK	1MHz-5MHz	17.39	PASS
Band40	20	38750	18	#Max	QPSK	5MHz-20MHz	22.09	PASS
Band40	20	38750	18	#Max	QPSK	20MHz-25MHz	11.71	PASS
Band40	20	38750	100	#0	QPSK	-1MHz-0MHz	23.94	PASS
Band40	20	38750	100	#0	QPSK	-5MHz--1MHz	22.68	PASS
Band40	20	38750	100	#0	QPSK	-20MHz--5MHz	19.93	PASS
Band40	20	38750	100	#0	QPSK	-25MHz--20MHz	11.18	PASS
Band40	20	38750	100	#0	QPSK	0MHz-1MHz	23.20	PASS
Band40	20	38750	100	#0	QPSK	1MHz-5MHz	22.31	PASS
Band40	20	38750	100	#0	QPSK	5MHz-20MHz	19.40	PASS
Band40	20	38750	100	#0	QPSK	20MHz-25MHz	10.81	PASS
Band40	20	38750	18	#0	QAM16	-1MHz-0MHz	15.98	PASS

Band40	20	38750	18	#0	QAM16	-5MHz--1MHz	17.73	PASS
Band40	20	38750	18	#0	QAM16	-20MHz--5MHz	21.12	PASS
Band40	20	38750	18	#0	QAM16	-25MHz--20MHz	11.16	PASS
Band40	20	38750	18	#0	QAM16	0MHz-1MHz	29.07	PASS
Band40	20	38750	18	#0	QAM16	1MHz-5MHz	25.70	PASS
Band40	20	38750	18	#0	QAM16	5MHz-20MHz	19.18	PASS
Band40	20	38750	18	#0	QAM16	20MHz-25MHz	11.67	PASS
Band40	20	38750	18	#Max	QAM16	-1MHz-0MHz	28.57	PASS
Band40	20	38750	18	#Max	QAM16	-5MHz--1MHz	25.23	PASS
Band40	20	38750	18	#Max	QAM16	-20MHz--5MHz	20.06	PASS
Band40	20	38750	18	#Max	QAM16	-25MHz--20MHz	11.02	PASS
Band40	20	38750	18	#Max	QAM16	0MHz-1MHz	17.01	PASS
Band40	20	38750	18	#Max	QAM16	1MHz-5MHz	18.27	PASS
Band40	20	38750	18	#Max	QAM16	5MHz-20MHz	21.97	PASS
Band40	20	38750	18	#Max	QAM16	20MHz-25MHz	11.74	PASS
Band40	20	38750	100	#0	QAM16	-1MHz-0MHz	22.13	PASS
Band40	20	38750	100	#0	QAM16	-5MHz--1MHz	21.88	PASS
Band40	20	38750	100	#0	QAM16	-20MHz--5MHz	19.83	PASS
Band40	20	38750	100	#0	QAM16	-25MHz--20MHz	11.17	PASS
Band40	20	38750	100	#0	QAM16	0MHz-1MHz	22.25	PASS
Band40	20	38750	100	#0	QAM16	1MHz-5MHz	21.55	PASS
Band40	20	38750	100	#0	QAM16	5MHz-20MHz	19.12	PASS
Band40	20	38750	100	#0	QAM16	20MHz-25MHz	10.76	PASS
Band40	20	39150	18	#0	QPSK	-1MHz-0MHz	14.79	PASS
Band40	20	39150	18	#0	QPSK	-5MHz--1MHz	16.92	PASS
Band40	20	39150	18	#0	QPSK	-20MHz--5MHz	21.52	PASS
Band40	20	39150	18	#0	QPSK	-25MHz--20MHz	11.66	PASS
Band40	20	39150	18	#0	QPSK	0MHz-1MHz	28.83	PASS
Band40	20	39150	18	#0	QPSK	1MHz-5MHz	25.78	PASS
Band40	20	39150	18	#0	QPSK	5MHz-20MHz	16.39	PASS
Band40	20	39150	18	#0	QPSK	20MHz-25MHz	11.15	PASS
Band40	20	39150	18	#Max	QPSK	-1MHz-0MHz	29.36	PASS
Band40	20	39150	18	#Max	QPSK	-5MHz--1MHz	25.82	PASS
Band40	20	39150	18	#Max	QPSK	-20MHz--5MHz	19.33	PASS
Band40	20	39150	18	#Max	QPSK	-25MHz--20MHz	11.54	PASS
Band40	20	39150	18	#Max	QPSK	0MHz-1MHz	13.53	PASS
Band40	20	39150	18	#Max	QPSK	1MHz-5MHz	13.76	PASS
Band40	20	39150	18	#Max	QPSK	5MHz-20MHz	21.85	PASS
Band40	20	39150	18	#Max	QPSK	20MHz-25MHz	11.29	PASS
Band40	20	39150	100	#0	QPSK	-1MHz-0MHz	23.74	PASS
Band40	20	39150	100	#0	QPSK	-5MHz--1MHz	22.68	PASS
Band40	20	39150	100	#0	QPSK	-20MHz--5MHz	19.89	PASS
Band40	20	39150	100	#0	QPSK	-25MHz--20MHz	11.00	PASS
Band40	20	39150	100	#0	QPSK	0MHz-1MHz	22.34	PASS

Band40	20	39150	100	#0	QPSK	1MHz-5MHz	20.71	PASS
Band40	20	39150	100	#0	QPSK	5MHz-20MHz	18.10	PASS
Band40	20	39150	100	#0	QPSK	20MHz-25MHz	10.33	PASS
Band40	20	39150	18	#0	QAM16	-1MHz-0MHz	17.01	PASS
Band40	20	39150	18	#0	QAM16	-5MHz--1MHz	18.15	PASS
Band40	20	39150	18	#0	QAM16	-20MHz--5MHz	21.66	PASS
Band40	20	39150	18	#0	QAM16	-25MHz--20MHz	11.67	PASS
Band40	20	39150	18	#0	QAM16	0MHz-1MHz	28.95	PASS
Band40	20	39150	18	#0	QAM16	1MHz-5MHz	25.80	PASS
Band40	20	39150	18	#0	QAM16	5MHz-20MHz	17.62	PASS
Band40	20	39150	18	#0	QAM16	20MHz-25MHz	11.18	PASS
Band40	20	39150	18	#Max	QAM16	-1MHz-0MHz	29.53	PASS
Band40	20	39150	18	#Max	QAM16	-5MHz--1MHz	25.88	PASS
Band40	20	39150	18	#Max	QAM16	-20MHz--5MHz	20.36	PASS
Band40	20	39150	18	#Max	QAM16	-25MHz--20MHz	11.56	PASS
Band40	20	39150	18	#Max	QAM16	0MHz-1MHz	14.28	PASS
Band40	20	39150	18	#Max	QAM16	1MHz-5MHz	15.62	PASS
Band40	20	39150	18	#Max	QAM16	5MHz-20MHz	22.18	PASS
Band40	20	39150	18	#Max	QAM16	20MHz-25MHz	11.29	PASS
Band40	20	39150	100	#0	QAM16	-1MHz-0MHz	23.74	PASS
Band40	20	39150	100	#0	QAM16	-5MHz--1MHz	22.52	PASS
Band40	20	39150	100	#0	QAM16	-20MHz--5MHz	19.66	PASS
Band40	20	39150	100	#0	QAM16	-25MHz--20MHz	11.00	PASS
Band40	20	39150	100	#0	QAM16	0MHz-1MHz	20.73	PASS
Band40	20	39150	100	#0	QAM16	1MHz-5MHz	20.12	PASS
Band40	20	39150	100	#0	QAM16	5MHz-20MHz	18.08	PASS
Band40	20	39150	100	#0	QAM16	20MHz-25MHz	10.00	PASS
Band40	20	39550	18	#0	QPSK	-1MHz-0MHz	15.56	PASS
Band40	20	39550	18	#0	QPSK	-5MHz--1MHz	17.04	PASS
Band40	20	39550	18	#0	QPSK	-20MHz--5MHz	21.18	PASS
Band40	20	39550	18	#0	QPSK	-25MHz--20MHz	11.29	PASS
Band40	20	39550	18	#0	QPSK	0MHz-1MHz	28.65	PASS
Band40	20	39550	18	#0	QPSK	1MHz-5MHz	25.50	PASS
Band40	20	39550	18	#0	QPSK	5MHz-20MHz	19.03	PASS
Band40	20	39550	18	#0	QPSK	20MHz-25MHz	11.68	PASS
Band40	20	39550	18	#Max	QPSK	-1MHz-0MHz	28.90	PASS
Band40	20	39550	18	#Max	QPSK	-5MHz--1MHz	25.31	PASS
Band40	20	39550	18	#Max	QPSK	-20MHz--5MHz	17.30	PASS
Band40	20	39550	18	#Max	QPSK	-25MHz--20MHz	11.29	PASS
Band40	20	39550	18	#Max	QPSK	0MHz-1MHz	11.85	PASS
Band40	20	39550	18	#Max	QPSK	1MHz-5MHz	13.71	PASS
Band40	20	39550	18	#Max	QPSK	5MHz-20MHz	22.10	PASS
Band40	20	39550	18	#Max	QPSK	20MHz-25MHz	11.84	PASS
Band40	20	39550	100	#0	QPSK	-1MHz-0MHz	22.38	PASS

Band40	20	39550	100	#0	QPSK	-5MHz--1MHz	21.56	PASS
Band40	20	39550	100	#0	QPSK	-20MHz--5MHz	18.70	PASS
Band40	20	39550	100	#0	QPSK	-25MHz--20MHz	10.56	PASS
Band40	20	39550	100	#0	QPSK	0MHz-1MHz	22.01	PASS
Band40	20	39550	100	#0	QPSK	1MHz-5MHz	20.19	PASS
Band40	20	39550	100	#0	QPSK	5MHz-20MHz	18.92	PASS
Band40	20	39550	100	#0	QPSK	20MHz-25MHz	11.77	PASS
Band40	20	39550	18	#0	QAM16	-1MHz-0MHz	15.48	PASS
Band40	20	39550	18	#0	QAM16	-5MHz--1MHz	18.35	PASS
Band40	20	39550	18	#0	QAM16	-20MHz--5MHz	21.28	PASS
Band40	20	39550	18	#0	QAM16	-25MHz--20MHz	11.38	PASS
Band40	20	39550	18	#0	QAM16	0MHz-1MHz	28.99	PASS
Band40	20	39550	18	#0	QAM16	1MHz-5MHz	25.51	PASS
Band40	20	39550	18	#0	QAM16	5MHz-20MHz	20.13	PASS
Band40	20	39550	18	#0	QAM16	20MHz-25MHz	11.73	PASS
Band40	20	39550	18	#Max	QAM16	-1MHz-0MHz	28.99	PASS
Band40	20	39550	18	#Max	QAM16	-5MHz--1MHz	25.39	PASS
Band40	20	39550	18	#Max	QAM16	-20MHz--5MHz	18.58	PASS
Band40	20	39550	18	#Max	QAM16	-25MHz--20MHz	11.32	PASS
Band40	20	39550	18	#Max	QAM16	0MHz-1MHz	14.07	PASS
Band40	20	39550	18	#Max	QAM16	1MHz-5MHz	15.70	PASS
Band40	20	39550	18	#Max	QAM16	5MHz-20MHz	22.16	PASS
Band40	20	39550	18	#Max	QAM16	20MHz-25MHz	11.88	PASS
Band40	20	39550	100	#0	QAM16	-1MHz-0MHz	23.09	PASS
Band40	20	39550	100	#0	QAM16	-5MHz--1MHz	21.55	PASS
Band40	20	39550	100	#0	QAM16	-20MHz--5MHz	18.70	PASS
Band40	20	39550	100	#0	QAM16	-25MHz--20MHz	10.30	PASS
Band40	20	39550	100	#0	QAM16	0MHz-1MHz	20.67	PASS
Band40	20	39550	100	#0	QAM16	1MHz-5MHz	20.43	PASS
Band40	20	39550	100	#0	QAM16	5MHz-20MHz	19.21	PASS
Band40	20	39550	100	#0	QAM16	20MHz-25MHz	11.76	PASS
Band7	5	20775	8	#0	QPSK	-1MHz-0MHz	4.64	PASS
Band7	5	20775	8	#0	QPSK	-5MHz--1MHz	11.69	PASS
Band7	5	20775	8	#0	QPSK	-6MHz--5MHz	21.09	PASS
Band7	5	20775	8	#0	QPSK	-10MHz--6MHz	10.55	PASS
Band7	5	20775	8	#0	QPSK	0MHz-1MHz	24.32	PASS
Band7	5	20775	8	#0	QPSK	1MHz-5MHz	12.76	PASS
Band7	5	20775	8	#0	QPSK	5MHz-6MHz	24.95	PASS
Band7	5	20775	8	#0	QPSK	6MHz-10MHz	13.38	PASS
Band7	5	20775	8	#Max	QPSK	-1MHz-0MHz	23.72	PASS
Band7	5	20775	8	#Max	QPSK	-5MHz--1MHz	11.45	PASS
Band7	5	20775	8	#Max	QPSK	-6MHz--5MHz	24.73	PASS
Band7	5	20775	8	#Max	QPSK	-10MHz--6MHz	12.97	PASS
Band7	5	20775	8	#Max	QPSK	0MHz-1MHz	6.21	PASS

Band7	5	20775	8	#Max	QPSK	1MHz-5MHz	13.08	PASS
Band7	5	20775	8	#Max	QPSK	5MHz-6MHz	19.19	PASS
Band7	5	20775	8	#Max	QPSK	6MHz-10MHz	8.84	PASS
Band7	5	20775	25	#0	QPSK	-1MHz-0MHz	11.45	PASS
Band7	5	20775	25	#0	QPSK	-5MHz--1MHz	5.08	PASS
Band7	5	20775	25	#0	QPSK	-6MHz--5MHz	21.21	PASS
Band7	5	20775	25	#0	QPSK	-10MHz--6MHz	9.89	PASS
Band7	5	20775	25	#0	QPSK	0MHz-1MHz	12.01	PASS
Band7	5	20775	25	#0	QPSK	1MHz-5MHz	5.64	PASS
Band7	5	20775	25	#0	QPSK	5MHz-6MHz	20.33	PASS
Band7	5	20775	25	#0	QPSK	6MHz-10MHz	8.53	PASS
Band7	5	20775	8	#0	QAM16	-1MHz-0MHz	7.37	PASS
Band7	5	20775	8	#0	QAM16	-5MHz--1MHz	15.52	PASS
Band7	5	20775	8	#0	QAM16	-6MHz--5MHz	23.44	PASS
Band7	5	20775	8	#0	QAM16	-10MHz--6MHz	12.18	PASS
Band7	5	20775	8	#0	QAM16	0MHz-1MHz	25.16	PASS
Band7	5	20775	8	#0	QAM16	1MHz-5MHz	14.03	PASS
Band7	5	20775	8	#0	QAM16	5MHz-6MHz	25.26	PASS
Band7	5	20775	8	#0	QAM16	6MHz-10MHz	13.48	PASS
Band7	5	20775	8	#Max	QAM16	-1MHz-0MHz	24.53	PASS
Band7	5	20775	8	#Max	QAM16	-5MHz--1MHz	12.83	PASS
Band7	5	20775	8	#Max	QAM16	-6MHz--5MHz	25.03	PASS
Band7	5	20775	8	#Max	QAM16	-10MHz--6MHz	13.02	PASS
Band7	5	20775	8	#Max	QAM16	0MHz-1MHz	8.78	PASS
Band7	5	20775	8	#Max	QAM16	1MHz-5MHz	16.41	PASS
Band7	5	20775	8	#Max	QAM16	5MHz-6MHz	21.89	PASS
Band7	5	20775	8	#Max	QAM16	6MHz-10MHz	11.36	PASS
Band7	5	20775	25	#0	QAM16	-1MHz-0MHz	14.49	PASS
Band7	5	20775	25	#0	QAM16	-5MHz--1MHz	7.53	PASS
Band7	5	20775	25	#0	QAM16	-6MHz--5MHz	22.11	PASS
Band7	5	20775	25	#0	QAM16	-10MHz--6MHz	10.80	PASS
Band7	5	20775	25	#0	QAM16	0MHz-1MHz	13.54	PASS
Band7	5	20775	25	#0	QAM16	1MHz-5MHz	8.36	PASS
Band7	5	20775	25	#0	QAM16	5MHz-6MHz	20.83	PASS
Band7	5	20775	25	#0	QAM16	6MHz-10MHz	9.64	PASS
Band7	5	21100	8	#0	QPSK	-1MHz-0MHz	1.85	PASS
Band7	5	21100	8	#0	QPSK	-5MHz--1MHz	8.73	PASS
Band7	5	21100	8	#0	QPSK	-6MHz--5MHz	17.71	PASS
Band7	5	21100	8	#0	QPSK	-10MHz--6MHz	8.21	PASS
Band7	5	21100	8	#0	QPSK	0MHz-1MHz	24.47	PASS
Band7	5	21100	8	#0	QPSK	1MHz-5MHz	13.57	PASS
Band7	5	21100	8	#0	QPSK	5MHz-6MHz	24.74	PASS
Band7	5	21100	8	#0	QPSK	6MHz-10MHz	13.38	PASS
Band7	5	21100	8	#Max	QPSK	-1MHz-0MHz	21.96	PASS

Band7	5	21100	8	#Max	QPSK	-5MHz--1MHz	11.26	PASS
Band7	5	21100	8	#Max	QPSK	-6MHz--5MHz	24.19	PASS
Band7	5	21100	8	#Max	QPSK	-10MHz--6MHz	12.93	PASS
Band7	5	21100	8	#Max	QPSK	0MHz-1MHz	4.10	PASS
Band7	5	21100	8	#Max	QPSK	1MHz-5MHz	11.33	PASS
Band7	5	21100	8	#Max	QPSK	5MHz-6MHz	15.97	PASS
Band7	5	21100	8	#Max	QPSK	6MHz-10MHz	6.62	PASS
Band7	5	21100	25	#0	QPSK	-1MHz-0MHz	12.32	PASS
Band7	5	21100	25	#0	QPSK	-5MHz--1MHz	5.44	PASS
Band7	5	21100	25	#0	QPSK	-6MHz--5MHz	19.84	PASS
Band7	5	21100	25	#0	QPSK	-10MHz--6MHz	8.97	PASS
Band7	5	21100	25	#0	QPSK	0MHz-1MHz	12.01	PASS
Band7	5	21100	25	#0	QPSK	1MHz-5MHz	6.60	PASS
Band7	5	21100	25	#0	QPSK	5MHz-6MHz	19.69	PASS
Band7	5	21100	25	#0	QPSK	6MHz-10MHz	9.06	PASS
Band7	5	21100	8	#0	QAM16	-1MHz-0MHz	4.15	PASS
Band7	5	21100	8	#0	QAM16	-5MHz--1MHz	12.99	PASS
Band7	5	21100	8	#0	QAM16	-6MHz--5MHz	20.87	PASS
Band7	5	21100	8	#0	QAM16	-10MHz--6MHz	10.67	PASS
Band7	5	21100	8	#0	QAM16	0MHz-1MHz	26.70	PASS
Band7	5	21100	8	#0	QAM16	1MHz-5MHz	15.01	PASS
Band7	5	21100	8	#0	QAM16	5MHz-6MHz	25.10	PASS
Band7	5	21100	8	#0	QAM16	6MHz-10MHz	13.40	PASS
Band7	5	21100	8	#Max	QAM16	-1MHz-0MHz	24.25	PASS
Band7	5	21100	8	#Max	QAM16	-5MHz--1MHz	12.30	PASS
Band7	5	21100	8	#Max	QAM16	-6MHz--5MHz	24.95	PASS
Band7	5	21100	8	#Max	QAM16	-10MHz--6MHz	12.95	PASS
Band7	5	21100	8	#Max	QAM16	0MHz-1MHz	6.82	PASS
Band7	5	21100	8	#Max	QAM16	1MHz-5MHz	14.06	PASS
Band7	5	21100	8	#Max	QAM16	5MHz-6MHz	18.34	PASS
Band7	5	21100	8	#Max	QAM16	6MHz-10MHz	8.58	PASS
Band7	5	21100	25	#0	QAM16	-1MHz-0MHz	13.97	PASS
Band7	5	21100	25	#0	QAM16	-5MHz--1MHz	7.83	PASS
Band7	5	21100	25	#0	QAM16	-6MHz--5MHz	20.84	PASS
Band7	5	21100	25	#0	QAM16	-10MHz--6MHz	9.82	PASS
Band7	5	21100	25	#0	QAM16	0MHz-1MHz	15.15	PASS
Band7	5	21100	25	#0	QAM16	1MHz-5MHz	8.81	PASS
Band7	5	21100	25	#0	QAM16	5MHz-6MHz	20.45	PASS
Band7	5	21100	25	#0	QAM16	6MHz-10MHz	9.56	PASS
Band7	5	21425	8	#0	QPSK	-1MHz-0MHz	2.24	PASS
Band7	5	21425	8	#0	QPSK	-5MHz--1MHz	11.59	PASS
Band7	5	21425	8	#0	QPSK	-6MHz--5MHz	16.44	PASS
Band7	5	21425	8	#0	QPSK	-10MHz--6MHz	7.01	PASS
Band7	5	21425	8	#0	QPSK	0MHz-1MHz	24.43	PASS

Band7	5	21425	8	#0	QPSK	1MHz-5MHz	12.52	PASS
Band7	5	21425	8	#0	QPSK	5MHz-6MHz	24.67	PASS
Band7	5	21425	8	#0	QPSK	6MHz-10MHz	13.37	PASS
Band7	5	21425	8	#Max	QPSK	-1MHz-0MHz	22.30	PASS
Band7	5	21425	8	#Max	QPSK	-5MHz--1MHz	10.22	PASS
Band7	5	21425	8	#Max	QPSK	-6MHz--5MHz	24.24	PASS
Band7	5	21425	8	#Max	QPSK	-10MHz--6MHz	12.94	PASS
Band7	5	21425	8	#Max	QPSK	0MHz-1MHz	5.05	PASS
Band7	5	21425	8	#Max	QPSK	1MHz-5MHz	13.16	PASS
Band7	5	21425	8	#Max	QPSK	5MHz-6MHz	15.76	PASS
Band7	5	21425	8	#Max	QPSK	6MHz-10MHz	6.51	PASS
Band7	5	21425	25	#0	QPSK	-1MHz-0MHz	9.06	PASS
Band7	5	21425	25	#0	QPSK	-5MHz--1MHz	2.91	PASS
Band7	5	21425	25	#0	QPSK	-6MHz--5MHz	19.29	PASS
Band7	5	21425	25	#0	QPSK	-10MHz--6MHz	7.57	PASS
Band7	5	21425	25	#0	QPSK	0MHz-1MHz	9.67	PASS
Band7	5	21425	25	#0	QPSK	1MHz-5MHz	4.25	PASS
Band7	5	21425	25	#0	QPSK	5MHz-6MHz	18.96	PASS
Band7	5	21425	25	#0	QPSK	6MHz-10MHz	7.28	PASS
Band7	5	21425	8	#0	QAM16	-1MHz-0MHz	5.99	PASS
Band7	5	21425	8	#0	QAM16	-5MHz--1MHz	14.69	PASS
Band7	5	21425	8	#0	QAM16	-6MHz--5MHz	20.48	PASS
Band7	5	21425	8	#0	QAM16	-10MHz--6MHz	10.29	PASS
Band7	5	21425	8	#0	QAM16	0MHz-1MHz	27.15	PASS
Band7	5	21425	8	#0	QAM16	1MHz-5MHz	14.32	PASS
Band7	5	21425	8	#0	QAM16	5MHz-6MHz	25.26	PASS
Band7	5	21425	8	#0	QAM16	6MHz-10MHz	13.50	PASS
Band7	5	21425	8	#Max	QAM16	-1MHz-0MHz	25.11	PASS
Band7	5	21425	8	#Max	QAM16	-5MHz--1MHz	12.07	PASS
Band7	5	21425	8	#Max	QAM16	-6MHz--5MHz	24.91	PASS
Band7	5	21425	8	#Max	QAM16	-10MHz--6MHz	12.91	PASS
Band7	5	21425	8	#Max	QAM16	0MHz-1MHz	8.56	PASS
Band7	5	21425	8	#Max	QAM16	1MHz-5MHz	15.85	PASS
Band7	5	21425	8	#Max	QAM16	5MHz-6MHz	19.57	PASS
Band7	5	21425	8	#Max	QAM16	6MHz-10MHz	9.55	PASS
Band7	5	21425	25	#0	QAM16	-1MHz-0MHz	11.46	PASS
Band7	5	21425	25	#0	QAM16	-5MHz--1MHz	4.92	PASS
Band7	5	21425	25	#0	QAM16	-6MHz--5MHz	19.58	PASS
Band7	5	21425	25	#0	QAM16	-10MHz--6MHz	8.60	PASS
Band7	5	21425	25	#0	QAM16	0MHz-1MHz	11.51	PASS
Band7	5	21425	25	#0	QAM16	1MHz-5MHz	6.21	PASS
Band7	5	21425	25	#0	QAM16	5MHz-6MHz	19.33	PASS
Band7	5	21425	25	#0	QAM16	6MHz-10MHz	8.40	PASS
Band7	10	20800	12	#0	QPSK	-1MHz-0MHz	5.82	PASS



Band7	10	20800	12	#0	QPSK	-5MHz--1MHz	9.58	PASS
Band7	10	20800	12	#0	QPSK	-10MHz--5MHz	22.28	PASS
Band7	10	20800	12	#0	QPSK	-15MHz--10MHz	10.45	PASS
Band7	10	20800	12	#0	QPSK	0MHz-1MHz	33.11	PASS
Band7	10	20800	12	#0	QPSK	1MHz-5MHz	14.23	PASS
Band7	10	20800	12	#0	QPSK	5MHz-10MHz	10.62	PASS
Band7	10	20800	12	#0	QPSK	10MHz-15MHz	13.45	PASS
Band7	10	20800	12	#Max	QPSK	-1MHz-0MHz	32.82	PASS
Band7	10	20800	12	#Max	QPSK	-5MHz--1MHz	13.07	PASS
Band7	10	20800	12	#Max	QPSK	-10MHz--5MHz	9.28	PASS
Band7	10	20800	12	#Max	QPSK	-15MHz--10MHz	11.48	PASS
Band7	10	20800	12	#Max	QPSK	0MHz-1MHz	5.81	PASS
Band7	10	20800	12	#Max	QPSK	1MHz-5MHz	10.39	PASS
Band7	10	20800	12	#Max	QPSK	5MHz-10MHz	22.66	PASS
Band7	10	20800	12	#Max	QPSK	10MHz-15MHz	6.17	PASS
Band7	10	20800	50	#0	QPSK	-1MHz-0MHz	11.06	PASS
Band7	10	20800	50	#0	QPSK	-5MHz--1MHz	6.81	PASS
Band7	10	20800	50	#0	QPSK	-10MHz--5MHz	7.47	PASS
Band7	10	20800	50	#0	QPSK	-15MHz--10MHz	10.81	PASS
Band7	10	20800	50	#0	QPSK	0MHz-1MHz	11.11	PASS
Band7	10	20800	50	#0	QPSK	1MHz-5MHz	6.79	PASS
Band7	10	20800	50	#0	QPSK	5MHz-10MHz	7.00	PASS
Band7	10	20800	50	#0	QPSK	10MHz-15MHz	9.01	PASS
Band7	10	20800	12	#0	QAM16	-1MHz-0MHz	7.76	PASS
Band7	10	20800	12	#0	QAM16	-5MHz--1MHz	12.91	PASS
Band7	10	20800	12	#0	QAM16	-10MHz--5MHz	23.10	PASS
Band7	10	20800	12	#0	QAM16	-15MHz--10MHz	10.45	PASS
Band7	10	20800	12	#0	QAM16	0MHz-1MHz	32.74	PASS
Band7	10	20800	12	#0	QAM16	1MHz-5MHz	15.46	PASS
Band7	10	20800	12	#0	QAM16	5MHz-10MHz	11.87	PASS
Band7	10	20800	12	#0	QAM16	10MHz-15MHz	13.45	PASS
Band7	10	20800	12	#Max	QAM16	-1MHz-0MHz	33.06	PASS
Band7	10	20800	12	#Max	QAM16	-5MHz--1MHz	14.42	PASS
Band7	10	20800	12	#Max	QAM16	-10MHz--5MHz	10.86	PASS
Band7	10	20800	12	#Max	QAM16	-15MHz--10MHz	11.56	PASS
Band7	10	20800	12	#Max	QAM16	0MHz-1MHz	7.42	PASS
Band7	10	20800	12	#Max	QAM16	1MHz-5MHz	13.25	PASS
Band7	10	20800	12	#Max	QAM16	5MHz-10MHz	23.36	PASS
Band7	10	20800	12	#Max	QAM16	10MHz-15MHz	7.37	PASS
Band7	10	20800	50	#0	QAM16	-1MHz-0MHz	13.12	PASS
Band7	10	20800	50	#0	QAM16	-5MHz--1MHz	8.64	PASS
Band7	10	20800	50	#0	QAM16	-10MHz--5MHz	9.98	PASS
Band7	10	20800	50	#0	QAM16	-15MHz--10MHz	11.17	PASS
Band7	10	20800	50	#0	QAM16	0MHz-1MHz	13.12	PASS

Band7	10	20800	50	#0	QAM16	1MHz-5MHz	8.78	PASS
Band7	10	20800	50	#0	QAM16	5MHz-10MHz	9.56	PASS
Band7	10	20800	50	#0	QAM16	10MHz-15MHz	9.37	PASS
Band7	10	21100	12	#0	QPSK	-1MHz-0MHz	1.48	PASS
Band7	10	21100	12	#0	QPSK	-5MHz--1MHz	4.71	PASS
Band7	10	21100	12	#0	QPSK	-10MHz--5MHz	20.66	PASS
Band7	10	21100	12	#0	QPSK	-15MHz--10MHz	6.39	PASS
Band7	10	21100	12	#0	QPSK	0MHz-1MHz	32.07	PASS
Band7	10	21100	12	#0	QPSK	1MHz-5MHz	15.79	PASS
Band7	10	21100	12	#0	QPSK	5MHz-10MHz	12.27	PASS
Band7	10	21100	12	#0	QPSK	10MHz-15MHz	13.30	PASS
Band7	10	21100	12	#Max	QPSK	-1MHz-0MHz	32.19	PASS
Band7	10	21100	12	#Max	QPSK	-5MHz--1MHz	12.30	PASS
Band7	10	21100	12	#Max	QPSK	-10MHz--5MHz	8.66	PASS
Band7	10	21100	12	#Max	QPSK	-15MHz--10MHz	11.37	PASS
Band7	10	21100	12	#Max	QPSK	0MHz-1MHz	5.05	PASS
Band7	10	21100	12	#Max	QPSK	1MHz-5MHz	9.23	PASS
Band7	10	21100	12	#Max	QPSK	5MHz-10MHz	21.47	PASS
Band7	10	21100	12	#Max	QPSK	10MHz-15MHz	4.22	PASS
Band7	10	21100	50	#0	QPSK	-1MHz-0MHz	10.21	PASS
Band7	10	21100	50	#0	QPSK	-5MHz--1MHz	6.04	PASS
Band7	10	21100	50	#0	QPSK	-10MHz--5MHz	6.05	PASS
Band7	10	21100	50	#0	QPSK	-15MHz--10MHz	9.29	PASS
Band7	10	21100	50	#0	QPSK	0MHz-1MHz	11.46	PASS
Band7	10	21100	50	#0	QPSK	1MHz-5MHz	7.77	PASS
Band7	10	21100	50	#0	QPSK	5MHz-10MHz	8.71	PASS
Band7	10	21100	50	#0	QPSK	10MHz-15MHz	8.99	PASS
Band7	10	21100	12	#0	QAM16	-1MHz-0MHz	5.47	PASS
Band7	10	21100	12	#0	QAM16	-5MHz--1MHz	9.73	PASS
Band7	10	21100	12	#0	QAM16	-10MHz--5MHz	22.34	PASS
Band7	10	21100	12	#0	QAM16	-15MHz--10MHz	9.46	PASS
Band7	10	21100	12	#0	QAM16	0MHz-1MHz	33.45	PASS
Band7	10	21100	12	#0	QAM16	1MHz-5MHz	17.25	PASS
Band7	10	21100	12	#0	QAM16	5MHz-10MHz	14.09	PASS
Band7	10	21100	12	#0	QAM16	10MHz-15MHz	13.41	PASS
Band7	10	21100	12	#Max	QAM16	-1MHz-0MHz	31.95	PASS
Band7	10	21100	12	#Max	QAM16	-5MHz--1MHz	13.69	PASS
Band7	10	21100	12	#Max	QAM16	-10MHz--5MHz	9.93	PASS
Band7	10	21100	12	#Max	QAM16	-15MHz--10MHz	11.48	PASS
Band7	10	21100	12	#Max	QAM16	0MHz-1MHz	7.86	PASS
Band7	10	21100	12	#Max	QAM16	1MHz-5MHz	11.99	PASS
Band7	10	21100	12	#Max	QAM16	5MHz-10MHz	23.16	PASS
Band7	10	21100	12	#Max	QAM16	10MHz-15MHz	6.33	PASS
Band7	10	21100	50	#0	QAM16	-1MHz-0MHz	12.03	PASS

Band7	10	21100	50	#0	QAM16	-5MHz--1MHz	8.19	PASS
Band7	10	21100	50	#0	QAM16	-10MHz--5MHz	9.05	PASS
Band7	10	21100	50	#0	QAM16	-15MHz--10MHz	10.17	PASS
Band7	10	21100	50	#0	QAM16	0MHz-1MHz	14.04	PASS
Band7	10	21100	50	#0	QAM16	1MHz-5MHz	9.81	PASS
Band7	10	21100	50	#0	QAM16	5MHz-10MHz	11.51	PASS
Band7	10	21100	50	#0	QAM16	10MHz-15MHz	9.78	PASS
Band7	10	21400	12	#0	QPSK	-1MHz-0MHz	1.08	PASS
Band7	10	21400	12	#0	QPSK	-5MHz--1MHz	5.16	PASS
Band7	10	21400	12	#0	QPSK	-10MHz--5MHz	22.07	PASS
Band7	10	21400	12	#0	QPSK	-15MHz--10MHz	6.48	PASS
Band7	10	21400	12	#0	QPSK	0MHz-1MHz	32.43	PASS
Band7	10	21400	12	#0	QPSK	1MHz-5MHz	15.95	PASS
Band7	10	21400	12	#0	QPSK	5MHz-10MHz	12.43	PASS
Band7	10	21400	12	#0	QPSK	10MHz-15MHz	13.12	PASS
Band7	10	21400	12	#Max	QPSK	-1MHz-0MHz	32.30	PASS
Band7	10	21400	12	#Max	QPSK	-5MHz--1MHz	11.94	PASS
Band7	10	21400	12	#Max	QPSK	-10MHz--5MHz	8.38	PASS
Band7	10	21400	12	#Max	QPSK	-15MHz--10MHz	11.47	PASS
Band7	10	21400	12	#Max	QPSK	0MHz-1MHz	6.57	PASS
Band7	10	21400	12	#Max	QPSK	1MHz-5MHz	10.40	PASS
Band7	10	21400	12	#Max	QPSK	5MHz-10MHz	22.38	PASS
Band7	10	21400	12	#Max	QPSK	10MHz-15MHz	6.34	PASS
Band7	10	21400	50	#0	QPSK	-1MHz-0MHz	8.82	PASS
Band7	10	21400	50	#0	QPSK	-5MHz--1MHz	3.87	PASS
Band7	10	21400	50	#0	QPSK	-10MHz--5MHz	4.55	PASS
Band7	10	21400	50	#0	QPSK	-15MHz--10MHz	8.72	PASS
Band7	10	21400	50	#0	QPSK	0MHz-1MHz	10.43	PASS
Band7	10	21400	50	#0	QPSK	1MHz-5MHz	6.19	PASS
Band7	10	21400	50	#0	QPSK	5MHz-10MHz	7.32	PASS
Band7	10	21400	50	#0	QPSK	10MHz-15MHz	8.57	PASS
Band7	10	21400	12	#0	QAM16	-1MHz-0MHz	3.67	PASS
Band7	10	21400	12	#0	QAM16	-5MHz--1MHz	8.65	PASS
Band7	10	21400	12	#0	QAM16	-10MHz--5MHz	23.05	PASS
Band7	10	21400	12	#0	QAM16	-15MHz--10MHz	8.00	PASS
Band7	10	21400	12	#0	QAM16	0MHz-1MHz	33.50	PASS
Band7	10	21400	12	#0	QAM16	1MHz-5MHz	17.04	PASS
Band7	10	21400	12	#0	QAM16	5MHz-10MHz	13.86	PASS
Band7	10	21400	12	#0	QAM16	10MHz-15MHz	13.40	PASS
Band7	10	21400	12	#Max	QAM16	-1MHz-0MHz	32.75	PASS
Band7	10	21400	12	#Max	QAM16	-5MHz--1MHz	13.50	PASS
Band7	10	21400	12	#Max	QAM16	-10MHz--5MHz	9.92	PASS
Band7	10	21400	12	#Max	QAM16	-15MHz--10MHz	11.46	PASS
Band7	10	21400	12	#Max	QAM16	0MHz-1MHz	9.23	PASS

Band7	10	21400	12	#Max	QAM16	1MHz-5MHz	13.49	PASS
Band7	10	21400	12	#Max	QAM16	5MHz-10MHz	22.85	PASS
Band7	10	21400	12	#Max	QAM16	10MHz-15MHz	7.66	PASS
Band7	10	21400	50	#0	QAM16	-1MHz-0MHz	10.36	PASS
Band7	10	21400	50	#0	QAM16	-5MHz--1MHz	5.63	PASS
Band7	10	21400	50	#0	QAM16	-10MHz--5MHz	7.21	PASS
Band7	10	21400	50	#0	QAM16	-15MHz--10MHz	9.63	PASS
Band7	10	21400	50	#0	QAM16	0MHz-1MHz	11.01	PASS
Band7	10	21400	50	#0	QAM16	1MHz-5MHz	8.23	PASS
Band7	10	21400	50	#0	QAM16	5MHz-10MHz	9.29	PASS
Band7	10	21400	50	#0	QAM16	10MHz-15MHz	9.27	PASS
Band7	20	20850	18	#0	QPSK	-1MHz-0MHz	6.94	PASS
Band7	20	20850	18	#0	QPSK	-5MHz--1MHz	9.38	PASS
Band7	20	20850	18	#0	QPSK	-20MHz--5MHz	23.13	PASS
Band7	20	20850	18	#0	QPSK	-25MHz--20MHz	13.45	PASS
Band7	20	20850	18	#0	QPSK	0MHz-1MHz	31.23	PASS
Band7	20	20850	18	#0	QPSK	1MHz-5MHz	27.64	PASS
Band7	20	20850	18	#0	QPSK	5MHz-20MHz	12.97	PASS
Band7	20	20850	18	#0	QPSK	20MHz-25MHz	13.65	PASS
Band7	20	20850	18	#Max	QPSK	-1MHz-0MHz	30.93	PASS
Band7	20	20850	18	#Max	QPSK	-5MHz--1MHz	27.36	PASS
Band7	20	20850	18	#Max	QPSK	-20MHz--5MHz	14.21	PASS
Band7	20	20850	18	#Max	QPSK	-25MHz--20MHz	13.60	PASS
Band7	20	20850	18	#Max	QPSK	0MHz-1MHz	3.17	PASS
Band7	20	20850	18	#Max	QPSK	1MHz-5MHz	5.86	PASS
Band7	20	20850	18	#Max	QPSK	5MHz-20MHz	22.67	PASS
Band7	20	20850	18	#Max	QPSK	20MHz-25MHz	10.06	PASS
Band7	20	20850	100	#0	QPSK	-1MHz-0MHz	11.58	PASS
Band7	20	20850	100	#0	QPSK	-5MHz--1MHz	10.15	PASS
Band7	20	20850	100	#0	QPSK	-20MHz--5MHz	9.51	PASS
Band7	20	20850	100	#0	QPSK	-25MHz--20MHz	13.53	PASS
Band7	20	20850	100	#0	QPSK	0MHz-1MHz	9.24	PASS
Band7	20	20850	100	#0	QPSK	1MHz-5MHz	8.23	PASS
Band7	20	20850	100	#0	QPSK	5MHz-20MHz	7.44	PASS
Band7	20	20850	100	#0	QPSK	20MHz-25MHz	11.45	PASS
Band7	20	20850	18	#0	QAM16	-1MHz-0MHz	7.61	PASS
Band7	20	20850	18	#0	QAM16	-5MHz--1MHz	11.81	PASS
Band7	20	20850	18	#0	QAM16	-20MHz--5MHz	23.30	PASS
Band7	20	20850	18	#0	QAM16	-25MHz--20MHz	13.52	PASS
Band7	20	20850	18	#0	QAM16	0MHz-1MHz	30.87	PASS
Band7	20	20850	18	#0	QAM16	1MHz-5MHz	27.72	PASS
Band7	20	20850	18	#0	QAM16	5MHz-20MHz	14.21	PASS
Band7	20	20850	18	#0	QAM16	20MHz-25MHz	13.63	PASS
Band7	20	20850	18	#Max	QAM16	-1MHz-0MHz	31.21	PASS

Band7	20	20850	18	#Max	QAM16	-5MHz--1MHz	27.45	PASS
Band7	20	20850	18	#Max	QAM16	-20MHz--5MHz	16.22	PASS
Band7	20	20850	18	#Max	QAM16	-25MHz--20MHz	13.66	PASS
Band7	20	20850	18	#Max	QAM16	0MHz-1MHz	6.51	PASS
Band7	20	20850	18	#Max	QAM16	1MHz-5MHz	9.39	PASS
Band7	20	20850	18	#Max	QAM16	5MHz-20MHz	22.97	PASS
Band7	20	20850	18	#Max	QAM16	20MHz-25MHz	11.26	PASS
Band7	20	20850	100	#0	QAM16	-1MHz-0MHz	14.17	PASS
Band7	20	20850	100	#0	QAM16	-5MHz--1MHz	13.00	PASS
Band7	20	20850	100	#0	QAM16	-20MHz--5MHz	11.76	PASS
Band7	20	20850	100	#0	QAM16	-25MHz--20MHz	13.54	PASS
Band7	20	20850	100	#0	QAM16	0MHz-1MHz	12.41	PASS
Band7	20	20850	100	#0	QAM16	1MHz-5MHz	10.89	PASS
Band7	20	20850	100	#0	QAM16	5MHz-20MHz	9.83	PASS
Band7	20	20850	100	#0	QAM16	20MHz-25MHz	11.53	PASS
Band7	20	21100	18	#0	QPSK	-1MHz-0MHz	1.27	PASS
Band7	20	21100	18	#0	QPSK	-5MHz--1MHz	4.31	PASS
Band7	20	21100	18	#0	QPSK	-20MHz--5MHz	20.06	PASS
Band7	20	21100	18	#0	QPSK	-25MHz--20MHz	11.85	PASS
Band7	20	21100	18	#0	QPSK	0MHz-1MHz	31.53	PASS
Band7	20	21100	18	#0	QPSK	1MHz-5MHz	27.85	PASS
Band7	20	21100	18	#0	QPSK	5MHz-20MHz	14.49	PASS
Band7	20	21100	18	#0	QPSK	20MHz-25MHz	13.64	PASS
Band7	20	21100	18	#Max	QPSK	-1MHz-0MHz	30.62	PASS
Band7	20	21100	18	#Max	QPSK	-5MHz--1MHz	26.94	PASS
Band7	20	21100	18	#Max	QPSK	-20MHz--5MHz	9.73	PASS
Band7	20	21100	18	#Max	QPSK	-25MHz--20MHz	13.59	PASS
Band7	20	21100	18	#Max	QPSK	0MHz-1MHz	5.93	PASS
Band7	20	21100	18	#Max	QPSK	1MHz-5MHz	8.23	PASS
Band7	20	21100	18	#Max	QPSK	5MHz-20MHz	22.26	PASS
Band7	20	21100	18	#Max	QPSK	20MHz-25MHz	9.58	PASS
Band7	20	21100	100	#0	QPSK	-1MHz-0MHz	8.80	PASS
Band7	20	21100	100	#0	QPSK	-5MHz--1MHz	7.23	PASS
Band7	20	21100	100	#0	QPSK	-20MHz--5MHz	6.57	PASS
Band7	20	21100	100	#0	QPSK	-25MHz--20MHz	11.56	PASS
Band7	20	21100	100	#0	QPSK	0MHz-1MHz	10.71	PASS
Band7	20	21100	100	#0	QPSK	1MHz-5MHz	9.46	PASS
Band7	20	21100	100	#0	QPSK	5MHz-20MHz	8.37	PASS
Band7	20	21100	100	#0	QPSK	20MHz-25MHz	11.03	PASS
Band7	20	21100	18	#0	QAM16	-1MHz-0MHz	4.67	PASS
Band7	20	21100	18	#0	QAM16	-5MHz--1MHz	7.90	PASS
Band7	20	21100	18	#0	QAM16	-20MHz--5MHz	22.07	PASS
Band7	20	21100	18	#0	QAM16	-25MHz--20MHz	13.03	PASS
Band7	20	21100	18	#0	QAM16	0MHz-1MHz	31.38	PASS

Band7	20	21100	18	#0	QAM16	1MHz-5MHz	27.96	PASS
Band7	20	21100	18	#0	QAM16	5MHz-20MHz	16.13	PASS
Band7	20	21100	18	#0	QAM16	20MHz-25MHz	13.67	PASS
Band7	20	21100	18	#Max	QAM16	-1MHz-0MHz	30.70	PASS
Band7	20	21100	18	#Max	QAM16	-5MHz--1MHz	27.12	PASS
Band7	20	21100	18	#Max	QAM16	-20MHz--5MHz	11.50	PASS
Band7	20	21100	18	#Max	QAM16	-25MHz--20MHz	13.59	PASS
Band7	20	21100	18	#Max	QAM16	0MHz-1MHz	8.44	PASS
Band7	20	21100	18	#Max	QAM16	1MHz-5MHz	11.21	PASS
Band7	20	21100	18	#Max	QAM16	5MHz-20MHz	22.91	PASS
Band7	20	21100	18	#Max	QAM16	20MHz-25MHz	10.81	PASS
Band7	20	21100	100	#0	QAM16	-1MHz-0MHz	12.46	PASS
Band7	20	21100	100	#0	QAM16	-5MHz--1MHz	10.58	PASS
Band7	20	21100	100	#0	QAM16	-20MHz--5MHz	9.55	PASS
Band7	20	21100	100	#0	QAM16	-25MHz--20MHz	12.64	PASS
Band7	20	21100	100	#0	QAM16	0MHz-1MHz	14.58	PASS
Band7	20	21100	100	#0	QAM16	1MHz-5MHz	12.70	PASS
Band7	20	21100	100	#0	QAM16	5MHz-20MHz	11.07	PASS
Band7	20	21100	100	#0	QAM16	20MHz-25MHz	11.12	PASS
Band7	20	21350	18	#0	QPSK	-1MHz-0MHz	2.49	PASS
Band7	20	21350	18	#0	QPSK	-5MHz--1MHz	5.96	PASS
Band7	20	21350	18	#0	QPSK	-20MHz--5MHz	22.02	PASS
Band7	20	21350	18	#0	QPSK	-25MHz--20MHz	11.06	PASS
Band7	20	21350	18	#0	QPSK	0MHz-1MHz	31.36	PASS
Band7	20	21350	18	#0	QPSK	1MHz-5MHz	27.96	PASS
Band7	20	21350	18	#0	QPSK	5MHz-20MHz	15.13	PASS
Band7	20	21350	18	#0	QPSK	20MHz-25MHz	13.63	PASS
Band7	20	21350	18	#Max	QPSK	-1MHz-0MHz	30.80	PASS
Band7	20	21350	18	#Max	QPSK	-5MHz--1MHz	27.30	PASS
Band7	20	21350	18	#Max	QPSK	-20MHz--5MHz	10.35	PASS
Band7	20	21350	18	#Max	QPSK	-25MHz--20MHz	13.57	PASS
Band7	20	21350	18	#Max	QPSK	0MHz-1MHz	7.33	PASS
Band7	20	21350	18	#Max	QPSK	1MHz-5MHz	8.79	PASS
Band7	20	21350	18	#Max	QPSK	5MHz-20MHz	22.41	PASS
Band7	20	21350	18	#Max	QPSK	20MHz-25MHz	13.38	PASS
Band7	20	21350	100	#0	QPSK	-1MHz-0MHz	9.14	PASS
Band7	20	21350	100	#0	QPSK	-5MHz--1MHz	8.53	PASS
Band7	20	21350	100	#0	QPSK	-20MHz--5MHz	8.15	PASS
Band7	20	21350	100	#0	QPSK	-25MHz--20MHz	11.65	PASS
Band7	20	21350	100	#0	QPSK	0MHz-1MHz	11.13	PASS
Band7	20	21350	100	#0	QPSK	1MHz-5MHz	10.07	PASS
Band7	20	21350	100	#0	QPSK	5MHz-20MHz	8.88	PASS
Band7	20	21350	100	#0	QPSK	20MHz-25MHz	12.70	PASS
Band7	20	21350	18	#0	QAM16	-1MHz-0MHz	5.89	PASS

Band7	20	21350	18	#0	QAM16	-5MHz--1MHz	8.70	PASS
Band7	20	21350	18	#0	QAM16	-20MHz--5MHz	22.52	PASS
Band7	20	21350	18	#0	QAM16	-25MHz--20MHz	11.60	PASS
Band7	20	21350	18	#0	QAM16	0MHz-1MHz	31.36	PASS
Band7	20	21350	18	#0	QAM16	1MHz-5MHz	28.11	PASS
Band7	20	21350	18	#0	QAM16	5MHz-20MHz	15.98	PASS
Band7	20	21350	18	#0	QAM16	20MHz-25MHz	13.67	PASS
Band7	20	21350	18	#Max	QAM16	-1MHz-0MHz	31.01	PASS
Band7	20	21350	18	#Max	QAM16	-5MHz--1MHz	27.28	PASS
Band7	20	21350	18	#Max	QAM16	-20MHz--5MHz	12.00	PASS
Band7	20	21350	18	#Max	QAM16	-25MHz--20MHz	13.65	PASS
Band7	20	21350	18	#Max	QAM16	0MHz-1MHz	8.97	PASS
Band7	20	21350	18	#Max	QAM16	1MHz-5MHz	11.34	PASS
Band7	20	21350	18	#Max	QAM16	5MHz-20MHz	22.72	PASS
Band7	20	21350	18	#Max	QAM16	20MHz-25MHz	13.29	PASS
Band7	20	21350	100	#0	QAM16	-1MHz-0MHz	12.51	PASS
Band7	20	21350	100	#0	QAM16	-5MHz--1MHz	11.36	PASS
Band7	20	21350	100	#0	QAM16	-20MHz--5MHz	10.36	PASS
Band7	20	21350	100	#0	QAM16	-25MHz--20MHz	12.29	PASS
Band7	20	21350	100	#0	QAM16	0MHz-1MHz	14.19	PASS
Band7	20	21350	100	#0	QAM16	1MHz-5MHz	12.69	PASS
Band7	20	21350	100	#0	QAM16	5MHz-20MHz	11.00	PASS
Band7	20	21350	100	#0	QAM16	20MHz-25MHz	12.79	PASS
Band8	1.4	21457	5	#0	QPSK	-1MHz-0MHz	16.14	PASS
Band8	1.4	21457	5	#0	QPSK	-2.5MHz--1MHz	23.53	PASS
Band8	1.4	21457	5	#0	QPSK	-3.5MHz--2.5MHz	11.94	PASS
Band8	1.4	21457	5	#0	QPSK	0MHz-1MHz	17.57	PASS
Band8	1.4	21457	5	#0	QPSK	1MHz-2.5MHz	23.82	PASS
Band8	1.4	21457	5	#0	QPSK	2.5MHz-3.5MHz	12.11	PASS
Band8	1.4	21457	5	#Max	QPSK	-1MHz-0MHz	19.59	PASS
Band8	1.4	21457	5	#Max	QPSK	-2.5MHz--1MHz	23.84	PASS
Band8	1.4	21457	5	#Max	QPSK	-3.5MHz--2.5MHz	12.07	PASS
Band8	1.4	21457	5	#Max	QPSK	0MHz-1MHz	15.53	PASS
Band8	1.4	21457	5	#Max	QPSK	1MHz-2.5MHz	23.09	PASS
Band8	1.4	21457	5	#Max	QPSK	2.5MHz-3.5MHz	12.15	PASS
Band8	1.4	21457	6	#0	QPSK	-1MHz-0MHz	20.60	PASS
Band8	1.4	21457	6	#0	QPSK	-2.5MHz--1MHz	24.41	PASS
Band8	1.4	21457	6	#0	QPSK	-3.5MHz--2.5MHz	11.98	PASS
Band8	1.4	21457	6	#0	QPSK	0MHz-1MHz	21.57	PASS
Band8	1.4	21457	6	#0	QPSK	1MHz-2.5MHz	23.98	PASS
Band8	1.4	21457	6	#0	QPSK	2.5MHz-3.5MHz	11.96	PASS
Band8	1.4	21457	5	#0	QAM16	-1MHz-0MHz	19.56	PASS
Band8	1.4	21457	5	#0	QAM16	-2.5MHz--1MHz	24.60	PASS
Band8	1.4	21457	5	#0	QAM16	-3.5MHz--2.5MHz	12.25	PASS



Band8	1.4	21457	5	#0	QAM16	0MHz-1MHz	19.96	PASS
Band8	1.4	21457	5	#0	QAM16	1MHz-2.5MHz	24.78	PASS
Band8	1.4	21457	5	#0	QAM16	2.5MHz-3.5MHz	12.21	PASS
Band8	1.4	21457	5	#Max	QAM16	-1MHz-0MHz	20.41	PASS
Band8	1.4	21457	5	#Max	QAM16	-2.5MHz--1MHz	25.01	PASS
Band8	1.4	21457	5	#Max	QAM16	-3.5MHz--2.5MHz	12.25	PASS
Band8	1.4	21457	5	#Max	QAM16	0MHz-1MHz	19.15	PASS
Band8	1.4	21457	5	#Max	QAM16	1MHz-2.5MHz	24.39	PASS
Band8	1.4	21457	5	#Max	QAM16	2.5MHz-3.5MHz	12.17	PASS
Band8	1.4	21457	6	#0	QAM16	-1MHz-0MHz	22.57	PASS
Band8	1.4	21457	6	#0	QAM16	-2.5MHz--1MHz	24.86	PASS
Band8	1.4	21457	6	#0	QAM16	-3.5MHz--2.5MHz	12.26	PASS
Band8	1.4	21457	6	#0	QAM16	0MHz-1MHz	24.02	PASS
Band8	1.4	21457	6	#0	QAM16	1MHz-2.5MHz	24.44	PASS
Band8	1.4	21457	6	#0	QAM16	2.5MHz-3.5MHz	12.17	PASS
Band8	1.4	21625	5	#0	QPSK	-1MHz-0MHz	17.38	PASS
Band8	1.4	21625	5	#0	QPSK	-2.5MHz--1MHz	25.82	PASS
Band8	1.4	21625	5	#0	QPSK	-3.5MHz--2.5MHz	12.14	PASS
Band8	1.4	21625	5	#0	QPSK	0MHz-1MHz	17.95	PASS
Band8	1.4	21625	5	#0	QPSK	1MHz-2.5MHz	25.62	PASS
Band8	1.4	21625	5	#0	QPSK	2.5MHz-3.5MHz	12.12	PASS
Band8	1.4	21625	5	#Max	QPSK	-1MHz-0MHz	19.04	PASS
Band8	1.4	21625	5	#Max	QPSK	-2.5MHz--1MHz	26.06	PASS
Band8	1.4	21625	5	#Max	QPSK	-3.5MHz--2.5MHz	12.07	PASS
Band8	1.4	21625	5	#Max	QPSK	0MHz-1MHz	17.03	PASS
Band8	1.4	21625	5	#Max	QPSK	1MHz-2.5MHz	25.37	PASS
Band8	1.4	21625	5	#Max	QPSK	2.5MHz-3.5MHz	12.07	PASS
Band8	1.4	21625	6	#0	QPSK	-1MHz-0MHz	20.68	PASS
Band8	1.4	21625	6	#0	QPSK	-2.5MHz--1MHz	26.11	PASS
Band8	1.4	21625	6	#0	QPSK	-3.5MHz--2.5MHz	12.05	PASS
Band8	1.4	21625	6	#0	QPSK	0MHz-1MHz	21.07	PASS
Band8	1.4	21625	6	#0	QPSK	1MHz-2.5MHz	25.38	PASS
Band8	1.4	21625	6	#0	QPSK	2.5MHz-3.5MHz	12.06	PASS
Band8	1.4	21625	5	#0	QAM16	-1MHz-0MHz	18.36	PASS
Band8	1.4	21625	5	#0	QAM16	-2.5MHz--1MHz	26.12	PASS
Band8	1.4	21625	5	#0	QAM16	-3.5MHz--2.5MHz	12.28	PASS
Band8	1.4	21625	5	#0	QAM16	0MHz-1MHz	21.32	PASS
Band8	1.4	21625	5	#0	QAM16	1MHz-2.5MHz	25.94	PASS
Band8	1.4	21625	5	#0	QAM16	2.5MHz-3.5MHz	12.36	PASS
Band8	1.4	21625	5	#Max	QAM16	-1MHz-0MHz	21.70	PASS
Band8	1.4	21625	5	#Max	QAM16	-2.5MHz--1MHz	26.34	PASS
Band8	1.4	21625	5	#Max	QAM16	-3.5MHz--2.5MHz	12.28	PASS
Band8	1.4	21625	5	#Max	QAM16	0MHz-1MHz	18.98	PASS
Band8	1.4	21625	5	#Max	QAM16	1MHz-2.5MHz	25.73	PASS

Band8	1.4	21625	5	#Max	QAM16	2.5MHz-3.5MHz	12.28	PASS
Band8	1.4	21625	6	#0	QAM16	-1MHz-0MHz	25.70	PASS
Band8	1.4	21625	6	#0	QAM16	-2.5MHz--1MHz	26.32	PASS
Band8	1.4	21625	6	#0	QAM16	-3.5MHz--2.5MHz	12.39	PASS
Band8	1.4	21625	6	#0	QAM16	0MHz-1MHz	23.22	PASS
Band8	1.4	21625	6	#0	QAM16	1MHz-2.5MHz	25.67	PASS
Band8	1.4	21625	6	#0	QAM16	2.5MHz-3.5MHz	12.30	PASS
Band8	1.4	21793	5	#0	QPSK	-1MHz-0MHz	16.51	PASS
Band8	1.4	21793	5	#0	QPSK	-2.5MHz--1MHz	23.06	PASS
Band8	1.4	21793	5	#0	QPSK	-3.5MHz--2.5MHz	11.96	PASS
Band8	1.4	21793	5	#0	QPSK	0MHz-1MHz	18.21	PASS
Band8	1.4	21793	5	#0	QPSK	1MHz-2.5MHz	23.90	PASS
Band8	1.4	21793	5	#0	QPSK	2.5MHz-3.5MHz	12.23	PASS
Band8	1.4	21793	5	#Max	QPSK	-1MHz-0MHz	16.99	PASS
Band8	1.4	21793	5	#Max	QPSK	-2.5MHz--1MHz	22.86	PASS
Band8	1.4	21793	5	#Max	QPSK	-3.5MHz--2.5MHz	11.83	PASS
Band8	1.4	21793	5	#Max	QPSK	0MHz-1MHz	17.30	PASS
Band8	1.4	21793	5	#Max	QPSK	1MHz-2.5MHz	22.56	PASS
Band8	1.4	21793	5	#Max	QPSK	2.5MHz-3.5MHz	12.06	PASS
Band8	1.4	21793	6	#0	QPSK	-1MHz-0MHz	21.57	PASS
Band8	1.4	21793	6	#0	QPSK	-2.5MHz--1MHz	24.63	PASS
Band8	1.4	21793	6	#0	QPSK	-3.5MHz--2.5MHz	12.11	PASS
Band8	1.4	21793	6	#0	QPSK	0MHz-1MHz	20.85	PASS
Band8	1.4	21793	6	#0	QPSK	1MHz-2.5MHz	24.34	PASS
Band8	1.4	21793	6	#0	QPSK	2.5MHz-3.5MHz	12.23	PASS
Band8	1.4	21793	5	#0	QAM16	-1MHz-0MHz	18.88	PASS
Band8	1.4	21793	5	#0	QAM16	-2.5MHz--1MHz	25.32	PASS
Band8	1.4	21793	5	#0	QAM16	-3.5MHz--2.5MHz	12.09	PASS
Band8	1.4	21793	5	#0	QAM16	0MHz-1MHz	21.95	PASS
Band8	1.4	21793	5	#0	QAM16	1MHz-2.5MHz	25.32	PASS
Band8	1.4	21793	5	#0	QAM16	2.5MHz-3.5MHz	12.49	PASS
Band8	1.4	21793	5	#Max	QAM16	-1MHz-0MHz	21.45	PASS
Band8	1.4	21793	5	#Max	QAM16	-2.5MHz--1MHz	25.13	PASS
Band8	1.4	21793	5	#Max	QAM16	-3.5MHz--2.5MHz	12.02	PASS
Band8	1.4	21793	5	#Max	QAM16	0MHz-1MHz	20.17	PASS
Band8	1.4	21793	5	#Max	QAM16	1MHz-2.5MHz	24.40	PASS
Band8	1.4	21793	5	#Max	QAM16	2.5MHz-3.5MHz	12.48	PASS
Band8	1.4	21793	6	#0	QAM16	-1MHz-0MHz	20.92	PASS
Band8	1.4	21793	6	#0	QAM16	-2.5MHz--1MHz	25.84	PASS
Band8	1.4	21793	6	#0	QAM16	-3.5MHz--2.5MHz	12.10	PASS
Band8	1.4	21793	6	#0	QAM16	0MHz-1MHz	24.38	PASS
Band8	1.4	21793	6	#0	QAM16	1MHz-2.5MHz	25.39	PASS
Band8	1.4	21793	6	#0	QAM16	2.5MHz-3.5MHz	12.42	PASS
Band8	5	21475	8	#0	QPSK	-1MHz-0MHz	7.90	PASS

Band8	5	21475	8	#0	QPSK	-5MHz--1MHz	20.64	PASS
Band8	5	21475	8	#0	QPSK	-6MHz--5MHz	25.00	PASS
Band8	5	21475	8	#0	QPSK	-10MHz--6MHz	12.72	PASS
Band8	5	21475	8	#0	QPSK	0MHz-1MHz	33.50	PASS
Band8	5	21475	8	#0	QPSK	1MHz-5MHz	22.07	PASS
Band8	5	21475	8	#0	QPSK	5MHz-6MHz	25.00	PASS
Band8	5	21475	8	#0	QPSK	6MHz-10MHz	13.14	PASS
Band8	5	21475	8	#Max	QPSK	-1MHz-0MHz	32.30	PASS
Band8	5	21475	8	#Max	QPSK	-5MHz--1MHz	21.39	PASS
Band8	5	21475	8	#Max	QPSK	-6MHz--5MHz	24.92	PASS
Band8	5	21475	8	#Max	QPSK	-10MHz--6MHz	12.73	PASS
Band8	5	21475	8	#Max	QPSK	0MHz-1MHz	8.38	PASS
Band8	5	21475	8	#Max	QPSK	1MHz-5MHz	18.57	PASS
Band8	5	21475	8	#Max	QPSK	5MHz-6MHz	24.17	PASS
Band8	5	21475	8	#Max	QPSK	6MHz-10MHz	12.71	PASS
Band8	5	21475	25	#0	QPSK	-1MHz-0MHz	17.48	PASS
Band8	5	21475	25	#0	QPSK	-5MHz--1MHz	17.54	PASS
Band8	5	21475	25	#0	QPSK	-6MHz--5MHz	24.59	PASS
Band8	5	21475	25	#0	QPSK	-10MHz--6MHz	12.64	PASS
Band8	5	21475	25	#0	QPSK	0MHz-1MHz	17.46	PASS
Band8	5	21475	25	#0	QPSK	1MHz-5MHz	18.60	PASS
Band8	5	21475	25	#0	QPSK	5MHz-6MHz	22.76	PASS
Band8	5	21475	25	#0	QPSK	6MHz-10MHz	10.48	PASS
Band8	5	21475	8	#0	QAM16	-1MHz-0MHz	9.37	PASS
Band8	5	21475	8	#0	QAM16	-5MHz--1MHz	23.51	PASS
Band8	5	21475	8	#0	QAM16	-6MHz--5MHz	24.99	PASS
Band8	5	21475	8	#0	QAM16	-10MHz--6MHz	12.70	PASS
Band8	5	21475	8	#0	QAM16	0MHz-1MHz	34.15	PASS
Band8	5	21475	8	#0	QAM16	1MHz-5MHz	23.25	PASS
Band8	5	21475	8	#0	QAM16	5MHz-6MHz	25.01	PASS
Band8	5	21475	8	#0	QAM16	6MHz-10MHz	13.12	PASS
Band8	5	21475	8	#Max	QAM16	-1MHz-0MHz	32.87	PASS
Band8	5	21475	8	#Max	QAM16	-5MHz--1MHz	22.34	PASS
Band8	5	21475	8	#Max	QAM16	-6MHz--5MHz	25.09	PASS
Band8	5	21475	8	#Max	QAM16	-10MHz--6MHz	12.72	PASS
Band8	5	21475	8	#Max	QAM16	0MHz-1MHz	11.93	PASS
Band8	5	21475	8	#Max	QAM16	1MHz-5MHz	20.62	PASS
Band8	5	21475	8	#Max	QAM16	5MHz-6MHz	24.61	PASS
Band8	5	21475	8	#Max	QAM16	6MHz-10MHz	13.04	PASS
Band8	5	21475	25	#0	QAM16	-1MHz-0MHz	16.72	PASS
Band8	5	21475	25	#0	QAM16	-5MHz--1MHz	19.35	PASS
Band8	5	21475	25	#0	QAM16	-6MHz--5MHz	24.78	PASS
Band8	5	21475	25	#0	QAM16	-10MHz--6MHz	12.62	PASS
Band8	5	21475	25	#0	QAM16	0MHz-1MHz	18.05	PASS

Band8	5	21475	25	#0	QAM16	1MHz-5MHz	19.76	PASS
Band8	5	21475	25	#0	QAM16	5MHz-6MHz	23.02	PASS
Band8	5	21475	25	#0	QAM16	6MHz-10MHz	11.43	PASS
Band8	5	21625	8	#0	QPSK	-1MHz-0MHz	12.37	PASS
Band8	5	21625	8	#0	QPSK	-5MHz--1MHz	22.79	PASS
Band8	5	21625	8	#0	QPSK	-6MHz--5MHz	24.64	PASS
Band8	5	21625	8	#0	QPSK	-10MHz--6MHz	12.63	PASS
Band8	5	21625	8	#0	QPSK	0MHz-1MHz	32.23	PASS
Band8	5	21625	8	#0	QPSK	1MHz-5MHz	21.08	PASS
Band8	5	21625	8	#0	QPSK	5MHz-6MHz	25.07	PASS
Band8	5	21625	8	#0	QPSK	6MHz-10MHz	13.09	PASS
Band8	5	21625	8	#Max	QPSK	-1MHz-0MHz	32.96	PASS
Band8	5	21625	8	#Max	QPSK	-5MHz--1MHz	21.34	PASS
Band8	5	21625	8	#Max	QPSK	-6MHz--5MHz	24.84	PASS
Band8	5	21625	8	#Max	QPSK	-10MHz--6MHz	12.64	PASS
Band8	5	21625	8	#Max	QPSK	0MHz-1MHz	9.08	PASS
Band8	5	21625	8	#Max	QPSK	1MHz-5MHz	21.16	PASS
Band8	5	21625	8	#Max	QPSK	5MHz-6MHz	24.92	PASS
Band8	5	21625	8	#Max	QPSK	6MHz-10MHz	12.95	PASS
Band8	5	21625	25	#0	QPSK	-1MHz-0MHz	18.45	PASS
Band8	5	21625	25	#0	QPSK	-5MHz--1MHz	19.31	PASS
Band8	5	21625	25	#0	QPSK	-6MHz--5MHz	24.48	PASS
Band8	5	21625	25	#0	QPSK	-10MHz--6MHz	12.54	PASS
Band8	5	21625	25	#0	QPSK	0MHz-1MHz	16.47	PASS
Band8	5	21625	25	#0	QPSK	1MHz-5MHz	17.08	PASS
Band8	5	21625	25	#0	QPSK	5MHz-6MHz	24.19	PASS
Band8	5	21625	25	#0	QPSK	6MHz-10MHz	12.35	PASS
Band8	5	21625	8	#0	QAM16	-1MHz-0MHz	13.35	PASS
Band8	5	21625	8	#0	QAM16	-5MHz--1MHz	24.47	PASS
Band8	5	21625	8	#0	QAM16	-6MHz--5MHz	24.80	PASS
Band8	5	21625	8	#0	QAM16	-10MHz--6MHz	12.67	PASS
Band8	5	21625	8	#0	QAM16	0MHz-1MHz	32.83	PASS
Band8	5	21625	8	#0	QAM16	1MHz-5MHz	22.01	PASS
Band8	5	21625	8	#0	QAM16	5MHz-6MHz	24.99	PASS
Band8	5	21625	8	#0	QAM16	6MHz-10MHz	13.01	PASS
Band8	5	21625	8	#Max	QAM16	-1MHz-0MHz	34.11	PASS
Band8	5	21625	8	#Max	QAM16	-5MHz--1MHz	22.48	PASS
Band8	5	21625	8	#Max	QAM16	-6MHz--5MHz	24.84	PASS
Band8	5	21625	8	#Max	QAM16	-10MHz--6MHz	12.57	PASS
Band8	5	21625	8	#Max	QAM16	0MHz-1MHz	13.10	PASS
Band8	5	21625	8	#Max	QAM16	1MHz-5MHz	23.06	PASS
Band8	5	21625	8	#Max	QAM16	5MHz-6MHz	25.05	PASS
Band8	5	21625	8	#Max	QAM16	6MHz-10MHz	12.94	PASS
Band8	5	21625	25	#0	QAM16	-1MHz-0MHz	17.72	PASS

Band8	5	21625	25	#0	QAM16	-5MHz--1MHz	21.73	PASS
Band8	5	21625	25	#0	QAM16	-6MHz--5MHz	25.43	PASS
Band8	5	21625	25	#0	QAM16	-10MHz--6MHz	13.58	PASS
Band8	5	21625	25	#0	QAM16	0MHz-1MHz	20.26	PASS
Band8	5	21625	25	#0	QAM16	1MHz-5MHz	18.75	PASS
Band8	5	21625	25	#0	QAM16	5MHz-6MHz	25.01	PASS
Band8	5	21625	25	#0	QAM16	6MHz-10MHz	13.25	PASS
Band8	5	21775	8	#0	QPSK	-1MHz-0MHz	10.51	PASS
Band8	5	21775	8	#0	QPSK	-5MHz--1MHz	16.48	PASS
Band8	5	21775	8	#0	QPSK	-6MHz--5MHz	24.21	PASS
Band8	5	21775	8	#0	QPSK	-10MHz--6MHz	12.49	PASS
Band8	5	21775	8	#0	QPSK	0MHz-1MHz	32.00	PASS
Band8	5	21775	8	#0	QPSK	1MHz-5MHz	22.51	PASS
Band8	5	21775	8	#0	QPSK	5MHz-6MHz	25.08	PASS
Band8	5	21775	8	#0	QPSK	6MHz-10MHz	12.98	PASS
Band8	5	21775	8	#Max	QPSK	-1MHz-0MHz	32.62	PASS
Band8	5	21775	8	#Max	QPSK	-5MHz--1MHz	21.14	PASS
Band8	5	21775	8	#Max	QPSK	-6MHz--5MHz	24.71	PASS
Band8	5	21775	8	#Max	QPSK	-10MHz--6MHz	12.52	PASS
Band8	5	21775	8	#Max	QPSK	0MHz-1MHz	9.68	PASS
Band8	5	21775	8	#Max	QPSK	1MHz-5MHz	20.68	PASS
Band8	5	21775	8	#Max	QPSK	5MHz-6MHz	25.09	PASS
Band8	5	21775	8	#Max	QPSK	6MHz-10MHz	13.02	PASS
Band8	5	21775	25	#0	QPSK	-1MHz-0MHz	18.36	PASS
Band8	5	21775	25	#0	QPSK	-5MHz--1MHz	20.89	PASS
Band8	5	21775	25	#0	QPSK	-6MHz--5MHz	23.40	PASS
Band8	5	21775	25	#0	QPSK	-10MHz--6MHz	11.41	PASS
Band8	5	21775	25	#0	QPSK	0MHz-1MHz	17.26	PASS
Band8	5	21775	25	#0	QPSK	1MHz-5MHz	17.81	PASS
Band8	5	21775	25	#0	QPSK	5MHz-6MHz	25.08	PASS
Band8	5	21775	25	#0	QPSK	6MHz-10MHz	13.08	PASS
Band8	5	21775	8	#0	QAM16	-1MHz-0MHz	14.78	PASS
Band8	5	21775	8	#0	QAM16	-5MHz--1MHz	19.41	PASS
Band8	5	21775	8	#0	QAM16	-6MHz--5MHz	24.51	PASS
Band8	5	21775	8	#0	QAM16	-10MHz--6MHz	12.58	PASS
Band8	5	21775	8	#0	QAM16	0MHz-1MHz	34.40	PASS
Band8	5	21775	8	#0	QAM16	1MHz-5MHz	24.30	PASS
Band8	5	21775	8	#0	QAM16	5MHz-6MHz	25.13	PASS
Band8	5	21775	8	#0	QAM16	6MHz-10MHz	13.01	PASS
Band8	5	21775	8	#Max	QAM16	-1MHz-0MHz	33.76	PASS
Band8	5	21775	8	#Max	QAM16	-5MHz--1MHz	22.47	PASS
Band8	5	21775	8	#Max	QAM16	-6MHz--5MHz	24.72	PASS
Band8	5	21775	8	#Max	QAM16	-10MHz--6MHz	12.51	PASS
Band8	5	21775	8	#Max	QAM16	0MHz-1MHz	12.79	PASS

Band8	5	21775	8	#Max	QAM16	1MHz-5MHz	23.59	PASS
Band8	5	21775	8	#Max	QAM16	5MHz-6MHz	25.05	PASS
Band8	5	21775	8	#Max	QAM16	6MHz-10MHz	13.09	PASS
Band8	5	21775	25	#0	QAM16	-1MHz-0MHz	21.76	PASS
Band8	5	21775	25	#0	QAM16	-5MHz--1MHz	22.78	PASS
Band8	5	21775	25	#0	QAM16	-6MHz--5MHz	25.02	PASS
Band8	5	21775	25	#0	QAM16	-10MHz--6MHz	13.49	PASS
Band8	5	21775	25	#0	QAM16	0MHz-1MHz	18.55	PASS
Band8	5	21775	25	#0	QAM16	1MHz-5MHz	19.21	PASS
Band8	5	21775	25	#0	QAM16	5MHz-6MHz	26.91	PASS
Band8	5	21775	25	#0	QAM16	6MHz-10MHz	14.91	PASS
Band8	10	21500	12	#0	QPSK	-1MHz-0MHz	12.55	PASS
Band8	10	21500	12	#0	QPSK	-5MHz--1MHz	17.51	PASS
Band8	10	21500	12	#0	QPSK	-10MHz--5MHz	24.36	PASS
Band8	10	21500	12	#0	QPSK	-15MHz--10MHz	11.17	PASS
Band8	10	21500	12	#0	QPSK	0MHz-1MHz	32.70	PASS
Band8	10	21500	12	#0	QPSK	1MHz-5MHz	21.94	PASS
Band8	10	21500	12	#0	QPSK	5MHz-10MHz	18.10	PASS
Band8	10	21500	12	#0	QPSK	10MHz-15MHz	13.01	PASS
Band8	10	21500	12	#Max	QPSK	-1MHz-0MHz	32.23	PASS
Band8	10	21500	12	#Max	QPSK	-5MHz--1MHz	24.18	PASS
Band8	10	21500	12	#Max	QPSK	-10MHz--5MHz	22.32	PASS
Band8	10	21500	12	#Max	QPSK	-15MHz--10MHz	11.26	PASS
Band8	10	21500	12	#Max	QPSK	0MHz-1MHz	12.19	PASS
Band8	10	21500	12	#Max	QPSK	1MHz-5MHz	14.45	PASS
Band8	10	21500	12	#Max	QPSK	5MHz-10MHz	22.46	PASS
Band8	10	21500	12	#Max	QPSK	10MHz-15MHz	12.46	PASS
Band8	10	21500	50	#0	QPSK	-1MHz-0MHz	19.78	PASS
Band8	10	21500	50	#0	QPSK	-5MHz--1MHz	17.68	PASS
Band8	10	21500	50	#0	QPSK	-10MHz--5MHz	20.49	PASS
Band8	10	21500	50	#0	QPSK	-15MHz--10MHz	11.19	PASS
Band8	10	21500	50	#0	QPSK	0MHz-1MHz	18.78	PASS
Band8	10	21500	50	#0	QPSK	1MHz-5MHz	20.19	PASS
Band8	10	21500	50	#0	QPSK	5MHz-10MHz	17.10	PASS
Band8	10	21500	50	#0	QPSK	10MHz-15MHz	9.80	PASS
Band8	10	21500	12	#0	QAM16	-1MHz-0MHz	14.08	PASS
Band8	10	21500	12	#0	QAM16	-5MHz--1MHz	20.30	PASS
Band8	10	21500	12	#0	QAM16	-10MHz--5MHz	24.42	PASS
Band8	10	21500	12	#0	QAM16	-15MHz--10MHz	11.14	PASS
Band8	10	21500	12	#0	QAM16	0MHz-1MHz	32.88	PASS
Band8	10	21500	12	#0	QAM16	1MHz-5MHz	23.74	PASS
Band8	10	21500	12	#0	QAM16	5MHz-10MHz	20.19	PASS
Band8	10	21500	12	#0	QAM16	10MHz-15MHz	13.09	PASS
Band8	10	21500	12	#Max	QAM16	-1MHz-0MHz	31.85	PASS


Band8	10	21500	12	#Max	QAM16	-5MHz--1MHz	24.80	PASS
Band8	10	21500	12	#Max	QAM16	-10MHz--5MHz	22.82	PASS
Band8	10	21500	12	#Max	QAM16	-15MHz--10MHz	11.16	PASS
Band8	10	21500	12	#Max	QAM16	0MHz-1MHz	13.41	PASS
Band8	10	21500	12	#Max	QAM16	1MHz-5MHz	15.46	PASS
Band8	10	21500	12	#Max	QAM16	5MHz-10MHz	23.52	PASS
Band8	10	21500	12	#Max	QAM16	10MHz-15MHz	12.63	PASS
Band8	10	21500	50	#0	QAM16	-1MHz-0MHz	18.43	PASS
Band8	10	21500	50	#0	QAM16	-5MHz--1MHz	19.70	PASS
Band8	10	21500	50	#0	QAM16	-10MHz--5MHz	22.17	PASS
Band8	10	21500	50	#0	QAM16	-15MHz--10MHz	11.20	PASS
Band8	10	21500	50	#0	QAM16	0MHz-1MHz	20.59	PASS
Band8	10	21500	50	#0	QAM16	1MHz-5MHz	21.37	PASS
Band8	10	21500	50	#0	QAM16	5MHz-10MHz	19.39	PASS
Band8	10	21500	50	#0	QAM16	10MHz-15MHz	10.47	PASS
Band8	10	21625	12	#0	QPSK	-1MHz-0MHz	13.83	PASS
Band8	10	21625	12	#0	QPSK	-5MHz--1MHz	19.19	PASS
Band8	10	21625	12	#0	QPSK	-10MHz--5MHz	24.08	PASS
Band8	10	21625	12	#0	QPSK	-15MHz--10MHz	11.18	PASS
Band8	10	21625	12	#0	QPSK	0MHz-1MHz	32.85	PASS
Band8	10	21625	12	#0	QPSK	1MHz-5MHz	23.78	PASS
Band8	10	21625	12	#0	QPSK	5MHz-10MHz	20.19	PASS
Band8	10	21625	12	#0	QPSK	10MHz-15MHz	12.98	PASS
Band8	10	21625	12	#Max	QPSK	-1MHz-0MHz	32.97	PASS
Band8	10	21625	12	#Max	QPSK	-5MHz--1MHz	23.84	PASS
Band8	10	21625	12	#Max	QPSK	-10MHz--5MHz	20.62	PASS
Band8	10	21625	12	#Max	QPSK	-15MHz--10MHz	11.11	PASS
Band8	10	21625	12	#Max	QPSK	0MHz-1MHz	11.78	PASS
Band8	10	21625	12	#Max	QPSK	1MHz-5MHz	18.29	PASS
Band8	10	21625	12	#Max	QPSK	5MHz-10MHz	24.34	PASS
Band8	10	21625	12	#Max	QPSK	10MHz-15MHz	12.87	PASS
Band8	10	21625	50	#0	QPSK	-1MHz-0MHz	20.21	PASS
Band8	10	21625	50	#0	QPSK	-5MHz--1MHz	21.74	PASS
Band8	10	21625	50	#0	QPSK	-10MHz--5MHz	20.43	PASS
Band8	10	21625	50	#0	QPSK	-15MHz--10MHz	10.74	PASS
Band8	10	21625	50	#0	QPSK	0MHz-1MHz	21.05	PASS
Band8	10	21625	50	#0	QPSK	1MHz-5MHz	19.34	PASS
Band8	10	21625	50	#0	QPSK	5MHz-10MHz	17.57	PASS
Band8	10	21625	50	#0	QPSK	10MHz-15MHz	11.91	PASS
Band8	10	21625	12	#0	QAM16	-1MHz-0MHz	13.12	PASS
Band8	10	21625	12	#0	QAM16	-5MHz--1MHz	21.55	PASS
Band8	10	21625	12	#0	QAM16	-10MHz--5MHz	24.21	PASS
Band8	10	21625	12	#0	QAM16	-15MHz--10MHz	11.04	PASS
Band8	10	21625	12	#0	QAM16	0MHz-1MHz	33.01	PASS




Band8	10	21625	12	#0	QAM16	1MHz-5MHz	24.15	PASS
Band8	10	21625	12	#0	QAM16	5MHz-10MHz	20.91	PASS
Band8	10	21625	12	#0	QAM16	10MHz-15MHz	13.02	PASS
Band8	10	21625	12	#Max	QAM16	-1MHz-0MHz	32.95	PASS
Band8	10	21625	12	#Max	QAM16	-5MHz--1MHz	24.79	PASS
Band8	10	21625	12	#Max	QAM16	-10MHz--5MHz	21.57	PASS
Band8	10	21625	12	#Max	QAM16	-15MHz--10MHz	11.14	PASS
Band8	10	21625	12	#Max	QAM16	0MHz-1MHz	14.22	PASS
Band8	10	21625	12	#Max	QAM16	1MHz-5MHz	21.04	PASS
Band8	10	21625	12	#Max	QAM16	5MHz-10MHz	24.62	PASS
Band8	10	21625	12	#Max	QAM16	10MHz-15MHz	12.93	PASS
Band8	10	21625	50	#0	QAM16	-1MHz-0MHz	21.39	PASS
Band8	10	21625	50	#0	QAM16	-5MHz--1MHz	23.29	PASS
Band8	10	21625	50	#0	QAM16	-10MHz--5MHz	21.42	PASS
Band8	10	21625	50	#0	QAM16	-15MHz--10MHz	12.09	PASS
Band8	10	21625	50	#0	QAM16	0MHz-1MHz	21.16	PASS
Band8	10	21625	50	#0	QAM16	1MHz-5MHz	20.41	PASS
Band8	10	21625	50	#0	QAM16	5MHz-10MHz	19.42	PASS
Band8	10	21625	50	#0	QAM16	10MHz-15MHz	12.84	PASS
Band8	10	21750	12	#0	QPSK	-1MHz-0MHz	12.04	PASS
Band8	10	21750	12	#0	QPSK	-5MHz--1MHz	15.25	PASS
Band8	10	21750	12	#0	QPSK	-10MHz--5MHz	22.17	PASS
Band8	10	21750	12	#0	QPSK	-15MHz--10MHz	11.11	PASS
Band8	10	21750	12	#0	QPSK	0MHz-1MHz	32.71	PASS
Band8	10	21750	12	#0	QPSK	1MHz-5MHz	26.51	PASS
Band8	10	21750	12	#0	QPSK	5MHz-10MHz	25.04	PASS
Band8	10	21750	12	#0	QPSK	10MHz-15MHz	12.99	PASS
Band8	10	21750	12	#Max	QPSK	-1MHz-0MHz	32.54	PASS
Band8	10	21750	12	#Max	QPSK	-5MHz--1MHz	22.92	PASS
Band8	10	21750	12	#Max	QPSK	-10MHz--5MHz	19.32	PASS
Band8	10	21750	12	#Max	QPSK	-15MHz--10MHz	11.04	PASS
Band8	10	21750	12	#Max	QPSK	0MHz-1MHz	11.90	PASS
Band8	10	21750	12	#Max	QPSK	1MHz-5MHz	17.45	PASS
Band8	10	21750	12	#Max	QPSK	5MHz-10MHz	25.01	PASS
Band8	10	21750	12	#Max	QPSK	10MHz-15MHz	12.94	PASS
Band8	10	21750	50	#0	QPSK	-1MHz-0MHz	21.17	PASS
Band8	10	21750	50	#0	QPSK	-5MHz--1MHz	20.48	PASS
Band8	10	21750	50	#0	QPSK	-10MHz--5MHz	17.94	PASS
Band8	10	21750	50	#0	QPSK	-15MHz--10MHz	9.94	PASS
Band8	10	21750	50	#0	QPSK	0MHz-1MHz	22.53	PASS
Band8	10	21750	50	#0	QPSK	1MHz-5MHz	22.70	PASS
Band8	10	21750	50	#0	QPSK	5MHz-10MHz	25.05	PASS
Band8	10	21750	50	#0	QPSK	10MHz-15MHz	13.01	PASS
Band8	10	21750	12	#0	QAM16	-1MHz-0MHz	13.79	PASS

Band8	10	21750	12	#0	QAM16	-5MHz--1MHz	17.08	PASS
Band8	10	21750	12	#0	QAM16	-10MHz--5MHz	23.11	PASS
Band8	10	21750	12	#0	QAM16	-15MHz--10MHz	10.97	PASS
Band8	10	21750	12	#0	QAM16	0MHz-1MHz	32.74	PASS
Band8	10	21750	12	#0	QAM16	1MHz-5MHz	26.79	PASS
Band8	10	21750	12	#0	QAM16	5MHz-10MHz	25.04	PASS
Band8	10	21750	12	#0	QAM16	10MHz-15MHz	12.90	PASS
Band8	10	21750	12	#Max	QAM16	-1MHz-0MHz	33.06	PASS
Band8	10	21750	12	#Max	QAM16	-5MHz--1MHz	23.80	PASS
Band8	10	21750	12	#Max	QAM16	-10MHz--5MHz	20.23	PASS
Band8	10	21750	12	#Max	QAM16	-15MHz--10MHz	11.02	PASS
Band8	10	21750	12	#Max	QAM16	0MHz-1MHz	14.21	PASS
Band8	10	21750	12	#Max	QAM16	1MHz-5MHz	20.82	PASS
Band8	10	21750	12	#Max	QAM16	5MHz-10MHz	25.01	PASS
Band8	10	21750	12	#Max	QAM16	10MHz-15MHz	12.98	PASS
Band8	10	21750	50	#0	QAM16	-1MHz-0MHz	19.09	PASS
Band8	10	21750	50	#0	QAM16	-5MHz--1MHz	21.31	PASS
Band8	10	21750	50	#0	QAM16	-10MHz--5MHz	19.15	PASS
Band8	10	21750	50	#0	QAM16	-15MHz--10MHz	10.06	PASS
Band8	10	21750	50	#0	QAM16	0MHz-1MHz	21.63	PASS
Band8	10	21750	50	#0	QAM16	1MHz-5MHz	22.46	PASS
Band8	10	21750	50	#0	QAM16	5MHz-10MHz	24.99	PASS
Band8	10	21750	50	#0	QAM16	10MHz-15MHz	12.99	PASS


Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max



Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#Max







Band1 QAM16 BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#0



Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0







Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18300 RB Size=50 Position=#0



Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18550 RB Size=50 Position=#0



Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0







Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max



Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#Max







Band1 QAM16 BW=20MHz Channel=18500 RB Size=100 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24175 RB Size=25 Position=#0



Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#0



Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0







Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24200 RB Size=50 Position=#0



Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0







Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max



Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#Max







Band20 QAM16 BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#0



Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24350 RB Size=100 Position=#0




Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#0






Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27225 RB Size=15 Position=#0




Band28 QAM16 BW=3MHz Channel=27225 RB Size=4 Position=#0




Band28 QAM16 BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 QAM16 BW=3MHz Channel=27225 RB Size=15 Position=#0




Band28 QPSK BW=3MHz Channel=27375 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27375 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27375 RB Size=15 Position=#0




Band28 QAM16 BW=3MHz Channel=27375 RB Size=4 Position=#0




Band28 QAM16 BW=3MHz Channel=27375 RB Size=4 Position=#Max




Band28 QAM16 BW=3MHz Channel=27375 RB Size=15 Position=#0



Band28 QPSK BW=3MHz Channel=27645 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27645 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27645 RB Size=15 Position=#0






Band28 QAM16 BW=3MHz Channel=27645 RB Size=4 Position=#0




Band28 QAM16 BW=3MHz Channel=27645 RB Size=4 Position=#Max




Band28 QAM16 BW=3MHz Channel=27645 RB Size=15 Position=#0



Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27235 RB Size=25 Position=#0




Band28 QAM16 BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 QAM16 BW=5MHz Channel=27235 RB Size=8 Position=#Max




Band28 QAM16 BW=5MHz Channel=27235 RB Size=25 Position=#0




Band28 QPSK BW=5MHz Channel=27385 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27385 RB Size=8 Position=#Max



Band28 QPSK BW=5MHz Channel=27385 RB Size=25 Position=#0




Band28 QAM16 BW=5MHz Channel=27385 RB Size=8 Position=#0



Band28 QAM16 BW=5MHz Channel=27385 RB Size=8 Position=#Max







Band28 QAM16 BW=5MHz Channel=27385 RB Size=25 Position=#0



Band28 QPSK BW=5MHz Channel=27635 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27635 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27635 RB Size=25 Position=#0




Band28 QAM16 BW=5MHz Channel=27635 RB Size=8 Position=#0




Band28 QAM16 BW=5MHz Channel=27635 RB Size=8 Position=#Max




Band28 QAM16 BW=5MHz Channel=27635 RB Size=25 Position=#0




Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27260 RB Size=50 Position=#0




Band28 QAM16 BW=10MHz Channel=27260 RB Size=12 Position=#0



Band28 QAM16 BW=10MHz Channel=27260 RB Size=12 Position=#Max




Band28 QAM16 BW=10MHz Channel=27260 RB Size=50 Position=#0




Band28 QPSK BW=10MHz Channel=27410 RB Size=12 Position=#0







Band28 QPSK BW=10MHz Channel=27410 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27410 RB Size=50 Position=#0




Band28 QAM16 BW=10MHz Channel=27410 RB Size=12 Position=#0




Band28 QAM16 BW=10MHz Channel=27410 RB Size=12 Position=#Max




Band28 QAM16 BW=10MHz Channel=27410 RB Size=50 Position=#0




Band28 QPSK BW=10MHz Channel=27610 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27610 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27610 RB Size=50 Position=#0




Band28 QAM16 BW=10MHz Channel=27610 RB Size=12 Position=#0




Band28 QAM16 BW=10MHz Channel=27610 RB Size=12 Position=#Max




Band28 QAM16 BW=10MHz Channel=27610 RB Size=50 Position=#0



Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27310 RB Size=100 Position=#0







Band28 QAM16 BW=20MHz Channel=27310 RB Size=18 Position=#0




Band28 QAM16 BW=20MHz Channel=27310 RB Size=18 Position=#Max




Band28 QAM16 BW=20MHz Channel=27310 RB Size=100 Position=#0




Band28 QPSK BW=20MHz Channel=27460 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27460 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27460 RB Size=100 Position=#0




Band28 QAM16 BW=20MHz Channel=27460 RB Size=18 Position=#0




Band28 QAM16 BW=20MHz Channel=27460 RB Size=18 Position=#Max




Band28 QAM16 BW=20MHz Channel=27460 RB Size=100 Position=#0




Band28 QPSK BW=20MHz Channel=27560 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27560 RB Size=18 Position=#Max



Band28 QPSK BW=20MHz Channel=27560 RB Size=100 Position=#0




Band28 QAM16 BW=20MHz Channel=27560 RB Size=18 Position=#0




Band28 QAM16 BW=20MHz Channel=27560 RB Size=18 Position=#Max






Band28 QAM16 BW=20MHz Channel=27560 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#0



Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0







Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19225 RB Size=25 Position=#0



Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0







Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19575 RB Size=25 Position=#0



Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#Max







Band3 QAM16 BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#0



Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0







Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19575 RB Size=100 Position=#0



Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0







Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19850 RB Size=100 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QAM16 BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39550 RB Size=100 Position=#0



Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#Max







Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=50 Position=#0



Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#Max







Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QAM16 BW=5MHz Channel=38675 RB Size=25 Position=#0



Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=25 Position=#0



Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QPSK BW=5MHz Channel=38675 RB Size=25 Position=#0



Band40 QPSK BW=20MHz Channel=39550 RB Size=100 Position=#0



Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=25 Position=#0







Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QPSK BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39150 RB Size=100 Position=#0



Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#Max







Band40 QPSK BW=5MHz Channel=39625 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#0



Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0






Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0



Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0







Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max



Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#Max







Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#0



Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0







Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=6 Position=#0



Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0







Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max



Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#Max







Band8 QAM16 BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0







Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21750 RB Size=50 Position=#0



Clause 4.2.4 LTE Transmitter Spurious Emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.23	-36	PASS
Band1	5	18025	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.26	-36	PASS
Band1	5	18025	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	319.25	-61.02	-36	PASS
Band1	5	18025	1	#0	QPSK	1000 MHz-1910.00 MHz	1 MHz	1910.00	-56.67	-30	PASS
Band1	5	18025	1	#0	QPSK	1935.00 MHz-3000 MHz	1 MHz	1937.66	-56.39	-30	PASS
Band1	5	18025	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3840.94	-52.43	-30	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2113.72	-76.59	-50	PASS
Band1	5	18025	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.10	-81.59	-50	PASS
Band1	5	18025	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.18	-79.23	-50	PASS
Band1	5	18025	1	#0	QPSK	925 MHz-960 MHz	1 MHz	931.37	-82.14	-50	PASS
Band1	5	18025	1	#0	QPSK	791 MHz-821 MHz	1 MHz	820.49	-81.99	-50	PASS
Band1	5	18025	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.96	-79.91	-50	PASS
Band1	5	18025	1	#0	QPSK	758 MHz-803 MHz	1 MHz	793.37	-82.07	-50	PASS
Band1	5	18025	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.10	-82.18	-50	PASS
Band1	5	18025	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1481.79	-82.10	-50	PASS
Band1	5	18025	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.96	-81.26	-50	PASS



						MHz					
Band1	5	18025	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.80	-79.75	-50	PASS
Band1	5	18025	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.60	-80.67	-50	PASS
Band1	5	18025	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3600.00	-79.75	-50	PASS
Band1	5	18025	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3609.60	-80.39	-50	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2112.88	-76.54	-50	PASS
Band1	5	18025	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.14	-82.32	-50	PASS
Band1	5	18025	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.64	-82.19	-50	PASS
Band1	5	18025	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1913.18	-51.05	-15.5	PASS
Band1	5	18025	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1919.84	-47.82	1.6	PASS
Band1	5	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.02	-36	PASS
Band1	5	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.50	-36	PASS
Band1	5	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	360.48	-60.83	-36	PASS
Band1	5	18300	1	#0	QPSK	1000 MHz-1937.50 MHz	1 MHz	1937.50	-57.09	-30	PASS
Band1	5	18300	1	#0	QPSK	1962.50 MHz-3000 MHz	1 MHz	1965.09	-56.96	-30	PASS
Band1	5	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3895.38	-51.46	-30	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2138.50	-76.58	-50	PASS

Band1	5	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1880.00	-81.56	-50	PASS
Band1	5	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2645.76	-79.26	-50	PASS
Band1	5	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	929.31	-82.09	-50	PASS
Band1	5	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	791.21	-81.95	-50	PASS
Band1	5	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.28	-79.80	-50	PASS
Band1	5	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	791.03	-81.97	-50	PASS
Band1	5	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.25	-82.14	-50	PASS
Band1	5	18300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1456.88	-82.10	-50	PASS
Band1	5	18300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.27	-81.24	-50	PASS
Band1	5	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.65	-79.72	-50	PASS
Band1	5	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2383.70	-80.63	-50	PASS
Band1	5	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.00	-79.74	-50	PASS
Band1	5	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.40	-80.27	-50	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2138.44	-76.46	-50	PASS
Band1	5	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.74	-82.33	-50	PASS
Band1	5	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	773.55	-82.08	-50	PASS
Band1	5	18300	1	#0	QPSK	1895	5	1913.82	-54.03	-15.5	PASS

						MHz-1915 MHz	MHz				
Band1	5	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.79	-54.05	1.6	PASS
Band1	5	18575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.42	-36	PASS
Band1	5	18575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.58	-36	PASS
Band1	5	18575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	401.80	-61.46	-36	PASS
Band1	5	18575	1	#0	QPSK	1000 MHz-1965.00 MHz	1 MHz	1965.00	-57.50	-30	PASS
Band1	5	18575	1	#0	QPSK	1990.00 MHz-3000 MHz	1 MHz	1992.53	-56.55	-30	PASS
Band1	5	18575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12654.13	-53.90	-30	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2166.64	-75.67	-50	PASS
Band1	5	18575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.58	-81.57	-50	PASS
Band1	5	18575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2646.81	-79.23	-50	PASS
Band1	5	18575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.16	-82.06	-50	PASS
Band1	5	18575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.56	-81.91	-50	PASS
Band1	5	18575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3590.00	-79.82	-50	PASS
Band1	5	18575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	788.42	-81.98	-50	PASS
Band1	5	18575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.03	-82.13	-50	PASS
Band1	5	18575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1471.71	-82.04	-50	PASS

Band1	5	18575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.12	-81.14	-50	PASS
Band1	5	18575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.90	-79.62	-50	PASS
Band1	5	18575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.30	-80.55	-50	PASS
Band1	5	18575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.60	-79.71	-50	PASS
Band1	5	18575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3608.20	-80.28	-50	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2166.16	-75.69	-50	PASS
Band1	5	18575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.08	-82.24	-50	PASS
Band1	5	18575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.69	-82.04	-50	PASS
Band1	5	18575	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1905.36	-54.04	-15.5	PASS
Band1	5	18575	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1917.79	-54.02	1.6	PASS
Band1	20	18100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.57	-36	PASS
Band1	20	18100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.34	-36	PASS
Band1	20	18100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	320.42	-60.87	-36	PASS
Band1	20	18100	1	#0	QPSK	1000 MHz-1895.00 MHz	1 MHz	1895.00	-59.24	-30	PASS
Band1	20	18100	1	#0	QPSK	1965.00 MHz-3000 MHz	1 MHz	1983.11	-55.70	-30	PASS
Band1	20	18100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3842.56	-53.07	-30	PASS
Band1	20	18100	1	#0	QPSK	2110	1	2127.34	-75.91	-50	PASS

						MHz-2170 MHz	MHz				
Band1	20	18100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.13	-81.58	-50	PASS
Band1	20	18100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.31	-79.17	-50	PASS
Band1	20	18100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.33	-82.12	-50	PASS
Band1	20	18100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.85	-81.93	-50	PASS
Band1	20	18100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.08	-79.90	-50	PASS
Band1	20	18100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	786.17	-81.96	-50	PASS
Band1	20	18100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.50	-82.16	-50	PASS
Band1	20	18100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1475.01	-82.17	-50	PASS
Band1	20	18100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.07	-81.24	-50	PASS
Band1	20	18100	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.75	-79.71	-50	PASS
Band1	20	18100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.10	-80.65	-50	PASS
Band1	20	18100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3592.60	-79.85	-50	PASS
Band1	20	18100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3632.00	-80.41	-50	PASS
Band1	20	18100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2128.09	-75.94	-50	PASS
Band1	20	18100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.64	-82.32	-50	PASS
Band1	20	18100	1	#0	QPSK	753 MHz-783	1	782.76	-82.15	-50	PASS

						MHz	MHz				
Band1	20	18100	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1902.76	-46.68	-15.5	PASS
Band1	20	18100	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1919.95	-49.44	1.6	PASS
Band1	20	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.66	-36	PASS
Band1	20	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.10	-36	PASS
Band1	20	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	350.39	-60.94	-36	PASS
Band1	20	18300	1	#0	QPSK	1000 MHz-1915.00 MHz	1 MHz	1905.85	-38.58	-30	PASS
Band1	20	18300	1	#0	QPSK	1985.00 MHz-3000 MHz	1 MHz	2656.59	-60.01	-30	PASS
Band1	20	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3882.38	-49.46	-30	PASS
Band1	20	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2132.14	-75.79	-50	PASS
Band1	20	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.85	-81.51	-50	PASS
Band1	20	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2638.69	-79.32	-50	PASS
Band1	20	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	935.01	-82.07	-50	PASS
Band1	20	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.39	-81.92	-50	PASS
Band1	20	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.84	-79.78	-50	PASS
Band1	20	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.54	-82.01	-50	PASS
Band1	20	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.31	-82.15	-50	PASS
Band1	20	18300	1	#0	QPSK	1452	1	1486.85	-82.08	-50	PASS

						MHz-1496 MHz	MHz				
Band1	20	18300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.62	-81.22	-50	PASS
Band1	20	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.60	-79.71	-50	PASS
Band1	20	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2381.80	-80.65	-50	PASS
Band1	20	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-79.74	-50	PASS
Band1	20	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3611.60	-80.34	-50	PASS
Band1	20	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.87	-75.79	-50	PASS
Band1	20	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	749.94	-82.30	-50	PASS
Band1	20	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	773.82	-82.13	-50	PASS
Band1	20	18300	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1905.14	-41.14	-15.5	PASS
Band1	20	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.05	-53.89	1.6	PASS
Band1	20	18500	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.50	-36	PASS
Band1	20	18500	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.15	-36	PASS
Band1	20	18500	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	380.36	-59.74	-36	PASS
Band1	20	18500	1	#0	QPSK	1000 MHz-1935.00 MHz	1 MHz	1925.65	-45.17	-30	PASS
Band1	20	18500	1	#0	QPSK	2005.00 MHz-3000 MHz	1 MHz	2633.51	-59.94	-30	PASS
Band1	20	18500	1	#0	QPSK	3000 MHz-12.75 MHz	1 MHz	12620.00	-53.86	-30	PASS



						GHz					
Band1	20	18500	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2162.14	-75.81	-50	PASS
Band1	20	18500	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.95	-81.61	-50	PASS
Band1	20	18500	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2648.42	-79.28	-50	PASS
Band1	20	18500	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.11	-82.04	-50	PASS
Band1	20	18500	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.52	-81.90	-50	PASS
Band1	20	18500	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.24	-79.80	-50	PASS
Band1	20	18500	1	#0	QPSK	758 MHz-803 MHz	1 MHz	784.51	-81.95	-50	PASS
Band1	20	18500	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.82	-82.14	-50	PASS
Band1	20	18500	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1472.94	-82.01	-50	PASS
Band1	20	18500	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.26	-81.18	-50	PASS
Band1	20	18500	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.30	-79.70	-50	PASS
Band1	20	18500	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2388.10	-80.59	-50	PASS
Band1	20	18500	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.80	-79.79	-50	PASS
Band1	20	18500	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3620.20	-80.33	-50	PASS
Band1	20	18500	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2161.66	-75.81	-50	PASS
Band1	20	18500	1	#0	QPSK	738 MHz-758	1	755.04	-82.32	-50	PASS

						MHz	MHz				
Band1	20	18500	1	#0	QPSK	753 MHz-783 MHz	1 MHz	772.02	-82.06	-50	PASS
Band1	20	18500	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1903.14	-54.03	-15.5	PASS
Band1	20	18500	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1918.73	-54.04	1.6	PASS
Band20	5	24175	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.86	-36	PASS
Band20	5	24175	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.56	-36	PASS
Band20	5	24175	1	#0	QPSK	30 MHz-822.00 MHz	100 kHz	586.38	-70.51	-36	PASS
Band20	5	24175	1	#0	QPSK	847.00 MHz-1000 MHz	100 kHz	849.60	-66.24	-36	PASS
Band20	5	24175	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1322.50	-64.00	-30	PASS
Band20	5	24175	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1664.70	-53.64	-30	PASS
Band20	5	24175	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12654.83	-60.54	-30	PASS
Band20	5	24175	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2156.68	-84.28	-50	PASS
Band20	5	24175	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.75	-84.97	-50	PASS
Band20	5	24175	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2667.25	-82.60	-50	PASS
Band20	5	24175	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.77	-85.42	-50	PASS
Band20	5	24175	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.21	-72.14	-50	PASS
Band20	5	24175	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.84	-83.11	-50	PASS

Band20	5	24175	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.64	-85.46	-50	PASS
Band20	5	24175	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1473.08	-85.43	-50	PASS
Band20	5	24175	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1909.34	-84.90	-50	PASS
Band20	5	24175	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.11	-84.50	-50	PASS
Band20	5	24175	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2586.15	-79.06	-50	PASS
Band20	5	24175	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.90	-83.92	-50	PASS
Band20	5	24175	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.20	-83.02	-50	PASS
Band20	5	24175	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3628.80	-83.74	-50	PASS
Band20	5	24175	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2117.29	-84.37	-50	PASS
Band20	5	24175	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.36	-85.61	-50	PASS
Band20	5	24175	1	#0	QPSK	753 MHz-783 MHz	1 MHz	783.00	-85.38	-50	PASS
Band20	5	24175	1	#0	QPSK	758 MHz-788 MHz	1 MHz	783.50	-85.41	-50	PASS
Band20	5	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.96	-36	PASS
Band20	5	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.39	-36	PASS
Band20	5	24300	1	#0	QPSK	30 MHz-834.50 MHz	100 kHz	833.86	-68.40	-36	PASS
Band20	5	24300	1	#0	QPSK	859.50 MHz-1000 MHz	100 kHz	862.03	-65.13	-36	PASS
Band20	5	24300	1	#0	QPSK	1000	1	1466.50	-63.97	-30	PASS

						MHz-1500 MHz	MHz				
Band20	5	24300	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1689.90	-57.48	-30	PASS
Band20	5	24300	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12651.45	-60.64	-30	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2124.94	-84.28	-50	PASS
Band20	5	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.65	-85.03	-50	PASS
Band20	5	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.39	-82.57	-50	PASS
Band20	5	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	929.69	-85.39	-50	PASS
Band20	5	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	807.47	-73.65	-50	PASS
Band20	5	24300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.76	-83.20	-50	PASS
Band20	5	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.36	-85.36	-50	PASS
Band20	5	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1461.77	-85.45	-50	PASS
Band20	5	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.88	-84.87	-50	PASS
Band20	5	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.77	-84.53	-50	PASS
Band20	5	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.60	-83.02	-50	PASS
Band20	5	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2392.80	-83.95	-50	PASS
Band20	5	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3592.40	-83.12	-50	PASS

						MHz					
Band20	5	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3608.00	-83.66	-50	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.21	-84.37	-50	PASS
Band20	5	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.50	-85.63	-50	PASS
Band20	5	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.16	-85.41	-50	PASS
Band20	5	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	787.64	-85.36	-50	PASS
Band20	5	24425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.85	-36	PASS
Band20	5	24425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.76	-36	PASS
Band20	5	24425	1	#0	QPSK	30 MHz-847.00 MHz	100 kHz	846.84	-68.75	-36	PASS
Band20	5	24425	1	#0	QPSK	872.00 MHz-1000 MHz	100 kHz	895.30	-72.33	-36	PASS
Band20	5	24425	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1338.00	-64.03	-30	PASS
Band20	5	24425	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1715.10	-54.25	-30	PASS
Band20	5	24425	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12681.83	-60.59	-30	PASS
Band20	5	24425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2158.66	-84.31	-50	PASS
Band20	5	24425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.93	-84.96	-50	PASS
Band20	5	24425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2667.81	-82.56	-50	PASS
Band20	5	24425	1	#0	QPSK	925 MHz-960 MHz	1 MHz	945.93	-85.40	-50	PASS
Band20	5	24425	1	#0	QPSK	791 MHz-821	1	817.10	-79.06	-50	PASS

						MHz	MHz				
Band20	5	24425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.44	-83.11	-50	PASS
Band20	5	24425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.25	-85.49	-50	PASS
Band20	5	24425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1466.83	-85.36	-50	PASS
Band20	5	24425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1917.72	-84.86	-50	PASS
Band20	5	24425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.56	-84.48	-50	PASS
Band20	5	24425	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2612.75	-82.98	-50	PASS
Band20	5	24425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2386.70	-83.92	-50	PASS
Band20	5	24425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.20	-83.06	-50	PASS
Band20	5	24425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.80	-83.65	-50	PASS
Band20	5	24425	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2135.65	-84.32	-50	PASS
Band20	5	24425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.82	-85.60	-50	PASS
Band20	5	24425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.08	-85.42	-50	PASS
Band20	5	24425	1	#0	QPSK	758 MHz-788 MHz	1 MHz	787.40	-85.37	-50	PASS
Band20	20	24250	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.77	-36	PASS
Band20	20	24250	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.62	-36	PASS
Band20	20	24250	1	#0	QPSK	30 MHz-807.00 MHz	100 kHz	796.36	-70.94	-36	PASS

Band20	20	24250	1	#0	QPSK	877.00 MHz-1000 MHz	100 kHz	994.96	-72.26	-36	PASS
Band20	20	24250	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1352.00	-64.05	-30	PASS
Band20	20	24250	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1666.50	-54.81	-30	PASS
Band20	20	24250	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12660.23	-60.56	-30	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2133.64	-84.30	-50	PASS
Band20	20	24250	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.25	-84.93	-50	PASS
Band20	20	24250	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2665.57	-82.59	-50	PASS
Band20	20	24250	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.36	-85.39	-50	PASS
Band20	20	24250	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.12	-72.55	-50	PASS
Band20	20	24250	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.40	-83.17	-50	PASS
Band20	20	24250	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.74	-85.44	-50	PASS
Band20	20	24250	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1481.04	-85.38	-50	PASS
Band20	20	24250	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1912.22	-84.89	-50	PASS
Band20	20	24250	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.60	-84.45	-50	PASS
Band20	20	24250	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.55	-83.01	-50	PASS
Band20	20	24250	1	#0	QPSK	2300	1	2393.30	-83.86	-50	PASS



						MHz-2400 MHz	MHz				
Band20	20	24250	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-83.11	-50	PASS
Band20	20	24250	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3620.60	-83.67	-50	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2141.23	-84.33	-50	PASS
Band20	20	24250	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.42	-85.57	-50	PASS
Band20	20	24250	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.47	-85.40	-50	PASS
Band20	20	24250	1	#0	QPSK	758 MHz-788 MHz	1 MHz	783.11	-85.37	-50	PASS
Band20	20	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.07	-36	PASS
Band20	20	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.95	-36	PASS
Band20	20	24300	1	#0	QPSK	30 MHz-812.00 MHz	100 kHz	805.67	-70.64	-36	PASS
Band20	20	24300	1	#0	QPSK	882.00 MHz-1000 MHz	100 kHz	998.23	-72.46	-36	PASS
Band20	20	24300	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1472.50	-63.97	-30	PASS
Band20	20	24300	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1676.40	-58.43	-30	PASS
Band20	20	24300	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12641.33	-60.49	-30	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2126.44	-84.35	-50	PASS
Band20	20	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.90	-84.99	-50	PASS
Band20	20	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2658.36	-82.56	-50	PASS

						MHz					
Band20	20	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.56	-85.35	-50	PASS
Band20	20	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	808.73	-73.31	-50	PASS
Band20	20	24300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.92	-83.21	-50	PASS
Band20	20	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.24	-85.46	-50	PASS
Band20	20	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1485.18	-85.38	-50	PASS
Band20	20	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1913.28	-84.85	-50	PASS
Band20	20	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.30	-84.48	-50	PASS
Band20	20	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.50	-82.94	-50	PASS
Band20	20	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.50	-83.93	-50	PASS
Band20	20	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.00	-82.97	-50	PASS
Band20	20	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3613.80	-83.67	-50	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.38	-84.34	-50	PASS
Band20	20	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.72	-85.57	-50	PASS
Band20	20	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.88	-85.41	-50	PASS
Band20	20	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	786.71	-85.33	-50	PASS
Band20	20	24350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.33	-36	PASS
Band20	20	24350	1	#0	QPSK	150 kHz-30	10	0.16	-61.39	-36	PASS

						MHz	kHz				
Band20	20	24350	1	#0	QPSK	30 MHz-817.00 MHz	100 kHz	803.62	-70.98	-36	PASS
Band20	20	24350	1	#0	QPSK	887.00 MHz-1000 MHz	100 kHz	995.48	-72.62	-36	PASS
Band20	20	24350	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1389.00	-64.08	-30	PASS
Band20	20	24350	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1686.30	-56.47	-30	PASS
Band20	20	24350	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12585.30	-60.56	-30	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2131.24	-84.28	-50	PASS
Band20	20	24350	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.95	-84.95	-50	PASS
Band20	20	24350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2657.87	-82.59	-50	PASS
Band20	20	24350	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.81	-85.31	-50	PASS
Band20	20	24350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	808.79	-73.34	-50	PASS
Band20	20	24350	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.88	-83.17	-50	PASS
Band20	20	24350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.01	-85.47	-50	PASS
Band20	20	24350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1472.15	-85.42	-50	PASS
Band20	20	24350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.00	-84.90	-50	PASS
Band20	20	24350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.61	-84.46	-50	PASS

Band20	20	24350	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2611.00	-83.03	-50	PASS
Band20	20	24350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.70	-83.91	-50	PASS
Band20	20	24350	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.60	-83.08	-50	PASS
Band20	20	24350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3619.80	-83.64	-50	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2143.48	-84.34	-50	PASS
Band20	20	24350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.72	-85.61	-50	PASS
Band20	20	24350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.48	-85.34	-50	PASS
Band20	20	24350	1	#0	QPSK	758 MHz-788 MHz	1 MHz	779.21	-85.40	-50	PASS
Band28	3	27225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.05	-36	PASS
Band28	3	27225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.40	-36	PASS
Band28	3	27225	1	#0	QPSK	30 MHz-697.00 MHz	100 kHz	696.93	-62.56	-36	PASS
Band28	3	27225	1	#0	QPSK	712.00 MHz-1000 MHz	100 kHz	712.29	-59.96	-36	PASS
Band28	3	27225	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1256.80	-63.55	-30	PASS
Band28	3	27225	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1406.22	-39.59	-30	PASS
Band28	3	27225	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12621.75	-60.66	-30	PASS
Band28	3	27225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2145.52	-71.76	-50	PASS
Band28	3	27225	1	#0	QPSK	1805	1	1872.95	-72.48	-50	PASS

						MHz-1880 MHz	MHz				
Band28	3	27225	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2652.69	-70.20	-50	PASS
Band28	3	27225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.21	-64.48	-50	PASS
Band28	3	27225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	816.02	-66.27	-50	PASS
Band28	3	27225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.00	-70.67	-50	PASS
Band28	3	27225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.69	-63.19	-50	PASS
Band28	3	27225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1486.67	-72.78	-50	PASS
Band28	3	27225	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.20	-71.93	-50	PASS
Band28	3	27225	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.10	-70.55	-50	PASS
Band28	3	27225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.20	-70.63	-50	PASS
Band28	3	27225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3628.40	-71.01	-50	PASS
Band28	3	27225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2149.24	-71.75	-50	PASS
Band28	3	27225	1	#0	QPSK	758 MHz-773 MHz	1 MHz	758.59	-66.24	-32	PASS
Band28	3	27225	1	#0	QPSK	773 MHz-803 MHz	1 MHz	796.82	-66.52	-50	PASS
Band28	3	27225	1	#0	QPSK	470 MHz-694 MHz	8 MHz	694.00	-41.50	-25	PASS
Band28	3	27375	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.99	-36	PASS
Band28	3	27375	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.15	-36	PASS
Band28	3	27375	1	#0	QPSK	30	100	712.00	-59.24	-36	PASS

						MHz-712.00 MHz	kHz				
Band28	3	27375	1	#0	QPSK	727.00 MHz-1000 MHz	100 kHz	727.27	-62.38	-36	PASS
Band28	3	27375	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1269.70	-63.53	-30	PASS
Band28	3	27375	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1436.30	-39.69	-30	PASS
Band28	3	27375	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12618.38	-60.61	-30	PASS
Band28	3	27375	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2132.92	-71.77	-50	PASS
Band28	3	27375	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1858.25	-72.40	-50	PASS
Band28	3	27375	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2674.25	-70.14	-50	PASS
Band28	3	27375	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.42	-63.21	-50	PASS
Band28	3	27375	1	#0	QPSK	791 MHz-821 MHz	1 MHz	815.72	-66.53	-50	PASS
Band28	3	27375	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.92	-70.67	-50	PASS
Band28	3	27375	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.38	-63.69	-50	PASS
Band28	3	27375	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1456.80	-72.79	-50	PASS
Band28	3	27375	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.45	-71.94	-50	PASS
Band28	3	27375	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2585.50	-69.71	-50	PASS
Band28	3	27375	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3588.20	-70.71	-50	PASS

						MHz					
Band28	3	27375	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3611.60	-71.00	-50	PASS
Band28	3	27375	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2132.68	-71.78	-50	PASS
Band28	3	27375	1	#0	QPSK	758 MHz-773 MHz	1 MHz	759.46	-66.27	-32	PASS
Band28	3	27375	1	#0	QPSK	773 MHz-803 MHz	1 MHz	774.68	-66.33	-50	PASS
Band28	3	27375	1	#0	QPSK	470 MHz-694 MHz	8 MHz	505.62	-52.46	-25	PASS
Band28	3	27645	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.36	-36	PASS
Band28	3	27645	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.38	-36	PASS
Band28	3	27645	1	#0	QPSK	30 MHz-739.00 MHz	100 kHz	739.00	-59.39	-36	PASS
Band28	3	27645	1	#0	QPSK	754.00 MHz-1000 MHz	100 kHz	941.94	-70.64	-36	PASS
Band28	3	27645	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1001.20	-63.37	-30	PASS
Band28	3	27645	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1490.82	-43.87	-30	PASS
Band28	3	27645	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12634.13	-60.61	-30	PASS
Band28	3	27645	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2128.78	-71.77	-50	PASS
Band28	3	27645	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.08	-72.42	-50	PASS
Band28	3	27645	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2672.57	-70.12	-50	PASS
Band28	3	27645	1	#0	QPSK	925 MHz-960 MHz	1 MHz	949.40	-62.86	-50	PASS
Band28	3	27645	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.17	-65.84	-50	PASS



						MHz	MHz				
Band28	3	27645	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.60	-70.70	-50	PASS
Band28	3	27645	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.95	-64.34	-50	PASS
Band28	3	27645	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1488.96	-67.55	-50	PASS
Band28	3	27645	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.31	-72.01	-50	PASS
Band28	3	27645	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.65	-70.47	-50	PASS
Band28	3	27645	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.20	-70.65	-50	PASS
Band28	3	27645	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3610.60	-71.00	-50	PASS
Band28	3	27645	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.42	-71.82	-50	PASS
Band28	3	27645	1	#0	QPSK	758 MHz-773 MHz	1 MHz	758.41	-64.76	-32	PASS
Band28	3	27645	1	#0	QPSK	773 MHz-803 MHz	1 MHz	773.36	-65.27	-50	PASS
Band28	3	27645	1	#0	QPSK	470 MHz-694 MHz	8 MHz	523.31	-52.81	-25	PASS
Band28	5	27235	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.59	-36	PASS
Band28	5	27235	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.95	-36	PASS
Band28	5	27235	1	#0	QPSK	30 MHz-693.00 MHz	100 kHz	509.42	-69.47	-36	PASS
Band28	5	27235	1	#0	QPSK	718.00 MHz-1000 MHz	100 kHz	720.54	-64.34	-36	PASS
Band28	5	27235	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1295.20	-63.57	-30	PASS

Band28	5	27235	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1406.22	-40.65	-30	PASS
Band28	5	27235	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12661.13	-60.70	-30	PASS
Band28	5	27235	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2131.78	-71.80	-50	PASS
Band28	5	27235	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.95	-72.39	-50	PASS
Band28	5	27235	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.75	-70.18	-50	PASS
Band28	5	27235	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.25	-64.46	-50	PASS
Band28	5	27235	1	#0	QPSK	791 MHz-821 MHz	1 MHz	814.88	-66.29	-50	PASS
Band28	5	27235	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.72	-70.64	-50	PASS
Band28	5	27235	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.62	-63.13	-50	PASS
Band28	5	27235	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1468.54	-72.76	-50	PASS
Band28	5	27235	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.21	-71.90	-50	PASS
Band28	5	27235	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.95	-70.52	-50	PASS
Band28	5	27235	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.80	-70.64	-50	PASS
Band28	5	27235	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3623.40	-70.96	-50	PASS
Band28	5	27235	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2129.71	-71.83	-50	PASS
Band28	5	27235	1	#0	QPSK	758 MHz-773	1	758.87	-66.23	-32	PASS

						MHz	MHz				
Band28	5	27235	1	#0	QPSK	773 MHz-803 MHz	1 MHz	798.08	-66.53	-50	PASS
Band28	5	27235	1	#0	QPSK	470 MHz-694 MHz	8 MHz	694.00	-44.29	-25	PASS
Band28	5	27385	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.68	-36	PASS
Band28	5	27385	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.51	-36	PASS
Band28	5	27385	1	#0	QPSK	30 MHz-708.00 MHz	100 kHz	707.53	-69.09	-36	PASS
Band28	5	27385	1	#0	QPSK	733.00 MHz-1000 MHz	100 kHz	735.40	-69.18	-36	PASS
Band28	5	27385	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1242.70	-63.55	-30	PASS
Band28	5	27385	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1436.30	-41.20	-30	PASS
Band28	5	27385	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12629.63	-60.69	-30	PASS
Band28	5	27385	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2114.50	-71.78	-50	PASS
Band28	5	27385	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.95	-72.41	-50	PASS
Band28	5	27385	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2648.63	-70.14	-50	PASS
Band28	5	27385	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.72	-63.46	-50	PASS
Band28	5	27385	1	#0	QPSK	791 MHz-821 MHz	1 MHz	820.34	-66.55	-50	PASS
Band28	5	27385	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.16	-70.67	-50	PASS
Band28	5	27385	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.17	-63.85	-50	PASS
Band28	5	27385	1	#0	QPSK	1452	1	1493.49	-72.74	-50	PASS

						MHz-1496 MHz	MHz				
Band28	5	27385	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.05	-71.98	-50	PASS
Band28	5	27385	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2612.45	-70.53	-50	PASS
Band28	5	27385	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3587.60	-70.72	-50	PASS
Band28	5	27385	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3623.40	-70.97	-50	PASS
Band28	5	27385	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.69	-71.81	-50	PASS
Band28	5	27385	1	#0	QPSK	758 MHz-773 MHz	1 MHz	758.42	-66.29	-32	PASS
Band28	5	27385	1	#0	QPSK	773 MHz-803 MHz	1 MHz	774.86	-66.39	-50	PASS
Band28	5	27385	1	#0	QPSK	470 MHz-694 MHz	8 MHz	505.39	-52.52	-25	PASS
Band28	5	27635	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.01	-36	PASS
Band28	5	27635	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.40	-36	PASS
Band28	5	27635	1	#0	QPSK	30 MHz-733.00 MHz	100 kHz	732.09	-69.01	-36	PASS
Band28	5	27635	1	#0	QPSK	758.00 MHz-1000 MHz	100 kHz	944.58	-70.54	-36	PASS
Band28	5	27635	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1000.30	-63.46	-30	PASS
Band28	5	27635	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1487.06	-32.87	-30	PASS
Band28	5	27635	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12653.25	-60.54	-30	PASS
Band28	5	27635	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2132.08	-71.76	-50	PASS

						MHz					
Band28	5	27635	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.98	-72.39	-50	PASS
Band28	5	27635	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.16	-70.07	-50	PASS
Band28	5	27635	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.85	-62.85	-50	PASS
Band28	5	27635	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.73	-66.10	-50	PASS
Band28	5	27635	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.20	-70.64	-50	PASS
Band28	5	27635	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.28	-64.33	-50	PASS
Band28	5	27635	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1484.96	-65.20	-50	PASS
Band28	5	27635	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.73	-71.96	-50	PASS
Band28	5	27635	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.85	-70.54	-50	PASS
Band28	5	27635	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.00	-70.57	-50	PASS
Band28	5	27635	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3606.80	-71.02	-50	PASS
Band28	5	27635	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.51	-71.79	-50	PASS
Band28	5	27635	1	#0	QPSK	758 MHz-773 MHz	1 MHz	760.78	-64.88	-32	PASS
Band28	5	27635	1	#0	QPSK	773 MHz-803 MHz	1 MHz	774.56	-65.35	-50	PASS
Band28	5	27635	1	#0	QPSK	470 MHz-694 MHz	8 MHz	527.12	-52.81	-25	PASS
Band28	20	27310	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.05	-36	PASS
Band28	20	27310	1	#0	QPSK	150 kHz-30	10	0.16	-62.82	-36	PASS

						MHz	kHz				
Band28	20	27310	1	#0	QPSK	30 MHz-678.00 MHz	100 kHz	505.83	-69.65	-36	PASS
Band28	20	27310	1	#0	QPSK	748.00 MHz-1000 MHz	100 kHz	893.40	-71.30	-36	PASS
Band28	20	27310	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1277.50	-63.58	-30	PASS
Band28	20	27310	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1408.10	-40.07	-30	PASS
Band28	20	27310	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12672.38	-60.53	-30	PASS
Band28	20	27310	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	0.00	-999.00	-50	PASS
Band28	20	27310	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.23	-72.39	-50	PASS
Band28	20	27310	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.01	-70.15	-50	PASS
Band28	20	27310	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.25	-64.48	-50	PASS
Band28	20	27310	1	#0	QPSK	791 MHz-821 MHz	1 MHz	818.57	-66.32	-50	PASS
Band28	20	27310	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3513.44	-71.05	-50	PASS
Band28	20	27310	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.01	-63.33	-50	PASS
Band28	20	27310	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1490.98	-72.76	-50	PASS
Band28	20	27310	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.15	-71.89	-50	PASS
Band28	20	27310	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.15	-70.48	-50	PASS

Band28	20	27310	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3402.20	-70.74	-50	PASS
Band28	20	27310	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3638.80	-71.00	-50	PASS
Band28	20	27310	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2174.53	-71.86	-50	PASS
Band28	20	27310	1	#0	QPSK	758 MHz-773 MHz	1 MHz	766.66	-66.33	-32	PASS
Band28	20	27310	1	#0	QPSK	773 MHz-803 MHz	1 MHz	802.91	-66.61	-50	PASS
Band28	20	27310	1	#0	QPSK	470 MHz-694 MHz	8 MHz	694.00	-45.64	-25	PASS
Band28	20	27460	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.98	-36	PASS
Band28	20	27460	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.20	-36	PASS
Band28	20	27460	1	#0	QPSK	30 MHz-693.00 MHz	100 kHz	511.67	-69.78	-36	PASS
Band28	20	27460	1	#0	QPSK	763.00 MHz-1000 MHz	100 kHz	910.41	-71.04	-36	PASS
Band28	20	27460	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1257.40	-63.52	-30	PASS
Band28	20	27460	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1438.18	-41.67	-30	PASS
Band28	20	27460	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12645.38	-60.65	-30	PASS
Band28	20	27460	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2128.90	-71.77	-50	PASS
Band28	20	27460	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.95	-72.33	-50	PASS
Band28	20	27460	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2666.76	-70.08	-50	PASS
Band28	20	27460	1	#0	QPSK	925 MHz-960	1	925.11	-63.42	-50	PASS

						MHz	MHz				
Band28	20	27460	1	#0	QPSK	791 MHz-821 MHz	1 MHz	819.65	-66.65	-50	PASS
Band28	20	27460	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.64	-70.67	-50	PASS
Band28	20	27460	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.35	-63.98	-50	PASS
Band28	20	27460	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1491.42	-72.80	-50	PASS
Band28	20	27460	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.11	-71.94	-50	PASS
Band28	20	27460	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.00	-70.52	-50	PASS
Band28	20	27460	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3587.40	-70.66	-50	PASS
Band28	20	27460	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3698.80	-71.32	-50	PASS
Band28	20	27460	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2127.19	-71.75	-50	PASS
Band28	20	27460	1	#0	QPSK	758 MHz-773 MHz	1 MHz	760.09	-66.32	-32	PASS
Band28	20	27460	1	#0	QPSK	773 MHz-803 MHz	1 MHz	785.15	-66.00	-50	PASS
Band28	20	27460	1	#0	QPSK	470 MHz-694 MHz	8 MHz	510.99	-52.61	-25	PASS
Band28	20	27560	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.72	-36	PASS
Band28	20	27560	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.82	-36	PASS
Band28	20	27560	1	#0	QPSK	30 MHz-703.00 MHz	100 kHz	693.44	-60.91	-36	PASS
Band28	20	27560	1	#0	QPSK	773.00 MHz-1000 MHz	100 kHz	927.36	-70.99	-36	PASS
Band28	20	27560	1	#0	QPSK	1000 MHz	1 MHz	1272.10	-63.56	-30	PASS



						MHz-1300 MHz	MHz				
Band28	20	27560	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1457.92	-36.01	-30	PASS
Band28	20	27560	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12594.75	-60.68	-30	PASS
Band28	20	27560	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2151.88	-71.74	-50	PASS
Band28	20	27560	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1863.58	-72.41	-50	PASS
Band28	20	27560	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2649.68	-70.11	-50	PASS
Band28	20	27560	1	#0	QPSK	925 MHz-960 MHz	1 MHz	931.83	-63.18	-50	PASS
Band28	20	27560	1	#0	QPSK	791 MHz-821 MHz	1 MHz	791.48	-66.53	-50	PASS
Band28	20	27560	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.96	-70.52	-50	PASS
Band28	20	27560	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.65	-64.07	-50	PASS
Band28	20	27560	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1454.99	-72.33	-50	PASS
Band28	20	27560	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.78	-71.93	-50	PASS
Band28	20	27560	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.00	-70.46	-50	PASS
Band28	20	27560	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.40	-70.54	-50	PASS
Band28	20	27560	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3628.40	-70.98	-50	PASS
Band28	20	27560	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.65	-71.74	-50	PASS

						MHz					
Band28	20	27560	1	#0	QPSK	758 MHz-773 MHz	1 MHz	758.18	-65.46	-32	PASS
Band28	20	27560	1	#0	QPSK	773 MHz-803 MHz	1 MHz	784.97	-65.61	-50	PASS
Band28	20	27560	1	#0	QPSK	470 MHz-694 MHz	8 MHz	692.66	-51.82	-25	PASS
Band3	1.4	19207	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.94	-36	PASS
Band3	1.4	19207	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.80	-36	PASS
Band3	1.4	19207	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	830.06	-70.81	-36	PASS
Band3	1.4	19207	1	#0	QPSK	1000 MHz-1707.20 MHz	1 MHz	1707.20	-41.15	-30	PASS
Band3	1.4	19207	1	#0	QPSK	1714.20 MHz-3000 MHz	1 MHz	1715.27	-45.78	-30	PASS
Band3	1.4	19207	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3420.88	-49.93	-30	PASS
Band3	1.4	19207	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2145.16	-81.56	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.50	-82.24	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2658.50	-79.83	-50	PASS
Band3	1.4	19207	1	#0	QPSK	925 MHz-960 MHz	1 MHz	933.05	-82.67	-50	PASS
Band3	1.4	19207	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.92	-82.54	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.20	-80.42	-50	PASS
Band3	1.4	19207	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.34	-82.61	-50	PASS
Band3	1.4	19207	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.63	-82.75	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1452 MHz	1 MHz	1475.36	-82.67	-50	PASS

						MHz-1496 MHz	MHz				
Band3	1.4	19207	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.26	-82.21	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.92	-81.71	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2614.80	-80.28	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2374.00	-81.13	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.20	-80.35	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3611.60	-80.61	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2140.33	-81.58	-50	PASS
Band3	1.4	19207	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.98	-82.91	-50	PASS
Band3	1.4	19207	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.80	-82.72	-50	PASS
Band3	1.4	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.37	-36	PASS
Band3	1.4	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.99	-36	PASS
Band3	1.4	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	59.29	-70.46	-36	PASS
Band3	1.4	19575	1	#0	QPSK	1000 MHz-1744.00 MHz	1 MHz	1744.00	-40.68	-30	PASS
Band3	1.4	19575	1	#0	QPSK	1751.00 MHz-3000 MHz	1 MHz	1752.04	-46.18	-30	PASS
Band3	1.4	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3494.00	-42.47	-30	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2161.00	-81.51	-50	PASS

						MHz					
Band3	1.4	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1842.35	-78.16	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.02	-79.81	-50	PASS
Band3	1.4	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.96	-82.66	-50	PASS
Band3	1.4	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	808.94	-82.51	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.12	-80.31	-50	PASS
Band3	1.4	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.85	-82.55	-50	PASS
Band3	1.4	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.28	-82.70	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1461.77	-82.65	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.54	-82.15	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.87	-81.62	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2614.05	-80.19	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2377.00	-81.06	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3492.40	-78.47	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3685.20	-80.99	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2127.01	-81.56	-50	PASS
Band3	1.4	19575	1	#0	QPSK	738 MHz-758	1	756.88	-82.92	-50	PASS

						MHz	MHz				
Band3	1.4	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.07	-82.65	-50	PASS
Band3	1.4	19943	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.93	-36	PASS
Band3	1.4	19943	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.04	-36	PASS
Band3	1.4	19943	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	897.86	-70.82	-36	PASS
Band3	1.4	19943	1	#0	QPSK	1000 MHz-1780.80 MHz	1 MHz	1780.80	-40.92	-30	PASS
Band3	1.4	19943	1	#0	QPSK	1787.80 MHz-3000 MHz	1 MHz	1788.81	-46.92	-30	PASS
Band3	1.4	19943	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3567.94	-31.77	-30	PASS
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2117.02	-81.40	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.33	-77.50	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2648.14	-79.70	-50	PASS
Band3	1.4	19943	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.36	-82.63	-50	PASS
Band3	1.4	19943	1	#0	QPSK	791 MHz-821 MHz	1 MHz	813.14	-82.46	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3566.16	-62.01	-50	PASS
Band3	1.4	19943	1	#0	QPSK	758 MHz-803 MHz	1 MHz	793.28	-82.50	-50	PASS
Band3	1.4	19943	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.95	-82.71	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1459.26	-82.57	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1909.16	-82.11	-50	PASS

						MHz					
Band3	1.4	19943	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.81	-81.65	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.05	-78.38	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2379.90	-81.01	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3566.00	-69.49	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3618.40	-80.92	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2118.19	-81.51	-50	PASS
Band3	1.4	19943	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.64	-82.80	-50	PASS
Band3	1.4	19943	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.99	-82.61	-50	PASS
Band3	5	19225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.48	-36	PASS
Band3	5	19225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.10	-36	PASS
Band3	5	19225	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	859.45	-70.78	-36	PASS
Band3	5	19225	1	#0	QPSK	1000 MHz-1700.00 MHz	1 MHz	1700.00	-53.08	-30	PASS
Band3	5	19225	1	#0	QPSK	1725.00 MHz-3000 MHz	1 MHz	2637.69	-51.51	-30	PASS
Band3	5	19225	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3420.88	-46.16	-30	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2123.02	-81.57	-50	PASS
Band3	5	19225	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.88	-82.20	-50	PASS

Band3	5	19225	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2647.09	-79.88	-50	PASS
Band3	5	19225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.47	-82.73	-50	PASS
Band3	5	19225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.53	-82.62	-50	PASS
Band3	5	19225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3583.20	-80.46	-50	PASS
Band3	5	19225	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.68	-82.61	-50	PASS
Band3	5	19225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.63	-82.77	-50	PASS
Band3	5	19225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1457.46	-82.73	-50	PASS
Band3	5	19225	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.42	-82.17	-50	PASS
Band3	5	19225	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.90	-81.65	-50	PASS
Band3	5	19225	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.60	-80.29	-50	PASS
Band3	5	19225	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2379.30	-81.05	-50	PASS
Band3	5	19225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-80.40	-50	PASS
Band3	5	19225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3615.00	-80.56	-50	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2118.82	-81.56	-50	PASS
Band3	5	19225	1	#0	QPSK	738 MHz-758 MHz	1 MHz	743.54	-82.94	-50	PASS
Band3	5	19225	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.94	-82.69	-50	PASS
Band3	5	19575	1	#0	QPSK	9 kHz-150	1	0.01	-56.09	-36	PASS

						kHz	kHz				
Band3	5	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.33	-36	PASS
Band3	5	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	56.77	-70.55	-36	PASS
Band3	5	19575	1	#0	QPSK	1000 MHz-1735.00 MHz	1 MHz	1728.39	-40.54	-30	PASS
Band3	5	19575	1	#0	QPSK	1760.00 MHz-3000 MHz	1 MHz	1763.10	-40.14	-30	PASS
Band3	5	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3490.75	-40.82	-30	PASS
Band3	5	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2133.34	-81.52	-50	PASS
Band3	5	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1841.30	-77.27	-50	PASS
Band3	5	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2649.05	-79.80	-50	PASS
Band3	5	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	933.61	-82.67	-50	PASS
Band3	5	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	803.42	-82.50	-50	PASS
Band3	5	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.84	-80.37	-50	PASS
Band3	5	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	802.73	-82.53	-50	PASS
Band3	5	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.33	-82.72	-50	PASS
Band3	5	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1455.56	-82.64	-50	PASS
Band3	5	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.94	-82.11	-50	PASS
Band3	5	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.23	-81.67	-50	PASS



Band3	5	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.75	-79.51	-50	PASS
Band3	5	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2389.70	-81.01	-50	PASS
Band3	5	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3588.80	-80.33	-50	PASS
Band3	5	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3685.00	-80.81	-50	PASS
Band3	5	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2139.88	-81.57	-50	PASS
Band3	5	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.22	-82.88	-50	PASS
Band3	5	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.67	-82.67	-50	PASS
Band3	5	19925	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.51	-36	PASS
Band3	5	19925	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.03	-36	PASS
Band3	5	19925	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	888.84	-70.73	-36	PASS
Band3	5	19925	1	#0	QPSK	1000 MHz-1770.00 MHz	1 MHz	1769.23	-52.42	-30	PASS
Band3	5	19925	1	#0	QPSK	1795.00 MHz-3000 MHz	1 MHz	2670.63	-51.35	-30	PASS
Band3	5	19925	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3560.63	-38.95	-30	PASS
Band3	5	19925	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2119.90	-81.42	-50	PASS
Band3	5	19925	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.10	-77.82	-50	PASS
Band3	5	19925	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2646.11	-79.64	-50	PASS
Band3	5	19925	1	#0	QPSK	925 MHz-960	1	925.04	-82.61	-50	PASS

						MHz	MHz				
Band3	5	19925	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.76	-82.48	-50	PASS
Band3	5	19925	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3558.96	-75.75	-50	PASS
Band3	5	19925	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.98	-82.50	-50	PASS
Band3	5	19925	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.43	-82.63	-50	PASS
Band3	5	19925	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1480.47	-82.56	-50	PASS
Band3	5	19925	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.24	-82.10	-50	PASS
Band3	5	19925	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.80	-81.53	-50	PASS
Band3	5	19925	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2604.25	-75.68	-50	PASS
Band3	5	19925	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2389.70	-81.05	-50	PASS
Band3	5	19925	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3558.80	-79.56	-50	PASS
Band3	5	19925	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.60	-80.95	-50	PASS
Band3	5	19925	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2116.75	-81.47	-50	PASS
Band3	5	19925	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.28	-82.87	-50	PASS
Band3	5	19925	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.28	-82.60	-50	PASS
Band3	10	19250	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.05	-36	PASS
Band3	10	19250	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.73	-36	PASS
Band3	10	19250	1	#0	QPSK	30 MHz-1000	100	897.08	-70.92	-36	PASS

Band3	10	19250	1	#0	QPSK	1000 MHz-1695.00 MHz	1 MHz	1692.92	-45.76	-30	PASS
Band3	10	19250	1	#0	QPSK	1735.00 MHz-3000 MHz	1 MHz	2645.80	-51.51	-30	PASS
Band3	10	19250	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3420.88	-48.54	-30	PASS
Band3	10	19250	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2131.36	-81.53	-50	PASS
Band3	10	19250	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1813.40	-80.75	-50	PASS
Band3	10	19250	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.89	-79.88	-50	PASS
Band3	10	19250	1	#0	QPSK	925 MHz-960 MHz	1 MHz	936.59	-82.65	-50	PASS
Band3	10	19250	1	#0	QPSK	791 MHz-821 MHz	1 MHz	800.96	-82.57	-50	PASS
Band3	10	19250	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.68	-80.40	-50	PASS
Band3	10	19250	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.19	-82.56	-50	PASS
Band3	10	19250	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.30	-82.69	-50	PASS
Band3	10	19250	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.69	-82.63	-50	PASS
Band3	10	19250	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.44	-82.11	-50	PASS
Band3	10	19250	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.05	-81.62	-50	PASS
Band3	10	19250	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2574.30	-78.41	-50	PASS
Band3	10	19250	1	#0	QPSK	2300	1	2384.60	-81.16	-50	PASS

						MHz-2400 MHz	MHz				
Band3	10	19250	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.60	-80.34	-50	PASS
Band3	10	19250	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3620.20	-80.53	-50	PASS
Band3	10	19250	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2125.03	-81.57	-50	PASS
Band3	10	19250	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.38	-82.93	-50	PASS
Band3	10	19250	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.88	-82.67	-50	PASS
Band3	10	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.97	-36	PASS
Band3	10	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.70	-36	PASS
Band3	10	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	53.38	-69.66	-36	PASS
Band3	10	19575	1	#0	QPSK	1000 MHz-1727.50 MHz	1 MHz	1725.32	-42.07	-30	PASS
Band3	10	19575	1	#0	QPSK	1767.50 MHz-3000 MHz	1 MHz	2669.28	-51.42	-30	PASS
Band3	10	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3485.88	-41.94	-30	PASS
Band3	10	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2122.66	-81.50	-50	PASS
Band3	10	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1839.05	-76.30	-50	PASS
Band3	10	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2647.72	-79.79	-50	PASS
Band3	10	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	929.69	-82.67	-50	PASS
Band3	10	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	819.77	-82.51	-50	PASS
Band3	10	19575	1	#0	QPSK	3510	1	3587.52	-80.42	-50	PASS

						MHz-3590 MHz	MHz				
Band3	10	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	801.88	-82.53	-50	PASS
Band3	10	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.28	-82.72	-50	PASS
Band3	10	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1466.17	-82.56	-50	PASS
Band3	10	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.04	-82.13	-50	PASS
Band3	10	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.33	-81.66	-50	PASS
Band3	10	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.05	-80.20	-50	PASS
Band3	10	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2388.30	-81.00	-50	PASS
Band3	10	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.20	-80.26	-50	PASS
Band3	10	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3608.60	-80.93	-50	PASS
Band3	10	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2147.26	-81.53	-50	PASS
Band3	10	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.04	-82.86	-50	PASS
Band3	10	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.00	-82.60	-50	PASS
Band3	10	19900	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.88	-36	PASS
Band3	10	19900	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.40	-36	PASS
Band3	10	19900	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	873.71	-70.91	-36	PASS
Band3	10	19900	1	#0	QPSK	1000 MHz-1760.00 MHz	1 MHz	1758.48	-46.65	-30	PASS

Band3	10	19900	1	#0	QPSK	1800.00 MHz-3000 MHz	1 MHz	2658.00	-51.41	-30	PASS
Band3	10	19900	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3550.88	-40.58	-30	PASS
Band3	10	19900	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.60	-81.54	-50	PASS
Band3	10	19900	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.23	-75.06	-50	PASS
Band3	10	19900	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2668.23	-79.70	-50	PASS
Band3	10	19900	1	#0	QPSK	925 MHz-960 MHz	1 MHz	938.27	-82.59	-50	PASS
Band3	10	19900	1	#0	QPSK	791 MHz-821 MHz	1 MHz	805.40	-82.45	-50	PASS
Band3	10	19900	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3583.84	-80.41	-50	PASS
Band3	10	19900	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.52	-82.48	-50	PASS
Band3	10	19900	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.69	-82.67	-50	PASS
Band3	10	19900	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1492.04	-82.62	-50	PASS
Band3	10	19900	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.32	-82.11	-50	PASS
Band3	10	19900	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.25	-81.57	-50	PASS
Band3	10	19900	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.55	-80.21	-50	PASS
Band3	10	19900	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2396.80	-81.08	-50	PASS
Band3	10	19900	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.80	-80.28	-50	PASS

						MHz					
Band3	10	19900	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.00	-80.89	-50	PASS
Band3	10	19900	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2135.47	-81.50	-50	PASS
Band3	10	19900	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.18	-82.86	-50	PASS
Band3	10	19900	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.10	-82.55	-50	PASS
Band3	20	19300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.95	-36	PASS
Band3	20	19300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-60.36	-36	PASS
Band3	20	19300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	784.56	-70.86	-36	PASS
Band3	20	19300	1	#0	QPSK	1000 MHz-1685.00 MHz	1 MHz	1611.02	-53.50	-30	PASS
Band3	20	19300	1	#0	QPSK	1755.00 MHz-3000 MHz	1 MHz	2665.93	-51.39	-30	PASS
Band3	20	19300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3422.50	-48.82	-30	PASS
Band3	20	19300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2152.42	-81.55	-50	PASS
Band3	20	19300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1823.30	-78.85	-50	PASS
Band3	20	19300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.75	-79.86	-50	PASS
Band3	20	19300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	945.76	-82.69	-50	PASS
Band3	20	19300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	818.03	-82.60	-50	PASS
Band3	20	19300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3579.84	-80.51	-50	PASS
Band3	20	19300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.14	-82.50	-50	PASS

Band3	20	19300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.01	-82.71	-50	PASS
Band3	20	19300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1483.68	-82.69	-50	PASS
Band3	20	19300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.90	-82.02	-50	PASS
Band3	20	19300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.91	-81.71	-50	PASS
Band3	20	19300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.25	-80.28	-50	PASS
Band3	20	19300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2392.10	-81.13	-50	PASS
Band3	20	19300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3591.80	-80.37	-50	PASS
Band3	20	19300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3630.00	-80.54	-50	PASS
Band3	20	19300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2129.44	-81.60	-50	PASS
Band3	20	19300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.08	-82.91	-50	PASS
Band3	20	19300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.13	-82.76	-50	PASS
Band3	20	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.17	-36	PASS
Band3	20	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.32	-36	PASS
Band3	20	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	46.59	-70.30	-36	PASS
Band3	20	19575	1	#0	QPSK	1000 MHz-1712.50 MHz	1 MHz	1703.24	-43.83	-30	PASS
Band3	20	19575	1	#0	QPSK	1782.50 MHz-3000 MHz	1 MHz	2655.04	-51.43	-30	PASS
Band3	20	19575	1	#0	QPSK	3000	1	3476.94	-48.70	-30	PASS



						MHz-12.75 GHz	MHz				
Band3	20	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2140.06	-81.51	-50	PASS
Band3	20	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1834.55	-74.90	-50	PASS
Band3	20	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2660.95	-79.81	-50	PASS
Band3	20	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	935.54	-82.71	-50	PASS
Band3	20	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.55	-82.53	-50	PASS
Band3	20	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.40	-80.37	-50	PASS
Band3	20	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	802.33	-82.48	-50	PASS
Band3	20	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.60	-82.73	-50	PASS
Band3	20	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1486.72	-82.69	-50	PASS
Band3	20	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.44	-82.19	-50	PASS
Band3	20	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.02	-81.67	-50	PASS
Band3	20	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.90	-80.24	-50	PASS
Band3	20	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2396.70	-81.09	-50	PASS
Band3	20	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-80.21	-50	PASS
Band3	20	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3684.80	-80.81	-50	PASS

Band3	20	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2135.83	-81.56	-50	PASS
Band3	20	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	746.28	-82.89	-50	PASS
Band3	20	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.04	-82.66	-50	PASS
Band3	20	19850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.94	-36	PASS
Band3	20	19850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.21	-36	PASS
Band3	20	19850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	912.99	-70.85	-36	PASS
Band3	20	19850	1	#0	QPSK	1000 MHz-1740.00 MHz	1 MHz	1730.38	-47.86	-30	PASS
Band3	20	19850	1	#0	QPSK	1810.00 MHz-3000 MHz	1 MHz	2663.83	-51.44	-30	PASS
Band3	20	19850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3532.19	-48.49	-30	PASS
Band3	20	19850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2143.30	-81.51	-50	PASS
Band3	20	19850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1865.75	-74.55	-50	PASS
Band3	20	19850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.59	-79.74	-50	PASS
Band3	20	19850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.44	-82.63	-50	PASS
Band3	20	19850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	791.60	-82.46	-50	PASS
Band3	20	19850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.24	-80.34	-50	PASS
Band3	20	19850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	790.90	-82.56	-50	PASS
Band3	20	19850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.65	-82.64	-50	PASS
Band3	20	19850	1	#0	QPSK	1452	1	1456.40	-82.54	-50	PASS

						MHz-1496 MHz	MHz				
Band3	20	19850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.66	-82.13	-50	PASS
Band3	20	19850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.06	-81.63	-50	PASS
Band3	20	19850	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.65	-80.19	-50	PASS
Band3	20	19850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.50	-81.04	-50	PASS
Band3	20	19850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.80	-80.35	-50	PASS
Band3	20	19850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3616.60	-80.87	-50	PASS
Band3	20	19850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.60	-81.49	-50	PASS
Band3	20	19850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.84	-82.80	-50	PASS
Band3	20	19850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.16	-82.63	-50	PASS
Band40	5	38675	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.99	-36	PASS
Band40	5	38675	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.74	-36	PASS
Band40	5	38675	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	521.69	-65.82	-36	PASS
Band40	5	38675	1	#0	QPSK	1000 MHz-2290.00 MHz	1 MHz	2290.00	-50.66	-30	PASS
Band40	5	38675	1	#0	QPSK	2315.00 MHz-3000 MHz	1 MHz	2316.14	-54.85	-30	PASS
Band40	5	38675	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12624.88	-53.44	-30	PASS
Band40	5	38675	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2113.54	-64.45	-50	PASS

						MHz					
Band40	5	38675	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.43	-68.00	-50	PASS
Band40	5	38675	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2622.73	-64.03	-50	PASS
Band40	5	38675	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.68	-71.30	-50	PASS
Band40	5	38675	1	#0	QPSK	791 MHz-821 MHz	1 MHz	817.43	-71.21	-50	PASS
Band40	5	38675	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.84	-66.75	-50	PASS
Band40	5	38675	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.09	-71.21	-50	PASS
Band40	5	38675	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.99	-71.38	-50	PASS
Band40	5	38675	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1473.56	-68.42	-50	PASS
Band40	5	38675	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.02	-67.03	-50	PASS
Band40	5	38675	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.58	-65.95	-50	PASS
Band40	5	38675	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2570.05	-64.04	-50	PASS
Band40	5	38675	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.60	-66.61	-50	PASS
Band40	5	38675	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3603.80	-67.07	-50	PASS
Band40	5	38675	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2132.59	-65.59	-50	PASS
Band40	5	38675	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.72	-71.50	-50	PASS
Band40	5	38675	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.89	-71.31	-50	PASS

Band40	5	39150	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.72	-36	PASS
Band40	5	39150	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.04	-36	PASS
Band40	5	39150	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	960.52	-65.76	-36	PASS
Band40	5	39150	1	#0	QPSK	1000 MHz-2337.50 MHz	1 MHz	2337.50	-50.84	-30	PASS
Band40	5	39150	1	#0	QPSK	2362.50 MHz-3000 MHz	1 MHz	2363.56	-53.71	-30	PASS
Band40	5	39150	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12655.75	-53.36	-30	PASS
Band40	5	39150	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.48	-52.40	-50	PASS
Band40	5	39150	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1873.10	-69.20	-50	PASS
Band40	5	39150	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2621.40	-64.49	-50	PASS
Band40	5	39150	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.86	-71.24	-50	PASS
Band40	5	39150	1	#0	QPSK	791 MHz-821 MHz	1 MHz	807.23	-71.17	-50	PASS
Band40	5	39150	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.00	-66.71	-50	PASS
Band40	5	39150	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.88	-71.22	-50	PASS
Band40	5	39150	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.78	-71.28	-50	PASS
Band40	5	39150	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1494.28	-50.07	-50	PASS
Band40	5	39150	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.60	-68.14	-50	PASS
Band40	5	39150	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.73	-66.36	-50	PASS

						MHz					
Band40	5	39150	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.65	-63.57	-50	PASS
Band40	5	39150	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3591.20	-66.62	-50	PASS
Band40	5	39150	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3651.40	-66.93	-50	PASS
Band40	5	39150	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.57	-54.29	-50	PASS
Band40	5	39150	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.60	-71.47	-50	PASS
Band40	5	39150	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.86	-71.26	-50	PASS
Band40	5	39625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.93	-36	PASS
Band40	5	39625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.04	-36	PASS
Band40	5	39625	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	331.86	-69.34	-36	PASS
Band40	5	39625	1	#0	QPSK	1000 MHz-2385.00 MHz	1 MHz	2380.85	-55.72	-30	PASS
Band40	5	39625	1	#0	QPSK	2410.00 MHz-3000 MHz	1 MHz	2469.00	-57.71	-30	PASS
Band40	5	39625	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12676.06	-53.36	-30	PASS
Band40	5	39625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2168.74	-65.23	-50	PASS
Band40	5	39625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.75	-69.06	-50	PASS
Band40	5	39625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2648.21	-63.95	-50	PASS
Band40	5	39625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	937.43	-71.26	-50	PASS
Band40	5	39625	1	#0	QPSK	791 MHz-821	1	799.58	-71.11	-50	PASS

						MHz	MHz				
Band40	5	39625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.16	-66.69	-50	PASS
Band40	5	39625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	801.65	-71.16	-50	PASS
Band40	5	39625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.24	-71.30	-50	PASS
Band40	5	39625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1492.22	-69.25	-50	PASS
Band40	5	39625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.26	-69.65	-50	PASS
Band40	5	39625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.16	-68.15	-50	PASS
Band40	5	39625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.15	-63.84	-50	PASS
Band40	5	39625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3582.00	-66.59	-50	PASS
Band40	5	39625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3618.40	-66.99	-50	PASS
Band40	5	39625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2197.66	-66.22	-50	PASS
Band40	5	39625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.56	-71.33	-50	PASS
Band40	5	39625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.37	-71.22	-50	PASS
Band40	20	38750	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.57	-36	PASS
Band40	20	38750	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-60.52	-36	PASS
Band40	20	38750	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	890.39	-66.02	-36	PASS
Band40	20	38750	1	#0	QPSK	1000 MHz-2275.00 MHz	1 MHz	2085.03	-60.06	-30	PASS
Band40	20	38750	1	#0	QPSK	2345.00	1	2470.00	-57.09	-30	PASS

						MHz-3000 MHz	MHz				
Band40	20	38750	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12620.00	-53.45	-30	PASS
Band40	20	38750	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2116.00	-64.62	-50	PASS
Band40	20	38750	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.15	-68.34	-50	PASS
Band40	20	38750	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2620.14	-65.78	-50	PASS
Band40	20	38750	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.15	-71.25	-50	PASS
Band40	20	38750	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.71	-71.18	-50	PASS
Band40	20	38750	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.72	-66.72	-50	PASS
Band40	20	38750	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.03	-71.23	-50	PASS
Band40	20	38750	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.73	-71.29	-50	PASS
Band40	20	38750	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1480.38	-69.59	-50	PASS
Band40	20	38750	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.50	-68.24	-50	PASS
Band40	20	38750	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.78	-66.46	-50	PASS
Band40	20	38750	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2576.80	-63.60	-50	PASS
Band40	20	38750	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.40	-66.66	-50	PASS
Band40	20	38750	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3607.80	-67.02	-50	PASS



Band40	20	38750	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2122.24	-65.67	-50	PASS
Band40	20	38750	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.66	-71.49	-50	PASS
Band40	20	38750	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.55	-71.22	-50	PASS
Band40	20	39150	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.21	-36	PASS
Band40	20	39150	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.59	-36	PASS
Band40	20	39150	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	440.41	-69.33	-36	PASS
Band40	20	39150	1	#0	QPSK	1000 MHz-2315.00 MHz	1 MHz	2305.80	-42.88	-30	PASS
Band40	20	39150	1	#0	QPSK	2385.00 MHz-3000 MHz	1 MHz	2470.59	-57.14	-30	PASS
Band40	20	39150	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12661.44	-53.47	-30	PASS
Band40	20	39150	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2120.92	-54.15	-50	PASS
Band40	20	39150	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.90	-69.05	-50	PASS
Band40	20	39150	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2635.47	-64.39	-50	PASS
Band40	20	39150	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.35	-71.26	-50	PASS
Band40	20	39150	1	#0	QPSK	791 MHz-821 MHz	1 MHz	808.58	-71.20	-50	PASS
Band40	20	39150	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3582.16	-66.67	-50	PASS
Band40	20	39150	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.93	-71.22	-50	PASS
Band40	20	39150	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.95	-71.35	-50	PASS
Band40	20	39150	1	#0	QPSK	1452	1	1460.58	-52.58	-50	PASS

						MHz-1496 MHz	MHz				
Band40	20	39150	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1917.10	-67.35	-50	PASS
Band40	20	39150	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.59	-67.59	-50	PASS
Band40	20	39150	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2609.30	-63.29	-50	PASS
Band40	20	39150	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.20	-66.55	-50	PASS
Band40	20	39150	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3613.20	-66.96	-50	PASS
Band40	20	39150	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.89	-57.39	-50	PASS
Band40	20	39150	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.38	-71.49	-50	PASS
Band40	20	39150	1	#0	QPSK	753 MHz-783 MHz	1 MHz	773.85	-71.24	-50	PASS
Band40	20	39550	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.21	-36	PASS
Band40	20	39550	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.49	-36	PASS
Band40	20	39550	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	360.29	-69.96	-36	PASS
Band40	20	39550	1	#0	QPSK	1000 MHz-2355.00 MHz	1 MHz	2352.29	-57.13	-30	PASS
Band40	20	39550	1	#0	QPSK	2425.00 MHz-3000 MHz	1 MHz	2648.29	-59.40	-30	PASS
Band40	20	39550	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12643.56	-53.43	-30	PASS
Band40	20	39550	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2162.92	-65.05	-50	PASS
Band40	20	39550	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.73	-69.06	-50	PASS

						MHz					
Band40	20	39550	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2646.95	-63.48	-50	PASS
Band40	20	39550	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.80	-71.25	-50	PASS
Band40	20	39550	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.71	-71.17	-50	PASS
Band40	20	39550	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.04	-66.72	-50	PASS
Band40	20	39550	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.07	-71.19	-50	PASS
Band40	20	39550	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.63	-71.31	-50	PASS
Band40	20	39550	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1491.82	-70.00	-50	PASS
Band40	20	39550	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.72	-68.37	-50	PASS
Band40	20	39550	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.20	-68.35	-50	PASS
Band40	20	39550	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2611.80	-64.21	-50	PASS
Band40	20	39550	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.60	-66.65	-50	PASS
Band40	20	39550	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3609.40	-67.01	-50	PASS
Band40	20	39550	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2196.94	-66.85	-50	PASS
Band40	20	39550	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.42	-71.46	-50	PASS
Band40	20	39550	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.59	-71.28	-50	PASS
Band7	5	20775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.04	-36	PASS
Band7	5	20775	1	#0	QPSK	150 kHz-30	10	0.16	-59.69	-36	PASS

						MHz	kHz				
Band7	5	20775	1	#0	QPSK	30 MHz-1000	100	933.94	-70.05	-36	PASS
						MHz	kHz				
Band7	5	20775	1	#0	QPSK	1000	1	2490.00	-48.82	-30	PASS
						MHz-2490.00	MHz				
						MHz					
Band7	5	20775	1	#0	QPSK	2515.00	1	2517.83	-49.74	-30	PASS
						MHz-3000	MHz				
						MHz					
Band7	5	20775	1	#0	QPSK	3000	1	12641.13	-53.50	-30	PASS
						MHz-12.75	MHz				
						GHz					
Band7	5	20775	1	#0	QPSK	2110	1	2164.42	-79.69	-50	PASS
						MHz-2170	MHz				
						MHz					
Band7	5	20775	1	#0	QPSK	1805	1	1872.73	-80.34	-50	PASS
						MHz-1880	MHz				
						MHz					
Band7	5	20775	1	#0	QPSK	2620	1	2656.47	-77.97	-50	PASS
						MHz-2690	MHz				
						MHz					
Band7	5	20775	1	#0	QPSK	925 MHz-960	1	929.41	-80.76	-50	PASS
						MHz	MHz				
Band7	5	20775	1	#0	QPSK	791 MHz-821	1	794.06	-80.64	-50	PASS
						MHz	MHz				
Band7	5	20775	1	#0	QPSK	3510	1	3589.12	-78.55	-50	PASS
						MHz-3590	MHz				
						MHz					
Band7	5	20775	1	#0	QPSK	758 MHz-803	1	793.91	-80.64	-50	PASS
						MHz	MHz				
Band7	5	20775	1	#0	QPSK	462.5	1	466.15	-80.81	-50	PASS
						MHz-467.5	MHz				
						MHz					
Band7	5	20775	1	#0	QPSK	1452	1	1475.23	-80.73	-50	PASS
						MHz-1496	MHz				
						MHz					
Band7	5	20775	1	#0	QPSK	1900	1	1909.36	-80.30	-50	PASS
						MHz-1920	MHz				
						MHz					
Band7	5	20775	1	#0	QPSK	2010	1	2015.51	-79.91	-50	PASS
						MHz-2025	MHz				
						MHz					
Band7	5	20775	1	#0	QPSK	2300	1	2394.80	-79.25	-50	PASS
						MHz-2400	MHz				

						MHz					
Band7	5	20775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.80	-78.45	-50	PASS
Band7	5	20775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3615.00	-79.07	-50	PASS
Band7	5	20775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2123.41	-79.72	-50	PASS
Band7	5	20775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.28	-80.90	-50	PASS
Band7	5	20775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.71	-80.73	-50	PASS
Band7	5	20775	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2572.99	-51.34	1.6	PASS
Band7	5	20775	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2593.96	-51.28	-15.5	PASS
Band7	5	20775	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2617.70	-78.38	-40	PASS
Band7	5	21100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.54	-36	PASS
Band7	5	21100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-58.59	-36	PASS
Band7	5	21100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	800.18	-69.52	-36	PASS
Band7	5	21100	1	#0	QPSK	1000 MHz-2522.50 MHz	1 MHz	2522.50	-49.11	-30	PASS
Band7	5	21100	1	#0	QPSK	2547.50 MHz-3000 MHz	1 MHz	2550.14	-51.85	-30	PASS
Band7	5	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12665.50	-53.59	-30	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2154.10	-79.73	-50	PASS
Band7	5	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.55	-80.34	-50	PASS

Band7	5	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.19	-77.00	-50	PASS
Band7	5	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	936.52	-80.81	-50	PASS
Band7	5	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.56	-80.65	-50	PASS
Band7	5	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.96	-78.52	-50	PASS
Band7	5	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.57	-80.69	-50	PASS
Band7	5	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.65	-80.80	-50	PASS
Band7	5	21100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1462.74	-80.79	-50	PASS
Band7	5	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.94	-80.28	-50	PASS
Band7	5	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.44	-79.83	-50	PASS
Band7	5	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2392.00	-79.28	-50	PASS
Band7	5	21100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.80	-78.40	-50	PASS
Band7	5	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3610.40	-78.97	-50	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2129.17	-79.76	-50	PASS
Band7	5	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.12	-81.03	-50	PASS
Band7	5	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.62	-80.76	-50	PASS
Band7	5	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.93	-51.34	1.6	PASS
Band7	5	21100	1	#0	QPSK	2575	5	2594.42	-51.29	-15.5	PASS

						MHz-2595 MHz	MHz				
Band7	5	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2615.35	-78.35	-40	PASS
Band7	5	21425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.44	-36	PASS
Band7	5	21425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	4.06	-57.96	-36	PASS
Band7	5	21425	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	844.51	-69.76	-36	PASS
Band7	5	21425	1	#0	QPSK	1000 MHz-2555.00 MHz	1 MHz	2555.00	-44.96	-30	PASS
Band7	5	21425	1	#0	QPSK	2580.00 MHz-3000 MHz	1 MHz	2582.45	-53.03	-30	PASS
Band7	5	21425	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12650.88	-53.56	-30	PASS
Band7	5	21425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2152.78	-79.74	-50	PASS
Band7	5	21425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.35	-80.31	-50	PASS
Band7	5	21425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2688.39	-76.96	-50	PASS
Band7	5	21425	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.36	-80.78	-50	PASS
Band7	5	21425	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.65	-80.66	-50	PASS
Band7	5	21425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.04	-78.54	-50	PASS
Band7	5	21425	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.83	-80.69	-50	PASS
Band7	5	21425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.08	-80.84	-50	PASS
Band7	5	21425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1470.22	-80.72	-50	PASS

Band7	5	21425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1908.34	-80.28	-50	PASS
Band7	5	21425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.96	-79.91	-50	PASS
Band7	5	21425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.20	-79.30	-50	PASS
Band7	5	21425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.80	-78.40	-50	PASS
Band7	5	21425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3600.60	-79.05	-50	PASS
Band7	5	21425	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2137.09	-79.70	-50	PASS
Band7	5	21425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.96	-81.04	-50	PASS
Band7	5	21425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.10	-80.85	-50	PASS
Band7	5	21425	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.01	-50.56	1.6	PASS
Band7	5	21425	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.24	-51.30	-15.5	PASS
Band7	5	21425	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2618.08	-78.35	-40	PASS
Band7	20	20850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.67	-36	PASS
Band7	20	20850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.27	-36	PASS
Band7	20	20850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	920.36	-69.94	-36	PASS
Band7	20	20850	1	#0	QPSK	1000 MHz-2475.00 MHz	1 MHz	2464.68	-59.93	-30	PASS
Band7	20	20850	1	#0	QPSK	2545.00 MHz-3000 MHz	1 MHz	2572.30	-53.79	-30	PASS
Band7	20	20850	1	#0	QPSK	3000 MHz	1 MHz	12680.94	-53.59	-30	PASS



						MHz-12.75 GHz	MHz				
Band7	20	20850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2143.66	-79.71	-50	PASS
Band7	20	20850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.35	-80.40	-50	PASS
Band7	20	20850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2652.06	-77.91	-50	PASS
Band7	20	20850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.63	-80.80	-50	PASS
Band7	20	20850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.48	-80.60	-50	PASS
Band7	20	20850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.88	-78.51	-50	PASS
Band7	20	20850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.85	-80.69	-50	PASS
Band7	20	20850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.06	-80.85	-50	PASS
Band7	20	20850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1481.57	-80.77	-50	PASS
Band7	20	20850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.80	-80.24	-50	PASS
Band7	20	20850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.89	-79.87	-50	PASS
Band7	20	20850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2392.60	-79.28	-50	PASS
Band7	20	20850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-78.40	-50	PASS
Band7	20	20850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3606.40	-79.07	-50	PASS
Band7	20	20850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2145.10	-79.65	-50	PASS

Band7	20	20850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.26	-80.97	-50	PASS
Band7	20	20850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.79	-80.81	-50	PASS
Band7	20	20850	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.67	-51.35	1.6	PASS
Band7	20	20850	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2595.00	-51.25	-15.5	PASS
Band7	20	20850	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2617.20	-78.37	-40	PASS
Band7	20	21100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.66	-36	PASS
Band7	20	21100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.23	-36	PASS
Band7	20	21100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	893.40	-69.79	-36	PASS
Band7	20	21100	1	#0	QPSK	1000 MHz-2500.00 MHz	1 MHz	2491.00	-34.10	-30	PASS
Band7	20	21100	1	#0	QPSK	2570.00 MHz-3000 MHz	1 MHz	2750.96	-59.06	-30	PASS
Band7	20	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12641.94	-53.56	-30	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2140.66	-79.71	-50	PASS
Band7	20	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.95	-80.41	-50	PASS
Band7	20	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.00	-76.95	-50	PASS
Band7	20	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	938.02	-80.77	-50	PASS
Band7	20	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	809.27	-80.64	-50	PASS
Band7	20	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.64	-78.58	-50	PASS

Band7	20	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	791.48	-80.68	-50	PASS
Band7	20	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.34	-80.79	-50	PASS
Band7	20	21100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1472.02	-80.75	-50	PASS
Band7	20	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1906.96	-80.29	-50	PASS
Band7	20	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.90	-79.89	-50	PASS
Band7	20	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2379.90	-79.31	-50	PASS
Band7	20	21100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.20	-78.45	-50	PASS
Band7	20	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.40	-79.04	-50	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2160.31	-79.76	-50	PASS
Band7	20	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	749.96	-80.96	-50	PASS
Band7	20	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	774.09	-80.78	-50	PASS
Band7	20	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2572.35	-51.37	1.6	PASS
Band7	20	21100	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2593.48	-51.30	-15.5	PASS
Band7	20	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2619.75	-78.31	-40	PASS
Band7	20	21350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.52	-36	PASS
Band7	20	21350	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.99	-36	PASS
Band7	20	21350	1	#0	QPSK	30 MHz-1000	100	790.77	-70.00	-36	PASS

						MHz	kHz				
Band7	20	21350	1	#0	QPSK	1000 MHz-2525.00 MHz	1 MHz	2515.85	-32.99	-30	PASS
Band7	20	21350	1	#0	QPSK	2595.00 MHz-3000 MHz	1 MHz	2762.74	-59.02	-30	PASS
Band7	20	21350	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12630.56	-53.48	-30	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2126.86	-79.68	-50	PASS
Band7	20	21350	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1870.33	-80.41	-50	PASS
Band7	20	21350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2687.41	-77.02	-50	PASS
Band7	20	21350	1	#0	QPSK	925 MHz-960 MHz	1 MHz	931.41	-80.73	-50	PASS
Band7	20	21350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.64	-80.58	-50	PASS
Band7	20	21350	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.44	-78.58	-50	PASS
Band7	20	21350	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.66	-80.57	-50	PASS
Band7	20	21350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.72	-80.78	-50	PASS
Band7	20	21350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1456.80	-80.78	-50	PASS
Band7	20	21350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.84	-80.26	-50	PASS
Band7	20	21350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.02	-79.87	-50	PASS
Band7	20	21350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2382.50	-79.25	-50	PASS
Band7	20	21350	1	#0	QPSK	3400	1	3597.60	-78.44	-50	PASS

						MHz-3600 MHz	MHz				
Band7	20	21350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3608.60	-78.98	-50	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2142.85	-79.73	-50	PASS
Band7	20	21350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	751.46	-81.00	-50	PASS
Band7	20	21350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.34	-80.75	-50	PASS
Band7	20	21350	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2573.99	-51.33	1.6	PASS
Band7	20	21350	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2583.96	-51.28	-15.5	PASS
Band7	20	21350	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2617.20	-78.35	-40	PASS
Band8	1.4	21457	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.87	-36	PASS
Band8	1.4	21457	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.15	-36	PASS
Band8	1.4	21457	1	#0	QPSK	30 MHz-877.20 MHz	100 kHz	877.12	-51.94	-36	PASS
Band8	1.4	21457	1	#0	QPSK	884.20 MHz-1000 MHz	100 kHz	884.43	-52.84	-36	PASS
Band8	1.4	21457	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1485.00	-63.59	-30	PASS
Band8	1.4	21457	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1760.10	-54.78	-30	PASS
Band8	1.4	21457	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12614.33	-60.53	-30	PASS
Band8	1.4	21457	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.10	-83.85	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1805	1	1878.43	-84.52	-50	PASS

						MHz-1880 MHz	MHz				
Band8	1.4	21457	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2657.24	-82.14	-50	PASS
Band8	1.4	21457	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.81	-84.42	-50	PASS
Band8	1.4	21457	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.83	-84.75	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.12	-82.69	-50	PASS
Band8	1.4	21457	1	#0	QPSK	758 MHz-803 MHz	1 MHz	801.79	-84.80	-50	PASS
Band8	1.4	21457	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.47	-84.99	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1465.64	-84.46	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.96	-84.46	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.79	-84.04	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2581.85	-82.18	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2389.40	-83.50	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.20	-82.68	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3702.80	-83.21	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2133.76	-83.89	-50	PASS
Band8	1.4	21457	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.22	-85.09	-50	PASS
Band8	1.4	21457	1	#0	QPSK	753 MHz-783	1	775.62	-84.84	-50	PASS

Band8	1.4	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.83	-36	PASS
Band8	1.4	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.37	-36	PASS
Band8	1.4	21625	1	#0	QPSK	30 MHz-894.00 MHz	100 kHz	893.83	-52.13	-36	PASS
Band8	1.4	21625	1	#0	QPSK	901.00 MHz-1000 MHz	100 kHz	901.10	-53.34	-36	PASS
Band8	1.4	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1412.50	-63.58	-30	PASS
Band8	1.4	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5823.60	-58.76	-30	PASS
Band8	1.4	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12623.78	-60.59	-30	PASS
Band8	1.4	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2126.26	-83.83	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.68	-84.58	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2649.26	-82.15	-50	PASS
Band8	1.4	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	942.26	-77.33	-50	PASS
Band8	1.4	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.73	-84.81	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.76	-82.78	-50	PASS
Band8	1.4	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.48	-84.66	-50	PASS
Band8	1.4	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.55	-84.99	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1464.10	-84.60	-50	PASS

Band8	1.4	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.96	-84.40	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.79	-84.00	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2607.30	-81.70	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2392.10	-83.43	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.60	-82.61	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3637.40	-83.21	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2135.20	-83.91	-50	PASS
Band8	1.4	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.22	-85.09	-50	PASS
Band8	1.4	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.32	-84.93	-50	PASS
Band8	1.4	21793	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.01	-36	PASS
Band8	1.4	21793	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-61.85	-36	PASS
Band8	1.4	21793	1	#0	QPSK	30 MHz-910.80 MHz	100 kHz	910.80	-50.94	-36	PASS
Band8	1.4	21793	1	#0	QPSK	917.80 MHz-1000 MHz	100 kHz	917.88	-55.51	-36	PASS
Band8	1.4	21793	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1331.50	-63.64	-30	PASS
Band8	1.4	21793	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1827.60	-53.70	-30	PASS
Band8	1.4	21793	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12670.35	-60.59	-30	PASS



Band8	1.4	21793	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2143.90	-83.87	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1826.15	-82.31	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2662.63	-82.05	-50	PASS
Band8	1.4	21793	1	#0	QPSK	925 MHz-960 MHz	1 MHz	959.44	-74.68	-50	PASS
Band8	1.4	21793	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.90	-84.80	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.56	-82.72	-50	PASS
Band8	1.4	21793	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.98	-84.72	-50	PASS
Band8	1.4	21793	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.99	-85.02	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1474.92	-84.56	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.18	-84.43	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.25	-84.01	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.75	-82.55	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2382.40	-83.45	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.20	-82.60	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3614.60	-83.17	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2148.52	-83.85	-50	PASS

						MHz					
Band8	1.4	21793	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.58	-85.14	-50	PASS
Band8	1.4	21793	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.87	-84.82	-50	PASS
Band8	5	21475	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.73	-36	PASS
Band8	5	21475	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.27	-36	PASS
Band8	5	21475	1	#0	QPSK	30 MHz-870.00 MHz	100 kHz	868.99	-70.79	-36	PASS
Band8	5	21475	1	#0	QPSK	895.00 MHz-1000 MHz	100 kHz	897.52	-68.78	-36	PASS
Band8	5	21475	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1372.50	-63.62	-30	PASS
Band8	5	21475	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1761.00	-54.41	-30	PASS
Band8	5	21475	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12625.80	-60.57	-30	PASS
Band8	5	21475	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2152.66	-83.90	-50	PASS
Band8	5	21475	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.65	-84.56	-50	PASS
Band8	5	21475	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2660.04	-82.11	-50	PASS
Band8	5	21475	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.78	-83.39	-50	PASS
Band8	5	21475	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.65	-84.79	-50	PASS
Band8	5	21475	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.40	-82.67	-50	PASS
Band8	5	21475	1	#0	QPSK	758 MHz-803 MHz	1 MHz	791.53	-84.74	-50	PASS
Band8	5	21475	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.99	-85.00	-50	PASS

						MHz					
Band8	5	21475	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.69	-84.61	-50	PASS
Band8	5	21475	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1912.70	-84.47	-50	PASS
Band8	5	21475	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.91	-84.00	-50	PASS
Band8	5	21475	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.40	-82.57	-50	PASS
Band8	5	21475	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2397.40	-83.43	-50	PASS
Band8	5	21475	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3593.00	-82.59	-50	PASS
Band8	5	21475	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.60	-83.13	-50	PASS
Band8	5	21475	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2132.50	-83.91	-50	PASS
Band8	5	21475	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.44	-85.03	-50	PASS
Band8	5	21475	1	#0	QPSK	753 MHz-783 MHz	1 MHz	771.42	-84.95	-50	PASS
Band8	5	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.17	-36	PASS
Band8	5	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-63.86	-36	PASS
Band8	5	21625	1	#0	QPSK	30 MHz-885.00 MHz	100 kHz	884.74	-69.17	-36	PASS
Band8	5	21625	1	#0	QPSK	910.00 MHz-1000 MHz	100 kHz	912.61	-69.77	-36	PASS
Band8	5	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1490.00	-63.53	-30	PASS
Band8	5	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1790.70	-58.54	-30	PASS

						MHz					
Band8	5	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12623.10	-60.59	-30	PASS
Band8	5	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2129.08	-83.90	-50	PASS
Band8	5	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1873.40	-84.59	-50	PASS
Band8	5	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2663.12	-82.11	-50	PASS
Band8	5	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	940.86	-73.41	-50	PASS
Band8	5	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	817.85	-84.83	-50	PASS
Band8	5	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3577.04	-82.81	-50	PASS
Band8	5	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.84	-84.84	-50	PASS
Band8	5	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.64	-85.02	-50	PASS
Band8	5	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1475.67	-84.55	-50	PASS
Band8	5	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1910.36	-84.46	-50	PASS
Band8	5	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.12	-84.01	-50	PASS
Band8	5	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.50	-82.51	-50	PASS
Band8	5	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.00	-83.50	-50	PASS
Band8	5	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3405.80	-82.84	-50	PASS
Band8	5	21625	1	#0	QPSK	3600	1	3606.60	-83.23	-50	PASS

						MHz-3800 MHz	MHz				
Band8	5	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2154.28	-83.83	-50	PASS
Band8	5	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.58	-85.08	-50	PASS
Band8	5	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.33	-84.93	-50	PASS
Band8	5	21775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.50	-36	PASS
Band8	5	21775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.91	-36	PASS
Band8	5	21775	1	#0	QPSK	30 MHz-900.00 MHz	100 kHz	899.48	-67.73	-36	PASS
Band8	5	21775	1	#0	QPSK	925.00 MHz-1000 MHz	100 kHz	930.10	-71.99	-36	PASS
Band8	5	21775	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1459.00	-63.55	-30	PASS
Band8	5	21775	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2731.20	-52.53	-30	PASS
Band8	5	21775	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12642.00	-60.55	-30	PASS
Band8	5	21775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2128.60	-83.92	-50	PASS
Band8	5	21775	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1818.95	-83.77	-50	PASS
Band8	5	21775	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2667.60	-82.14	-50	PASS
Band8	5	21775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	959.23	-74.22	-50	PASS
Band8	5	21775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.61	-84.76	-50	PASS
Band8	5	21775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.52	-82.72	-50	PASS

Band8	5	21775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	790.18	-84.82	-50	PASS
Band8	5	21775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.88	-85.06	-50	PASS
Band8	5	21775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.91	-84.60	-50	PASS
Band8	5	21775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1905.40	-84.47	-50	PASS
Band8	5	21775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.36	-84.05	-50	PASS
Band8	5	21775	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.40	-82.56	-50	PASS
Band8	5	21775	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2389.60	-83.46	-50	PASS
Band8	5	21775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.40	-82.59	-50	PASS
Band8	5	21775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3614.00	-83.28	-50	PASS
Band8	5	21775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2152.30	-83.93	-50	PASS
Band8	5	21775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.72	-85.12	-50	PASS
Band8	5	21775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.57	-84.88	-50	PASS
Band8	10	21500	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.73	-36	PASS
Band8	10	21500	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.97	-36	PASS
Band8	10	21500	1	#0	QPSK	30 MHz-865.00 MHz	100 kHz	802.38	-71.01	-36	PASS
Band8	10	21500	1	#0	QPSK	905.00 MHz-1000 MHz	100 kHz	905.48	-71.53	-36	PASS
Band8	10	21500	1	#0	QPSK	1000	1	1473.50	-63.54	-30	PASS

						MHz-1500 MHz	MHz				
Band8	10	21500	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1761.00	-53.80	-30	PASS
Band8	10	21500	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12631.88	-60.50	-30	PASS
Band8	10	21500	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.66	-83.82	-50	PASS
Band8	10	21500	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.03	-84.54	-50	PASS
Band8	10	21500	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2677.05	-82.28	-50	PASS
Band8	10	21500	1	#0	QPSK	925 MHz-960 MHz	1 MHz	934.07	-79.62	-50	PASS
Band8	10	21500	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.79	-84.76	-50	PASS
Band8	10	21500	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.84	-82.73	-50	PASS
Band8	10	21500	1	#0	QPSK	758 MHz-803 MHz	1 MHz	793.10	-84.80	-50	PASS
Band8	10	21500	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.63	-84.96	-50	PASS
Band8	10	21500	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1462.52	-84.59	-50	PASS
Band8	10	21500	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.90	-84.46	-50	PASS
Band8	10	21500	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.06	-84.07	-50	PASS
Band8	10	21500	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2609.90	-82.54	-50	PASS
Band8	10	21500	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.80	-83.45	-50	PASS

Band8	10	21500	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.20	-82.66	-50	PASS
Band8	10	21500	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3607.40	-83.26	-50	PASS
Band8	10	21500	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2148.52	-83.88	-50	PASS
Band8	10	21500	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.42	-85.10	-50	PASS
Band8	10	21500	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.44	-84.94	-50	PASS
Band8	10	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.26	-36	PASS
Band8	10	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.34	-36	PASS
Band8	10	21625	1	#0	QPSK	30 MHz-877.50 MHz	100 kHz	875.47	-50.03	-36	PASS
Band8	10	21625	1	#0	QPSK	917.50 MHz-1000 MHz	100 kHz	918.00	-72.01	-36	PASS
Band8	10	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1359.50	-63.55	-30	PASS
Band8	10	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5821.80	-58.77	-30	PASS
Band8	10	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12654.15	-60.60	-30	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2148.70	-83.82	-50	PASS
Band8	10	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.35	-84.57	-50	PASS
Band8	10	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.73	-82.08	-50	PASS
Band8	10	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	939.46	-71.84	-50	PASS
Band8	10	21625	1	#0	QPSK	791 MHz-821	1	803.00	-84.70	-50	PASS




						MHz	MHz				
Band8	10	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3568.00	-82.95	-50	PASS
Band8	10	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.49	-84.79	-50	PASS
Band8	10	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.50	-85.01	-50	PASS
Band8	10	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1467.97	-84.56	-50	PASS
Band8	10	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1911.54	-84.47	-50	PASS
Band8	10	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.01	-84.04	-50	PASS
Band8	10	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.15	-82.52	-50	PASS
Band8	10	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2376.80	-83.51	-50	PASS
Band8	10	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3427.40	-82.78	-50	PASS
Band8	10	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3636.40	-83.24	-50	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2136.91	-83.90	-50	PASS
Band8	10	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.46	-85.07	-50	PASS
Band8	10	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	773.07	-84.88	-50	PASS
Band8	10	21750	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.74	-36	PASS
Band8	10	21750	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.42	-36	PASS
Band8	10	21750	1	#0	QPSK	30 MHz-890.00 MHz	100 kHz	887.94	-45.76	-36	PASS

Band8	10	21750	1	#0	QPSK	930.00 MHz-1000 MHz	100 kHz	944.42	-72.67	-36	PASS
Band8	10	21750	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1328.00	-63.55	-30	PASS
Band8	10	21750	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1811.40	-57.54	-30	PASS
Band8	10	21750	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12639.98	-60.54	-30	PASS
Band8	10	21750	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2159.92	-83.89	-50	PASS
Band8	10	21750	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.58	-84.54	-50	PASS
Band8	10	21750	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2660.11	-82.14	-50	PASS
Band8	10	21750	1	#0	QPSK	925 MHz-960 MHz	1 MHz	951.50	-71.51	-50	PASS
Band8	10	21750	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.17	-84.79	-50	PASS
Band8	10	21750	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.04	-82.70	-50	PASS
Band8	10	21750	1	#0	QPSK	758 MHz-803 MHz	1 MHz	788.60	-84.82	-50	PASS
Band8	10	21750	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.16	-85.03	-50	PASS
Band8	10	21750	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1471.54	-84.59	-50	PASS
Band8	10	21750	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.72	-84.45	-50	PASS
Band8	10	21750	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.20	-83.99	-50	PASS
Band8	10	21750	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.20	-82.57	-50	PASS

Band8	10	21750	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2374.60	-83.39	-50	PASS
Band8	10	21750	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.60	-82.69	-50	PASS
Band8	10	21750	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3617.20	-83.19	-50	PASS
Band8	10	21750	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2114.50	-83.93	-50	PASS
Band8	10	21750	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.80	-85.10	-50	PASS
Band8	10	21750	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.12	-84.90	-50	PASS


Band1 QPSK BW=5MHz Channel=18025 RB Size=1 Position=#0

**Conducted spurious emissions**




Band1 QPSK BW=5MHz Channel=18300 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=5MHz Channel=18575 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18100 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18500 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18300 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24175 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24300 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24425 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24250 RB Size=1 Position=#0

Conducted spurious emissions



Band20 QPSK BW=20MHz Channel=24300 RB Size=1 Position=#0


Conducted spurious emissions



Band20 QPSK BW=20MHz Channel=24350 RB Size=1 Position=#0




Conducted spurious emissions




Band28 QPSK BW=3MHz Channel=27645 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=3MHz Channel=27225 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=3MHz Channel=27375 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=5MHz Channel=27235 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=5MHz Channel=27385 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=5MHz Channel=27635 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27310 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27460 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27560 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19225 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions



Band3 QPSK BW=5MHz Channel=19925 RB Size=1 Position=#0


Conducted spurious emissions



Band3 QPSK BW=10MHz Channel=19575 RB Size=1 Position=#0




Conducted spurious emissions




Band3 QPSK BW=10MHz Channel=19250 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=10MHz Channel=19900 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=38675 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=39150 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=39625 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39150 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=38750 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39550 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0

Conducted spurious emissions



Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0


Conducted spurious emissions



Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0




Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21475 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21500 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21775 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21750 RB Size=1 Position=#0

Conducted spurious emissions



Clause 4.2.5 LTE Transmitter minimum output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Limit (dBm)	Verdict
Band1	5	18025	25	#0	QPSK	-48.71	-39	PASS
Band1	5	18300	25	#0	QPSK	-50.71	-39	PASS
Band1	5	18575	25	#0	QPSK	-50.91	-39	PASS
Band1	20	18100	100	#0	QPSK	-49.58	-39	PASS
Band1	20	18300	100	#0	QPSK	-49.26	-39	PASS
Band1	20	18500	100	#0	QPSK	-49.17	-39	PASS
Band20	5	24175	25	#0	QPSK	-50.34	-39	PASS
Band20	5	24300	25	#0	QPSK	-50.53	-39	PASS
Band20	5	24425	25	#0	QPSK	-50.51	-39	PASS
Band20	20	24250	100	#0	QPSK	-49.80	-39	PASS
Band20	20	24300	100	#0	QPSK	-49.83	-39	PASS
Band20	20	24350	100	#0	QPSK	-49.86	-39	PASS
Band28	3	27225	15	#0	QPSK	-49.23	-39	PASS
Band28	3	27375	15	#0	QPSK	-51.98	-39	PASS
Band28	3	27645	15	#0	QPSK	-52.17	-39	PASS
Band28	5	27235	25	#0	QPSK	-49.16	-39	PASS
Band28	5	27385	25	#0	QPSK	-51.62	-39	PASS
Band28	5	27635	25	#0	QPSK	-51.64	-39	PASS
Band28	20	27310	100	#0	QPSK	-49.18	-39	PASS
Band28	20	27460	100	#0	QPSK	-48.68	-39	PASS
Band28	20	27560	100	#0	QPSK	-48.81	-39	PASS

Band3	1.4	19207	6	#0	QPSK	-48.53	-39	PASS
Band3	1.4	19575	6	#0	QPSK	-48.46	-39	PASS
Band3	1.4	19943	6	#0	QPSK	-48.24	-39	PASS
Band3	5	19225	25	#0	QPSK	-48.55	-39	PASS
Band3	5	19575	25	#0	QPSK	-48.47	-39	PASS
Band3	5	19925	25	#0	QPSK	-48.44	-39	PASS
Band3	20	19300	100	#0	QPSK	-48.18	-39	PASS
Band3	20	19575	100	#0	QPSK	-48.24	-39	PASS
Band3	20	19850	100	#0	QPSK	-47.94	-39	PASS
Band40	5	38675	25	#0	QPSK	-48.39	-39	PASS
Band40	5	39150	25	#0	QPSK	-48.78	-39	PASS
Band40	5	39625	25	#0	QPSK	-48.30	-39	PASS
Band40	20	38750	100	#0	QPSK	-47.63	-39	PASS
Band40	20	39150	100	#0	QPSK	-48.53	-39	PASS
Band40	20	39550	100	#0	QPSK	-48.63	-39	PASS
Band7	5	20775	25	#0	QPSK	-50.35	-39	PASS
Band7	5	21100	25	#0	QPSK	-50.62	-39	PASS
Band7	5	21425	25	#0	QPSK	-50.62	-39	PASS
Band7	20	20850	100	#0	QPSK	-49.21	-39	PASS
Band7	20	21100	100	#0	QPSK	-49.53	-39	PASS
Band7	20	21350	100	#0	QPSK	-49.00	-39	PASS
Band8	1.4	21457	6	#0	QPSK	-51.27	-39	PASS
Band8	1.4	21625	6	#0	QPSK	-51.08	-39	PASS
Band8	1.4	21793	6	#0	QPSK	-51.26	-39	PASS
Band8	5	21475	25	#0	QPSK	-51.09	-39	PASS
Band8	5	21625	25	#0	QPSK	-50.68	-39	PASS
Band8	5	21775	25	#0	QPSK	-50.94	-39	PASS
Band8	10	21500	50	#0	QPSK	-50.88	-39	PASS
Band8	10	21625	50	#0	QPSK	-50.61	-39	PASS
Band8	10	21750	50	#0	QPSK	-50.92	-39	PASS

#### Clause 4.2.6 LTE Receiver adjacent channel selectivity

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2134.9975	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case1	2145.0025	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2134.9975	-25	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2145.0025	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2127.4975	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2152.5025	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2127.4975	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2152.5025	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	800.9975	-51.5	100.00	95	PASS

Band20	5	24300	25	QPSK	Case1	811.0025	-51.5	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	800.9975	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	811.0025	-25	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	793.4975	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	818.5025	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	793.4975	-25	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	818.5025	-25	100.00	95	PASS
Band28	3	27375	15	QPSK	Case1	771.4925	-54	100.00	95	PASS
Band28	3	27375	15	QPSK	Case1	777.5075	-54	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	771.4925	-25	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	777.5075	-25	100.00	95	PASS
Band28	5	27385	25	QPSK	Case1	770.4975	-52.3	100.00	95	PASS
Band28	5	27385	25	QPSK	Case1	780.5025	-52.3	100.00	95	PASS
Band28	5	27385	25	QPSK	Case2	770.4975	-25	100.00	95	PASS
Band28	5	27385	25	QPSK	Case2	780.5025	-25	100.00	95	PASS
Band28	20	27460	100	QPSK	Case1	770.4975	-50.8	100.00	95	PASS
Band28	20	27460	100	QPSK	Case1	795.5025	-50.8	100.00	95	PASS
Band28	20	27460	100	QPSK	Case2	770.4975	-25	100.00	95	PASS
Band28	20	27460	100	QPSK	Case2	795.5025	-25	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1841.0975	-56.2	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1843.9025	-56.2	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1841.0975	-25	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1843.9025	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1837.4975	-51.5	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1847.5025	-51.5	99.89	95	PASS
Band3	5	19575	25	QPSK	Case2	1837.4975	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1847.5025	-25	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1829.9975	-51.5	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1855.0025	-51.5	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1829.9975	-25	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1855.0025	-25	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2344.9975	-53.8	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2355.0025	-53.8	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2344.9975	-25	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2355.0025	-25	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2337.4975	-53.8	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2362.5025	-53.8	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2337.4975	-25	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2362.5025	-25	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2649.9975	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2660.0025	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2649.9975	-25	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2660.0025	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2642.4975	-52.5	100.00	95	PASS



Band7	20	21100	100	QPSK	Case1	2667.5025	-52.5	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2642.4975	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2667.5025	-25	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	941.0975	-56.7	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	943.9025	-56.7	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	941.0975	-25	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	943.9025	-25	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	937.4975	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	947.5025	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	937.4975	-25	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	947.5025	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	934.9925	-48.5	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	950.0075	-48.5	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	934.9925	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	950.0075	-25	100.00	95	PASS

#### Clause 4.2.7 LTE Receiver blocking characteristics in-band

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2129.9875	-56	100.00	95	PASS
Band1	5	18300	25	QPSK	Case1	2150.0125	-56	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2124.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2119.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2114.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2109.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2104.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2099.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2155.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2160.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2165.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2170.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2175.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2180.0075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2122.4875	-56	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2157.5125	-56	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2117.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2112.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2107.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2102.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2097.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2162.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2167.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2172.5075	-44	100.00	95	PASS

Band1	20	18300	100	QPSK	Case2	2177.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2182.5075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	795.9875	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	816.0125	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	790.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	785.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	780.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	821.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	826.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	831.0075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	788.4875	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	823.5125	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	783.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	778.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	828.5075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	833.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case1	768.4925	-56	100.00	95	PASS
Band28	3	27375	15	QPSK	Case1	780.5075	-56	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	765.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	762.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	759.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	756.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	753.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	750.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	747.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	744.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	783.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	786.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	789.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	792.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	795.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	798.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	801.5075	-44	100.00	95	PASS
Band28	5	27385	25	QPSK	Case1	765.4875	-56	100.00	95	PASS
Band28	5	27385	25	QPSK	Case1	785.5125	-56	100.00	95	PASS
Band28	5	27385	25	QPSK	Case2	760.4925	-44	100.00	95	PASS
Band28	5	27385	25	QPSK	Case2	755.4925	-44	100.00	95	PASS
Band28	5	27385	25	QPSK	Case2	750.4925	-44	100.00	95	PASS
Band28	5	27385	25	QPSK	Case2	745.4925	-44	100.00	95	PASS
Band28	5	27385	25	QPSK	Case2	790.5075	-44	100.00	95	PASS
Band28	5	27385	25	QPSK	Case2	795.5075	-44	100.00	95	PASS
Band28	5	27385	25	QPSK	Case2	800.5075	-44	100.00	95	PASS
Band28	20	27460	100	QPSK	Case1	765.4875	-56	100.00	95	PASS
Band28	20	27460	100	QPSK	Case1	800.5125	-56	100.00	95	PASS

Band28	20	27460	100	QPSK	Case2	760.4925	-44	100.00	95	PASS
Band28	20	27460	100	QPSK	Case2	755.4925	-44	100.00	95	PASS
Band28	20	27460	100	QPSK	Case2	750.4925	-44	100.00	95	PASS
Band28	20	27460	100	QPSK	Case2	745.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1839.6875	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1845.3125	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1838.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1836.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1835.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1834.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1832.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1831.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1829.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1828.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1827.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1825.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1824.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1822.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1821.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1820.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1818.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1817.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1815.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1814.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1813.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1811.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1810.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1808.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1807.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1806.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1804.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1803.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1801.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1800.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1799.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1797.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1796.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1794.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1793.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1792.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1790.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1846.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1848.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1849.5075	-44	100.00	95	PASS

Band3	1.4	19575	6	QPSK	Case2	1850.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1852.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1853.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1855.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1856.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1857.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1859.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1860.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1862.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1863.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1864.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1866.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1867.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1869.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1870.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1871.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1873.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1874.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1876.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1877.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1878.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1880.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1881.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1883.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1884.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1885.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1887.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1888.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1890.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1891.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1892.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1894.3075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1832.4875	-56	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1852.5125	-56	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1827.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1822.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1817.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1812.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1807.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1802.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1797.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1792.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1857.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1862.5075	-44	100.00	95	PASS

Band3	5	19575	25	QPSK	Case2	1867.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1872.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1877.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1882.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1887.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1892.5075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1824.9875	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1860.0125	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1819.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1814.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1809.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1804.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1799.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1794.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1865.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1870.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1875.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1880.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1885.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1890.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2339.9875	-56	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2360.0125	-56	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2334.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2329.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2324.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2319.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2314.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2309.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2304.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2299.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2294.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2289.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2365.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2370.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2375.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2380.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2385.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2390.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2395.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2400.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2405.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2410.0075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2332.4875	-56	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2367.5125	-56	100.00	95	PASS

Band40	20	39150	100	QPSK	Case2	2327.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2322.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2317.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2312.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2307.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2302.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2297.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2292.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2287.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2372.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2377.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2382.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2387.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2392.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2397.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2402.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2407.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2412.5075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2644.9875	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2665.0125	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2639.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2634.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2629.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2624.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2619.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2614.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2609.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2670.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2675.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2680.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2685.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2690.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2695.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2700.0075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2637.4875	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2672.5125	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2632.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2627.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2622.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2617.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2612.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2607.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2677.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2682.5075	-44	100.00	95	PASS

Band7	20	21100	100	QPSK	Case2	2687.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2692.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2697.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2702.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	939.6875	-56	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	945.3125	-56	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	938.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	936.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	935.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	934.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	932.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	931.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	929.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	928.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	927.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	925.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	924.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	922.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	921.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	920.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	918.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	917.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	915.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	914.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	913.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	911.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	910.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	946.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	948.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	949.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	950.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	952.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	953.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	955.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	956.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	957.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	959.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	960.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	962.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	963.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	964.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	966.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	967.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	969.1075	-44	100.00	95	PASS



Band8	1.4	21625	6	QPSK	Case2	970.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	971.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	973.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	974.7075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	932.4875	-56	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	952.5125	-56	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	927.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	922.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	917.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	912.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	957.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	962.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	967.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	972.5075	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	929.9975	-56	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	955.0025	-56	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	924.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	919.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	914.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	960.0125	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	965.0125	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	970.0125	-44	100.00	95	PASS

#### Clause 4.2.7 LTE Receiver blocking characteristics narrow-band

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	2137.2925	-55	100.00	95	PASS
Band1	5	18300	25	QPSK	2142.7075	-55	100.00	95	PASS
Band1	20	18300	100	QPSK	2129.7925	-55	100.00	95	PASS
Band1	20	18300	100	QPSK	2150.2075	-55	100.00	95	PASS
Band20	5	24300	25	QPSK	803.2925	-55	100.00	95	PASS
Band20	5	24300	25	QPSK	808.7075	-55	100.00	95	PASS
Band20	20	24300	100	QPSK	795.7925	-55	100.00	95	PASS
Band20	20	24300	100	QPSK	816.2075	-55	100.00	95	PASS
Band28	3	27375	15	QPSK	772.7975	-55	100.00	95	PASS
Band28	3	27375	15	QPSK	776.2025	-55	100.00	95	PASS
Band28	5	27385	25	QPSK	772.7925	-55	100.00	95	PASS
Band28	5	27385	25	QPSK	778.2075	-55	100.00	95	PASS
Band28	20	27460	100	QPSK	772.7925	-55	100.00	95	PASS
Band28	20	27460	100	QPSK	793.2075	-55	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1841.5925	-55	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1843.4075	-55	100.00	95	PASS
Band3	5	19575	25	QPSK	1839.7925	-55	100.00	95	PASS
Band3	5	19575	25	QPSK	1845.2075	-55	100.00	95	PASS



Band3	20	19575	100	QPSK	1832.2925	-55	100.00	95	PASS
Band3	20	19575	100	QPSK	1852.7075	-55	100.00	95	PASS
Band40	5	39150	25	QPSK	2347.2925	-55	100.00	95	PASS
Band40	5	39150	25	QPSK	2352.7075	-55	100.00	95	PASS
Band40	20	39150	100	QPSK	2339.7925	-55	100.00	95	PASS
Band40	20	39150	100	QPSK	2360.2075	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2652.2925	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2657.7075	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2644.7925	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2665.2075	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	941.5925	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	943.4075	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	939.7925	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	945.2075	-55	100.00	95	PASS
Band8	10	21625	50	QPSK	937.2875	-55	100.00	95	PASS
Band8	10	21625	50	QPSK	947.7125	-55	100.00	95	PASS

#### Clause 4.2.8 LTE Receiver Spurious Response

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
------	-----------------	------------	------------	------------	-------------------------	--------------------------	----------------	-----------	---------

#### Clause 4.2.9 LTE Receiver intermodulation characteristics

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference1 Freq (MHz)	Interference1 Level (dBm)	Interference2 Freq (MHz)	Interference2 Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	2130	-46	2120	-46	100.00	95	PASS
Band1	5	18300	25	QPSK	2150	-46	2160	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2122.5	-46	2105	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2157.5	-46	2175	-46	100.00	95	PASS
Band20	5	24300	25	QPSK	796	-46	786	-46	100.00	95	PASS
Band20	5	24300	25	QPSK	816	-46	826	-46	100.00	95	PASS
Band20	20	24300	100	QPSK	788.5	-46	771	-46	100.00	95	PASS
Band20	20	24300	100	QPSK	823.5	-46	841	-46	100.00	95	PASS
Band28	3	27375	15	QPSK	768.5	-46	762.5	-46	100.00	95	PASS
Band28	3	27375	15	QPSK	780.5	-46	786.5	-46	100.00	95	PASS
Band28	5	27385	25	QPSK	765.5	-46	755.5	-46	100.00	95	PASS

Band2 8	5	27385	25	QPSK	785.5	-46	795.5	-46	100.00	95	PASS
Band2 8	20	27460	100	QPSK	765.5	-46	748	-46	100.00	95	PASS
Band2 8	20	27460	100	QPSK	800.5	-46	818	-46	99.89	95	PASS
Band3	1.4	19575	6	QPSK	1839.7	-46	1836.9	-46	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1845.3	-46	1848.1	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1832.5	-46	1822.5	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1852.5	-46	1862.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1825	-46	1807.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1860	-46	1877.5	-46	100.00	95	PASS
Band4 0	5	39150	25	QPSK	2340	-46	2330	-46	100.00	95	PASS
Band4 0	5	39150	25	QPSK	2360	-46	2370	-46	100.00	95	PASS
Band4 0	20	39150	100	QPSK	2332.5	-46	2315	-46	100.00	95	PASS
Band4 0	20	39150	100	QPSK	2367.5	-46	2385	-46	100.00	95	PASS
Band7	5	21100	25	QPSK	2645	-46	2635	-46	100.00	95	PASS
Band7	5	21100	25	QPSK	2665	-46	2675	-46	100.00	95	PASS
Band7	20	21100	100	QPSK	2637.5	-46	2620	-46	100.00	95	PASS
Band7	20	21100	100	QPSK	2672.5	-46	2690	-46	100.00	95	PASS
Band8	1.4	21625	6	QPSK	939.7	-46	936.9	-46	100.00	95	PASS
Band8	1.4	21625	6	QPSK	945.3	-46	948.1	-46	100.00	95	PASS
Band8	5	21625	25	QPSK	932.5	-46	922.5	-46	100.00	95	PASS
Band8	5	21625	25	QPSK	952.5	-46	962.5	-46	100.00	95	PASS
Band8	10	21625	50	QPSK	930	-46	917.5	-46	100.00	95	PASS
Band8	10	21625	50	QPSK	955	-46	967.5	-46	100.00	95	PASS

#### Clause 4.2.10 LTE Receiver spurious emissions


Band	Bandwidth (MHz)	UL Channel	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band1	20	18100	QPSK	30 MHz-1000 MHz	100 kHz	209.35	-92.48	-57	PASS
Band1	20	18100	QPSK	1000 MHz-12.75 GHz	1 MHz	2126.04	-78.87	-47	PASS
Band1	20	18300	QPSK	30 MHz-1000 MHz	100 kHz	248.93	-92.42	-57	PASS
Band1	20	18300	QPSK	1000 MHz-12.75 GHz	1 MHz	2132.90	-75.93	-47	PASS
Band1	20	18500	QPSK	30 MHz-1000 MHz	100 kHz	216.14	-92.24	-57	PASS

Band1	20	18500	QPSK	1000 MHz-12.75 GHz	1 MHz	2576.46	-77.31	-47	PASS
Band20	20	24250	QPSK	30 MHz-1000 MHz	100 kHz	794.55	-82.04	-57	PASS
Band20	20	24250	QPSK	1000 MHz-12.75 GHz	1 MHz	2466.79	-80.94	-47	PASS
Band20	20	24300	QPSK	30 MHz-1000 MHz	100 kHz	810.17	-82.41	-57	PASS
Band20	20	24300	QPSK	1000 MHz-12.75 GHz	1 MHz	12642.29	-81.73	-47	PASS
Band20	20	24350	QPSK	30 MHz-1000 MHz	100 kHz	810.46	-82.35	-57	PASS
Band20	20	24350	QPSK	1000 MHz-12.75 GHz	1 MHz	2571.56	-81.72	-47	PASS
Band28	20	27310	QPSK	30 MHz-1000 MHz	100 kHz	766.04	-83.93	-57	PASS
Band28	20	27310	QPSK	1000 MHz-12.75 GHz	1 MHz	2474.63	-61.26	-47	PASS
Band28	20	27460	QPSK	30 MHz-1000 MHz	100 kHz	784.85	-82.53	-57	PASS
Band28	20	27460	QPSK	1000 MHz-12.75 GHz	1 MHz	5185.94	-78.91	-47	PASS
Band28	20	27560	QPSK	30 MHz-1000 MHz	100 kHz	784.37	-82.46	-57	PASS
Band28	20	27560	QPSK	1000 MHz-12.75 GHz	1 MHz	2472.67	-60.91	-47	PASS
Band3	20	19300	QPSK	30 MHz-1000 MHz	100 kHz	215.08	-93.02	-57	PASS
Band3	20	19300	QPSK	1000 MHz-12.75 GHz	1 MHz	1822.50	-74.84	-47	PASS
Band3	20	19575	QPSK	30 MHz-1000 MHz	100 kHz	915.03	-92.91	-57	PASS
Band3	20	19575	QPSK	1000 MHz-12.75 GHz	1 MHz	1834.25	-75.72	-47	PASS
Band3	20	19850	QPSK	30 MHz-1000 MHz	100 kHz	224.39	-92.70	-57	PASS
Band3	20	19850	QPSK	1000 MHz-12.75 GHz	1 MHz	1866.56	-76.77	-47	PASS
Band40	20	38750	QPSK	30 MHz-1000 MHz	100 kHz	213.43	-91.83	-57	PASS
Band40	20	38750	QPSK	1000 MHz-12.75 GHz	1 MHz	2465.81	-63.82	-47	PASS
Band40	20	39150	QPSK	30 MHz-1000 MHz	100 kHz	217.02	-91.59	-57	PASS

Band40	20	39150	QPSK	1000 MHz-12.75 GHz	1 MHz	2463.85	-69.66	-47	PASS
Band40	20	39550	QPSK	30 MHz-1000 MHz	100 kHz	209.26	-91.57	-57	PASS
Band40	20	39550	QPSK	1000 MHz-12.75 GHz	1 MHz	2390.42	-69.53	-47	PASS
Band7	20	20850	QPSK	30 MHz-1000 MHz	100 kHz	232.05	-91.43	-57	PASS
Band7	20	20850	QPSK	1000 MHz-12.75 GHz	1 MHz	2622.48	-73.52	-47	PASS
Band7	20	21100	QPSK	30 MHz-1000 MHz	100 kHz	216.53	-91.44	-57	PASS
Band7	20	21100	QPSK	1000 MHz-12.75 GHz	1 MHz	2656.75	-73.64	-47	PASS
Band7	20	21350	QPSK	30 MHz-1000 MHz	100 kHz	217.21	-91.57	-57	PASS
Band7	20	21350	QPSK	1000 MHz-12.75 GHz	1 MHz	2477.56	-72.52	-47	PASS
Band8	10	21500	QPSK	30 MHz-1000 MHz	100 kHz	928.22	-82.16	-57	PASS
Band8	10	21500	QPSK	1000 MHz-12.75 GHz	1 MHz	2468.75	-70.34	-47	PASS
Band8	10	21625	QPSK	30 MHz-1000 MHz	100 kHz	938.21	-81.23	-57	PASS
Band8	10	21625	QPSK	1000 MHz-12.75 GHz	1 MHz	2473.65	-72.72	-47	PASS
Band8	10	21750	QPSK	30 MHz-1000 MHz	100 kHz	951.02	-81.19	-57	PASS
Band8	10	21750	QPSK	1000 MHz-12.75 GHz	1 MHz	5185.94	-77.27	-47	PASS


Band1 QPSK BW=20MHz Channel=18300

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18100

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18500

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24250

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24350

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24300

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27560

Conducted spurious emissions



Band28 QPSK BW=20MHz Channel=27460


Conducted spurious emissions



Band28 QPSK BW=20MHz Channel=27310




Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39550

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39150

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=38750

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21350

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21100

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21625

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21500

Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21750

Conducted spurious emissions



Clause 4.2.11 LTE Transmitter adjacent channel leakage power ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Type	ACLR (dBc)	Limit (dBc)	Verdict
Band1	5	18025	8	#0	QPSK	U-ACLR2-	54.63	35.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR1-	39.03	32.2	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR-	36.79	29.2	PASS
Band1	5	18025	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR+	47.14	29.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR+	47.47	32.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR2+	55.08	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2-	54.77	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR1-	47.81	32.2	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR-	47.48	29.2	PASS
Band1	5	18025	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR+	36.19	29.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR+	38.50	32.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2+	54.88	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR2-	50.46	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR1-	39.26	32.2	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR-	38.53	29.2	PASS
Band1	5	18025	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR+	38.35	29.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR+	39.11	32.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR2+	50.47	35.2	PASS

Band1	5	18025	8	#0	QAM16	U-ACLR2-	53.66	35.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR1-	41.10	32.2	PASS
Band1	5	18025	8	#0	QAM16	E-ACLR-	38.94	29.2	PASS
Band1	5	18025	8	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18025	8	#0	QAM16	E-ACLR+	47.03	29.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR+	47.33	32.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR2+	54.07	35.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR2-	53.69	35.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR1-	47.69	32.2	PASS
Band1	5	18025	8	#Max	QAM16	E-ACLR-	47.36	29.2	PASS
Band1	5	18025	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	5	18025	8	#Max	QAM16	E-ACLR+	38.94	29.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR+	40.93	32.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR2+	53.91	35.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR2-	50.63	35.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR1-	40.30	32.2	PASS
Band1	5	18025	25	#0	QAM16	E-ACLR-	39.48	29.2	PASS
Band1	5	18025	25	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18025	25	#0	QAM16	E-ACLR+	39.12	29.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR+	39.85	32.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR2+	50.74	35.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR2-	54.48	35.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR1-	39.53	32.2	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR-	36.96	29.2	PASS
Band1	5	18300	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR+	46.68	29.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR+	46.98	32.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR2+	54.99	35.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2-	54.63	35.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR1-	48.57	32.2	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR-	48.18	29.2	PASS
Band1	5	18300	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR+	37.59	29.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR+	40.22	32.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2+	54.74	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2-	51.35	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR1-	41.40	32.2	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR-	40.62	29.2	PASS
Band1	5	18300	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR+	40.57	29.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR+	41.39	32.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2+	51.78	35.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR2-	53.56	35.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR1-	41.36	32.2	PASS



Band1	5	18300	8	#0	QAM16	E-ACLR-	38.92	29.2	PASS
Band1	5	18300	8	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18300	8	#0	QAM16	E-ACLR+	46.62	29.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR+	46.93	32.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR2+	53.90	35.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR2-	53.68	35.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR1-	47.62	32.2	PASS
Band1	5	18300	8	#Max	QAM16	E-ACLR-	47.27	29.2	PASS
Band1	5	18300	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	5	18300	8	#Max	QAM16	E-ACLR+	39.25	29.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR+	42.07	32.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR2+	53.81	35.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR2-	50.97	35.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR1-	41.96	32.2	PASS
Band1	5	18300	25	#0	QAM16	E-ACLR-	41.05	29.2	PASS
Band1	5	18300	25	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18300	25	#0	QAM16	E-ACLR+	40.79	29.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR+	41.62	32.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR2+	51.33	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2-	55.04	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR1-	39.90	32.2	PASS
Band1	5	18575	8	#0	QPSK	E-ACLR-	37.27	29.2	PASS
Band1	5	18575	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	8	#0	QPSK	E-ACLR+	47.58	29.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR+	47.89	32.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2+	55.53	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2-	55.15	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR1-	46.99	32.2	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR-	46.70	29.2	PASS
Band1	5	18575	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR+	37.13	29.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR+	39.79	32.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2+	55.06	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2-	51.51	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR1-	41.39	32.2	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR-	40.62	29.2	PASS
Band1	5	18575	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR+	41.06	29.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR+	41.89	32.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2+	51.95	35.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR2-	54.14	35.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR1-	42.88	32.2	PASS
Band1	5	18575	8	#0	QAM16	E-ACLR-	40.62	29.2	PASS
Band1	5	18575	8	#0	QAM16	EUTRA	0.00	0	PASS

Band1	5	18575	8	#0	QAM16	E-ACLR+	47.75	29.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR+	48.07	32.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR2+	54.49	35.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR2-	54.20	35.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR1-	47.22	32.2	PASS
Band1	5	18575	8	#Max	QAM16	E-ACLR-	46.91	29.2	PASS
Band1	5	18575	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	5	18575	8	#Max	QAM16	E-ACLR+	40.22	29.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR+	42.70	32.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR2+	54.35	35.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR2-	50.94	35.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR1-	41.75	32.2	PASS
Band1	5	18575	25	#0	QAM16	E-ACLR-	40.97	29.2	PASS
Band1	5	18575	25	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18575	25	#0	QAM16	E-ACLR+	41.26	29.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR+	42.12	32.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR2+	51.40	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2-	54.14	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR1-	38.16	32.2	PASS
Band1	10	18050	12	#0	QPSK	E-ACLR-	37.72	29.2	PASS
Band1	10	18050	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	12	#0	QPSK	E-ACLR+	47.40	29.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR+	51.86	32.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2+	51.31	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2-	51.50	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR1-	52.04	32.2	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR-	47.68	29.2	PASS
Band1	10	18050	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR+	36.71	29.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR+	37.11	32.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2+	54.49	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2-	43.08	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR1-	40.28	32.2	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR-	37.83	29.2	PASS
Band1	10	18050	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR+	38.12	29.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR+	40.46	32.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2+	43.49	35.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR2-	53.15	35.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR1-	39.91	32.2	PASS
Band1	10	18050	12	#0	QAM16	E-ACLR-	39.28	29.2	PASS
Band1	10	18050	12	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18050	12	#0	QAM16	E-ACLR+	47.27	29.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR+	51.62	32.2	PASS

Band1	10	18050	12	#0	QAM16	U-ACLR2+	51.21	35.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR2-	51.20	35.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR1-	51.65	32.2	PASS
Band1	10	18050	12	#Max	QAM16	E-ACLR-	47.36	29.2	PASS
Band1	10	18050	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	10	18050	12	#Max	QAM16	E-ACLR+	38.16	29.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR+	38.76	32.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR2+	53.65	35.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR2-	44.20	35.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR1-	40.85	32.2	PASS
Band1	10	18050	50	#0	QAM16	E-ACLR-	38.50	29.2	PASS
Band1	10	18050	50	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18050	50	#0	QAM16	E-ACLR+	38.73	29.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR+	41.01	32.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR2+	44.50	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR2-	53.82	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR1-	38.27	32.2	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR-	37.79	29.2	PASS
Band1	10	18300	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR+	46.16	29.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR+	50.89	32.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR2+	49.84	35.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR2-	50.13	35.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR1-	51.10	32.2	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR-	46.42	29.2	PASS
Band1	10	18300	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR+	39.62	29.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR+	40.19	32.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR2+	54.44	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2-	45.39	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR1-	41.60	32.2	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR-	39.48	29.2	PASS
Band1	10	18300	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR+	39.87	29.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR+	42.09	32.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2+	45.66	35.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR2-	52.90	35.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR1-	40.30	32.2	PASS
Band1	10	18300	12	#0	QAM16	E-ACLR-	39.56	29.2	PASS
Band1	10	18300	12	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18300	12	#0	QAM16	E-ACLR+	46.08	29.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR+	50.64	32.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR2+	50.04	35.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR2-	49.96	35.2	PASS

Band1	10	18300	12	#Max	QAM16	U-ACLR1-	51.08	32.2	PASS
Band1	10	18300	12	#Max	QAM16	E-ACLR-	46.31	29.2	PASS
Band1	10	18300	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	10	18300	12	#Max	QAM16	E-ACLR+	40.82	29.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR+	41.66	32.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR2+	53.53	35.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR2-	46.10	35.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR1-	42.42	32.2	PASS
Band1	10	18300	50	#0	QAM16	E-ACLR-	40.21	29.2	PASS
Band1	10	18300	50	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18300	50	#0	QAM16	E-ACLR+	40.40	29.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR+	42.56	32.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR2+	46.34	35.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR2-	54.53	35.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR1-	41.31	32.2	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR-	40.70	29.2	PASS
Band1	10	18550	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR+	46.21	29.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR+	51.13	32.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR2+	49.96	35.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2-	50.85	35.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR1-	51.53	32.2	PASS
Band1	10	18550	12	#Max	QPSK	E-ACLR-	46.97	29.2	PASS
Band1	10	18550	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	12	#Max	QPSK	E-ACLR+	40.30	29.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR+	40.84	32.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2+	54.83	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2-	47.26	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR1-	45.02	32.2	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR-	42.35	29.2	PASS
Band1	10	18550	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR+	42.83	29.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR+	45.60	32.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2+	47.49	35.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR2-	53.33	35.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR1-	43.70	32.2	PASS
Band1	10	18550	12	#0	QAM16	E-ACLR-	42.83	29.2	PASS
Band1	10	18550	12	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18550	12	#0	QAM16	E-ACLR+	46.43	29.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR+	51.09	32.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR2+	50.23	35.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR2-	50.03	35.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR1-	50.73	32.2	PASS
Band1	10	18550	12	#Max	QAM16	E-ACLR-	46.16	29.2	PASS

Band1	10	18550	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	10	18550	12	#Max	QAM16	E-ACLR+	42.47	29.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR+	43.23	32.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR2+	53.72	35.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR2-	47.07	35.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR1-	44.09	32.2	PASS
Band1	10	18550	50	#0	QAM16	E-ACLR-	41.65	29.2	PASS
Band1	10	18550	50	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18550	50	#0	QAM16	E-ACLR+	42.22	29.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR+	44.71	32.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR2+	47.47	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2-	52.74	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR1-	39.85	32.2	PASS
Band1	20	18100	18	#0	QPSK	E-ACLR-	40.32	29.2	PASS
Band1	20	18100	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	18	#0	QPSK	E-ACLR+	45.62	29.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR+	54.18	32.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2+	53.46	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2-	52.29	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR1-	53.13	32.2	PASS
Band1	20	18100	18	#Max	QPSK	E-ACLR-	45.72	29.2	PASS
Band1	20	18100	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	18	#Max	QPSK	E-ACLR+	40.10	29.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR+	39.42	32.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2+	53.48	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2-	44.44	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR1-	43.03	32.2	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR-	38.21	29.2	PASS
Band1	20	18100	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR+	39.58	29.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR+	44.53	32.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2+	46.06	35.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR2-	51.69	35.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR1-	40.92	32.2	PASS
Band1	20	18100	18	#0	QAM16	E-ACLR-	40.97	29.2	PASS
Band1	20	18100	18	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18100	18	#0	QAM16	E-ACLR+	45.16	29.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR+	53.03	32.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR2+	52.75	35.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR2-	51.26	35.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR1-	52.17	32.2	PASS
Band1	20	18100	18	#Max	QAM16	E-ACLR-	44.64	29.2	PASS
Band1	20	18100	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	20	18100	18	#Max	QAM16	E-ACLR+	40.78	29.2	PASS

Band1	20	18100	18	#Max	QAM16	U-ACLR+	40.50	32.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR2+	52.65	35.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR2-	44.66	35.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR1-	43.17	32.2	PASS
Band1	20	18100	100	#0	QAM16	E-ACLR-	38.55	29.2	PASS
Band1	20	18100	100	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18100	100	#0	QAM16	E-ACLR+	39.56	29.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR+	44.50	32.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR2+	45.76	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2-	52.26	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR1-	39.44	32.2	PASS
Band1	20	18300	18	#0	QPSK	E-ACLR-	40.02	29.2	PASS
Band1	20	18300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	18	#0	QPSK	E-ACLR+	44.63	29.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR+	53.83	32.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2+	52.60	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR2-	51.96	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR1-	53.30	32.2	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR-	44.61	29.2	PASS
Band1	20	18300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR+	43.28	29.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR+	43.28	32.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR2+	53.56	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2-	45.82	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR1-	44.64	32.2	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR-	39.56	29.2	PASS
Band1	20	18300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR+	40.49	29.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR+	45.20	32.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2+	46.98	35.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR2-	51.44	35.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR1-	40.91	32.2	PASS
Band1	20	18300	18	#0	QAM16	E-ACLR-	40.93	29.2	PASS
Band1	20	18300	18	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18300	18	#0	QAM16	E-ACLR+	44.34	29.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR+	52.84	32.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR2+	52.20	35.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR2-	51.34	35.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR1-	52.30	32.2	PASS
Band1	20	18300	18	#Max	QAM16	E-ACLR-	44.26	29.2	PASS
Band1	20	18300	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	20	18300	18	#Max	QAM16	E-ACLR+	43.82	29.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR+	44.82	32.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR2+	52.66	35.2	PASS

Band1	20	18300	100	#0	QAM16	U-ACLR2-	46.02	35.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR1-	45.43	32.2	PASS
Band1	20	18300	100	#0	QAM16	E-ACLR-	39.94	29.2	PASS
Band1	20	18300	100	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18300	100	#0	QAM16	E-ACLR+	40.61	29.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR+	45.43	32.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR2+	46.74	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR2-	53.19	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR1-	44.83	32.2	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR-	44.10	29.2	PASS
Band1	20	18500	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR+	45.35	29.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR+	54.44	32.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR2+	53.37	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2-	52.78	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR1-	53.93	32.2	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR-	45.78	29.2	PASS
Band1	20	18500	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR+	42.50	29.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR+	42.22	32.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2+	54.10	35.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2-	49.07	35.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR1-	48.02	32.2	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR-	42.61	29.2	PASS
Band1	20	18500	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR+	42.85	29.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR+	48.02	32.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2+	49.12	35.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR2-	52.22	35.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR1-	45.15	32.2	PASS
Band1	20	18500	18	#0	QAM16	E-ACLR-	43.88	29.2	PASS
Band1	20	18500	18	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18500	18	#0	QAM16	E-ACLR+	45.12	29.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR+	53.51	32.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR2+	52.97	35.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR2-	52.05	35.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR1-	52.86	32.2	PASS
Band1	20	18500	18	#Max	QAM16	E-ACLR-	45.22	29.2	PASS
Band1	20	18500	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	20	18500	18	#Max	QAM16	E-ACLR+	42.99	29.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR+	43.41	32.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR2+	53.24	35.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR2-	47.96	35.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR1-	47.13	32.2	PASS



Band1	20	18500	100	#0	QAM16	E-ACLR-	41.73	29.2	PASS
Band1	20	18500	100	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18500	100	#0	QAM16	E-ACLR+	41.98	29.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR+	47.06	32.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR2+	48.13	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2-	53.98	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR1-	48.51	32.2	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR-	45.89	29.2	PASS
Band20	5	24175	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR+	47.34	29.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR+	47.71	32.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2+	54.17	35.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2-	54.04	35.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR1-	48.49	32.2	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR-	48.10	29.2	PASS
Band20	5	24175	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR+	44.47	29.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR+	47.29	32.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2+	54.04	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2-	52.96	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR1-	47.90	32.2	PASS
Band20	5	24175	25	#0	QPSK	E-ACLR-	46.87	29.2	PASS
Band20	5	24175	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	25	#0	QPSK	E-ACLR+	43.39	29.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR+	44.16	32.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2+	51.41	35.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR2-	53.00	35.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR1-	48.82	32.2	PASS
Band20	5	24175	8	#0	QAM16	E-ACLR-	46.17	29.2	PASS
Band20	5	24175	8	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24175	8	#0	QAM16	E-ACLR+	47.06	29.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR+	47.41	32.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR2+	53.23	35.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR2-	53.07	35.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR1-	48.51	32.2	PASS
Band20	5	24175	8	#Max	QAM16	E-ACLR-	48.10	29.2	PASS
Band20	5	24175	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	5	24175	8	#Max	QAM16	E-ACLR+	45.21	29.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR+	47.63	32.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR2+	53.26	35.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR2-	52.06	35.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR1-	47.86	32.2	PASS
Band20	5	24175	25	#0	QAM16	E-ACLR-	46.72	29.2	PASS
Band20	5	24175	25	#0	QAM16	EUTRA	0.00	0	PASS



Band20	5	24175	25	#0	QAM16	E-ACLR+	43.12	29.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR+	43.90	32.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR2+	51.10	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2-	53.89	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR1-	46.18	32.2	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR-	43.51	29.2	PASS
Band20	5	24300	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR+	47.62	29.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR+	47.96	32.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2+	54.22	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2-	53.98	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR1-	47.30	32.2	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR-	46.95	29.2	PASS
Band20	5	24300	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR+	43.97	29.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR+	46.64	32.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2+	54.16	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2-	52.36	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR1-	45.96	32.2	PASS
Band20	5	24300	25	#0	QPSK	E-ACLR-	45.05	29.2	PASS
Band20	5	24300	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	25	#0	QPSK	E-ACLR+	43.47	29.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR+	44.33	32.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2+	51.87	35.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR2-	53.01	35.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR1-	46.79	32.2	PASS
Band20	5	24300	8	#0	QAM16	E-ACLR-	44.36	29.2	PASS
Band20	5	24300	8	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24300	8	#0	QAM16	E-ACLR+	47.47	29.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR+	47.83	32.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR2+	53.28	35.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR2-	53.03	35.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR1-	47.25	32.2	PASS
Band20	5	24300	8	#Max	QAM16	E-ACLR-	46.91	29.2	PASS
Band20	5	24300	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	5	24300	8	#Max	QAM16	E-ACLR+	44.40	29.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR+	46.98	32.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR2+	53.20	35.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR2-	51.51	35.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR1-	45.96	32.2	PASS
Band20	5	24300	25	#0	QAM16	E-ACLR-	44.91	29.2	PASS
Band20	5	24300	25	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24300	25	#0	QAM16	E-ACLR+	42.89	29.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR+	43.76	32.2	PASS

Band20	5	24300	25	#0	QAM16	U-ACLR2+	51.16	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2-	53.83	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR1-	45.92	32.2	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR-	42.96	29.2	PASS
Band20	5	24425	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR+	47.42	29.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR+	47.74	32.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2+	54.15	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2-	53.80	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR1-	46.40	32.2	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR-	46.11	29.2	PASS
Band20	5	24425	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR+	45.85	29.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR+	47.95	32.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2+	54.03	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR2-	52.28	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR1-	46.78	32.2	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR-	45.85	29.2	PASS
Band20	5	24425	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR+	45.13	29.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR+	46.06	32.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR2+	52.41	35.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR2-	52.78	35.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR1-	47.67	32.2	PASS
Band20	5	24425	8	#0	QAM16	E-ACLR-	45.40	29.2	PASS
Band20	5	24425	8	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24425	8	#0	QAM16	E-ACLR+	47.70	29.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR+	48.06	32.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR2+	53.10	35.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR2-	52.83	35.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR1-	46.84	32.2	PASS
Band20	5	24425	8	#Max	QAM16	E-ACLR-	46.50	29.2	PASS
Band20	5	24425	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	5	24425	8	#Max	QAM16	E-ACLR+	46.45	29.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR+	48.51	32.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR2+	53.02	35.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR2-	52.18	35.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR1-	46.77	32.2	PASS
Band20	5	24425	25	#0	QAM16	E-ACLR-	45.90	29.2	PASS
Band20	5	24425	25	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24425	25	#0	QAM16	E-ACLR+	44.17	29.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR+	45.06	32.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR2+	52.43	35.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR2-	53.71	35.2	PASS

Band20	10	24200	12	#0	QPSK	U-ACLR1-	48.95	32.2	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR-	47.20	29.2	PASS
Band20	10	24200	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR+	46.36	29.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR+	50.96	32.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR2+	50.26	35.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2-	53.07	35.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR1-	52.01	32.2	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR-	48.42	29.2	PASS
Band20	10	24200	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR+	44.68	29.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR+	45.73	32.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2+	53.87	35.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR2-	52.52	35.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR1-	49.36	32.2	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR-	47.04	29.2	PASS
Band20	10	24200	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR+	42.63	29.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR+	45.65	32.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR2+	47.33	35.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR2-	52.80	35.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR1-	48.77	32.2	PASS
Band20	10	24200	12	#0	QAM16	E-ACLR-	46.76	29.2	PASS
Band20	10	24200	12	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24200	12	#0	QAM16	E-ACLR+	46.23	29.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR+	50.74	32.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR2+	50.11	35.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR2-	52.14	35.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR1-	51.24	32.2	PASS
Band20	10	24200	12	#Max	QAM16	E-ACLR-	47.63	29.2	PASS
Band20	10	24200	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	10	24200	12	#Max	QAM16	E-ACLR+	44.87	29.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR+	46.27	32.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR2+	52.90	35.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR2-	51.72	35.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR1-	49.02	32.2	PASS
Band20	10	24200	50	#0	QAM16	E-ACLR-	46.50	29.2	PASS
Band20	10	24200	50	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24200	50	#0	QAM16	E-ACLR+	42.18	29.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR+	44.76	32.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR2+	47.64	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2-	53.38	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR1-	45.35	32.2	PASS
Band20	10	24300	12	#0	QPSK	E-ACLR-	44.26	29.2	PASS

Band20	10	24300	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	12	#0	QPSK	E-ACLR+	46.48	29.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR+	51.06	32.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2+	50.31	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2-	50.49	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR1-	50.93	32.2	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR-	46.56	29.2	PASS
Band20	10	24300	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR+	45.04	29.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR+	46.23	32.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2+	53.82	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2-	50.59	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR1-	47.82	32.2	PASS
Band20	10	24300	50	#0	QPSK	E-ACLR-	45.36	29.2	PASS
Band20	10	24300	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	50	#0	QPSK	E-ACLR+	42.99	29.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR+	45.76	32.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2+	48.06	35.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR2-	52.39	35.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR1-	46.38	32.2	PASS
Band20	10	24300	12	#0	QAM16	E-ACLR-	44.85	29.2	PASS
Band20	10	24300	12	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24300	12	#0	QAM16	E-ACLR+	46.39	29.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR+	50.72	32.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR2+	50.41	35.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR2-	50.20	35.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR1-	50.88	32.2	PASS
Band20	10	24300	12	#Max	QAM16	E-ACLR-	46.41	29.2	PASS
Band20	10	24300	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	10	24300	12	#Max	QAM16	E-ACLR+	45.18	29.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR+	46.63	32.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR2+	52.99	35.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR2-	49.97	35.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR1-	47.23	32.2	PASS
Band20	10	24300	50	#0	QAM16	E-ACLR-	44.74	29.2	PASS
Band20	10	24300	50	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24300	50	#0	QAM16	E-ACLR+	42.24	29.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR+	44.59	32.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR2+	48.07	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2-	53.22	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR1-	47.18	32.2	PASS
Band20	10	24400	12	#0	QPSK	E-ACLR-	45.75	29.2	PASS
Band20	10	24400	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	12	#0	QPSK	E-ACLR+	47.86	29.2	PASS

Band20	10	24400	12	#0	QPSK	U-ACLR+	51.75	32.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2+	52.36	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2-	49.85	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR1-	50.61	32.2	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR-	46.03	29.2	PASS
Band20	10	24400	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR+	46.81	29.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR+	48.40	32.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2+	53.94	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2-	50.67	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR1-	49.11	32.2	PASS
Band20	10	24400	50	#0	QPSK	E-ACLR-	46.17	29.2	PASS
Band20	10	24400	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	50	#0	QPSK	E-ACLR+	44.35	29.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR+	46.56	32.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2+	50.58	35.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR2-	52.40	35.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR1-	47.47	32.2	PASS
Band20	10	24400	12	#0	QAM16	E-ACLR-	45.76	29.2	PASS
Band20	10	24400	12	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24400	12	#0	QAM16	E-ACLR+	47.39	29.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR+	51.25	32.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR2+	51.76	35.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR2-	49.82	35.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR1-	50.42	32.2	PASS
Band20	10	24400	12	#Max	QAM16	E-ACLR-	45.99	29.2	PASS
Band20	10	24400	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	10	24400	12	#Max	QAM16	E-ACLR+	46.02	29.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR+	47.68	32.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR2+	53.05	35.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR2-	50.13	35.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR1-	47.89	32.2	PASS
Band20	10	24400	50	#0	QAM16	E-ACLR-	45.17	29.2	PASS
Band20	10	24400	50	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24400	50	#0	QAM16	E-ACLR+	43.43	29.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR+	45.34	32.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR2+	50.47	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR2-	52.83	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR1-	49.80	32.2	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR-	46.01	29.2	PASS
Band20	20	24250	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR+	45.09	29.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR+	53.60	32.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR2+	52.88	35.2	PASS

Band20	20	24250	18	#Max	QPSK	U-ACLR2-	52.95	35.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR1-	53.20	32.2	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR-	46.94	29.2	PASS
Band20	20	24250	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR+	44.99	29.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR+	46.75	32.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR2+	53.44	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR2-	51.74	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR1-	49.93	32.2	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR-	45.23	29.2	PASS
Band20	20	24250	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR+	40.41	29.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR+	45.40	32.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR2+	46.62	35.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR2-	51.84	35.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR1-	49.05	32.2	PASS
Band20	20	24250	18	#0	QAM16	E-ACLR-	45.10	29.2	PASS
Band20	20	24250	18	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24250	18	#0	QAM16	E-ACLR+	44.73	29.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR+	52.67	32.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR2+	52.29	35.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR2-	51.92	35.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR1-	52.26	32.2	PASS
Band20	20	24250	18	#Max	QAM16	E-ACLR-	45.96	29.2	PASS
Band20	20	24250	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	20	24250	18	#Max	QAM16	E-ACLR+	44.35	29.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR+	46.53	32.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR2+	52.59	35.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR2-	50.81	35.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR1-	48.97	32.2	PASS
Band20	20	24250	100	#0	QAM16	E-ACLR-	44.31	29.2	PASS
Band20	20	24250	100	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24250	100	#0	QAM16	E-ACLR+	39.74	29.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR+	44.65	32.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR2+	45.70	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2-	52.42	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR1-	48.46	32.2	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR-	45.50	29.2	PASS
Band20	20	24300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR+	46.36	29.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR+	53.70	32.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2+	53.11	35.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2-	52.26	35.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR1-	53.06	32.2	PASS

Band20	20	24300	18	#Max	QPSK	E-ACLR-	46.40	29.2	PASS
Band20	20	24300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	18	#Max	QPSK	E-ACLR+	44.70	29.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR+	46.12	32.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2+	53.41	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2-	50.10	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR1-	49.08	32.2	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR-	44.38	29.2	PASS
Band20	20	24300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR+	41.78	29.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR+	46.01	32.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2+	47.38	35.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR2-	51.50	35.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR1-	48.56	32.2	PASS
Band20	20	24300	18	#0	QAM16	E-ACLR-	44.85	29.2	PASS
Band20	20	24300	18	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24300	18	#0	QAM16	E-ACLR+	45.63	29.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR+	52.71	32.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR2+	52.48	35.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR2-	51.43	35.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR1-	52.01	32.2	PASS
Band20	20	24300	18	#Max	QAM16	E-ACLR-	45.50	29.2	PASS
Band20	20	24300	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	20	24300	18	#Max	QAM16	E-ACLR+	44.52	29.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR+	46.86	32.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR2+	52.48	35.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR2-	49.18	35.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR1-	48.49	32.2	PASS
Band20	20	24300	100	#0	QAM16	E-ACLR-	43.55	29.2	PASS
Band20	20	24300	100	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24300	100	#0	QAM16	E-ACLR+	40.92	29.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR+	45.28	32.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR2+	46.41	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2-	52.38	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR1-	46.31	32.2	PASS
Band20	20	24350	18	#0	QPSK	E-ACLR-	44.65	29.2	PASS
Band20	20	24350	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	18	#0	QPSK	E-ACLR+	47.30	29.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR+	53.74	32.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2+	53.92	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2-	51.68	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR1-	52.83	32.2	PASS
Band20	20	24350	18	#Max	QPSK	E-ACLR-	44.96	29.2	PASS
Band20	20	24350	18	#Max	QPSK	EUTRA	0.00	0	PASS



Band20	20	24350	18	#Max	QPSK	E-ACLR+	45.21	29.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR+	47.44	32.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2+	53.65	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2-	49.49	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR1-	48.57	32.2	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR-	43.49	29.2	PASS
Band20	20	24350	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR+	43.68	29.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR+	46.97	32.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2+	50.59	35.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR2-	51.43	35.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR1-	46.73	32.2	PASS
Band20	20	24350	18	#0	QAM16	E-ACLR-	44.29	29.2	PASS
Band20	20	24350	18	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24350	18	#0	QAM16	E-ACLR+	46.30	29.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR+	52.76	32.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR2+	52.98	35.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR2-	51.01	35.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR1-	51.83	32.2	PASS
Band20	20	24350	18	#Max	QAM16	E-ACLR-	44.43	29.2	PASS
Band20	20	24350	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	20	24350	18	#Max	QAM16	E-ACLR+	44.48	29.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR+	46.94	32.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR2+	52.70	35.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR2-	49.05	35.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR1-	48.01	32.2	PASS
Band20	20	24350	100	#0	QAM16	E-ACLR-	43.10	29.2	PASS
Band20	20	24350	100	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24350	100	#0	QAM16	E-ACLR+	42.99	29.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR+	45.94	32.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR2+	50.00	35.2	PASS
Band28	3	27225	4	#0	QPSK	U-ACLR1-	42.65	32.2	PASS
Band28	3	27225	4	#0	QPSK	E-ACLR-	38.79	29.2	PASS
Band28	3	27225	4	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27225	4	#0	QPSK	E-ACLR+	47.46	29.2	PASS
Band28	3	27225	4	#0	QPSK	U-ACLR+	47.40	32.2	PASS
Band28	3	27225	4	#Max	QPSK	U-ACLR1-	48.78	32.2	PASS
Band28	3	27225	4	#Max	QPSK	E-ACLR-	49.10	29.2	PASS
Band28	3	27225	4	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	3	27225	4	#Max	QPSK	E-ACLR+	37.77	29.2	PASS
Band28	3	27225	4	#Max	QPSK	U-ACLR+	41.88	32.2	PASS
Band28	3	27225	15	#0	QPSK	U-ACLR1-	40.72	32.2	PASS
Band28	3	27225	15	#0	QPSK	E-ACLR-	39.98	29.2	PASS
Band28	3	27225	15	#0	QPSK	EUTRA	0.00	0	PASS



Band28	3	27225	15	#0	QPSK	E-ACLR+	37.92	29.2	PASS
Band28	3	27225	15	#0	QPSK	U-ACLR+	38.36	32.2	PASS
Band28	3	27225	4	#0	QAM16	U-ACLR1-	43.18	32.2	PASS
Band28	3	27225	4	#0	QAM16	E-ACLR-	38.97	29.2	PASS
Band28	3	27225	4	#0	QAM16	EUTRA	0.00	0	PASS
Band28	3	27225	4	#0	QAM16	E-ACLR+	47.57	29.2	PASS
Band28	3	27225	4	#0	QAM16	U-ACLR+	47.34	32.2	PASS
Band28	3	27225	4	#Max	QAM16	U-ACLR1-	48.83	32.2	PASS
Band28	3	27225	4	#Max	QAM16	E-ACLR-	49.42	29.2	PASS
Band28	3	27225	4	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	3	27225	4	#Max	QAM16	E-ACLR+	38.52	29.2	PASS
Band28	3	27225	4	#Max	QAM16	U-ACLR+	42.46	32.2	PASS
Band28	3	27225	15	#0	QAM16	U-ACLR1-	41.56	32.2	PASS
Band28	3	27225	15	#0	QAM16	E-ACLR-	40.84	29.2	PASS
Band28	3	27225	15	#0	QAM16	EUTRA	0.00	0	PASS
Band28	3	27225	15	#0	QAM16	E-ACLR+	38.91	29.2	PASS
Band28	3	27225	15	#0	QAM16	U-ACLR+	39.43	32.2	PASS
Band28	3	27375	4	#0	QPSK	U-ACLR1-	45.48	32.2	PASS
Band28	3	27375	4	#0	QPSK	E-ACLR-	42.58	29.2	PASS
Band28	3	27375	4	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27375	4	#0	QPSK	E-ACLR+	47.49	29.2	PASS
Band28	3	27375	4	#0	QPSK	U-ACLR+	47.30	32.2	PASS
Band28	3	27375	4	#Max	QPSK	U-ACLR1-	48.28	32.2	PASS
Band28	3	27375	4	#Max	QPSK	E-ACLR-	48.66	29.2	PASS
Band28	3	27375	4	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	3	27375	4	#Max	QPSK	E-ACLR+	43.46	29.2	PASS
Band28	3	27375	4	#Max	QPSK	U-ACLR+	46.31	32.2	PASS
Band28	3	27375	15	#0	QPSK	U-ACLR1-	43.75	32.2	PASS
Band28	3	27375	15	#0	QPSK	E-ACLR-	43.65	29.2	PASS
Band28	3	27375	15	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27375	15	#0	QPSK	E-ACLR+	42.86	29.2	PASS
Band28	3	27375	15	#0	QPSK	U-ACLR+	43.17	32.2	PASS
Band28	3	27375	4	#0	QAM16	U-ACLR1-	45.88	32.2	PASS
Band28	3	27375	4	#0	QAM16	E-ACLR-	43.07	29.2	PASS
Band28	3	27375	4	#0	QAM16	EUTRA	0.00	0	PASS
Band28	3	27375	4	#0	QAM16	E-ACLR+	47.70	29.2	PASS
Band28	3	27375	4	#0	QAM16	U-ACLR+	47.36	32.2	PASS
Band28	3	27375	4	#Max	QAM16	U-ACLR1-	48.42	32.2	PASS
Band28	3	27375	4	#Max	QAM16	E-ACLR-	48.95	29.2	PASS
Band28	3	27375	4	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	3	27375	4	#Max	QAM16	E-ACLR+	43.84	29.2	PASS
Band28	3	27375	4	#Max	QAM16	U-ACLR+	46.71	32.2	PASS
Band28	3	27375	15	#0	QAM16	U-ACLR1-	43.35	32.2	PASS
Band28	3	27375	15	#0	QAM16	E-ACLR-	43.09	29.2	PASS

Band28	3	27375	15	#0	QAM16	EUTRA	0.00	0	PASS
Band28	3	27375	15	#0	QAM16	E-ACLR+	42.10	29.2	PASS
Band28	3	27375	15	#0	QAM16	U-ACLR+	42.57	32.2	PASS
Band28	3	27645	4	#0	QPSK	U-ACLR1-	45.16	32.2	PASS
Band28	3	27645	4	#0	QPSK	E-ACLR-	39.51	29.2	PASS
Band28	3	27645	4	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27645	4	#0	QPSK	E-ACLR+	49.75	29.2	PASS
Band28	3	27645	4	#0	QPSK	U-ACLR+	49.30	32.2	PASS
Band28	3	27645	4	#Max	QPSK	U-ACLR1-	44.56	32.2	PASS
Band28	3	27645	4	#Max	QPSK	E-ACLR-	44.43	29.2	PASS
Band28	3	27645	4	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	3	27645	4	#Max	QPSK	E-ACLR+	37.60	29.2	PASS
Band28	3	27645	4	#Max	QPSK	U-ACLR+	42.03	32.2	PASS
Band28	3	27645	15	#0	QPSK	U-ACLR1-	42.69	32.2	PASS
Band28	3	27645	15	#0	QPSK	E-ACLR-	42.31	29.2	PASS
Band28	3	27645	15	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27645	15	#0	QPSK	E-ACLR+	43.93	29.2	PASS
Band28	3	27645	15	#0	QPSK	U-ACLR+	44.37	32.2	PASS
Band28	3	27645	4	#0	QAM16	U-ACLR1-	46.88	32.2	PASS
Band28	3	27645	4	#0	QAM16	E-ACLR-	43.09	29.2	PASS
Band28	3	27645	4	#0	QAM16	EUTRA	0.00	0	PASS
Band28	3	27645	4	#0	QAM16	E-ACLR+	49.89	29.2	PASS
Band28	3	27645	4	#0	QAM16	U-ACLR+	49.19	32.2	PASS
Band28	3	27645	4	#Max	QAM16	U-ACLR1-	44.79	32.2	PASS
Band28	3	27645	4	#Max	QAM16	E-ACLR-	44.91	29.2	PASS
Band28	3	27645	4	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	3	27645	4	#Max	QAM16	E-ACLR+	40.58	29.2	PASS
Band28	3	27645	4	#Max	QAM16	U-ACLR+	44.46	32.2	PASS
Band28	3	27645	15	#0	QAM16	U-ACLR1-	42.48	32.2	PASS
Band28	3	27645	15	#0	QAM16	E-ACLR-	42.05	29.2	PASS
Band28	3	27645	15	#0	QAM16	EUTRA	0.00	0	PASS
Band28	3	27645	15	#0	QAM16	E-ACLR+	43.48	29.2	PASS
Band28	3	27645	15	#0	QAM16	U-ACLR+	43.99	32.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR2-	51.85	35.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR1-	40.33	32.2	PASS
Band28	5	27235	8	#0	QPSK	E-ACLR-	38.14	29.2	PASS
Band28	5	27235	8	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27235	8	#0	QPSK	E-ACLR+	46.40	29.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR+	46.99	32.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR2+	52.24	35.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR2-	52.00	35.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR1-	49.29	32.2	PASS
Band28	5	27235	8	#Max	QPSK	E-ACLR-	48.64	29.2	PASS
Band28	5	27235	8	#Max	QPSK	EUTRA	0.00	0	PASS

Band28	5	27235	8	#Max	QPSK	E-ACLR+	38.42	29.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR+	40.31	32.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR2+	52.08	35.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR2-	50.32	35.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR1-	41.42	32.2	PASS
Band28	5	27235	25	#0	QPSK	E-ACLR-	40.65	29.2	PASS
Band28	5	27235	25	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27235	25	#0	QPSK	E-ACLR+	38.69	29.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR+	39.38	32.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR2+	46.28	35.2	PASS
Band28	5	27235	8	#0	QAM16	U-ACLR2-	51.05	35.2	PASS
Band28	5	27235	8	#0	QAM16	U-ACLR1-	41.46	32.2	PASS
Band28	5	27235	8	#0	QAM16	E-ACLR-	39.20	29.2	PASS
Band28	5	27235	8	#0	QAM16	EUTRA	0.00	0	PASS
Band28	5	27235	8	#0	QAM16	E-ACLR+	46.48	29.2	PASS
Band28	5	27235	8	#0	QAM16	U-ACLR+	47.01	32.2	PASS
Band28	5	27235	8	#0	QAM16	U-ACLR2+	51.39	35.2	PASS
Band28	5	27235	8	#Max	QAM16	U-ACLR2-	51.07	35.2	PASS
Band28	5	27235	8	#Max	QAM16	U-ACLR1-	49.19	32.2	PASS
Band28	5	27235	8	#Max	QAM16	E-ACLR-	48.56	29.2	PASS
Band28	5	27235	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	5	27235	8	#Max	QAM16	E-ACLR+	39.89	29.2	PASS
Band28	5	27235	8	#Max	QAM16	U-ACLR+	41.82	32.2	PASS
Band28	5	27235	8	#Max	QAM16	U-ACLR2+	51.32	35.2	PASS
Band28	5	27235	25	#0	QAM16	U-ACLR2-	49.67	35.2	PASS
Band28	5	27235	25	#0	QAM16	U-ACLR1-	41.94	32.2	PASS
Band28	5	27235	25	#0	QAM16	E-ACLR-	41.09	29.2	PASS
Band28	5	27235	25	#0	QAM16	EUTRA	0.00	0	PASS
Band28	5	27235	25	#0	QAM16	E-ACLR+	38.88	29.2	PASS
Band28	5	27235	25	#0	QAM16	U-ACLR+	39.65	32.2	PASS
Band28	5	27235	25	#0	QAM16	U-ACLR2+	47.37	35.2	PASS
Band28	5	27385	8	#0	QPSK	U-ACLR2-	51.83	35.2	PASS
Band28	5	27385	8	#0	QPSK	U-ACLR1-	43.51	32.2	PASS
Band28	5	27385	8	#0	QPSK	E-ACLR-	42.22	29.2	PASS
Band28	5	27385	8	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27385	8	#0	QPSK	E-ACLR+	47.44	29.2	PASS
Band28	5	27385	8	#0	QPSK	U-ACLR+	47.90	32.2	PASS
Band28	5	27385	8	#0	QPSK	U-ACLR2+	52.44	35.2	PASS
Band28	5	27385	8	#Max	QPSK	U-ACLR2-	52.10	35.2	PASS
Band28	5	27385	8	#Max	QPSK	U-ACLR1-	48.70	32.2	PASS
Band28	5	27385	8	#Max	QPSK	E-ACLR-	48.14	29.2	PASS
Band28	5	27385	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	5	27385	8	#Max	QPSK	E-ACLR+	43.57	29.2	PASS
Band28	5	27385	8	#Max	QPSK	U-ACLR+	45.37	32.2	PASS

Band28	5	27385	8	#Max	QPSK	U-ACLR2+	52.36	35.2	PASS
Band28	5	27385	25	#0	QPSK	U-ACLR2-	48.98	35.2	PASS
Band28	5	27385	25	#0	QPSK	U-ACLR1-	45.09	32.2	PASS
Band28	5	27385	25	#0	QPSK	E-ACLR-	44.19	29.2	PASS
Band28	5	27385	25	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27385	25	#0	QPSK	E-ACLR+	43.06	29.2	PASS
Band28	5	27385	25	#0	QPSK	U-ACLR+	43.93	32.2	PASS
Band28	5	27385	25	#0	QPSK	U-ACLR2+	49.75	35.2	PASS
Band28	5	27385	8	#0	QAM16	U-ACLR2-	51.12	35.2	PASS
Band28	5	27385	8	#0	QAM16	U-ACLR1-	43.99	32.2	PASS
Band28	5	27385	8	#0	QAM16	E-ACLR-	42.49	29.2	PASS
Band28	5	27385	8	#0	QAM16	EUTRA	0.00	0	PASS
Band28	5	27385	8	#0	QAM16	E-ACLR+	47.27	29.2	PASS
Band28	5	27385	8	#0	QAM16	U-ACLR+	47.78	32.2	PASS
Band28	5	27385	8	#0	QAM16	U-ACLR2+	51.57	35.2	PASS
Band28	5	27385	8	#Max	QAM16	U-ACLR2-	51.19	35.2	PASS
Band28	5	27385	8	#Max	QAM16	U-ACLR1-	48.60	32.2	PASS
Band28	5	27385	8	#Max	QAM16	E-ACLR-	48.04	29.2	PASS
Band28	5	27385	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	5	27385	8	#Max	QAM16	E-ACLR+	43.73	29.2	PASS
Band28	5	27385	8	#Max	QAM16	U-ACLR+	45.44	32.2	PASS
Band28	5	27385	8	#Max	QAM16	U-ACLR2+	51.48	35.2	PASS
Band28	5	27385	25	#0	QAM16	U-ACLR2-	48.48	35.2	PASS
Band28	5	27385	25	#0	QAM16	U-ACLR1-	44.12	32.2	PASS
Band28	5	27385	25	#0	QAM16	E-ACLR-	43.24	29.2	PASS
Band28	5	27385	25	#0	QAM16	EUTRA	0.00	0	PASS
Band28	5	27385	25	#0	QAM16	E-ACLR+	42.13	29.2	PASS
Band28	5	27385	25	#0	QAM16	U-ACLR+	42.94	32.2	PASS
Band28	5	27385	25	#0	QAM16	U-ACLR2+	49.23	35.2	PASS
Band28	5	27635	8	#0	QPSK	U-ACLR2-	51.93	35.2	PASS
Band28	5	27635	8	#0	QPSK	U-ACLR1-	42.86	32.2	PASS
Band28	5	27635	8	#0	QPSK	E-ACLR-	40.97	29.2	PASS
Band28	5	27635	8	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27635	8	#0	QPSK	E-ACLR+	49.07	29.2	PASS
Band28	5	27635	8	#0	QPSK	U-ACLR+	49.61	32.2	PASS
Band28	5	27635	8	#0	QPSK	U-ACLR2+	52.71	35.2	PASS
Band28	5	27635	8	#Max	QPSK	U-ACLR2-	51.73	35.2	PASS
Band28	5	27635	8	#Max	QPSK	U-ACLR1-	45.22	32.2	PASS
Band28	5	27635	8	#Max	QPSK	E-ACLR-	44.71	29.2	PASS
Band28	5	27635	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	5	27635	8	#Max	QPSK	E-ACLR+	40.62	29.2	PASS
Band28	5	27635	8	#Max	QPSK	U-ACLR+	42.45	32.2	PASS
Band28	5	27635	8	#Max	QPSK	U-ACLR2+	52.20	35.2	PASS
Band28	5	27635	25	#0	QPSK	U-ACLR2-	48.85	35.2	PASS

Band28	5	27635	25	#0	QPSK	U-ACLR1-	45.45	32.2	PASS
Band28	5	27635	25	#0	QPSK	E-ACLR-	44.51	29.2	PASS
Band28	5	27635	25	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27635	25	#0	QPSK	E-ACLR+	43.46	29.2	PASS
Band28	5	27635	25	#0	QPSK	U-ACLR+	44.27	32.2	PASS
Band28	5	27635	25	#0	QPSK	U-ACLR2+	51.18	35.2	PASS
Band28	5	27635	8	#0	QAM16	U-ACLR2-	50.70	35.2	PASS
Band28	5	27635	8	#0	QAM16	U-ACLR1-	45.30	32.2	PASS
Band28	5	27635	8	#0	QAM16	E-ACLR-	43.64	29.2	PASS
Band28	5	27635	8	#0	QAM16	EUTRA	0.00	0	PASS
Band28	5	27635	8	#0	QAM16	E-ACLR+	48.82	29.2	PASS
Band28	5	27635	8	#0	QAM16	U-ACLR+	49.38	32.2	PASS
Band28	5	27635	8	#0	QAM16	U-ACLR2+	51.26	35.2	PASS
Band28	5	27635	8	#Max	QAM16	U-ACLR2-	50.70	35.2	PASS
Band28	5	27635	8	#Max	QAM16	U-ACLR1-	45.77	32.2	PASS
Band28	5	27635	8	#Max	QAM16	E-ACLR-	45.32	29.2	PASS
Band28	5	27635	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	5	27635	8	#Max	QAM16	E-ACLR+	42.33	29.2	PASS
Band28	5	27635	8	#Max	QAM16	U-ACLR+	44.14	32.2	PASS
Band28	5	27635	8	#Max	QAM16	U-ACLR2+	51.16	35.2	PASS
Band28	5	27635	25	#0	QAM16	U-ACLR2-	48.27	35.2	PASS
Band28	5	27635	25	#0	QAM16	U-ACLR1-	45.02	32.2	PASS
Band28	5	27635	25	#0	QAM16	E-ACLR-	44.18	29.2	PASS
Band28	5	27635	25	#0	QAM16	EUTRA	0.00	0	PASS
Band28	5	27635	25	#0	QAM16	E-ACLR+	42.86	29.2	PASS
Band28	5	27635	25	#0	QAM16	U-ACLR+	43.71	32.2	PASS
Band28	5	27635	25	#0	QAM16	U-ACLR2+	50.29	35.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR2-	51.26	35.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR1-	41.02	32.2	PASS
Band28	10	27260	12	#0	QPSK	E-ACLR-	40.22	29.2	PASS
Band28	10	27260	12	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27260	12	#0	QPSK	E-ACLR+	45.23	29.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR+	49.59	32.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR2+	49.10	35.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR2-	51.17	35.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR1-	50.91	32.2	PASS
Band28	10	27260	12	#Max	QPSK	E-ACLR-	47.21	29.2	PASS
Band28	10	27260	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	10	27260	12	#Max	QPSK	E-ACLR+	42.35	29.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR+	43.47	32.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR2+	51.35	35.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR2-	49.58	35.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR1-	45.69	32.2	PASS
Band28	10	27260	50	#0	QPSK	E-ACLR-	43.46	29.2	PASS

Band28	10	27260	50	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27260	50	#0	QPSK	E-ACLR+	40.56	29.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR+	44.39	32.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR2+	44.13	35.2	PASS
Band28	10	27260	12	#0	QAM16	U-ACLR2-	50.35	35.2	PASS
Band28	10	27260	12	#0	QAM16	U-ACLR1-	42.22	32.2	PASS
Band28	10	27260	12	#0	QAM16	E-ACLR-	41.15	29.2	PASS
Band28	10	27260	12	#0	QAM16	EUTRA	0.00	0	PASS
Band28	10	27260	12	#0	QAM16	E-ACLR+	45.04	29.2	PASS
Band28	10	27260	12	#0	QAM16	U-ACLR+	49.27	32.2	PASS
Band28	10	27260	12	#0	QAM16	U-ACLR2+	48.87	35.2	PASS
Band28	10	27260	12	#Max	QAM16	U-ACLR2-	50.25	35.2	PASS
Band28	10	27260	12	#Max	QAM16	U-ACLR1-	50.14	32.2	PASS
Band28	10	27260	12	#Max	QAM16	E-ACLR-	46.41	29.2	PASS
Band28	10	27260	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	10	27260	12	#Max	QAM16	E-ACLR+	42.54	29.2	PASS
Band28	10	27260	12	#Max	QAM16	U-ACLR+	43.85	32.2	PASS
Band28	10	27260	12	#Max	QAM16	U-ACLR2+	50.50	35.2	PASS
Band28	10	27260	50	#0	QAM16	U-ACLR2-	49.71	35.2	PASS
Band28	10	27260	50	#0	QAM16	U-ACLR1-	45.35	32.2	PASS
Band28	10	27260	50	#0	QAM16	E-ACLR-	43.30	29.2	PASS
Band28	10	27260	50	#0	QAM16	EUTRA	0.00	0	PASS
Band28	10	27260	50	#0	QAM16	E-ACLR+	40.23	29.2	PASS
Band28	10	27260	50	#0	QAM16	U-ACLR+	43.18	32.2	PASS
Band28	10	27260	50	#0	QAM16	U-ACLR2+	44.87	35.2	PASS
Band28	10	27410	12	#0	QPSK	U-ACLR2-	50.97	35.2	PASS
Band28	10	27410	12	#0	QPSK	U-ACLR1-	44.51	32.2	PASS
Band28	10	27410	12	#0	QPSK	E-ACLR-	43.17	29.2	PASS
Band28	10	27410	12	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27410	12	#0	QPSK	E-ACLR+	46.41	29.2	PASS
Band28	10	27410	12	#0	QPSK	U-ACLR+	50.64	32.2	PASS
Band28	10	27410	12	#0	QPSK	U-ACLR2+	50.17	35.2	PASS
Band28	10	27410	12	#Max	QPSK	U-ACLR2-	50.30	35.2	PASS
Band28	10	27410	12	#Max	QPSK	U-ACLR1-	50.35	32.2	PASS
Band28	10	27410	12	#Max	QPSK	E-ACLR-	46.40	29.2	PASS
Band28	10	27410	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	10	27410	12	#Max	QPSK	E-ACLR+	43.45	29.2	PASS
Band28	10	27410	12	#Max	QPSK	U-ACLR+	44.68	32.2	PASS
Band28	10	27410	12	#Max	QPSK	U-ACLR2+	51.77	35.2	PASS
Band28	10	27410	50	#0	QPSK	U-ACLR2-	48.21	35.2	PASS
Band28	10	27410	50	#0	QPSK	U-ACLR1-	47.47	32.2	PASS
Band28	10	27410	50	#0	QPSK	E-ACLR-	44.15	29.2	PASS
Band28	10	27410	50	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27410	50	#0	QPSK	E-ACLR+	42.28	29.2	PASS

Band28	10	27410	50	#0	QPSK	U-ACLR+	45.33	32.2	PASS
Band28	10	27410	50	#0	QPSK	U-ACLR2+	46.88	35.2	PASS
Band28	10	27410	12	#0	QAM16	U-ACLR2-	50.11	35.2	PASS
Band28	10	27410	12	#0	QAM16	U-ACLR1-	44.70	32.2	PASS
Band28	10	27410	12	#0	QAM16	E-ACLR-	43.16	29.2	PASS
Band28	10	27410	12	#0	QAM16	EUTRA	0.00	0	PASS
Band28	10	27410	12	#0	QAM16	E-ACLR+	45.98	29.2	PASS
Band28	10	27410	12	#0	QAM16	U-ACLR+	49.98	32.2	PASS
Band28	10	27410	12	#0	QAM16	U-ACLR2+	49.87	35.2	PASS
Band28	10	27410	12	#Max	QAM16	U-ACLR2-	49.58	35.2	PASS
Band28	10	27410	12	#Max	QAM16	U-ACLR1-	49.80	32.2	PASS
Band28	10	27410	12	#Max	QAM16	E-ACLR-	45.81	29.2	PASS
Band28	10	27410	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	10	27410	12	#Max	QAM16	E-ACLR+	43.61	29.2	PASS
Band28	10	27410	12	#Max	QAM16	U-ACLR+	45.16	32.2	PASS
Band28	10	27410	12	#Max	QAM16	U-ACLR2+	50.86	35.2	PASS
Band28	10	27410	50	#0	QAM16	U-ACLR2-	47.85	35.2	PASS
Band28	10	27410	50	#0	QAM16	U-ACLR1-	46.28	32.2	PASS
Band28	10	27410	50	#0	QAM16	E-ACLR-	43.31	29.2	PASS
Band28	10	27410	50	#0	QAM16	EUTRA	0.00	0	PASS
Band28	10	27410	50	#0	QAM16	E-ACLR+	41.80	29.2	PASS
Band28	10	27410	50	#0	QAM16	U-ACLR+	44.30	32.2	PASS
Band28	10	27410	50	#0	QAM16	U-ACLR2+	47.23	35.2	PASS
Band28	10	27610	12	#0	QPSK	U-ACLR2-	50.08	35.2	PASS
Band28	10	27610	12	#0	QPSK	U-ACLR1-	37.14	32.2	PASS
Band28	10	27610	12	#0	QPSK	E-ACLR-	36.54	29.2	PASS
Band28	10	27610	12	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27610	12	#0	QPSK	E-ACLR+	47.75	29.2	PASS
Band28	10	27610	12	#0	QPSK	U-ACLR+	50.91	32.2	PASS
Band28	10	27610	12	#0	QPSK	U-ACLR2+	52.14	35.2	PASS
Band28	10	27610	12	#Max	QPSK	U-ACLR2-	49.78	35.2	PASS
Band28	10	27610	12	#Max	QPSK	U-ACLR1-	50.00	32.2	PASS
Band28	10	27610	12	#Max	QPSK	E-ACLR-	45.90	29.2	PASS
Band28	10	27610	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	10	27610	12	#Max	QPSK	E-ACLR+	43.86	29.2	PASS
Band28	10	27610	12	#Max	QPSK	U-ACLR+	45.12	32.2	PASS
Band28	10	27610	12	#Max	QPSK	U-ACLR2+	52.06	35.2	PASS
Band28	10	27610	50	#0	QPSK	U-ACLR2-	46.10	35.2	PASS
Band28	10	27610	50	#0	QPSK	U-ACLR1-	43.83	32.2	PASS
Band28	10	27610	50	#0	QPSK	E-ACLR-	41.10	29.2	PASS
Band28	10	27610	50	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27610	50	#0	QPSK	E-ACLR+	44.63	29.2	PASS
Band28	10	27610	50	#0	QPSK	U-ACLR+	46.52	32.2	PASS
Band28	10	27610	50	#0	QPSK	U-ACLR2+	51.03	35.2	PASS



Band28	10	27610	12	#0	QAM16	U-ACLR2-	49.86	35.2	PASS
Band28	10	27610	12	#0	QAM16	U-ACLR1-	37.99	32.2	PASS
Band28	10	27610	12	#0	QAM16	E-ACLR-	37.30	29.2	PASS
Band28	10	27610	12	#0	QAM16	EUTRA	0.00	0	PASS
Band28	10	27610	12	#0	QAM16	E-ACLR+	47.12	29.2	PASS
Band28	10	27610	12	#0	QAM16	U-ACLR+	50.38	32.2	PASS
Band28	10	27610	12	#0	QAM16	U-ACLR2+	51.39	35.2	PASS
Band28	10	27610	12	#Max	QAM16	U-ACLR2-	49.28	35.2	PASS
Band28	10	27610	12	#Max	QAM16	U-ACLR1-	49.51	32.2	PASS
Band28	10	27610	12	#Max	QAM16	E-ACLR-	45.48	29.2	PASS
Band28	10	27610	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	10	27610	12	#Max	QAM16	E-ACLR+	43.92	29.2	PASS
Band28	10	27610	12	#Max	QAM16	U-ACLR+	45.44	32.2	PASS
Band28	10	27610	12	#Max	QAM16	U-ACLR2+	51.21	35.2	PASS
Band28	10	27610	50	#0	QAM16	U-ACLR2-	46.57	35.2	PASS
Band28	10	27610	50	#0	QAM16	U-ACLR1-	44.23	32.2	PASS
Band28	10	27610	50	#0	QAM16	E-ACLR-	41.53	29.2	PASS
Band28	10	27610	50	#0	QAM16	EUTRA	0.00	0	PASS
Band28	10	27610	50	#0	QAM16	E-ACLR+	43.74	29.2	PASS
Band28	10	27610	50	#0	QAM16	U-ACLR+	45.61	32.2	PASS
Band28	10	27610	50	#0	QAM16	U-ACLR2+	50.09	35.2	PASS
Band28	20	27310	18	#0	QPSK	U-ACLR2-	50.29	35.2	PASS
Band28	20	27310	18	#0	QPSK	U-ACLR1-	43.09	32.2	PASS
Band28	20	27310	18	#0	QPSK	E-ACLR-	41.69	29.2	PASS
Band28	20	27310	18	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27310	18	#0	QPSK	E-ACLR+	43.53	29.2	PASS
Band28	20	27310	18	#0	QPSK	U-ACLR+	51.34	32.2	PASS
Band28	20	27310	18	#0	QPSK	U-ACLR2+	51.12	35.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR2-	50.94	35.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR1-	51.30	32.2	PASS
Band28	20	27310	18	#Max	QPSK	E-ACLR-	44.77	29.2	PASS
Band28	20	27310	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	20	27310	18	#Max	QPSK	E-ACLR+	42.87	29.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR+	45.50	32.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR2+	51.22	35.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR2-	49.42	35.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR1-	47.69	32.2	PASS
Band28	20	27310	100	#0	QPSK	E-ACLR-	42.92	29.2	PASS
Band28	20	27310	100	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27310	100	#0	QPSK	E-ACLR+	40.44	29.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR+	46.27	32.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR2+	47.33	35.2	PASS
Band28	20	27310	18	#0	QAM16	U-ACLR2-	49.48	35.2	PASS
Band28	20	27310	18	#0	QAM16	U-ACLR1-	43.09	32.2	PASS



Band28	20	27310	18	#0	QAM16	E-ACLR-	41.37	29.2	PASS
Band28	20	27310	18	#0	QAM16	EUTRA	0.00	0	PASS
Band28	20	27310	18	#0	QAM16	E-ACLR+	42.86	29.2	PASS
Band28	20	27310	18	#0	QAM16	U-ACLR+	50.41	32.2	PASS
Band28	20	27310	18	#0	QAM16	U-ACLR2+	50.34	35.2	PASS
Band28	20	27310	18	#Max	QAM16	U-ACLR2-	49.85	35.2	PASS
Band28	20	27310	18	#Max	QAM16	U-ACLR1-	50.27	32.2	PASS
Band28	20	27310	18	#Max	QAM16	E-ACLR-	43.73	29.2	PASS
Band28	20	27310	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	20	27310	18	#Max	QAM16	E-ACLR+	42.25	29.2	PASS
Band28	20	27310	18	#Max	QAM16	U-ACLR+	44.93	32.2	PASS
Band28	20	27310	18	#Max	QAM16	U-ACLR2+	50.39	35.2	PASS
Band28	20	27310	100	#0	QAM16	U-ACLR2-	49.50	35.2	PASS
Band28	20	27310	100	#0	QAM16	U-ACLR1-	47.38	32.2	PASS
Band28	20	27310	100	#0	QAM16	E-ACLR-	42.87	29.2	PASS
Band28	20	27310	100	#0	QAM16	EUTRA	0.00	0	PASS
Band28	20	27310	100	#0	QAM16	E-ACLR+	40.37	29.2	PASS
Band28	20	27310	100	#0	QAM16	U-ACLR+	45.29	32.2	PASS
Band28	20	27310	100	#0	QAM16	U-ACLR2+	46.79	35.2	PASS
Band28	20	27460	18	#0	QPSK	U-ACLR2-	49.95	35.2	PASS
Band28	20	27460	18	#0	QPSK	U-ACLR1-	46.04	32.2	PASS
Band28	20	27460	18	#0	QPSK	E-ACLR-	42.83	29.2	PASS
Band28	20	27460	18	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27460	18	#0	QPSK	E-ACLR+	44.62	29.2	PASS
Band28	20	27460	18	#0	QPSK	U-ACLR+	51.71	32.2	PASS
Band28	20	27460	18	#0	QPSK	U-ACLR2+	51.55	35.2	PASS
Band28	20	27460	18	#Max	QPSK	U-ACLR2-	50.50	35.2	PASS
Band28	20	27460	18	#Max	QPSK	U-ACLR1-	51.11	32.2	PASS
Band28	20	27460	18	#Max	QPSK	E-ACLR-	44.07	29.2	PASS
Band28	20	27460	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	20	27460	18	#Max	QPSK	E-ACLR+	36.54	29.2	PASS
Band28	20	27460	18	#Max	QPSK	U-ACLR+	36.13	32.2	PASS
Band28	20	27460	18	#Max	QPSK	U-ACLR2+	48.34	35.2	PASS
Band28	20	27460	100	#0	QPSK	U-ACLR2-	46.18	35.2	PASS
Band28	20	27460	100	#0	QPSK	U-ACLR1-	44.86	32.2	PASS
Band28	20	27460	100	#0	QPSK	E-ACLR-	40.26	29.2	PASS
Band28	20	27460	100	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27460	100	#0	QPSK	E-ACLR+	40.51	29.2	PASS
Band28	20	27460	100	#0	QPSK	U-ACLR+	45.56	32.2	PASS
Band28	20	27460	100	#0	QPSK	U-ACLR2+	46.01	35.2	PASS
Band28	20	27460	18	#0	QAM16	U-ACLR2-	49.15	35.2	PASS
Band28	20	27460	18	#0	QAM16	U-ACLR1-	45.55	32.2	PASS
Band28	20	27460	18	#0	QAM16	E-ACLR-	42.18	29.2	PASS
Band28	20	27460	18	#0	QAM16	EUTRA	0.00	0	PASS

Band28	20	27460	18	#0	QAM16	E-ACLR+	43.63	29.2	PASS
Band28	20	27460	18	#0	QAM16	U-ACLR+	50.67	32.2	PASS
Band28	20	27460	18	#0	QAM16	U-ACLR2+	50.59	35.2	PASS
Band28	20	27460	18	#Max	QAM16	U-ACLR2-	49.83	35.2	PASS
Band28	20	27460	18	#Max	QAM16	U-ACLR1-	50.24	32.2	PASS
Band28	20	27460	18	#Max	QAM16	E-ACLR-	43.40	29.2	PASS
Band28	20	27460	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	20	27460	18	#Max	QAM16	E-ACLR+	37.43	29.2	PASS
Band28	20	27460	18	#Max	QAM16	U-ACLR+	37.18	32.2	PASS
Band28	20	27460	18	#Max	QAM16	U-ACLR2+	48.62	35.2	PASS
Band28	20	27460	100	#0	QAM16	U-ACLR2-	46.22	35.2	PASS
Band28	20	27460	100	#0	QAM16	U-ACLR1-	44.92	32.2	PASS
Band28	20	27460	100	#0	QAM16	E-ACLR-	40.30	29.2	PASS
Band28	20	27460	100	#0	QAM16	EUTRA	0.00	0	PASS
Band28	20	27460	100	#0	QAM16	E-ACLR+	39.72	29.2	PASS
Band28	20	27460	100	#0	QAM16	U-ACLR+	44.65	32.2	PASS
Band28	20	27460	100	#0	QAM16	U-ACLR2+	45.21	35.2	PASS
Band28	20	27560	18	#0	QPSK	U-ACLR2-	48.98	35.2	PASS
Band28	20	27560	18	#0	QPSK	U-ACLR1-	40.68	32.2	PASS
Band28	20	27560	18	#0	QPSK	E-ACLR-	39.89	29.2	PASS
Band28	20	27560	18	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27560	18	#0	QPSK	E-ACLR+	45.78	29.2	PASS
Band28	20	27560	18	#0	QPSK	U-ACLR+	52.10	32.2	PASS
Band28	20	27560	18	#0	QPSK	U-ACLR2+	52.32	35.2	PASS
Band28	20	27560	18	#Max	QPSK	U-ACLR2-	50.41	35.2	PASS
Band28	20	27560	18	#Max	QPSK	U-ACLR1-	51.03	32.2	PASS
Band28	20	27560	18	#Max	QPSK	E-ACLR-	44.05	29.2	PASS
Band28	20	27560	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	20	27560	18	#Max	QPSK	E-ACLR+	43.83	29.2	PASS
Band28	20	27560	18	#Max	QPSK	U-ACLR+	45.80	32.2	PASS
Band28	20	27560	18	#Max	QPSK	U-ACLR2+	51.94	35.2	PASS
Band28	20	27560	100	#0	QPSK	U-ACLR2-	42.34	35.2	PASS
Band28	20	27560	100	#0	QPSK	U-ACLR1-	41.90	32.2	PASS
Band28	20	27560	100	#0	QPSK	E-ACLR-	36.89	29.2	PASS
Band28	20	27560	100	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27560	100	#0	QPSK	E-ACLR+	43.03	29.2	PASS
Band28	20	27560	100	#0	QPSK	U-ACLR+	45.57	32.2	PASS
Band28	20	27560	100	#0	QPSK	U-ACLR2+	51.30	35.2	PASS
Band28	20	27560	18	#0	QAM16	U-ACLR2-	48.61	35.2	PASS
Band28	20	27560	18	#0	QAM16	U-ACLR1-	41.15	32.2	PASS
Band28	20	27560	18	#0	QAM16	E-ACLR-	40.09	29.2	PASS
Band28	20	27560	18	#0	QAM16	EUTRA	0.00	0	PASS
Band28	20	27560	18	#0	QAM16	E-ACLR+	44.84	29.2	PASS
Band28	20	27560	18	#0	QAM16	U-ACLR+	51.23	32.2	PASS

Band28	20	27560	18	#0	QAM16	U-ACLR2+	51.32	35.2	PASS
Band28	20	27560	18	#Max	QAM16	U-ACLR2-	49.53	35.2	PASS
Band28	20	27560	18	#Max	QAM16	U-ACLR1-	50.08	32.2	PASS
Band28	20	27560	18	#Max	QAM16	E-ACLR-	43.29	29.2	PASS
Band28	20	27560	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	20	27560	18	#Max	QAM16	E-ACLR+	43.30	29.2	PASS
Band28	20	27560	18	#Max	QAM16	U-ACLR+	45.76	32.2	PASS
Band28	20	27560	18	#Max	QAM16	U-ACLR2+	51.07	35.2	PASS
Band28	20	27560	100	#0	QAM16	U-ACLR2-	42.98	35.2	PASS
Band28	20	27560	100	#0	QAM16	U-ACLR1-	42.17	32.2	PASS
Band28	20	27560	100	#0	QAM16	E-ACLR-	37.45	29.2	PASS
Band28	20	27560	100	#0	QAM16	EUTRA	0.00	0	PASS
Band28	20	27560	100	#0	QAM16	E-ACLR+	42.35	29.2	PASS
Band28	20	27560	100	#0	QAM16	U-ACLR+	45.27	32.2	PASS
Band28	20	27560	100	#0	QAM16	U-ACLR2+	50.29	35.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR1-	42.14	32.2	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR-	35.39	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR+	37.82	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR+	44.97	32.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR1-	45.53	32.2	PASS
Band3	1.4	19207	5	#Max	QPSK	E-ACLR-	38.40	29.2	PASS
Band3	1.4	19207	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#Max	QPSK	E-ACLR+	34.69	29.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR+	41.60	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	U-ACLR1-	43.94	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR-	40.04	29.2	PASS
Band3	1.4	19207	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR+	40.12	29.2	PASS
Band3	1.4	19207	6	#0	QPSK	U-ACLR+	44.29	32.2	PASS
Band3	1.4	19207	5	#0	QAM16	U-ACLR1-	44.19	32.2	PASS
Band3	1.4	19207	5	#0	QAM16	E-ACLR-	37.66	29.2	PASS
Band3	1.4	19207	5	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#0	QAM16	E-ACLR+	40.66	29.2	PASS
Band3	1.4	19207	5	#0	QAM16	U-ACLR+	46.78	32.2	PASS
Band3	1.4	19207	5	#Max	QAM16	U-ACLR1-	47.09	32.2	PASS
Band3	1.4	19207	5	#Max	QAM16	E-ACLR-	40.87	29.2	PASS
Band3	1.4	19207	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#Max	QAM16	E-ACLR+	37.60	29.2	PASS
Band3	1.4	19207	5	#Max	QAM16	U-ACLR+	43.96	32.2	PASS
Band3	1.4	19207	6	#0	QAM16	U-ACLR1-	46.32	32.2	PASS
Band3	1.4	19207	6	#0	QAM16	E-ACLR-	42.86	29.2	PASS
Band3	1.4	19207	6	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19207	6	#0	QAM16	E-ACLR+	42.51	29.2	PASS

Band3	1.4	19207	6	#0	QAM16	U-ACLR+	46.20	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR1-	45.63	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR-	38.37	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR+	41.88	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR+	48.94	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR1-	49.03	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR-	41.61	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR+	38.16	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR+	45.56	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR1-	46.03	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR-	40.89	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR+	41.14	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR+	46.51	32.2	PASS
Band3	1.4	19575	5	#0	QAM16	U-ACLR1-	47.03	32.2	PASS
Band3	1.4	19575	5	#0	QAM16	E-ACLR-	39.79	29.2	PASS
Band3	1.4	19575	5	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#0	QAM16	E-ACLR+	42.93	29.2	PASS
Band3	1.4	19575	5	#0	QAM16	U-ACLR+	49.79	32.2	PASS
Band3	1.4	19575	5	#Max	QAM16	U-ACLR1-	50.05	32.2	PASS
Band3	1.4	19575	5	#Max	QAM16	E-ACLR-	43.15	29.2	PASS
Band3	1.4	19575	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#Max	QAM16	E-ACLR+	39.59	29.2	PASS
Band3	1.4	19575	5	#Max	QAM16	U-ACLR+	46.67	32.2	PASS
Band3	1.4	19575	6	#0	QAM16	U-ACLR1-	48.45	32.2	PASS
Band3	1.4	19575	6	#0	QAM16	E-ACLR-	43.55	29.2	PASS
Band3	1.4	19575	6	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19575	6	#0	QAM16	E-ACLR+	43.89	29.2	PASS
Band3	1.4	19575	6	#0	QAM16	U-ACLR+	48.31	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR1-	44.59	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR-	36.00	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR+	40.73	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR+	49.33	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	U-ACLR1-	48.86	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR-	39.85	29.2	PASS
Band3	1.4	19943	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR+	36.11	29.2	PASS
Band3	1.4	19943	5	#Max	QPSK	U-ACLR+	44.86	32.2	PASS
Band3	1.4	19943	6	#0	QPSK	U-ACLR1-	45.15	32.2	PASS
Band3	1.4	19943	6	#0	QPSK	E-ACLR-	38.53	29.2	PASS
Band3	1.4	19943	6	#0	QPSK	EUTRA	0.00	0	PASS

Band3	1.4	19943	6	#0	QPSK	E-ACLR+	38.61	29.2	PASS
Band3	1.4	19943	6	#0	QPSK	U-ACLR+	45.08	32.2	PASS
Band3	1.4	19943	5	#0	QAM16	U-ACLR1-	46.96	32.2	PASS
Band3	1.4	19943	5	#0	QAM16	E-ACLR-	38.78	29.2	PASS
Band3	1.4	19943	5	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#0	QAM16	E-ACLR+	42.95	29.2	PASS
Band3	1.4	19943	5	#0	QAM16	U-ACLR+	49.88	32.2	PASS
Band3	1.4	19943	5	#Max	QAM16	U-ACLR1-	50.08	32.2	PASS
Band3	1.4	19943	5	#Max	QAM16	E-ACLR-	43.31	29.2	PASS
Band3	1.4	19943	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#Max	QAM16	E-ACLR+	38.79	29.2	PASS
Band3	1.4	19943	5	#Max	QAM16	U-ACLR+	46.78	32.2	PASS
Band3	1.4	19943	6	#0	QAM16	U-ACLR1-	46.46	32.2	PASS
Band3	1.4	19943	6	#0	QAM16	E-ACLR-	40.59	29.2	PASS
Band3	1.4	19943	6	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19943	6	#0	QAM16	E-ACLR+	40.34	29.2	PASS
Band3	1.4	19943	6	#0	QAM16	U-ACLR+	46.21	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2-	54.84	35.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR1-	40.03	32.2	PASS
Band3	5	19225	8	#0	QPSK	E-ACLR-	37.19	29.2	PASS
Band3	5	19225	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	8	#0	QPSK	E-ACLR+	47.66	29.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR+	48.00	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2+	55.26	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2-	54.91	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR1-	49.04	32.2	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR-	48.68	29.2	PASS
Band3	5	19225	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR+	38.08	29.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR+	41.11	32.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2+	55.13	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2-	52.63	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR1-	41.02	32.2	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR-	40.13	29.2	PASS
Band3	5	19225	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR+	39.25	29.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR+	40.07	32.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2+	52.81	35.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR2-	53.46	35.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR1-	44.55	32.2	PASS
Band3	5	19225	8	#0	QAM16	E-ACLR-	41.63	29.2	PASS
Band3	5	19225	8	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19225	8	#0	QAM16	E-ACLR+	48.09	29.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR+	48.47	32.2	PASS

Band3	5	19225	8	#0	QAM16	U-ACLR2+	53.77	35.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR2-	53.42	35.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR1-	48.17	32.2	PASS
Band3	5	19225	8	#Max	QAM16	E-ACLR-	47.82	29.2	PASS
Band3	5	19225	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	5	19225	8	#Max	QAM16	E-ACLR+	43.53	29.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR+	46.22	32.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR2+	53.64	35.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR2-	52.04	35.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR1-	45.01	32.2	PASS
Band3	5	19225	25	#0	QAM16	E-ACLR-	44.08	29.2	PASS
Band3	5	19225	25	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19225	25	#0	QAM16	E-ACLR+	43.73	29.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR+	44.61	32.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR2+	52.21	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR2-	54.44	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR1-	43.07	32.2	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR-	39.71	29.2	PASS
Band3	5	19575	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR+	47.26	29.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR+	47.55	32.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR2+	54.80	35.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR2-	54.40	35.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR1-	46.62	32.2	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR-	46.34	29.2	PASS
Band3	5	19575	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR+	39.77	29.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR+	43.35	32.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR2+	54.73	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2-	53.00	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR1-	41.49	32.2	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR-	40.55	29.2	PASS
Band3	5	19575	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR+	41.14	29.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR+	42.12	32.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2+	53.55	35.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR2-	53.37	35.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR1-	44.56	32.2	PASS
Band3	5	19575	8	#0	QAM16	E-ACLR-	41.33	29.2	PASS
Band3	5	19575	8	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19575	8	#0	QAM16	E-ACLR+	47.32	29.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR+	47.65	32.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR2+	53.78	35.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR2-	53.42	35.2	PASS

Band3	5	19575	8	#Max	QAM16	U-ACLR1-	46.92	32.2	PASS
Band3	5	19575	8	#Max	QAM16	E-ACLR-	46.62	29.2	PASS
Band3	5	19575	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	5	19575	8	#Max	QAM16	E-ACLR+	41.52	29.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR+	45.06	32.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR2+	53.72	35.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR2-	52.10	35.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR1-	42.75	32.2	PASS
Band3	5	19575	25	#0	QAM16	E-ACLR-	41.83	29.2	PASS
Band3	5	19575	25	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19575	25	#0	QAM16	E-ACLR+	42.27	29.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR+	43.19	32.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR2+	52.57	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2-	54.22	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR1-	41.95	32.2	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR-	38.20	29.2	PASS
Band3	5	19925	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR+	47.49	29.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR+	47.81	32.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2+	54.68	35.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2-	54.34	35.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR1-	47.34	32.2	PASS
Band3	5	19925	8	#Max	QPSK	E-ACLR-	47.05	29.2	PASS
Band3	5	19925	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	8	#Max	QPSK	E-ACLR+	36.99	29.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR+	40.86	32.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2+	54.59	35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2-	52.60	35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR1-	38.91	32.2	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR-	37.92	29.2	PASS
Band3	5	19925	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR+	38.22	29.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR+	39.21	32.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2+	53.42	35.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR2-	53.28	35.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR1-	43.82	32.2	PASS
Band3	5	19925	8	#0	QAM16	E-ACLR-	39.95	29.2	PASS
Band3	5	19925	8	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19925	8	#0	QAM16	E-ACLR+	47.79	29.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR+	48.13	32.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR2+	53.66	35.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR2-	53.32	35.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR1-	47.82	32.2	PASS
Band3	5	19925	8	#Max	QAM16	E-ACLR-	47.47	29.2	PASS



Band3	5	19925	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	5	19925	8	#Max	QAM16	E-ACLR+	39.56	29.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR+	43.36	32.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR2+	53.57	35.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR2-	51.66	35.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR1-	40.13	32.2	PASS
Band3	5	19925	25	#0	QAM16	E-ACLR-	39.25	29.2	PASS
Band3	5	19925	25	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19925	25	#0	QAM16	E-ACLR+	39.50	29.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR+	40.40	32.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR2+	52.46	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2-	53.89	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR1-	41.39	32.2	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR-	40.72	29.2	PASS
Band3	10	19250	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR+	46.43	29.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR+	51.03	32.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2+	50.35	35.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2-	51.34	35.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR1-	52.04	32.2	PASS
Band3	10	19250	12	#Max	QPSK	E-ACLR-	47.53	29.2	PASS
Band3	10	19250	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	12	#Max	QPSK	E-ACLR+	41.95	29.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR+	42.71	32.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2+	54.26	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2-	48.82	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR1-	43.99	32.2	PASS
Band3	10	19250	50	#0	QPSK	E-ACLR-	42.12	29.2	PASS
Band3	10	19250	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	50	#0	QPSK	E-ACLR+	41.03	29.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR+	42.82	32.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2+	47.90	35.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR2-	52.96	35.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR1-	43.32	32.2	PASS
Band3	10	19250	12	#0	QAM16	E-ACLR-	42.41	29.2	PASS
Band3	10	19250	12	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19250	12	#0	QAM16	E-ACLR+	46.35	29.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR+	50.87	32.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR2+	50.23	35.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR2-	50.73	35.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR1-	51.28	32.2	PASS
Band3	10	19250	12	#Max	QAM16	E-ACLR-	46.88	29.2	PASS
Band3	10	19250	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	10	19250	12	#Max	QAM16	E-ACLR+	43.21	29.2	PASS



Band3	10	19250	12	#Max	QAM16	U-ACLR+	44.31	32.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR2+	53.36	35.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR2-	49.28	35.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR1-	45.13	32.2	PASS
Band3	10	19250	50	#0	QAM16	E-ACLR-	43.05	29.2	PASS
Band3	10	19250	50	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19250	50	#0	QAM16	E-ACLR+	42.50	29.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR+	44.42	32.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR2+	49.06	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2-	53.78	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR1-	41.33	32.2	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR-	40.59	29.2	PASS
Band3	10	19575	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR+	46.83	29.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR+	51.45	32.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2+	50.60	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR2-	49.70	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR1-	50.81	32.2	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR-	45.96	29.2	PASS
Band3	10	19575	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR+	40.98	29.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR+	41.83	32.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR2+	54.39	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2-	47.81	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR1-	41.32	32.2	PASS
Band3	10	19575	50	#0	QPSK	E-ACLR-	39.73	29.2	PASS
Band3	10	19575	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	50	#0	QPSK	E-ACLR+	40.59	29.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR+	42.12	32.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2+	48.80	35.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR2-	52.93	35.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR1-	43.06	32.2	PASS
Band3	10	19575	12	#0	QAM16	E-ACLR-	42.05	29.2	PASS
Band3	10	19575	12	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19575	12	#0	QAM16	E-ACLR+	46.77	29.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR+	51.19	32.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR2+	50.71	35.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR2-	49.76	35.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR1-	50.88	32.2	PASS
Band3	10	19575	12	#Max	QAM16	E-ACLR-	46.07	29.2	PASS
Band3	10	19575	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	10	19575	12	#Max	QAM16	E-ACLR+	41.99	29.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR+	43.16	32.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR2+	53.42	35.2	PASS

Band3	10	19575	50	#0	QAM16	U-ACLR2-	48.39	35.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR1-	42.27	32.2	PASS
Band3	10	19575	50	#0	QAM16	E-ACLR-	40.60	29.2	PASS
Band3	10	19575	50	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19575	50	#0	QAM16	E-ACLR+	41.51	29.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR+	43.01	32.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR2+	49.55	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2-	53.78	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR1-	41.22	32.2	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR-	40.49	29.2	PASS
Band3	10	19900	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR+	47.50	29.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR+	51.52	32.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2+	52.12	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2-	49.49	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR1-	50.43	32.2	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR-	45.61	29.2	PASS
Band3	10	19900	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR+	39.42	29.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR+	40.09	32.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2+	54.60	35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR2-	46.54	35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR1-	39.08	32.2	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR-	37.68	29.2	PASS
Band3	10	19900	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR+	39.46	29.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR+	40.59	32.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR2+	49.90	35.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR2-	52.91	35.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR1-	42.70	32.2	PASS
Band3	10	19900	12	#0	QAM16	E-ACLR-	41.72	29.2	PASS
Band3	10	19900	12	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19900	12	#0	QAM16	E-ACLR+	47.32	29.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR+	51.28	32.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR2+	51.81	35.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR2-	49.60	35.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR1-	50.38	32.2	PASS
Band3	10	19900	12	#Max	QAM16	E-ACLR-	45.77	29.2	PASS
Band3	10	19900	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	10	19900	12	#Max	QAM16	E-ACLR+	40.92	29.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR+	41.81	32.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR2+	53.61	35.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR2-	47.56	35.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR1-	39.84	32.2	PASS

Band3	10	19900	50	#0	QAM16	E-ACLR-	38.50	29.2	PASS
Band3	10	19900	50	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19900	50	#0	QAM16	E-ACLR+	40.25	29.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR+	41.43	32.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR2+	50.04	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2-	52.97	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR1-	43.01	32.2	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR-	43.26	29.2	PASS
Band3	20	19300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR+	45.42	29.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR+	53.98	32.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2+	53.19	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2-	52.73	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR1-	53.66	32.2	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR-	46.67	29.2	PASS
Band3	20	19300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR+	43.71	29.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR+	43.53	32.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2+	54.08	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2-	48.52	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR1-	46.57	32.2	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR-	42.56	29.2	PASS
Band3	20	19300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR+	41.99	29.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR+	46.03	32.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2+	48.13	35.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR2-	52.01	35.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR1-	44.02	32.2	PASS
Band3	20	19300	18	#0	QAM16	E-ACLR-	43.60	29.2	PASS
Band3	20	19300	18	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19300	18	#0	QAM16	E-ACLR+	44.98	29.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR+	53.04	32.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR2+	52.63	35.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR2-	51.85	35.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR1-	52.63	32.2	PASS
Band3	20	19300	18	#Max	QAM16	E-ACLR-	45.83	29.2	PASS
Band3	20	19300	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	20	19300	18	#Max	QAM16	E-ACLR+	44.08	29.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR+	44.93	32.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR2+	53.11	35.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR2-	48.59	35.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR1-	47.39	32.2	PASS
Band3	20	19300	100	#0	QAM16	E-ACLR-	42.75	29.2	PASS
Band3	20	19300	100	#0	QAM16	EUTRA	0.00	0	PASS

Band3	20	19300	100	#0	QAM16	E-ACLR+	42.92	29.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR+	47.78	32.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR2+	49.18	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2-	52.86	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR1-	41.53	32.2	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR-	42.35	29.2	PASS
Band3	20	19575	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR+	45.15	29.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR+	54.19	32.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2+	53.21	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2-	52.23	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR1-	53.52	32.2	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR-	44.80	29.2	PASS
Band3	20	19575	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR+	42.63	29.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR+	41.49	32.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2+	54.20	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2-	44.46	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR1-	42.01	32.2	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR-	38.43	29.2	PASS
Band3	20	19575	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR+	39.66	29.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR+	43.14	32.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2+	45.66	35.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR2-	51.87	35.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR1-	43.47	32.2	PASS
Band3	20	19575	18	#0	QAM16	E-ACLR-	43.22	29.2	PASS
Band3	20	19575	18	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19575	18	#0	QAM16	E-ACLR+	44.82	29.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR+	53.17	32.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR2+	52.68	35.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR2-	51.39	35.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR1-	52.47	32.2	PASS
Band3	20	19575	18	#Max	QAM16	E-ACLR-	44.07	29.2	PASS
Band3	20	19575	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	20	19575	18	#Max	QAM16	E-ACLR+	43.59	29.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR+	43.01	32.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR2+	53.18	35.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR2-	45.47	35.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR1-	43.36	32.2	PASS
Band3	20	19575	100	#0	QAM16	E-ACLR-	39.49	29.2	PASS
Band3	20	19575	100	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19575	100	#0	QAM16	E-ACLR+	40.82	29.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR+	44.53	32.2	PASS

Band3	20	19575	100	#0	QAM16	U-ACLR2+	46.87	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2-	52.99	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR1-	41.71	32.2	PASS
Band3	20	19850	18	#0	QPSK	E-ACLR-	42.77	29.2	PASS
Band3	20	19850	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	18	#0	QPSK	E-ACLR+	47.89	29.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR+	54.29	32.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2+	54.59	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2-	52.26	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR1-	53.49	32.2	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR-	45.22	29.2	PASS
Band3	20	19850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR+	41.93	29.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR+	40.33	32.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2+	54.48	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2-	43.99	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR1-	41.79	32.2	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR-	38.18	29.2	PASS
Band3	20	19850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR+	41.35	29.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR+	43.03	32.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2+	49.20	35.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR2-	52.04	35.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR1-	42.50	32.2	PASS
Band3	20	19850	18	#0	QAM16	E-ACLR-	43.04	29.2	PASS
Band3	20	19850	18	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19850	18	#0	QAM16	E-ACLR+	46.88	29.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR+	53.18	32.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR2+	53.56	35.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR2-	51.55	35.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR1-	52.43	32.2	PASS
Band3	20	19850	18	#Max	QAM16	E-ACLR-	44.83	29.2	PASS
Band3	20	19850	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	20	19850	18	#Max	QAM16	E-ACLR+	42.98	29.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR+	42.11	32.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR2+	53.43	35.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR2-	44.86	35.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR1-	42.75	32.2	PASS
Band3	20	19850	100	#0	QAM16	E-ACLR-	39.01	29.2	PASS
Band3	20	19850	100	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19850	100	#0	QAM16	E-ACLR+	41.81	29.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR+	44.12	32.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR2+	49.43	35.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR2-	52.25	35.2	PASS

Band40	5	38675	8	#0	QPSK	U-ACLR1-	41.24	32.2	PASS
Band40	5	38675	8	#0	QPSK	E-ACLR-	41.71	29.2	PASS
Band40	5	38675	8	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	38675	8	#0	QPSK	E-ACLR+	44.93	29.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR+	50.62	32.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR2+	48.53	35.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR2-	48.96	35.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR1-	51.34	32.2	PASS
Band40	5	38675	8	#Max	QPSK	E-ACLR-	45.37	29.2	PASS
Band40	5	38675	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	5	38675	8	#Max	QPSK	E-ACLR+	41.68	29.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR+	41.05	32.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR2+	51.99	35.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR2-	48.97	35.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR1-	46.38	32.2	PASS
Band40	5	38675	25	#0	QPSK	E-ACLR-	42.94	29.2	PASS
Band40	5	38675	25	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	38675	25	#0	QPSK	E-ACLR+	42.31	29.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR+	46.13	32.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR2+	48.29	35.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR2-	52.29	35.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR1-	41.86	32.2	PASS
Band40	5	38675	8	#0	QAM16	E-ACLR-	42.35	29.2	PASS
Band40	5	38675	8	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	38675	8	#0	QAM16	E-ACLR+	45.17	29.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR+	51.25	32.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR2+	48.72	35.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR2-	49.53	35.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR1-	51.39	32.2	PASS
Band40	5	38675	8	#Max	QAM16	E-ACLR-	45.70	29.2	PASS
Band40	5	38675	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	5	38675	8	#Max	QAM16	E-ACLR+	42.86	29.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR+	43.20	32.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR2+	52.02	35.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR2-	48.16	35.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR1-	45.44	32.2	PASS
Band40	5	38675	25	#0	QAM16	E-ACLR-	42.43	29.2	PASS
Band40	5	38675	25	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	38675	25	#0	QAM16	E-ACLR+	41.78	29.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR+	45.21	32.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR2+	47.32	35.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR2-	52.31	35.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR1-	42.04	32.2	PASS
Band40	5	39150	8	#0	QPSK	E-ACLR-	41.85	29.2	PASS

Band40	5	39150	8	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	39150	8	#0	QPSK	E-ACLR+	44.95	29.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR+	50.89	32.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR2+	48.40	35.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR2-	49.18	35.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR1-	51.46	32.2	PASS
Band40	5	39150	8	#Max	QPSK	E-ACLR-	45.54	29.2	PASS
Band40	5	39150	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	5	39150	8	#Max	QPSK	E-ACLR+	40.73	29.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR+	40.64	32.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR2+	51.55	35.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR2-	49.23	35.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR1-	46.88	32.2	PASS
Band40	5	39150	25	#0	QPSK	E-ACLR-	43.35	29.2	PASS
Band40	5	39150	25	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	39150	25	#0	QPSK	E-ACLR+	42.05	29.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR+	45.75	32.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR2+	48.09	35.2	PASS
Band40	5	39150	8	#0	QAM16	U-ACLR2-	51.80	35.2	PASS
Band40	5	39150	8	#0	QAM16	U-ACLR1-	42.09	32.2	PASS
Band40	5	39150	8	#0	QAM16	E-ACLR-	41.97	29.2	PASS
Band40	5	39150	8	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	39150	8	#0	QAM16	E-ACLR+	45.15	29.2	PASS
Band40	5	39150	8	#0	QAM16	U-ACLR+	50.95	32.2	PASS
Band40	5	39150	8	#0	QAM16	U-ACLR2+	48.80	35.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR2-	49.26	35.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR1-	51.88	32.2	PASS
Band40	5	39150	8	#Max	QAM16	E-ACLR-	45.71	29.2	PASS
Band40	5	39150	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	5	39150	8	#Max	QAM16	E-ACLR+	41.39	29.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR+	41.60	32.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR2+	51.44	35.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR2-	47.75	35.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR1-	45.19	32.2	PASS
Band40	5	39150	25	#0	QAM16	E-ACLR-	42.15	29.2	PASS
Band40	5	39150	25	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	39150	25	#0	QAM16	E-ACLR+	40.93	29.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR+	44.51	32.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR2+	46.26	35.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR2-	51.65	35.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR1-	38.95	32.2	PASS
Band40	5	39625	8	#0	QPSK	E-ACLR-	39.24	29.2	PASS
Band40	5	39625	8	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	39625	8	#0	QPSK	E-ACLR+	45.06	29.2	PASS



Band40	5	39625	8	#0	QPSK	U-ACLR+	50.80	32.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR2+	48.55	35.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR2-	49.46	35.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR1-	52.02	32.2	PASS
Band40	5	39625	8	#Max	QPSK	E-ACLR-	45.89	29.2	PASS
Band40	5	39625	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	5	39625	8	#Max	QPSK	E-ACLR+	38.16	29.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR+	37.65	32.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR2+	50.99	35.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR2-	48.34	35.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR1-	45.67	32.2	PASS
Band40	5	39625	25	#0	QPSK	E-ACLR-	42.24	29.2	PASS
Band40	5	39625	25	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	39625	25	#0	QPSK	E-ACLR+	41.25	29.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR+	44.74	32.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR2+	47.57	35.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR2-	52.36	35.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR1-	41.44	32.2	PASS
Band40	5	39625	8	#0	QAM16	E-ACLR-	41.53	29.2	PASS
Band40	5	39625	8	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	39625	8	#0	QAM16	E-ACLR+	45.27	29.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR+	51.24	32.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR2+	48.66	35.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR2-	49.76	35.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR1-	52.11	32.2	PASS
Band40	5	39625	8	#Max	QAM16	E-ACLR-	46.13	29.2	PASS
Band40	5	39625	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	5	39625	8	#Max	QAM16	E-ACLR+	40.50	29.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR+	40.38	32.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR2+	51.73	35.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR2-	47.38	35.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR1-	45.16	32.2	PASS
Band40	5	39625	25	#0	QAM16	E-ACLR-	41.80	29.2	PASS
Band40	5	39625	25	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	39625	25	#0	QAM16	E-ACLR+	40.78	29.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR+	43.65	32.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR2+	46.67	35.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR2-	51.27	35.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR1-	42.59	32.2	PASS
Band40	10	38700	12	#0	QPSK	E-ACLR-	42.47	29.2	PASS
Band40	10	38700	12	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	38700	12	#0	QPSK	E-ACLR+	44.54	29.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR+	56.11	32.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR2+	55.41	35.2	PASS



Band40	10	38700	12	#Max	QPSK	U-ACLR2-	55.74	35.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR1-	56.08	32.2	PASS
Band40	10	38700	12	#Max	QPSK	E-ACLR-	45.15	29.2	PASS
Band40	10	38700	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	10	38700	12	#Max	QPSK	E-ACLR+	43.13	29.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR+	43.80	32.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR2+	51.26	35.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR2-	50.42	35.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR1-	49.42	32.2	PASS
Band40	10	38700	50	#0	QPSK	E-ACLR-	42.78	29.2	PASS
Band40	10	38700	50	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	38700	50	#0	QPSK	E-ACLR+	41.90	29.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR+	48.34	32.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR2+	49.90	35.2	PASS
Band40	10	38700	12	#0	QAM16	U-ACLR2-	50.74	35.2	PASS
Band40	10	38700	12	#0	QAM16	U-ACLR1-	43.16	32.2	PASS
Band40	10	38700	12	#0	QAM16	E-ACLR-	42.51	29.2	PASS
Band40	10	38700	12	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	38700	12	#0	QAM16	E-ACLR+	44.41	29.2	PASS
Band40	10	38700	12	#0	QAM16	U-ACLR+	55.13	32.2	PASS
Band40	10	38700	12	#0	QAM16	U-ACLR2+	54.96	35.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR2-	55.01	35.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR1-	55.22	32.2	PASS
Band40	10	38700	12	#Max	QAM16	E-ACLR-	44.84	29.2	PASS
Band40	10	38700	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	10	38700	12	#Max	QAM16	E-ACLR+	42.94	29.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR+	43.96	32.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR2+	50.83	35.2	PASS
Band40	10	38700	50	#0	QAM16	U-ACLR2-	49.90	35.2	PASS
Band40	10	38700	50	#0	QAM16	U-ACLR1-	47.72	32.2	PASS
Band40	10	38700	50	#0	QAM16	E-ACLR-	42.14	29.2	PASS
Band40	10	38700	50	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	38700	50	#0	QAM16	E-ACLR+	41.20	29.2	PASS
Band40	10	38700	50	#0	QAM16	U-ACLR+	47.48	32.2	PASS
Band40	10	38700	50	#0	QAM16	U-ACLR2+	48.87	35.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR2-	51.38	35.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR1-	43.03	32.2	PASS
Band40	10	39150	12	#0	QPSK	E-ACLR-	42.79	29.2	PASS
Band40	10	39150	12	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	39150	12	#0	QPSK	E-ACLR+	43.51	29.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR+	56.02	32.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR2+	55.26	35.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR2-	55.75	35.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR1-	56.41	32.2	PASS

Band40	10	39150	12	#Max	QPSK	E-ACLR-	45.49	29.2	PASS
Band40	10	39150	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	10	39150	12	#Max	QPSK	E-ACLR+	41.93	29.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR+	42.63	32.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR2+	50.15	35.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR2-	50.56	35.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR1-	49.35	32.2	PASS
Band40	10	39150	50	#0	QPSK	E-ACLR-	42.81	29.2	PASS
Band40	10	39150	50	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	39150	50	#0	QPSK	E-ACLR+	40.89	29.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR+	48.43	32.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR2+	48.97	35.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR2-	50.69	35.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR1-	42.99	32.2	PASS
Band40	10	39150	12	#0	QAM16	E-ACLR-	42.67	29.2	PASS
Band40	10	39150	12	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	39150	12	#0	QAM16	E-ACLR+	43.63	29.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR+	55.17	32.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR2+	54.85	35.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR2-	55.51	35.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR1-	55.48	32.2	PASS
Band40	10	39150	12	#Max	QAM16	E-ACLR-	45.24	29.2	PASS
Band40	10	39150	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	10	39150	12	#Max	QAM16	E-ACLR+	41.46	29.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR+	41.87	32.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR2+	49.33	35.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR2-	49.56	35.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR1-	47.76	32.2	PASS
Band40	10	39150	50	#0	QAM16	E-ACLR-	41.90	29.2	PASS
Band40	10	39150	50	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	39150	50	#0	QAM16	E-ACLR+	40.05	29.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR+	46.51	32.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR2+	47.88	35.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR2-	51.81	35.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR1-	43.02	32.2	PASS
Band40	10	39600	12	#0	QPSK	E-ACLR-	43.07	29.2	PASS
Band40	10	39600	12	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	39600	12	#0	QPSK	E-ACLR+	44.16	29.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR+	55.81	32.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR2+	55.01	35.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR2-	55.87	35.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR1-	56.51	32.2	PASS
Band40	10	39600	12	#Max	QPSK	E-ACLR-	45.36	29.2	PASS
Band40	10	39600	12	#Max	QPSK	EUTRA	0.00	0	PASS

Band40	10	39600	12	#Max	QPSK	E-ACLR+	40.94	29.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR+	40.54	32.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR2+	50.22	35.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR2-	50.95	35.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR1-	49.89	32.2	PASS
Band40	10	39600	50	#0	QPSK	E-ACLR-	43.00	29.2	PASS
Band40	10	39600	50	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	39600	50	#0	QPSK	E-ACLR+	41.76	29.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR+	47.92	32.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR2+	48.80	35.2	PASS
Band40	10	39600	12	#0	QAM16	U-ACLR2-	51.03	35.2	PASS
Band40	10	39600	12	#0	QAM16	U-ACLR1-	43.80	32.2	PASS
Band40	10	39600	12	#0	QAM16	E-ACLR-	42.98	29.2	PASS
Band40	10	39600	12	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	39600	12	#0	QAM16	E-ACLR+	44.11	29.2	PASS
Band40	10	39600	12	#0	QAM16	U-ACLR+	55.03	32.2	PASS
Band40	10	39600	12	#0	QAM16	U-ACLR2+	54.47	35.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR2-	55.26	35.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR1-	55.56	32.2	PASS
Band40	10	39600	12	#Max	QAM16	E-ACLR-	45.10	29.2	PASS
Band40	10	39600	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	10	39600	12	#Max	QAM16	E-ACLR+	41.34	29.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR+	41.21	32.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR2+	49.57	35.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR2-	49.42	35.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR1-	47.84	32.2	PASS
Band40	10	39600	50	#0	QAM16	E-ACLR-	41.85	29.2	PASS
Band40	10	39600	50	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	39600	50	#0	QAM16	E-ACLR+	40.83	29.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR+	46.36	32.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR2+	47.69	35.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR2-	49.70	35.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR1-	45.85	32.2	PASS
Band40	20	38750	18	#0	QPSK	E-ACLR-	42.73	29.2	PASS
Band40	20	38750	18	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	38750	18	#0	QPSK	E-ACLR+	43.63	29.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR+	56.49	32.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR2+	56.69	35.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR2-	56.31	35.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR1-	56.24	32.2	PASS
Band40	20	38750	18	#Max	QPSK	E-ACLR-	43.94	29.2	PASS
Band40	20	38750	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	20	38750	18	#Max	QPSK	E-ACLR+	43.42	29.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR+	47.84	32.2	PASS

Band40	20	38750	18	#Max	QPSK	U-ACLR2+	50.40	35.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR2-	52.83	35.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR1-	52.16	32.2	PASS
Band40	20	38750	100	#0	QPSK	E-ACLR-	42.36	29.2	PASS
Band40	20	38750	100	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	38750	100	#0	QPSK	E-ACLR+	41.62	29.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR+	51.69	32.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR2+	52.64	35.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR2-	49.66	35.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR1-	45.83	32.2	PASS
Band40	20	38750	18	#0	QAM16	E-ACLR-	42.17	29.2	PASS
Band40	20	38750	18	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	38750	18	#0	QAM16	E-ACLR+	43.13	29.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR+	55.52	32.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR2+	55.72	35.2	PASS
Band40	20	38750	18	#Max	QAM16	U-ACLR2-	55.34	35.2	PASS
Band40	20	38750	18	#Max	QAM16	U-ACLR1-	55.23	32.2	PASS
Band40	20	38750	18	#Max	QAM16	E-ACLR-	43.24	29.2	PASS
Band40	20	38750	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	20	38750	18	#Max	QAM16	E-ACLR+	42.72	29.2	PASS
Band40	20	38750	18	#Max	QAM16	U-ACLR+	46.83	32.2	PASS
Band40	20	38750	18	#Max	QAM16	U-ACLR2+	50.23	35.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR2-	51.23	35.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR1-	50.24	32.2	PASS
Band40	20	38750	100	#0	QAM16	E-ACLR-	41.21	29.2	PASS
Band40	20	38750	100	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	38750	100	#0	QAM16	E-ACLR+	40.53	29.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR+	49.68	32.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR2+	50.89	35.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR2-	50.36	35.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR1-	45.43	32.2	PASS
Band40	20	39150	18	#0	QPSK	E-ACLR-	42.92	29.2	PASS
Band40	20	39150	18	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39150	18	#0	QPSK	E-ACLR+	42.48	29.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR+	56.39	32.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR2+	56.66	35.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR2-	56.64	35.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR1-	56.69	32.2	PASS
Band40	20	39150	18	#Max	QPSK	E-ACLR-	43.88	29.2	PASS
Band40	20	39150	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	20	39150	18	#Max	QPSK	E-ACLR+	41.33	29.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR+	43.97	32.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR2+	46.83	35.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR2-	52.69	35.2	PASS

Band40	20	39150	100	#0	QPSK	U-ACLR1-	52.26	32.2	PASS
Band40	20	39150	100	#0	QPSK	E-ACLR-	41.85	29.2	PASS
Band40	20	39150	100	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39150	100	#0	QPSK	E-ACLR+	40.13	29.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR+	50.00	32.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR2+	50.78	35.2	PASS
Band40	20	39150	18	#0	QAM16	U-ACLR2-	50.14	35.2	PASS
Band40	20	39150	18	#0	QAM16	U-ACLR1-	46.28	32.2	PASS
Band40	20	39150	18	#0	QAM16	E-ACLR-	42.42	29.2	PASS
Band40	20	39150	18	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	39150	18	#0	QAM16	E-ACLR+	42.20	29.2	PASS
Band40	20	39150	18	#0	QAM16	U-ACLR+	55.29	32.2	PASS
Band40	20	39150	18	#0	QAM16	U-ACLR2+	55.59	35.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR2-	55.63	35.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR1-	55.77	32.2	PASS
Band40	20	39150	18	#Max	QAM16	E-ACLR-	43.30	29.2	PASS
Band40	20	39150	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	20	39150	18	#Max	QAM16	E-ACLR+	41.27	29.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR+	44.26	32.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR2+	47.54	35.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR2-	51.69	35.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR1-	50.87	32.2	PASS
Band40	20	39150	100	#0	QAM16	E-ACLR-	40.98	29.2	PASS
Band40	20	39150	100	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	39150	100	#0	QAM16	E-ACLR+	39.23	29.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR+	48.28	32.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR2+	49.47	35.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR2-	50.17	35.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR1-	46.37	32.2	PASS
Band40	20	39550	18	#0	QPSK	E-ACLR-	42.67	29.2	PASS
Band40	20	39550	18	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39550	18	#0	QPSK	E-ACLR+	43.83	29.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR+	55.85	32.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR2+	56.27	35.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR2-	56.43	35.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR1-	56.32	32.2	PASS
Band40	20	39550	18	#Max	QPSK	E-ACLR-	42.88	29.2	PASS
Band40	20	39550	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	20	39550	18	#Max	QPSK	E-ACLR+	41.64	29.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR+	42.65	32.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR2+	47.66	35.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR2-	51.81	35.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR1-	51.48	32.2	PASS
Band40	20	39550	100	#0	QPSK	E-ACLR-	40.97	29.2	PASS

Band40	20	39550	100	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39550	100	#0	QPSK	E-ACLR+	41.49	29.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR+	49.67	32.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR2+	50.73	35.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR2-	49.89	35.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR1-	46.11	32.2	PASS
Band40	20	39550	18	#0	QAM16	E-ACLR-	42.11	29.2	PASS
Band40	20	39550	18	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	39550	18	#0	QAM16	E-ACLR+	43.34	29.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR+	55.02	32.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR2+	55.38	35.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR2-	55.41	35.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR1-	55.37	32.2	PASS
Band40	20	39550	18	#Max	QAM16	E-ACLR-	42.47	29.2	PASS
Band40	20	39550	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	20	39550	18	#Max	QAM16	E-ACLR+	41.64	29.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR+	43.51	32.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR2+	48.09	35.2	PASS
Band40	20	39550	100	#0	QAM16	U-ACLR2-	50.94	35.2	PASS
Band40	20	39550	100	#0	QAM16	U-ACLR1-	50.36	32.2	PASS
Band40	20	39550	100	#0	QAM16	E-ACLR-	40.12	29.2	PASS
Band40	20	39550	100	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	39550	100	#0	QAM16	E-ACLR+	40.71	29.2	PASS
Band40	20	39550	100	#0	QAM16	U-ACLR+	48.75	32.2	PASS
Band40	20	39550	100	#0	QAM16	U-ACLR2+	49.82	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2-	53.28	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR1-	34.47	32.2	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR-	31.37	29.2	PASS
Band7	5	20775	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR+	43.51	29.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR+	43.79	32.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2+	55.81	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2-	55.32	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR1-	42.24	32.2	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR-	42.01	29.2	PASS
Band7	5	20775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR+	32.34	29.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR+	35.61	32.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2+	52.17	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2-	51.57	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR1-	33.54	32.2	PASS
Band7	5	20775	25	#0	QPSK	E-ACLR-	32.66	29.2	PASS
Band7	5	20775	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	25	#0	QPSK	E-ACLR+	33.39	29.2	PASS

Band7	5	20775	25	#0	QPSK	U-ACLR+	34.27	32.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2+	50.71	35.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR2-	53.44	35.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR1-	37.68	32.2	PASS
Band7	5	20775	8	#0	QAM16	E-ACLR-	34.15	29.2	PASS
Band7	5	20775	8	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	20775	8	#0	QAM16	E-ACLR+	43.58	29.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR+	43.77	32.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR2+	54.81	35.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR2-	54.35	35.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR1-	42.53	32.2	PASS
Band7	5	20775	8	#Max	QAM16	E-ACLR-	42.34	29.2	PASS
Band7	5	20775	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	5	20775	8	#Max	QAM16	E-ACLR+	35.39	29.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR+	39.07	32.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR2+	53.12	35.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR2-	51.56	35.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR1-	37.49	32.2	PASS
Band7	5	20775	25	#0	QAM16	E-ACLR-	36.67	29.2	PASS
Band7	5	20775	25	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	20775	25	#0	QAM16	E-ACLR+	37.25	29.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR+	38.15	32.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR2+	50.94	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2-	53.82	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR1-	36.83	32.2	PASS
Band7	5	21100	8	#0	QPSK	E-ACLR-	33.62	29.2	PASS
Band7	5	21100	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	8	#0	QPSK	E-ACLR+	45.45	29.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR+	45.71	32.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2+	55.37	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2-	54.86	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR1-	43.62	32.2	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR-	43.38	29.2	PASS
Band7	5	21100	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR+	34.16	29.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR+	37.55	32.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2+	53.54	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR2-	51.06	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR1-	36.60	32.2	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR-	35.81	29.2	PASS
Band7	5	21100	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR+	37.18	29.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR+	38.05	32.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR2+	51.35	35.2	PASS



Band7	5	21100	8	#0	QAM16	U-ACLR2-	53.37	35.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR1-	38.86	32.2	PASS
Band7	5	21100	8	#0	QAM16	E-ACLR-	35.72	29.2	PASS
Band7	5	21100	8	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21100	8	#0	QAM16	E-ACLR+	45.60	29.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR+	45.87	32.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR2+	54.32	35.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR2-	53.91	35.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR1-	43.91	32.2	PASS
Band7	5	21100	8	#Max	QAM16	E-ACLR-	43.70	29.2	PASS
Band7	5	21100	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	5	21100	8	#Max	QAM16	E-ACLR+	36.32	29.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR+	39.74	32.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR2+	53.34	35.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR2-	50.94	35.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR1-	37.98	32.2	PASS
Band7	5	21100	25	#0	QAM16	E-ACLR-	37.15	29.2	PASS
Band7	5	21100	25	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21100	25	#0	QAM16	E-ACLR+	38.18	29.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR+	39.08	32.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR2+	51.17	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2-	52.21	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR1-	33.87	32.2	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR-	30.31	29.2	PASS
Band7	5	21425	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR+	43.40	29.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR+	43.65	32.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2+	55.36	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR2-	54.71	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR1-	38.93	32.2	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR-	38.75	29.2	PASS
Band7	5	21425	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR+	29.55	29.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR+	33.35	32.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR2+	48.62	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2-	49.76	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR1-	32.25	32.2	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR-	31.40	29.2	PASS
Band7	5	21425	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR+	32.95	29.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR+	33.90	32.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2+	50.03	35.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR2-	52.69	35.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR1-	37.30	32.2	PASS



Band7	5	21425	8	#0	QAM16	E-ACLR-	33.69	29.2	PASS
Band7	5	21425	8	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21425	8	#0	QAM16	E-ACLR+	44.18	29.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR+	44.39	32.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR2+	54.30	35.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR2-	53.92	35.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR1-	40.28	32.2	PASS
Band7	5	21425	8	#Max	QAM16	E-ACLR-	40.11	29.2	PASS
Band7	5	21425	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	5	21425	8	#Max	QAM16	E-ACLR+	33.28	29.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR+	36.99	32.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR2+	51.23	35.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR2-	50.05	35.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR1-	33.80	32.2	PASS
Band7	5	21425	25	#0	QAM16	E-ACLR-	32.99	29.2	PASS
Band7	5	21425	25	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21425	25	#0	QAM16	E-ACLR+	34.65	29.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR+	35.54	32.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR2+	50.16	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2-	52.60	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR1-	34.38	32.2	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR-	33.78	29.2	PASS
Band7	10	20800	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR+	40.61	29.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR+	45.78	32.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2+	44.41	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2-	43.54	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR1-	45.12	32.2	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR-	39.71	29.2	PASS
Band7	10	20800	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR+	35.49	29.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR+	36.10	32.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2+	53.46	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2-	42.04	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR1-	34.71	32.2	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR-	33.25	29.2	PASS
Band7	10	20800	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR+	33.24	29.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR+	34.91	32.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2+	40.93	35.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR2-	52.33	35.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR1-	37.00	32.2	PASS
Band7	10	20800	12	#0	QAM16	E-ACLR-	36.33	29.2	PASS
Band7	10	20800	12	#0	QAM16	EUTRA	0.00	0	PASS

Band7	10	20800	12	#0	QAM16	E-ACLR+	41.09	29.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR+	46.46	32.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR2+	44.88	35.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR2-	44.38	35.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR1-	45.87	32.2	PASS
Band7	10	20800	12	#Max	QAM16	E-ACLR-	40.45	29.2	PASS
Band7	10	20800	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	10	20800	12	#Max	QAM16	E-ACLR+	37.57	29.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR+	38.35	32.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR2+	52.97	35.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR2-	43.94	35.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR1-	35.90	32.2	PASS
Band7	10	20800	50	#0	QAM16	E-ACLR-	34.61	29.2	PASS
Band7	10	20800	50	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	20800	50	#0	QAM16	E-ACLR+	34.67	29.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR+	36.16	32.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR2+	43.12	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2-	52.99	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR1-	34.67	32.2	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR-	34.10	29.2	PASS
Band7	10	21100	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR+	44.49	29.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR+	49.32	32.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2+	48.39	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2-	43.97	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR1-	45.41	32.2	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR-	40.19	29.2	PASS
Band7	10	21100	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR+	35.19	29.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR+	35.82	32.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2+	53.40	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2-	41.88	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR1-	35.25	32.2	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR-	33.66	29.2	PASS
Band7	10	21100	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR+	35.71	29.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR+	37.20	32.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2+	43.99	35.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR2-	52.66	35.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR1-	37.28	32.2	PASS
Band7	10	21100	12	#0	QAM16	E-ACLR-	36.57	29.2	PASS
Band7	10	21100	12	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21100	12	#0	QAM16	E-ACLR+	44.91	29.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR+	49.68	32.2	PASS

Band7	10	21100	12	#0	QAM16	U-ACLR2+	49.04	35.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR2-	44.71	35.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR1-	46.72	32.2	PASS
Band7	10	21100	12	#Max	QAM16	E-ACLR-	41.04	29.2	PASS
Band7	10	21100	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	10	21100	12	#Max	QAM16	E-ACLR+	37.12	29.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR+	37.99	32.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR2+	53.35	35.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR2-	43.66	35.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR1-	36.32	32.2	PASS
Band7	10	21100	50	#0	QAM16	E-ACLR-	34.87	29.2	PASS
Band7	10	21100	50	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21100	50	#0	QAM16	E-ACLR+	36.95	29.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR+	38.38	32.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR2+	45.26	35.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR2-	53.30	35.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR1-	33.71	32.2	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR-	33.17	29.2	PASS
Band7	10	21400	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR+	44.15	29.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR+	49.20	32.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR2+	47.98	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2-	41.61	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR1-	42.90	32.2	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR-	37.64	29.2	PASS
Band7	10	21400	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR+	33.62	29.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR+	34.20	32.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2+	52.00	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2-	40.12	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR1-	32.75	32.2	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR-	31.31	29.2	PASS
Band7	10	21400	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR+	33.69	29.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR+	35.13	32.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2+	42.32	35.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR2-	52.81	35.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR1-	35.88	32.2	PASS
Band7	10	21400	12	#0	QAM16	E-ACLR-	35.25	29.2	PASS
Band7	10	21400	12	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21400	12	#0	QAM16	E-ACLR+	44.58	29.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR+	49.48	32.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR2+	48.49	35.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR2-	42.30	35.2	PASS

Band7	10	21400	12	#Max	QAM16	U-ACLR1-	43.66	32.2	PASS
Band7	10	21400	12	#Max	QAM16	E-ACLR-	38.40	29.2	PASS
Band7	10	21400	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	10	21400	12	#Max	QAM16	E-ACLR+	35.20	29.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR+	35.90	32.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR2+	51.95	35.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR2-	42.45	35.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR1-	33.83	32.2	PASS
Band7	10	21400	50	#0	QAM16	E-ACLR-	32.62	29.2	PASS
Band7	10	21400	50	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21400	50	#0	QAM16	E-ACLR+	34.94	29.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR+	36.30	32.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR2+	43.75	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2-	52.37	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR1-	35.78	32.2	PASS
Band7	20	20850	18	#0	QPSK	E-ACLR-	37.91	29.2	PASS
Band7	20	20850	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	18	#0	QPSK	E-ACLR+	39.69	29.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR+	54.01	32.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2+	48.02	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2-	51.21	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR1-	54.30	32.2	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR-	43.54	29.2	PASS
Band7	20	20850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR+	38.27	29.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR+	36.17	32.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2+	53.56	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2-	40.36	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR1-	37.45	32.2	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR-	34.66	29.2	PASS
Band7	20	20850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR+	32.17	29.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR+	35.50	32.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2+	37.69	35.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR2-	51.74	35.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR1-	36.92	32.2	PASS
Band7	20	20850	18	#0	QAM16	E-ACLR-	39.17	29.2	PASS
Band7	20	20850	18	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	20850	18	#0	QAM16	E-ACLR+	39.96	29.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR+	53.09	32.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR2+	48.81	35.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR2-	51.06	35.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR1-	53.26	32.2	PASS
Band7	20	20850	18	#Max	QAM16	E-ACLR-	43.60	29.2	PASS

Band7	20	20850	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	20	20850	18	#Max	QAM16	E-ACLR+	39.99	29.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR+	38.10	32.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR2+	52.94	35.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR2-	41.69	35.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR1-	39.07	32.2	PASS
Band7	20	20850	100	#0	QAM16	E-ACLR-	36.16	29.2	PASS
Band7	20	20850	100	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	20850	100	#0	QAM16	E-ACLR+	33.73	29.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR+	37.07	32.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR2+	39.20	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2-	52.68	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR1-	35.36	32.2	PASS
Band7	20	21100	18	#0	QPSK	E-ACLR-	37.55	29.2	PASS
Band7	20	21100	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	18	#0	QPSK	E-ACLR+	43.45	29.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR+	54.89	32.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2+	52.09	35.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2-	47.45	35.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR1-	53.85	32.2	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR-	38.57	29.2	PASS
Band7	20	21100	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR+	37.88	29.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR+	35.80	32.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2+	52.62	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2-	38.25	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR1-	35.79	32.2	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR-	32.61	29.2	PASS
Band7	20	21100	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR+	33.97	29.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR+	37.71	32.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2+	39.54	35.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR2-	52.12	35.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR1-	37.47	32.2	PASS
Band7	20	21100	18	#0	QAM16	E-ACLR-	39.24	29.2	PASS
Band7	20	21100	18	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21100	18	#0	QAM16	E-ACLR+	43.57	29.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR+	53.92	32.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR2+	52.32	35.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR2-	48.56	35.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR1-	52.94	32.2	PASS
Band7	20	21100	18	#Max	QAM16	E-ACLR-	39.57	29.2	PASS
Band7	20	21100	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	20	21100	18	#Max	QAM16	E-ACLR+	39.88	29.2	PASS

Band7	20	21100	18	#Max	QAM16	U-ACLR+	37.94	32.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR2+	52.70	35.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR2-	40.42	35.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR1-	37.86	32.2	PASS
Band7	20	21100	100	#0	QAM16	E-ACLR-	34.73	29.2	PASS
Band7	20	21100	100	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21100	100	#0	QAM16	E-ACLR+	35.98	29.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR+	39.85	32.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR2+	41.57	35.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR2-	52.82	35.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR1-	35.35	32.2	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR-	37.60	29.2	PASS
Band7	20	21350	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR+	42.50	29.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR+	54.92	32.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR2+	50.61	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2-	47.02	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR1-	53.57	32.2	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR-	37.96	29.2	PASS
Band7	20	21350	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR+	37.17	29.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR+	35.03	32.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2+	52.04	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2-	39.72	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR1-	37.47	32.2	PASS
Band7	20	21350	100	#0	QPSK	E-ACLR-	34.13	29.2	PASS
Band7	20	21350	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	100	#0	QPSK	E-ACLR+	34.44	29.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR+	38.00	32.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2+	39.68	35.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR2-	52.17	35.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR1-	37.34	32.2	PASS
Band7	20	21350	18	#0	QAM16	E-ACLR-	39.35	29.2	PASS
Band7	20	21350	18	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21350	18	#0	QAM16	E-ACLR+	42.63	29.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR+	53.83	32.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR2+	51.26	35.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR2-	47.78	35.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR1-	52.95	32.2	PASS
Band7	20	21350	18	#Max	QAM16	E-ACLR-	38.73	29.2	PASS
Band7	20	21350	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	20	21350	18	#Max	QAM16	E-ACLR+	38.74	29.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR+	36.82	32.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR2+	52.14	35.2	PASS

Band7	20	21350	100	#0	QAM16	U-ACLR2-	41.02	35.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR1-	38.56	32.2	PASS
Band7	20	21350	100	#0	QAM16	E-ACLR-	35.41	29.2	PASS
Band7	20	21350	100	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21350	100	#0	QAM16	E-ACLR+	35.64	29.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR+	39.13	32.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR2+	41.03	35.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR1-	46.57	32.2	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR-	39.00	29.2	PASS
Band8	1.4	21457	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR+	42.17	29.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR+	49.58	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR1-	49.73	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	E-ACLR-	42.63	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#Max	QPSK	E-ACLR+	38.53	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR+	46.20	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR1-	47.40	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR-	42.52	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR+	42.23	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR+	47.62	32.2	PASS
Band8	1.4	21457	5	#0	QAM16	U-ACLR1-	48.20	32.2	PASS
Band8	1.4	21457	5	#0	QAM16	E-ACLR-	40.94	29.2	PASS
Band8	1.4	21457	5	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#0	QAM16	E-ACLR+	44.88	29.2	PASS
Band8	1.4	21457	5	#0	QAM16	U-ACLR+	50.33	32.2	PASS
Band8	1.4	21457	5	#Max	QAM16	U-ACLR1-	50.49	32.2	PASS
Band8	1.4	21457	5	#Max	QAM16	E-ACLR-	45.88	29.2	PASS
Band8	1.4	21457	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#Max	QAM16	E-ACLR+	41.28	29.2	PASS
Band8	1.4	21457	5	#Max	QAM16	U-ACLR+	48.26	32.2	PASS
Band8	1.4	21457	6	#0	QAM16	U-ACLR1-	48.48	32.2	PASS
Band8	1.4	21457	6	#0	QAM16	E-ACLR-	45.05	29.2	PASS
Band8	1.4	21457	6	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21457	6	#0	QAM16	E-ACLR+	44.06	29.2	PASS
Band8	1.4	21457	6	#0	QAM16	U-ACLR+	47.96	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR1-	48.64	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR-	42.08	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR+	44.92	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR+	50.63	32.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR1-	51.01	32.2	PASS
Band8	1.4	21625	5	#Max	QPSK	E-ACLR-	45.33	29.2	PASS



Band8	1.4	21625	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#Max	QPSK	E-ACLR+	41.23	29.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR+	48.14	32.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR1-	48.96	32.2	PASS
Band8	1.4	21625	6	#0	QPSK	E-ACLR-	44.80	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	6	#0	QPSK	E-ACLR+	43.92	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR+	48.46	32.2	PASS
Band8	1.4	21625	5	#0	QAM16	U-ACLR1-	49.33	32.2	PASS
Band8	1.4	21625	5	#0	QAM16	E-ACLR-	43.48	29.2	PASS
Band8	1.4	21625	5	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#0	QAM16	E-ACLR+	46.02	29.2	PASS
Band8	1.4	21625	5	#0	QAM16	U-ACLR+	50.83	32.2	PASS
Band8	1.4	21625	5	#Max	QAM16	U-ACLR1-	51.04	32.2	PASS
Band8	1.4	21625	5	#Max	QAM16	E-ACLR-	46.62	29.2	PASS
Band8	1.4	21625	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#Max	QAM16	E-ACLR+	42.59	29.2	PASS
Band8	1.4	21625	5	#Max	QAM16	U-ACLR+	48.78	32.2	PASS
Band8	1.4	21625	6	#0	QAM16	U-ACLR1-	49.71	32.2	PASS
Band8	1.4	21625	6	#0	QAM16	E-ACLR-	47.24	29.2	PASS
Band8	1.4	21625	6	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21625	6	#0	QAM16	E-ACLR+	46.47	29.2	PASS
Band8	1.4	21625	6	#0	QAM16	U-ACLR+	49.12	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR1-	46.46	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR-	39.31	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR+	44.27	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR+	50.04	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR1-	49.19	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR-	42.59	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR+	41.00	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR+	47.55	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR1-	47.77	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR-	42.73	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR+	43.37	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR+	48.04	32.2	PASS
Band8	1.4	21793	5	#0	QAM16	U-ACLR1-	48.93	32.2	PASS
Band8	1.4	21793	5	#0	QAM16	E-ACLR-	42.58	29.2	PASS
Band8	1.4	21793	5	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#0	QAM16	E-ACLR+	46.84	29.2	PASS
Band8	1.4	21793	5	#0	QAM16	U-ACLR+	50.63	32.2	PASS
Band8	1.4	21793	5	#Max	QAM16	U-ACLR1-	50.54	32.2	PASS



Band8	1.4	21793	5	#Max	QAM16	E-ACLR-	46.61	29.2	PASS
Band8	1.4	21793	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#Max	QAM16	E-ACLR+	43.35	29.2	PASS
Band8	1.4	21793	5	#Max	QAM16	U-ACLR+	49.09	32.2	PASS
Band8	1.4	21793	6	#0	QAM16	U-ACLR1-	48.85	32.2	PASS
Band8	1.4	21793	6	#0	QAM16	E-ACLR-	45.28	29.2	PASS
Band8	1.4	21793	6	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21793	6	#0	QAM16	E-ACLR+	45.11	29.2	PASS
Band8	1.4	21793	6	#0	QAM16	U-ACLR+	48.71	32.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR2-	53.78	35.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR1-	44.79	32.2	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR-	41.72	29.2	PASS
Band8	5	21475	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR+	48.65	29.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR+	49.06	32.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR2+	54.05	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2-	53.68	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR1-	48.28	32.2	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR-	47.88	29.2	PASS
Band8	5	21475	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR+	42.52	29.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR+	45.20	32.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2+	53.64	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2-	52.80	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR1-	43.41	32.2	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR-	42.52	29.2	PASS
Band8	5	21475	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR+	43.23	29.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR+	44.16	32.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2+	51.20	35.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR2-	52.80	35.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR1-	46.89	32.2	PASS
Band8	5	21475	8	#0	QAM16	E-ACLR-	43.41	29.2	PASS
Band8	5	21475	8	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21475	8	#0	QAM16	E-ACLR+	48.69	29.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR+	49.13	32.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR2+	52.99	35.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR2-	52.76	35.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR1-	48.36	32.2	PASS
Band8	5	21475	8	#Max	QAM16	E-ACLR-	47.93	29.2	PASS
Band8	5	21475	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	5	21475	8	#Max	QAM16	E-ACLR+	43.99	29.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR+	46.62	32.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR2+	52.84	35.2	PASS

Band8	5	21475	25	#0	QAM16	U-ACLR2-	51.88	35.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR1-	44.93	32.2	PASS
Band8	5	21475	25	#0	QAM16	E-ACLR-	43.97	29.2	PASS
Band8	5	21475	25	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21475	25	#0	QAM16	E-ACLR+	43.90	29.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR+	44.85	32.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR2+	50.94	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2-	53.51	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR1-	46.54	32.2	PASS
Band8	5	21625	8	#0	QPSK	E-ACLR-	43.25	29.2	PASS
Band8	5	21625	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	8	#0	QPSK	E-ACLR+	48.40	29.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR+	48.77	32.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2+	53.90	35.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2-	53.62	35.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR1-	49.08	32.2	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR-	48.68	29.2	PASS
Band8	5	21625	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR+	41.09	29.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR+	44.61	32.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2+	53.83	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2-	52.44	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR1-	45.35	32.2	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR-	44.32	29.2	PASS
Band8	5	21625	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR+	42.24	29.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR+	43.12	32.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2+	52.33	35.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR2-	52.54	35.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR1-	47.84	32.2	PASS
Band8	5	21625	8	#0	QAM16	E-ACLR-	44.92	29.2	PASS
Band8	5	21625	8	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21625	8	#0	QAM16	E-ACLR+	48.20	29.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR+	48.62	32.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR2+	52.86	35.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR2-	52.63	35.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR1-	48.99	32.2	PASS
Band8	5	21625	8	#Max	QAM16	E-ACLR-	48.55	29.2	PASS
Band8	5	21625	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	5	21625	8	#Max	QAM16	E-ACLR+	42.94	29.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR+	46.36	32.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR2+	52.85	35.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR2-	52.45	35.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR1-	46.70	32.2	PASS


Band8	5	21625	25	#0	QAM16	E-ACLR-	45.70	29.2	PASS
Band8	5	21625	25	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21625	25	#0	QAM16	E-ACLR+	43.30	29.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR+	44.15	32.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR2+	52.43	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2-	53.21	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR1-	43.29	32.2	PASS
Band8	5	21775	8	#0	QPSK	E-ACLR-	41.15	29.2	PASS
Band8	5	21775	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	8	#0	QPSK	E-ACLR+	49.31	29.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR+	49.84	32.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2+	53.80	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR2-	53.44	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR1-	48.86	32.2	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR-	48.48	29.2	PASS
Band8	5	21775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR+	40.84	29.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR+	44.40	32.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR2+	53.80	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2-	51.62	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR1-	46.17	32.2	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR-	45.08	29.2	PASS
Band8	5	21775	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR+	42.97	29.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR+	43.91	32.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2+	52.93	35.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR2-	52.40	35.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR1-	46.02	32.2	PASS
Band8	5	21775	8	#0	QAM16	E-ACLR-	44.08	29.2	PASS
Band8	5	21775	8	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21775	8	#0	QAM16	E-ACLR+	49.07	29.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR+	49.57	32.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR2+	52.78	35.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR2-	52.49	35.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR1-	49.08	32.2	PASS
Band8	5	21775	8	#Max	QAM16	E-ACLR-	48.62	29.2	PASS
Band8	5	21775	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	5	21775	8	#Max	QAM16	E-ACLR+	43.53	29.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR+	46.87	32.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR2+	52.81	35.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR2-	52.53	35.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR1-	47.04	32.2	PASS
Band8	5	21775	25	#0	QAM16	E-ACLR-	46.07	29.2	PASS
Band8	5	21775	25	#0	QAM16	EUTRA	0.00	0	PASS

Band8	5	21775	25	#0	QAM16	E-ACLR+	43.75	29.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR+	44.60	32.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR2+	53.77	35.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR2-	53.56	35.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR1-	43.76	32.2	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR-	42.80	29.2	PASS
Band8	10	21500	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR+	46.35	29.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR+	51.03	32.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR2+	50.18	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2-	53.25	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR1-	51.74	32.2	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR-	48.46	29.2	PASS
Band8	10	21500	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR+	41.61	29.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR+	42.31	32.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2+	53.09	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2-	51.86	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR1-	43.47	32.2	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR-	42.27	29.2	PASS
Band8	10	21500	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR+	42.72	29.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR+	46.40	32.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2+	46.47	35.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR2-	52.60	35.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR1-	45.62	32.2	PASS
Band8	10	21500	12	#0	QAM16	E-ACLR-	44.24	29.2	PASS
Band8	10	21500	12	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21500	12	#0	QAM16	E-ACLR+	46.33	29.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR+	50.85	32.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR2+	50.14	35.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR2-	52.40	35.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR1-	51.20	32.2	PASS
Band8	10	21500	12	#Max	QAM16	E-ACLR-	47.86	29.2	PASS
Band8	10	21500	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	10	21500	12	#Max	QAM16	E-ACLR+	41.90	29.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR+	42.78	32.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR2+	52.46	35.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR2-	51.29	35.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR1-	44.52	32.2	PASS
Band8	10	21500	50	#0	QAM16	E-ACLR-	43.11	29.2	PASS
Band8	10	21500	50	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21500	50	#0	QAM16	E-ACLR+	43.27	29.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR+	46.43	32.2	PASS


Band8	10	21500	50	#0	QAM16	U-ACLR2+	47.66	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2-	53.13	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR1-	45.81	32.2	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR-	44.57	29.2	PASS
Band8	10	21625	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR+	47.24	29.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR+	51.68	32.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2+	50.96	35.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2-	51.29	35.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR1-	51.78	32.2	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR-	47.53	29.2	PASS
Band8	10	21625	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR+	43.34	29.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR+	44.43	32.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2+	53.62	35.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR2-	49.66	35.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR1-	46.46	32.2	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR-	44.05	29.2	PASS
Band8	10	21625	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR+	41.86	29.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR+	44.09	32.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR2+	48.23	35.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR2-	52.15	35.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR1-	47.03	32.2	PASS
Band8	10	21625	12	#0	QAM16	E-ACLR-	45.30	29.2	PASS
Band8	10	21625	12	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21625	12	#0	QAM16	E-ACLR+	46.92	29.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR+	51.13	32.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR2+	50.87	35.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR2-	50.82	35.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR1-	51.42	32.2	PASS
Band8	10	21625	12	#Max	QAM16	E-ACLR-	47.14	29.2	PASS
Band8	10	21625	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	10	21625	12	#Max	QAM16	E-ACLR+	44.24	29.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR+	45.76	32.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR2+	52.64	35.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR2-	49.88	35.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR1-	47.05	32.2	PASS
Band8	10	21625	50	#0	QAM16	E-ACLR-	44.44	29.2	PASS
Band8	10	21625	50	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21625	50	#0	QAM16	E-ACLR+	42.47	29.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR+	44.52	32.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR2+	49.14	35.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR2-	52.34	35.2	PASS

Band8	10	21750	12	#0	QPSK	U-ACLR1-	42.84	32.2	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR-	42.00	29.2	PASS
Band8	10	21750	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR+	49.67	29.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR+	52.82	32.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR2+	53.94	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2-	50.28	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR1-	51.37	32.2	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR-	46.69	29.2	PASS
Band8	10	21750	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR+	42.77	29.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR+	43.70	32.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2+	53.93	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2-	46.71	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR1-	45.86	32.2	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR-	42.55	29.2	PASS
Band8	10	21750	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR+	46.57	29.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR+	48.28	32.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2+	53.07	35.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR2-	51.73	35.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR1-	43.96	32.2	PASS
Band8	10	21750	12	#0	QAM16	E-ACLR-	42.86	29.2	PASS
Band8	10	21750	12	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21750	12	#0	QAM16	E-ACLR+	48.87	29.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR+	52.13	32.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR2+	53.04	35.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR2-	49.82	35.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR1-	50.76	32.2	PASS
Band8	10	21750	12	#Max	QAM16	E-ACLR-	46.21	29.2	PASS
Band8	10	21750	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	10	21750	12	#Max	QAM16	E-ACLR+	43.96	29.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR+	45.23	32.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR2+	52.99	35.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR2-	47.09	35.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR1-	45.53	32.2	PASS
Band8	10	21750	50	#0	QAM16	E-ACLR-	42.48	29.2	PASS
Band8	10	21750	50	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21750	50	#0	QAM16	E-ACLR+	45.54	29.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR+	47.24	32.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR2+	51.99	35.2	PASS

Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0



Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0






Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#0



Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#Max







Band1 QAM16 BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18575 RB Size=25 Position=#0



Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0







Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0



Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0



Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#0



Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#Max



Band1 QAM16 BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0







Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#0



Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max



Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0



Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max



Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0



Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#Max







Band1 QAM16 BW=20MHz Channel=18500 RB Size=100 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24300 RB Size=25 Position=#0



Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0







Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#Max



Band20 QAM16 BW=5MHz Channel=24425 RB Size=25 Position=#0



Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0



Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max



Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#Max



Band20 QAM16 BW=10MHz Channel=24200 RB Size=50 Position=#0



Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0



Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max



Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#0



Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0






Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max



Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max



Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#0



Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max



Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0



Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#Max






Band20 QAM16 BW=20MHz Channel=24300 RB Size=100 Position=#0



Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0



Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max



Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24350 RB Size=100 Position=#0




Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27225 RB Size=15 Position=#0




Band28 QAM16 BW=3MHz Channel=27225 RB Size=4 Position=#0




Band28 QAM16 BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 QAM16 BW=3MHz Channel=27225 RB Size=15 Position=#0



Band28 QPSK BW=3MHz Channel=27375 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27375 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27375 RB Size=15 Position=#0







Band28 QAM16 BW=3MHz Channel=27375 RB Size=4 Position=#0




Band28 QAM16 BW=3MHz Channel=27375 RB Size=4 Position=#Max




Band28 QAM16 BW=3MHz Channel=27375 RB Size=15 Position=#0




Band28 QPSK BW=3MHz Channel=27645 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27645 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27645 RB Size=15 Position=#0




Band28 QAM16 BW=3MHz Channel=27645 RB Size=4 Position=#0




Band28 QAM16 BW=3MHz Channel=27645 RB Size=4 Position=#Max




Band28 QAM16 BW=3MHz Channel=27645 RB Size=15 Position=#0




Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#Max



Band28 QPSK BW=5MHz Channel=27235 RB Size=25 Position=#0




Band28 QAM16 BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 QAM16 BW=5MHz Channel=27235 RB Size=8 Position=#Max






Band28 QAM16 BW=5MHz Channel=27235 RB Size=25 Position=#0




Band28 QPSK BW=5MHz Channel=27385 RB Size=8 Position=#0







Band28 QPSK BW=5MHz Channel=27385 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27385 RB Size=25 Position=#0




Band28 QAM16 BW=5MHz Channel=27385 RB Size=8 Position=#0




Band28 QAM16 BW=5MHz Channel=27385 RB Size=8 Position=#Max




Band28 QAM16 BW=5MHz Channel=27385 RB Size=25 Position=#0




Band28 QPSK BW=5MHz Channel=27635 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27635 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27635 RB Size=25 Position=#0




Band28 QAM16 BW=5MHz Channel=27635 RB Size=8 Position=#0




Band28 QAM16 BW=5MHz Channel=27635 RB Size=8 Position=#Max




Band28 QAM16 BW=5MHz Channel=27635 RB Size=25 Position=#0



Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27260 RB Size=50 Position=#0






Band28 QAM16 BW=10MHz Channel=27260 RB Size=12 Position=#0




Band28 QAM16 BW=10MHz Channel=27260 RB Size=12 Position=#Max







Band28 QAM16 BW=10MHz Channel=27260 RB Size=50 Position=#0




Band28 QPSK BW=10MHz Channel=27410 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27410 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27410 RB Size=50 Position=#0




Band28 QAM16 BW=10MHz Channel=27410 RB Size=12 Position=#0




Band28 QAM16 BW=10MHz Channel=27410 RB Size=12 Position=#Max




Band28 QAM16 BW=10MHz Channel=27410 RB Size=50 Position=#0




Band28 QPSK BW=10MHz Channel=27610 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27610 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27610 RB Size=50 Position=#0




Band28 QAM16 BW=10MHz Channel=27610 RB Size=12 Position=#0



Band28 QAM16 BW=10MHz Channel=27610 RB Size=12 Position=#Max




Band28 QAM16 BW=10MHz Channel=27610 RB Size=50 Position=#0




Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#0





Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27310 RB Size=100 Position=#0







Band28 QAM16 BW=20MHz Channel=27310 RB Size=18 Position=#0




Band28 QAM16 BW=20MHz Channel=27310 RB Size=18 Position=#Max




Band28 QAM16 BW=20MHz Channel=27310 RB Size=100 Position=#0




Band28 QPSK BW=20MHz Channel=27460 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27460 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27460 RB Size=100 Position=#0




Band28 QAM16 BW=20MHz Channel=27460 RB Size=18 Position=#0



Band28 QAM16 BW=20MHz Channel=27460 RB Size=18 Position=#Max




Band28 QAM16 BW=20MHz Channel=27460 RB Size=100 Position=#0




Band28 QPSK BW=20MHz Channel=27560 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27560 RB Size=18 Position=#Max



Band28 QPSK BW=20MHz Channel=27560 RB Size=100 Position=#0




Band28 QAM16 BW=20MHz Channel=27560 RB Size=18 Position=#0




Band28 QAM16 BW=20MHz Channel=27560 RB Size=18 Position=#Max






Band28 QAM16 BW=20MHz Channel=27560 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0







Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max



Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#Max







Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19575 RB Size=25 Position=#0



Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0







Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0



Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0



Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#0



Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0






Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max



Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max



Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#Max





Band3 QAM16 BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19850 RB Size=100 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QAM16 BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#Max



Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#Max







Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QAM16 BW=20MHz Channel=39150 RB Size=100 Position=#0



Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#0



Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#Max






Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#Max







Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=39550 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QPSK BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39550 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=50 Position=#0



Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#Max






Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#Max







Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#0



Band40 QPSK BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=25 Position=#0



Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0






Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0







Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0



Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#0



Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0







Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max



Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#Max







Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0







Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#0



Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0







Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max



Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#Max







Band8 QAM16 BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21500 RB Size=50 Position=#0



Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0



Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0






Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21625 RB Size=50 Position=#0



Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21750 RB Size=50 Position=#0



Clause 4.2.12 LTE Receiver Reference Sensitivity Level

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Ref Sensitivity (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18025	25	QPSK	-100	100.00	95	PASS
Band1	5	18300	25	QPSK	-100	100.00	95	PASS
Band1	5	18575	25	QPSK	-100	100.00	95	PASS
Band1	20	18100	100	QPSK	-94	100.00	95	PASS
Band1	20	18300	100	QPSK	-94	100.00	95	PASS
Band1	20	18500	100	QPSK	-94	100.00	95	PASS
Band20	5	24175	25	QPSK	-97	100.00	95	PASS
Band20	5	24300	25	QPSK	-97	100.00	95	PASS
Band20	5	24425	25	QPSK	-97	100.00	95	PASS
Band20	20	24250	100	QPSK	-90	100.00	95	PASS
Band20	20	24300	100	QPSK	-90	100.00	95	PASS
Band20	20	24350	100	QPSK	-90	100.00	95	PASS
Band28	3	27225	15	QPSK	-99.5	100.00	95	PASS
Band28	3	27375	15	QPSK	-99.5	100.00	95	PASS
Band28	3	27645	15	QPSK	-99.5	99.76	95	PASS
Band28	5	27235	25	QPSK	-97.8	100.00	95	PASS
Band28	5	27385	25	QPSK	-97.8	100.00	95	PASS
Band28	5	27635	25	QPSK	-97.8	100.00	95	PASS
Band28	20	27310	100	QPSK	-90.3	100.00	95	PASS
Band28	20	27460	100	QPSK	-90.3	100.00	95	PASS
Band28	20	27560	100	QPSK	-90.3	100.00	95	PASS
Band3	1.4	19207	6	QPSK	-101.7	100.00	95	PASS
Band3	1.4	19575	6	QPSK	-101.7	100.00	95	PASS
Band3	1.4	19943	6	QPSK	-101.7	100.00	95	PASS
Band3	5	19225	25	QPSK	-97	100.00	95	PASS
Band3	5	19575	25	QPSK	-97	100.00	95	PASS
Band3	5	19925	25	QPSK	-97	100.00	95	PASS
Band3	20	19300	100	QPSK	-91	100.00	95	PASS
Band3	20	19575	100	QPSK	-91	100.00	95	PASS
Band3	20	19850	100	QPSK	-91	100.00	95	PASS
Band40	5	38675	25	QPSK	-99.3	100.00	95	PASS
Band40	5	39150	25	QPSK	-99.3	100.00	95	PASS
Band40	5	39625	25	QPSK	-99.3	100.00	95	PASS
Band40	20	38750	100	QPSK	-93.3	100.00	95	PASS
Band40	20	39150	100	QPSK	-93.3	100.00	95	PASS
Band40	20	39550	100	QPSK	-93.3	100.00	95	PASS
Band7	5	20775	25	QPSK	-98	100.00	95	PASS
Band7	5	21100	25	QPSK	-98	100.00	95	PASS
Band7	5	21425	25	QPSK	-98	100.00	95	PASS
Band7	20	20850	100	QPSK	-92	100.00	95	PASS
Band7	20	21100	100	QPSK	-92	100.00	95	PASS
Band7	20	21350	100	QPSK	-92	100.00	95	PASS

Band8	1.4	21457	6	QPSK	-102.2	100.00	95	PASS
Band8	1.4	21625	6	QPSK	-102.2	100.00	95	PASS
Band8	1.4	21793	6	QPSK	-102.2	100.00	95	PASS
Band8	5	21475	25	QPSK	-97	100.00	95	PASS
Band8	5	21625	25	QPSK	-97	100.00	95	PASS
Band8	5	21775	25	QPSK	-97	100.00	95	PASS
Band8	10	21500	50	QPSK	-94	100.00	95	PASS
Band8	10	21625	50	QPSK	-94	100.00	95	PASS
Band8	10	21750	50	QPSK	-94	99.89	95	PASS