



GSM_RF Test Data

for Conducted Measurement

Product Name: Tablet

Test Model: Active 6

Environmental Conditions

Temperature:	24.6° C
Relative Humidity:	52.4%
ATM Pressure:	987.0 kPa
Test Engineer:	Simba huang
Supervised by:	Eder Zhan

TABLE OF CONTENTS

Appendix A: Frequency error and phase error	4
Test Result	4
Appendix B: Frequency error under multipath and interference conditions	8
Test Result	8
Appendix C: Transmitter output power and burst timing	20
Test Result	20
Test Graphs	24
Appendix D: Output RF spectrum	40
Test Result-Switching Spectrum and Modulation Spectrum	41
Test Graphs-Switching Spectrum and Modulation Spectrum	58
Appendix E: Conducted Spurious Emissions - MS allocated a channel ...	66
Test Result	66
Test Graphs	68
Appendix F: Conducted Spurious Emissions - MS in idle mode	82
Test Result	82
Test Graphs	83
Appendix G: Transmitter output power in GPRS multislots configuration ..	89
Test Result	89
Test Graphs	97
Appendix H: Frequency error and phase error in GPRS multislots configuration	112
Test Result	112
Appendix I: Output RF spectrum in GPRS multislots configuration	116
Test Result-Switching Spectrum and Modulation Spectrum	116
Test Graphs-Switching Spectrum and Modulation Spectrum	133
Appendix J: Transmitter output power in EGPRS multislots configuration	142
Test Result	142
Test Graphs	145
Appendix K: Frequency error and Modulation accuracy in EGPRS Configuration	153
Test Result	153
Appendix L: Frequency error under multipath and interference conditions in EGPRS Configuration	155
Test Result	155
Appendix M: Output RF spectrum in EGPRS multislots configuration	161
Test Result-Switching Spectrum and Modulation Spectrum	161
Test Graphs-Switching Spectrum and Modulation Spectrum	176
Appendix N: Reference sensitivity - TCH/FS	183

Test Result	183
Appendix O: Reference sensitivity - FACCH/F	184
Test Result	184
Appendix P: Intermodulation rejection - speech channels	185
Test Result	185
Appendix Q: Intermodulation rejection - Control channels	186
Test Result	186
Appendix R: Intermodulation rejection - EGPRS	186
Test Result	186
Appendix S: AM suppression - speech channels	187
Test Result	187
Appendix T: AM suppression - control channels	188
Test Result	188
Appendix U: Adjacent channel rejection - speech channels	189
Test Result	189
Appendix V: Adjacent channel rejection - speech channels(TCH/FS)	190
Test Result	190
Appendix W: Adjacent channel rejection - EGPRS	191
Test Result	191
Appendix X: Minimum Input level for Reference Performance - GPRS	192
Test Result	192
Appendix Y: Minimum Input level for Reference Performance - EGPRS	193
Test Result	193
Appendix Z: Blocking and spurious response - speech channels	194
Test Result	194
Appendix Z1: Blocking and spurious response -EGPRS	195
Test Result	195

Appendix A: Frequency error and phase error

Test Result

Condition	Band	Ch.	PCL	Type	Result	Limit	Verdict
Vibration axis Z	GSM900	975	5	FrequencyError(ppm)	0.03	0.1	PASS
Vibration axis Z	GSM900	975	5	PhaseError_Peak(deg)	2.87	20	PASS
Vibration axis Z	GSM900	975	5	PhaseError_Rms(deg)	0.76	5	PASS
Vibration axis Z	GSM900	975	19	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Z	GSM900	975	19	PhaseError_Peak(deg)	2.27	20	PASS
Vibration axis Z	GSM900	975	19	PhaseError_Rms(deg)	0.75	5	PASS
Vibration axis Z	GSM900	63	5	FrequencyError(ppm)	0.02	0.1	PASS
Vibration axis Z	GSM900	63	5	PhaseError_Peak(deg)	2.73	20	PASS
Vibration axis Z	GSM900	63	5	PhaseError_Rms(deg)	0.77	5	PASS
Vibration axis Z	GSM900	63	19	FrequencyError(ppm)	0.03	0.1	PASS
Vibration axis Z	GSM900	63	19	PhaseError_Peak(deg)	2.31	20	PASS
Vibration axis Z	GSM900	63	19	PhaseError_Rms(deg)	0.77	5	PASS
Vibration axis Z	GSM900	124	5	FrequencyError(ppm)	0.02	0.1	PASS
Vibration axis Z	GSM900	124	5	PhaseError_Rms(deg)	0.77	5	PASS
Vibration axis Z	GSM900	124	5	PhaseError_Peak(deg)	2.72	20	PASS
Vibration axis Z	GSM900	124	19	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Z	GSM900	124	19	PhaseError_Peak(deg)	2.35	20	PASS
Vibration axis Z	GSM900	124	19	PhaseError_Rms(deg)	0.76	5	PASS
Vibration axis Z	GSM1800	512	0	FrequencyError(ppm)	0.03	0.1	PASS
Vibration axis Z	GSM1800	512	0	PhaseError_Rms(deg)	1.32	5	PASS
Vibration axis Z	GSM1800	512	0	PhaseError_Peak(deg)	3.88	20	PASS
Vibration axis Z	GSM1800	512	15	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis Z	GSM1800	512	15	PhaseError_Peak(deg)	3.94	20	PASS
Vibration axis Z	GSM1800	512	15	PhaseError_Rms(deg)	1.28	5	PASS
Vibration axis Z	GSM1800	698	0	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis Z	GSM1800	698	0	PhaseError_Peak(deg)	3.81	20	PASS
Vibration axis Z	GSM1800	698	0	PhaseError_Rms(deg)	1.21	5	PASS
Vibration axis Z	GSM1800	698	15	FrequencyError(ppm)	0.02	0.1	PASS
Vibration axis Z	GSM1800	698	15	PhaseError_Peak(deg)	3.63	20	PASS
Vibration axis Z	GSM1800	698	15	PhaseError_Rms(deg)	1.18	5	PASS
Vibration axis Z	GSM1800	885	0	FrequencyError(ppm)	0.02	0.1	PASS
Vibration axis Z	GSM1800	885	0	PhaseError_Rms(deg)	1.21	5	PASS
Vibration axis Z	GSM1800	885	0	PhaseError_Peak(deg)	3.73	20	PASS
Vibration axis Z	GSM1800	885	15	FrequencyError(ppm)	0.03	0.1	PASS
Vibration axis Z	GSM1800	885	15	PhaseError_Rms(deg)	1.17	5	PASS
Vibration axis Z	GSM1800	885	15	PhaseError_Peak(deg)	3.49	20	PASS
Vibration axis Y	GSM900	975	5	FrequencyError(ppm)	0.04	0.1	PASS



Vibration axis Y	GSM900	975	5	PhaseError_Rms(deg)	0.76	5	PASS
Vibration axis Y	GSM900	975	5	PhaseError_Peak(deg)	3.18	20	PASS
Vibration axis Y	GSM900	975	19	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis Y	GSM900	975	19	PhaseError_Peak(deg)	2.22	20	PASS
Vibration axis Y	GSM900	975	19	PhaseError_Rms(deg)	0.77	5	PASS
Vibration axis Y	GSM900	63	5	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Y	GSM900	63	5	PhaseError_Rms(deg)	0.77	5	PASS
Vibration axis Y	GSM900	63	5	PhaseError_Peak(deg)	2.64	20	PASS
Vibration axis Y	GSM900	63	19	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis Y	GSM900	63	19	PhaseError_Peak(deg)	2.24	20	PASS
Vibration axis Y	GSM900	63	19	PhaseError_Rms(deg)	0.74	5	PASS
Vibration axis Y	GSM900	124	5	FrequencyError(ppm)	0.04	0.1	PASS
Vibration axis Y	GSM900	124	5	PhaseError_Peak(deg)	2.72	20	PASS
Vibration axis Y	GSM900	124	5	PhaseError_Rms(deg)	0.76	5	PASS
Vibration axis Y	GSM900	124	19	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Y	GSM900	124	19	PhaseError_Rms(deg)	0.76	5	PASS
Vibration axis Y	GSM900	124	19	PhaseError_Peak(deg)	2.31	20	PASS
Vibration axis Y	GSM1800	512	0	FrequencyError(ppm)	0.03	0.1	PASS
Vibration axis Y	GSM1800	512	0	PhaseError_Peak(deg)	4.10	20	PASS
Vibration axis Y	GSM1800	512	0	PhaseError_Rms(deg)	1.30	5	PASS
Vibration axis Y	GSM1800	512	15	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis Y	GSM1800	512	15	PhaseError_Rms(deg)	1.27	5	PASS
Vibration axis Y	GSM1800	512	15	PhaseError_Peak(deg)	3.87	20	PASS
Vibration axis Y	GSM1800	698	0	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Y	GSM1800	698	0	PhaseError_Rms(deg)	1.21	5	PASS
Vibration axis Y	GSM1800	698	0	PhaseError_Peak(deg)	3.72	20	PASS
Vibration axis Y	GSM1800	698	15	FrequencyError(ppm)	0.02	0.1	PASS
Vibration axis Y	GSM1800	698	15	PhaseError_Peak(deg)	3.41	20	PASS
Vibration axis Y	GSM1800	698	15	PhaseError_Rms(deg)	1.17	5	PASS
Vibration axis Y	GSM1800	885	0	FrequencyError(ppm)	0.03	0.1	PASS
Vibration axis Y	GSM1800	885	0	PhaseError_Peak(deg)	3.67	20	PASS
Vibration axis Y	GSM1800	885	0	PhaseError_Rms(deg)	1.19	5	PASS
Vibration axis Y	GSM1800	885	15	FrequencyError(ppm)	0.03	0.1	PASS
Vibration axis Y	GSM1800	885	15	PhaseError_Peak(deg)	3.67	20	PASS
Vibration axis Y	GSM1800	885	15	PhaseError_Rms(deg)	1.19	5	PASS
Vibration axis X	GSM900	975	5	FrequencyError(ppm)	0.02	0.1	PASS
Vibration axis X	GSM900	975	5	PhaseError_Rms(deg)	0.75	5	PASS
Vibration axis X	GSM900	975	5	PhaseError_Peak(deg)	2.69	20	PASS
Vibration axis X	GSM900	975	19	FrequencyError(ppm)	0.04	0.1	PASS
Vibration axis X	GSM900	975	19	PhaseError_Rms(deg)	0.78	5	PASS
Vibration axis X	GSM900	975	19	PhaseError_Peak(deg)	2.22	20	PASS
Vibration axis X	GSM900	63	5	FrequencyError(ppm)	0.02	0.1	PASS
Vibration axis X	GSM900	63	5	PhaseError_Rms(deg)	0.77	5	PASS



Vibration axis X	GSM900	63	5	PhaseError_Peak(deg)	2.86	20	PASS
Vibration axis X	GSM900	63	19	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis X	GSM900	63	19	PhaseError_Rms(deg)	0.75	5	PASS
Vibration axis X	GSM900	63	19	PhaseError_Peak(deg)	2.29	20	PASS
Vibration axis X	GSM900	124	5	FrequencyError(ppm)	0.03	0.1	PASS
Vibration axis X	GSM900	124	5	PhaseError_Peak(deg)	2.62	20	PASS
Vibration axis X	GSM900	124	5	PhaseError_Rms(deg)	0.75	5	PASS
Vibration axis X	GSM900	124	19	FrequencyError(ppm)	0.04	0.1	PASS
Vibration axis X	GSM900	124	19	PhaseError_Rms(deg)	0.75	5	PASS
Vibration axis X	GSM900	124	19	PhaseError_Peak(deg)	2.20	20	PASS
Vibration axis X	GSM1800	512	0	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis X	GSM1800	512	0	PhaseError_Rms(deg)	1.32	5	PASS
Vibration axis X	GSM1800	512	0	PhaseError_Peak(deg)	3.97	20	PASS
Vibration axis X	GSM1800	512	15	FrequencyError(ppm)	0.02	0.1	PASS
Vibration axis X	GSM1800	512	15	PhaseError_Peak(deg)	3.74	20	PASS
Vibration axis X	GSM1800	512	15	PhaseError_Rms(deg)	1.25	5	PASS
Vibration axis X	GSM1800	698	0	FrequencyError(ppm)	0.02	0.1	PASS
Vibration axis X	GSM1800	698	0	PhaseError_Peak(deg)	3.59	20	PASS
Vibration axis X	GSM1800	698	0	PhaseError_Rms(deg)	1.18	5	PASS
Vibration axis X	GSM1800	698	15	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis X	GSM1800	698	15	PhaseError_Rms(deg)	1.18	5	PASS
Vibration axis X	GSM1800	698	15	PhaseError_Peak(deg)	3.58	20	PASS
Vibration axis X	GSM1800	885	0	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis X	GSM1800	885	0	PhaseError_Peak(deg)	3.66	20	PASS
Vibration axis X	GSM1800	885	0	PhaseError_Rms(deg)	1.19	5	PASS
Vibration axis X	GSM1800	885	15	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis X	GSM1800	885	15	PhaseError_Peak(deg)	3.51	20	PASS
Vibration axis X	GSM1800	885	15	PhaseError_Rms(deg)	1.14	5	PASS
NTNV	GSM900	975	5	FrequencyError(ppm)	0.00	0.1	PASS
NTNV	GSM900	975	5	PhaseError_Rms(deg)	0.77	5	PASS
NTNV	GSM900	975	5	PhaseError_Peak(deg)	3.00	20	PASS
NTNV	GSM900	975	19	FrequencyError(ppm)	0.04	0.1	PASS
NTNV	GSM900	975	19	PhaseError_Peak(deg)	2.27	20	PASS
NTNV	GSM900	975	19	PhaseError_Rms(deg)	0.75	5	PASS
NTNV	GSM900	63	5	FrequencyError(ppm)	0.00	0.1	PASS
NTNV	GSM900	63	5	PhaseError_Rms(deg)	0.75	5	PASS
NTNV	GSM900	63	5	PhaseError_Peak(deg)	2.73	20	PASS
NTNV	GSM900	63	19	FrequencyError(ppm)	0.01	0.1	PASS
NTNV	GSM900	63	19	PhaseError_Peak(deg)	2.27	20	PASS
NTNV	GSM900	63	19	PhaseError_Rms(deg)	0.78	5	PASS
NTNV	GSM900	124	5	FrequencyError(ppm)	0.03	0.1	PASS
NTNV	GSM900	124	5	PhaseError_Peak(deg)	2.74	20	PASS
NTNV	GSM900	124	5	PhaseError_Rms(deg)	0.79	5	PASS



NTNV	GSM900	124	19	FrequencyError(ppm)	0.03	0.1	PASS
NTNV	GSM900	124	19	PhaseError_Rms(deg)	0.77	5	PASS
NTNV	GSM900	124	19	PhaseError_Peak(deg)	2.39	20	PASS
NTNV	GSM1800	512	0	FrequencyError(ppm)	0.03	0.1	PASS
NTNV	GSM1800	512	0	PhaseError_Rms(deg)	1.28	5	PASS
NTNV	GSM1800	512	0	PhaseError_Peak(deg)	3.97	20	PASS
NTNV	GSM1800	512	15	FrequencyError(ppm)	0.02	0.1	PASS
NTNV	GSM1800	512	15	PhaseError_Rms(deg)	1.30	5	PASS
NTNV	GSM1800	512	15	PhaseError_Peak(deg)	3.83	20	PASS
NTNV	GSM1800	698	0	FrequencyError(ppm)	0.00	0.1	PASS
NTNV	GSM1800	698	0	PhaseError_Rms(deg)	1.18	5	PASS
NTNV	GSM1800	698	0	PhaseError_Peak(deg)	3.70	20	PASS
NTNV	GSM1800	698	15	FrequencyError(ppm)	0.02	0.1	PASS
NTNV	GSM1800	698	15	PhaseError_Rms(deg)	1.18	5	PASS
NTNV	GSM1800	698	15	PhaseError_Peak(deg)	3.80	20	PASS
NTNV	GSM1800	885	0	FrequencyError(ppm)	0.04	0.1	PASS
NTNV	GSM1800	885	0	PhaseError_Rms(deg)	1.19	5	PASS
NTNV	GSM1800	885	0	PhaseError_Peak(deg)	3.72	20	PASS
NTNV	GSM1800	885	15	FrequencyError(ppm)	0.01	0.1	PASS
NTNV	GSM1800	885	15	PhaseError_Peak(deg)	3.65	20	PASS
NTNV	GSM1800	885	15	PhaseError_Rms(deg)	1.21	5	PASS

Appendix B: Frequency error under multipath and interference conditions

Test Result

Condition	Band	Ch.	PCL	Type	Result	Limit	Verdict
NTNV	GSM900	975	5	RA	-4.29	300	PASS
NTNV	GSM900	975	5	RA Burst 1	-0.84	300	PASS
NTNV	GSM900	975	5	RA Burst 2	-7.35	300	PASS
NTNV	GSM900	975	5	RA Burst 3	7.03	300	PASS
NTNV	GSM900	975	5	RA Burst 4	-2.61	300	PASS
NTNV	GSM900	975	5	RA Burst 5	-11.25	300	PASS
NTNV	GSM900	975	5	HT100	4.87	180	PASS
NTNV	GSM900	975	5	HT100 Burst 1	4.91	180	PASS
NTNV	GSM900	975	5	HT100 Burst 2	-0.26	180	PASS
NTNV	GSM900	975	5	HT100 Burst 3	1.77	180	PASS
NTNV	GSM900	975	5	HT100 Burst 4	-2.59	180	PASS
NTNV	GSM900	975	5	HT100 Burst 5	6.48	180	PASS
NTNV	GSM900	975	5	TU50	-5.81	160	PASS
NTNV	GSM900	975	5	TU50 Burst 1	6.90	160	PASS
NTNV	GSM900	975	5	TU50 Burst 2	-8.67	160	PASS
NTNV	GSM900	975	5	TU50 Burst 3	0.35	160	PASS
NTNV	GSM900	975	5	TU50 Burst 4	-1.20	160	PASS
NTNV	GSM900	975	5	TU50 Burst 5	-4.71	160	PASS
NTNV	GSM900	975	5	TUlow	-4.80	230	PASS
NTNV	GSM900	975	5	TUlow Burst 1	-5.57	230	PASS
NTNV	GSM900	975	5	TUlow Burst 2	0.05	230	PASS
NTNV	GSM900	975	5	TUlow Burst 3	-3.80	230	PASS
NTNV	GSM900	975	5	TUlow Burst 4	-5.12	230	PASS
NTNV	GSM900	975	5	TUlow Burst 5	-5.03	230	PASS
NTNV	GSM900	975	5	TUlow Burst 6	-5.12	230	PASS
NTNV	GSM900	975	5	TUlow Burst 7	-2.32	230	PASS
NTNV	GSM900	975	5	TUlow Burst 8	-7.92	230	PASS
NTNV	GSM900	975	5	TUlow Burst 9	-4.17	230	PASS
NTNV	GSM900	975	5	TUlow Burst 10	-4.01	230	PASS
NTNV	GSM900	975	5	TUlow Burst 11	-7.43	230	PASS
NTNV	GSM900	975	5	TUlow Burst 12	-4.78	230	PASS
NTNV	GSM900	975	5	TUlow Burst 13	12.00	230	PASS
NTNV	GSM900	975	5	TUlow Burst 14	2.73	230	PASS
NTNV	GSM900	975	5	TUlow Burst 15	-6.98	230	PASS
NTNV	GSM900	975	5	TUlow Burst 16	-9.12	230	PASS
NTNV	GSM900	975	5	TUlow Burst 17	-5.74	230	PASS



NTNV	GSM900	975	5	TUlow Burst 18	8.96	230	PASS
NTNV	GSM900	975	5	TUlow Burst 19	-6.32	230	PASS
NTNV	GSM900	975	5	TUlow Burst 20	7.97	230	PASS
NTNV	GSM900	975	19	RA	2.77	300	PASS
NTNV	GSM900	975	19	RA Burst 1	6.84	300	PASS
NTNV	GSM900	975	19	RA Burst 2	3.21	300	PASS
NTNV	GSM900	975	19	RA Burst 3	6.39	300	PASS
NTNV	GSM900	975	19	RA Burst 4	5.93	300	PASS
NTNV	GSM900	975	19	RA Burst 5	9.70	300	PASS
NTNV	GSM900	975	19	HT100	7.12	180	PASS
NTNV	GSM900	975	19	HT100 Burst 1	8.48	180	PASS
NTNV	GSM900	975	19	HT100 Burst 2	-5.68	180	PASS
NTNV	GSM900	975	19	HT100 Burst 3	1.35	180	PASS
NTNV	GSM900	975	19	HT100 Burst 4	5.19	180	PASS
NTNV	GSM900	975	19	HT100 Burst 5	2.05	180	PASS
NTNV	GSM900	975	19	TU50	-2.79	160	PASS
NTNV	GSM900	975	19	TU50 Burst 1	12.27	160	PASS
NTNV	GSM900	975	19	TU50 Burst 2	-2.50	160	PASS
NTNV	GSM900	975	19	TU50 Burst 3	1.82	160	PASS
NTNV	GSM900	975	19	TU50 Burst 4	-4.68	160	PASS
NTNV	GSM900	975	19	TU50 Burst 5	4.71	160	PASS
NTNV	GSM900	975	19	TUlow	0.79	230	PASS
NTNV	GSM900	975	19	TUlow Burst 1	0.88	230	PASS
NTNV	GSM900	975	19	TUlow Burst 2	-4.65	230	PASS
NTNV	GSM900	975	19	TUlow Burst 3	0.77	230	PASS
NTNV	GSM900	975	19	TUlow Burst 4	-5.59	230	PASS
NTNV	GSM900	975	19	TUlow Burst 5	9.53	230	PASS
NTNV	GSM900	975	19	TUlow Burst 6	-1.34	230	PASS
NTNV	GSM900	975	19	TUlow Burst 7	-2.77	230	PASS
NTNV	GSM900	975	19	TUlow Burst 8	-3.11	230	PASS
NTNV	GSM900	975	19	TUlow Burst 9	-5.22	230	PASS
NTNV	GSM900	975	19	TUlow Burst 10	9.53	230	PASS
NTNV	GSM900	975	19	TUlow Burst 11	-2.79	230	PASS
NTNV	GSM900	975	19	TUlow Burst 12	-0.03	230	PASS
NTNV	GSM900	975	19	TUlow Burst 13	0.91	230	PASS
NTNV	GSM900	975	19	TUlow Burst 14	0.71	230	PASS
NTNV	GSM900	975	19	TUlow Burst 15	1.18	230	PASS
NTNV	GSM900	975	19	TUlow Burst 16	1.20	230	PASS
NTNV	GSM900	975	19	TUlow Burst 17	6.48	230	PASS
NTNV	GSM900	975	19	TUlow Burst 18	9.57	230	PASS
NTNV	GSM900	975	19	TUlow Burst 19	10.92	230	PASS
NTNV	GSM900	975	19	TUlow Burst 20	1.67	230	PASS
NTNV	GSM900	63	5	RA	5.86	300	PASS



NTNV	GSM900	63	5	RA Burst 1	5.97	300	PASS
NTNV	GSM900	63	5	RA Burst 2	7.18	300	PASS
NTNV	GSM900	63	5	RA Burst 3	9.84	300	PASS
NTNV	GSM900	63	5	RA Burst 4	1.48	300	PASS
NTNV	GSM900	63	5	RA Burst 5	0.84	300	PASS
NTNV	GSM900	63	5	HT100	-0.87	180	PASS
NTNV	GSM900	63	5	HT100 Burst 1	-0.13	180	PASS
NTNV	GSM900	63	5	HT100 Burst 2	2.61	180	PASS
NTNV	GSM900	63	5	HT100 Burst 3	1.39	180	PASS
NTNV	GSM900	63	5	HT100 Burst 4	0.68	180	PASS
NTNV	GSM900	63	5	HT100 Burst 5	1.89	180	PASS
NTNV	GSM900	63	5	TU50	-7.96	160	PASS
NTNV	GSM900	63	5	TU50 Burst 1	-5.06	160	PASS
NTNV	GSM900	63	5	TU50 Burst 2	-4.63	160	PASS
NTNV	GSM900	63	5	TU50 Burst 3	-4.68	160	PASS
NTNV	GSM900	63	5	TU50 Burst 4	-8.53	160	PASS
NTNV	GSM900	63	5	TU50 Burst 5	-0.25	160	PASS
NTNV	GSM900	63	5	TUlow	-1.62	230	PASS
NTNV	GSM900	63	5	TUlow Burst 1	-6.43	230	PASS
NTNV	GSM900	63	5	TUlow Burst 2	7.87	230	PASS
NTNV	GSM900	63	5	TUlow Burst 3	-5.63	230	PASS
NTNV	GSM900	63	5	TUlow Burst 4	-5.56	230	PASS
NTNV	GSM900	63	5	TUlow Burst 5	-3.70	230	PASS
NTNV	GSM900	63	5	TUlow Burst 6	3.48	230	PASS
NTNV	GSM900	63	5	TUlow Burst 7	-2.00	230	PASS
NTNV	GSM900	63	5	TUlow Burst 8	-2.28	230	PASS
NTNV	GSM900	63	5	TUlow Burst 9	8.30	230	PASS
NTNV	GSM900	63	5	TUlow Burst 10	5.34	230	PASS
NTNV	GSM900	63	5	TUlow Burst 11	-7.67	230	PASS
NTNV	GSM900	63	5	TUlow Burst 12	-5.05	230	PASS
NTNV	GSM900	63	5	TUlow Burst 13	6.83	230	PASS
NTNV	GSM900	63	5	TUlow Burst 14	-2.35	230	PASS
NTNV	GSM900	63	5	TUlow Burst 15	-6.26	230	PASS
NTNV	GSM900	63	5	TUlow Burst 16	4.73	230	PASS
NTNV	GSM900	63	5	TUlow Burst 17	-0.37	230	PASS
NTNV	GSM900	63	5	TUlow Burst 18	-0.51	230	PASS
NTNV	GSM900	63	5	TUlow Burst 19	1.31	230	PASS
NTNV	GSM900	63	5	TUlow Burst 20	1.30	230	PASS
NTNV	GSM900	63	19	RA	7.25	300	PASS
NTNV	GSM900	63	19	RA Burst 1	-0.01	300	PASS
NTNV	GSM900	63	19	RA Burst 2	3.39	300	PASS
NTNV	GSM900	63	19	RA Burst 3	5.27	300	PASS
NTNV	GSM900	63	19	RA Burst 4	9.17	300	PASS



NTNV	GSM900	63	19	RA Burst 5	7.80	300	PASS
NTNV	GSM900	63	19	HT100	4.50	180	PASS
NTNV	GSM900	63	19	HT100 Burst 1	-1.31	180	PASS
NTNV	GSM900	63	19	HT100 Burst 2	1.08	180	PASS
NTNV	GSM900	63	19	HT100 Burst 3	5.38	180	PASS
NTNV	GSM900	63	19	HT100 Burst 4	0.95	180	PASS
NTNV	GSM900	63	19	HT100 Burst 5	4.15	180	PASS
NTNV	GSM900	63	19	TU50	5.64	160	PASS
NTNV	GSM900	63	19	TU50 Burst 1	6.89	160	PASS
NTNV	GSM900	63	19	TU50 Burst 2	8.62	160	PASS
NTNV	GSM900	63	19	TU50 Burst 3	5.24	160	PASS
NTNV	GSM900	63	19	TU50 Burst 4	6.66	160	PASS
NTNV	GSM900	63	19	TU50 Burst 5	11.68	160	PASS
NTNV	GSM900	63	19	TUlow	0.16	230	PASS
NTNV	GSM900	63	19	TUlow Burst 1	12.33	230	PASS
NTNV	GSM900	63	19	TUlow Burst 2	-1.84	230	PASS
NTNV	GSM900	63	19	TUlow Burst 3	-3.58	230	PASS
NTNV	GSM900	63	19	TUlow Burst 4	-4.54	230	PASS
NTNV	GSM900	63	19	TUlow Burst 5	-2.47	230	PASS
NTNV	GSM900	63	19	TUlow Burst 6	-1.38	230	PASS
NTNV	GSM900	63	19	TUlow Burst 7	10.31	230	PASS
NTNV	GSM900	63	19	TUlow Burst 8	-1.63	230	PASS
NTNV	GSM900	63	19	TUlow Burst 9	-6.33	230	PASS
NTNV	GSM900	63	19	TUlow Burst 10	-1.05	230	PASS
NTNV	GSM900	63	19	TUlow Burst 11	-7.43	230	PASS
NTNV	GSM900	63	19	TUlow Burst 12	9.02	230	PASS
NTNV	GSM900	63	19	TUlow Burst 13	-0.79	230	PASS
NTNV	GSM900	63	19	TUlow Burst 14	-0.42	230	PASS
NTNV	GSM900	63	19	TUlow Burst 15	-0.91	230	PASS
NTNV	GSM900	63	19	TUlow Burst 16	0.82	230	PASS
NTNV	GSM900	63	19	TUlow Burst 17	-0.66	230	PASS
NTNV	GSM900	63	19	TUlow Burst 18	2.05	230	PASS
NTNV	GSM900	63	19	TUlow Burst 19	4.02	230	PASS
NTNV	GSM900	63	19	TUlow Burst 20	1.37	230	PASS
NTNV	GSM900	124	5	RA	2.75	300	PASS
NTNV	GSM900	124	5	RA Burst 1	-4.79	300	PASS
NTNV	GSM900	124	5	RA Burst 2	-6.17	300	PASS
NTNV	GSM900	124	5	RA Burst 3	-9.38	300	PASS
NTNV	GSM900	124	5	RA Burst 4	2.58	300	PASS
NTNV	GSM900	124	5	RA Burst 5	-1.47	300	PASS
NTNV	GSM900	124	5	HT100	2.14	180	PASS
NTNV	GSM900	124	5	HT100 Burst 1	4.29	180	PASS
NTNV	GSM900	124	5	HT100 Burst 2	9.56	180	PASS



NTNV	GSM900	124	5	HT100 Burst 3	8.40	180	PASS
NTNV	GSM900	124	5	HT100 Burst 4	10.20	180	PASS
NTNV	GSM900	124	5	HT100 Burst 5	9.29	180	PASS
NTNV	GSM900	124	5	TU50	9.12	160	PASS
NTNV	GSM900	124	5	TU50 Burst 1	11.43	160	PASS
NTNV	GSM900	124	5	TU50 Burst 2	6.89	160	PASS
NTNV	GSM900	124	5	TU50 Burst 3	2.46	160	PASS
NTNV	GSM900	124	5	TU50 Burst 4	-2.45	160	PASS
NTNV	GSM900	124	5	TU50 Burst 5	-1.95	160	PASS
NTNV	GSM900	124	5	TUlow	1.35	230	PASS
NTNV	GSM900	124	5	TUlow Burst 1	8.34	230	PASS
NTNV	GSM900	124	5	TUlow Burst 2	-1.75	230	PASS
NTNV	GSM900	124	5	TUlow Burst 3	5.93	230	PASS
NTNV	GSM900	124	5	TUlow Burst 4	-5.01	230	PASS
NTNV	GSM900	124	5	TUlow Burst 5	2.57	230	PASS
NTNV	GSM900	124	5	TUlow Burst 6	7.23	230	PASS
NTNV	GSM900	124	5	TUlow Burst 7	-1.53	230	PASS
NTNV	GSM900	124	5	TUlow Burst 8	7.26	230	PASS
NTNV	GSM900	124	5	TUlow Burst 9	0.10	230	PASS
NTNV	GSM900	124	5	TUlow Burst 10	3.94	230	PASS
NTNV	GSM900	124	5	TUlow Burst 11	1.89	230	PASS
NTNV	GSM900	124	5	TUlow Burst 12	7.59	230	PASS
NTNV	GSM900	124	5	TUlow Burst 13	0.39	230	PASS
NTNV	GSM900	124	5	TUlow Burst 14	7.49	230	PASS
NTNV	GSM900	124	5	TUlow Burst 15	-2.33	230	PASS
NTNV	GSM900	124	5	TUlow Burst 16	7.28	230	PASS
NTNV	GSM900	124	5	TUlow Burst 17	-1.49	230	PASS
NTNV	GSM900	124	5	TUlow Burst 18	1.29	230	PASS
NTNV	GSM900	124	5	TUlow Burst 19	-5.12	230	PASS
NTNV	GSM900	124	5	TUlow Burst 20	8.48	230	PASS
NTNV	GSM900	124	19	RA	8.62	300	PASS
NTNV	GSM900	124	19	RA Burst 1	6.46	300	PASS
NTNV	GSM900	124	19	RA Burst 2	3.01	300	PASS
NTNV	GSM900	124	19	RA Burst 3	2.59	300	PASS
NTNV	GSM900	124	19	RA Burst 4	-1.06	300	PASS
NTNV	GSM900	124	19	RA Burst 5	6.27	300	PASS
NTNV	GSM900	124	19	HT100	5.86	180	PASS
NTNV	GSM900	124	19	HT100 Burst 1	4.56	180	PASS
NTNV	GSM900	124	19	HT100 Burst 2	7.69	180	PASS
NTNV	GSM900	124	19	HT100 Burst 3	10.47	180	PASS
NTNV	GSM900	124	19	HT100 Burst 4	5.87	180	PASS
NTNV	GSM900	124	19	HT100 Burst 5	13.48	180	PASS
NTNV	GSM900	124	19	TU50	0.07	160	PASS



NTNV	GSM900	124	19	TU50 Burst 1	-2.47	160	PASS
NTNV	GSM900	124	19	TU50 Burst 2	3.65	160	PASS
NTNV	GSM900	124	19	TU50 Burst 3	0.47	160	PASS
NTNV	GSM900	124	19	TU50 Burst 4	-0.79	160	PASS
NTNV	GSM900	124	19	TU50 Burst 5	-4.62	160	PASS
NTNV	GSM900	124	19	TUlow	7.40	230	PASS
NTNV	GSM900	124	19	TUlow Burst 1	9.79	230	PASS
NTNV	GSM900	124	19	TUlow Burst 2	8.69	230	PASS
NTNV	GSM900	124	19	TUlow Burst 3	-1.74	230	PASS
NTNV	GSM900	124	19	TUlow Burst 4	-0.10	230	PASS
NTNV	GSM900	124	19	TUlow Burst 5	2.36	230	PASS
NTNV	GSM900	124	19	TUlow Burst 6	9.02	230	PASS
NTNV	GSM900	124	19	TUlow Burst 7	-0.75	230	PASS
NTNV	GSM900	124	19	TUlow Burst 8	-2.28	230	PASS
NTNV	GSM900	124	19	TUlow Burst 9	12.88	230	PASS
NTNV	GSM900	124	19	TUlow Burst 10	15.81	230	PASS
NTNV	GSM900	124	19	TUlow Burst 11	5.79	230	PASS
NTNV	GSM900	124	19	TUlow Burst 12	-2.87	230	PASS
NTNV	GSM900	124	19	TUlow Burst 13	0.85	230	PASS
NTNV	GSM900	124	19	TUlow Burst 14	9.09	230	PASS
NTNV	GSM900	124	19	TUlow Burst 15	-3.84	230	PASS
NTNV	GSM900	124	19	TUlow Burst 16	-4.64	230	PASS
NTNV	GSM900	124	19	TUlow Burst 17	1.66	230	PASS
NTNV	GSM900	124	19	TUlow Burst 18	0.66	230	PASS
NTNV	GSM900	124	19	TUlow Burst 19	3.08	230	PASS
NTNV	GSM900	124	19	TUlow Burst 20	-3.17	230	PASS
NTNV	GSM1800	512	0	RA	5.51	400	PASS
NTNV	GSM1800	512	0	RA Burst 1	12.28	400	PASS
NTNV	GSM1800	512	0	RA Burst 2	8.90	400	PASS
NTNV	GSM1800	512	0	RA Burst 3	10.18	400	PASS
NTNV	GSM1800	512	0	RA Burst 4	9.43	400	PASS
NTNV	GSM1800	512	0	RA Burst 5	9.01	400	PASS
NTNV	GSM1800	512	0	HT100	13.84	350	PASS
NTNV	GSM1800	512	0	HT100 Burst 1	6.90	350	PASS
NTNV	GSM1800	512	0	HT100 Burst 2	10.27	350	PASS
NTNV	GSM1800	512	0	HT100 Burst 3	11.70	350	PASS
NTNV	GSM1800	512	0	HT100 Burst 4	3.22	350	PASS
NTNV	GSM1800	512	0	HT100 Burst 5	3.43	350	PASS
NTNV	GSM1800	512	0	TU50	11.91	260	PASS
NTNV	GSM1800	512	0	TU50 Burst 1	7.63	260	PASS
NTNV	GSM1800	512	0	TU50 Burst 2	8.60	260	PASS
NTNV	GSM1800	512	0	TU50 Burst 3	6.02	260	PASS
NTNV	GSM1800	512	0	TU50 Burst 4	16.46	260	PASS



NTNV	GSM1800	512	0	TU50 Burst 5	8.37	260	PASS
NTNV	GSM1800	512	0	TUlow	7.17	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 1	2.33	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 2	13.76	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 3	9.63	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 4	12.59	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 5	16.25	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 6	11.66	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 7	13.68	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 8	14.68	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 9	2.57	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 10	9.30	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 11	10.47	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 12	9.57	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 13	10.16	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 14	14.91	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 15	0.10	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 16	12.59	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 17	11.75	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 18	4.51	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 19	12.47	320	PASS
NTNV	GSM1800	512	0	TUlow Burst 20	22.99	320	PASS
NTNV	GSM1800	512	15	RA	7.41	400	PASS
NTNV	GSM1800	512	15	RA Burst 1	8.98	400	PASS
NTNV	GSM1800	512	15	RA Burst 2	18.18	400	PASS
NTNV	GSM1800	512	15	RA Burst 3	24.03	400	PASS
NTNV	GSM1800	512	15	RA Burst 4	16.27	400	PASS
NTNV	GSM1800	512	15	RA Burst 5	1.75	400	PASS
NTNV	GSM1800	512	15	HT100	7.55	350	PASS
NTNV	GSM1800	512	15	HT100 Burst 1	6.14	350	PASS
NTNV	GSM1800	512	15	HT100 Burst 2	7.24	350	PASS
NTNV	GSM1800	512	15	HT100 Burst 3	5.87	350	PASS
NTNV	GSM1800	512	15	HT100 Burst 4	4.15	350	PASS
NTNV	GSM1800	512	15	HT100 Burst 5	4.83	350	PASS
NTNV	GSM1800	512	15	TU50	14.90	260	PASS
NTNV	GSM1800	512	15	TU50 Burst 1	20.12	260	PASS
NTNV	GSM1800	512	15	TU50 Burst 2	8.66	260	PASS
NTNV	GSM1800	512	15	TU50 Burst 3	18.43	260	PASS
NTNV	GSM1800	512	15	TU50 Burst 4	22.95	260	PASS
NTNV	GSM1800	512	15	TU50 Burst 5	10.53	260	PASS
NTNV	GSM1800	512	15	TUlow	5.87	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 1	24.02	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 2	11.14	320	PASS



NTNV	GSM1800	512	15	TUlow Burst 3	-3.01	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 4	6.19	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 5	13.90	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 6	19.44	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 7	12.44	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 8	21.06	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 9	14.26	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 10	13.28	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 11	10.11	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 12	3.66	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 13	-0.31	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 14	1.32	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 15	9.76	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 16	7.47	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 17	17.40	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 18	1.48	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 19	5.24	320	PASS
NTNV	GSM1800	512	15	TUlow Burst 20	9.47	320	PASS
NTNV	GSM1800	698	0	RA	6.14	400	PASS
NTNV	GSM1800	698	0	RA Burst 1	2.70	400	PASS
NTNV	GSM1800	698	0	RA Burst 2	7.13	400	PASS
NTNV	GSM1800	698	0	RA Burst 3	1.38	400	PASS
NTNV	GSM1800	698	0	RA Burst 4	18.79	400	PASS
NTNV	GSM1800	698	0	RA Burst 5	10.42	400	PASS
NTNV	GSM1800	698	0	HT100	5.68	350	PASS
NTNV	GSM1800	698	0	HT100 Burst 1	12.89	350	PASS
NTNV	GSM1800	698	0	HT100 Burst 2	1.56	350	PASS
NTNV	GSM1800	698	0	HT100 Burst 3	9.24	350	PASS
NTNV	GSM1800	698	0	HT100 Burst 4	5.77	350	PASS
NTNV	GSM1800	698	0	HT100 Burst 5	11.98	350	PASS
NTNV	GSM1800	698	0	TU50	4.52	260	PASS
NTNV	GSM1800	698	0	TU50 Burst 1	-1.58	260	PASS
NTNV	GSM1800	698	0	TU50 Burst 2	6.50	260	PASS
NTNV	GSM1800	698	0	TU50 Burst 3	1.04	260	PASS
NTNV	GSM1800	698	0	TU50 Burst 4	10.60	260	PASS
NTNV	GSM1800	698	0	TU50 Burst 5	2.82	260	PASS
NTNV	GSM1800	698	0	TUlow	18.23	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 1	12.01	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 2	10.92	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 3	6.18	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 4	8.05	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 5	21.27	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 6	21.80	320	PASS



NTNV	GSM1800	698	0	TUlow Burst 7	13.43	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 8	0.77	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 9	-2.39	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 10	13.95	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 11	20.90	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 12	-0.26	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 13	15.97	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 14	15.62	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 15	14.29	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 16	10.59	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 17	7.86	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 18	8.94	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 19	20.51	320	PASS
NTNV	GSM1800	698	0	TUlow Burst 20	2.77	320	PASS
NTNV	GSM1800	698	15	RA	16.92	400	PASS
NTNV	GSM1800	698	15	RA Burst 1	17.41	400	PASS
NTNV	GSM1800	698	15	RA Burst 2	14.03	400	PASS
NTNV	GSM1800	698	15	RA Burst 3	13.54	400	PASS
NTNV	GSM1800	698	15	RA Burst 4	18.71	400	PASS
NTNV	GSM1800	698	15	RA Burst 5	20.71	400	PASS
NTNV	GSM1800	698	15	HT100	17.44	350	PASS
NTNV	GSM1800	698	15	HT100 Burst 1	7.84	350	PASS
NTNV	GSM1800	698	15	HT100 Burst 2	10.10	350	PASS
NTNV	GSM1800	698	15	HT100 Burst 3	7.09	350	PASS
NTNV	GSM1800	698	15	HT100 Burst 4	-1.51	350	PASS
NTNV	GSM1800	698	15	HT100 Burst 5	11.23	350	PASS
NTNV	GSM1800	698	15	TU50	14.82	260	PASS
NTNV	GSM1800	698	15	TU50 Burst 1	8.43	260	PASS
NTNV	GSM1800	698	15	TU50 Burst 2	2.05	260	PASS
NTNV	GSM1800	698	15	TU50 Burst 3	11.10	260	PASS
NTNV	GSM1800	698	15	TU50 Burst 4	12.79	260	PASS
NTNV	GSM1800	698	15	TU50 Burst 5	13.87	260	PASS
NTNV	GSM1800	698	15	TUlow	15.44	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 1	0.79	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 2	16.24	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 3	18.06	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 4	8.63	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 5	13.81	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 6	24.36	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 7	10.64	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 8	11.00	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 9	10.59	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 10	4.14	320	PASS



NTNV	GSM1800	698	15	TUlow Burst 11	7.49	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 12	9.25	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 13	8.35	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 14	19.96	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 15	10.37	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 16	14.96	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 17	19.23	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 18	-2.03	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 19	-5.83	320	PASS
NTNV	GSM1800	698	15	TUlow Burst 20	5.15	320	PASS
NTNV	GSM1800	885	0	RA	7.84	400	PASS
NTNV	GSM1800	885	0	RA Burst 1	2.23	400	PASS
NTNV	GSM1800	885	0	RA Burst 2	1.96	400	PASS
NTNV	GSM1800	885	0	RA Burst 3	8.65	400	PASS
NTNV	GSM1800	885	0	RA Burst 4	3.07	400	PASS
NTNV	GSM1800	885	0	RA Burst 5	5.97	400	PASS
NTNV	GSM1800	885	0	HT100	6.34	350	PASS
NTNV	GSM1800	885	0	HT100 Burst 1	5.60	350	PASS
NTNV	GSM1800	885	0	HT100 Burst 2	3.52	350	PASS
NTNV	GSM1800	885	0	HT100 Burst 3	10.96	350	PASS
NTNV	GSM1800	885	0	HT100 Burst 4	6.50	350	PASS
NTNV	GSM1800	885	0	HT100 Burst 5	11.66	350	PASS
NTNV	GSM1800	885	0	TU50	7.22	260	PASS
NTNV	GSM1800	885	0	TU50 Burst 1	9.21	260	PASS
NTNV	GSM1800	885	0	TU50 Burst 2	9.57	260	PASS
NTNV	GSM1800	885	0	TU50 Burst 3	12.44	260	PASS
NTNV	GSM1800	885	0	TU50 Burst 4	-3.44	260	PASS
NTNV	GSM1800	885	0	TU50 Burst 5	13.83	260	PASS
NTNV	GSM1800	885	0	TUlow	-0.37	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 1	21.23	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 2	7.92	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 3	8.10	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 4	9.86	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 5	5.06	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 6	18.02	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 7	2.55	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 8	11.23	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 9	19.06	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 10	7.44	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 11	18.07	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 12	14.47	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 13	20.36	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 14	20.56	320	PASS



NTNV	GSM1800	885	0	TUlow Burst 15	13.53	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 16	16.16	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 17	20.76	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 18	22.62	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 19	17.92	320	PASS
NTNV	GSM1800	885	0	TUlow Burst 20	7.13	320	PASS
NTNV	GSM1800	885	15	RA	7.46	400	PASS
NTNV	GSM1800	885	15	RA Burst 1	6.82	400	PASS
NTNV	GSM1800	885	15	RA Burst 2	7.81	400	PASS
NTNV	GSM1800	885	15	RA Burst 3	20.82	400	PASS
NTNV	GSM1800	885	15	RA Burst 4	21.70	400	PASS
NTNV	GSM1800	885	15	RA Burst 5	16.54	400	PASS
NTNV	GSM1800	885	15	HT100	10.98	350	PASS
NTNV	GSM1800	885	15	HT100 Burst 1	5.29	350	PASS
NTNV	GSM1800	885	15	HT100 Burst 2	0.81	350	PASS
NTNV	GSM1800	885	15	HT100 Burst 3	6.89	350	PASS
NTNV	GSM1800	885	15	HT100 Burst 4	4.55	350	PASS
NTNV	GSM1800	885	15	HT100 Burst 5	9.99	350	PASS
NTNV	GSM1800	885	15	TU50	-3.48	260	PASS
NTNV	GSM1800	885	15	TU50 Burst 1	9.69	260	PASS
NTNV	GSM1800	885	15	TU50 Burst 2	2.64	260	PASS
NTNV	GSM1800	885	15	TU50 Burst 3	4.61	260	PASS
NTNV	GSM1800	885	15	TU50 Burst 4	7.54	260	PASS
NTNV	GSM1800	885	15	TU50 Burst 5	-0.30	260	PASS
NTNV	GSM1800	885	15	TUlow	8.39	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 1	9.48	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 2	13.41	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 3	8.09	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 4	8.22	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 5	11.86	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 6	2.20	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 7	2.39	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 8	9.92	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 9	-3.19	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 10	6.29	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 11	7.91	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 12	7.74	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 13	7.74	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 14	10.32	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 15	14.11	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 16	14.93	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 17	-0.97	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 18	0.59	320	PASS



NTNV	GSM1800	885	15	TUlow Burst 19	21.68	320	PASS
NTNV	GSM1800	885	15	TUlow Burst 20	11.49	320	PASS

Appendix C: Transmitter output power and burst timing

Test Result

Condition	Band	Ch.	PCL	Power(dBm)	Limit(dBm)	Power vs time	Verdict
NTNV	GSM900	975	5	33.60	31 to 35	PASS	PASS
NTNV	GSM900	975	19	5.54	0 to 10	PASS	PASS
NTNV	GSM900	63	5	34.16	31 to 35	PASS	PASS
NTNV	GSM900	63	6	31.53	28 to 34	PASS	PASS
NTNV	GSM900	63	7	29.42	26 to 32	PASS	PASS
NTNV	GSM900	63	8	27.52	24 to 30	PASS	PASS
NTNV	GSM900	63	9	25.54	22 to 28	PASS	PASS
NTNV	GSM900	63	10	23.63	20 to 26	PASS	PASS
NTNV	GSM900	63	11	21.71	18 to 24	PASS	PASS
NTNV	GSM900	63	12	19.72	16 to 22	PASS	PASS
NTNV	GSM900	63	13	17.83	14 to 20	PASS	PASS
NTNV	GSM900	63	14	15.85	12 to 18	PASS	PASS
NTNV	GSM900	63	15	13.96	10 to 16	PASS	PASS
NTNV	GSM900	63	16	11.84	6 to 16	PASS	PASS
NTNV	GSM900	63	17	9.87	4 to 14	PASS	PASS
NTNV	GSM900	63	18	8.09	2 to 12	PASS	PASS
NTNV	GSM900	63	19	6.09	0 to 10	PASS	PASS
NTNV	GSM900	124	5	34.39	31 to 35	PASS	PASS
NTNV	GSM900	124	19	6.22	0 to 10	PASS	PASS
NTNV	GSM1800	512	0	31.88	28 to 32	PASS	PASS
NTNV	GSM1800	512	15	0.51	-5 to 5	PASS	PASS
NTNV	GSM1800	698	0	31.25	28 to 32	PASS	PASS
NTNV	GSM1800	698	1	28.05	25 to 31	PASS	PASS
NTNV	GSM1800	698	2	26.09	23 to 29	PASS	PASS
NTNV	GSM1800	698	3	24.15	21 to 27	PASS	PASS
NTNV	GSM1800	698	4	22.17	19 to 25	PASS	PASS
NTNV	GSM1800	698	5	20.19	17 to 23	PASS	PASS
NTNV	GSM1800	698	6	18.30	15 to 21	PASS	PASS
NTNV	GSM1800	698	7	16.19	13 to 19	PASS	PASS
NTNV	GSM1800	698	8	14.37	11 to 17	PASS	PASS
NTNV	GSM1800	698	9	12.30	8 to 16	PASS	PASS
NTNV	GSM1800	698	10	10.40	6 to 14	PASS	PASS
NTNV	GSM1800	698	11	8.22	4 to 12	PASS	PASS
NTNV	GSM1800	698	12	6.44	2 to 10	PASS	PASS
NTNV	GSM1800	698	13	4.40	0 to 8	PASS	PASS
NTNV	GSM1800	698	14	2.76	-3 to 7	PASS	PASS
NTNV	GSM1800	698	15	1.30	-5 to 5	PASS	PASS
NTNV	GSM1800	885	0	30.74	28 to 32	PASS	PASS



NTNV	GSM1800	885	15	1.42	-5 to 5	PASS	PASS
------	---------	-----	----	------	---------	------	------

Condition	Band	Ch.	PCL	Val PCL	Val (dB)	Limit(dB)	Verdict
NTNV	GSM900	975	5	---	---	---	---
NTNV	GSM900	975	19	---	---	---	---
NTNV	GSM900	63	5	---	---	---	---
NTNV	GSM900	63	6	5/6	2.63	0.5 to 3.5	PASS
NTNV	GSM900	63	7	6/7	2.11	0.5 to 3.5	PASS
NTNV	GSM900	63	8	7/8	1.90	0.5 to 3.5	PASS
NTNV	GSM900	63	9	8/9	1.98	0.5 to 3.5	PASS
NTNV	GSM900	63	10	9/10	1.91	0.5 to 3.5	PASS
NTNV	GSM900	63	11	10/11	1.92	0.5 to 3.5	PASS
NTNV	GSM900	63	12	11/12	1.99	0.5 to 3.5	PASS
NTNV	GSM900	63	13	12/13	1.89	0.5 to 3.5	PASS
NTNV	GSM900	63	14	13/14	1.98	0.5 to 3.5	PASS
NTNV	GSM900	63	15	14/15	1.89	0.5 to 3.5	PASS
NTNV	GSM900	63	16	15/16	2.12	0.5 to 3.5	PASS
NTNV	GSM900	63	17	16/17	1.97	0.5 to 3.5	PASS
NTNV	GSM900	63	18	17/18	1.78	0.5 to 3.5	PASS
NTNV	GSM900	63	19	18/19	2.00	0.5 to 3.5	PASS
NTNV	GSM900	124	5	---	---	---	---
NTNV	GSM900	124	19	---	---	---	---
NTNV	GSM1800	512	0	---	---	---	---
NTNV	GSM1800	512	15	---	---	---	---
NTNV	GSM1800	698	0	---	---	---	---
NTNV	GSM1800	698	1	0/1	2.10	0.5 to 3.5	PASS
NTNV	GSM1800	698	2	1/2	1.96	0.5 to 3.5	PASS
NTNV	GSM1800	698	3	2/3	1.94	0.5 to 3.5	PASS
NTNV	GSM1800	698	4	3/4	1.98	0.5 to 3.5	PASS
NTNV	GSM1800	698	5	4/5	1.98	0.5 to 3.5	PASS
NTNV	GSM1800	698	6	5/6	1.89	0.5 to 3.5	PASS
NTNV	GSM1800	698	7	6/7	2.11	0.5 to 3.5	PASS
NTNV	GSM1800	698	8	7/8	1.82	0.5 to 3.5	PASS
NTNV	GSM1800	698	9	8/9	2.07	0.5 to 3.5	PASS
NTNV	GSM1800	698	10	9/10	1.90	0.5 to 3.5	PASS
NTNV	GSM1800	698	11	10/11	2.18	0.5 to 3.5	PASS
NTNV	GSM1800	698	12	11/12	1.78	0.5 to 3.5	PASS
NTNV	GSM1800	698	13	12/13	2.04	0.5 to 3.5	PASS
NTNV	GSM1800	698	14	13/14	1.64	0.5 to 3.5	PASS
NTNV	GSM1800	698	15	14/15	1.46	0.5 to 3.5	PASS
NTNV	GSM1800	885	0	---	---	---	---
NTNV	GSM1800	885	15	---	---	---	---




Condition	Band	Ch.	PCL	Burst timing	Limit	Verdict
NTNV	GSM900	975	5	0.00	-1 to 1	PASS
NTNV	GSM900	975	19	0.00	-1 to 1	PASS
NTNV	GSM900	63	5	0.00	-1 to 1	PASS
NTNV	GSM900	63	6	0.00	-1 to 1	PASS
NTNV	GSM900	63	7	0.00	-1 to 1	PASS
NTNV	GSM900	63	8	0.00	-1 to 1	PASS
NTNV	GSM900	63	9	0.00	-1 to 1	PASS
NTNV	GSM900	63	10	0.00	-1 to 1	PASS
NTNV	GSM900	63	11	0.00	-1 to 1	PASS
NTNV	GSM900	63	12	0.00	-1 to 1	PASS
NTNV	GSM900	63	13	0.00	-1 to 1	PASS
NTNV	GSM900	63	14	0.00	-1 to 1	PASS
NTNV	GSM900	63	15	0.00	-1 to 1	PASS
NTNV	GSM900	63	16	0.00	-1 to 1	PASS
NTNV	GSM900	63	17	0.00	-1 to 1	PASS
NTNV	GSM900	63	18	0.00	-1 to 1	PASS
NTNV	GSM900	63	19	0.00	-1 to 1	PASS
NTNV	GSM900	124	5	0.00	-1 to 1	PASS
NTNV	GSM900	124	19	0.00	-1 to 1	PASS
NTNV	GSM1800	512	0	0.00	-1 to 1	PASS
NTNV	GSM1800	512	15	0.00	-1 to 1	PASS
NTNV	GSM1800	698	0	0.00	-1 to 1	PASS
NTNV	GSM1800	698	1	0.00	-1 to 1	PASS
NTNV	GSM1800	698	2	0.00	-1 to 1	PASS
NTNV	GSM1800	698	3	0.00	-1 to 1	PASS
NTNV	GSM1800	698	4	0.00	-1 to 1	PASS
NTNV	GSM1800	698	5	0.00	-1 to 1	PASS
NTNV	GSM1800	698	6	0.00	-1 to 1	PASS
NTNV	GSM1800	698	7	0.00	-1 to 1	PASS
NTNV	GSM1800	698	8	0.00	-1 to 1	PASS
NTNV	GSM1800	698	9	0.00	-1 to 1	PASS
NTNV	GSM1800	698	10	0.00	-1 to 1	PASS
NTNV	GSM1800	698	11	0.00	-1 to 1	PASS
NTNV	GSM1800	698	12	0.00	-1 to 1	PASS
NTNV	GSM1800	698	13	0.00	-1 to 1	PASS
NTNV	GSM1800	698	14	0.00	-1 to 1	PASS
NTNV	GSM1800	698	15	0.00	-1 to 1	PASS
NTNV	GSM1800	885	0	0.00	-1 to 1	PASS
NTNV	GSM1800	885	15	0.00	-1 to 1	PASS




Condition	Band	Ch.	PCL	Power (dBm)	Limit (dBm)	Power vs time	Verdict
NTNV	GSM900	63	5	34.37	31 to 35	PASS	PASS
NTNV	GSM900	63	10	23.70	20 to 26	PASS	PASS
NTNV	GSM1800	698	0	31.29	28 to 32	PASS	PASS
NTNV	GSM1800	698	10	10.46	6 to 14	PASS	PASS

Test Graphs


NTNV-GSM900-975-5




NTNV-GSM900-975-19




NTNV-GSM900-63-5




NTNV-GSM900-63-6




NTNV-GSM900-63-7




NTNV-GSM900-63-8




NTNV-GSM900-63-9




NTNV-GSM900-63-10



NTNV-GSM900-63-11




NTNV-GSM900-63-12




NTNV-GSM900-63-13




NTNV-GSM900-63-14




NTNV-GSM900-63-15




NTNV-GSM900-63-16




NTNV-GSM900-63-17




NTNV-GSM900-63-18




NTNV-GSM900-63-19




NTNV-GSM900-124-5




NTNV-GSM900-124-19




NTNV-GSM1800-512-0




NTNV-GSM1800-512-15




NTNV-GSM1800-698-0




NTNV-GSM1800-698-1




NTNV-GSM1800-698-2




NTNV-GSM1800-698-3




NTNV-GSM1800-698-4




NTNV-GSM1800-698-5




NTNV-GSM1800-698-6




NTNV-GSM1800-698-7




NTNV-GSM1800-698-8




NTNV-GSM1800-698-9




NTNV-GSM1800-698-10




NTNV-GSM1800-698-11




NTNV-GSM1800-698-12




NTNV-GSM1800-698-13




NTNV-GSM1800-698-14




NTNV-GSM1800-698-15




NTNV-GSM1800-885-0




NTNV-GSM1800-885-15




NTNV-GSM900-63-5




NTNV-GSM900-63-10



NTNV-GSM1800-698-0



NTNV-GSM1800-698-10





Appendix D: Output RF spectrum

**Test Result-Switching Spectrum and Modulation Spectrum**

Condition	Band	Ch.	PCL	Offset	refPower	Result	Limit	Verdict
NTNV	GSM900	975	5	-1800	33.63	-47.06	-24.00	PASS
NTNV	GSM900	975	5	-1200	33.63	-45.44	-21.00	PASS
NTNV	GSM900	975	5	-600	33.63	-35.53	-21.00	PASS
NTNV	GSM900	975	5	-400	33.63	-25.59	-17.00	PASS
NTNV	GSM900	975	5	400	33.63	-25.64	-17.00	PASS
NTNV	GSM900	975	5	600	33.63	-32.94	-21.00	PASS
NTNV	GSM900	975	5	1200	33.63	-42.96	-21.00	PASS
NTNV	GSM900	975	5	1800	33.63	-45.15	-24.00	PASS
NTNV	GSM900	975	7	-1800	29.08	-50.21	-26.00	PASS
NTNV	GSM900	975	7	-1200	29.08	-48.73	-23.00	PASS
NTNV	GSM900	975	7	-600	29.08	-37.53	-23.00	PASS
NTNV	GSM900	975	7	-400	29.08	-31.23	-21.00	PASS
NTNV	GSM900	975	7	400	29.08	-29.54	-21.00	PASS
NTNV	GSM900	975	7	600	29.08	-37.70	-23.00	PASS
NTNV	GSM900	975	7	1200	29.08	-47.57	-23.00	PASS
NTNV	GSM900	975	7	1800	29.08	-49.01	-26.00	PASS
NTNV	GSM900	975	11	-1800	21.45	-57.93	-34.00	PASS
NTNV	GSM900	975	11	-1200	21.45	-55.68	-31.00	PASS
NTNV	GSM900	975	11	-600	21.45	-46.57	-26.00	PASS
NTNV	GSM900	975	11	-400	21.45	-39.39	-23.00	PASS
NTNV	GSM900	975	11	400	21.45	-32.48	-23.00	PASS
NTNV	GSM900	975	11	600	21.45	-44.68	-26.00	PASS
NTNV	GSM900	975	11	1200	21.45	-56.12	-31.00	PASS
NTNV	GSM900	975	11	1800	21.45	-58.70	-34.00	PASS
NTNV	GSM900	975	19	-1800	5.63	-68.36	-36.00	PASS
NTNV	GSM900	975	19	-1200	5.63	-63.39	-32.00	PASS
NTNV	GSM900	975	19	-600	5.63	-44.90	-26.00	PASS
NTNV	GSM900	975	19	-400	5.63	-38.33	-23.00	PASS
NTNV	GSM900	975	19	400	5.63	-36.81	-23.00	PASS
NTNV	GSM900	975	19	600	5.63	-45.16	-26.00	PASS
NTNV	GSM900	975	19	1200	5.63	-65.14	-32.00	PASS
NTNV	GSM900	975	19	1800	5.63	-69.03	-36.00	PASS
NTNV	GSM900	63	5	-1800	34.24	-44.01	-24.00	PASS
NTNV	GSM900	63	5	-1200	34.24	-43.21	-21.00	PASS
NTNV	GSM900	63	5	-600	34.24	-33.15	-21.00	PASS
NTNV	GSM900	63	5	-400	34.24	-26.43	-17.00	PASS
NTNV	GSM900	63	5	400	34.24	-25.60	-17.00	PASS
NTNV	GSM900	63	5	600	34.24	-33.13	-21.00	PASS



NTNV	GSM900	63	5	1200	34.24	-44.05	-21.00	PASS
NTNV	GSM900	63	5	1800	34.24	-45.35	-24.00	PASS
NTNV	GSM900	63	7	-1800	29.48	-50.26	-26.00	PASS
NTNV	GSM900	63	7	-1200	29.48	-47.70	-23.00	PASS
NTNV	GSM900	63	7	-600	29.48	-37.52	-23.00	PASS
NTNV	GSM900	63	7	-400	29.48	-31.36	-21.00	PASS
NTNV	GSM900	63	7	400	29.48	-28.94	-21.00	PASS
NTNV	GSM900	63	7	600	29.48	-36.29	-23.00	PASS
NTNV	GSM900	63	7	1200	29.48	-48.50	-23.00	PASS
NTNV	GSM900	63	7	1800	29.48	-50.99	-26.00	PASS
NTNV	GSM900	63	11	-1800	21.76	-58.09	-34.00	PASS
NTNV	GSM900	63	11	-1200	21.76	-54.95	-31.00	PASS
NTNV	GSM900	63	11	-600	21.76	-45.42	-26.00	PASS
NTNV	GSM900	63	11	-400	21.76	-40.24	-23.00	PASS
NTNV	GSM900	63	11	400	21.76	-32.35	-23.00	PASS
NTNV	GSM900	63	11	600	21.76	-45.16	-26.00	PASS
NTNV	GSM900	63	11	1200	21.76	-55.94	-31.00	PASS
NTNV	GSM900	63	11	1800	21.76	-58.07	-34.00	PASS
NTNV	GSM900	63	19	-1800	6.14	-68.08	-36.00	PASS
NTNV	GSM900	63	19	-1200	6.14	-63.52	-32.00	PASS
NTNV	GSM900	63	19	-600	6.14	-45.22	-26.00	PASS
NTNV	GSM900	63	19	-400	6.14	-37.80	-23.00	PASS
NTNV	GSM900	63	19	400	6.14	-36.40	-23.00	PASS
NTNV	GSM900	63	19	600	6.14	-44.75	-26.00	PASS
NTNV	GSM900	63	19	1200	6.14	-64.53	-32.00	PASS
NTNV	GSM900	63	19	1800	6.14	-69.53	-36.00	PASS
NTNV	GSM900	124	5	-1800	34.45	-45.43	-24.00	PASS
NTNV	GSM900	124	5	-1200	34.45	-43.14	-21.00	PASS
NTNV	GSM900	124	5	-600	34.45	-34.26	-21.00	PASS
NTNV	GSM900	124	5	-400	34.45	-25.59	-17.00	PASS
NTNV	GSM900	124	5	400	34.45	-25.19	-17.00	PASS
NTNV	GSM900	124	5	600	34.45	-33.36	-21.00	PASS
NTNV	GSM900	124	5	1200	34.45	-43.97	-21.00	PASS
NTNV	GSM900	124	5	1800	34.45	-44.32	-24.00	PASS
NTNV	GSM900	124	7	-1800	29.67	-46.84	-26.00	PASS
NTNV	GSM900	124	7	-1200	29.67	-47.54	-23.00	PASS
NTNV	GSM900	124	7	-600	29.67	-36.99	-23.00	PASS
NTNV	GSM900	124	7	-400	29.67	-30.76	-21.00	PASS
NTNV	GSM900	124	7	400	29.67	-28.80	-21.00	PASS
NTNV	GSM900	124	7	600	29.67	-35.55	-23.00	PASS
NTNV	GSM900	124	7	1200	29.67	-48.04	-23.00	PASS
NTNV	GSM900	124	7	1800	29.67	-48.55	-26.00	PASS
NTNV	GSM900	124	11	-1800	21.91	-56.44	-34.00	PASS



NTNV	GSM900	124	11	-1200	21.91	-52.79	-31.00	PASS
NTNV	GSM900	124	11	-600	21.91	-47.06	-26.00	PASS
NTNV	GSM900	124	11	-400	21.91	-39.60	-23.00	PASS
NTNV	GSM900	124	11	400	21.91	-32.39	-23.00	PASS
NTNV	GSM900	124	11	600	21.91	-45.26	-26.00	PASS
NTNV	GSM900	124	11	1200	21.91	-55.86	-31.00	PASS
NTNV	GSM900	124	11	1800	21.91	-56.37	-34.00	PASS
NTNV	GSM900	124	19	-1800	6.29	-67.76	-36.00	PASS
NTNV	GSM900	124	19	-1200	6.29	-62.55	-32.00	PASS
NTNV	GSM900	124	19	-600	6.29	-45.13	-26.00	PASS
NTNV	GSM900	124	19	-400	6.29	-37.78	-23.00	PASS
NTNV	GSM900	124	19	400	6.29	-36.13	-23.00	PASS
NTNV	GSM900	124	19	600	6.29	-45.02	-26.00	PASS
NTNV	GSM900	124	19	1200	6.29	-64.33	-32.00	PASS
NTNV	GSM900	124	19	1800	6.29	-66.36	-36.00	PASS
NTNV	GSM1800	512	0	-1800	32.01	-46.97	-24.00	PASS
NTNV	GSM1800	512	0	-1200	32.01	-44.31	-21.00	PASS
NTNV	GSM1800	512	0	-600	32.01	-37.58	-21.00	PASS
NTNV	GSM1800	512	0	-400	32.01	-31.41	-18.00	PASS
NTNV	GSM1800	512	0	400	32.01	-23.29	-18.00	PASS
NTNV	GSM1800	512	0	600	32.01	-38.37	-21.00	PASS
NTNV	GSM1800	512	0	1200	32.01	-43.89	-21.00	PASS
NTNV	GSM1800	512	0	1800	32.01	-47.55	-24.00	PASS
NTNV	GSM1800	512	7	-1800	15.78	-61.23	-36.00	PASS
NTNV	GSM1800	512	7	-1200	15.78	-59.09	-32.00	PASS
NTNV	GSM1800	512	7	-600	15.78	-53.38	-26.00	PASS
NTNV	GSM1800	512	7	-400	15.78	-45.09	-23.00	PASS
NTNV	GSM1800	512	7	400	15.78	-28.69	-23.00	PASS
NTNV	GSM1800	512	7	600	15.78	-45.45	-26.00	PASS
NTNV	GSM1800	512	7	1200	15.78	-58.96	-32.00	PASS
NTNV	GSM1800	512	7	1800	15.78	-61.17	-36.00	PASS
NTNV	GSM1800	512	11	-1800	7.74	-66.84	-36.00	PASS
NTNV	GSM1800	512	11	-1200	7.74	-64.52	-32.00	PASS
NTNV	GSM1800	512	11	-600	7.74	-57.23	-26.00	PASS
NTNV	GSM1800	512	11	-400	7.74	-50.31	-23.00	PASS
NTNV	GSM1800	512	11	400	7.74	-49.87	-23.00	PASS
NTNV	GSM1800	512	11	600	7.74	-59.08	-26.00	PASS
NTNV	GSM1800	512	11	1200	7.74	-64.21	-32.00	PASS
NTNV	GSM1800	512	11	1800	7.74	-68.10	-36.00	PASS
NTNV	GSM1800	512	15	-1800	0.75	-74.28	-36.00	PASS
NTNV	GSM1800	512	15	-1200	0.75	-69.96	-32.00	PASS
NTNV	GSM1800	512	15	-600	0.75	-63.58	-26.00	PASS
NTNV	GSM1800	512	15	-400	0.75	-59.36	-23.00	PASS



NTNV	GSM1800	512	15	400	0.75	-56.47	-23.00	PASS
NTNV	GSM1800	512	15	600	0.75	-63.56	-26.00	PASS
NTNV	GSM1800	512	15	1200	0.75	-70.52	-32.00	PASS
NTNV	GSM1800	512	15	1800	0.75	-74.95	-36.00	PASS
NTNV	GSM1800	698	0	-1800	32.25	-45.11	-24.00	PASS
NTNV	GSM1800	698	0	-1200	32.25	-44.29	-21.00	PASS
NTNV	GSM1800	698	0	-600	32.25	-38.74	-21.00	PASS
NTNV	GSM1800	698	0	-400	32.25	-32.39	-18.00	PASS
NTNV	GSM1800	698	0	400	32.25	-22.55	-18.00	PASS
NTNV	GSM1800	698	0	600	32.25	-37.53	-21.00	PASS
NTNV	GSM1800	698	0	1200	32.25	-42.77	-21.00	PASS
NTNV	GSM1800	698	0	1800	32.25	-47.04	-24.00	PASS
NTNV	GSM1800	698	7	-1800	16.26	-61.05	-36.00	PASS
NTNV	GSM1800	698	7	-1200	16.26	-58.16	-32.00	PASS
NTNV	GSM1800	698	7	-600	16.26	-53.80	-26.00	PASS
NTNV	GSM1800	698	7	-400	16.26	-45.04	-23.00	PASS
NTNV	GSM1800	698	7	400	16.26	-27.83	-23.00	PASS
NTNV	GSM1800	698	7	600	16.26	-44.44	-26.00	PASS
NTNV	GSM1800	698	7	1200	16.26	-57.65	-32.00	PASS
NTNV	GSM1800	698	7	1800	16.26	-61.67	-36.00	PASS
NTNV	GSM1800	698	11	-1800	8.26	-65.81	-36.00	PASS
NTNV	GSM1800	698	11	-1200	8.26	-64.84	-32.00	PASS
NTNV	GSM1800	698	11	-600	8.26	-57.38	-26.00	PASS
NTNV	GSM1800	698	11	-400	8.26	-49.94	-23.00	PASS
NTNV	GSM1800	698	11	400	8.26	-47.93	-23.00	PASS
NTNV	GSM1800	698	11	600	8.26	-58.44	-26.00	PASS
NTNV	GSM1800	698	11	1200	8.26	-64.16	-32.00	PASS
NTNV	GSM1800	698	11	1800	8.26	-68.23	-36.00	PASS
NTNV	GSM1800	698	15	-1800	1.32	-72.85	-36.00	PASS
NTNV	GSM1800	698	15	-1200	1.32	-69.07	-32.00	PASS
NTNV	GSM1800	698	15	-600	1.32	-63.53	-26.00	PASS
NTNV	GSM1800	698	15	-400	1.32	-59.37	-23.00	PASS
NTNV	GSM1800	698	15	400	1.32	-56.83	-23.00	PASS
NTNV	GSM1800	698	15	600	1.32	-63.46	-26.00	PASS
NTNV	GSM1800	698	15	1200	1.32	-69.59	-32.00	PASS
NTNV	GSM1800	698	15	1800	1.32	-73.01	-36.00	PASS
NTNV	GSM1800	885	0	-1800	32.37	-46.86	-24.00	PASS
NTNV	GSM1800	885	0	-1200	32.37	-43.28	-21.00	PASS
NTNV	GSM1800	885	0	-600	32.37	-38.05	-21.00	PASS
NTNV	GSM1800	885	0	-400	32.37	-32.54	-18.00	PASS
NTNV	GSM1800	885	0	400	32.37	-21.61	-18.00	PASS
NTNV	GSM1800	885	0	600	32.37	-37.61	-21.00	PASS
NTNV	GSM1800	885	0	1200	32.37	-42.03	-21.00	PASS



NTNV	GSM1800	885	0	1800	32.37	-47.18	-24.00	PASS
NTNV	GSM1800	885	7	-1800	16.32	-61.79	-36.00	PASS
NTNV	GSM1800	885	7	-1200	16.32	-59.60	-32.00	PASS
NTNV	GSM1800	885	7	-600	16.32	-53.88	-26.00	PASS
NTNV	GSM1800	885	7	-400	16.32	-44.62	-23.00	PASS
NTNV	GSM1800	885	7	400	16.32	-27.59	-23.00	PASS
NTNV	GSM1800	885	7	600	16.32	-43.33	-26.00	PASS
NTNV	GSM1800	885	7	1200	16.32	-58.08	-32.00	PASS
NTNV	GSM1800	885	7	1800	16.32	-61.41	-36.00	PASS
NTNV	GSM1800	885	11	-1800	8.51	-66.99	-36.00	PASS
NTNV	GSM1800	885	11	-1200	8.51	-62.32	-32.00	PASS
NTNV	GSM1800	885	11	-600	8.51	-58.35	-26.00	PASS
NTNV	GSM1800	885	11	-400	8.51	-49.74	-23.00	PASS
NTNV	GSM1800	885	11	400	8.51	-48.48	-23.00	PASS
NTNV	GSM1800	885	11	600	8.51	-58.38	-26.00	PASS
NTNV	GSM1800	885	11	1200	8.51	-64.95	-32.00	PASS
NTNV	GSM1800	885	11	1800	8.51	-66.26	-36.00	PASS
NTNV	GSM1800	885	15	-1800	1.51	-72.60	-36.00	PASS
NTNV	GSM1800	885	15	-1200	1.51	-68.59	-32.00	PASS
NTNV	GSM1800	885	15	-600	1.51	-63.28	-26.00	PASS
NTNV	GSM1800	885	15	-400	1.51	-58.88	-23.00	PASS
NTNV	GSM1800	885	15	400	1.51	-56.96	-23.00	PASS
NTNV	GSM1800	885	15	600	1.51	-62.13	-26.00	PASS
NTNV	GSM1800	885	15	1200	1.51	-69.74	-32.00	PASS
NTNV	GSM1800	885	15	1800	1.51	-71.97	-36.00	PASS

Condition	Band	Ch.	PCL	Offset	refPower	Result	Limit	Verdict
NTNV	GSM900	975	5	-1800	25.58	-82.37	-60.00	PASS
NTNV	GSM900	975	5	-1600	25.58	-82.30	-60.00	PASS
NTNV	GSM900	975	5	-1400	25.58	-81.26	-60.00	PASS
NTNV	GSM900	975	5	-1200	25.58	-80.68	-60.00	PASS
NTNV	GSM900	975	5	-1000	25.58	-79.72	-60.00	PASS
NTNV	GSM900	975	5	-800	25.58	-78.05	-60.00	PASS
NTNV	GSM900	975	5	-600	25.58	-75.84	-60.00	PASS
NTNV	GSM900	975	5	-400	25.58	-69.71	-60.00	PASS
NTNV	GSM900	975	5	-250	25.58	-41.00	-33.00	PASS
NTNV	GSM900	975	5	-200	25.58	-37.08	-30.00	PASS
NTNV	GSM900	975	5	-100	25.58	-8.88	0.50	PASS
NTNV	GSM900	975	5	100	25.58	-8.95	0.50	PASS
NTNV	GSM900	975	5	200	25.58	-37.03	-30.00	PASS
NTNV	GSM900	975	5	250	25.58	-41.18	-33.00	PASS
NTNV	GSM900	975	5	400	25.58	-69.88	-60.00	PASS



NTNV	GSM900	975	5	600	25.58	-75.73	-60.00	PASS
NTNV	GSM900	975	5	800	25.58	-77.92	-60.00	PASS
NTNV	GSM900	975	5	1000	25.58	-79.67	-60.00	PASS
NTNV	GSM900	975	5	1200	25.58	-80.71	-60.00	PASS
NTNV	GSM900	975	5	1400	25.58	-81.45	-60.00	PASS
NTNV	GSM900	975	5	1600	25.58	-82.33	-60.00	PASS
NTNV	GSM900	975	5	1800	25.58	-82.13	-60.00	PASS
NTNV	GSM900	975	7	-1800	20.70	-81.44	-60.00	PASS
NTNV	GSM900	975	7	-1600	20.70	-81.56	-60.00	PASS
NTNV	GSM900	975	7	-1400	20.70	-80.60	-60.00	PASS
NTNV	GSM900	975	7	-1200	20.70	-79.68	-60.00	PASS
NTNV	GSM900	975	7	-1000	20.70	-78.72	-60.00	PASS
NTNV	GSM900	975	7	-800	20.70	-77.18	-60.00	PASS
NTNV	GSM900	975	7	-600	20.70	-75.15	-60.00	PASS
NTNV	GSM900	975	7	-400	20.70	-69.22	-60.00	PASS
NTNV	GSM900	975	7	-250	20.70	-41.11	-33.00	PASS
NTNV	GSM900	975	7	-200	20.70	-36.57	-30.00	PASS
NTNV	GSM900	975	7	-100	20.70	-8.06	0.50	PASS
NTNV	GSM900	975	7	100	20.70	-8.65	0.50	PASS
NTNV	GSM900	975	7	200	20.70	-36.70	-30.00	PASS
NTNV	GSM900	975	7	250	20.70	-40.88	-33.00	PASS
NTNV	GSM900	975	7	400	20.70	-70.03	-60.00	PASS
NTNV	GSM900	975	7	600	20.70	-75.17	-60.00	PASS
NTNV	GSM900	975	7	800	20.70	-77.27	-60.00	PASS
NTNV	GSM900	975	7	1000	20.70	-79.01	-60.00	PASS
NTNV	GSM900	975	7	1200	20.70	-79.87	-60.00	PASS
NTNV	GSM900	975	7	1400	20.70	-80.60	-60.00	PASS
NTNV	GSM900	975	7	1600	20.70	-81.76	-60.00	PASS
NTNV	GSM900	975	7	1800	20.70	-81.95	-60.00	PASS
NTNV	GSM900	975	11	-1800	13.35	-81.44	-60.00	PASS
NTNV	GSM900	975	11	-1600	13.35	-81.00	-60.00	PASS
NTNV	GSM900	975	11	-1400	13.35	-79.98	-60.00	PASS
NTNV	GSM900	975	11	-1200	13.35	-79.25	-60.00	PASS
NTNV	GSM900	975	11	-1000	13.35	-78.34	-60.00	PASS
NTNV	GSM900	975	11	-800	13.35	-76.42	-60.00	PASS
NTNV	GSM900	975	11	-600	13.35	-74.24	-60.00	PASS
NTNV	GSM900	975	11	-400	13.35	-69.07	-60.00	PASS
NTNV	GSM900	975	11	-250	13.35	-41.36	-33.00	PASS
NTNV	GSM900	975	11	-200	13.35	-36.75	-30.00	PASS
NTNV	GSM900	975	11	-100	13.35	-8.91	0.50	PASS
NTNV	GSM900	975	11	100	13.35	-8.58	0.50	PASS
NTNV	GSM900	975	11	200	13.35	-37.14	-30.00	PASS
NTNV	GSM900	975	11	250	13.35	-40.91	-33.00	PASS



NTNV	GSM900	975	11	400	13.35	-69.42	-60.00	PASS
NTNV	GSM900	975	11	600	13.35	-74.39	-60.00	PASS
NTNV	GSM900	975	11	800	13.35	-76.67	-60.00	PASS
NTNV	GSM900	975	11	1000	13.35	-78.75	-60.00	PASS
NTNV	GSM900	975	11	1200	13.35	-79.89	-60.00	PASS
NTNV	GSM900	975	11	1400	13.35	-80.35	-60.00	PASS
NTNV	GSM900	975	11	1600	13.35	-81.63	-60.00	PASS
NTNV	GSM900	975	11	1800	13.35	-81.68	-60.00	PASS
NTNV	GSM900	975	19	-1800	-2.31	-76.50	-60.00	PASS
NTNV	GSM900	975	19	-1600	-2.31	-75.49	-60.00	PASS
NTNV	GSM900	975	19	-1400	-2.31	-74.14	-60.00	PASS
NTNV	GSM900	975	19	-1200	-2.31	-72.69	-60.00	PASS
NTNV	GSM900	975	19	-1000	-2.31	-70.94	-60.00	PASS
NTNV	GSM900	975	19	-800	-2.31	-68.90	-60.00	PASS
NTNV	GSM900	975	19	-600	-2.31	-66.58	-60.00	PASS
NTNV	GSM900	975	19	-400	-2.31	-63.39	-60.00	PASS
NTNV	GSM900	975	19	-250	-2.31	-41.51	-33.00	PASS
NTNV	GSM900	975	19	-200	-2.31	-36.69	-30.00	PASS
NTNV	GSM900	975	19	-100	-2.31	-8.47	0.50	PASS
NTNV	GSM900	975	19	100	-2.31	-8.93	0.50	PASS
NTNV	GSM900	975	19	200	-2.31	-36.93	-30.00	PASS
NTNV	GSM900	975	19	250	-2.31	-41.44	-33.00	PASS
NTNV	GSM900	975	19	400	-2.31	-63.88	-60.00	PASS
NTNV	GSM900	975	19	600	-2.31	-67.18	-60.00	PASS
NTNV	GSM900	975	19	800	-2.31	-69.86	-60.00	PASS
NTNV	GSM900	975	19	1000	-2.31	-72.14	-60.00	PASS
NTNV	GSM900	975	19	1200	-2.31	-73.67	-60.00	PASS
NTNV	GSM900	975	19	1400	-2.31	-75.29	-60.00	PASS
NTNV	GSM900	975	19	1600	-2.31	-76.73	-60.00	PASS
NTNV	GSM900	975	19	1800	-2.31	-77.74	-60.00	PASS
NTNV	GSM900	63	5	-1800	25.94	-82.27	-60.00	PASS
NTNV	GSM900	63	5	-1600	25.94	-82.27	-60.00	PASS
NTNV	GSM900	63	5	-1400	25.94	-81.47	-60.00	PASS
NTNV	GSM900	63	5	-1200	25.94	-80.83	-60.00	PASS
NTNV	GSM900	63	5	-1000	25.94	-79.58	-60.00	PASS
NTNV	GSM900	63	5	-800	25.94	-77.83	-60.00	PASS
NTNV	GSM900	63	5	-600	25.94	-75.74	-60.00	PASS
NTNV	GSM900	63	5	-400	25.94	-69.79	-60.00	PASS
NTNV	GSM900	63	5	-250	25.94	-41.05	-33.00	PASS
NTNV	GSM900	63	5	-200	25.94	-36.83	-30.00	PASS
NTNV	GSM900	63	5	-100	25.94	-8.68	0.50	PASS
NTNV	GSM900	63	5	100	25.94	-8.46	0.50	PASS
NTNV	GSM900	63	5	200	25.94	-36.79	-30.00	PASS



NTNV	GSM900	63	5	250	25.94	-41.14	-33.00	PASS
NTNV	GSM900	63	5	400	25.94	-69.90	-60.00	PASS
NTNV	GSM900	63	5	600	25.94	-75.58	-60.00	PASS
NTNV	GSM900	63	5	800	25.94	-78.24	-60.00	PASS
NTNV	GSM900	63	5	1000	25.94	-79.66	-60.00	PASS
NTNV	GSM900	63	5	1200	25.94	-80.72	-60.00	PASS
NTNV	GSM900	63	5	1400	25.94	-81.44	-60.00	PASS
NTNV	GSM900	63	5	1600	25.94	-82.02	-60.00	PASS
NTNV	GSM900	63	5	1800	25.94	-82.53	-60.00	PASS
NTNV	GSM900	63	7	-1800	21.54	-82.52	-60.00	PASS
NTNV	GSM900	63	7	-1600	21.54	-82.19	-60.00	PASS
NTNV	GSM900	63	7	-1400	21.54	-81.18	-60.00	PASS
NTNV	GSM900	63	7	-1200	21.54	-80.22	-60.00	PASS
NTNV	GSM900	63	7	-1000	21.54	-79.47	-60.00	PASS
NTNV	GSM900	63	7	-800	21.54	-77.77	-60.00	PASS
NTNV	GSM900	63	7	-600	21.54	-75.35	-60.00	PASS
NTNV	GSM900	63	7	-400	21.54	-69.99	-60.00	PASS
NTNV	GSM900	63	7	-250	21.54	-41.24	-33.00	PASS
NTNV	GSM900	63	7	-200	21.54	-37.09	-30.00	PASS
NTNV	GSM900	63	7	-100	21.54	-8.82	0.50	PASS
NTNV	GSM900	63	7	100	21.54	-9.06	0.50	PASS
NTNV	GSM900	63	7	200	21.54	-37.14	-30.00	PASS
NTNV	GSM900	63	7	250	21.54	-41.26	-33.00	PASS
NTNV	GSM900	63	7	400	21.54	-70.23	-60.00	PASS
NTNV	GSM900	63	7	600	21.54	-75.39	-60.00	PASS
NTNV	GSM900	63	7	800	21.54	-77.79	-60.00	PASS
NTNV	GSM900	63	7	1000	21.54	-79.70	-60.00	PASS
NTNV	GSM900	63	7	1200	21.54	-80.80	-60.00	PASS
NTNV	GSM900	63	7	1400	21.54	-81.27	-60.00	PASS
NTNV	GSM900	63	7	1600	21.54	-82.26	-60.00	PASS
NTNV	GSM900	63	7	1800	21.54	-82.61	-60.00	PASS
NTNV	GSM900	63	11	-1800	13.83	-81.91	-60.00	PASS
NTNV	GSM900	63	11	-1600	13.83	-81.40	-60.00	PASS
NTNV	GSM900	63	11	-1400	13.83	-80.40	-60.00	PASS
NTNV	GSM900	63	11	-1200	13.83	-79.59	-60.00	PASS
NTNV	GSM900	63	11	-1000	13.83	-78.59	-60.00	PASS
NTNV	GSM900	63	11	-800	13.83	-76.73	-60.00	PASS
NTNV	GSM900	63	11	-600	13.83	-74.66	-60.00	PASS
NTNV	GSM900	63	11	-400	13.83	-69.24	-60.00	PASS
NTNV	GSM900	63	11	-250	13.83	-41.35	-33.00	PASS
NTNV	GSM900	63	11	-200	13.83	-36.96	-30.00	PASS
NTNV	GSM900	63	11	-100	13.83	-8.84	0.50	PASS
NTNV	GSM900	63	11	100	13.83	-8.92	0.50	PASS



NTNV	GSM900	63	11	200	13.83	-37.19	-30.00	PASS
NTNV	GSM900	63	11	250	13.83	-41.24	-33.00	PASS
NTNV	GSM900	63	11	400	13.83	-69.56	-60.00	PASS
NTNV	GSM900	63	11	600	13.83	-74.93	-60.00	PASS
NTNV	GSM900	63	11	800	13.83	-77.18	-60.00	PASS
NTNV	GSM900	63	11	1000	13.83	-78.91	-60.00	PASS
NTNV	GSM900	63	11	1200	13.83	-80.11	-60.00	PASS
NTNV	GSM900	63	11	1400	13.83	-80.83	-60.00	PASS
NTNV	GSM900	63	11	1600	13.83	-81.89	-60.00	PASS
NTNV	GSM900	63	11	1800	13.83	-82.22	-60.00	PASS
NTNV	GSM900	63	19	-1800	-1.98	-76.74	-60.00	PASS
NTNV	GSM900	63	19	-1600	-1.98	-75.23	-60.00	PASS
NTNV	GSM900	63	19	-1400	-1.98	-74.32	-60.00	PASS
NTNV	GSM900	63	19	-1200	-1.98	-72.53	-60.00	PASS
NTNV	GSM900	63	19	-1000	-1.98	-71.06	-60.00	PASS
NTNV	GSM900	63	19	-800	-1.98	-69.11	-60.00	PASS
NTNV	GSM900	63	19	-600	-1.98	-66.60	-60.00	PASS
NTNV	GSM900	63	19	-400	-1.98	-63.46	-60.00	PASS
NTNV	GSM900	63	19	-250	-1.98	-41.06	-33.00	PASS
NTNV	GSM900	63	19	-200	-1.98	-36.78	-30.00	PASS
NTNV	GSM900	63	19	-100	-1.98	-8.54	0.50	PASS
NTNV	GSM900	63	19	100	-1.98	-8.68	0.50	PASS
NTNV	GSM900	63	19	200	-1.98	-36.66	-30.00	PASS
NTNV	GSM900	63	19	250	-1.98	-41.22	-33.00	PASS
NTNV	GSM900	63	19	400	-1.98	-63.97	-60.00	PASS
NTNV	GSM900	63	19	600	-1.98	-67.04	-60.00	PASS
NTNV	GSM900	63	19	800	-1.98	-69.78	-60.00	PASS
NTNV	GSM900	63	19	1000	-1.98	-71.97	-60.00	PASS
NTNV	GSM900	63	19	1200	-1.98	-73.77	-60.00	PASS
NTNV	GSM900	63	19	1400	-1.98	-75.17	-60.00	PASS
NTNV	GSM900	63	19	1600	-1.98	-76.58	-60.00	PASS
NTNV	GSM900	63	19	1800	-1.98	-77.63	-60.00	PASS
NTNV	GSM900	124	5	-1800	26.25	-81.51	-60.00	PASS
NTNV	GSM900	124	5	-1600	26.25	-82.39	-60.00	PASS
NTNV	GSM900	124	5	-1400	26.25	-81.70	-60.00	PASS
NTNV	GSM900	124	5	-1200	26.25	-81.00	-60.00	PASS
NTNV	GSM900	124	5	-1000	26.25	-79.75	-60.00	PASS
NTNV	GSM900	124	5	-800	26.25	-78.55	-60.00	PASS
NTNV	GSM900	124	5	-600	26.25	-75.97	-60.00	PASS
NTNV	GSM900	124	5	-400	26.25	-70.06	-60.00	PASS
NTNV	GSM900	124	5	-250	26.25	-41.37	-33.00	PASS
NTNV	GSM900	124	5	-200	26.25	-36.65	-30.00	PASS
NTNV	GSM900	124	5	-100	26.25	-8.39	0.50	PASS



NTNV	GSM900	124	5	100	26.25	-8.96	0.50	PASS
NTNV	GSM900	124	5	200	26.25	-36.88	-30.00	PASS
NTNV	GSM900	124	5	250	26.25	-41.08	-33.00	PASS
NTNV	GSM900	124	5	400	26.25	-70.40	-60.00	PASS
NTNV	GSM900	124	5	600	26.25	-76.33	-60.00	PASS
NTNV	GSM900	124	5	800	26.25	-78.44	-60.00	PASS
NTNV	GSM900	124	5	1000	26.25	-79.96	-60.00	PASS
NTNV	GSM900	124	5	1200	26.25	-80.87	-60.00	PASS
NTNV	GSM900	124	5	1400	26.25	-81.46	-60.00	PASS
NTNV	GSM900	124	5	1600	26.25	-82.75	-60.00	PASS
NTNV	GSM900	124	5	1800	26.25	-81.57	-60.00	PASS
NTNV	GSM900	124	7	-1800	21.59	-81.28	-60.00	PASS
NTNV	GSM900	124	7	-1600	21.59	-82.09	-60.00	PASS
NTNV	GSM900	124	7	-1400	21.59	-81.34	-60.00	PASS
NTNV	GSM900	124	7	-1200	21.59	-80.36	-60.00	PASS
NTNV	GSM900	124	7	-1000	21.59	-79.46	-60.00	PASS
NTNV	GSM900	124	7	-800	21.59	-78.06	-60.00	PASS
NTNV	GSM900	124	7	-600	21.59	-75.55	-60.00	PASS
NTNV	GSM900	124	7	-400	21.59	-69.92	-60.00	PASS
NTNV	GSM900	124	7	-250	21.59	-41.66	-33.00	PASS
NTNV	GSM900	124	7	-200	21.59	-36.71	-30.00	PASS
NTNV	GSM900	124	7	-100	21.59	-8.88	0.50	PASS
NTNV	GSM900	124	7	100	21.59	-8.59	0.50	PASS
NTNV	GSM900	124	7	200	21.59	-37.08	-30.00	PASS
NTNV	GSM900	124	7	250	21.59	-41.22	-33.00	PASS
NTNV	GSM900	124	7	400	21.59	-70.05	-60.00	PASS
NTNV	GSM900	124	7	600	21.59	-75.85	-60.00	PASS
NTNV	GSM900	124	7	800	21.59	-78.15	-60.00	PASS
NTNV	GSM900	124	7	1000	21.59	-79.48	-60.00	PASS
NTNV	GSM900	124	7	1200	21.59	-80.41	-60.00	PASS
NTNV	GSM900	124	7	1400	21.59	-81.20	-60.00	PASS
NTNV	GSM900	124	7	1600	21.59	-82.19	-60.00	PASS
NTNV	GSM900	124	7	1800	21.59	-81.57	-60.00	PASS
NTNV	GSM900	124	11	-1800	13.81	-80.90	-60.00	PASS
NTNV	GSM900	124	11	-1600	13.81	-81.56	-60.00	PASS
NTNV	GSM900	124	11	-1400	13.81	-80.60	-60.00	PASS
NTNV	GSM900	124	11	-1200	13.81	-79.84	-60.00	PASS
NTNV	GSM900	124	11	-1000	13.81	-78.40	-60.00	PASS
NTNV	GSM900	124	11	-800	13.81	-76.87	-60.00	PASS
NTNV	GSM900	124	11	-600	13.81	-74.35	-60.00	PASS
NTNV	GSM900	124	11	-400	13.81	-69.46	-60.00	PASS
NTNV	GSM900	124	11	-250	13.81	-41.52	-33.00	PASS
NTNV	GSM900	124	11	-200	13.81	-36.75	-30.00	PASS



NTNV	GSM900	124	11	-100	13.81	-8.52	0.50	PASS
NTNV	GSM900	124	11	100	13.81	-8.77	0.50	PASS
NTNV	GSM900	124	11	200	13.81	-37.02	-30.00	PASS
NTNV	GSM900	124	11	250	13.81	-41.39	-33.00	PASS
NTNV	GSM900	124	11	400	13.81	-69.87	-60.00	PASS
NTNV	GSM900	124	11	600	13.81	-74.97	-60.00	PASS
NTNV	GSM900	124	11	800	13.81	-77.19	-60.00	PASS
NTNV	GSM900	124	11	1000	13.81	-79.04	-60.00	PASS
NTNV	GSM900	124	11	1200	13.81	-79.81	-60.00	PASS
NTNV	GSM900	124	11	1400	13.81	-80.90	-60.00	PASS
NTNV	GSM900	124	11	1600	13.81	-81.93	-60.00	PASS
NTNV	GSM900	124	11	1800	13.81	-81.30	-60.00	PASS
NTNV	GSM900	124	19	-1800	-1.60	-76.64	-60.00	PASS
NTNV	GSM900	124	19	-1600	-1.60	-75.71	-60.00	PASS
NTNV	GSM900	124	19	-1400	-1.60	-74.36	-60.00	PASS
NTNV	GSM900	124	19	-1200	-1.60	-73.02	-60.00	PASS
NTNV	GSM900	124	19	-1000	-1.60	-71.23	-60.00	PASS
NTNV	GSM900	124	19	-800	-1.60	-69.19	-60.00	PASS
NTNV	GSM900	124	19	-600	-1.60	-66.67	-60.00	PASS
NTNV	GSM900	124	19	-400	-1.60	-63.72	-60.00	PASS
NTNV	GSM900	124	19	-250	-1.60	-41.21	-33.00	PASS
NTNV	GSM900	124	19	-200	-1.60	-36.98	-30.00	PASS
NTNV	GSM900	124	19	-100	-1.60	-8.71	0.50	PASS
NTNV	GSM900	124	19	100	-1.60	-9.04	0.50	PASS
NTNV	GSM900	124	19	200	-1.60	-36.99	-30.00	PASS
NTNV	GSM900	124	19	250	-1.60	-41.02	-33.00	PASS
NTNV	GSM900	124	19	400	-1.60	-64.19	-60.00	PASS
NTNV	GSM900	124	19	600	-1.60	-67.35	-60.00	PASS
NTNV	GSM900	124	19	800	-1.60	-69.81	-60.00	PASS
NTNV	GSM900	124	19	1000	-1.60	-72.30	-60.00	PASS
NTNV	GSM900	124	19	1200	-1.60	-74.08	-60.00	PASS
NTNV	GSM900	124	19	1400	-1.60	-75.40	-60.00	PASS
NTNV	GSM900	124	19	1600	-1.60	-76.85	-60.00	PASS
NTNV	GSM900	124	19	1800	-1.60	-77.48	-60.00	PASS
NTNV	GSM1800	512	0	-1800	24.22	-81.49	-60.00	PASS
NTNV	GSM1800	512	0	-1600	24.22	-81.05	-60.00	PASS
NTNV	GSM1800	512	0	-1400	24.22	-80.12	-60.00	PASS
NTNV	GSM1800	512	0	-1200	24.22	-79.20	-60.00	PASS
NTNV	GSM1800	512	0	-1000	24.22	-77.79	-60.00	PASS
NTNV	GSM1800	512	0	-800	24.22	-75.76	-60.00	PASS
NTNV	GSM1800	512	0	-600	24.22	-73.41	-60.00	PASS
NTNV	GSM1800	512	0	-400	24.22	-67.70	-60.00	PASS
NTNV	GSM1800	512	0	-250	24.22	-41.66	-33.00	PASS



NTNV	GSM1800	512	0	-200	24.22	-36.94	-30.00	PASS
NTNV	GSM1800	512	0	-100	24.22	-9.07	0.50	PASS
NTNV	GSM1800	512	0	100	24.22	-9.14	0.50	PASS
NTNV	GSM1800	512	0	200	24.22	-37.10	-30.00	PASS
NTNV	GSM1800	512	0	250	24.22	-41.43	-33.00	PASS
NTNV	GSM1800	512	0	400	24.22	-67.75	-60.00	PASS
NTNV	GSM1800	512	0	600	24.22	-73.26	-60.00	PASS
NTNV	GSM1800	512	0	800	24.22	-75.53	-60.00	PASS
NTNV	GSM1800	512	0	1000	24.22	-77.78	-60.00	PASS
NTNV	GSM1800	512	0	1200	24.22	-78.90	-60.00	PASS
NTNV	GSM1800	512	0	1400	24.22	-80.06	-60.00	PASS
NTNV	GSM1800	512	0	1600	24.22	-81.00	-60.00	PASS
NTNV	GSM1800	512	0	1800	24.22	-81.47	-60.00	PASS
NTNV	GSM1800	512	7	-1800	8.03	-80.42	-60.00	PASS
NTNV	GSM1800	512	7	-1600	8.03	-79.70	-60.00	PASS
NTNV	GSM1800	512	7	-1400	8.03	-78.52	-60.00	PASS
NTNV	GSM1800	512	7	-1200	8.03	-77.03	-60.00	PASS
NTNV	GSM1800	512	7	-1000	8.03	-76.30	-60.00	PASS
NTNV	GSM1800	512	7	-800	8.03	-74.10	-60.00	PASS
NTNV	GSM1800	512	7	-600	8.03	-71.82	-60.00	PASS
NTNV	GSM1800	512	7	-400	8.03	-66.79	-60.00	PASS
NTNV	GSM1800	512	7	-250	8.03	-41.45	-33.00	PASS
NTNV	GSM1800	512	7	-200	8.03	-36.84	-30.00	PASS
NTNV	GSM1800	512	7	-100	8.03	-9.24	0.50	PASS
NTNV	GSM1800	512	7	100	8.03	-8.77	0.50	PASS
NTNV	GSM1800	512	7	200	8.03	-37.14	-30.00	PASS
NTNV	GSM1800	512	7	250	8.03	-41.12	-33.00	PASS
NTNV	GSM1800	512	7	400	8.03	-67.04	-60.00	PASS
NTNV	GSM1800	512	7	600	8.03	-71.99	-60.00	PASS
NTNV	GSM1800	512	7	800	8.03	-74.57	-60.00	PASS
NTNV	GSM1800	512	7	1000	8.03	-76.39	-60.00	PASS
NTNV	GSM1800	512	7	1200	8.03	-77.58	-60.00	PASS
NTNV	GSM1800	512	7	1400	8.03	-78.82	-60.00	PASS
NTNV	GSM1800	512	7	1600	8.03	-79.87	-60.00	PASS
NTNV	GSM1800	512	7	1800	8.03	-80.30	-60.00	PASS
NTNV	GSM1800	512	11	-1800	-0.23	-78.69	-60.00	PASS
NTNV	GSM1800	512	11	-1600	-0.23	-77.66	-60.00	PASS
NTNV	GSM1800	512	11	-1400	-0.23	-76.91	-60.00	PASS
NTNV	GSM1800	512	11	-1200	-0.23	-75.30	-60.00	PASS
NTNV	GSM1800	512	11	-1000	-0.23	-73.84	-60.00	PASS
NTNV	GSM1800	512	11	-800	-0.23	-71.91	-60.00	PASS
NTNV	GSM1800	512	11	-600	-0.23	-69.41	-60.00	PASS
NTNV	GSM1800	512	11	-400	-0.23	-65.33	-60.00	PASS



NTNV	GSM1800	512	11	-250	-0.23	-41.43	-33.00	PASS
NTNV	GSM1800	512	11	-200	-0.23	-36.90	-30.00	PASS
NTNV	GSM1800	512	11	-100	-0.23	-8.86	0.50	PASS
NTNV	GSM1800	512	11	100	-0.23	-8.75	0.50	PASS
NTNV	GSM1800	512	11	200	-0.23	-37.13	-30.00	PASS
NTNV	GSM1800	512	11	250	-0.23	-40.95	-33.00	PASS
NTNV	GSM1800	512	11	400	-0.23	-65.77	-60.00	PASS
NTNV	GSM1800	512	11	600	-0.23	-69.50	-60.00	PASS
NTNV	GSM1800	512	11	800	-0.23	-71.93	-60.00	PASS
NTNV	GSM1800	512	11	1000	-0.23	-74.25	-60.00	PASS
NTNV	GSM1800	512	11	1200	-0.23	-75.52	-60.00	PASS
NTNV	GSM1800	512	11	1400	-0.23	-76.65	-60.00	PASS
NTNV	GSM1800	512	11	1600	-0.23	-78.11	-60.00	PASS
NTNV	GSM1800	512	11	1800	-0.23	-78.61	-60.00	PASS
NTNV	GSM1800	512	15	-1800	-7.23	-77.17	-60.00	PASS
NTNV	GSM1800	512	15	-1600	-7.23	-76.18	-60.00	PASS
NTNV	GSM1800	512	15	-1400	-7.23	-75.19	-60.00	PASS
NTNV	GSM1800	512	15	-1200	-7.23	-73.64	-60.00	PASS
NTNV	GSM1800	512	15	-1000	-7.23	-72.26	-60.00	PASS
NTNV	GSM1800	512	15	-800	-7.23	-69.84	-60.00	PASS
NTNV	GSM1800	512	15	-600	-7.23	-67.26	-60.00	PASS
NTNV	GSM1800	512	15	-400	-7.23	-63.82	-60.00	PASS
NTNV	GSM1800	512	15	-250	-7.23	-41.19	-33.00	PASS
NTNV	GSM1800	512	15	-200	-7.23	-36.67	-30.00	PASS
NTNV	GSM1800	512	15	-100	-7.23	-8.60	0.50	PASS
NTNV	GSM1800	512	15	100	-7.23	-8.93	0.50	PASS
NTNV	GSM1800	512	15	200	-7.23	-36.85	-30.00	PASS
NTNV	GSM1800	512	15	250	-7.23	-41.27	-33.00	PASS
NTNV	GSM1800	512	15	400	-7.23	-64.07	-60.00	PASS
NTNV	GSM1800	512	15	600	-7.23	-67.88	-60.00	PASS
NTNV	GSM1800	512	15	800	-7.23	-70.31	-60.00	PASS
NTNV	GSM1800	512	15	1000	-7.23	-72.17	-60.00	PASS
NTNV	GSM1800	512	15	1200	-7.23	-74.10	-60.00	PASS
NTNV	GSM1800	512	15	1400	-7.23	-75.45	-60.00	PASS
NTNV	GSM1800	512	15	1600	-7.23	-76.56	-60.00	PASS
NTNV	GSM1800	512	15	1800	-7.23	-77.68	-60.00	PASS
NTNV	GSM1800	698	0	-1800	24.14	-81.29	-60.00	PASS
NTNV	GSM1800	698	0	-1600	24.14	-80.82	-60.00	PASS
NTNV	GSM1800	698	0	-1400	24.14	-80.15	-60.00	PASS
NTNV	GSM1800	698	0	-1200	24.14	-78.96	-60.00	PASS
NTNV	GSM1800	698	0	-1000	24.14	-77.49	-60.00	PASS
NTNV	GSM1800	698	0	-800	24.14	-75.46	-60.00	PASS
NTNV	GSM1800	698	0	-600	24.14	-72.95	-60.00	PASS



NTNV	GSM1800	698	0	-400	24.14	-67.86	-60.00	PASS
NTNV	GSM1800	698	0	-250	24.14	-41.49	-33.00	PASS
NTNV	GSM1800	698	0	-200	24.14	-36.50	-30.00	PASS
NTNV	GSM1800	698	0	-100	24.14	-8.83	0.50	PASS
NTNV	GSM1800	698	0	100	24.14	-8.36	0.50	PASS
NTNV	GSM1800	698	0	200	24.14	-36.92	-30.00	PASS
NTNV	GSM1800	698	0	250	24.14	-41.20	-33.00	PASS
NTNV	GSM1800	698	0	400	24.14	-67.72	-60.00	PASS
NTNV	GSM1800	698	0	600	24.14	-72.93	-60.00	PASS
NTNV	GSM1800	698	0	800	24.14	-75.53	-60.00	PASS
NTNV	GSM1800	698	0	1000	24.14	-77.50	-60.00	PASS
NTNV	GSM1800	698	0	1200	24.14	-78.66	-60.00	PASS
NTNV	GSM1800	698	0	1400	24.14	-79.96	-60.00	PASS
NTNV	GSM1800	698	0	1600	24.14	-80.89	-60.00	PASS
NTNV	GSM1800	698	0	1800	24.14	-81.37	-60.00	PASS
NTNV	GSM1800	698	7	-1800	8.29	-80.08	-60.00	PASS
NTNV	GSM1800	698	7	-1600	8.29	-79.39	-60.00	PASS
NTNV	GSM1800	698	7	-1400	8.29	-78.36	-60.00	PASS
NTNV	GSM1800	698	7	-1200	8.29	-77.55	-60.00	PASS
NTNV	GSM1800	698	7	-1000	8.29	-76.08	-60.00	PASS
NTNV	GSM1800	698	7	-800	8.29	-74.03	-60.00	PASS
NTNV	GSM1800	698	7	-600	8.29	-71.44	-60.00	PASS
NTNV	GSM1800	698	7	-400	8.29	-66.80	-60.00	PASS
NTNV	GSM1800	698	7	-250	8.29	-41.32	-33.00	PASS
NTNV	GSM1800	698	7	-200	8.29	-36.65	-30.00	PASS
NTNV	GSM1800	698	7	-100	8.29	-8.77	0.50	PASS
NTNV	GSM1800	698	7	100	8.29	-9.02	0.50	PASS
NTNV	GSM1800	698	7	200	8.29	-36.81	-30.00	PASS
NTNV	GSM1800	698	7	250	8.29	-41.04	-33.00	PASS
NTNV	GSM1800	698	7	400	8.29	-66.79	-60.00	PASS
NTNV	GSM1800	698	7	600	8.29	-71.76	-60.00	PASS
NTNV	GSM1800	698	7	800	8.29	-74.15	-60.00	PASS
NTNV	GSM1800	698	7	1000	8.29	-76.12	-60.00	PASS
NTNV	GSM1800	698	7	1200	8.29	-77.61	-60.00	PASS
NTNV	GSM1800	698	7	1400	8.29	-78.69	-60.00	PASS
NTNV	GSM1800	698	7	1600	8.29	-79.76	-60.00	PASS
NTNV	GSM1800	698	7	1800	8.29	-80.33	-60.00	PASS
NTNV	GSM1800	698	11	-1800	0.45	-78.98	-60.00	PASS
NTNV	GSM1800	698	11	-1600	0.45	-77.94	-60.00	PASS
NTNV	GSM1800	698	11	-1400	0.45	-76.93	-60.00	PASS
NTNV	GSM1800	698	11	-1200	0.45	-75.61	-60.00	PASS
NTNV	GSM1800	698	11	-1000	0.45	-73.93	-60.00	PASS
NTNV	GSM1800	698	11	-800	0.45	-72.05	-60.00	PASS



NTNV	GSM1800	698	11	-600	0.45	-69.47	-60.00	PASS
NTNV	GSM1800	698	11	-400	0.45	-65.42	-60.00	PASS
NTNV	GSM1800	698	11	-250	0.45	-41.22	-33.00	PASS
NTNV	GSM1800	698	11	-200	0.45	-36.89	-30.00	PASS
NTNV	GSM1800	698	11	-100	0.45	-9.18	0.50	PASS
NTNV	GSM1800	698	11	100	0.45	-8.82	0.50	PASS
NTNV	GSM1800	698	11	200	0.45	-37.02	-30.00	PASS
NTNV	GSM1800	698	11	250	0.45	-41.24	-33.00	PASS
NTNV	GSM1800	698	11	400	0.45	-65.34	-60.00	PASS
NTNV	GSM1800	698	11	600	0.45	-69.61	-60.00	PASS
NTNV	GSM1800	698	11	800	0.45	-72.08	-60.00	PASS
NTNV	GSM1800	698	11	1000	0.45	-74.17	-60.00	PASS
NTNV	GSM1800	698	11	1200	0.45	-75.52	-60.00	PASS
NTNV	GSM1800	698	11	1400	0.45	-77.08	-60.00	PASS
NTNV	GSM1800	698	11	1600	0.45	-78.27	-60.00	PASS
NTNV	GSM1800	698	11	1800	0.45	-78.88	-60.00	PASS
NTNV	GSM1800	698	15	-1800	-6.86	-77.20	-60.00	PASS
NTNV	GSM1800	698	15	-1600	-6.86	-75.89	-60.00	PASS
NTNV	GSM1800	698	15	-1400	-6.86	-74.69	-60.00	PASS
NTNV	GSM1800	698	15	-1200	-6.86	-73.31	-60.00	PASS
NTNV	GSM1800	698	15	-1000	-6.86	-71.56	-60.00	PASS
NTNV	GSM1800	698	15	-800	-6.86	-69.60	-60.00	PASS
NTNV	GSM1800	698	15	-600	-6.86	-67.12	-60.00	PASS
NTNV	GSM1800	698	15	-400	-6.86	-63.54	-60.00	PASS
NTNV	GSM1800	698	15	-250	-6.86	-41.26	-33.00	PASS
NTNV	GSM1800	698	15	-200	-6.86	-36.52	-30.00	PASS
NTNV	GSM1800	698	15	-100	-6.86	-8.71	0.50	PASS
NTNV	GSM1800	698	15	100	-6.86	-8.57	0.50	PASS
NTNV	GSM1800	698	15	200	-6.86	-36.49	-30.00	PASS
NTNV	GSM1800	698	15	250	-6.86	-41.28	-33.00	PASS
NTNV	GSM1800	698	15	400	-6.86	-63.74	-60.00	PASS
NTNV	GSM1800	698	15	600	-6.86	-67.24	-60.00	PASS
NTNV	GSM1800	698	15	800	-6.86	-69.78	-60.00	PASS
NTNV	GSM1800	698	15	1000	-6.86	-71.92	-60.00	PASS
NTNV	GSM1800	698	15	1200	-6.86	-73.43	-60.00	PASS
NTNV	GSM1800	698	15	1400	-6.86	-74.89	-60.00	PASS
NTNV	GSM1800	698	15	1600	-6.86	-75.96	-60.00	PASS
NTNV	GSM1800	698	15	1800	-6.86	-77.42	-60.00	PASS
NTNV	GSM1800	885	0	-1800	24.33	-81.36	-60.00	PASS
NTNV	GSM1800	885	0	-1600	24.33	-80.69	-60.00	PASS
NTNV	GSM1800	885	0	-1400	24.33	-79.71	-60.00	PASS
NTNV	GSM1800	885	0	-1200	24.33	-78.64	-60.00	PASS
NTNV	GSM1800	885	0	-1000	24.33	-77.62	-60.00	PASS




NTNV	GSM1800	885	0	-800	24.33	-75.42	-60.00	PASS
NTNV	GSM1800	885	0	-600	24.33	-72.94	-60.00	PASS
NTNV	GSM1800	885	0	-400	24.33	-67.77	-60.00	PASS
NTNV	GSM1800	885	0	-250	24.33	-41.52	-33.00	PASS
NTNV	GSM1800	885	0	-200	24.33	-36.72	-30.00	PASS
NTNV	GSM1800	885	0	-100	24.33	-8.69	0.50	PASS
NTNV	GSM1800	885	0	100	24.33	-8.77	0.50	PASS
NTNV	GSM1800	885	0	200	24.33	-36.76	-30.00	PASS
NTNV	GSM1800	885	0	250	24.33	-41.15	-33.00	PASS
NTNV	GSM1800	885	0	400	24.33	-67.67	-60.00	PASS
NTNV	GSM1800	885	0	600	24.33	-72.68	-60.00	PASS
NTNV	GSM1800	885	0	800	24.33	-75.26	-60.00	PASS
NTNV	GSM1800	885	0	1000	24.33	-77.60	-60.00	PASS
NTNV	GSM1800	885	0	1200	24.33	-78.47	-60.00	PASS
NTNV	GSM1800	885	0	1400	24.33	-79.72	-60.00	PASS
NTNV	GSM1800	885	0	1600	24.33	-80.79	-60.00	PASS
NTNV	GSM1800	885	0	1800	24.33	-81.41	-60.00	PASS
NTNV	GSM1800	885	7	-1800	8.24	-80.19	-60.00	PASS
NTNV	GSM1800	885	7	-1600	8.24	-79.66	-60.00	PASS
NTNV	GSM1800	885	7	-1400	8.24	-78.49	-60.00	PASS
NTNV	GSM1800	885	7	-1200	8.24	-77.40	-60.00	PASS
NTNV	GSM1800	885	7	-1000	8.24	-75.72	-60.00	PASS
NTNV	GSM1800	885	7	-800	8.24	-73.49	-60.00	PASS
NTNV	GSM1800	885	7	-600	8.24	-71.30	-60.00	PASS
NTNV	GSM1800	885	7	-400	8.24	-66.67	-60.00	PASS
NTNV	GSM1800	885	7	-250	8.24	-41.14	-33.00	PASS
NTNV	GSM1800	885	7	-200	8.24	-36.57	-30.00	PASS
NTNV	GSM1800	885	7	-100	8.24	-8.83	0.50	PASS
NTNV	GSM1800	885	7	100	8.24	-8.64	0.50	PASS
NTNV	GSM1800	885	7	200	8.24	-37.05	-30.00	PASS
NTNV	GSM1800	885	7	250	8.24	-40.97	-33.00	PASS
NTNV	GSM1800	885	7	400	8.24	-66.88	-60.00	PASS
NTNV	GSM1800	885	7	600	8.24	-71.33	-60.00	PASS
NTNV	GSM1800	885	7	800	8.24	-73.84	-60.00	PASS
NTNV	GSM1800	885	7	1000	8.24	-75.92	-60.00	PASS
NTNV	GSM1800	885	7	1200	8.24	-77.35	-60.00	PASS
NTNV	GSM1800	885	7	1400	8.24	-78.53	-60.00	PASS
NTNV	GSM1800	885	7	1600	8.24	-79.13	-60.00	PASS
NTNV	GSM1800	885	7	1800	8.24	-80.41	-60.00	PASS
NTNV	GSM1800	885	11	-1800	0.54	-78.59	-60.00	PASS
NTNV	GSM1800	885	11	-1600	0.54	-77.82	-60.00	PASS
NTNV	GSM1800	885	11	-1400	0.54	-76.67	-60.00	PASS
NTNV	GSM1800	885	11	-1200	0.54	-75.23	-60.00	PASS




NTNV	GSM1800	885	11	-1000	0.54	-73.63	-60.00	PASS
NTNV	GSM1800	885	11	-800	0.54	-71.64	-60.00	PASS
NTNV	GSM1800	885	11	-600	0.54	-69.24	-60.00	PASS
NTNV	GSM1800	885	11	-400	0.54	-65.30	-60.00	PASS
NTNV	GSM1800	885	11	-250	0.54	-41.10	-33.00	PASS
NTNV	GSM1800	885	11	-200	0.54	-36.87	-30.00	PASS
NTNV	GSM1800	885	11	-100	0.54	-8.56	0.50	PASS
NTNV	GSM1800	885	11	100	0.54	-9.01	0.50	PASS
NTNV	GSM1800	885	11	200	0.54	-36.84	-30.00	PASS
NTNV	GSM1800	885	11	250	0.54	-41.16	-33.00	PASS
NTNV	GSM1800	885	11	400	0.54	-65.35	-60.00	PASS
NTNV	GSM1800	885	11	600	0.54	-69.27	-60.00	PASS
NTNV	GSM1800	885	11	800	0.54	-71.77	-60.00	PASS
NTNV	GSM1800	885	11	1000	0.54	-73.91	-60.00	PASS
NTNV	GSM1800	885	11	1200	0.54	-75.39	-60.00	PASS
NTNV	GSM1800	885	11	1400	0.54	-76.73	-60.00	PASS
NTNV	GSM1800	885	11	1600	0.54	-77.87	-60.00	PASS
NTNV	GSM1800	885	11	1800	0.54	-78.73	-60.00	PASS
NTNV	GSM1800	885	15	-1800	-6.42	-77.13	-60.00	PASS
NTNV	GSM1800	885	15	-1600	-6.42	-76.13	-60.00	PASS
NTNV	GSM1800	885	15	-1400	-6.42	-74.60	-60.00	PASS
NTNV	GSM1800	885	15	-1200	-6.42	-73.42	-60.00	PASS
NTNV	GSM1800	885	15	-1000	-6.42	-71.55	-60.00	PASS
NTNV	GSM1800	885	15	-800	-6.42	-69.41	-60.00	PASS
NTNV	GSM1800	885	15	-600	-6.42	-67.13	-60.00	PASS
NTNV	GSM1800	885	15	-400	-6.42	-63.32	-60.00	PASS
NTNV	GSM1800	885	15	-250	-6.42	-41.24	-33.00	PASS
NTNV	GSM1800	885	15	-200	-6.42	-36.86	-30.00	PASS
NTNV	GSM1800	885	15	-100	-6.42	-8.76	0.50	PASS
NTNV	GSM1800	885	15	100	-6.42	-8.75	0.50	PASS
NTNV	GSM1800	885	15	200	-6.42	-37.06	-30.00	PASS
NTNV	GSM1800	885	15	250	-6.42	-41.10	-33.00	PASS
NTNV	GSM1800	885	15	400	-6.42	-63.61	-60.00	PASS
NTNV	GSM1800	885	15	600	-6.42	-67.31	-60.00	PASS
NTNV	GSM1800	885	15	800	-6.42	-69.92	-60.00	PASS
NTNV	GSM1800	885	15	1000	-6.42	-71.87	-60.00	PASS
NTNV	GSM1800	885	15	1200	-6.42	-73.41	-60.00	PASS
NTNV	GSM1800	885	15	1400	-6.42	-75.01	-60.00	PASS
NTNV	GSM1800	885	15	1600	-6.42	-76.04	-60.00	PASS
NTNV	GSM1800	885	15	1800	-6.42	-77.36	-60.00	PASS

Test Graphs-Switching Spectrum and Modulation Spectrum

NTNV-GSM900-975-5




NTNV-GSM900-975-7




NTNV-GSM900-975-11



NTNV-GSM900-975-19




NTNV-GSM900-63-5




NTNV-GSM900-63-7




NTNV-GSM900-63-11




NTNV-GSM900-63-19




NTNV-GSM900-124-5




NTNV-GSM900-124-7




NTNV-GSM900-124-11



NTNV-GSM900-124-19




NTNV-GSM1800-512-0



NTNV-GSM1800-512-7




NTNV-GSM1800-512-11




NTNV-GSM1800-512-15




NTNV-GSM1800-698-0




NTNV-GSM1800-698-7




NTNV-GSM1800-698-11




NTNV-GSM1800-698-15



NTNV-GSM1800-885-0




NTNV-GSM1800-885-7



NTNV-GSM1800-885-11



NTNV-GSM1800-885-15



Appendix E: Conducted Spurious Emissions - MS allocated a channel

Test Result

Condition	Band	Ch.	TestFrequency (MHz)	Max. Freq (MHz)	Max. Leve (dBm)	Limit (dBm)	Verdict
NTNV	GSM900	63	0.009~0.1	0.01	-52.3	-36	PASS
NTNV	GSM900	63	0.1~50	0.1	-48.04	-36	PASS
NTNV	GSM900	63	50~300	225.01	-68.56	-36	PASS
NTNV	GSM900	63	300~500	389.89	-68.56	-36	PASS
NTNV	GSM900	63	500~850	779.87	-50.8	-36	PASS
NTNV	GSM900	63	850~860	851.16	-53.57	-36	PASS
NTNV	GSM900	63	860~870	866.41	-60.33	-36	PASS
NTNV	GSM900	63	870~874	870.92	-64.92	-36	PASS
NTNV	GSM900	63	874~880	876.62	-58.93	-36	PASS
NTNV	GSM900	63	880~896.6	896.57	-56.49	-36	PASS
NTNV	GSM900	63	896.6~900.8	899.75	-59.25	-36	PASS
NTNV	GSM900	63	904.4~908.6	907.24	-60.65	-36	PASS
NTNV	GSM900	63	908.6~915	908.85	-58.11	-36	PASS
NTNV	GSM900	63	915~925	915.52	-62.51	-36	PASS
NTNV	GSM900	63	960~1000	997.21	-48.78	-36	PASS
NTNV	GSM900	63	1000~1395	1349.88	-48.98	-30	PASS
NTNV	GSM900	63	1395~1805	1804.15	-45.89	-30	PASS
NTNV	GSM900	63	1880~2000	1939.1	-41.79	-30	PASS
NTNV	GSM900	63	2000~3000	2708.47	-37.35	-30	PASS
NTNV	GSM900	63	3000~6000	3475.6	-43.56	-30	PASS
NTNV	GSM900	63	6000~8000	7357.07	-41.94	-30	PASS
NTNV	GSM900	63	8000~12750	12537.04	-47.79	-30	PASS
NTNV	GSM1800	698	0.009~0.1	0.01	-53.68	-36	PASS
NTNV	GSM1800	698	0.1~50	0.11	-49.17	-36	PASS
NTNV	GSM1800	698	50~300	178.57	-69.86	-36	PASS
NTNV	GSM1800	698	300~500	454.68	-68.42	-36	PASS
NTNV	GSM1800	698	500~925	870.25	-51.15	-36	PASS
NTNV	GSM1800	698	960~1000	984.53	-49.02	-36	PASS
NTNV	GSM1800	698	1000~1680	1553.66	-48.54	-30	PASS
NTNV	GSM1800	698	1680~1690	1685.22	-48.18	-30	PASS
NTNV	GSM1800	698	1690~1700	1698.27	-53.41	-30	PASS
NTNV	GSM1800	698	1700~1710	1700.2	-57.88	-30	PASS
NTNV	GSM1800	698	1710~1741.4	1739.57	-58.96	-30	PASS
NTNV	GSM1800	698	1741.4~1745.6	1743.47	-59.06	-30	PASS
NTNV	GSM1800	698	1749.2~1753.4	1752.73	-59.09	-30	PASS



NTNV	GSM1800	698	1753.4~1785	1771.31	-56.58	-30	PASS
NTNV	GSM1800	698	1785~1795	1794.59	-57.74	-30	PASS
NTNV	GSM1800	698	1795~1805	1795.23	-52.42	-30	PASS
NTNV	GSM1800	698	1880~3000	2602.33	-46.61	-30	PASS
NTNV	GSM1800	698	3000~6000	3494.6	-37	-30	PASS
NTNV	GSM1800	698	6000~8000	6023.47	-41.86	-30	PASS
NTNV	GSM1800	698	8000~12750	12581.85	-47.17	-30	PASS

Test Graphs


NTNV-GSM900-63-0.009~0.1-1-3-16.30




NTNV-GSM900-63-0.1~50-10-30-12.04




NTNV-GSM900-63-50~300-100-300-32.56



NTNV-GSM900-63-300~500-100-300-32.56



NTNV-GSM900-63-500~850-3000-3000-14.80




NTNV-GSM900-63-850~860-1000-3000-17.57



NTNV-GSM900-63-860~870-300-1000-24.33



NTNV-GSM900-63-870~874-100-300-28.92




NTNV-GSM900-63-874~880-100-300-22.93




NTNV-GSM900-63-880~896.6-100-300-20.49




NTNV-GSM900-63-896.6~900.8-30-100-23.25




NTNV-GSM900-63-904.4~908.6-30-100-24.65



NTNV-GSM900-63-908.6~915-100-300-22.11




NTNV-GSM900-63-915~925-100-300-26.51




NTNV-GSM900-63-960~1000-3000-3000-12.78




NTNV-GSM900-63-1000~1395-3000-3000-18.98



NTNV-GSM900-63-1395~1805-3000-3000-15.89




NTNV-GSM900-63-1880~2000-3000-3000-11.79




NTNV-GSM900-63-2000~3000-3000-3000-7.35



NTNV-GSM900-63-3000~6000-3000-3000-13.56



NTNV-GSM900-63-6000~8000-3000-3000-11.94



NTNV-GSM900-63-8000~12750-3000-3000-17.79




NTNV-GSM1800-698-0.009~0.1-1-3-17.68




NTNV-GSM1800-698-0.1~50-10-30-13.17




NTNV-GSM1800-698-50~300-100-300-33.86



NTNV-GSM1800-698-300~500-100-300-32.42



NTNV-GSM1800-698-500~925-3000-3000-15.15



NTNV-GSM1800-698-960~1000-3000-3000-13.02




NTNV-GSM1800-698-1000~1680-3000-3000-18.54




NTNV-GSM1800-698-1680~1690-1000-3000-18.18




NTNV-GSM1800-698-1690~1700-300-1000-23.41



NTNV-GSM1800-698-1700~1710-100-300-27.88




NTNV-GSM1800-698-1710~1741.4-100-300-28.96




NTNV-GSM1800-698-1741.4~1745.6-30-100-29.06




NTNV-GSM1800-698-1749.2~1753.4-30-100-29.09




NTNV-GSM1800-698-1753.4~1785-100-300-26.58



NTNV-GSM1800-698-1785~1795-100-300-27.74




NTNV-GSM1800-698-1795~1805-300-1000-22.42



NTNV-GSM1800-698-1880~3000-3000-3000-16.61



NTNV-GSM1800-698-3000~6000-3000-3000-7.00



NTNV-GSM1800-698-6000~8000-3000-3000-11.86



NTNV-GSM1800-698-8000~12750-3000-3000-17.17



Appendix F: Conducted Spurious Emissions - MS in idle mode

Test Result

Condition	Band	Ch.	TestFrequency (MHz)	Max. Freq (MHz)	Max.Level (dBm)	Limit (dBm)	Verdict
NTNV	GSM900	63	0.009~0.1	0.01	-63.32	-57	PASS
NTNV	GSM900	63	0.1~50	0.11	-58.39	-57	PASS
NTNV	GSM900	63	50~300	270.23	-74.24	-57	PASS
NTNV	GSM900	63	300~880	854.04	-72.37	-57	PASS
NTNV	GSM900	63	880~915	886.96	-70.69	-59	PASS
NTNV	GSM900	63	915~1000	920.14	-69.42	-57	PASS
NTNV	GSM900	63	1000~1710	1514.21	-68.1	-47	PASS
NTNV	GSM900	63	1710~1785	1776.96	-67.66	-53	PASS
NTNV	GSM900	63	1785~12750	1928.28	-55.11	-47	PASS
NTNV	GSM1800	698	0.009~0.1	0.01	-61.03	-57	PASS
NTNV	GSM1800	698	0.1~50	0.1	-59.85	-57	PASS
NTNV	GSM1800	698	50~300	194.94	-70.07	-57	PASS
NTNV	GSM1800	698	300~880	728.6	-71.6	-57	PASS
NTNV	GSM1800	698	880~915	904.99	-70.54	-59	PASS
NTNV	GSM1800	698	915~1000	992.57	-70.8	-57	PASS
NTNV	GSM1800	698	1000~1710	1578.46	-68.99	-47	PASS
NTNV	GSM1800	698	1710~1785	1720.18	-67.35	-53	PASS
NTNV	GSM1800	698	1785~12750	1929.74	-60.19	-47	PASS

Test Graphs

NTNV-GSM900-63-0.009~0.1-1-3-6.32




NTNV-GSM900-63-0.1~50-10-30-1.39



NTNV-GSM900-63-50~300-100-300-17.24



NTNV-GSM900-63-300~880-100-300-15.37




NTNV-GSM900-63-880~915-100-300-11.69




NTNV-GSM900-63-915~1000-100-300-12.42



NTNV-GSM900-63-1000~1710-100-300-21.10



NTNV-GSM900-63-1710~1785-100-300-14.66



NTNV-GSM900-63-1785~12750-100-300-8.11



NTNV-GSM1800-698-0.009~0.1-1-3-4.03



NTNV-GSM1800-698-0.1~50-10-30-2.85



NTNV-GSM1800-698-50~300-100-300-16.85



NTNV-GSM1800-698-300~880-100-300-14.60



NTNV-GSM1800-698-880~915-100-300-11.54




NTNV-GSM1800-698-915~1000-100-300-13.80




NTNV-GSM1800-698-1000~1710-100-300-21.99



NTNV-GSM1800-698-1710~1785-100-300-14.35



NTNV-GSM1800-698-1785~12750-100-300-13.19



Appendix G: Transmitter output power in GPRS multislots configuration

Test Result

Condition	Band	Ch.	PCL	Test Slot	Power(dBm)	Limit(dBm)	Power vs time	Verdict
NTNV	GPRS900	975	5	2	28.33	25 to 35	PASS	PASS
NTNV	GPRS900	975	5	3	28.08	25 to 35	PASS	PASS
NTNV	GPRS900	975	5	4	27.99	25 to 35	PASS	PASS
NTNV	GPRS900	975	5	5	27.95	25 to 35	PASS	PASS
NTNV	GPRS900	63	5	2	28.71	25 to 35	PASS	PASS
NTNV	GPRS900	63	5	3	28.46	25 to 35	PASS	PASS
NTNV	GPRS900	63	5	4	28.38	25 to 35	PASS	PASS
NTNV	GPRS900	63	5	5	28.34	25 to 35	PASS	PASS
NTNV	GPRS900	63	6	2	28.68	22 to 34	PASS	PASS
NTNV	GPRS900	63	6	3	28.43	22 to 34	PASS	PASS
NTNV	GPRS900	63	6	4	28.35	22 to 34	PASS	PASS
NTNV	GPRS900	63	6	5	28.31	22 to 34	PASS	PASS
NTNV	GPRS900	63	7	2	28.68	20 to 32	PASS	PASS
NTNV	GPRS900	63	7	3	28.44	20 to 32	PASS	PASS
NTNV	GPRS900	63	7	4	28.35	20 to 32	PASS	PASS
NTNV	GPRS900	63	7	5	28.31	20 to 32	PASS	PASS
NTNV	GPRS900	63	8	2	26.86	18 to 30	PASS	PASS
NTNV	GPRS900	63	8	3	26.67	18 to 30	PASS	PASS
NTNV	GPRS900	63	8	4	26.61	18 to 30	PASS	PASS
NTNV	GPRS900	63	8	5	26.58	18 to 30	PASS	PASS
NTNV	GPRS900	63	9	2	25.01	16 to 28	PASS	PASS
NTNV	GPRS900	63	9	3	24.87	16 to 28	PASS	PASS
NTNV	GPRS900	63	9	4	24.83	16 to 28	PASS	PASS
NTNV	GPRS900	63	9	5	24.80	16 to 28	PASS	PASS
NTNV	GPRS900	63	10	2	23.18	14 to 26	PASS	PASS
NTNV	GPRS900	63	10	3	23.08	14 to 26	PASS	PASS
NTNV	GPRS900	63	10	4	23.06	14 to 26	PASS	PASS
NTNV	GPRS900	63	10	5	23.04	14 to 26	PASS	PASS
NTNV	GPRS900	63	11	2	21.32	12 to 24	PASS	PASS
NTNV	GPRS900	63	11	3	21.24	12 to 24	PASS	PASS
NTNV	GPRS900	63	11	4	21.22	12 to 24	PASS	PASS
NTNV	GPRS900	63	11	5	21.21	12 to 24	PASS	PASS
NTNV	GPRS900	63	12	2	19.34	10 to 22	PASS	PASS
NTNV	GPRS900	63	12	3	19.28	10 to 22	PASS	PASS



NTNV	GPRS900	63	12	4	19.27	10 to 22	PASS	PASS
NTNV	GPRS900	63	12	5	19.27	10 to 22	PASS	PASS
NTNV	GPRS900	63	13	2	17.46	8 to 20	PASS	PASS
NTNV	GPRS900	63	13	3	17.41	8 to 20	PASS	PASS
NTNV	GPRS900	63	13	4	17.40	8 to 20	PASS	PASS
NTNV	GPRS900	63	13	5	17.40	8 to 20	PASS	PASS
NTNV	GPRS900	63	14	2	15.49	6 to 18	PASS	PASS
NTNV	GPRS900	63	14	3	15.45	6 to 18	PASS	PASS
NTNV	GPRS900	63	14	4	15.44	6 to 18	PASS	PASS
NTNV	GPRS900	63	14	5	15.44	6 to 18	PASS	PASS
NTNV	GPRS900	63	15	2	13.61	4 to 16	PASS	PASS
NTNV	GPRS900	63	15	3	13.58	4 to 16	PASS	PASS
NTNV	GPRS900	63	15	4	13.57	4 to 16	PASS	PASS
NTNV	GPRS900	63	15	5	13.57	4 to 16	PASS	PASS
NTNV	GPRS900	63	16	2	11.56	0 to 16	PASS	PASS
NTNV	GPRS900	63	16	3	11.53	0 to 16	PASS	PASS
NTNV	GPRS900	63	16	4	11.52	0 to 16	PASS	PASS
NTNV	GPRS900	63	16	5	11.52	0 to 16	PASS	PASS
NTNV	GPRS900	63	17	2	9.59	-2 to 14	PASS	PASS
NTNV	GPRS900	63	17	3	9.57	-2 to 14	PASS	PASS
NTNV	GPRS900	63	17	4	9.56	-2 to 14	PASS	PASS
NTNV	GPRS900	63	17	5	9.56	-2 to 14	PASS	PASS
NTNV	GPRS900	63	18	2	7.77	-4 to 12	PASS	PASS
NTNV	GPRS900	63	18	3	7.75	-4 to 12	PASS	PASS
NTNV	GPRS900	63	18	4	7.74	-4 to 12	PASS	PASS
NTNV	GPRS900	63	18	5	7.74	-4 to 12	PASS	PASS
NTNV	GPRS900	63	19	2	5.81	-6 to 10	PASS	PASS
NTNV	GPRS900	63	19	3	5.80	-6 to 10	PASS	PASS
NTNV	GPRS900	63	19	4	5.80	-6 to 10	PASS	PASS
NTNV	GPRS900	63	19	5	5.79	-6 to 10	PASS	PASS
NTNV	GPRS900	124	5	2	28.97	25 to 35	PASS	PASS
NTNV	GPRS900	124	5	3	28.73	25 to 35	PASS	PASS
NTNV	GPRS900	124	5	4	28.66	25 to 35	PASS	PASS
NTNV	GPRS900	124	5	5	28.62	25 to 35	PASS	PASS
NTNV	GPRS1800	512	0	2	25.66	22 to 32	PASS	PASS
NTNV	GPRS1800	512	0	3	25.61	22 to 32	PASS	PASS
NTNV	GPRS1800	512	0	4	25.57	22 to 32	PASS	PASS
NTNV	GPRS1800	512	0	5	25.54	22 to 32	PASS	PASS
NTNV	GPRS1800	698	0	2	25.88	22 to 32	PASS	PASS
NTNV	GPRS1800	698	0	3	25.82	22 to 32	PASS	PASS
NTNV	GPRS1800	698	0	4	25.78	22 to 32	PASS	PASS
NTNV	GPRS1800	698	0	5	25.76	22 to 32	PASS	PASS
NTNV	GPRS1800	698	1	2	25.86	19 to 31	PASS	PASS



NTNV	GPRS1800	698	1	3	25.80	19 to 31	PASS	PASS
NTNV	GPRS1800	698	1	4	25.77	19 to 31	PASS	PASS
NTNV	GPRS1800	698	1	5	25.74	19 to 31	PASS	PASS
NTNV	GPRS1800	698	2	2	25.87	17 to 29	PASS	PASS
NTNV	GPRS1800	698	2	3	25.82	17 to 29	PASS	PASS
NTNV	GPRS1800	698	2	4	25.78	17 to 29	PASS	PASS
NTNV	GPRS1800	698	2	5	25.76	17 to 29	PASS	PASS
NTNV	GPRS1800	698	3	2	23.95	15 to 27	PASS	PASS
NTNV	GPRS1800	698	3	3	23.93	15 to 27	PASS	PASS
NTNV	GPRS1800	698	3	4	23.90	15 to 27	PASS	PASS
NTNV	GPRS1800	698	3	5	23.87	15 to 27	PASS	PASS
NTNV	GPRS1800	698	4	2	22.02	13 to 25	PASS	PASS
NTNV	GPRS1800	698	4	3	22.02	13 to 25	PASS	PASS
NTNV	GPRS1800	698	4	4	21.99	13 to 25	PASS	PASS
NTNV	GPRS1800	698	4	5	21.97	13 to 25	PASS	PASS
NTNV	GPRS1800	698	5	2	20.06	11 to 23	PASS	PASS
NTNV	GPRS1800	698	5	3	20.09	11 to 23	PASS	PASS
NTNV	GPRS1800	698	5	4	20.07	11 to 23	PASS	PASS
NTNV	GPRS1800	698	5	5	20.05	11 to 23	PASS	PASS
NTNV	GPRS1800	698	6	2	18.19	9 to 21	PASS	PASS
NTNV	GPRS1800	698	6	3	18.26	9 to 21	PASS	PASS
NTNV	GPRS1800	698	6	4	18.24	9 to 21	PASS	PASS
NTNV	GPRS1800	698	6	5	18.23	9 to 21	PASS	PASS
NTNV	GPRS1800	698	7	2	16.11	7 to 19	PASS	PASS
NTNV	GPRS1800	698	7	3	16.23	7 to 19	PASS	PASS
NTNV	GPRS1800	698	7	4	16.21	7 to 19	PASS	PASS
NTNV	GPRS1800	698	7	5	16.20	7 to 19	PASS	PASS
NTNV	GPRS1800	698	8	2	14.31	5 to 17	PASS	PASS
NTNV	GPRS1800	698	8	3	14.43	5 to 17	PASS	PASS
NTNV	GPRS1800	698	8	4	14.41	5 to 17	PASS	PASS
NTNV	GPRS1800	698	8	5	14.40	5 to 17	PASS	PASS
NTNV	GPRS1800	698	9	2	12.27	2 to 16	PASS	PASS
NTNV	GPRS1800	698	9	3	12.26	2 to 16	PASS	PASS
NTNV	GPRS1800	698	9	4	12.24	2 to 16	PASS	PASS
NTNV	GPRS1800	698	9	5	12.24	2 to 16	PASS	PASS
NTNV	GPRS1800	698	10	2	10.38	0 to 14	PASS	PASS
NTNV	GPRS1800	698	10	3	10.37	0 to 14	PASS	PASS
NTNV	GPRS1800	698	10	4	10.36	0 to 14	PASS	PASS
NTNV	GPRS1800	698	10	5	10.35	0 to 14	PASS	PASS
NTNV	GPRS1800	698	11	2	8.23	-2 to 12	PASS	PASS
NTNV	GPRS1800	698	11	3	8.23	-2 to 12	PASS	PASS
NTNV	GPRS1800	698	11	4	8.22	-2 to 12	PASS	PASS
NTNV	GPRS1800	698	11	5	8.21	-2 to 12	PASS	PASS



NTNV	GPRS1800	698	12	2	6.45	-4 to 10	PASS	PASS
NTNV	GPRS1800	698	12	3	6.46	-4 to 10	PASS	PASS
NTNV	GPRS1800	698	12	4	6.45	-4 to 10	PASS	PASS
NTNV	GPRS1800	698	12	5	6.44	-4 to 10	PASS	PASS
NTNV	GPRS1800	698	13	2	4.43	-6 to 8	PASS	PASS
NTNV	GPRS1800	698	13	3	4.43	-6 to 8	PASS	PASS
NTNV	GPRS1800	698	13	4	4.42	-6 to 8	PASS	PASS
NTNV	GPRS1800	698	13	5	4.42	-6 to 8	PASS	PASS
NTNV	GPRS1800	698	14	2	2.79	-9 to 7	PASS	PASS
NTNV	GPRS1800	698	14	3	2.81	-9 to 7	PASS	PASS
NTNV	GPRS1800	698	14	4	2.81	-9 to 7	PASS	PASS
NTNV	GPRS1800	698	14	5	2.79	-9 to 7	PASS	PASS
NTNV	GPRS1800	698	15	2	1.34	-11 to 5	PASS	PASS
NTNV	GPRS1800	698	15	3	1.66	-11 to 5	PASS	PASS
NTNV	GPRS1800	698	15	4	1.65	-11 to 5	PASS	PASS
NTNV	GPRS1800	698	15	5	1.64	-11 to 5	PASS	PASS
NTNV	GPRS1800	885	0	2	26.05	22 to 32	PASS	PASS
NTNV	GPRS1800	885	0	3	26.00	22 to 32	PASS	PASS
NTNV	GPRS1800	885	0	4	25.95	22 to 32	PASS	PASS
NTNV	GPRS1800	885	0	5	25.93	22 to 32	PASS	PASS

Condition	Band	Ch.	PCL	Test Slot	Val PCL	Val (dB)	Limit (dB)	Verdict
NTNV	GPRS900	975	5	2	---	---	---	---
NTNV	GPRS900	975	5	3	---	---	---	---
NTNV	GPRS900	975	5	4	---	---	---	---
NTNV	GPRS900	975	5	5	---	---	---	---
NTNV	GPRS900	63	5	2	---	---	---	---
NTNV	GPRS900	63	5	3	---	---	---	---
NTNV	GPRS900	63	5	4	---	---	---	---
NTNV	GPRS900	63	5	5	---	---	---	---
NTNV	GPRS900	63	6	2	5/6	0.03	-1 to 3.5	PASS
NTNV	GPRS900	63	6	3	5/6	0.03	-1 to 3.5	PASS
NTNV	GPRS900	63	6	4	5/6	0.03	-1 to 3.5	PASS
NTNV	GPRS900	63	6	5	5/6	0.03	-1 to 3.5	PASS
NTNV	GPRS900	63	7	2	6/7	-0.01	-1 to 3.5	PASS
NTNV	GPRS900	63	7	3	6/7	-0.01	-1 to 3.5	PASS
NTNV	GPRS900	63	7	4	6/7	-0.01	-1 to 3.5	PASS
NTNV	GPRS900	63	7	5	6/7	0.00	-1 to 3.5	PASS
NTNV	GPRS900	63	8	2	7/8	1.82	-1 to 3.5	PASS
NTNV	GPRS900	63	8	3	7/8	1.77	-1 to 3.5	PASS
NTNV	GPRS900	63	8	4	7/8	1.74	-1 to 3.5	PASS
NTNV	GPRS900	63	8	5	7/8	1.73	-1 to 3.5	PASS



NTNV	GPRS900	63	9	2	8/9	1.85	-1 to 3.5	PASS
NTNV	GPRS900	63	9	3	8/9	1.80	-1 to 3.5	PASS
NTNV	GPRS900	63	9	4	8/9	1.78	-1 to 3.5	PASS
NTNV	GPRS900	63	9	5	8/9	1.77	-1 to 3.5	PASS
NTNV	GPRS900	63	10	2	9/10	1.83	0.5 to 3.5	PASS
NTNV	GPRS900	63	10	3	9/10	1.79	0.5 to 3.5	PASS
NTNV	GPRS900	63	10	4	9/10	1.77	0.5 to 3.5	PASS
NTNV	GPRS900	63	10	5	9/10	1.76	0.5 to 3.5	PASS
NTNV	GPRS900	63	11	2	10/11	1.87	0.5 to 3.5	PASS
NTNV	GPRS900	63	11	3	10/11	1.84	0.5 to 3.5	PASS
NTNV	GPRS900	63	11	4	10/11	1.84	0.5 to 3.5	PASS
NTNV	GPRS900	63	11	5	10/11	1.83	0.5 to 3.5	PASS
NTNV	GPRS900	63	12	2	11/12	1.98	0.5 to 3.5	PASS
NTNV	GPRS900	63	12	3	11/12	1.96	0.5 to 3.5	PASS
NTNV	GPRS900	63	12	4	11/12	1.95	0.5 to 3.5	PASS
NTNV	GPRS900	63	12	5	11/12	1.94	0.5 to 3.5	PASS
NTNV	GPRS900	63	13	2	12/13	1.89	0.5 to 3.5	PASS
NTNV	GPRS900	63	13	3	12/13	1.87	0.5 to 3.5	PASS
NTNV	GPRS900	63	13	4	12/13	1.87	0.5 to 3.5	PASS
NTNV	GPRS900	63	13	5	12/13	1.87	0.5 to 3.5	PASS
NTNV	GPRS900	63	14	2	13/14	1.96	0.5 to 3.5	PASS
NTNV	GPRS900	63	14	3	13/14	1.96	0.5 to 3.5	PASS
NTNV	GPRS900	63	14	4	13/14	1.96	0.5 to 3.5	PASS
NTNV	GPRS900	63	14	5	13/14	1.96	0.5 to 3.5	PASS
NTNV	GPRS900	63	15	2	14/15	1.88	0.5 to 3.5	PASS
NTNV	GPRS900	63	15	3	14/15	1.87	0.5 to 3.5	PASS
NTNV	GPRS900	63	15	4	14/15	1.87	0.5 to 3.5	PASS
NTNV	GPRS900	63	15	5	14/15	1.87	0.5 to 3.5	PASS
NTNV	GPRS900	63	16	2	15/16	2.05	0.5 to 3.5	PASS
NTNV	GPRS900	63	16	3	15/16	2.05	0.5 to 3.5	PASS
NTNV	GPRS900	63	16	4	15/16	2.05	0.5 to 3.5	PASS
NTNV	GPRS900	63	16	5	15/16	2.05	0.5 to 3.5	PASS
NTNV	GPRS900	63	17	2	16/17	1.97	0.5 to 3.5	PASS
NTNV	GPRS900	63	17	3	16/17	1.96	0.5 to 3.5	PASS
NTNV	GPRS900	63	17	4	16/17	1.96	0.5 to 3.5	PASS
NTNV	GPRS900	63	17	5	16/17	1.96	0.5 to 3.5	PASS
NTNV	GPRS900	63	18	2	17/18	1.82	0.5 to 3.5	PASS
NTNV	GPRS900	63	18	3	17/18	1.82	0.5 to 3.5	PASS
NTNV	GPRS900	63	18	4	17/18	1.82	0.5 to 3.5	PASS
NTNV	GPRS900	63	18	5	17/18	1.82	0.5 to 3.5	PASS
NTNV	GPRS900	63	19	2	18/19	1.96	0.5 to 3.5	PASS
NTNV	GPRS900	63	19	3	18/19	1.95	0.5 to 3.5	PASS
NTNV	GPRS900	63	19	4	18/19	1.95	0.5 to 3.5	PASS



NTNV	GPRS900	63	19	5	18/19	1.94	0.5 to 3.5	PASS
NTNV	GPRS900	124	5	2	---	---	---	---
NTNV	GPRS900	124	5	3	---	---	---	---
NTNV	GPRS900	124	5	4	---	---	---	---
NTNV	GPRS900	124	5	5	---	---	---	---
NTNV	GPRS1800	512	0	2	---	---	---	---
NTNV	GPRS1800	512	0	3	---	---	---	---
NTNV	GPRS1800	512	0	4	---	---	---	---
NTNV	GPRS1800	512	0	5	---	---	---	---
NTNV	GPRS1800	698	0	2	---	---	---	---
NTNV	GPRS1800	698	0	3	---	---	---	---
NTNV	GPRS1800	698	0	4	---	---	---	---
NTNV	GPRS1800	698	0	5	---	---	---	---
NTNV	GPRS1800	698	1	2	0/1	0.02	-1 to 3.5	PASS
NTNV	GPRS1800	698	1	3	0/1	0.02	-1 to 3.5	PASS
NTNV	GPRS1800	698	1	4	0/1	0.02	-1 to 3.5	PASS
NTNV	GPRS1800	698	1	5	0/1	0.02	-1 to 3.5	PASS
NTNV	GPRS1800	698	2	2	1/2	-0.01	-1 to 3.5	PASS
NTNV	GPRS1800	698	2	3	1/2	-0.01	-1 to 3.5	PASS
NTNV	GPRS1800	698	2	4	1/2	-0.01	-1 to 3.5	PASS
NTNV	GPRS1800	698	2	5	1/2	-0.01	-1 to 3.5	PASS
NTNV	GPRS1800	698	3	2	2/3	1.92	-1 to 3.5	PASS
NTNV	GPRS1800	698	3	3	2/3	1.89	-1 to 3.5	PASS
NTNV	GPRS1800	698	3	4	2/3	1.88	-1 to 3.5	PASS
NTNV	GPRS1800	698	3	5	2/3	1.88	-1 to 3.5	PASS
NTNV	GPRS1800	698	4	2	3/4	1.94	-1 to 3.5	PASS
NTNV	GPRS1800	698	4	3	3/4	1.91	-1 to 3.5	PASS
NTNV	GPRS1800	698	4	4	3/4	1.91	-1 to 3.5	PASS
NTNV	GPRS1800	698	4	5	3/4	1.90	-1 to 3.5	PASS
NTNV	GPRS1800	698	5	2	4/5	1.96	0.5 to 3.5	PASS
NTNV	GPRS1800	698	5	3	4/5	1.93	0.5 to 3.5	PASS
NTNV	GPRS1800	698	5	4	4/5	1.92	0.5 to 3.5	PASS
NTNV	GPRS1800	698	5	5	4/5	1.92	0.5 to 3.5	PASS
NTNV	GPRS1800	698	6	2	5/6	1.87	0.5 to 3.5	PASS
NTNV	GPRS1800	698	6	3	5/6	1.83	0.5 to 3.5	PASS
NTNV	GPRS1800	698	6	4	5/6	1.83	0.5 to 3.5	PASS
NTNV	GPRS1800	698	6	5	5/6	1.82	0.5 to 3.5	PASS
NTNV	GPRS1800	698	7	2	6/7	2.07	0.5 to 3.5	PASS
NTNV	GPRS1800	698	7	3	6/7	2.03	0.5 to 3.5	PASS
NTNV	GPRS1800	698	7	4	6/7	2.03	0.5 to 3.5	PASS
NTNV	GPRS1800	698	7	5	6/7	2.03	0.5 to 3.5	PASS
NTNV	GPRS1800	698	8	2	7/8	1.81	0.5 to 3.5	PASS
NTNV	GPRS1800	698	8	3	7/8	1.81	0.5 to 3.5	PASS



NTNV	GPRS1800	698	8	4	7/8	1.80	0.5 to 3.5	PASS
NTNV	GPRS1800	698	8	5	7/8	1.80	0.5 to 3.5	PASS
NTNV	GPRS1800	698	9	2	8/9	2.04	0.5 to 3.5	PASS
NTNV	GPRS1800	698	9	3	8/9	2.17	0.5 to 3.5	PASS
NTNV	GPRS1800	698	9	4	8/9	2.17	0.5 to 3.5	PASS
NTNV	GPRS1800	698	9	5	8/9	2.16	0.5 to 3.5	PASS
NTNV	GPRS1800	698	10	2	9/10	1.89	0.5 to 3.5	PASS
NTNV	GPRS1800	698	10	3	9/10	1.89	0.5 to 3.5	PASS
NTNV	GPRS1800	698	10	4	9/10	1.89	0.5 to 3.5	PASS
NTNV	GPRS1800	698	10	5	9/10	1.89	0.5 to 3.5	PASS
NTNV	GPRS1800	698	11	2	10/11	2.15	0.5 to 3.5	PASS
NTNV	GPRS1800	698	11	3	10/11	2.14	0.5 to 3.5	PASS
NTNV	GPRS1800	698	11	4	10/11	2.14	0.5 to 3.5	PASS
NTNV	GPRS1800	698	11	5	10/11	2.14	0.5 to 3.5	PASS
NTNV	GPRS1800	698	12	2	11/12	1.77	0.5 to 3.5	PASS
NTNV	GPRS1800	698	12	3	11/12	1.77	0.5 to 3.5	PASS
NTNV	GPRS1800	698	12	4	11/12	1.77	0.5 to 3.5	PASS
NTNV	GPRS1800	698	12	5	11/12	1.77	0.5 to 3.5	PASS
NTNV	GPRS1800	698	13	2	12/13	2.02	0.5 to 3.5	PASS
NTNV	GPRS1800	698	13	3	12/13	2.03	0.5 to 3.5	PASS
NTNV	GPRS1800	698	13	4	12/13	2.03	0.5 to 3.5	PASS
NTNV	GPRS1800	698	13	5	12/13	2.02	0.5 to 3.5	PASS
NTNV	GPRS1800	698	14	2	13/14	1.64	0.5 to 3.5	PASS
NTNV	GPRS1800	698	14	3	13/14	1.62	0.5 to 3.5	PASS
NTNV	GPRS1800	698	14	4	13/14	1.62	0.5 to 3.5	PASS
NTNV	GPRS1800	698	14	5	13/14	1.63	0.5 to 3.5	PASS
NTNV	GPRS1800	698	15	2	14/15	1.45	0.5 to 3.5	PASS
NTNV	GPRS1800	698	15	3	14/15	1.15	0.5 to 3.5	PASS
NTNV	GPRS1800	698	15	4	14/15	1.15	0.5 to 3.5	PASS
NTNV	GPRS1800	698	15	5	14/15	1.15	0.5 to 3.5	PASS
NTNV	GPRS1800	885	0	2	---	---	---	---
NTNV	GPRS1800	885	0	3	---	---	---	---
NTNV	GPRS1800	885	0	4	---	---	---	---
NTNV	GPRS1800	885	0	5	---	---	---	---


Condition	Band	Ch.	PCL	Test Slot	PCL In Slot	Power (dBm)	Limit (dBm)	Power vs time	Verdict
NTNV	GPRS900	63	19	2	5 19 5 5	28.89	25 to 35	PASS	PASS
NTNV	GPRS900	63	19	3	5 19 5 5	5.33	-6 to 10	PASS	PASS
NTNV	GPRS900	63	19	4	5 19 5 5	28.79	25 to 35	PASS	PASS
NTNV	GPRS900	63	19	5	5 19 5 5	28.60	25 to 35	PASS	PASS
NTNV	GPRS1800	698	15	2	0 15 0 0	25.95	22 to 32	PASS	PASS
NTNV	GPRS1800	698	15	3	0 15 0 0	1.14	-11 to 5	PASS	PASS




NTNV	GPRS1800	698	15	4	0 15 0 0	25.95	22 to 32	PASS	PASS
NTNV	GPRS1800	698	15	5	0 15 0 0	25.87	22 to 32	PASS	PASS


Condition	Band	Ch.	PCL	Test Slot	Power (dBm)	Limit (dBm)	Power vs time	Verdict
NTNV	GPRS900	63	5	1	34.25	25 to 35	PASS	PASS
NTNV	GPRS900	63	10	1	23.58	14 to 26	PASS	PASS

Test Graphs







NTNV-GPRS900-63-7




NTNV-GPRS900-63-8




NTNV-GPRS900-63-9




NTNV-GPRS900-63-10




NTNV-GPRS900-63-11




NTNV-GPRS900-63-12




NTNV-GPRS900-63-13




NTNV-GPRS900-63-14




NTNV-GPRS900-63-15




NTNV-GPRS900-63-16




NTNV-GPRS900-63-17




NTNV-GPRS900-63-18




NTNV-GPRS900-63-19




NTNV-GPRS900-124-5




NTNV-GPRS1800-512-0




NTNV-GPRS1800-698-0




NTNV-GPRS1800-698-1




NTNV-GPRS1800-698-2




NTNV-GPRS1800-698-3




NTNV-GPRS1800-698-4




NTNV-GPRS1800-698-5




NTNV-GPRS1800-698-6




NTNV-GPRS1800-698-7




NTNV-GPRS1800-698-8




NTNV-GPRS1800-698-9




NTNV-GPRS1800-698-10




NTNV-GPRS1800-698-11




NTNV-GPRS1800-698-12




NTNV-GPRS1800-698-13




NTNV-GPRS1800-698-14




NTNV-GPRS1800-698-15




NTNV-GPRS1800-885-0




NTNV-GPRS900-63-19




NTNV-GPRS900-63-19




NTNV-GPRS900-63-19




NTNV-GPRS900-63-19




NTNV-GPRS1800-698-15




NTNV-GPRS1800-698-15



NTNV-GPRS1800-698-15



NTNV-GPRS1800-698-15



Appendix H: Frequency error and phase error in GPRS multislot configuration

Test Result

Condition	Band	Ch.	PCL	Type	Result	Limit	Verdict
Vibration axis Z	GPRS900	975	5	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis Z	GPRS900	975	5	PhaseError_Rms(deg)	0.73	5	PASS
Vibration axis Z	GPRS900	975	5	PhaseError_Peak(deg)	2.25	20	PASS
Vibration axis Z	GPRS900	975	19	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Z	GPRS900	975	19	PhaseError_Peak(deg)	2.38	20	PASS
Vibration axis Z	GPRS900	975	19	PhaseError_Rms(deg)	0.74	5	PASS
Vibration axis Z	GPRS900	63	5	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Z	GPRS900	63	5	PhaseError_Peak(deg)	2.34	20	PASS
Vibration axis Z	GPRS900	63	5	PhaseError_Rms(deg)	0.75	5	PASS
Vibration axis Z	GPRS900	63	19	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Z	GPRS900	63	19	PhaseError_Peak(deg)	2.31	20	PASS
Vibration axis Z	GPRS900	63	19	PhaseError_Rms(deg)	0.75	5	PASS
Vibration axis Z	GPRS900	124	5	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Z	GPRS900	124	5	PhaseError_Peak(deg)	2.30	20	PASS
Vibration axis Z	GPRS900	124	5	PhaseError_Rms(deg)	0.76	5	PASS
Vibration axis Z	GPRS900	124	19	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis Z	GPRS900	124	19	PhaseError_Peak(deg)	2.22	20	PASS
Vibration axis Z	GPRS900	124	19	PhaseError_Rms(deg)	0.74	5	PASS
Vibration axis Z	GPRS1800	512	0	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Z	GPRS1800	512	0	PhaseError_Rms(deg)	1.27	5	PASS
Vibration axis Z	GPRS1800	512	0	PhaseError_Peak(deg)	3.97	20	PASS
Vibration axis Z	GPRS1800	512	15	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis Z	GPRS1800	512	15	PhaseError_Peak(deg)	3.90	20	PASS
Vibration axis Z	GPRS1800	512	15	PhaseError_Rms(deg)	1.31	5	PASS
Vibration axis Z	GPRS1800	698	0	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Z	GPRS1800	698	0	PhaseError_Peak(deg)	3.77	20	PASS
Vibration axis Z	GPRS1800	698	0	PhaseError_Rms(deg)	1.24	5	PASS
Vibration axis Z	GPRS1800	698	15	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Z	GPRS1800	698	15	PhaseError_Peak(deg)	3.70	20	PASS
Vibration axis Z	GPRS1800	698	15	PhaseError_Rms(deg)	1.19	5	PASS
Vibration axis Z	GPRS1800	885	0	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis Z	GPRS1800	885	0	PhaseError_Rms(deg)	1.22	5	PASS
Vibration axis Z	GPRS1800	885	0	PhaseError_Peak(deg)	3.55	20	PASS
Vibration axis Z	GPRS1800	885	15	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Z	GPRS1800	885	15	PhaseError_Rms(deg)	1.19	5	PASS



Vibration axis Z	GPRS1800	885	15	PhaseError_Peak(deg)	3.73	20	PASS
Vibration axis Y	GPRS900	975	5	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Y	GPRS900	975	5	PhaseError_Peak(deg)	2.28	20	PASS
Vibration axis Y	GPRS900	975	5	PhaseError_Rms(deg)	0.75	5	PASS
Vibration axis Y	GPRS900	975	19	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Y	GPRS900	975	19	PhaseError_Peak(deg)	2.23	20	PASS
Vibration axis Y	GPRS900	975	19	PhaseError_Rms(deg)	0.74	5	PASS
Vibration axis Y	GPRS900	63	5	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Y	GPRS900	63	5	PhaseError_Rms(deg)	0.75	5	PASS
Vibration axis Y	GPRS900	63	5	PhaseError_Peak(deg)	2.32	20	PASS
Vibration axis Y	GPRS900	63	19	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis Y	GPRS900	63	19	PhaseError_Peak(deg)	2.38	20	PASS
Vibration axis Y	GPRS900	63	19	PhaseError_Rms(deg)	0.77	5	PASS
Vibration axis Y	GPRS900	124	5	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Y	GPRS900	124	5	PhaseError_Peak(deg)	2.40	20	PASS
Vibration axis Y	GPRS900	124	5	PhaseError_Rms(deg)	0.76	5	PASS
Vibration axis Y	GPRS900	124	19	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Y	GPRS900	124	19	PhaseError_Rms(deg)	0.74	5	PASS
Vibration axis Y	GPRS900	124	19	PhaseError_Peak(deg)	2.28	20	PASS
Vibration axis Y	GPRS1800	512	0	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Y	GPRS1800	512	0	PhaseError_Peak(deg)	4.21	20	PASS
Vibration axis Y	GPRS1800	512	0	PhaseError_Rms(deg)	1.32	5	PASS
Vibration axis Y	GPRS1800	512	15	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Y	GPRS1800	512	15	PhaseError_Rms(deg)	1.29	5	PASS
Vibration axis Y	GPRS1800	512	15	PhaseError_Peak(deg)	3.92	20	PASS
Vibration axis Y	GPRS1800	698	0	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis Y	GPRS1800	698	0	PhaseError_Rms(deg)	1.20	5	PASS
Vibration axis Y	GPRS1800	698	0	PhaseError_Peak(deg)	3.72	20	PASS
Vibration axis Y	GPRS1800	698	15	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis Y	GPRS1800	698	15	PhaseError_Peak(deg)	3.85	20	PASS
Vibration axis Y	GPRS1800	698	15	PhaseError_Rms(deg)	1.21	5	PASS
Vibration axis Y	GPRS1800	885	0	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis Y	GPRS1800	885	0	PhaseError_Peak(deg)	3.91	20	PASS
Vibration axis Y	GPRS1800	885	0	PhaseError_Rms(deg)	1.23	5	PASS
Vibration axis Y	GPRS1800	885	15	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis Y	GPRS1800	885	15	PhaseError_Peak(deg)	3.70	20	PASS
Vibration axis Y	GPRS1800	885	15	PhaseError_Rms(deg)	1.17	5	PASS
Vibration axis X	GPRS900	975	5	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis X	GPRS900	975	5	PhaseError_Rms(deg)	0.73	5	PASS
Vibration axis X	GPRS900	975	5	PhaseError_Peak(deg)	2.18	20	PASS
Vibration axis X	GPRS900	975	19	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis X	GPRS900	975	19	PhaseError_Rms(deg)	0.74	5	PASS
Vibration axis X	GPRS900	975	19	PhaseError_Peak(deg)	2.28	20	PASS



Vibration axis X	GPRS900	63	5	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis X	GPRS900	63	5	PhaseError_Rms(deg)	0.75	5	PASS
Vibration axis X	GPRS900	63	5	PhaseError_Peak(deg)	2.29	20	PASS
Vibration axis X	GPRS900	63	19	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis X	GPRS900	63	19	PhaseError_Rms(deg)	0.76	5	PASS
Vibration axis X	GPRS900	63	19	PhaseError_Peak(deg)	2.35	20	PASS
Vibration axis X	GPRS900	124	5	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis X	GPRS900	124	5	PhaseError_Peak(deg)	2.37	20	PASS
Vibration axis X	GPRS900	124	5	PhaseError_Rms(deg)	0.74	5	PASS
Vibration axis X	GPRS900	124	19	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis X	GPRS900	124	19	PhaseError_Rms(deg)	0.76	5	PASS
Vibration axis X	GPRS900	124	19	PhaseError_Peak(deg)	2.37	20	PASS
Vibration axis X	GPRS1800	512	0	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis X	GPRS1800	512	0	PhaseError_Rms(deg)	1.26	5	PASS
Vibration axis X	GPRS1800	512	0	PhaseError_Peak(deg)	3.93	20	PASS
Vibration axis X	GPRS1800	512	15	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis X	GPRS1800	512	15	PhaseError_Peak(deg)	3.99	20	PASS
Vibration axis X	GPRS1800	512	15	PhaseError_Rms(deg)	1.30	5	PASS
Vibration axis X	GPRS1800	698	0	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis X	GPRS1800	698	0	PhaseError_Peak(deg)	3.76	20	PASS
Vibration axis X	GPRS1800	698	0	PhaseError_Rms(deg)	1.18	5	PASS
Vibration axis X	GPRS1800	698	15	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis X	GPRS1800	698	15	PhaseError_Rms(deg)	1.22	5	PASS
Vibration axis X	GPRS1800	698	15	PhaseError_Peak(deg)	3.90	20	PASS
Vibration axis X	GPRS1800	885	0	FrequencyError(ppm)	0.00	0.1	PASS
Vibration axis X	GPRS1800	885	0	PhaseError_Peak(deg)	3.63	20	PASS
Vibration axis X	GPRS1800	885	0	PhaseError_Rms(deg)	1.17	5	PASS
Vibration axis X	GPRS1800	885	15	FrequencyError(ppm)	0.01	0.1	PASS
Vibration axis X	GPRS1800	885	15	PhaseError_Peak(deg)	3.62	20	PASS
Vibration axis X	GPRS1800	885	15	PhaseError_Rms(deg)	1.16	5	PASS
NTNV	GPRS900	975	5	FrequencyError(ppm)	0.01	0.1	PASS
NTNV	GPRS900	975	5	PhaseError_Peak(deg)	2.30	20	PASS
NTNV	GPRS900	975	5	PhaseError_Rms(deg)	0.75	5	PASS
NTNV	GPRS900	975	19	FrequencyError(ppm)	0.01	0.1	PASS
NTNV	GPRS900	975	19	PhaseError_Peak(deg)	2.26	20	PASS
NTNV	GPRS900	975	19	PhaseError_Rms(deg)	0.73	5	PASS
NTNV	GPRS900	63	5	FrequencyError(ppm)	0.01	0.1	PASS
NTNV	GPRS900	63	5	PhaseError_Rms(deg)	0.77	5	PASS
NTNV	GPRS900	63	5	PhaseError_Peak(deg)	2.40	20	PASS
NTNV	GPRS900	63	19	FrequencyError(ppm)	0.01	0.1	PASS
NTNV	GPRS900	63	19	PhaseError_Peak(deg)	2.34	20	PASS
NTNV	GPRS900	63	19	PhaseError_Rms(deg)	0.75	5	PASS
NTNV	GPRS900	124	5	FrequencyError(ppm)	0.01	0.1	PASS



NTNV	GPRS900	124	5	PhaseError_Peak(deg)	2.43	20	PASS
NTNV	GPRS900	124	5	PhaseError_Rms(deg)	0.76	5	PASS
NTNV	GPRS900	124	19	FrequencyError(ppm)	0.01	0.1	PASS
NTNV	GPRS900	124	19	PhaseError_Rms(deg)	0.75	5	PASS
NTNV	GPRS900	124	19	PhaseError_Peak(deg)	2.26	20	PASS
NTNV	GPRS1800	512	0	FrequencyError(ppm)	0.01	0.1	PASS
NTNV	GPRS1800	512	0	PhaseError_Rms(deg)	1.31	5	PASS
NTNV	GPRS1800	512	0	PhaseError_Peak(deg)	4.01	20	PASS
NTNV	GPRS1800	512	15	FrequencyError(ppm)	0.01	0.1	PASS
NTNV	GPRS1800	512	15	PhaseError_Rms(deg)	1.31	5	PASS
NTNV	GPRS1800	512	15	PhaseError_Peak(deg)	4.09	20	PASS
NTNV	GPRS1800	698	0	FrequencyError(ppm)	0.01	0.1	PASS
NTNV	GPRS1800	698	0	PhaseError_Rms(deg)	1.22	5	PASS
NTNV	GPRS1800	698	0	PhaseError_Peak(deg)	3.91	20	PASS
NTNV	GPRS1800	698	15	FrequencyError(ppm)	0.01	0.1	PASS
NTNV	GPRS1800	698	15	PhaseError_Rms(deg)	1.20	5	PASS
NTNV	GPRS1800	698	15	PhaseError_Peak(deg)	3.93	20	PASS
NTNV	GPRS1800	885	0	FrequencyError(ppm)	0.01	0.1	PASS
NTNV	GPRS1800	885	0	PhaseError_Rms(deg)	1.18	5	PASS
NTNV	GPRS1800	885	0	PhaseError_Peak(deg)	3.74	20	PASS
NTNV	GPRS1800	885	15	FrequencyError(ppm)	0.00	0.1	PASS
NTNV	GPRS1800	885	15	PhaseError_Peak(deg)	3.72	20	PASS
NTNV	GPRS1800	885	15	PhaseError_Rms(deg)	1.15	5	PASS

Appendix I: Output RF spectrum in GPRS multislots configuration

Test Result-Switching Spectrum and Modulation Spectrum

Condition	Band	Ch.	PCL	Offset	Result	Limit	Verdict
NTNV	GPRS900	975	5	-1800	-47.35	-28.00	PASS
NTNV	GPRS900	975	5	-1200	-46.53	-25.00	PASS
NTNV	GPRS900	975	5	-600	-37.80	-25.00	PASS
NTNV	GPRS900	975	5	-400	-30.06	-23.00	PASS
NTNV	GPRS900	975	5	400	-27.87	-23.00	PASS
NTNV	GPRS900	975	5	600	-37.29	-25.00	PASS
NTNV	GPRS900	975	5	1200	-47.83	-25.00	PASS
NTNV	GPRS900	975	5	1800	-49.80	-28.00	PASS
NTNV	GPRS900	975	7	-1800	-50.19	-28.00	PASS
NTNV	GPRS900	975	7	-1200	-48.53	-25.00	PASS
NTNV	GPRS900	975	7	-600	-37.57	-25.00	PASS
NTNV	GPRS900	975	7	-400	-29.86	-23.00	PASS
NTNV	GPRS900	975	7	400	-27.91	-23.00	PASS
NTNV	GPRS900	975	7	600	-37.37	-25.00	PASS
NTNV	GPRS900	975	7	1200	-48.47	-25.00	PASS
NTNV	GPRS900	975	7	1800	-51.42	-28.00	PASS
NTNV	GPRS900	975	11	-1800	-56.88	-34.00	PASS
NTNV	GPRS900	975	11	-1200	-54.88	-31.00	PASS
NTNV	GPRS900	975	11	-600	-40.44	-26.00	PASS
NTNV	GPRS900	975	11	-400	-32.84	-23.00	PASS
NTNV	GPRS900	975	11	400	-30.40	-23.00	PASS
NTNV	GPRS900	975	11	600	-38.86	-26.00	PASS
NTNV	GPRS900	975	11	1200	-55.51	-31.00	PASS
NTNV	GPRS900	975	11	1800	-58.44	-34.00	PASS
NTNV	GPRS900	975	19	-1800	-68.40	-36.00	PASS
NTNV	GPRS900	975	19	-1200	-59.09	-32.00	PASS
NTNV	GPRS900	975	19	-600	-48.04	-26.00	PASS
NTNV	GPRS900	975	19	-400	-40.65	-23.00	PASS
NTNV	GPRS900	975	19	400	-39.81	-23.00	PASS
NTNV	GPRS900	975	19	600	-46.73	-26.00	PASS
NTNV	GPRS900	975	19	1200	-63.12	-32.00	PASS
NTNV	GPRS900	975	19	1800	-68.45	-36.00	PASS
NTNV	GPRS900	63	5	-1800	-48.60	-28.00	PASS
NTNV	GPRS900	63	5	-1200	-46.67	-25.00	PASS



NTNV	GPRS900	63	5	-600	-37.13	-25.00	PASS
NTNV	GPRS900	63	5	-400	-29.52	-23.00	PASS
NTNV	GPRS900	63	5	400	-27.02	-23.00	PASS
NTNV	GPRS900	63	5	600	-36.88	-25.00	PASS
NTNV	GPRS900	63	5	1200	-47.55	-25.00	PASS
NTNV	GPRS900	63	5	1800	-48.20	-28.00	PASS
NTNV	GPRS900	63	7	-1800	-50.32	-28.00	PASS
NTNV	GPRS900	63	7	-1200	-47.07	-25.00	PASS
NTNV	GPRS900	63	7	-600	-36.76	-25.00	PASS
NTNV	GPRS900	63	7	-400	-29.17	-23.00	PASS
NTNV	GPRS900	63	7	400	-27.15	-23.00	PASS
NTNV	GPRS900	63	7	600	-36.33	-25.00	PASS
NTNV	GPRS900	63	7	1200	-48.35	-25.00	PASS
NTNV	GPRS900	63	7	1800	-51.22	-28.00	PASS
NTNV	GPRS900	63	11	-1800	-57.53	-34.00	PASS
NTNV	GPRS900	63	11	-1200	-54.22	-31.00	PASS
NTNV	GPRS900	63	11	-600	-40.31	-26.00	PASS
NTNV	GPRS900	63	11	-400	-33.05	-23.00	PASS
NTNV	GPRS900	63	11	400	-30.06	-23.00	PASS
NTNV	GPRS900	63	11	600	-38.66	-26.00	PASS
NTNV	GPRS900	63	11	1200	-55.81	-31.00	PASS
NTNV	GPRS900	63	11	1800	-58.06	-34.00	PASS
NTNV	GPRS900	63	19	-1800	-67.50	-36.00	PASS
NTNV	GPRS900	63	19	-1200	-60.38	-32.00	PASS
NTNV	GPRS900	63	19	-600	-47.82	-26.00	PASS
NTNV	GPRS900	63	19	-400	-40.42	-23.00	PASS
NTNV	GPRS900	63	19	400	-39.48	-23.00	PASS
NTNV	GPRS900	63	19	600	-46.04	-26.00	PASS
NTNV	GPRS900	63	19	1200	-64.10	-32.00	PASS
NTNV	GPRS900	63	19	1800	-68.40	-36.00	PASS
NTNV	GPRS900	124	5	-1800	-48.11	-28.00	PASS
NTNV	GPRS900	124	5	-1200	-46.82	-25.00	PASS
NTNV	GPRS900	124	5	-600	-37.70	-25.00	PASS
NTNV	GPRS900	124	5	-400	-29.49	-23.00	PASS
NTNV	GPRS900	124	5	400	-27.31	-23.00	PASS
NTNV	GPRS900	124	5	600	-36.81	-25.00	PASS
NTNV	GPRS900	124	5	1200	-47.96	-25.00	PASS
NTNV	GPRS900	124	5	1800	-48.03	-28.00	PASS
NTNV	GPRS900	124	7	-1800	-48.47	-28.00	PASS
NTNV	GPRS900	124	7	-1200	-47.81	-25.00	PASS
NTNV	GPRS900	124	7	-600	-37.64	-25.00	PASS
NTNV	GPRS900	124	7	-400	-29.66	-23.00	PASS
NTNV	GPRS900	124	7	400	-26.83	-23.00	PASS



NTNV	GPRS900	124	7	600	-36.84	-25.00	PASS
NTNV	GPRS900	124	7	1200	-48.45	-25.00	PASS
NTNV	GPRS900	124	7	1800	-50.49	-28.00	PASS
NTNV	GPRS900	124	11	-1800	-55.65	-34.00	PASS
NTNV	GPRS900	124	11	-1200	-53.63	-31.00	PASS
NTNV	GPRS900	124	11	-600	-40.64	-26.00	PASS
NTNV	GPRS900	124	11	-400	-32.86	-23.00	PASS
NTNV	GPRS900	124	11	400	-30.18	-23.00	PASS
NTNV	GPRS900	124	11	600	-38.70	-26.00	PASS
NTNV	GPRS900	124	11	1200	-55.33	-31.00	PASS
NTNV	GPRS900	124	11	1800	-56.72	-34.00	PASS
NTNV	GPRS900	124	19	-1800	-67.48	-36.00	PASS
NTNV	GPRS900	124	19	-1200	-60.27	-32.00	PASS
NTNV	GPRS900	124	19	-600	-47.90	-26.00	PASS
NTNV	GPRS900	124	19	-400	-40.29	-23.00	PASS
NTNV	GPRS900	124	19	400	-39.26	-23.00	PASS
NTNV	GPRS900	124	19	600	-46.07	-26.00	PASS
NTNV	GPRS900	124	19	1200	-64.22	-32.00	PASS
NTNV	GPRS900	124	19	1800	-65.46	-36.00	PASS
NTNV	GPRS1800	512	0	-1800	-51.27	-31.00	PASS
NTNV	GPRS1800	512	0	-1200	-48.52	-28.00	PASS
NTNV	GPRS1800	512	0	-600	-44.24	-26.00	PASS
NTNV	GPRS1800	512	0	-400	-36.97	-23.00	PASS
NTNV	GPRS1800	512	0	400	-35.38	-23.00	PASS
NTNV	GPRS1800	512	0	600	-40.73	-26.00	PASS
NTNV	GPRS1800	512	0	1200	-49.93	-28.00	PASS
NTNV	GPRS1800	512	0	1800	-50.75	-31.00	PASS
NTNV	GPRS1800	512	7	-1800	-61.70	-36.00	PASS
NTNV	GPRS1800	512	7	-1200	-58.07	-32.00	PASS
NTNV	GPRS1800	512	7	-600	-47.93	-26.00	PASS
NTNV	GPRS1800	512	7	-400	-40.69	-23.00	PASS
NTNV	GPRS1800	512	7	400	-38.29	-23.00	PASS
NTNV	GPRS1800	512	7	600	-43.57	-26.00	PASS
NTNV	GPRS1800	512	7	1200	-58.54	-32.00	PASS
NTNV	GPRS1800	512	7	1800	-60.98	-36.00	PASS
NTNV	GPRS1800	512	11	-1800	-67.80	-36.00	PASS
NTNV	GPRS1800	512	11	-1200	-62.82	-32.00	PASS
NTNV	GPRS1800	512	11	-600	-51.38	-26.00	PASS
NTNV	GPRS1800	512	11	-400	-44.74	-23.00	PASS
NTNV	GPRS1800	512	11	400	-41.29	-23.00	PASS
NTNV	GPRS1800	512	11	600	-47.10	-26.00	PASS
NTNV	GPRS1800	512	11	1200	-63.50	-32.00	PASS
NTNV	GPRS1800	512	11	1800	-66.81	-36.00	PASS



NTNV	GPRS1800	512	15	-1800	-73.15	-36.00	PASS
NTNV	GPRS1800	512	15	-1200	-65.67	-32.00	PASS
NTNV	GPRS1800	512	15	-600	-55.16	-26.00	PASS
NTNV	GPRS1800	512	15	-400	-47.82	-23.00	PASS
NTNV	GPRS1800	512	15	400	-45.17	-23.00	PASS
NTNV	GPRS1800	512	15	600	-50.89	-26.00	PASS
NTNV	GPRS1800	512	15	1200	-67.86	-32.00	PASS
NTNV	GPRS1800	512	15	1800	-71.92	-36.00	PASS
NTNV	GPRS1800	698	0	-1800	-48.35	-31.00	PASS
NTNV	GPRS1800	698	0	-1200	-49.02	-28.00	PASS
NTNV	GPRS1800	698	0	-600	-41.60	-26.00	PASS
NTNV	GPRS1800	698	0	-400	-35.02	-23.00	PASS
NTNV	GPRS1800	698	0	400	-36.00	-23.00	PASS
NTNV	GPRS1800	698	0	600	-40.87	-26.00	PASS
NTNV	GPRS1800	698	0	1200	-48.03	-28.00	PASS
NTNV	GPRS1800	698	0	1800	-51.13	-31.00	PASS
NTNV	GPRS1800	698	7	-1800	-61.60	-36.00	PASS
NTNV	GPRS1800	698	7	-1200	-57.72	-32.00	PASS
NTNV	GPRS1800	698	7	-600	-47.03	-26.00	PASS
NTNV	GPRS1800	698	7	-400	-40.10	-23.00	PASS
NTNV	GPRS1800	698	7	400	-37.23	-23.00	PASS
NTNV	GPRS1800	698	7	600	-42.79	-26.00	PASS
NTNV	GPRS1800	698	7	1200	-58.88	-32.00	PASS
NTNV	GPRS1800	698	7	1800	-61.20	-36.00	PASS
NTNV	GPRS1800	698	11	-1800	-67.50	-36.00	PASS
NTNV	GPRS1800	698	11	-1200	-63.68	-32.00	PASS
NTNV	GPRS1800	698	11	-600	-49.97	-26.00	PASS
NTNV	GPRS1800	698	11	-400	-43.13	-23.00	PASS
NTNV	GPRS1800	698	11	400	-40.49	-23.00	PASS
NTNV	GPRS1800	698	11	600	-46.76	-26.00	PASS
NTNV	GPRS1800	698	11	1200	-62.15	-32.00	PASS
NTNV	GPRS1800	698	11	1800	-66.83	-36.00	PASS
NTNV	GPRS1800	698	15	-1800	-72.93	-36.00	PASS
NTNV	GPRS1800	698	15	-1200	-64.77	-32.00	PASS
NTNV	GPRS1800	698	15	-600	-54.84	-26.00	PASS
NTNV	GPRS1800	698	15	-400	-47.61	-23.00	PASS
NTNV	GPRS1800	698	15	400	-44.77	-23.00	PASS
NTNV	GPRS1800	698	15	600	-50.30	-26.00	PASS
NTNV	GPRS1800	698	15	1200	-65.72	-32.00	PASS
NTNV	GPRS1800	698	15	1800	-71.26	-36.00	PASS
NTNV	GPRS1800	885	0	-1800	-49.75	-31.00	PASS
NTNV	GPRS1800	885	0	-1200	-47.22	-28.00	PASS
NTNV	GPRS1800	885	0	-600	-41.39	-26.00	PASS



NTNV	GPRS1800	885	0	-400	-36.24	-23.00	PASS
NTNV	GPRS1800	885	0	400	-34.96	-23.00	PASS
NTNV	GPRS1800	885	0	600	-41.61	-26.00	PASS
NTNV	GPRS1800	885	0	1200	-48.24	-28.00	PASS
NTNV	GPRS1800	885	0	1800	-50.47	-31.00	PASS
NTNV	GPRS1800	885	7	-1800	-60.90	-36.00	PASS
NTNV	GPRS1800	885	7	-1200	-57.39	-32.00	PASS
NTNV	GPRS1800	885	7	-600	-46.57	-26.00	PASS
NTNV	GPRS1800	885	7	-400	-39.29	-23.00	PASS
NTNV	GPRS1800	885	7	400	-38.17	-23.00	PASS
NTNV	GPRS1800	885	7	600	-42.67	-26.00	PASS
NTNV	GPRS1800	885	7	1200	-56.77	-32.00	PASS
NTNV	GPRS1800	885	7	1800	-61.49	-36.00	PASS
NTNV	GPRS1800	885	11	-1800	-68.67	-36.00	PASS
NTNV	GPRS1800	885	11	-1200	-61.82	-32.00	PASS
NTNV	GPRS1800	885	11	-600	-50.30	-26.00	PASS
NTNV	GPRS1800	885	11	-400	-43.64	-23.00	PASS
NTNV	GPRS1800	885	11	400	-39.99	-23.00	PASS
NTNV	GPRS1800	885	11	600	-45.89	-26.00	PASS
NTNV	GPRS1800	885	11	1200	-61.05	-32.00	PASS
NTNV	GPRS1800	885	11	1800	-65.12	-36.00	PASS
NTNV	GPRS1800	885	15	-1800	-72.84	-36.00	PASS
NTNV	GPRS1800	885	15	-1200	-65.93	-32.00	PASS
NTNV	GPRS1800	885	15	-600	-54.52	-26.00	PASS
NTNV	GPRS1800	885	15	-400	-47.05	-23.00	PASS
NTNV	GPRS1800	885	15	400	-43.84	-23.00	PASS
NTNV	GPRS1800	885	15	600	-49.35	-26.00	PASS
NTNV	GPRS1800	885	15	1200	-65.64	-32.00	PASS
NTNV	GPRS1800	885	15	1800	-69.51	-36.00	PASS

Condition	Band	Ch.	PCL	Offset	Result	Limit	Verdict
NTNV	GPRS900	975	5	-1800	-80.31	-60.00	PASS
NTNV	GPRS900	975	5	-1600	-80.08	-60.00	PASS
NTNV	GPRS900	975	5	-1400	-79.51	-60.00	PASS
NTNV	GPRS900	975	5	-1200	-78.86	-60.00	PASS
NTNV	GPRS900	975	5	-1000	-77.81	-60.00	PASS
NTNV	GPRS900	975	5	-800	-76.62	-60.00	PASS
NTNV	GPRS900	975	5	-600	-74.87	-60.00	PASS
NTNV	GPRS900	975	5	-400	-69.27	-60.00	PASS
NTNV	GPRS900	975	5	-250	-41.31	-33.00	PASS
NTNV	GPRS900	975	5	-200	-37.01	-30.00	PASS
NTNV	GPRS900	975	5	-100	-8.93	0.50	PASS
NTNV	GPRS900	975	5	100	-8.82	0.50	PASS



NTNV	GPRS900	975	5	200	-36.89	-30.00	PASS
NTNV	GPRS900	975	5	250	-41.47	-33.00	PASS
NTNV	GPRS900	975	5	400	-70.07	-60.00	PASS
NTNV	GPRS900	975	5	600	-74.94	-60.00	PASS
NTNV	GPRS900	975	5	800	-76.72	-60.00	PASS
NTNV	GPRS900	975	5	1000	-78.22	-60.00	PASS
NTNV	GPRS900	975	5	1200	-78.86	-60.00	PASS
NTNV	GPRS900	975	5	1400	-79.14	-60.00	PASS
NTNV	GPRS900	975	5	1600	-80.25	-60.00	PASS
NTNV	GPRS900	975	5	1800	-80.45	-60.00	PASS
NTNV	GPRS900	975	7	-1800	-81.75	-60.00	PASS
NTNV	GPRS900	975	7	-1600	-81.45	-60.00	PASS
NTNV	GPRS900	975	7	-1400	-80.68	-60.00	PASS
NTNV	GPRS900	975	7	-1200	-79.85	-60.00	PASS
NTNV	GPRS900	975	7	-1000	-78.82	-60.00	PASS
NTNV	GPRS900	975	7	-800	-77.36	-60.00	PASS
NTNV	GPRS900	975	7	-600	-75.15	-60.00	PASS
NTNV	GPRS900	975	7	-400	-69.52	-60.00	PASS
NTNV	GPRS900	975	7	-250	-41.20	-33.00	PASS
NTNV	GPRS900	975	7	-200	-36.92	-30.00	PASS
NTNV	GPRS900	975	7	-100	-9.03	0.50	PASS
NTNV	GPRS900	975	7	100	-8.60	0.50	PASS
NTNV	GPRS900	975	7	200	-37.12	-30.00	PASS
NTNV	GPRS900	975	7	250	-41.30	-33.00	PASS
NTNV	GPRS900	975	7	400	-69.97	-60.00	PASS
NTNV	GPRS900	975	7	600	-75.48	-60.00	PASS
NTNV	GPRS900	975	7	800	-77.60	-60.00	PASS
NTNV	GPRS900	975	7	1000	-78.90	-60.00	PASS
NTNV	GPRS900	975	7	1200	-79.86	-60.00	PASS
NTNV	GPRS900	975	7	1400	-80.39	-60.00	PASS
NTNV	GPRS900	975	7	1600	-81.87	-60.00	PASS
NTNV	GPRS900	975	7	1800	-81.91	-60.00	PASS
NTNV	GPRS900	975	11	-1800	-81.44	-60.00	PASS
NTNV	GPRS900	975	11	-1600	-81.18	-60.00	PASS
NTNV	GPRS900	975	11	-1400	-80.22	-60.00	PASS
NTNV	GPRS900	975	11	-1200	-79.25	-60.00	PASS
NTNV	GPRS900	975	11	-1000	-78.16	-60.00	PASS
NTNV	GPRS900	975	11	-800	-76.36	-60.00	PASS
NTNV	GPRS900	975	11	-600	-74.38	-60.00	PASS
NTNV	GPRS900	975	11	-400	-69.07	-60.00	PASS
NTNV	GPRS900	975	11	-250	-41.27	-33.00	PASS
NTNV	GPRS900	975	11	-200	-36.98	-30.00	PASS
NTNV	GPRS900	975	11	-100	-8.69	0.50	PASS



NTNV	GPRS900	975	11	100	-9.20	0.50	PASS
NTNV	GPRS900	975	11	200	-36.95	-30.00	PASS
NTNV	GPRS900	975	11	250	-41.30	-33.00	PASS
NTNV	GPRS900	975	11	400	-69.56	-60.00	PASS
NTNV	GPRS900	975	11	600	-74.54	-60.00	PASS
NTNV	GPRS900	975	11	800	-76.95	-60.00	PASS
NTNV	GPRS900	975	11	1000	-78.61	-60.00	PASS
NTNV	GPRS900	975	11	1200	-79.69	-60.00	PASS
NTNV	GPRS900	975	11	1400	-80.76	-60.00	PASS
NTNV	GPRS900	975	11	1600	-81.72	-60.00	PASS
NTNV	GPRS900	975	11	1800	-81.84	-60.00	PASS
NTNV	GPRS900	975	19	-1800	-76.28	-60.00	PASS
NTNV	GPRS900	975	19	-1600	-75.13	-60.00	PASS
NTNV	GPRS900	975	19	-1400	-74.17	-60.00	PASS
NTNV	GPRS900	975	19	-1200	-72.42	-60.00	PASS
NTNV	GPRS900	975	19	-1000	-70.56	-60.00	PASS
NTNV	GPRS900	975	19	-800	-68.96	-60.00	PASS
NTNV	GPRS900	975	19	-600	-66.22	-60.00	PASS
NTNV	GPRS900	975	19	-400	-63.11	-60.00	PASS
NTNV	GPRS900	975	19	-250	-40.75	-33.00	PASS
NTNV	GPRS900	975	19	-200	-36.73	-30.00	PASS
NTNV	GPRS900	975	19	-100	-8.54	0.50	PASS
NTNV	GPRS900	975	19	100	-8.51	0.50	PASS
NTNV	GPRS900	975	19	200	-36.75	-30.00	PASS
NTNV	GPRS900	975	19	250	-40.92	-33.00	PASS
NTNV	GPRS900	975	19	400	-63.82	-60.00	PASS
NTNV	GPRS900	975	19	600	-67.12	-60.00	PASS
NTNV	GPRS900	975	19	800	-69.44	-60.00	PASS
NTNV	GPRS900	975	19	1000	-72.00	-60.00	PASS
NTNV	GPRS900	975	19	1200	-73.54	-60.00	PASS
NTNV	GPRS900	975	19	1400	-74.99	-60.00	PASS
NTNV	GPRS900	975	19	1600	-76.23	-60.00	PASS
NTNV	GPRS900	975	19	1800	-77.36	-60.00	PASS
NTNV	GPRS900	63	5	-1800	-80.27	-60.00	PASS
NTNV	GPRS900	63	5	-1600	-80.21	-60.00	PASS
NTNV	GPRS900	63	5	-1400	-79.35	-60.00	PASS
NTNV	GPRS900	63	5	-1200	-78.62	-60.00	PASS
NTNV	GPRS900	63	5	-1000	-78.26	-60.00	PASS
NTNV	GPRS900	63	5	-800	-76.87	-60.00	PASS
NTNV	GPRS900	63	5	-600	-75.03	-60.00	PASS
NTNV	GPRS900	63	5	-400	-69.30	-60.00	PASS
NTNV	GPRS900	63	5	-250	-41.34	-33.00	PASS
NTNV	GPRS900	63	5	-200	-36.97	-30.00	PASS



NTNV	GPRS900	63	5	-100	-8.54	0.50	PASS
NTNV	GPRS900	63	5	100	-8.86	0.50	PASS
NTNV	GPRS900	63	5	200	-36.98	-30.00	PASS
NTNV	GPRS900	63	5	250	-41.19	-33.00	PASS
NTNV	GPRS900	63	5	400	-69.62	-60.00	PASS
NTNV	GPRS900	63	5	600	-74.80	-60.00	PASS
NTNV	GPRS900	63	5	800	-76.83	-60.00	PASS
NTNV	GPRS900	63	5	1000	-78.21	-60.00	PASS
NTNV	GPRS900	63	5	1200	-79.07	-60.00	PASS
NTNV	GPRS900	63	5	1400	-79.31	-60.00	PASS
NTNV	GPRS900	63	5	1600	-80.37	-60.00	PASS
NTNV	GPRS900	63	5	1800	-80.51	-60.00	PASS
NTNV	GPRS900	63	7	-1800	-81.78	-60.00	PASS
NTNV	GPRS900	63	7	-1600	-81.63	-60.00	PASS
NTNV	GPRS900	63	7	-1400	-80.65	-60.00	PASS
NTNV	GPRS900	63	7	-1200	-79.45	-60.00	PASS
NTNV	GPRS900	63	7	-1000	-78.65	-60.00	PASS
NTNV	GPRS900	63	7	-800	-77.53	-60.00	PASS
NTNV	GPRS900	63	7	-600	-74.77	-60.00	PASS
NTNV	GPRS900	63	7	-400	-69.47	-60.00	PASS
NTNV	GPRS900	63	7	-250	-41.00	-33.00	PASS
NTNV	GPRS900	63	7	-200	-36.99	-30.00	PASS
NTNV	GPRS900	63	7	-100	-8.48	0.50	PASS
NTNV	GPRS900	63	7	100	-8.74	0.50	PASS
NTNV	GPRS900	63	7	200	-36.75	-30.00	PASS
NTNV	GPRS900	63	7	250	-41.13	-33.00	PASS
NTNV	GPRS900	63	7	400	-69.68	-60.00	PASS
NTNV	GPRS900	63	7	600	-75.22	-60.00	PASS
NTNV	GPRS900	63	7	800	-77.32	-60.00	PASS
NTNV	GPRS900	63	7	1000	-78.99	-60.00	PASS
NTNV	GPRS900	63	7	1200	-79.48	-60.00	PASS
NTNV	GPRS900	63	7	1400	-80.45	-60.00	PASS
NTNV	GPRS900	63	7	1600	-81.60	-60.00	PASS
NTNV	GPRS900	63	7	1800	-81.58	-60.00	PASS
NTNV	GPRS900	63	11	-1800	-81.87	-60.00	PASS
NTNV	GPRS900	63	11	-1600	-81.31	-60.00	PASS
NTNV	GPRS900	63	11	-1400	-80.71	-60.00	PASS
NTNV	GPRS900	63	11	-1200	-79.52	-60.00	PASS
NTNV	GPRS900	63	11	-1000	-78.46	-60.00	PASS
NTNV	GPRS900	63	11	-800	-76.89	-60.00	PASS
NTNV	GPRS900	63	11	-600	-74.68	-60.00	PASS
NTNV	GPRS900	63	11	-400	-69.23	-60.00	PASS
NTNV	GPRS900	63	11	-250	-41.31	-33.00	PASS



NTNV	GPRS900	63	11	-200	-37.23	-30.00	PASS
NTNV	GPRS900	63	11	-100	-8.96	0.50	PASS
NTNV	GPRS900	63	11	100	-9.21	0.50	PASS
NTNV	GPRS900	63	11	200	-37.12	-30.00	PASS
NTNV	GPRS900	63	11	250	-41.29	-33.00	PASS
NTNV	GPRS900	63	11	400	-70.04	-60.00	PASS
NTNV	GPRS900	63	11	600	-74.83	-60.00	PASS
NTNV	GPRS900	63	11	800	-77.14	-60.00	PASS
NTNV	GPRS900	63	11	1000	-79.12	-60.00	PASS
NTNV	GPRS900	63	11	1200	-80.18	-60.00	PASS
NTNV	GPRS900	63	11	1400	-80.87	-60.00	PASS
NTNV	GPRS900	63	11	1600	-81.86	-60.00	PASS
NTNV	GPRS900	63	11	1800	-82.16	-60.00	PASS
NTNV	GPRS900	63	19	-1800	-76.71	-60.00	PASS
NTNV	GPRS900	63	19	-1600	-75.62	-60.00	PASS
NTNV	GPRS900	63	19	-1400	-74.40	-60.00	PASS
NTNV	GPRS900	63	19	-1200	-72.80	-60.00	PASS
NTNV	GPRS900	63	19	-1000	-71.16	-60.00	PASS
NTNV	GPRS900	63	19	-800	-69.15	-60.00	PASS
NTNV	GPRS900	63	19	-600	-66.74	-60.00	PASS
NTNV	GPRS900	63	19	-400	-63.67	-60.00	PASS
NTNV	GPRS900	63	19	-250	-41.11	-33.00	PASS
NTNV	GPRS900	63	19	-200	-36.96	-30.00	PASS
NTNV	GPRS900	63	19	-100	-9.14	0.50	PASS
NTNV	GPRS900	63	19	100	-8.64	0.50	PASS
NTNV	GPRS900	63	19	200	-37.20	-30.00	PASS
NTNV	GPRS900	63	19	250	-41.07	-33.00	PASS
NTNV	GPRS900	63	19	400	-64.05	-60.00	PASS
NTNV	GPRS900	63	19	600	-67.35	-60.00	PASS
NTNV	GPRS900	63	19	800	-69.74	-60.00	PASS
NTNV	GPRS900	63	19	1000	-72.21	-60.00	PASS
NTNV	GPRS900	63	19	1200	-73.73	-60.00	PASS
NTNV	GPRS900	63	19	1400	-75.49	-60.00	PASS
NTNV	GPRS900	63	19	1600	-76.84	-60.00	PASS
NTNV	GPRS900	63	19	1800	-77.72	-60.00	PASS
NTNV	GPRS900	124	5	-1800	-79.98	-60.00	PASS
NTNV	GPRS900	124	5	-1600	-80.50	-60.00	PASS
NTNV	GPRS900	124	5	-1400	-79.80	-60.00	PASS
NTNV	GPRS900	124	5	-1200	-79.20	-60.00	PASS
NTNV	GPRS900	124	5	-1000	-78.72	-60.00	PASS
NTNV	GPRS900	124	5	-800	-77.26	-60.00	PASS
NTNV	GPRS900	124	5	-600	-75.05	-60.00	PASS
NTNV	GPRS900	124	5	-400	-69.92	-60.00	PASS



NTNV	GPRS900	124	5	-250	-41.44	-33.00	PASS
NTNV	GPRS900	124	5	-200	-36.96	-30.00	PASS
NTNV	GPRS900	124	5	-100	-8.96	0.50	PASS
NTNV	GPRS900	124	5	100	-8.89	0.50	PASS
NTNV	GPRS900	124	5	200	-37.23	-30.00	PASS
NTNV	GPRS900	124	5	250	-41.20	-33.00	PASS
NTNV	GPRS900	124	5	400	-70.27	-60.00	PASS
NTNV	GPRS900	124	5	600	-75.15	-60.00	PASS
NTNV	GPRS900	124	5	800	-77.19	-60.00	PASS
NTNV	GPRS900	124	5	1000	-78.66	-60.00	PASS
NTNV	GPRS900	124	5	1200	-79.39	-60.00	PASS
NTNV	GPRS900	124	5	1400	-79.70	-60.00	PASS
NTNV	GPRS900	124	5	1600	-80.61	-60.00	PASS
NTNV	GPRS900	124	5	1800	-79.82	-60.00	PASS
NTNV	GPRS900	124	7	-1800	-80.87	-60.00	PASS
NTNV	GPRS900	124	7	-1600	-82.05	-60.00	PASS
NTNV	GPRS900	124	7	-1400	-80.91	-60.00	PASS
NTNV	GPRS900	124	7	-1200	-80.14	-60.00	PASS
NTNV	GPRS900	124	7	-1000	-79.36	-60.00	PASS
NTNV	GPRS900	124	7	-800	-77.81	-60.00	PASS
NTNV	GPRS900	124	7	-600	-75.67	-60.00	PASS
NTNV	GPRS900	124	7	-400	-70.17	-60.00	PASS
NTNV	GPRS900	124	7	-250	-41.51	-33.00	PASS
NTNV	GPRS900	124	7	-200	-36.67	-30.00	PASS
NTNV	GPRS900	124	7	-100	-8.71	0.50	PASS
NTNV	GPRS900	124	7	100	-9.10	0.50	PASS
NTNV	GPRS900	124	7	200	-36.77	-30.00	PASS
NTNV	GPRS900	124	7	250	-41.35	-33.00	PASS
NTNV	GPRS900	124	7	400	-70.49	-60.00	PASS
NTNV	GPRS900	124	7	600	-75.77	-60.00	PASS
NTNV	GPRS900	124	7	800	-77.75	-60.00	PASS
NTNV	GPRS900	124	7	1000	-79.75	-60.00	PASS
NTNV	GPRS900	124	7	1200	-80.27	-60.00	PASS
NTNV	GPRS900	124	7	1400	-80.90	-60.00	PASS
NTNV	GPRS900	124	7	1600	-82.21	-60.00	PASS
NTNV	GPRS900	124	7	1800	-81.14	-60.00	PASS
NTNV	GPRS900	124	11	-1800	-80.82	-60.00	PASS
NTNV	GPRS900	124	11	-1600	-81.56	-60.00	PASS
NTNV	GPRS900	124	11	-1400	-80.27	-60.00	PASS
NTNV	GPRS900	124	11	-1200	-79.76	-60.00	PASS
NTNV	GPRS900	124	11	-1000	-78.36	-60.00	PASS
NTNV	GPRS900	124	11	-800	-77.13	-60.00	PASS
NTNV	GPRS900	124	11	-600	-74.35	-60.00	PASS



NTNV	GPRS900	124	11	-400	-69.37	-60.00	PASS
NTNV	GPRS900	124	11	-250	-41.15	-33.00	PASS
NTNV	GPRS900	124	11	-200	-36.75	-30.00	PASS
NTNV	GPRS900	124	11	-100	-8.70	0.50	PASS
NTNV	GPRS900	124	11	100	-8.78	0.50	PASS
NTNV	GPRS900	124	11	200	-36.86	-30.00	PASS
NTNV	GPRS900	124	11	250	-41.34	-33.00	PASS
NTNV	GPRS900	124	11	400	-69.92	-60.00	PASS
NTNV	GPRS900	124	11	600	-74.87	-60.00	PASS
NTNV	GPRS900	124	11	800	-77.38	-60.00	PASS
NTNV	GPRS900	124	11	1000	-78.98	-60.00	PASS
NTNV	GPRS900	124	11	1200	-79.55	-60.00	PASS
NTNV	GPRS900	124	11	1400	-80.75	-60.00	PASS
NTNV	GPRS900	124	11	1600	-81.85	-60.00	PASS
NTNV	GPRS900	124	11	1800	-81.12	-60.00	PASS
NTNV	GPRS900	124	19	-1800	-76.25	-60.00	PASS
NTNV	GPRS900	124	19	-1600	-76.08	-60.00	PASS
NTNV	GPRS900	124	19	-1400	-74.36	-60.00	PASS
NTNV	GPRS900	124	19	-1200	-73.15	-60.00	PASS
NTNV	GPRS900	124	19	-1000	-71.19	-60.00	PASS
NTNV	GPRS900	124	19	-800	-69.34	-60.00	PASS
NTNV	GPRS900	124	19	-600	-66.63	-60.00	PASS
NTNV	GPRS900	124	19	-400	-63.62	-60.00	PASS
NTNV	GPRS900	124	19	-250	-41.39	-33.00	PASS
NTNV	GPRS900	124	19	-200	-36.87	-30.00	PASS
NTNV	GPRS900	124	19	-100	-8.97	0.50	PASS
NTNV	GPRS900	124	19	100	-8.78	0.50	PASS
NTNV	GPRS900	124	19	200	-36.98	-30.00	PASS
NTNV	GPRS900	124	19	250	-41.21	-33.00	PASS
NTNV	GPRS900	124	19	400	-63.91	-60.00	PASS
NTNV	GPRS900	124	19	600	-67.55	-60.00	PASS
NTNV	GPRS900	124	19	800	-70.20	-60.00	PASS
NTNV	GPRS900	124	19	1000	-72.04	-60.00	PASS
NTNV	GPRS900	124	19	1200	-74.01	-60.00	PASS
NTNV	GPRS900	124	19	1400	-75.33	-60.00	PASS
NTNV	GPRS900	124	19	1600	-76.90	-60.00	PASS
NTNV	GPRS900	124	19	1800	-77.04	-60.00	PASS
NTNV	GPRS1800	512	0	-1800	-79.46	-60.00	PASS
NTNV	GPRS1800	512	0	-1600	-79.18	-60.00	PASS
NTNV	GPRS1800	512	0	-1400	-78.20	-60.00	PASS
NTNV	GPRS1800	512	0	-1200	-77.27	-60.00	PASS
NTNV	GPRS1800	512	0	-1000	-76.59	-60.00	PASS
NTNV	GPRS1800	512	0	-800	-74.76	-60.00	PASS



NTNV	GPRS1800	512	0	-600	-72.66	-60.00	PASS
NTNV	GPRS1800	512	0	-400	-67.44	-60.00	PASS
NTNV	GPRS1800	512	0	-250	-41.24	-33.00	PASS
NTNV	GPRS1800	512	0	-200	-36.74	-30.00	PASS
NTNV	GPRS1800	512	0	-100	-8.70	0.50	PASS
NTNV	GPRS1800	512	0	100	-8.91	0.50	PASS
NTNV	GPRS1800	512	0	200	-36.81	-30.00	PASS
NTNV	GPRS1800	512	0	250	-41.23	-33.00	PASS
NTNV	GPRS1800	512	0	400	-67.62	-60.00	PASS
NTNV	GPRS1800	512	0	600	-72.75	-60.00	PASS
NTNV	GPRS1800	512	0	800	-74.75	-60.00	PASS
NTNV	GPRS1800	512	0	1000	-76.43	-60.00	PASS
NTNV	GPRS1800	512	0	1200	-77.66	-60.00	PASS
NTNV	GPRS1800	512	0	1400	-78.38	-60.00	PASS
NTNV	GPRS1800	512	0	1600	-78.97	-60.00	PASS
NTNV	GPRS1800	512	0	1800	-79.38	-60.00	PASS
NTNV	GPRS1800	512	7	-1800	-79.94	-60.00	PASS
NTNV	GPRS1800	512	7	-1600	-79.53	-60.00	PASS
NTNV	GPRS1800	512	7	-1400	-78.20	-60.00	PASS
NTNV	GPRS1800	512	7	-1200	-77.01	-60.00	PASS
NTNV	GPRS1800	512	7	-1000	-75.98	-60.00	PASS
NTNV	GPRS1800	512	7	-800	-73.87	-60.00	PASS
NTNV	GPRS1800	512	7	-600	-71.34	-60.00	PASS
NTNV	GPRS1800	512	7	-400	-67.26	-60.00	PASS
NTNV	GPRS1800	512	7	-250	-40.90	-33.00	PASS
NTNV	GPRS1800	512	7	-200	-36.81	-30.00	PASS
NTNV	GPRS1800	512	7	-100	-8.62	0.50	PASS
NTNV	GPRS1800	512	7	100	-8.64	0.50	PASS
NTNV	GPRS1800	512	7	200	-36.81	-30.00	PASS
NTNV	GPRS1800	512	7	250	-41.12	-33.00	PASS
NTNV	GPRS1800	512	7	400	-67.47	-60.00	PASS
NTNV	GPRS1800	512	7	600	-71.56	-60.00	PASS
NTNV	GPRS1800	512	7	800	-74.07	-60.00	PASS
NTNV	GPRS1800	512	7	1000	-76.05	-60.00	PASS
NTNV	GPRS1800	512	7	1200	-77.45	-60.00	PASS
NTNV	GPRS1800	512	7	1400	-78.05	-60.00	PASS
NTNV	GPRS1800	512	7	1600	-79.90	-60.00	PASS
NTNV	GPRS1800	512	7	1800	-80.18	-60.00	PASS
NTNV	GPRS1800	512	11	-1800	-78.77	-60.00	PASS
NTNV	GPRS1800	512	11	-1600	-78.00	-60.00	PASS
NTNV	GPRS1800	512	11	-1400	-76.72	-60.00	PASS
NTNV	GPRS1800	512	11	-1200	-75.28	-60.00	PASS
NTNV	GPRS1800	512	11	-1000	-73.98	-60.00	PASS



NTNV	GPRS1800	512	11	-800	-72.04	-60.00	PASS
NTNV	GPRS1800	512	11	-600	-69.55	-60.00	PASS
NTNV	GPRS1800	512	11	-400	-65.44	-60.00	PASS
NTNV	GPRS1800	512	11	-250	-41.19	-33.00	PASS
NTNV	GPRS1800	512	11	-200	-36.89	-30.00	PASS
NTNV	GPRS1800	512	11	-100	-9.03	0.50	PASS
NTNV	GPRS1800	512	11	100	-9.01	0.50	PASS
NTNV	GPRS1800	512	11	200	-37.06	-30.00	PASS
NTNV	GPRS1800	512	11	250	-40.92	-33.00	PASS
NTNV	GPRS1800	512	11	400	-65.53	-60.00	PASS
NTNV	GPRS1800	512	11	600	-69.79	-60.00	PASS
NTNV	GPRS1800	512	11	800	-72.05	-60.00	PASS
NTNV	GPRS1800	512	11	1000	-74.33	-60.00	PASS
NTNV	GPRS1800	512	11	1200	-75.77	-60.00	PASS
NTNV	GPRS1800	512	11	1400	-76.71	-60.00	PASS
NTNV	GPRS1800	512	11	1600	-78.07	-60.00	PASS
NTNV	GPRS1800	512	11	1800	-78.87	-60.00	PASS
NTNV	GPRS1800	512	15	-1800	-77.44	-60.00	PASS
NTNV	GPRS1800	512	15	-1600	-76.43	-60.00	PASS
NTNV	GPRS1800	512	15	-1400	-75.23	-60.00	PASS
NTNV	GPRS1800	512	15	-1200	-73.87	-60.00	PASS
NTNV	GPRS1800	512	15	-1000	-72.27	-60.00	PASS
NTNV	GPRS1800	512	15	-800	-70.05	-60.00	PASS
NTNV	GPRS1800	512	15	-600	-67.43	-60.00	PASS
NTNV	GPRS1800	512	15	-400	-64.14	-60.00	PASS
NTNV	GPRS1800	512	15	-250	-40.97	-33.00	PASS
NTNV	GPRS1800	512	15	-200	-36.93	-30.00	PASS
NTNV	GPRS1800	512	15	-100	-9.01	0.50	PASS
NTNV	GPRS1800	512	15	100	-8.78	0.50	PASS
NTNV	GPRS1800	512	15	200	-37.03	-30.00	PASS
NTNV	GPRS1800	512	15	250	-41.24	-33.00	PASS
NTNV	GPRS1800	512	15	400	-64.44	-60.00	PASS
NTNV	GPRS1800	512	15	600	-68.10	-60.00	PASS
NTNV	GPRS1800	512	15	800	-70.61	-60.00	PASS
NTNV	GPRS1800	512	15	1000	-72.47	-60.00	PASS
NTNV	GPRS1800	512	15	1200	-74.33	-60.00	PASS
NTNV	GPRS1800	512	15	1400	-75.72	-60.00	PASS
NTNV	GPRS1800	512	15	1600	-76.86	-60.00	PASS
NTNV	GPRS1800	512	15	1800	-77.79	-60.00	PASS
NTNV	GPRS1800	698	0	-1800	-79.49	-60.00	PASS
NTNV	GPRS1800	698	0	-1600	-79.25	-60.00	PASS
NTNV	GPRS1800	698	0	-1400	-78.22	-60.00	PASS
NTNV	GPRS1800	698	0	-1200	-77.42	-60.00	PASS



NTNV	GPRS1800	698	0	-1000	-76.53	-60.00	PASS
NTNV	GPRS1800	698	0	-800	-74.88	-60.00	PASS
NTNV	GPRS1800	698	0	-600	-72.52	-60.00	PASS
NTNV	GPRS1800	698	0	-400	-67.36	-60.00	PASS
NTNV	GPRS1800	698	0	-250	-41.24	-33.00	PASS
NTNV	GPRS1800	698	0	-200	-36.69	-30.00	PASS
NTNV	GPRS1800	698	0	-100	-8.79	0.50	PASS
NTNV	GPRS1800	698	0	100	-8.97	0.50	PASS
NTNV	GPRS1800	698	0	200	-36.87	-30.00	PASS
NTNV	GPRS1800	698	0	250	-41.27	-33.00	PASS
NTNV	GPRS1800	698	0	400	-67.57	-60.00	PASS
NTNV	GPRS1800	698	0	600	-72.66	-60.00	PASS
NTNV	GPRS1800	698	0	800	-74.90	-60.00	PASS
NTNV	GPRS1800	698	0	1000	-76.78	-60.00	PASS
NTNV	GPRS1800	698	0	1200	-77.67	-60.00	PASS
NTNV	GPRS1800	698	0	1400	-78.54	-60.00	PASS
NTNV	GPRS1800	698	0	1600	-79.36	-60.00	PASS
NTNV	GPRS1800	698	0	1800	-79.55	-60.00	PASS
NTNV	GPRS1800	698	7	-1800	-80.37	-60.00	PASS
NTNV	GPRS1800	698	7	-1600	-79.62	-60.00	PASS
NTNV	GPRS1800	698	7	-1400	-78.61	-60.00	PASS
NTNV	GPRS1800	698	7	-1200	-77.46	-60.00	PASS
NTNV	GPRS1800	698	7	-1000	-76.34	-60.00	PASS
NTNV	GPRS1800	698	7	-800	-74.29	-60.00	PASS
NTNV	GPRS1800	698	7	-600	-71.82	-60.00	PASS
NTNV	GPRS1800	698	7	-400	-67.25	-60.00	PASS
NTNV	GPRS1800	698	7	-250	-41.33	-33.00	PASS
NTNV	GPRS1800	698	7	-200	-36.89	-30.00	PASS
NTNV	GPRS1800	698	7	-100	-9.04	0.50	PASS
NTNV	GPRS1800	698	7	100	-8.86	0.50	PASS
NTNV	GPRS1800	698	7	200	-37.01	-30.00	PASS
NTNV	GPRS1800	698	7	250	-41.32	-33.00	PASS
NTNV	GPRS1800	698	7	400	-67.08	-60.00	PASS
NTNV	GPRS1800	698	7	600	-71.79	-60.00	PASS
NTNV	GPRS1800	698	7	800	-74.40	-60.00	PASS
NTNV	GPRS1800	698	7	1000	-76.31	-60.00	PASS
NTNV	GPRS1800	698	7	1200	-77.45	-60.00	PASS
NTNV	GPRS1800	698	7	1400	-78.50	-60.00	PASS
NTNV	GPRS1800	698	7	1600	-79.88	-60.00	PASS
NTNV	GPRS1800	698	7	1800	-80.49	-60.00	PASS
NTNV	GPRS1800	698	11	-1800	-78.44	-60.00	PASS
NTNV	GPRS1800	698	11	-1600	-77.66	-60.00	PASS
NTNV	GPRS1800	698	11	-1400	-76.77	-60.00	PASS



NTNV	GPRS1800	698	11	-1200	-75.39	-60.00	PASS
NTNV	GPRS1800	698	11	-1000	-73.66	-60.00	PASS
NTNV	GPRS1800	698	11	-800	-71.82	-60.00	PASS
NTNV	GPRS1800	698	11	-600	-69.22	-60.00	PASS
NTNV	GPRS1800	698	11	-400	-65.15	-60.00	PASS
NTNV	GPRS1800	698	11	-250	-40.96	-33.00	PASS
NTNV	GPRS1800	698	11	-200	-36.69	-30.00	PASS
NTNV	GPRS1800	698	11	-100	-8.70	0.50	PASS
NTNV	GPRS1800	698	11	100	-8.54	0.50	PASS
NTNV	GPRS1800	698	11	200	-36.60	-30.00	PASS
NTNV	GPRS1800	698	11	250	-41.28	-33.00	PASS
NTNV	GPRS1800	698	11	400	-65.02	-60.00	PASS
NTNV	GPRS1800	698	11	600	-69.42	-60.00	PASS
NTNV	GPRS1800	698	11	800	-71.86	-60.00	PASS
NTNV	GPRS1800	698	11	1000	-73.94	-60.00	PASS
NTNV	GPRS1800	698	11	1200	-75.25	-60.00	PASS
NTNV	GPRS1800	698	11	1400	-76.81	-60.00	PASS
NTNV	GPRS1800	698	11	1600	-77.75	-60.00	PASS
NTNV	GPRS1800	698	11	1800	-78.69	-60.00	PASS
NTNV	GPRS1800	698	15	-1800	-77.40	-60.00	PASS
NTNV	GPRS1800	698	15	-1600	-76.45	-60.00	PASS
NTNV	GPRS1800	698	15	-1400	-75.08	-60.00	PASS
NTNV	GPRS1800	698	15	-1200	-73.48	-60.00	PASS
NTNV	GPRS1800	698	15	-1000	-71.90	-60.00	PASS
NTNV	GPRS1800	698	15	-800	-69.98	-60.00	PASS
NTNV	GPRS1800	698	15	-600	-67.52	-60.00	PASS
NTNV	GPRS1800	698	15	-400	-63.61	-60.00	PASS
NTNV	GPRS1800	698	15	-250	-41.00	-33.00	PASS
NTNV	GPRS1800	698	15	-200	-36.64	-30.00	PASS
NTNV	GPRS1800	698	15	-100	-8.58	0.50	PASS
NTNV	GPRS1800	698	15	100	-8.76	0.50	PASS
NTNV	GPRS1800	698	15	200	-36.87	-30.00	PASS
NTNV	GPRS1800	698	15	250	-40.97	-33.00	PASS
NTNV	GPRS1800	698	15	400	-63.88	-60.00	PASS
NTNV	GPRS1800	698	15	600	-67.80	-60.00	PASS
NTNV	GPRS1800	698	15	800	-70.20	-60.00	PASS
NTNV	GPRS1800	698	15	1000	-72.26	-60.00	PASS
NTNV	GPRS1800	698	15	1200	-73.61	-60.00	PASS
NTNV	GPRS1800	698	15	1400	-75.50	-60.00	PASS
NTNV	GPRS1800	698	15	1600	-76.34	-60.00	PASS
NTNV	GPRS1800	698	15	1800	-77.28	-60.00	PASS
NTNV	GPRS1800	885	0	-1800	-79.70	-60.00	PASS
NTNV	GPRS1800	885	0	-1600	-79.30	-60.00	PASS



NTNV	GPRS1800	885	0	-1400	-78.59	-60.00	PASS
NTNV	GPRS1800	885	0	-1200	-77.44	-60.00	PASS
NTNV	GPRS1800	885	0	-1000	-76.52	-60.00	PASS
NTNV	GPRS1800	885	0	-800	-74.91	-60.00	PASS
NTNV	GPRS1800	885	0	-600	-72.49	-60.00	PASS
NTNV	GPRS1800	885	0	-400	-67.72	-60.00	PASS
NTNV	GPRS1800	885	0	-250	-41.11	-33.00	PASS
NTNV	GPRS1800	885	0	-200	-36.93	-30.00	PASS
NTNV	GPRS1800	885	0	-100	-8.75	0.50	PASS
NTNV	GPRS1800	885	0	100	-8.81	0.50	PASS
NTNV	GPRS1800	885	0	200	-36.91	-30.00	PASS
NTNV	GPRS1800	885	0	250	-41.46	-33.00	PASS
NTNV	GPRS1800	885	0	400	-67.73	-60.00	PASS
NTNV	GPRS1800	885	0	600	-72.41	-60.00	PASS
NTNV	GPRS1800	885	0	800	-74.83	-60.00	PASS
NTNV	GPRS1800	885	0	1000	-76.58	-60.00	PASS
NTNV	GPRS1800	885	0	1200	-77.61	-60.00	PASS
NTNV	GPRS1800	885	0	1400	-78.30	-60.00	PASS
NTNV	GPRS1800	885	0	1600	-79.43	-60.00	PASS
NTNV	GPRS1800	885	0	1800	-79.79	-60.00	PASS
NTNV	GPRS1800	885	7	-1800	-80.39	-60.00	PASS
NTNV	GPRS1800	885	7	-1600	-79.39	-60.00	PASS
NTNV	GPRS1800	885	7	-1400	-78.37	-60.00	PASS
NTNV	GPRS1800	885	7	-1200	-77.08	-60.00	PASS
NTNV	GPRS1800	885	7	-1000	-75.87	-60.00	PASS
NTNV	GPRS1800	885	7	-800	-73.93	-60.00	PASS
NTNV	GPRS1800	885	7	-600	-71.33	-60.00	PASS
NTNV	GPRS1800	885	7	-400	-67.00	-60.00	PASS
NTNV	GPRS1800	885	7	-250	-40.95	-33.00	PASS
NTNV	GPRS1800	885	7	-200	-36.88	-30.00	PASS
NTNV	GPRS1800	885	7	-100	-8.82	0.50	PASS
NTNV	GPRS1800	885	7	100	-8.83	0.50	PASS
NTNV	GPRS1800	885	7	200	-36.85	-30.00	PASS
NTNV	GPRS1800	885	7	250	-41.40	-33.00	PASS
NTNV	GPRS1800	885	7	400	-66.98	-60.00	PASS
NTNV	GPRS1800	885	7	600	-71.38	-60.00	PASS
NTNV	GPRS1800	885	7	800	-74.00	-60.00	PASS
NTNV	GPRS1800	885	7	1000	-76.20	-60.00	PASS
NTNV	GPRS1800	885	7	1200	-77.47	-60.00	PASS
NTNV	GPRS1800	885	7	1400	-78.67	-60.00	PASS
NTNV	GPRS1800	885	7	1600	-79.55	-60.00	PASS
NTNV	GPRS1800	885	7	1800	-80.06	-60.00	PASS
NTNV	GPRS1800	885	11	-1800	-78.74	-60.00	PASS



NTNV	GPRS1800	885	11	-1600	-78.01	-60.00	PASS
NTNV	GPRS1800	885	11	-1400	-76.70	-60.00	PASS
NTNV	GPRS1800	885	11	-1200	-75.08	-60.00	PASS
NTNV	GPRS1800	885	11	-1000	-73.60	-60.00	PASS
NTNV	GPRS1800	885	11	-800	-71.88	-60.00	PASS
NTNV	GPRS1800	885	11	-600	-68.97	-60.00	PASS
NTNV	GPRS1800	885	11	-400	-65.10	-60.00	PASS
NTNV	GPRS1800	885	11	-250	-40.83	-33.00	PASS
NTNV	GPRS1800	885	11	-200	-36.97	-30.00	PASS
NTNV	GPRS1800	885	11	-100	-9.05	0.50	PASS
NTNV	GPRS1800	885	11	100	-8.71	0.50	PASS
NTNV	GPRS1800	885	11	200	-36.77	-30.00	PASS
NTNV	GPRS1800	885	11	250	-41.25	-33.00	PASS
NTNV	GPRS1800	885	11	400	-65.31	-60.00	PASS
NTNV	GPRS1800	885	11	600	-69.44	-60.00	PASS
NTNV	GPRS1800	885	11	800	-71.84	-60.00	PASS
NTNV	GPRS1800	885	11	1000	-74.06	-60.00	PASS
NTNV	GPRS1800	885	11	1200	-75.52	-60.00	PASS
NTNV	GPRS1800	885	11	1400	-76.85	-60.00	PASS
NTNV	GPRS1800	885	11	1600	-77.84	-60.00	PASS
NTNV	GPRS1800	885	11	1800	-78.91	-60.00	PASS
NTNV	GPRS1800	885	15	-1800	-77.39	-60.00	PASS
NTNV	GPRS1800	885	15	-1600	-76.15	-60.00	PASS
NTNV	GPRS1800	885	15	-1400	-74.84	-60.00	PASS
NTNV	GPRS1800	885	15	-1200	-73.42	-60.00	PASS
NTNV	GPRS1800	885	15	-1000	-71.62	-60.00	PASS
NTNV	GPRS1800	885	15	-800	-69.82	-60.00	PASS
NTNV	GPRS1800	885	15	-600	-67.21	-60.00	PASS
NTNV	GPRS1800	885	15	-400	-63.67	-60.00	PASS
NTNV	GPRS1800	885	15	-250	-41.08	-33.00	PASS
NTNV	GPRS1800	885	15	-200	-36.75	-30.00	PASS
NTNV	GPRS1800	885	15	-100	-8.94	0.50	PASS
NTNV	GPRS1800	885	15	100	-8.75	0.50	PASS
NTNV	GPRS1800	885	15	200	-36.85	-30.00	PASS
NTNV	GPRS1800	885	15	250	-41.07	-33.00	PASS
NTNV	GPRS1800	885	15	400	-63.86	-60.00	PASS
NTNV	GPRS1800	885	15	600	-67.35	-60.00	PASS
NTNV	GPRS1800	885	15	800	-70.09	-60.00	PASS
NTNV	GPRS1800	885	15	1000	-72.06	-60.00	PASS
NTNV	GPRS1800	885	15	1200	-73.61	-60.00	PASS
NTNV	GPRS1800	885	15	1400	-75.10	-60.00	PASS
NTNV	GPRS1800	885	15	1600	-76.59	-60.00	PASS
NTNV	GPRS1800	885	15	1800	-77.36	-60.00	PASS

Test Graphs-Switching Spectrum and Modulation Spectrum







NTNV-GPRS900-975-19



NTNV-GPRS900-63-5




NTNV-GPRS900-63-7




NTNV-GPRS900-63-11




NTNV-GPRS900-63-19



NTNV-GPRS900-124-5



NTNV-GPRS900-124-7




NTNV-GPRS900-124-11




NTNV-GPRS900-124-19




NTNV-GPRS1800-512-0




NTNV-GPRS1800-512-7




NTNV-GPRS1800-512-11



NTNV-GPRS1800-512-15




NTNV-GPRS1800-698-0




NTNV-GPRS1800-698-7



NTNV-GPRS1800-698-11




NTNV-GPRS1800-698-15




NTNV-GPRS1800-885-0




NTNV-GPRS1800-885-7



NTNV-GPRS1800-885-11



NTNV-GPRS1800-885-15





Appendix J: Transmitter output power in EGPRS multislots configuration

Test Result

Condition	Band	Ch.	PCL	Test Slot	Power(dBm)	Limit(dBm)	Power vs time	Verdict
NTNV	EGPRS900	975	8	2	22.55	18 to 30	PASS	PASS
NTNV	EGPRS900	975	8	3	22.24	18 to 30	PASS	PASS
NTNV	EGPRS900	975	8	4	21.96	18 to 30	PASS	PASS
NTNV	EGPRS900	975	8	5	21.94	18 to 30	PASS	PASS
NTNV	EGPRS900	63	8	2	22.90	18 to 30	PASS	PASS
NTNV	EGPRS900	63	8	3	22.56	18 to 30	PASS	PASS
NTNV	EGPRS900	63	8	4	22.38	18 to 30	PASS	PASS
NTNV	EGPRS900	63	8	5	22.36	18 to 30	PASS	PASS
NTNV	EGPRS900	63	9	2	22.91	16 to 28	PASS	PASS
NTNV	EGPRS900	63	9	3	22.47	16 to 28	PASS	PASS
NTNV	EGPRS900	63	9	4	22.43	16 to 28	PASS	PASS
NTNV	EGPRS900	63	9	5	22.18	16 to 28	PASS	PASS
NTNV	EGPRS900	63	10	2	22.89	14 to 26	PASS	PASS
NTNV	EGPRS900	63	10	3	22.45	14 to 26	PASS	PASS
NTNV	EGPRS900	63	10	4	22.38	14 to 26	PASS	PASS
NTNV	EGPRS900	63	10	5	22.26	14 to 26	PASS	PASS
NTNV	EGPRS900	63	11	2	20.93	12 to 24	PASS	PASS
NTNV	EGPRS900	63	11	3	20.49	12 to 24	PASS	PASS
NTNV	EGPRS900	63	11	4	20.36	12 to 24	PASS	PASS
NTNV	EGPRS900	63	11	5	20.40	12 to 24	PASS	PASS
NTNV	EGPRS900	63	12	2	18.95	10 to 22	PASS	PASS
NTNV	EGPRS900	63	12	3	18.50	10 to 22	PASS	PASS
NTNV	EGPRS900	63	12	4	18.43	10 to 22	PASS	PASS
NTNV	EGPRS900	63	12	5	18.30	10 to 22	PASS	PASS
NTNV	EGPRS900	63	13	2	16.91	8 to 20	PASS	PASS
NTNV	EGPRS900	63	13	3	16.52	8 to 20	PASS	PASS
NTNV	EGPRS900	63	13	4	16.34	8 to 20	PASS	PASS
NTNV	EGPRS900	63	13	5	16.30	8 to 20	PASS	PASS
NTNV	EGPRS900	63	14	2	14.93	6 to 18	PASS	PASS
NTNV	EGPRS900	63	14	3	14.62	6 to 18	PASS	PASS
NTNV	EGPRS900	63	14	4	14.48	6 to 18	PASS	PASS
NTNV	EGPRS900	63	14	5	14.31	6 to 18	PASS	PASS
NTNV	EGPRS900	63	15	2	12.99	4 to 16	PASS	PASS
NTNV	EGPRS900	63	15	3	12.54	4 to 16	PASS	PASS



NTNV	EGPRS900	63	15	4	12.47	4 to 16	PASS	PASS
NTNV	EGPRS900	63	15	5	12.40	4 to 16	PASS	PASS
NTNV	EGPRS900	63	16	2	11.10	0 to 16	PASS	PASS
NTNV	EGPRS900	63	16	3	10.78	0 to 16	PASS	PASS
NTNV	EGPRS900	63	16	4	10.53	0 to 16	PASS	PASS
NTNV	EGPRS900	63	16	5	10.49	0 to 16	PASS	PASS
NTNV	EGPRS900	63	17	2	9.07	-2 to 14	PASS	PASS
NTNV	EGPRS900	63	17	3	8.66	-2 to 14	PASS	PASS
NTNV	EGPRS900	63	17	4	8.53	-2 to 14	PASS	PASS
NTNV	EGPRS900	63	17	5	8.47	-2 to 14	PASS	PASS
NTNV	EGPRS900	63	18	2	6.99	-4 to 12	PASS	PASS
NTNV	EGPRS900	63	18	3	6.59	-4 to 12	PASS	PASS
NTNV	EGPRS900	63	18	4	6.55	-4 to 12	PASS	PASS
NTNV	EGPRS900	63	18	5	6.37	-4 to 12	PASS	PASS
NTNV	EGPRS900	63	19	2	5.05	-6 to 10	PASS	PASS
NTNV	EGPRS900	63	19	3	4.61	-6 to 10	PASS	PASS
NTNV	EGPRS900	63	19	4	4.51	-6 to 10	PASS	PASS
NTNV	EGPRS900	63	19	5	4.38	-6 to 10	PASS	PASS
NTNV	EGPRS900	124	8	2	22.80	18 to 30	PASS	PASS
NTNV	EGPRS900	124	8	3	22.34	18 to 30	PASS	PASS
NTNV	EGPRS900	124	8	4	22.26	18 to 30	PASS	PASS
NTNV	EGPRS900	124	8	5	22.09	18 to 30	PASS	PASS
NTNV	EGPRS1800	512	2	2	21.59	17 to 29	PASS	PASS
NTNV	EGPRS1800	512	2	3	21.34	17 to 29	PASS	PASS
NTNV	EGPRS1800	512	2	4	21.24	17 to 29	PASS	PASS
NTNV	EGPRS1800	512	2	5	21.25	17 to 29	PASS	PASS

Condition	Band	Ch.	PCL	Test Slot	Val PCL	Val (dB)	Limit (dB)	Verdict
NTNV	EGPRS900	975	8	2	---	---	---	---
NTNV	EGPRS900	975	8	3	---	---	---	---
NTNV	EGPRS900	975	8	4	---	---	---	---
NTNV	EGPRS900	975	8	5	---	---	---	---
NTNV	EGPRS900	63	8	2	---	---	---	---
NTNV	EGPRS900	63	8	3	---	---	---	---
NTNV	EGPRS900	63	8	4	---	---	---	---
NTNV	EGPRS900	63	8	5	---	---	---	---
NTNV	EGPRS900	63	9	2	8 vs 9	-0.01	-1 to 3.5	PASS
NTNV	EGPRS900	63	9	3	8 vs 9	0.09	-1 to 3.5	PASS
NTNV	EGPRS900	63	9	4	8 vs 9	-0.05	-1 to 3.5	PASS
NTNV	EGPRS900	63	9	5	8 vs 9	0.18	-1 to 3.5	PASS
NTNV	EGPRS900	63	10	2	9 vs 10	0.02	-1 to 3.5	PASS
NTNV	EGPRS900	63	10	3	9 vs 10	0.01	-1 to 3.5	PASS




NTNV	EGPRS900	63	10	4	9 vs 10	0.05	-1 to 3.5	PASS
NTNV	EGPRS900	63	10	5	9 vs 10	-0.08	-1 to 3.5	PASS
NTNV	EGPRS900	63	11	2	10 vs 11	1.96	-1 to 3.5	PASS
NTNV	EGPRS900	63	11	3	10 vs 11	1.96	-1 to 3.5	PASS
NTNV	EGPRS900	63	11	4	10 vs 11	2.02	-1 to 3.5	PASS
NTNV	EGPRS900	63	11	5	10 vs 11	1.86	-1 to 3.5	PASS
NTNV	EGPRS900	63	12	2	11 vs 12	1.98	-1 to 3.5	PASS
NTNV	EGPRS900	63	12	3	11 vs 12	1.99	-1 to 3.5	PASS
NTNV	EGPRS900	63	12	4	11 vs 12	1.93	-1 to 3.5	PASS
NTNV	EGPRS900	63	12	5	11 vs 12	2.10	-1 to 3.5	PASS
NTNV	EGPRS900	63	13	2	12 vs 13	2.04	0.5 to 3.5	PASS
NTNV	EGPRS900	63	13	3	12 vs 13	1.97	0.5 to 3.5	PASS
NTNV	EGPRS900	63	13	4	12 vs 13	2.09	0.5 to 3.5	PASS
NTNV	EGPRS900	63	13	5	12 vs 13	1.99	0.5 to 3.5	PASS
NTNV	EGPRS900	63	14	2	13 vs 14	1.97	0.5 to 3.5	PASS
NTNV	EGPRS900	63	14	3	13 vs 14	1.90	0.5 to 3.5	PASS
NTNV	EGPRS900	63	14	4	13 vs 14	1.86	0.5 to 3.5	PASS
NTNV	EGPRS900	63	14	5	13 vs 14	1.99	0.5 to 3.5	PASS
NTNV	EGPRS900	63	15	2	14 vs 15	1.94	0.5 to 3.5	PASS
NTNV	EGPRS900	63	15	3	14 vs 15	2.09	0.5 to 3.5	PASS
NTNV	EGPRS900	63	15	4	14 vs 15	2.01	0.5 to 3.5	PASS
NTNV	EGPRS900	63	15	5	14 vs 15	1.91	0.5 to 3.5	PASS
NTNV	EGPRS900	63	16	2	15 vs 16	1.89	0.5 to 3.5	PASS
NTNV	EGPRS900	63	16	3	15 vs 16	1.76	0.5 to 3.5	PASS
NTNV	EGPRS900	63	16	4	15 vs 16	1.95	0.5 to 3.5	PASS
NTNV	EGPRS900	63	16	5	15 vs 16	1.91	0.5 to 3.5	PASS
NTNV	EGPRS900	63	17	2	16 vs 17	2.03	0.5 to 3.5	PASS
NTNV	EGPRS900	63	17	3	16 vs 17	2.12	0.5 to 3.5	PASS
NTNV	EGPRS900	63	17	4	16 vs 17	2.00	0.5 to 3.5	PASS
NTNV	EGPRS900	63	17	5	16 vs 17	2.02	0.5 to 3.5	PASS
NTNV	EGPRS900	63	18	2	17 vs 18	2.08	0.5 to 3.5	PASS
NTNV	EGPRS900	63	18	3	17 vs 18	2.07	0.5 to 3.5	PASS
NTNV	EGPRS900	63	18	4	17 vs 18	1.98	0.5 to 3.5	PASS
NTNV	EGPRS900	63	18	5	17 vs 18	2.10	0.5 to 3.5	PASS
NTNV	EGPRS900	63	19	2	18 vs 19	1.94	0.5 to 3.5	PASS
NTNV	EGPRS900	63	19	3	18 vs 19	1.97	0.5 to 3.5	PASS
NTNV	EGPRS900	63	19	4	18 vs 19	2.04	0.5 to 3.5	PASS
NTNV	EGPRS900	63	19	5	18 vs 19	1.98	0.5 to 3.5	PASS
NTNV	EGPRS900	124	8	2	---	---	---	---
NTNV	EGPRS900	124	8	3	---	---	---	---
NTNV	EGPRS900	124	8	4	---	---	---	---
NTNV	EGPRS900	124	8	5	---	---	---	---
NTNV	EGPRS1800	512	2	2	---	---	---	---




NTNV	EGPRS1800	512	2	3	---	---	---	---
NTNV	EGPRS1800	512	2	4	---	---	---	---
NTNV	EGPRS1800	512	2	5	---	---	---	---


Condition	Band	Ch.	PCL	Test Slot	PCL In Slot	Power (dBm)	Limit (dBm)	Power vs time	Verdict
NTNV	EGPRS900	63	19	2	8 19 8 8	23.05	18 to 30	PASS	PASS
NTNV	EGPRS900	63	19	3	8 19 8 8	4.65	-6 to 10	PASS	PASS
NTNV	EGPRS900	63	19	4	8 19 8 8	22.38	18 to 30	PASS	PASS
NTNV	EGPRS900	63	19	5	8 19 8 8	22.38	18 to 30	PASS	PASS

Test Graphs







NTNV-EGPRS900-63-9




NTNV-EGPRS900-63-10




NTNV-EGPRS900-63-11




NTNV-EGPRS900-63-12




NTNV-EGPRS900-63-13




NTNV-EGPRS900-63-14




NTNV-EGPRS900-63-15




NTNV-EGPRS900-63-16




NTNV-EGPRS900-63-17




NTNV-EGPRS900-63-18




NTNV-EGPRS900-63-19




NTNV-EGPRS900-124-8



NTNV-EGPRS1800-512-2




@CE_EGPRS_Tx_PVT_Mm_IMG@NTNV-EGPRS900-63-19




@CE_EGPRS_Tx_PVT_Mm_IMG@

@CE_EGPRS_Tx_PVT_Mm_IMG@NTNV-EGPRS900-63-19




@CE_EGPRS_Tx_PVT_Mm_IMG@

@CE_EGPRS_Tx_PVT_Mm_IMG@NTNV-EGPRS900-63-19



@CE_EGPRS_Tx_PVT_Mm_IMG@

@CE_EGPRS_Tx_PVT_Mm_IMG@NTNV-EGPRS900-63-19



@CE_EGPRS_Tx_PVT_Mm_IMG@

Appendix K: Frequency error and Modulation accuracy in EGPRS Configuration

Test Result

Condition	Band	Ch.	PCL	Type	Result	Limit	Verdict
NTNV	EGPRS900	975	8	95:th percentile(%)	3.09	≤15	PASS
NTNV	EGPRS900	975	8	EVM RMS(%)	1.65	≤9	PASS
NTNV	EGPRS900	975	8	FrequencyError(ppm)	0.0903	≤0.1	PASS
NTNV	EGPRS900	975	8	Origin Offset(dB)	46.02	>30	PASS
NTNV	EGPRS900	975	8	Peak RMS(%)	4.28	≤30	PASS
NTNV	EGPRS900	975	19	95:th percentile(%)	2.55	≤15	PASS
NTNV	EGPRS900	975	19	EVM RMS(%)	1.36	≤9	PASS
NTNV	EGPRS900	975	19	FrequencyError(ppm)	0.0471	≤0.1	PASS
NTNV	EGPRS900	975	19	Origin Offset(dB)	46.51	>30	PASS
NTNV	EGPRS900	975	19	Peak RMS(%)	3.91	≤30	PASS
NTNV	EGPRS900	63	8	95:th percentile(%)	3.22	≤15	PASS
NTNV	EGPRS900	63	8	EVM RMS(%)	1.81	≤9	PASS
NTNV	EGPRS900	63	8	FrequencyError(ppm)	0.1012	≤0.1	PASS
NTNV	EGPRS900	63	8	Origin Offset(dB)	44.81	>30	PASS
NTNV	EGPRS900	63	8	Peak RMS(%)	4.49	≤30	PASS
NTNV	EGPRS900	63	19	95:th percentile(%)	2.79	≤15	PASS
NTNV	EGPRS900	63	19	EVM RMS(%)	1.40	≤9	PASS
NTNV	EGPRS900	63	19	FrequencyError(ppm)	0.1040	≤0.1	PASS
NTNV	EGPRS900	63	19	Origin Offset(dB)	48.36	>30	PASS
NTNV	EGPRS900	63	19	Peak RMS(%)	4.14	≤30	PASS
NTNV	EGPRS900	124	8	95:th percentile(%)	3.13	≤15	PASS
NTNV	EGPRS900	124	8	EVM RMS(%)	1.71	≤9	PASS
NTNV	EGPRS900	124	8	FrequencyError(ppm)	0.0654	≤0.1	PASS
NTNV	EGPRS900	124	8	Origin Offset(dB)	45.38	>30	PASS
NTNV	EGPRS900	124	8	Peak RMS(%)	4.62	≤30	PASS
NTNV	EGPRS900	124	19	95:th percentile(%)	2.82	≤15	PASS
NTNV	EGPRS900	124	19	EVM RMS(%)	1.44	≤9	PASS
NTNV	EGPRS900	124	19	FrequencyError(ppm)	0.1093	≤0.1	PASS
NTNV	EGPRS900	124	19	Origin Offset(dB)	46.46	>30	PASS
NTNV	EGPRS900	124	19	Peak RMS(%)	4.02	≤30	PASS
NTNV	EGPRS1800	512	2	95:th percentile(%)	3.40	≤15	PASS
NTNV	EGPRS1800	512	2	EVM RMS(%)	1.80	≤9	PASS
NTNV	EGPRS1800	512	2	FrequencyError(ppm)	0.0653	≤0.1	PASS
NTNV	EGPRS1800	512	2	Origin Offset(dB)	46.57	>30	PASS
NTNV	EGPRS1800	512	2	Peak RMS(%)	4.98	≤30	PASS



NTNV	EGPRS1800	512	15	95:th percentile(%)	3.58	≤15	PASS
NTNV	EGPRS1800	512	15	EVM RMS(%)	1.85	≤9	PASS
NTNV	EGPRS1800	512	15	FrequencyError(ppm)	0.0516	≤0.1	PASS
NTNV	EGPRS1800	512	15	Origin Offset(dB)	48.44	>30	PASS
NTNV	EGPRS1800	512	15	Peak RMS(%)	5.24	≤30	PASS
NTNV	EGPRS1800	698	2	95:th percentile(%)	3.80	≤15	PASS
NTNV	EGPRS1800	698	2	EVM RMS(%)	1.96	≤9	PASS
NTNV	EGPRS1800	698	2	FrequencyError(ppm)	0.0835	≤0.1	PASS
NTNV	EGPRS1800	698	2	Origin Offset(dB)	46.21	>30	PASS
NTNV	EGPRS1800	698	2	Peak RMS(%)	5.70	≤30	PASS
NTNV	EGPRS1800	698	15	95:th percentile(%)	3.99	≤15	PASS
NTNV	EGPRS1800	698	15	EVM RMS(%)	2.06	≤9	PASS
NTNV	EGPRS1800	698	15	FrequencyError(ppm)	0.1007	≤0.1	PASS
NTNV	EGPRS1800	698	15	Origin Offset(dB)	48.54	>30	PASS
NTNV	EGPRS1800	698	15	Peak RMS(%)	5.83	≤30	PASS
NTNV	EGPRS1800	885	2	95:th percentile(%)	3.82	≤15	PASS
NTNV	EGPRS1800	885	2	EVM RMS(%)	2.03	≤9	PASS
NTNV	EGPRS1800	885	2	FrequencyError(ppm)	0.0727	≤0.1	PASS
NTNV	EGPRS1800	885	2	Origin Offset(dB)	45.66	>30	PASS
NTNV	EGPRS1800	885	2	Peak RMS(%)	5.34	≤30	PASS
NTNV	EGPRS1800	885	15	95:th percentile(%)	3.83	≤15	PASS
NTNV	EGPRS1800	885	15	EVM RMS(%)	1.98	≤9	PASS
NTNV	EGPRS1800	885	15	FrequencyError(ppm)	0.0234	≤0.1	PASS
NTNV	EGPRS1800	885	15	Origin Offset(dB)	49.39	>30	PASS
NTNV	EGPRS1800	885	15	Peak RMS(%)	5.86	≤30	PASS

Appendix L: Frequency error under multipath and interference conditions in EGPRS Configuration

Test Result

Condition	Band	Ch.	PCL	Fading	Result	Limit	Verdict
NTNV	EGPRS900	975	8	RA	5.58	300	PASS
NTNV	EGPRS900	975	8	RA Burst 1	4.07	300	PASS
NTNV	EGPRS900	975	8	RA Burst 2	9.56	300	PASS
NTNV	EGPRS900	975	8	RA Burst 3	9.82	300	PASS
NTNV	EGPRS900	975	8	RA Burst 4	8.70	300	PASS
NTNV	EGPRS900	975	8	RA Burst 5	7.75	300	PASS
NTNV	EGPRS900	975	8	HT100	6.67	180	PASS
NTNV	EGPRS900	975	8	HT100 Burst 1	1.70	180	PASS
NTNV	EGPRS900	975	8	HT100 Burst 2	5.40	180	PASS
NTNV	EGPRS900	975	8	HT100 Burst 3	5.47	180	PASS
NTNV	EGPRS900	975	8	HT100 Burst 4	7.63	180	PASS
NTNV	EGPRS900	975	8	HT100 Burst 5	15.68	180	PASS
NTNV	EGPRS900	975	8	TU50	9.69	160	PASS
NTNV	EGPRS900	975	8	TU50 Burst 1	12.65	160	PASS
NTNV	EGPRS900	975	8	TU50 Burst 2	8.57	160	PASS
NTNV	EGPRS900	975	8	TU50 Burst 3	10.05	160	PASS
NTNV	EGPRS900	975	8	TU50 Burst 4	7.86	160	PASS
NTNV	EGPRS900	975	8	TU50 Burst 5	4.93	160	PASS
NTNV	EGPRS900	975	8	TUlow	7.92	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 1	14.94	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 2	13.76	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 3	6.08	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 4	4.96	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 5	12.97	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 6	11.68	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 7	4.68	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 8	6.43	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 9	5.37	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 10	15.17	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 11	1.86	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 12	-0.59	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 13	6.30	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 14	7.07	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 15	9.79	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 16	7.52	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 17	4.88	230	PASS



NTNV	EGPRS900	975	8	TUlow Burst 18	12.81	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 19	3.16	230	PASS
NTNV	EGPRS900	975	8	TUlow Burst 20	8.30	230	PASS
NTNV	EGPRS900	63	8	RA	5.30	300	PASS
NTNV	EGPRS900	63	8	RA Burst 1	8.27	300	PASS
NTNV	EGPRS900	63	8	RA Burst 2	9.42	300	PASS
NTNV	EGPRS900	63	8	RA Burst 3	3.40	300	PASS
NTNV	EGPRS900	63	8	RA Burst 4	3.99	300	PASS
NTNV	EGPRS900	63	8	RA Burst 5	3.22	300	PASS
NTNV	EGPRS900	63	8	HT100	0.25	180	PASS
NTNV	EGPRS900	63	8	HT100 Burst 1	4.66	180	PASS
NTNV	EGPRS900	63	8	HT100 Burst 2	2.74	180	PASS
NTNV	EGPRS900	63	8	HT100 Burst 3	-1.36	180	PASS
NTNV	EGPRS900	63	8	HT100 Burst 4	5.73	180	PASS
NTNV	EGPRS900	63	8	HT100 Burst 5	2.95	180	PASS
NTNV	EGPRS900	63	8	TU50	3.70	160	PASS
NTNV	EGPRS900	63	8	TU50 Burst 1	7.84	160	PASS
NTNV	EGPRS900	63	8	TU50 Burst 2	-0.60	160	PASS
NTNV	EGPRS900	63	8	TU50 Burst 3	3.75	160	PASS
NTNV	EGPRS900	63	8	TU50 Burst 4	3.74	160	PASS
NTNV	EGPRS900	63	8	TU50 Burst 5	4.56	160	PASS
NTNV	EGPRS900	63	8	TUlow	7.91	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 1	-2.27	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 2	3.53	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 3	2.77	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 4	-3.01	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 5	6.05	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 6	-0.36	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 7	1.62	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 8	2.19	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 9	9.78	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 10	3.10	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 11	7.33	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 12	5.86	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 13	6.96	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 14	1.87	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 15	8.21	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 16	8.85	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 17	2.29	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 18	5.88	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 19	3.24	230	PASS
NTNV	EGPRS900	63	8	TUlow Burst 20	4.06	230	PASS
NTNV	EGPRS900	124	8	RA	10.23	300	PASS



NTNV	EGPRS900	124	8	RA Burst 1	5.99	300	PASS
NTNV	EGPRS900	124	8	RA Burst 2	4.63	300	PASS
NTNV	EGPRS900	124	8	RA Burst 3	-0.30	300	PASS
NTNV	EGPRS900	124	8	RA Burst 4	1.24	300	PASS
NTNV	EGPRS900	124	8	RA Burst 5	2.96	300	PASS
NTNV	EGPRS900	124	8	HT100	10.68	180	PASS
NTNV	EGPRS900	124	8	HT100 Burst 1	4.58	180	PASS
NTNV	EGPRS900	124	8	HT100 Burst 2	4.03	180	PASS
NTNV	EGPRS900	124	8	HT100 Burst 3	-2.94	180	PASS
NTNV	EGPRS900	124	8	HT100 Burst 4	14.72	180	PASS
NTNV	EGPRS900	124	8	HT100 Burst 5	7.54	180	PASS
NTNV	EGPRS900	124	8	TU50	2.40	160	PASS
NTNV	EGPRS900	124	8	TU50 Burst 1	1.61	160	PASS
NTNV	EGPRS900	124	8	TU50 Burst 2	6.46	160	PASS
NTNV	EGPRS900	124	8	TU50 Burst 3	-3.88	160	PASS
NTNV	EGPRS900	124	8	TU50 Burst 4	0.62	160	PASS
NTNV	EGPRS900	124	8	TU50 Burst 5	5.83	160	PASS
NTNV	EGPRS900	124	8	TUlow	4.23	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 1	3.02	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 2	6.52	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 3	6.38	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 4	7.50	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 5	6.71	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 6	4.45	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 7	10.28	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 8	12.53	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 9	5.19	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 10	3.69	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 11	1.83	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 12	18.97	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 13	4.81	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 14	10.18	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 15	9.09	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 16	4.71	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 17	5.01	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 18	-0.49	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 19	5.97	230	PASS
NTNV	EGPRS900	124	8	TUlow Burst 20	2.58	230	PASS
NTNV	EGPRS1800	512	2	RA	12.58	400	PASS
NTNV	EGPRS1800	512	2	RA Burst 1	-5.81	400	PASS
NTNV	EGPRS1800	512	2	RA Burst 2	8.53	400	PASS
NTNV	EGPRS1800	512	2	RA Burst 3	7.58	400	PASS
NTNV	EGPRS1800	512	2	RA Burst 4	10.23	400	PASS



NTNV	EGPRS1800	512	2	RA Burst 5	8.41	400	PASS
NTNV	EGPRS1800	512	2	HT100	-2.15	350	PASS
NTNV	EGPRS1800	512	2	HT100 Burst 1	-2.12	350	PASS
NTNV	EGPRS1800	512	2	HT100 Burst 2	-6.86	350	PASS
NTNV	EGPRS1800	512	2	HT100 Burst 3	9.37	350	PASS
NTNV	EGPRS1800	512	2	HT100 Burst 4	5.85	350	PASS
NTNV	EGPRS1800	512	2	HT100 Burst 5	14.84	350	PASS
NTNV	EGPRS1800	512	2	TU50	-10.58	260	PASS
NTNV	EGPRS1800	512	2	TU50 Burst 1	-7.02	260	PASS
NTNV	EGPRS1800	512	2	TU50 Burst 2	-8.53	260	PASS
NTNV	EGPRS1800	512	2	TU50 Burst 3	-6.16	260	PASS
NTNV	EGPRS1800	512	2	TU50 Burst 4	-10.96	260	PASS
NTNV	EGPRS1800	512	2	TU50 Burst 5	-7.10	260	PASS
NTNV	EGPRS1800	512	2	TUlow	7.94	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 1	-0.09	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 2	2.20	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 3	5.98	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 4	8.13	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 5	-1.55	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 6	10.43	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 7	-8.47	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 8	-12.30	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 9	-10.22	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 10	-10.23	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 11	-0.86	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 12	-14.03	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 13	-6.88	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 14	-4.26	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 15	-6.23	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 16	-6.00	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 17	0.07	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 18	1.65	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 19	1.63	320	PASS
NTNV	EGPRS1800	512	2	TUlow Burst 20	-9.64	320	PASS
NTNV	EGPRS1800	698	2	RA	4.94	400	PASS
NTNV	EGPRS1800	698	2	RA Burst 1	-2.91	400	PASS
NTNV	EGPRS1800	698	2	RA Burst 2	10.49	400	PASS
NTNV	EGPRS1800	698	2	RA Burst 3	5.95	400	PASS
NTNV	EGPRS1800	698	2	RA Burst 4	13.12	400	PASS
NTNV	EGPRS1800	698	2	RA Burst 5	9.00	400	PASS
NTNV	EGPRS1800	698	2	HT100	11.00	350	PASS
NTNV	EGPRS1800	698	2	HT100 Burst 1	3.60	350	PASS
NTNV	EGPRS1800	698	2	HT100 Burst 2	-1.46	350	PASS



NTNV	EGPRS1800	698	2	HT100 Burst 3	-6.53	350	PASS
NTNV	EGPRS1800	698	2	HT100 Burst 4	0.16	350	PASS
NTNV	EGPRS1800	698	2	HT100 Burst 5	8.53	350	PASS
NTNV	EGPRS1800	698	2	TU50	17.91	260	PASS
NTNV	EGPRS1800	698	2	TU50 Burst 1	4.34	260	PASS
NTNV	EGPRS1800	698	2	TU50 Burst 2	13.34	260	PASS
NTNV	EGPRS1800	698	2	TU50 Burst 3	0.54	260	PASS
NTNV	EGPRS1800	698	2	TU50 Burst 4	17.16	260	PASS
NTNV	EGPRS1800	698	2	TU50 Burst 5	0.50	260	PASS
NTNV	EGPRS1800	698	2	TUlow	-3.24	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 1	18.44	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 2	10.01	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 3	14.75	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 4	8.90	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 5	11.91	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 6	17.14	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 7	18.84	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 8	7.98	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 9	4.80	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 10	8.56	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 11	18.24	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 12	-0.78	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 13	2.45	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 14	14.38	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 15	3.43	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 16	7.77	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 17	4.84	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 18	8.99	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 19	5.04	320	PASS
NTNV	EGPRS1800	698	2	TUlow Burst 20	5.42	320	PASS
NTNV	EGPRS1800	885	2	RA	13.18	400	PASS
NTNV	EGPRS1800	885	2	RA Burst 1	13.43	400	PASS
NTNV	EGPRS1800	885	2	RA Burst 2	-3.76	400	PASS
NTNV	EGPRS1800	885	2	RA Burst 3	21.21	400	PASS
NTNV	EGPRS1800	885	2	RA Burst 4	10.38	400	PASS
NTNV	EGPRS1800	885	2	RA Burst 5	8.11	400	PASS
NTNV	EGPRS1800	885	2	HT100	5.59	350	PASS
NTNV	EGPRS1800	885	2	HT100 Burst 1	0.50	350	PASS
NTNV	EGPRS1800	885	2	HT100 Burst 2	11.72	350	PASS
NTNV	EGPRS1800	885	2	HT100 Burst 3	9.05	350	PASS
NTNV	EGPRS1800	885	2	HT100 Burst 4	3.43	350	PASS
NTNV	EGPRS1800	885	2	HT100 Burst 5	-4.72	350	PASS
NTNV	EGPRS1800	885	2	TU50	12.87	260	PASS



NTNV	EGPRS1800	885	2	TU50 Burst 1	9.76	260	PASS
NTNV	EGPRS1800	885	2	TU50 Burst 2	0.86	260	PASS
NTNV	EGPRS1800	885	2	TU50 Burst 3	6.77	260	PASS
NTNV	EGPRS1800	885	2	TU50 Burst 4	3.23	260	PASS
NTNV	EGPRS1800	885	2	TU50 Burst 5	5.35	260	PASS
NTNV	EGPRS1800	885	2	TUlow	-5.46	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 1	7.99	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 2	4.23	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 3	6.68	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 4	12.52	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 5	1.40	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 6	3.33	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 7	-9.27	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 8	-1.46	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 9	8.64	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 10	13.05	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 11	-2.72	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 12	20.97	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 13	14.45	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 14	-0.76	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 15	9.06	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 16	-2.97	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 17	4.64	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 18	1.16	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 19	0.99	320	PASS
NTNV	EGPRS1800	885	2	TUlow Burst 20	-0.88	320	PASS

Appendix M: Output RF spectrum in EGPRS multislots configuration

Test Result-Switching Spectrum and Modulation Spectrum

Condition	Band	Ch.	PCL	Offset	Result	Limit	Verdict
NTNV	EGPRS900	975	8	-1800	-51.63	-36.00	PASS
NTNV	EGPRS900	975	8	-1200	-50.70	-32.00	PASS
NTNV	EGPRS900	975	8	-600	-46.53	-26.00	PASS
NTNV	EGPRS900	975	8	-400	-37.94	-23.00	PASS
NTNV	EGPRS900	975	8	400	-35.11	-23.00	PASS
NTNV	EGPRS900	975	8	600	-44.13	-26.00	PASS
NTNV	EGPRS900	975	8	1200	-49.52	-32.00	PASS
NTNV	EGPRS900	975	8	1800	-50.86	-36.00	PASS
NTNV	EGPRS900	975	11	-1800	-54.01	-36.00	PASS
NTNV	EGPRS900	975	11	-1200	-50.62	-32.00	PASS
NTNV	EGPRS900	975	11	-600	-44.94	-26.00	PASS
NTNV	EGPRS900	975	11	-400	-40.17	-23.00	PASS
NTNV	EGPRS900	975	11	400	-35.92	-23.00	PASS
NTNV	EGPRS900	975	11	600	-43.88	-26.00	PASS
NTNV	EGPRS900	975	11	1200	-51.07	-32.00	PASS
NTNV	EGPRS900	975	11	1800	-51.86	-36.00	PASS
NTNV	EGPRS900	975	19	-1800	-68.04	-36.00	PASS
NTNV	EGPRS900	975	19	-1200	-67.03	-32.00	PASS
NTNV	EGPRS900	975	19	-600	-61.66	-26.00	PASS
NTNV	EGPRS900	975	19	-400	-55.53	-23.00	PASS
NTNV	EGPRS900	975	19	400	-51.80	-23.00	PASS
NTNV	EGPRS900	975	19	600	-59.37	-26.00	PASS
NTNV	EGPRS900	975	19	1200	-66.71	-32.00	PASS
NTNV	EGPRS900	975	19	1800	-68.05	-36.00	PASS
NTNV	EGPRS900	63	8	-1800	-50.56	-36.00	PASS
NTNV	EGPRS900	63	8	-1200	-48.46	-32.00	PASS
NTNV	EGPRS900	63	8	-600	-45.34	-26.00	PASS
NTNV	EGPRS900	63	8	-400	-38.68	-23.00	PASS
NTNV	EGPRS900	63	8	400	-34.93	-23.00	PASS
NTNV	EGPRS900	63	8	600	-43.33	-26.00	PASS
NTNV	EGPRS900	63	8	1200	-48.51	-32.00	PASS
NTNV	EGPRS900	63	8	1800	-51.13	-36.00	PASS
NTNV	EGPRS900	63	11	-1800	-53.04	-36.00	PASS



NTNV	EGPRS900	63	11	-1200	-50.57	-32.00	PASS
NTNV	EGPRS900	63	11	-600	-45.79	-26.00	PASS
NTNV	EGPRS900	63	11	-400	-39.59	-23.00	PASS
NTNV	EGPRS900	63	11	400	-34.95	-23.00	PASS
NTNV	EGPRS900	63	11	600	-44.06	-26.00	PASS
NTNV	EGPRS900	63	11	1200	-50.97	-32.00	PASS
NTNV	EGPRS900	63	11	1800	-53.12	-36.00	PASS
NTNV	EGPRS900	63	19	-1800	-68.34	-36.00	PASS
NTNV	EGPRS900	63	19	-1200	-65.42	-32.00	PASS
NTNV	EGPRS900	63	19	-600	-61.27	-26.00	PASS
NTNV	EGPRS900	63	19	-400	-54.46	-23.00	PASS
NTNV	EGPRS900	63	19	400	-51.06	-23.00	PASS
NTNV	EGPRS900	63	19	600	-58.15	-26.00	PASS
NTNV	EGPRS900	63	19	1200	-65.38	-32.00	PASS
NTNV	EGPRS900	63	19	1800	-67.49	-36.00	PASS
NTNV	EGPRS900	124	8	-1800	-51.45	-36.00	PASS
NTNV	EGPRS900	124	8	-1200	-49.47	-32.00	PASS
NTNV	EGPRS900	124	8	-600	-44.53	-26.00	PASS
NTNV	EGPRS900	124	8	-400	-39.45	-23.00	PASS
NTNV	EGPRS900	124	8	400	-35.55	-23.00	PASS
NTNV	EGPRS900	124	8	600	-45.14	-26.00	PASS
NTNV	EGPRS900	124	8	1200	-50.60	-32.00	PASS
NTNV	EGPRS900	124	8	1800	-50.75	-36.00	PASS
NTNV	EGPRS900	124	11	-1800	-53.73	-36.00	PASS
NTNV	EGPRS900	124	11	-1200	-51.08	-32.00	PASS
NTNV	EGPRS900	124	11	-600	-45.61	-26.00	PASS
NTNV	EGPRS900	124	11	-400	-39.26	-23.00	PASS
NTNV	EGPRS900	124	11	400	-36.10	-23.00	PASS
NTNV	EGPRS900	124	11	600	-44.42	-26.00	PASS
NTNV	EGPRS900	124	11	1200	-50.89	-32.00	PASS
NTNV	EGPRS900	124	11	1800	-51.96	-36.00	PASS
NTNV	EGPRS900	124	19	-1800	-67.97	-36.00	PASS
NTNV	EGPRS900	124	19	-1200	-65.00	-32.00	PASS
NTNV	EGPRS900	124	19	-600	-61.43	-26.00	PASS
NTNV	EGPRS900	124	19	-400	-55.12	-23.00	PASS
NTNV	EGPRS900	124	19	400	-50.95	-23.00	PASS
NTNV	EGPRS900	124	19	600	-59.43	-26.00	PASS
NTNV	EGPRS900	124	19	1200	-65.57	-32.00	PASS
NTNV	EGPRS900	124	19	1800	-67.98	-36.00	PASS
NTNV	EGPRS1800	512	2	-1800	-51.25	-35.00	PASS
NTNV	EGPRS1800	512	2	-1200	-48.41	-31.00	PASS
NTNV	EGPRS1800	512	2	-600	-42.85	-26.00	PASS
NTNV	EGPRS1800	512	2	-400	-38.48	-23.00	PASS



NTNV	EGPRS1800	512	2	400	-34.18	-23.00	PASS
NTNV	EGPRS1800	512	2	600	-42.23	-26.00	PASS
NTNV	EGPRS1800	512	2	1200	-49.41	-31.00	PASS
NTNV	EGPRS1800	512	2	1800	-49.82	-35.00	PASS
NTNV	EGPRS1800	512	7	-1800	-55.79	-36.00	PASS
NTNV	EGPRS1800	512	7	-1200	-53.01	-32.00	PASS
NTNV	EGPRS1800	512	7	-600	-47.05	-26.00	PASS
NTNV	EGPRS1800	512	7	-400	-42.01	-23.00	PASS
NTNV	EGPRS1800	512	7	400	-37.17	-23.00	PASS
NTNV	EGPRS1800	512	7	600	-46.96	-26.00	PASS
NTNV	EGPRS1800	512	7	1200	-53.39	-32.00	PASS
NTNV	EGPRS1800	512	7	1800	-55.30	-36.00	PASS
NTNV	EGPRS1800	512	11	-1800	-63.87	-36.00	PASS
NTNV	EGPRS1800	512	11	-1200	-61.05	-32.00	PASS
NTNV	EGPRS1800	512	11	-600	-56.31	-26.00	PASS
NTNV	EGPRS1800	512	11	-400	-51.01	-23.00	PASS
NTNV	EGPRS1800	512	11	400	-43.92	-23.00	PASS
NTNV	EGPRS1800	512	11	600	-55.20	-26.00	PASS
NTNV	EGPRS1800	512	11	1200	-62.25	-32.00	PASS
NTNV	EGPRS1800	512	11	1800	-62.01	-36.00	PASS
NTNV	EGPRS1800	512	15	-1800	-71.84	-36.00	PASS
NTNV	EGPRS1800	512	15	-1200	-69.55	-32.00	PASS
NTNV	EGPRS1800	512	15	-600	-64.42	-26.00	PASS
NTNV	EGPRS1800	512	15	-400	-58.37	-23.00	PASS
NTNV	EGPRS1800	512	15	400	-53.82	-23.00	PASS
NTNV	EGPRS1800	512	15	600	-63.09	-26.00	PASS
NTNV	EGPRS1800	512	15	1200	-68.78	-32.00	PASS
NTNV	EGPRS1800	512	15	1800	-71.10	-36.00	PASS
NTNV	EGPRS1800	698	2	-1800	-49.71	-33.00	PASS
NTNV	EGPRS1800	698	2	-1200	-46.34	-30.00	PASS
NTNV	EGPRS1800	698	2	-600	-41.79	-26.00	PASS
NTNV	EGPRS1800	698	2	-400	-35.95	-23.00	PASS
NTNV	EGPRS1800	698	2	400	-32.56	-23.00	PASS
NTNV	EGPRS1800	698	2	600	-40.81	-26.00	PASS
NTNV	EGPRS1800	698	2	1200	-47.19	-30.00	PASS
NTNV	EGPRS1800	698	2	1800	-48.92	-33.00	PASS
NTNV	EGPRS1800	698	7	-1800	-54.08	-36.00	PASS
NTNV	EGPRS1800	698	7	-1200	-52.16	-32.00	PASS
NTNV	EGPRS1800	698	7	-600	-45.45	-26.00	PASS
NTNV	EGPRS1800	698	7	-400	-40.46	-23.00	PASS
NTNV	EGPRS1800	698	7	400	-35.09	-23.00	PASS
NTNV	EGPRS1800	698	7	600	-45.08	-26.00	PASS
NTNV	EGPRS1800	698	7	1200	-51.37	-32.00	PASS



NTNV	EGPRS1800	698	7	1800	-53.81	-36.00	PASS
NTNV	EGPRS1800	698	11	-1800	-63.13	-36.00	PASS
NTNV	EGPRS1800	698	11	-1200	-60.73	-32.00	PASS
NTNV	EGPRS1800	698	11	-600	-55.28	-26.00	PASS
NTNV	EGPRS1800	698	11	-400	-49.48	-23.00	PASS
NTNV	EGPRS1800	698	11	400	-45.15	-23.00	PASS
NTNV	EGPRS1800	698	11	600	-52.76	-26.00	PASS
NTNV	EGPRS1800	698	11	1200	-60.67	-32.00	PASS
NTNV	EGPRS1800	698	11	1800	-62.73	-36.00	PASS
NTNV	EGPRS1800	698	15	-1800	-68.73	-36.00	PASS
NTNV	EGPRS1800	698	15	-1200	-66.06	-32.00	PASS
NTNV	EGPRS1800	698	15	-600	-62.89	-26.00	PASS
NTNV	EGPRS1800	698	15	-400	-57.72	-23.00	PASS
NTNV	EGPRS1800	698	15	400	-52.53	-23.00	PASS
NTNV	EGPRS1800	698	15	600	-62.01	-26.00	PASS
NTNV	EGPRS1800	698	15	1200	-67.45	-32.00	PASS
NTNV	EGPRS1800	698	15	1800	-70.24	-36.00	PASS
NTNV	EGPRS1800	885	2	-1800	-50.00	-33.00	PASS
NTNV	EGPRS1800	885	2	-1200	-47.76	-30.00	PASS
NTNV	EGPRS1800	885	2	-600	-40.96	-26.00	PASS
NTNV	EGPRS1800	885	2	-400	-35.40	-23.00	PASS
NTNV	EGPRS1800	885	2	400	-31.91	-23.00	PASS
NTNV	EGPRS1800	885	2	600	-41.22	-26.00	PASS
NTNV	EGPRS1800	885	2	1200	-48.14	-30.00	PASS
NTNV	EGPRS1800	885	2	1800	-49.76	-33.00	PASS
NTNV	EGPRS1800	885	7	-1800	-53.84	-36.00	PASS
NTNV	EGPRS1800	885	7	-1200	-51.73	-32.00	PASS
NTNV	EGPRS1800	885	7	-600	-46.53	-26.00	PASS
NTNV	EGPRS1800	885	7	-400	-38.79	-23.00	PASS
NTNV	EGPRS1800	885	7	400	-33.15	-23.00	PASS
NTNV	EGPRS1800	885	7	600	-44.18	-26.00	PASS
NTNV	EGPRS1800	885	7	1200	-51.16	-32.00	PASS
NTNV	EGPRS1800	885	7	1800	-52.38	-36.00	PASS
NTNV	EGPRS1800	885	11	-1800	-62.92	-36.00	PASS
NTNV	EGPRS1800	885	11	-1200	-59.94	-32.00	PASS
NTNV	EGPRS1800	885	11	-600	-55.17	-26.00	PASS
NTNV	EGPRS1800	885	11	-400	-49.17	-23.00	PASS
NTNV	EGPRS1800	885	11	400	-45.20	-23.00	PASS
NTNV	EGPRS1800	885	11	600	-52.75	-26.00	PASS
NTNV	EGPRS1800	885	11	1200	-58.99	-32.00	PASS
NTNV	EGPRS1800	885	11	1800	-62.67	-36.00	PASS
NTNV	EGPRS1800	885	15	-1800	-68.79	-36.00	PASS
NTNV	EGPRS1800	885	15	-1200	-67.77	-32.00	PASS



NTNV	EGPRS1800	885	15	-600	-63.16	-26.00	PASS
NTNV	EGPRS1800	885	15	-400	-57.09	-23.00	PASS
NTNV	EGPRS1800	885	15	400	-52.61	-23.00	PASS
NTNV	EGPRS1800	885	15	600	-61.29	-26.00	PASS
NTNV	EGPRS1800	885	15	1200	-66.20	-32.00	PASS
NTNV	EGPRS1800	885	15	1800	-69.74	-36.00	PASS

Condition	Band	Ch.	PCL	Offset	Result	Limit	Verdict
NTNV	EGPRS900	975	8	-1800	-74.77	-60.00	PASS
NTNV	EGPRS900	975	8	-1600	-74.40	-60.00	PASS
NTNV	EGPRS900	975	8	-1400	-73.93	-60.00	PASS
NTNV	EGPRS900	975	8	-1200	-72.85	-60.00	PASS
NTNV	EGPRS900	975	8	-1000	-72.16	-60.00	PASS
NTNV	EGPRS900	975	8	-800	-71.02	-60.00	PASS
NTNV	EGPRS900	975	8	-600	-69.99	-60.00	PASS
NTNV	EGPRS900	975	8	-400	-66.29	-54.00	PASS
NTNV	EGPRS900	975	8	-250	-42.89	-33.00	PASS
NTNV	EGPRS900	975	8	-200	-38.93	-30.00	PASS
NTNV	EGPRS900	975	8	-100	-7.84	0.50	PASS
NTNV	EGPRS900	975	8	100	-8.13	0.50	PASS
NTNV	EGPRS900	975	8	200	-38.68	-30.00	PASS
NTNV	EGPRS900	975	8	250	-42.50	-33.00	PASS
NTNV	EGPRS900	975	8	400	-66.08	-54.00	PASS
NTNV	EGPRS900	975	8	600	-69.49	-60.00	PASS
NTNV	EGPRS900	975	8	800	-70.78	-60.00	PASS
NTNV	EGPRS900	975	8	1000	-72.52	-60.00	PASS
NTNV	EGPRS900	975	8	1200	-73.07	-60.00	PASS
NTNV	EGPRS900	975	8	1400	-73.77	-60.00	PASS
NTNV	EGPRS900	975	8	1600	-74.68	-60.00	PASS
NTNV	EGPRS900	975	8	1800	-74.63	-60.00	PASS
NTNV	EGPRS900	975	11	-1800	-76.77	-60.00	PASS
NTNV	EGPRS900	975	11	-1600	-76.65	-60.00	PASS
NTNV	EGPRS900	975	11	-1400	-75.51	-60.00	PASS
NTNV	EGPRS900	975	11	-1200	-74.54	-60.00	PASS
NTNV	EGPRS900	975	11	-1000	-73.61	-60.00	PASS
NTNV	EGPRS900	975	11	-800	-71.64	-60.00	PASS
NTNV	EGPRS900	975	11	-600	-70.43	-60.00	PASS
NTNV	EGPRS900	975	11	-400	-66.66	-54.00	PASS
NTNV	EGPRS900	975	11	-250	-43.07	-33.00	PASS
NTNV	EGPRS900	975	11	-200	-38.76	-30.00	PASS
NTNV	EGPRS900	975	11	-100	-7.90	0.50	PASS
NTNV	EGPRS900	975	11	100	-7.98	0.50	PASS
NTNV	EGPRS900	975	11	200	-38.88	-30.00	PASS



NTNV	EGPRS900	975	11	250	-42.95	-33.00	PASS
NTNV	EGPRS900	975	11	400	-66.72	-54.00	PASS
NTNV	EGPRS900	975	11	600	-70.18	-60.00	PASS
NTNV	EGPRS900	975	11	800	-71.72	-60.00	PASS
NTNV	EGPRS900	975	11	1000	-73.62	-60.00	PASS
NTNV	EGPRS900	975	11	1200	-74.50	-60.00	PASS
NTNV	EGPRS900	975	11	1400	-75.22	-60.00	PASS
NTNV	EGPRS900	975	11	1600	-76.53	-60.00	PASS
NTNV	EGPRS900	975	11	1800	-76.92	-60.00	PASS
NTNV	EGPRS900	975	19	-1800	-75.53	-60.00	PASS
NTNV	EGPRS900	975	19	-1600	-75.31	-60.00	PASS
NTNV	EGPRS900	975	19	-1400	-74.26	-60.00	PASS
NTNV	EGPRS900	975	19	-1200	-73.24	-60.00	PASS
NTNV	EGPRS900	975	19	-1000	-72.64	-60.00	PASS
NTNV	EGPRS900	975	19	-800	-71.01	-60.00	PASS
NTNV	EGPRS900	975	19	-600	-69.85	-60.00	PASS
NTNV	EGPRS900	975	19	-400	-66.03	-54.00	PASS
NTNV	EGPRS900	975	19	-250	-41.45	-33.00	PASS
NTNV	EGPRS900	975	19	-200	-37.72	-30.00	PASS
NTNV	EGPRS900	975	19	-100	-7.48	0.50	PASS
NTNV	EGPRS900	975	19	100	-7.98	0.50	PASS
NTNV	EGPRS900	975	19	200	-37.67	-30.00	PASS
NTNV	EGPRS900	975	19	250	-41.32	-33.00	PASS
NTNV	EGPRS900	975	19	400	-66.36	-54.00	PASS
NTNV	EGPRS900	975	19	600	-69.69	-60.00	PASS
NTNV	EGPRS900	975	19	800	-71.04	-60.00	PASS
NTNV	EGPRS900	975	19	1000	-72.59	-60.00	PASS
NTNV	EGPRS900	975	19	1200	-73.55	-60.00	PASS
NTNV	EGPRS900	975	19	1400	-74.18	-60.00	PASS
NTNV	EGPRS900	975	19	1600	-75.39	-60.00	PASS
NTNV	EGPRS900	975	19	1800	-75.46	-60.00	PASS
NTNV	EGPRS900	63	8	-1800	-74.26	-60.00	PASS
NTNV	EGPRS900	63	8	-1600	-74.20	-60.00	PASS
NTNV	EGPRS900	63	8	-1400	-73.48	-60.00	PASS
NTNV	EGPRS900	63	8	-1200	-72.59	-60.00	PASS
NTNV	EGPRS900	63	8	-1000	-72.01	-60.00	PASS
NTNV	EGPRS900	63	8	-800	-70.33	-60.00	PASS
NTNV	EGPRS900	63	8	-600	-69.39	-60.00	PASS
NTNV	EGPRS900	63	8	-400	-65.85	-54.00	PASS
NTNV	EGPRS900	63	8	-250	-42.94	-33.00	PASS
NTNV	EGPRS900	63	8	-200	-38.44	-30.00	PASS
NTNV	EGPRS900	63	8	-100	-7.38	0.50	PASS
NTNV	EGPRS900	63	8	100	-7.88	0.50	PASS



NTNV	EGPRS900	63	8	200	-38.48	-30.00	PASS
NTNV	EGPRS900	63	8	250	-42.80	-33.00	PASS
NTNV	EGPRS900	63	8	400	-65.70	-54.00	PASS
NTNV	EGPRS900	63	8	600	-68.82	-60.00	PASS
NTNV	EGPRS900	63	8	800	-70.10	-60.00	PASS
NTNV	EGPRS900	63	8	1000	-72.23	-60.00	PASS
NTNV	EGPRS900	63	8	1200	-72.82	-60.00	PASS
NTNV	EGPRS900	63	8	1400	-73.37	-60.00	PASS
NTNV	EGPRS900	63	8	1600	-74.41	-60.00	PASS
NTNV	EGPRS900	63	8	1800	-74.45	-60.00	PASS
NTNV	EGPRS900	63	11	-1800	-76.72	-60.00	PASS
NTNV	EGPRS900	63	11	-1600	-75.94	-60.00	PASS
NTNV	EGPRS900	63	11	-1400	-75.29	-60.00	PASS
NTNV	EGPRS900	63	11	-1200	-74.00	-60.00	PASS
NTNV	EGPRS900	63	11	-1000	-73.17	-60.00	PASS
NTNV	EGPRS900	63	11	-800	-71.20	-60.00	PASS
NTNV	EGPRS900	63	11	-600	-69.89	-60.00	PASS
NTNV	EGPRS900	63	11	-400	-66.00	-54.00	PASS
NTNV	EGPRS900	63	11	-250	-43.13	-33.00	PASS
NTNV	EGPRS900	63	11	-200	-38.50	-30.00	PASS
NTNV	EGPRS900	63	11	-100	-7.80	0.50	PASS
NTNV	EGPRS900	63	11	100	-8.22	0.50	PASS
NTNV	EGPRS900	63	11	200	-38.47	-30.00	PASS
NTNV	EGPRS900	63	11	250	-42.71	-33.00	PASS
NTNV	EGPRS900	63	11	400	-65.92	-54.00	PASS
NTNV	EGPRS900	63	11	600	-69.89	-60.00	PASS
NTNV	EGPRS900	63	11	800	-71.21	-60.00	PASS
NTNV	EGPRS900	63	11	1000	-73.33	-60.00	PASS
NTNV	EGPRS900	63	11	1200	-74.19	-60.00	PASS
NTNV	EGPRS900	63	11	1400	-75.30	-60.00	PASS
NTNV	EGPRS900	63	11	1600	-76.32	-60.00	PASS
NTNV	EGPRS900	63	11	1800	-76.62	-60.00	PASS
NTNV	EGPRS900	63	19	-1800	-76.20	-60.00	PASS
NTNV	EGPRS900	63	19	-1600	-75.76	-60.00	PASS
NTNV	EGPRS900	63	19	-1400	-75.14	-60.00	PASS
NTNV	EGPRS900	63	19	-1200	-74.07	-60.00	PASS
NTNV	EGPRS900	63	19	-1000	-73.22	-60.00	PASS
NTNV	EGPRS900	63	19	-800	-71.36	-60.00	PASS
NTNV	EGPRS900	63	19	-600	-70.48	-60.00	PASS
NTNV	EGPRS900	63	19	-400	-66.62	-54.00	PASS
NTNV	EGPRS900	63	19	-250	-41.91	-33.00	PASS
NTNV	EGPRS900	63	19	-200	-38.43	-30.00	PASS
NTNV	EGPRS900	63	19	-100	-8.11	0.50	PASS



NTNV	EGPRS900	63	19	100	-8.50	0.50	PASS
NTNV	EGPRS900	63	19	200	-38.21	-30.00	PASS
NTNV	EGPRS900	63	19	250	-40.81	-33.00	PASS
NTNV	EGPRS900	63	19	400	-66.80	-54.00	PASS
NTNV	EGPRS900	63	19	600	-70.00	-60.00	PASS
NTNV	EGPRS900	63	19	800	-71.36	-60.00	PASS
NTNV	EGPRS900	63	19	1000	-73.49	-60.00	PASS
NTNV	EGPRS900	63	19	1200	-74.15	-60.00	PASS
NTNV	EGPRS900	63	19	1400	-75.02	-60.00	PASS
NTNV	EGPRS900	63	19	1600	-75.92	-60.00	PASS
NTNV	EGPRS900	63	19	1800	-76.49	-60.00	PASS
NTNV	EGPRS900	124	8	-1800	-74.37	-60.00	PASS
NTNV	EGPRS900	124	8	-1600	-74.12	-60.00	PASS
NTNV	EGPRS900	124	8	-1400	-73.72	-60.00	PASS
NTNV	EGPRS900	124	8	-1200	-73.02	-60.00	PASS
NTNV	EGPRS900	124	8	-1000	-72.34	-60.00	PASS
NTNV	EGPRS900	124	8	-800	-70.82	-60.00	PASS
NTNV	EGPRS900	124	8	-600	-69.61	-60.00	PASS
NTNV	EGPRS900	124	8	-400	-65.90	-54.00	PASS
NTNV	EGPRS900	124	8	-250	-43.15	-33.00	PASS
NTNV	EGPRS900	124	8	-200	-38.74	-30.00	PASS
NTNV	EGPRS900	124	8	-100	-7.98	0.50	PASS
NTNV	EGPRS900	124	8	100	-8.29	0.50	PASS
NTNV	EGPRS900	124	8	200	-38.69	-30.00	PASS
NTNV	EGPRS900	124	8	250	-42.65	-33.00	PASS
NTNV	EGPRS900	124	8	400	-66.37	-54.00	PASS
NTNV	EGPRS900	124	8	600	-69.22	-60.00	PASS
NTNV	EGPRS900	124	8	800	-70.81	-60.00	PASS
NTNV	EGPRS900	124	8	1000	-72.07	-60.00	PASS
NTNV	EGPRS900	124	8	1200	-72.97	-60.00	PASS
NTNV	EGPRS900	124	8	1400	-73.47	-60.00	PASS
NTNV	EGPRS900	124	8	1600	-74.33	-60.00	PASS
NTNV	EGPRS900	124	8	1800	-74.39	-60.00	PASS
NTNV	EGPRS900	124	11	-1800	-76.14	-60.00	PASS
NTNV	EGPRS900	124	11	-1600	-76.43	-60.00	PASS
NTNV	EGPRS900	124	11	-1400	-75.01	-60.00	PASS
NTNV	EGPRS900	124	11	-1200	-74.35	-60.00	PASS
NTNV	EGPRS900	124	11	-1000	-73.53	-60.00	PASS
NTNV	EGPRS900	124	11	-800	-71.54	-60.00	PASS
NTNV	EGPRS900	124	11	-600	-70.36	-60.00	PASS
NTNV	EGPRS900	124	11	-400	-66.37	-54.00	PASS
NTNV	EGPRS900	124	11	-250	-42.61	-33.00	PASS
NTNV	EGPRS900	124	11	-200	-38.67	-30.00	PASS



NTNV	EGPRS900	124	11	-100	-7.91	0.50	PASS
NTNV	EGPRS900	124	11	100	-7.89	0.50	PASS
NTNV	EGPRS900	124	11	200	-38.75	-30.00	PASS
NTNV	EGPRS900	124	11	250	-42.53	-33.00	PASS
NTNV	EGPRS900	124	11	400	-66.30	-54.00	PASS
NTNV	EGPRS900	124	11	600	-69.69	-60.00	PASS
NTNV	EGPRS900	124	11	800	-71.49	-60.00	PASS
NTNV	EGPRS900	124	11	1000	-73.59	-60.00	PASS
NTNV	EGPRS900	124	11	1200	-74.09	-60.00	PASS
NTNV	EGPRS900	124	11	1400	-74.94	-60.00	PASS
NTNV	EGPRS900	124	11	1600	-76.28	-60.00	PASS
NTNV	EGPRS900	124	11	1800	-76.36	-60.00	PASS
NTNV	EGPRS900	124	19	-1800	-76.05	-60.00	PASS
NTNV	EGPRS900	124	19	-1600	-76.04	-60.00	PASS
NTNV	EGPRS900	124	19	-1400	-75.13	-60.00	PASS
NTNV	EGPRS900	124	19	-1200	-74.35	-60.00	PASS
NTNV	EGPRS900	124	19	-1000	-73.46	-60.00	PASS
NTNV	EGPRS900	124	19	-800	-71.63	-60.00	PASS
NTNV	EGPRS900	124	19	-600	-70.65	-60.00	PASS
NTNV	EGPRS900	124	19	-400	-66.65	-54.00	PASS
NTNV	EGPRS900	124	19	-250	-41.84	-33.00	PASS
NTNV	EGPRS900	124	19	-200	-38.37	-30.00	PASS
NTNV	EGPRS900	124	19	-100	-7.96	0.50	PASS
NTNV	EGPRS900	124	19	100	-8.67	0.50	PASS
NTNV	EGPRS900	124	19	200	-38.30	-30.00	PASS
NTNV	EGPRS900	124	19	250	-41.51	-33.00	PASS
NTNV	EGPRS900	124	19	400	-66.80	-54.00	PASS
NTNV	EGPRS900	124	19	600	-70.44	-60.00	PASS
NTNV	EGPRS900	124	19	800	-71.56	-60.00	PASS
NTNV	EGPRS900	124	19	1000	-73.59	-60.00	PASS
NTNV	EGPRS900	124	19	1200	-74.16	-60.00	PASS
NTNV	EGPRS900	124	19	1400	-74.70	-60.00	PASS
NTNV	EGPRS900	124	19	1600	-76.02	-60.00	PASS
NTNV	EGPRS900	124	19	1800	-75.89	-60.00	PASS
NTNV	EGPRS1800	512	2	-1800	-74.76	-60.00	PASS
NTNV	EGPRS1800	512	2	-1600	-74.44	-60.00	PASS
NTNV	EGPRS1800	512	2	-1400	-73.72	-60.00	PASS
NTNV	EGPRS1800	512	2	-1200	-72.48	-60.00	PASS
NTNV	EGPRS1800	512	2	-1000	-71.77	-60.00	PASS
NTNV	EGPRS1800	512	2	-800	-69.86	-60.00	PASS
NTNV	EGPRS1800	512	2	-600	-68.19	-60.00	PASS
NTNV	EGPRS1800	512	2	-400	-63.41	-54.00	PASS
NTNV	EGPRS1800	512	2	-250	-41.70	-33.00	PASS



NTNV	EGPRS1800	512	2	-200	-37.71	-30.00	PASS
NTNV	EGPRS1800	512	2	-100	-7.75	0.50	PASS
NTNV	EGPRS1800	512	2	100	-8.26	0.50	PASS
NTNV	EGPRS1800	512	2	200	-37.71	-30.00	PASS
NTNV	EGPRS1800	512	2	250	-41.72	-33.00	PASS
NTNV	EGPRS1800	512	2	400	-63.39	-54.00	PASS
NTNV	EGPRS1800	512	2	600	-67.90	-60.00	PASS
NTNV	EGPRS1800	512	2	800	-69.81	-60.00	PASS
NTNV	EGPRS1800	512	2	1000	-71.48	-60.00	PASS
NTNV	EGPRS1800	512	2	1200	-72.66	-60.00	PASS
NTNV	EGPRS1800	512	2	1400	-73.43	-60.00	PASS
NTNV	EGPRS1800	512	2	1600	-74.55	-60.00	PASS
NTNV	EGPRS1800	512	2	1800	-74.84	-60.00	PASS
NTNV	EGPRS1800	512	7	-1800	-76.25	-60.00	PASS
NTNV	EGPRS1800	512	7	-1600	-75.90	-60.00	PASS
NTNV	EGPRS1800	512	7	-1400	-74.77	-60.00	PASS
NTNV	EGPRS1800	512	7	-1200	-73.74	-60.00	PASS
NTNV	EGPRS1800	512	7	-1000	-72.24	-60.00	PASS
NTNV	EGPRS1800	512	7	-800	-70.50	-60.00	PASS
NTNV	EGPRS1800	512	7	-600	-68.51	-60.00	PASS
NTNV	EGPRS1800	512	7	-400	-63.66	-54.00	PASS
NTNV	EGPRS1800	512	7	-250	-41.57	-33.00	PASS
NTNV	EGPRS1800	512	7	-200	-37.54	-30.00	PASS
NTNV	EGPRS1800	512	7	-100	-7.92	0.50	PASS
NTNV	EGPRS1800	512	7	100	-8.16	0.50	PASS
NTNV	EGPRS1800	512	7	200	-37.66	-30.00	PASS
NTNV	EGPRS1800	512	7	250	-40.97	-33.00	PASS
NTNV	EGPRS1800	512	7	400	-63.46	-54.00	PASS
NTNV	EGPRS1800	512	7	600	-68.20	-60.00	PASS
NTNV	EGPRS1800	512	7	800	-70.14	-60.00	PASS
NTNV	EGPRS1800	512	7	1000	-72.33	-60.00	PASS
NTNV	EGPRS1800	512	7	1200	-73.44	-60.00	PASS
NTNV	EGPRS1800	512	7	1400	-74.74	-60.00	PASS
NTNV	EGPRS1800	512	7	1600	-75.76	-60.00	PASS
NTNV	EGPRS1800	512	7	1800	-75.90	-60.00	PASS
NTNV	EGPRS1800	512	11	-1800	-75.72	-60.00	PASS
NTNV	EGPRS1800	512	11	-1600	-75.02	-60.00	PASS
NTNV	EGPRS1800	512	11	-1400	-74.22	-60.00	PASS
NTNV	EGPRS1800	512	11	-1200	-73.34	-60.00	PASS
NTNV	EGPRS1800	512	11	-1000	-72.09	-60.00	PASS
NTNV	EGPRS1800	512	11	-800	-70.29	-60.00	PASS
NTNV	EGPRS1800	512	11	-600	-68.39	-60.00	PASS
NTNV	EGPRS1800	512	11	-400	-63.56	-54.00	PASS



NTNV	EGPRS1800	512	11	-250	-41.09	-33.00	PASS
NTNV	EGPRS1800	512	11	-200	-37.34	-30.00	PASS
NTNV	EGPRS1800	512	11	-100	-7.98	0.50	PASS
NTNV	EGPRS1800	512	11	100	-8.38	0.50	PASS
NTNV	EGPRS1800	512	11	200	-37.41	-30.00	PASS
NTNV	EGPRS1800	512	11	250	-41.19	-33.00	PASS
NTNV	EGPRS1800	512	11	400	-63.62	-54.00	PASS
NTNV	EGPRS1800	512	11	600	-68.14	-60.00	PASS
NTNV	EGPRS1800	512	11	800	-70.25	-60.00	PASS
NTNV	EGPRS1800	512	11	1000	-72.20	-60.00	PASS
NTNV	EGPRS1800	512	11	1200	-72.86	-60.00	PASS
NTNV	EGPRS1800	512	11	1400	-73.87	-60.00	PASS
NTNV	EGPRS1800	512	11	1600	-74.85	-60.00	PASS
NTNV	EGPRS1800	512	11	1800	-75.35	-60.00	PASS
NTNV	EGPRS1800	512	15	-1800	-74.62	-60.00	PASS
NTNV	EGPRS1800	512	15	-1600	-74.24	-60.00	PASS
NTNV	EGPRS1800	512	15	-1400	-73.32	-60.00	PASS
NTNV	EGPRS1800	512	15	-1200	-72.77	-60.00	PASS
NTNV	EGPRS1800	512	15	-1000	-71.58	-60.00	PASS
NTNV	EGPRS1800	512	15	-800	-70.04	-60.00	PASS
NTNV	EGPRS1800	512	15	-600	-68.30	-60.00	PASS
NTNV	EGPRS1800	512	15	-400	-63.59	-54.00	PASS
NTNV	EGPRS1800	512	15	-250	-41.34	-33.00	PASS
NTNV	EGPRS1800	512	15	-200	-37.46	-30.00	PASS
NTNV	EGPRS1800	512	15	-100	-8.11	0.50	PASS
NTNV	EGPRS1800	512	15	100	-8.12	0.50	PASS
NTNV	EGPRS1800	512	15	200	-37.40	-30.00	PASS
NTNV	EGPRS1800	512	15	250	-41.03	-33.00	PASS
NTNV	EGPRS1800	512	15	400	-63.11	-54.00	PASS
NTNV	EGPRS1800	512	15	600	-67.95	-60.00	PASS
NTNV	EGPRS1800	512	15	800	-69.52	-60.00	PASS
NTNV	EGPRS1800	512	15	1000	-71.45	-60.00	PASS
NTNV	EGPRS1800	512	15	1200	-72.44	-60.00	PASS
NTNV	EGPRS1800	512	15	1400	-73.21	-60.00	PASS
NTNV	EGPRS1800	512	15	1600	-74.25	-60.00	PASS
NTNV	EGPRS1800	512	15	1800	-74.55	-60.00	PASS
NTNV	EGPRS1800	698	2	-1800	-75.42	-60.00	PASS
NTNV	EGPRS1800	698	2	-1600	-75.14	-60.00	PASS
NTNV	EGPRS1800	698	2	-1400	-74.08	-60.00	PASS
NTNV	EGPRS1800	698	2	-1200	-73.15	-60.00	PASS
NTNV	EGPRS1800	698	2	-1000	-72.12	-60.00	PASS
NTNV	EGPRS1800	698	2	-800	-70.47	-60.00	PASS
NTNV	EGPRS1800	698	2	-600	-68.77	-60.00	PASS



NTNV	EGPRS1800	698	2	-400	-63.10	-54.00	PASS
NTNV	EGPRS1800	698	2	-250	-41.69	-33.00	PASS
NTNV	EGPRS1800	698	2	-200	-37.98	-30.00	PASS
NTNV	EGPRS1800	698	2	-100	-7.80	0.50	PASS
NTNV	EGPRS1800	698	2	100	-8.43	0.50	PASS
NTNV	EGPRS1800	698	2	200	-37.61	-30.00	PASS
NTNV	EGPRS1800	698	2	250	-40.86	-33.00	PASS
NTNV	EGPRS1800	698	2	400	-63.30	-54.00	PASS
NTNV	EGPRS1800	698	2	600	-68.37	-60.00	PASS
NTNV	EGPRS1800	698	2	800	-70.15	-60.00	PASS
NTNV	EGPRS1800	698	2	1000	-71.92	-60.00	PASS
NTNV	EGPRS1800	698	2	1200	-72.94	-60.00	PASS
NTNV	EGPRS1800	698	2	1400	-73.92	-60.00	PASS
NTNV	EGPRS1800	698	2	1600	-74.79	-60.00	PASS
NTNV	EGPRS1800	698	2	1800	-75.10	-60.00	PASS
NTNV	EGPRS1800	698	7	-1800	-76.82	-60.00	PASS
NTNV	EGPRS1800	698	7	-1600	-76.29	-60.00	PASS
NTNV	EGPRS1800	698	7	-1400	-74.96	-60.00	PASS
NTNV	EGPRS1800	698	7	-1200	-73.85	-60.00	PASS
NTNV	EGPRS1800	698	7	-1000	-72.70	-60.00	PASS
NTNV	EGPRS1800	698	7	-800	-70.81	-60.00	PASS
NTNV	EGPRS1800	698	7	-600	-68.80	-60.00	PASS
NTNV	EGPRS1800	698	7	-400	-63.62	-54.00	PASS
NTNV	EGPRS1800	698	7	-250	-41.68	-33.00	PASS
NTNV	EGPRS1800	698	7	-200	-37.64	-30.00	PASS
NTNV	EGPRS1800	698	7	-100	-7.78	0.50	PASS
NTNV	EGPRS1800	698	7	100	-8.38	0.50	PASS
NTNV	EGPRS1800	698	7	200	-37.50	-30.00	PASS
NTNV	EGPRS1800	698	7	250	-40.65	-33.00	PASS
NTNV	EGPRS1800	698	7	400	-63.77	-54.00	PASS
NTNV	EGPRS1800	698	7	600	-68.50	-60.00	PASS
NTNV	EGPRS1800	698	7	800	-70.65	-60.00	PASS
NTNV	EGPRS1800	698	7	1000	-72.64	-60.00	PASS
NTNV	EGPRS1800	698	7	1200	-73.81	-60.00	PASS
NTNV	EGPRS1800	698	7	1400	-75.03	-60.00	PASS
NTNV	EGPRS1800	698	7	1600	-75.79	-60.00	PASS
NTNV	EGPRS1800	698	7	1800	-76.35	-60.00	PASS
NTNV	EGPRS1800	698	11	-1800	-76.38	-60.00	PASS
NTNV	EGPRS1800	698	11	-1600	-75.94	-60.00	PASS
NTNV	EGPRS1800	698	11	-1400	-74.59	-60.00	PASS
NTNV	EGPRS1800	698	11	-1200	-73.34	-60.00	PASS
NTNV	EGPRS1800	698	11	-1000	-72.82	-60.00	PASS
NTNV	EGPRS1800	698	11	-800	-70.79	-60.00	PASS



NTNV	EGPRS1800	698	11	-600	-69.07	-60.00	PASS
NTNV	EGPRS1800	698	11	-400	-64.23	-54.00	PASS
NTNV	EGPRS1800	698	11	-250	-41.41	-33.00	PASS
NTNV	EGPRS1800	698	11	-200	-37.58	-30.00	PASS
NTNV	EGPRS1800	698	11	-100	-8.08	0.50	PASS
NTNV	EGPRS1800	698	11	100	-8.34	0.50	PASS
NTNV	EGPRS1800	698	11	200	-37.48	-30.00	PASS
NTNV	EGPRS1800	698	11	250	-40.99	-33.00	PASS
NTNV	EGPRS1800	698	11	400	-63.94	-54.00	PASS
NTNV	EGPRS1800	698	11	600	-68.55	-60.00	PASS
NTNV	EGPRS1800	698	11	800	-70.69	-60.00	PASS
NTNV	EGPRS1800	698	11	1000	-72.67	-60.00	PASS
NTNV	EGPRS1800	698	11	1200	-73.46	-60.00	PASS
NTNV	EGPRS1800	698	11	1400	-74.53	-60.00	PASS
NTNV	EGPRS1800	698	11	1600	-75.75	-60.00	PASS
NTNV	EGPRS1800	698	11	1800	-75.82	-60.00	PASS
NTNV	EGPRS1800	698	15	-1800	-74.94	-60.00	PASS
NTNV	EGPRS1800	698	15	-1600	-74.80	-60.00	PASS
NTNV	EGPRS1800	698	15	-1400	-73.64	-60.00	PASS
NTNV	EGPRS1800	698	15	-1200	-73.03	-60.00	PASS
NTNV	EGPRS1800	698	15	-1000	-72.21	-60.00	PASS
NTNV	EGPRS1800	698	15	-800	-70.47	-60.00	PASS
NTNV	EGPRS1800	698	15	-600	-68.57	-60.00	PASS
NTNV	EGPRS1800	698	15	-400	-63.84	-54.00	PASS
NTNV	EGPRS1800	698	15	-250	-41.40	-33.00	PASS
NTNV	EGPRS1800	698	15	-200	-37.32	-30.00	PASS
NTNV	EGPRS1800	698	15	-100	-7.66	0.50	PASS
NTNV	EGPRS1800	698	15	100	-8.27	0.50	PASS
NTNV	EGPRS1800	698	15	200	-37.34	-30.00	PASS
NTNV	EGPRS1800	698	15	250	-40.68	-33.00	PASS
NTNV	EGPRS1800	698	15	400	-63.98	-54.00	PASS
NTNV	EGPRS1800	698	15	600	-68.19	-60.00	PASS
NTNV	EGPRS1800	698	15	800	-70.00	-60.00	PASS
NTNV	EGPRS1800	698	15	1000	-72.03	-60.00	PASS
NTNV	EGPRS1800	698	15	1200	-72.88	-60.00	PASS
NTNV	EGPRS1800	698	15	1400	-73.59	-60.00	PASS
NTNV	EGPRS1800	698	15	1600	-74.64	-60.00	PASS
NTNV	EGPRS1800	698	15	1800	-75.11	-60.00	PASS
NTNV	EGPRS1800	885	2	-1800	-75.84	-60.00	PASS
NTNV	EGPRS1800	885	2	-1600	-75.29	-60.00	PASS
NTNV	EGPRS1800	885	2	-1400	-74.08	-60.00	PASS
NTNV	EGPRS1800	885	2	-1200	-73.21	-60.00	PASS
NTNV	EGPRS1800	885	2	-1000	-72.14	-60.00	PASS



NTNV	EGPRS1800	885	2	-800	-69.93	-60.00	PASS
NTNV	EGPRS1800	885	2	-600	-68.82	-60.00	PASS
NTNV	EGPRS1800	885	2	-400	-63.16	-54.00	PASS
NTNV	EGPRS1800	885	2	-250	-42.04	-33.00	PASS
NTNV	EGPRS1800	885	2	-200	-38.00	-30.00	PASS
NTNV	EGPRS1800	885	2	-100	-7.90	0.50	PASS
NTNV	EGPRS1800	885	2	100	-8.39	0.50	PASS
NTNV	EGPRS1800	885	2	200	-37.55	-30.00	PASS
NTNV	EGPRS1800	885	2	250	-40.97	-33.00	PASS
NTNV	EGPRS1800	885	2	400	-63.06	-54.00	PASS
NTNV	EGPRS1800	885	2	600	-68.34	-60.00	PASS
NTNV	EGPRS1800	885	2	800	-69.89	-60.00	PASS
NTNV	EGPRS1800	885	2	1000	-72.15	-60.00	PASS
NTNV	EGPRS1800	885	2	1200	-73.19	-60.00	PASS
NTNV	EGPRS1800	885	2	1400	-73.71	-60.00	PASS
NTNV	EGPRS1800	885	2	1600	-74.97	-60.00	PASS
NTNV	EGPRS1800	885	2	1800	-75.58	-60.00	PASS
NTNV	EGPRS1800	885	7	-1800	-76.58	-60.00	PASS
NTNV	EGPRS1800	885	7	-1600	-76.19	-60.00	PASS
NTNV	EGPRS1800	885	7	-1400	-74.96	-60.00	PASS
NTNV	EGPRS1800	885	7	-1200	-74.08	-60.00	PASS
NTNV	EGPRS1800	885	7	-1000	-72.69	-60.00	PASS
NTNV	EGPRS1800	885	7	-800	-70.76	-60.00	PASS
NTNV	EGPRS1800	885	7	-600	-68.57	-60.00	PASS
NTNV	EGPRS1800	885	7	-400	-63.24	-54.00	PASS
NTNV	EGPRS1800	885	7	-250	-41.62	-33.00	PASS
NTNV	EGPRS1800	885	7	-200	-37.65	-30.00	PASS
NTNV	EGPRS1800	885	7	-100	-7.97	0.50	PASS
NTNV	EGPRS1800	885	7	100	-8.05	0.50	PASS
NTNV	EGPRS1800	885	7	200	-37.46	-30.00	PASS
NTNV	EGPRS1800	885	7	250	-40.59	-33.00	PASS
NTNV	EGPRS1800	885	7	400	-63.67	-54.00	PASS
NTNV	EGPRS1800	885	7	600	-68.45	-60.00	PASS
NTNV	EGPRS1800	885	7	800	-70.73	-60.00	PASS
NTNV	EGPRS1800	885	7	1000	-72.37	-60.00	PASS
NTNV	EGPRS1800	885	7	1200	-73.75	-60.00	PASS
NTNV	EGPRS1800	885	7	1400	-74.74	-60.00	PASS
NTNV	EGPRS1800	885	7	1600	-76.06	-60.00	PASS
NTNV	EGPRS1800	885	7	1800	-76.62	-60.00	PASS
NTNV	EGPRS1800	885	11	-1800	-76.50	-60.00	PASS
NTNV	EGPRS1800	885	11	-1600	-75.81	-60.00	PASS
NTNV	EGPRS1800	885	11	-1400	-74.97	-60.00	PASS
NTNV	EGPRS1800	885	11	-1200	-73.51	-60.00	PASS




NTNV	EGPRS1800	885	11	-1000	-72.46	-60.00	PASS
NTNV	EGPRS1800	885	11	-800	-70.61	-60.00	PASS
NTNV	EGPRS1800	885	11	-600	-68.82	-60.00	PASS
NTNV	EGPRS1800	885	11	-400	-64.33	-54.00	PASS
NTNV	EGPRS1800	885	11	-250	-41.37	-33.00	PASS
NTNV	EGPRS1800	885	11	-200	-37.68	-30.00	PASS
NTNV	EGPRS1800	885	11	-100	-8.11	0.50	PASS
NTNV	EGPRS1800	885	11	100	-8.89	0.50	PASS
NTNV	EGPRS1800	885	11	200	-37.54	-30.00	PASS
NTNV	EGPRS1800	885	11	250	-41.03	-33.00	PASS
NTNV	EGPRS1800	885	11	400	-64.48	-54.00	PASS
NTNV	EGPRS1800	885	11	600	-68.33	-60.00	PASS
NTNV	EGPRS1800	885	11	800	-70.91	-60.00	PASS
NTNV	EGPRS1800	885	11	1000	-72.58	-60.00	PASS
NTNV	EGPRS1800	885	11	1200	-73.58	-60.00	PASS
NTNV	EGPRS1800	885	11	1400	-74.44	-60.00	PASS
NTNV	EGPRS1800	885	11	1600	-75.63	-60.00	PASS
NTNV	EGPRS1800	885	11	1800	-76.09	-60.00	PASS
NTNV	EGPRS1800	885	15	-1800	-75.36	-60.00	PASS
NTNV	EGPRS1800	885	15	-1600	-74.99	-60.00	PASS
NTNV	EGPRS1800	885	15	-1400	-74.16	-60.00	PASS
NTNV	EGPRS1800	885	15	-1200	-72.85	-60.00	PASS
NTNV	EGPRS1800	885	15	-1000	-72.18	-60.00	PASS
NTNV	EGPRS1800	885	15	-800	-70.57	-60.00	PASS
NTNV	EGPRS1800	885	15	-600	-68.40	-60.00	PASS
NTNV	EGPRS1800	885	15	-400	-63.58	-54.00	PASS
NTNV	EGPRS1800	885	15	-250	-41.43	-33.00	PASS
NTNV	EGPRS1800	885	15	-200	-37.37	-30.00	PASS
NTNV	EGPRS1800	885	15	-100	-7.68	0.50	PASS
NTNV	EGPRS1800	885	15	100	-8.05	0.50	PASS
NTNV	EGPRS1800	885	15	200	-37.28	-30.00	PASS
NTNV	EGPRS1800	885	15	250	-41.09	-33.00	PASS
NTNV	EGPRS1800	885	15	400	-63.61	-54.00	PASS
NTNV	EGPRS1800	885	15	600	-68.08	-60.00	PASS
NTNV	EGPRS1800	885	15	800	-70.14	-60.00	PASS
NTNV	EGPRS1800	885	15	1000	-71.89	-60.00	PASS
NTNV	EGPRS1800	885	15	1200	-72.79	-60.00	PASS
NTNV	EGPRS1800	885	15	1400	-73.62	-60.00	PASS
NTNV	EGPRS1800	885	15	1600	-74.57	-60.00	PASS
NTNV	EGPRS1800	885	15	1800	-75.07	-60.00	PASS

Test Graphs-Switching Spectrum and Modulation Spectrum

NTNV-EGPRS900-975-8



NTNV-EGPRS900-975-11




NTNV-EGPRS900-975-19



NTNV-EGPRS900-63-8



NTNV-EGPRS900-63-11




NTNV-EGPRS900-63-19



NTNV-EGPRS900-124-8




NTNV-EGPRS900-124-11




NTNV-EGPRS900-124-19



NTNV-EGPRS1800-512-2



NTNV-EGPRS1800-512-7



NTNV-EGPRS1800-512-11



NTNV-EGPRS1800-512-15




NTNV-EGPRS1800-698-2




NTNV-EGPRS1800-698-7




NTNV-EGPRS1800-698-11



NTNV-EGPRS1800-698-15



NTNV-EGPRS1800-885-2



NTNV-EGPRS1800-885-7



NTNV-EGPRS1800-885-11



NTNV-EGPRS1800-885-15



Appendix N: Reference sensitivity - TCH/FS

Test Result

Main Modem:

Test Mode	Test Channel	RBER (%)	Number of test samples	Limit (%)	Result
GSM900	Low	0.000	8900	6.472	Pass
	Middle	0.000	8900	6.472	
	High	0.000	8900	6.472	
DSC1800	Low	0.000	13400	4.478	Pass
	Middle	0.000	13400	4.478	
	High	0.000	13400	4.478	



Appendix O: Reference sensitivity - FACCH/F

Test Result

Main Modem:

Test Mode	Test Channel	FER (%)	Number of test samples	Limit (%)	Result
GSM900	Low	0.000	10000	8.961	Pass
	Middle	0.000	10000	8.961	
	High	0.000	10000	8.961	
DSC1800	Low	0.000	15000	4.368	Pass
	Middle	0.000	15000	4.368	
	High	0.000	15000	4.368	

Appendix P: Intermodulation rejection - speech channels

Test Result

Main Modem:

Test Mode	Test Channel	RBER (%)	Number of test samples	Limit (%)	Result
GSM900	Low	0.004	10000	2.439	Pass
	Middle	0.009	10000	2.439	
	High	0.005	10000	2.439	
DSC1800	Low	0.006	10000	2.439	Pass
	Middle	0.005	10000	2.439	
	High	0.009	10000	2.439	

Appendix Q: Intermodulation rejection - Control channels

Test Result

Test Mode	Test Channel	RBER (%)	Number of test samples	Limit (%)	Result
GSM900	Low	0.004	10000	2.002	Pass
	Middle	0.009	10000	2.401	
	High	0.005	10000	2.000	
DSC1800	Low	0.006	10000	2.000	Pass
	Middle	0.005	10000	2.000	
	High	0.009	10000	2.000	

Appendix R: Intermodulation rejection - EGPRS

Test Result

Remark: NTV, HTHV, HTLV, LTHV, LTLV have been tested, only the measurement data of NTV condition are reported.

Main Modem:

Test Mode	Test Channel	NTV	HTHV	HTLV	LTHV	LTLV
GSM900	Middle	Pass	Pass	Pass	Pass	Pass
DSC1800	Middle	Pass	Pass	Pass	Pass	Pass

Main Modem:

Worst case Test Data as below:

Test Mode	Test Channel	RBER (%)	Number of test samples	Limit (%)	Result
GSM900	Middle	0.006	10000	10	Pass
DSC1800	Middle	0.008	10000	10	Pass



Appendix S: AM suppression - speech channels

Test Result

Main Modem:

Test Mode	Test Channel	RBER (%)	Number of test samples	Limit (%)	Result
GSM900	Low	0.003	10000	2.439	Pass
	Middle	0.006	10000	2.439	
	High	0.004	10000	2.439	
DSC1800	Low	0.005	10000	2.439	Pass
	Middle	0.008	10000	2.439	
	High	0.009	10000	2.439	



Appendix T: AM suppression - control channels

Test Result

Condition	Band	Ch.	WantedSignal (dBm)	FreqIn	Level (dBm)	Result (%)	Limit(%)	Verdict
@CE_GSM_Rx_AM_Control_N@								
TestCondition	BandName	Channel	WantedSignal	FreqIn	LevelIn	Result	Limit	Verdict

Appendix U: Adjacent channel rejection - speech channels

Test Result

Remark: NTV, HTHV, HTLV, LTHV, LTLV have been tested, only the measurement data of NTV condition are reported.

Test Mode	Test Channel	NTV	HTHV	HTLV	LTHV	LTLV
GSM900	Middle	Pass	Pass	Pass	Pass	Pass
DSC1800	Middle	Pass	Pass	Pass	Pass	Pass

Main Modem:

Worst case Test Data as below:

Test Mode	Channel	Test Channel	BLER (%)	Number of test samples	Limit (%)	Result
GSM900	MCS-5	Middle	0.007	2000	10	Pass
	USF/MCS-5		0.012	20000	1	
DSC1800	MCS-5	Middle	0.006	2000	10	Pass
	USF/MCS-5		0.008	20000	1	

Appendix V: Adjacent channel rejection - speech channels(TCH/FS)

Test Result

Remark: NTV, HTHV, HTLV, LTHV, LTLV have been tested, only the measurement data of NTV condition are reported.

Test Mode	Test Channel	NTV	HTHV	HTLV	LTHV	LTLV
GSM900	Middle	Pass	Pass	Pass	Pass	Pass
DSC1800	Middle	Pass	Pass	Pass	Pass	Pass

Main Modem:

Worst case Test Data as below:

Test Mode	Interference at	Test Channel	FER/RBER(%)	Number of test samples	Limit (%)	Result
GSM900	200 kHz	Middle	0.000	10000	8.333	Pass
	400 kHz Interferer TUhigh		0.000	100000	8.333	
	400 kHz Interferer Static		0.000	60000	9.167	
DSC1800	200 kHz	Middle	0.000	100000	8.333	Pass
	400 kHz Interferer TUhigh		0.000	2000000	8.333	
	400 kHz Interferer Static		0.000	1000000	9.167	



Appendix W: Adjacent channel rejection - EGPRS

Test Result

Remark: NTNV, HTHV, HTLV, LTHV, LTLV have been tested, only the measurement data of NTNV condition are reported.

Test Mode	Test Channel	NTNV	HTHV	HTLV	LTHV	LTLV
GSM900	Middle	Pass	Pass	Pass	Pass	Pass
DSC1800	Middle	Pass	Pass	Pass	Pass	Pass

Main Modem:

Worst case Test Data as below:

Test Mode	Interference at	Test Channel	FER/RBER(%)	Number of test samples	Limit (%)	Result
GSM900	200 kHz	Middle	0.000	10000	8.333	Pass
	400 kHz Interferer TUhigh		0.000	100000	8.333	
	400 kHz Interferer Static		0.000	60000	9.167	
DSC1800	200 kHz	Middle	0.000	100000	8.333	Pass
	400 kHz Interferer TUhigh		0.000	2000000	8.333	
	400 kHz Interferer Static		0.000	1000000	9.167	



Appendix X: Minimum Input level for Reference Performance

- GPRS

Test Result

Main Modem:

Test Mode	Test Channel	BLER (%)	Limit (%)	Result
GSM900	Low	0.005	10.00	Pass
	Middle	0.003	10.00	
	High	0.007	10.00	
DSC1800	Low	0.001	10.00	Pass
	Middle	0.009	10.00	
	High	0.001	10.00	



Appendix Y: Minimum Input level for Reference Performance

- EGPRS

Test Result

Main Modem:

Test Mode	Test Channel	BLER (%)	Limit (%)	Result
GSM900	Low	0.005	10.00	Pass
	Middle	0.003	10.00	
	High	0.007	10.00	
DSC1800	Low	0.001	10.00	Pass
	Middle	0.009	10.00	
	High	0.001	10.00	



Appendix Z: Blocking and spurious response - speech channels

Test Result

Main Modem:

Test Mode	Test Channel	RBER (%)	Number of test samples	Limit (%)	Result
GSM900	Low	0.004	10000	2.439	Pass
	Middle	0.006	10000	2.439	
	High	0.003	10000	2.439	
DSC1800	Low	0.008	10000	2.439	Pass
	Middle	0.004	10000	2.439	
	High	0.005	10000	2.439	



Appendix Z1: Blocking and spurious response -EGPRS

Test Result

Main Modem:

Test Mode	Test Channel	RBER (%)	Number of test samples	Limit (%)	Result
GSM900	Low	0.003	10000	2.439	Pass
	Middle	0.006	10000	2.439	
	High	0.004	10000	2.439	
DSC1800	Low	0.009	10000	2.439	Pass
	Middle	0.003	10000	2.439	
	High	0.009	10000	2.439	

-----END OF REPORT-----

-----END OF REPORT-----