

Clause 4.2.2 LTE Transmitter maximum output power

| Band | Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | Power (dBm) | Low Limit (dBm) | high Limit (dBm) | Verdict |
|--------|-----------------|------------|---------|-------------|------------|-------------|-----------------|------------------|---------|
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 22.99 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QPSK | 22.90 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | 21.79 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QAM16 | 22.37 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | 22.53 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | 20.83 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 22.76 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QPSK | 22.73 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | 21.87 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QAM16 | 22.32 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | 22.52 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | 20.81 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 22.63 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | 22.78 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | 21.82 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QAM16 | 21.93 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | 22.29 | 20.3 | 25.7 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | 20.97 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 22.89 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | 22.86 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | 21.79 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QAM16 | 22.10 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | 22.56 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | 21.00 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 22.88 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | 22.97 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | 21.80 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QAM16 | 22.59 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | 22.61 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | 21.03 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 22.96 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | 22.91 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | 21.82 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QAM16 | 22.26 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | 22.49 | 20.3 | 25.7 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | 21.05 | 20.3 | 25.7 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 22.74 | 18.8 | 25.7 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | 22.79 | 18.8 | 25.7 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | 21.85 | 20.3 | 25.7 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QAM16 | 21.88 | 18.8 | 25.7 | PASS |

| | | | | | | | | | |
|--------|-----|-------|-----|----|-------|-------|------|------|------|
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | 21.93 | 18.8 | 25.7 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | 21.28 | 20.3 | 25.7 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 22.56 | 20.3 | 25.7 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | 22.71 | 20.3 | 25.7 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | 21.65 | 20.3 | 25.7 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QAM16 | 21.53 | 20.3 | 25.7 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | 21.63 | 20.3 | 25.7 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | 20.66 | 20.3 | 25.7 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 22.66 | 20.3 | 25.7 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QPSK | 22.71 | 20.3 | 25.7 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | 21.78 | 20.3 | 25.7 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QAM16 | 21.39 | 20.3 | 25.7 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | 21.91 | 20.3 | 25.7 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | 21.25 | 20.3 | 25.7 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 22.72 | 18.8 | 25.7 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | 22.91 | 18.8 | 25.7 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | 21.65 | 20.3 | 25.7 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QAM16 | 21.29 | 18.8 | 25.7 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | 21.98 | 18.8 | 25.7 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | 21.20 | 20.3 | 25.7 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 22.97 | 20.3 | 25.7 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | 22.76 | 20.3 | 25.7 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | 21.63 | 20.3 | 25.7 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QAM16 | 21.50 | 20.3 | 25.7 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | 21.62 | 20.3 | 25.7 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | 20.71 | 20.3 | 25.7 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 22.91 | 20.3 | 25.7 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | 22.77 | 20.3 | 25.7 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | 21.69 | 20.3 | 25.7 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QAM16 | 22.13 | 20.3 | 25.7 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | 21.82 | 20.3 | 25.7 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | 21.28 | 20.3 | 25.7 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 23.09 | 18.8 | 25.7 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QPSK | 23.02 | 18.8 | 25.7 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QPSK | 21.96 | 18.8 | 25.7 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QAM16 | 22.36 | 18.8 | 25.7 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QAM16 | 22.26 | 18.8 | 25.7 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QAM16 | 21.13 | 18.8 | 25.7 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 23.03 | 20.3 | 25.7 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QPSK | 23.13 | 20.3 | 25.7 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QPSK | 22.14 | 20.3 | 25.7 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QAM16 | 22.92 | 20.3 | 25.7 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QAM16 | 22.45 | 20.3 | 25.7 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QAM16 | 21.08 | 20.3 | 25.7 | PASS |

| | | | | | | | | | |
|--------|-----|-------|-----|----|-------|-------|------|------|------|
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 23.03 | 18.8 | 25.7 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QPSK | 23.12 | 18.8 | 25.7 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QPSK | 22.09 | 18.8 | 25.7 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QAM16 | 21.82 | 18.8 | 25.7 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QAM16 | 22.33 | 18.8 | 25.7 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QAM16 | 21.40 | 18.8 | 25.7 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 22.97 | 18.8 | 25.7 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QPSK | 23.01 | 18.8 | 25.7 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | 22.00 | 20.3 | 25.7 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QAM16 | 21.64 | 18.8 | 25.7 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | 22.34 | 18.8 | 25.7 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | 21.29 | 20.3 | 25.7 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 23.10 | 20.3 | 25.7 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | 23.02 | 20.3 | 25.7 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | 22.20 | 20.3 | 25.7 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QAM16 | 22.18 | 20.3 | 25.7 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | 22.27 | 20.3 | 25.7 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | 21.20 | 20.3 | 25.7 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 23.02 | 20.3 | 25.7 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | 23.04 | 20.3 | 25.7 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | 22.12 | 20.3 | 25.7 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QAM16 | 22.09 | 20.3 | 25.7 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | 22.30 | 20.3 | 25.7 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | 21.09 | 20.3 | 25.7 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 23.12 | 18.8 | 25.7 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | 23.13 | 18.8 | 25.7 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | 22.13 | 20.3 | 25.7 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QAM16 | 21.97 | 18.8 | 25.7 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | 22.31 | 18.8 | 25.7 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | 21.17 | 20.3 | 25.7 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 23.33 | 20.3 | 25.7 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | 23.09 | 20.3 | 25.7 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | 22.18 | 20.3 | 25.7 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QAM16 | 21.97 | 20.3 | 25.7 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | 22.15 | 20.3 | 25.7 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | 21.10 | 20.3 | 25.7 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 23.31 | 20.3 | 25.7 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | 23.25 | 20.3 | 25.7 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | 22.11 | 20.3 | 25.7 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QAM16 | 22.10 | 20.3 | 25.7 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | 22.35 | 20.3 | 25.7 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | 21.36 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 23.23 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | 23.24 | 20.3 | 25.7 | PASS |

| | | | | | | | | | |
|--------|----|-------|-----|----|-------|-------|------|------|------|
| Band40 | 5 | 38675 | 25 | #0 | QPSK | 22.12 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QAM16 | 22.26 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | 22.43 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | 21.44 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 23.07 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QPSK | 22.98 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | 21.97 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QAM16 | 22.37 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | 22.29 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | 21.09 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 22.60 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QPSK | 22.88 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | 21.93 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QAM16 | 22.33 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | 22.03 | 20.3 | 25.7 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | 20.84 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 23.24 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | 23.26 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | 22.21 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QAM16 | 22.70 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | 22.60 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | 21.35 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 23.04 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | 23.09 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | 22.04 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QAM16 | 21.67 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | 22.24 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | 21.10 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 22.88 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QPSK | 22.85 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | 21.93 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QAM16 | 22.11 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | 22.03 | 20.3 | 25.7 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | 21.02 | 20.3 | 25.7 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 23.14 | 18.8 | 25.7 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QPSK | 23.11 | 18.8 | 25.7 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | 22.17 | 20.3 | 25.7 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QAM16 | 22.14 | 18.8 | 25.7 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | 22.25 | 18.8 | 25.7 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | 21.23 | 20.3 | 25.7 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 23.14 | 20.3 | 25.7 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QPSK | 23.15 | 20.3 | 25.7 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | 22.23 | 20.3 | 25.7 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QAM16 | 22.08 | 20.3 | 25.7 | PASS |

| | | | | | | | | | |
|-------|-----|-------|-----|----|-------|-------|------|------|------|
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | 22.40 | 20.3 | 25.7 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | 21.13 | 20.3 | 25.7 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 23.08 | 20.3 | 25.7 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | 23.14 | 20.3 | 25.7 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | 22.11 | 20.3 | 25.7 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QAM16 | 21.94 | 20.3 | 25.7 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | 22.47 | 20.3 | 25.7 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | 21.33 | 20.3 | 25.7 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 23.12 | 18.8 | 25.7 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | 23.20 | 18.8 | 25.7 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | 22.17 | 20.3 | 25.7 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QAM16 | 21.76 | 18.8 | 25.7 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | 22.41 | 18.8 | 25.7 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | 21.25 | 20.3 | 25.7 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 23.53 | 20.3 | 25.7 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | 23.18 | 20.3 | 25.7 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | 22.24 | 20.3 | 25.7 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QAM16 | 22.06 | 20.3 | 25.7 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | 22.27 | 20.3 | 25.7 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | 21.35 | 20.3 | 25.7 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 23.31 | 20.3 | 25.7 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | 23.14 | 20.3 | 25.7 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | 22.09 | 20.3 | 25.7 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QAM16 | 22.13 | 20.3 | 25.7 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | 22.33 | 20.3 | 25.7 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | 21.38 | 20.3 | 25.7 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 23.32 | 18.8 | 25.7 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QPSK | 23.27 | 18.8 | 25.7 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QPSK | 21.77 | 18.8 | 25.7 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QAM16 | 22.44 | 18.8 | 25.7 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QAM16 | 21.74 | 18.8 | 25.7 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QAM16 | 21.34 | 18.8 | 25.7 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 23.34 | 20.3 | 25.7 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QPSK | 23.32 | 20.3 | 25.7 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QPSK | 21.93 | 20.3 | 25.7 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QAM16 | 23.02 | 20.3 | 25.7 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QAM16 | 22.50 | 20.3 | 25.7 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QAM16 | 20.81 | 20.3 | 25.7 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 23.49 | 18.8 | 25.7 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QPSK | 23.40 | 18.8 | 25.7 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QPSK | 21.94 | 18.8 | 25.7 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QAM16 | 22.09 | 18.8 | 25.7 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QAM16 | 22.49 | 18.8 | 25.7 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QAM16 | 21.21 | 18.8 | 25.7 | PASS |

| | | | | | | | | | |
|-------|----|-------|----|----|-------|-------|------|------|------|
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 23.22 | 18.8 | 25.7 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QPSK | 23.33 | 18.8 | 25.7 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | 21.80 | 20.3 | 25.7 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QAM16 | 21.86 | 18.8 | 25.7 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | 22.41 | 18.8 | 25.7 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | 20.87 | 20.3 | 25.7 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 23.38 | 20.3 | 25.7 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QPSK | 23.34 | 20.3 | 25.7 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | 21.89 | 20.3 | 25.7 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QAM16 | 22.27 | 20.3 | 25.7 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | 22.46 | 20.3 | 25.7 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | 20.76 | 20.3 | 25.7 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 23.45 | 20.3 | 25.7 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | 23.45 | 20.3 | 25.7 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | 21.91 | 20.3 | 25.7 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QAM16 | 22.33 | 20.3 | 25.7 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | 22.57 | 20.3 | 25.7 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | 20.88 | 20.3 | 25.7 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 23.32 | 18.8 | 25.7 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | 23.36 | 18.8 | 25.7 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | 21.90 | 20.3 | 25.7 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QAM16 | 22.34 | 18.8 | 25.7 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | 22.29 | 18.8 | 25.7 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | 21.20 | 20.3 | 25.7 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 23.31 | 20.3 | 25.7 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | 23.42 | 20.3 | 25.7 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | 21.91 | 20.3 | 25.7 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QAM16 | 22.97 | 20.3 | 25.7 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | 22.33 | 20.3 | 25.7 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | 20.86 | 20.3 | 25.7 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 23.60 | 20.3 | 25.7 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | 23.48 | 20.3 | 25.7 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | 22.07 | 20.3 | 25.7 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QAM16 | 21.89 | 20.3 | 25.7 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | 22.49 | 20.3 | 25.7 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | 20.96 | 20.3 | 25.7 | PASS |

Clause 4.2.3 LTE Transmitter spectrum emission mask

| Band | Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | Range | SEM Margin (dB) | Verdict |
|-------|-----------------|------------|---------|-------------|------------|--------------|-----------------|---------|
| Band1 | 5 | 18025 | 8 | #0 | QPSK | -1MHz-0MHz | 16.08 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QPSK | -5MHz--1MHz | 21.07 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QPSK | -6MHz--5MHz | 25.04 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QPSK | -10MHz--6MHz | 12.76 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QPSK | 0MHz-1MHz | 29.97 | PASS |

| | | | | | | | | |
|-------|---|-------|----|------|-------|--------------|-------|------|
| Band1 | 5 | 18025 | 8 | #0 | QPSK | 1MHz-5MHz | 27.01 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QPSK | 5MHz-6MHz | 25.36 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QPSK | 6MHz-10MHz | 13.26 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QPSK | -1MHz-0MHz | 29.61 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QPSK | -5MHz--1MHz | 25.49 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QPSK | -6MHz--5MHz | 25.04 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QPSK | -10MHz--6MHz | 12.85 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QPSK | 0MHz-1MHz | 17.21 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QPSK | 1MHz-5MHz | 23.79 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QPSK | 5MHz-6MHz | 25.22 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QPSK | 6MHz-10MHz | 13.18 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | -1MHz-0MHz | 22.74 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | -5MHz--1MHz | 24.44 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | -6MHz--5MHz | 25.99 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | -10MHz--6MHz | 14.22 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | 0MHz-1MHz | 24.55 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | 1MHz-5MHz | 25.80 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | 5MHz-6MHz | 26.50 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | 6MHz-10MHz | 14.63 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | -1MHz-0MHz | 17.19 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | -5MHz--1MHz | 20.83 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | -6MHz--5MHz | 24.95 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | -10MHz--6MHz | 12.88 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | 0MHz-1MHz | 30.47 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | 1MHz-5MHz | 27.06 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.38 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | 6MHz-10MHz | 13.32 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QAM16 | -1MHz-0MHz | 30.25 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QAM16 | -5MHz--1MHz | 25.54 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.06 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QAM16 | -10MHz--6MHz | 12.81 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QAM16 | 0MHz-1MHz | 19.29 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QAM16 | 1MHz-5MHz | 23.78 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QAM16 | 5MHz-6MHz | 25.22 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QAM16 | 6MHz-10MHz | 13.18 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | -1MHz-0MHz | 23.90 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | -5MHz--1MHz | 25.53 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | -6MHz--5MHz | 26.25 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | -10MHz--6MHz | 14.54 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | 0MHz-1MHz | 26.11 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | 1MHz-5MHz | 26.67 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | 5MHz-6MHz | 26.72 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | 6MHz-10MHz | 14.91 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QPSK | -1MHz-0MHz | 17.06 | PASS |

| | | | | | | | | |
|-------|---|-------|----|------|-------|--------------|-------|------|
| Band1 | 5 | 18300 | 8 | #0 | QPSK | -5MHz--1MHz | 21.41 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QPSK | -6MHz--5MHz | 24.78 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QPSK | -10MHz--6MHz | 12.74 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QPSK | 0MHz-1MHz | 29.37 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QPSK | 1MHz-5MHz | 24.53 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QPSK | 5MHz-6MHz | 25.08 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QPSK | 6MHz-10MHz | 13.11 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QPSK | -1MHz-0MHz | 29.84 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QPSK | -5MHz--1MHz | 25.24 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QPSK | -6MHz--5MHz | 25.07 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QPSK | -10MHz--6MHz | 12.74 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QPSK | 0MHz-1MHz | 14.38 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QPSK | 1MHz-5MHz | 19.65 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QPSK | 5MHz-6MHz | 24.84 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QPSK | 6MHz-10MHz | 12.86 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | -1MHz-0MHz | 24.52 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | -5MHz--1MHz | 20.94 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | -6MHz--5MHz | 26.18 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | -10MHz--6MHz | 14.21 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | 0MHz-1MHz | 21.87 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | 1MHz-5MHz | 18.90 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | 5MHz-6MHz | 25.72 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | 6MHz-10MHz | 14.11 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | -1MHz-0MHz | 14.89 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | -5MHz--1MHz | 21.12 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | -6MHz--5MHz | 24.75 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | -10MHz--6MHz | 12.71 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | 0MHz-1MHz | 29.69 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | 1MHz-5MHz | 24.22 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.10 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | 6MHz-10MHz | 13.11 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QAM16 | -1MHz-0MHz | 30.08 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QAM16 | -5MHz--1MHz | 25.12 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.07 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QAM16 | -10MHz--6MHz | 12.74 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QAM16 | 0MHz-1MHz | 14.18 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QAM16 | 1MHz-5MHz | 19.04 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QAM16 | 5MHz-6MHz | 24.68 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QAM16 | 6MHz-10MHz | 12.91 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | -1MHz-0MHz | 23.12 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | -5MHz--1MHz | 22.86 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | -6MHz--5MHz | 27.01 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | -10MHz--6MHz | 15.07 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | 0MHz-1MHz | 24.04 | PASS |

| | | | | | | | | |
|-------|---|-------|----|------|-------|--------------|-------|------|
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | 1MHz-5MHz | 20.74 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | 5MHz-6MHz | 26.05 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | 6MHz-10MHz | 14.78 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | -1MHz-0MHz | 16.95 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | -5MHz--1MHz | 23.80 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | -6MHz--5MHz | 25.11 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | -10MHz--6MHz | 13.22 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | 0MHz-1MHz | 31.75 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | 1MHz-5MHz | 25.29 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | 5MHz-6MHz | 25.64 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | 6MHz-10MHz | 13.66 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QPSK | -1MHz-0MHz | 29.72 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QPSK | -5MHz--1MHz | 22.06 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QPSK | -6MHz--5MHz | 25.43 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QPSK | -10MHz--6MHz | 13.27 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QPSK | 0MHz-1MHz | 16.66 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QPSK | 1MHz-5MHz | 22.82 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QPSK | 5MHz-6MHz | 25.26 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QPSK | 6MHz-10MHz | 13.49 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | -1MHz-0MHz | 23.65 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | -5MHz--1MHz | 22.74 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | -6MHz--5MHz | 26.06 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | -10MHz--6MHz | 13.73 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | 0MHz-1MHz | 24.55 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | 1MHz-5MHz | 23.82 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | 5MHz-6MHz | 26.37 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | 6MHz-10MHz | 14.20 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | -1MHz-0MHz | 19.51 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | -5MHz--1MHz | 24.36 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | -6MHz--5MHz | 25.23 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | -10MHz--6MHz | 13.29 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | 0MHz-1MHz | 30.88 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | 1MHz-5MHz | 25.52 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.72 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | 6MHz-10MHz | 13.71 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QAM16 | -1MHz-0MHz | 29.16 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QAM16 | -5MHz--1MHz | 22.54 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.57 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QAM16 | -10MHz--6MHz | 13.33 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QAM16 | 0MHz-1MHz | 18.38 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QAM16 | 1MHz-5MHz | 24.24 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QAM16 | 5MHz-6MHz | 25.32 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QAM16 | 6MHz-10MHz | 13.56 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | -1MHz-0MHz | 27.43 | PASS |

| | | | | | | | | |
|-------|----|-------|----|------|-------|---------------|-------|------|
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | -5MHz--1MHz | 24.95 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | -6MHz--5MHz | 26.57 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | -10MHz--6MHz | 14.58 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | 0MHz-1MHz | 26.09 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | 1MHz-5MHz | 26.76 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | 5MHz-6MHz | 27.04 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | 6MHz-10MHz | 15.10 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QPSK | -1MHz-0MHz | 17.76 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QPSK | -5MHz--1MHz | 19.20 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QPSK | -10MHz--5MHz | 24.42 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QPSK | -15MHz--10MHz | 11.36 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QPSK | 0MHz-1MHz | 32.99 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QPSK | 1MHz-5MHz | 27.94 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QPSK | 5MHz-10MHz | 24.88 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QPSK | 10MHz-15MHz | 13.18 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QPSK | -1MHz-0MHz | 30.72 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QPSK | -5MHz--1MHz | 25.59 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QPSK | -10MHz--5MHz | 22.36 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QPSK | -15MHz--10MHz | 11.33 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QPSK | 0MHz-1MHz | 18.80 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QPSK | 1MHz-5MHz | 25.11 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QPSK | 5MHz-10MHz | 24.70 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QPSK | 10MHz-15MHz | 13.15 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QPSK | -1MHz-0MHz | 26.23 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QPSK | -5MHz--1MHz | 25.26 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QPSK | -10MHz--5MHz | 24.24 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QPSK | -15MHz--10MHz | 13.09 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QPSK | 0MHz-1MHz | 25.66 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QPSK | 1MHz-5MHz | 27.49 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QPSK | 5MHz-10MHz | 26.02 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QPSK | 10MHz-15MHz | 14.94 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QAM16 | -1MHz-0MHz | 14.73 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QAM16 | -5MHz--1MHz | 18.87 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.48 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.37 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QAM16 | 0MHz-1MHz | 31.47 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QAM16 | 1MHz-5MHz | 27.90 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QAM16 | 5MHz-10MHz | 24.96 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.26 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QAM16 | -1MHz-0MHz | 30.35 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QAM16 | -5MHz--1MHz | 25.53 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QAM16 | -10MHz--5MHz | 22.41 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.40 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QAM16 | 0MHz-1MHz | 19.59 | PASS |

| | | | | | | | | |
|-------|----|-------|----|------|-------|---------------|-------|------|
| Band1 | 10 | 18050 | 12 | #Max | QAM16 | 1MHz-5MHz | 24.41 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QAM16 | 5MHz-10MHz | 24.88 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QAM16 | 10MHz-15MHz | 13.19 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QAM16 | -1MHz-0MHz | 26.01 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QAM16 | -5MHz--1MHz | 26.53 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QAM16 | -10MHz--5MHz | 24.98 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QAM16 | -15MHz--10MHz | 13.36 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QAM16 | 0MHz-1MHz | 26.46 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QAM16 | 1MHz-5MHz | 28.29 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QAM16 | 5MHz-10MHz | 26.29 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QAM16 | 10MHz-15MHz | 15.06 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QPSK | -1MHz-0MHz | 16.67 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QPSK | -5MHz--1MHz | 18.94 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QPSK | -10MHz--5MHz | 24.28 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QPSK | -15MHz--10MHz | 11.18 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QPSK | 0MHz-1MHz | 29.98 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QPSK | 1MHz-5MHz | 26.16 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QPSK | 5MHz-10MHz | 22.88 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QPSK | 10MHz-15MHz | 13.12 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QPSK | -1MHz-0MHz | 31.85 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QPSK | -5MHz--1MHz | 27.02 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QPSK | -10MHz--5MHz | 23.88 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QPSK | -15MHz--10MHz | 11.34 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QPSK | 0MHz-1MHz | 13.60 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QPSK | 1MHz-5MHz | 15.89 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QPSK | 5MHz-10MHz | 24.32 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QPSK | 10MHz-15MHz | 13.02 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QPSK | -1MHz-0MHz | 23.82 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QPSK | -5MHz--1MHz | 21.97 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QPSK | -10MHz--5MHz | 22.06 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QPSK | -15MHz--10MHz | 12.83 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QPSK | 0MHz-1MHz | 22.56 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QPSK | 1MHz-5MHz | 19.31 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QPSK | 5MHz-10MHz | 18.99 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QPSK | 10MHz-15MHz | 13.96 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QAM16 | -1MHz-0MHz | 16.38 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QAM16 | -5MHz--1MHz | 20.60 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.32 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.24 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QAM16 | 0MHz-1MHz | 29.31 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QAM16 | 1MHz-5MHz | 26.05 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QAM16 | 5MHz-10MHz | 22.93 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.04 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QAM16 | -1MHz-0MHz | 30.84 | PASS |

| | | | | | | | | |
|-------|----|-------|----|------|-------|---------------|-------|------|
| Band1 | 10 | 18300 | 12 | #Max | QAM16 | -5MHz--1MHz | 26.90 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QAM16 | -10MHz--5MHz | 23.67 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.29 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QAM16 | 0MHz-1MHz | 14.06 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QAM16 | 1MHz-5MHz | 16.86 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QAM16 | 5MHz-10MHz | 24.49 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QAM16 | 10MHz-15MHz | 12.96 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QAM16 | -1MHz-0MHz | 24.93 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QAM16 | -5MHz--1MHz | 24.05 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QAM16 | -10MHz--5MHz | 24.40 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QAM16 | -15MHz--10MHz | 13.82 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QAM16 | 0MHz-1MHz | 23.90 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QAM16 | 1MHz-5MHz | 21.12 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QAM16 | 5MHz-10MHz | 21.39 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QAM16 | 10MHz-15MHz | 14.61 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QPSK | -1MHz-0MHz | 17.16 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QPSK | -5MHz--1MHz | 21.26 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QPSK | -10MHz--5MHz | 24.61 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QPSK | -15MHz--10MHz | 11.78 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QPSK | 0MHz-1MHz | 32.31 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QPSK | 1MHz-5MHz | 28.09 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QPSK | 5MHz-10MHz | 24.96 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QPSK | 10MHz-15MHz | 13.62 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QPSK | -1MHz-0MHz | 29.54 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QPSK | -5MHz--1MHz | 23.84 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QPSK | -10MHz--5MHz | 20.55 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QPSK | -15MHz--10MHz | 11.89 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QPSK | 0MHz-1MHz | 19.41 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QPSK | 1MHz-5MHz | 22.50 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QPSK | 5MHz-10MHz | 25.00 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QPSK | 10MHz-15MHz | 13.62 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QPSK | -1MHz-0MHz | 25.02 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QPSK | -5MHz--1MHz | 24.54 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QPSK | -10MHz--5MHz | 23.11 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QPSK | -15MHz--10MHz | 12.79 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QPSK | 0MHz-1MHz | 27.56 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QPSK | 1MHz-5MHz | 26.63 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QPSK | 5MHz-10MHz | 25.22 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QPSK | 10MHz-15MHz | 14.76 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QAM16 | -1MHz-0MHz | 17.52 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QAM16 | -5MHz--1MHz | 20.41 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.80 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.73 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QAM16 | 0MHz-1MHz | 32.76 | PASS |

| | | | | | | | | |
|-------|----|-------|-----|------|-------|---------------|-------|------|
| Band1 | 10 | 18550 | 12 | #0 | QAM16 | 1MHz-5MHz | 27.99 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QAM16 | 5MHz-10MHz | 25.00 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.74 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QAM16 | -1MHz-0MHz | 30.91 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QAM16 | -5MHz--1MHz | 23.65 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QAM16 | -10MHz--5MHz | 20.28 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.81 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QAM16 | 0MHz-1MHz | 18.63 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QAM16 | 1MHz-5MHz | 22.49 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QAM16 | 5MHz-10MHz | 25.05 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QAM16 | 10MHz-15MHz | 13.57 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QAM16 | -1MHz-0MHz | 24.90 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QAM16 | -5MHz--1MHz | 25.16 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QAM16 | -10MHz--5MHz | 24.08 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QAM16 | -15MHz--10MHz | 13.61 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QAM16 | 0MHz-1MHz | 26.30 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QAM16 | 1MHz-5MHz | 27.78 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QAM16 | 5MHz-10MHz | 26.30 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QAM16 | 10MHz-15MHz | 15.45 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | -1MHz-0MHz | 17.90 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | -5MHz--1MHz | 20.61 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | -20MHz--5MHz | 23.16 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | -25MHz--20MHz | 13.50 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | 0MHz-1MHz | 31.33 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | 1MHz-5MHz | 28.17 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | 5MHz-20MHz | 25.00 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | 20MHz-25MHz | 13.34 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QPSK | -1MHz-0MHz | 29.16 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QPSK | -5MHz--1MHz | 27.24 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QPSK | -20MHz--5MHz | 22.06 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QPSK | -25MHz--20MHz | 13.61 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QPSK | 0MHz-1MHz | 18.35 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QPSK | 1MHz-5MHz | 21.24 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QPSK | 5MHz-20MHz | 24.13 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QPSK | 20MHz-25MHz | 13.20 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | -1MHz-0MHz | 25.19 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | -5MHz--1MHz | 24.14 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | -20MHz--5MHz | 22.24 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | -25MHz--20MHz | 15.18 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | 0MHz-1MHz | 26.66 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | 1MHz-5MHz | 26.90 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | 5MHz-20MHz | 24.64 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | 20MHz-25MHz | 15.03 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | -1MHz-0MHz | 15.27 | PASS |

| | | | | | | | | |
|-------|----|-------|-----|------|-------|---------------|-------|------|
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | -5MHz--1MHz | 18.17 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | -20MHz--5MHz | 23.14 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | -25MHz--20MHz | 13.46 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | 0MHz-1MHz | 31.20 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | 1MHz-5MHz | 28.09 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | 5MHz-20MHz | 24.84 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | 20MHz-25MHz | 13.35 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QAM16 | -1MHz-0MHz | 30.10 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QAM16 | -5MHz--1MHz | 27.28 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QAM16 | -20MHz--5MHz | 21.81 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QAM16 | -25MHz--20MHz | 13.62 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QAM16 | 0MHz-1MHz | 16.82 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QAM16 | 1MHz-5MHz | 20.66 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QAM16 | 5MHz-20MHz | 24.29 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QAM16 | 20MHz-25MHz | 13.19 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | -1MHz-0MHz | 25.20 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | -5MHz--1MHz | 26.00 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | -20MHz--5MHz | 23.48 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | -25MHz--20MHz | 15.42 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | 0MHz-1MHz | 29.05 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | 1MHz-5MHz | 28.62 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | 5MHz-20MHz | 25.92 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | 20MHz-25MHz | 15.65 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | -1MHz-0MHz | 17.40 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | -5MHz--1MHz | 19.26 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | -20MHz--5MHz | 22.97 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | -25MHz--20MHz | 13.28 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | 0MHz-1MHz | 30.23 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | 1MHz-5MHz | 27.59 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | 5MHz-20MHz | 23.66 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | 20MHz-25MHz | 13.93 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QPSK | -1MHz-0MHz | 30.91 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QPSK | -5MHz--1MHz | 27.46 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QPSK | -20MHz--5MHz | 22.87 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QPSK | -25MHz--20MHz | 13.47 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QPSK | 0MHz-1MHz | 11.60 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QPSK | 1MHz-5MHz | 14.26 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QPSK | 5MHz-20MHz | 23.79 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QPSK | 20MHz-25MHz | 13.88 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | -1MHz-0MHz | 25.11 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | -5MHz--1MHz | 23.26 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | -20MHz--5MHz | 21.50 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | -25MHz--20MHz | 14.92 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | 0MHz-1MHz | 22.58 | PASS |

| | | | | | | | | |
|-------|----|-------|-----|------|-------|---------------|-------|------|
| Band1 | 20 | 18300 | 100 | #0 | QPSK | 1MHz-5MHz | 20.70 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | 5MHz-20MHz | 19.06 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | 20MHz-25MHz | 14.56 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | -1MHz-0MHz | 16.19 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | -5MHz--1MHz | 19.04 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | -20MHz--5MHz | 23.13 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | -25MHz--20MHz | 13.14 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | 0MHz-1MHz | 30.05 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | 1MHz-5MHz | 27.62 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | 5MHz-20MHz | 23.26 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | 20MHz-25MHz | 13.95 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QAM16 | -1MHz-0MHz | 31.05 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QAM16 | -5MHz--1MHz | 27.47 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QAM16 | -20MHz--5MHz | 23.15 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QAM16 | -25MHz--20MHz | 13.43 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QAM16 | 0MHz-1MHz | 10.43 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QAM16 | 1MHz-5MHz | 14.25 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QAM16 | 5MHz-20MHz | 23.90 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QAM16 | 20MHz-25MHz | 13.89 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | -1MHz-0MHz | 27.39 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | -5MHz--1MHz | 25.65 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | -20MHz--5MHz | 23.57 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | -25MHz--20MHz | 15.05 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | 0MHz-1MHz | 23.56 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | 1MHz-5MHz | 22.79 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | 5MHz-20MHz | 20.71 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | 20MHz-25MHz | 15.54 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | -1MHz-0MHz | 14.03 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | -5MHz--1MHz | 15.75 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | -20MHz--5MHz | 23.52 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | -25MHz--20MHz | 13.34 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | 0MHz-1MHz | 28.56 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | 1MHz-5MHz | 27.48 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | 5MHz-20MHz | 25.46 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | 20MHz-25MHz | 13.85 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QPSK | -1MHz-0MHz | 23.88 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QPSK | -5MHz--1MHz | 24.87 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QPSK | -20MHz--5MHz | 22.65 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QPSK | -25MHz--20MHz | 13.43 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QPSK | 0MHz-1MHz | 20.79 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QPSK | 1MHz-5MHz | 21.98 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QPSK | 5MHz-20MHz | 25.22 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QPSK | 20MHz-25MHz | 13.67 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | -1MHz-0MHz | 24.07 | PASS |

| | | | | | | | | |
|--------|----|-------|-----|------|-------|---------------|-------|------|
| Band1 | 20 | 18500 | 100 | #0 | QPSK | -5MHz--1MHz | 23.64 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | -20MHz--5MHz | 21.98 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | -25MHz--20MHz | 14.89 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | 0MHz-1MHz | 28.67 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | 1MHz-5MHz | 26.74 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | 5MHz-20MHz | 24.72 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | 20MHz-25MHz | 14.80 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | -1MHz-0MHz | 12.66 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | -5MHz--1MHz | 15.63 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | -20MHz--5MHz | 23.69 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | -25MHz--20MHz | 13.29 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | 0MHz-1MHz | 28.33 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | 1MHz-5MHz | 27.62 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | 5MHz-20MHz | 25.35 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | 20MHz-25MHz | 13.84 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QAM16 | -1MHz-0MHz | 24.53 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QAM16 | -5MHz--1MHz | 24.97 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QAM16 | -20MHz--5MHz | 22.55 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QAM16 | -25MHz--20MHz | 13.43 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QAM16 | 0MHz-1MHz | 18.39 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QAM16 | 1MHz-5MHz | 20.95 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QAM16 | 5MHz-20MHz | 25.34 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QAM16 | 20MHz-25MHz | 13.69 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | -1MHz-0MHz | 25.27 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | -5MHz--1MHz | 24.98 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | -20MHz--5MHz | 23.14 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | -25MHz--20MHz | 15.74 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | 0MHz-1MHz | 28.13 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | 1MHz-5MHz | 27.63 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | 5MHz-20MHz | 25.80 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | 20MHz-25MHz | 15.84 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | -1MHz-0MHz | 17.63 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | -5MHz--1MHz | 19.30 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | -6MHz--5MHz | 24.82 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | -10MHz--6MHz | 12.99 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | 0MHz-1MHz | 27.51 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | 1MHz-5MHz | 20.09 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | 5MHz-6MHz | 25.29 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | 6MHz-10MHz | 13.31 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QPSK | -1MHz-0MHz | 30.96 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QPSK | -5MHz--1MHz | 24.13 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QPSK | -6MHz--5MHz | 25.32 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QPSK | -10MHz--6MHz | 13.10 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QPSK | 0MHz-1MHz | 15.62 | PASS |

| | | | | | | | | |
|--------|---|-------|----|------|-------|--------------|-------|------|
| Band20 | 5 | 24175 | 8 | #Max | QPSK | 1MHz-5MHz | 21.59 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QPSK | 5MHz-6MHz | 24.78 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QPSK | 6MHz-10MHz | 13.10 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | -1MHz-0MHz | 24.01 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | -5MHz--1MHz | 21.44 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | -6MHz--5MHz | 24.19 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | -10MHz--6MHz | 13.03 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | 0MHz-1MHz | 22.52 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | 1MHz-5MHz | 21.01 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | 5MHz-6MHz | 23.83 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | 6MHz-10MHz | 11.82 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | -1MHz-0MHz | 18.26 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | -5MHz--1MHz | 21.05 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | -6MHz--5MHz | 24.94 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | -10MHz--6MHz | 12.92 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | 0MHz-1MHz | 28.36 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | 1MHz-5MHz | 20.96 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.31 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | 6MHz-10MHz | 13.45 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QAM16 | -1MHz-0MHz | 31.93 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QAM16 | -5MHz--1MHz | 24.54 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.32 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QAM16 | -10MHz--6MHz | 12.93 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QAM16 | 0MHz-1MHz | 18.52 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QAM16 | 1MHz-5MHz | 22.64 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QAM16 | 5MHz-6MHz | 24.89 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QAM16 | 6MHz-10MHz | 13.13 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | -1MHz-0MHz | 23.50 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | -5MHz--1MHz | 21.00 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | -6MHz--5MHz | 24.73 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | -10MHz--6MHz | 13.78 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | 0MHz-1MHz | 23.28 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | 1MHz-5MHz | 20.55 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | 5MHz-6MHz | 24.30 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | 6MHz-10MHz | 12.60 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | -1MHz-0MHz | 18.72 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | -5MHz--1MHz | 17.96 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | -6MHz--5MHz | 23.11 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | -10MHz--6MHz | 11.80 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | 0MHz-1MHz | 28.45 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | 1MHz-5MHz | 18.78 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | 5MHz-6MHz | 25.14 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | 6MHz-10MHz | 13.13 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QPSK | -1MHz-0MHz | 29.59 | PASS |

| | | | | | | | | |
|--------|---|-------|----|------|-------|--------------|-------|------|
| Band20 | 5 | 24300 | 8 | #Max | QPSK | -5MHz--1MHz | 22.12 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QPSK | -6MHz--5MHz | 25.15 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QPSK | -10MHz--6MHz | 12.87 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QPSK | 0MHz-1MHz | 17.14 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QPSK | 1MHz-5MHz | 18.30 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QPSK | 5MHz-6MHz | 23.90 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QPSK | 6MHz-10MHz | 12.72 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | -1MHz-0MHz | 22.52 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | -5MHz--1MHz | 19.50 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | -6MHz--5MHz | 22.03 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | -10MHz--6MHz | 10.27 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | 0MHz-1MHz | 22.97 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | 1MHz-5MHz | 18.91 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | 5MHz-6MHz | 22.19 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | 6MHz-10MHz | 10.90 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | -1MHz-0MHz | 19.68 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | -5MHz--1MHz | 18.93 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | -6MHz--5MHz | 23.71 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | -10MHz--6MHz | 12.19 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | 0MHz-1MHz | 29.79 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | 1MHz-5MHz | 19.46 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.27 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | 6MHz-10MHz | 13.30 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QAM16 | -1MHz-0MHz | 30.73 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QAM16 | -5MHz--1MHz | 22.99 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.24 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QAM16 | -10MHz--6MHz | 12.89 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QAM16 | 0MHz-1MHz | 20.43 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QAM16 | 1MHz-5MHz | 19.61 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QAM16 | 5MHz-6MHz | 24.08 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QAM16 | 6MHz-10MHz | 12.72 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | -1MHz-0MHz | 21.95 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | -5MHz--1MHz | 18.93 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | -6MHz--5MHz | 22.96 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | -10MHz--6MHz | 11.85 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | 0MHz-1MHz | 23.28 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | 1MHz-5MHz | 18.44 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | 5MHz-6MHz | 22.78 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | 6MHz-10MHz | 12.15 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QPSK | -1MHz-0MHz | 17.68 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QPSK | -5MHz--1MHz | 17.28 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QPSK | -6MHz--5MHz | 23.05 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QPSK | -10MHz--6MHz | 12.03 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QPSK | 0MHz-1MHz | 29.14 | PASS |

| | | | | | | | | |
|--------|----|-------|----|------|-------|--------------|-------|------|
| Band20 | 5 | 24425 | 8 | #0 | QPSK | 1MHz-5MHz | 18.95 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QPSK | 5MHz-6MHz | 25.19 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QPSK | 6MHz-10MHz | 13.23 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QPSK | -1MHz-0MHz | 29.52 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QPSK | -5MHz--1MHz | 20.32 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QPSK | -6MHz--5MHz | 24.89 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QPSK | -10MHz--6MHz | 12.83 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QPSK | 0MHz-1MHz | 17.31 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QPSK | 1MHz-5MHz | 18.15 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QPSK | 5MHz-6MHz | 24.29 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QPSK | 6MHz-10MHz | 12.88 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | -1MHz-0MHz | 23.14 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | -5MHz--1MHz | 19.15 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | -6MHz--5MHz | 21.92 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | -10MHz--6MHz | 9.86 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | 0MHz-1MHz | 22.47 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | 1MHz-5MHz | 18.59 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | 5MHz-6MHz | 22.88 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | 6MHz-10MHz | 11.17 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | -1MHz-0MHz | 19.21 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | -5MHz--1MHz | 19.21 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | -6MHz--5MHz | 23.62 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | -10MHz--6MHz | 12.27 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | 0MHz-1MHz | 30.05 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | 1MHz-5MHz | 20.63 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.26 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | 6MHz-10MHz | 13.19 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QAM16 | -1MHz-0MHz | 30.16 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QAM16 | -5MHz--1MHz | 21.71 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.08 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QAM16 | -10MHz--6MHz | 12.86 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QAM16 | 0MHz-1MHz | 18.88 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QAM16 | 1MHz-5MHz | 19.93 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QAM16 | 5MHz-6MHz | 24.62 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QAM16 | 6MHz-10MHz | 12.95 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | -1MHz-0MHz | 23.59 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | -5MHz--1MHz | 18.33 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | -6MHz--5MHz | 21.60 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | -10MHz--6MHz | 10.69 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | 0MHz-1MHz | 22.18 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | 1MHz-5MHz | 17.81 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | 5MHz-6MHz | 23.04 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | 6MHz-10MHz | 11.82 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QPSK | -1MHz-0MHz | 19.89 | PASS |

| | | | | | | | | |
|--------|----|-------|----|------|-------|---------------|-------|------|
| Band20 | 10 | 24200 | 12 | #0 | QPSK | -5MHz--1MHz | 18.42 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QPSK | -10MHz--5MHz | 24.64 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QPSK | -15MHz--10MHz | 11.55 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QPSK | 0MHz-1MHz | 31.89 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QPSK | 1MHz-5MHz | 23.46 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QPSK | 5MHz-10MHz | 20.04 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QPSK | 10MHz-15MHz | 13.38 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QPSK | -1MHz-0MHz | 31.76 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QPSK | -5MHz--1MHz | 25.05 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QPSK | -10MHz--5MHz | 22.63 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QPSK | -15MHz--10MHz | 11.47 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QPSK | 0MHz-1MHz | 19.25 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QPSK | 1MHz-5MHz | 18.10 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QPSK | 5MHz-10MHz | 24.00 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QPSK | 10MHz-15MHz | 12.39 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QPSK | -1MHz-0MHz | 25.91 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QPSK | -5MHz--1MHz | 23.31 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QPSK | -10MHz--5MHz | 23.62 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QPSK | -15MHz--10MHz | 11.63 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QPSK | 0MHz-1MHz | 24.17 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QPSK | 1MHz-5MHz | 21.16 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QPSK | 5MHz-10MHz | 17.70 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QPSK | 10MHz-15MHz | 11.90 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QAM16 | -1MHz-0MHz | 20.04 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QAM16 | -5MHz--1MHz | 20.44 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.70 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.53 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QAM16 | 0MHz-1MHz | 31.18 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QAM16 | 1MHz-5MHz | 24.09 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QAM16 | 5MHz-10MHz | 20.56 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.41 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QAM16 | -1MHz-0MHz | 31.75 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QAM16 | -5MHz--1MHz | 25.47 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QAM16 | -10MHz--5MHz | 23.10 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.57 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QAM16 | 0MHz-1MHz | 19.46 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QAM16 | 1MHz-5MHz | 19.43 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QAM16 | 5MHz-10MHz | 24.60 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QAM16 | 10MHz-15MHz | 12.65 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QAM16 | -1MHz-0MHz | 26.16 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QAM16 | -5MHz--1MHz | 24.18 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QAM16 | -10MHz--5MHz | 24.77 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QAM16 | -15MHz--10MHz | 13.32 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QAM16 | 0MHz-1MHz | 23.82 | PASS |

| | | | | | | | | |
|--------|----|-------|----|------|-------|---------------|-------|------|
| Band20 | 10 | 24200 | 50 | #0 | QAM16 | 1MHz-5MHz | 22.03 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QAM16 | 5MHz-10MHz | 19.47 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QAM16 | 10MHz-15MHz | 12.84 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QPSK | -1MHz-0MHz | 17.21 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QPSK | -5MHz--1MHz | 16.91 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QPSK | -10MHz--5MHz | 23.03 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QPSK | -15MHz--10MHz | 11.20 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QPSK | 0MHz-1MHz | 29.50 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QPSK | 1MHz-5MHz | 21.89 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QPSK | 5MHz-10MHz | 18.92 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QPSK | 10MHz-15MHz | 13.28 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QPSK | -1MHz-0MHz | 31.54 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QPSK | -5MHz--1MHz | 23.87 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QPSK | -10MHz--5MHz | 20.68 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QPSK | -15MHz--10MHz | 11.56 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QPSK | 0MHz-1MHz | 18.11 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QPSK | 1MHz-5MHz | 18.58 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QPSK | 5MHz-10MHz | 24.41 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QPSK | 10MHz-15MHz | 12.77 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QPSK | -1MHz-0MHz | 24.44 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QPSK | -5MHz--1MHz | 21.09 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QPSK | -10MHz--5MHz | 18.28 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QPSK | -15MHz--10MHz | 11.01 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QPSK | 0MHz-1MHz | 22.93 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QPSK | 1MHz-5MHz | 20.87 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QPSK | 5MHz-10MHz | 20.84 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QPSK | 10MHz-15MHz | 11.54 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QAM16 | -1MHz-0MHz | 17.27 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QAM16 | -5MHz--1MHz | 17.72 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QAM16 | -10MHz--5MHz | 23.39 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.25 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QAM16 | 0MHz-1MHz | 29.52 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QAM16 | 1MHz-5MHz | 22.11 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QAM16 | 5MHz-10MHz | 19.19 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.27 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QAM16 | -1MHz-0MHz | 30.46 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QAM16 | -5MHz--1MHz | 24.46 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QAM16 | -10MHz--5MHz | 21.05 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.44 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QAM16 | 0MHz-1MHz | 18.49 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QAM16 | 1MHz-5MHz | 20.79 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QAM16 | 5MHz-10MHz | 24.70 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QAM16 | 10MHz-15MHz | 12.89 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QAM16 | -1MHz-0MHz | 24.57 | PASS |

| | | | | | | | | |
|--------|----|-------|----|------|-------|---------------|-------|------|
| Band20 | 10 | 24300 | 50 | #0 | QAM16 | -5MHz--1MHz | 20.89 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QAM16 | -10MHz--5MHz | 18.96 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QAM16 | -15MHz--10MHz | 11.87 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QAM16 | 0MHz-1MHz | 22.80 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QAM16 | 1MHz-5MHz | 20.75 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QAM16 | 5MHz-10MHz | 21.60 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QAM16 | 10MHz-15MHz | 11.99 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QPSK | -1MHz-0MHz | 18.03 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QPSK | -5MHz--1MHz | 19.40 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QPSK | -10MHz--5MHz | 23.61 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QPSK | -15MHz--10MHz | 11.15 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QPSK | 0MHz-1MHz | 30.94 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QPSK | 1MHz-5MHz | 25.51 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QPSK | 5MHz-10MHz | 22.46 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QPSK | 10MHz-15MHz | 13.22 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QPSK | -1MHz-0MHz | 29.47 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QPSK | -5MHz--1MHz | 22.72 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QPSK | -10MHz--5MHz | 19.86 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QPSK | -15MHz--10MHz | 11.42 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QPSK | 0MHz-1MHz | 19.09 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QPSK | 1MHz-5MHz | 17.57 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QPSK | 5MHz-10MHz | 24.20 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QPSK | 10MHz-15MHz | 13.23 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QPSK | -1MHz-0MHz | 23.36 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QPSK | -5MHz--1MHz | 22.62 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QPSK | -10MHz--5MHz | 22.10 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QPSK | -15MHz--10MHz | 9.93 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QPSK | 0MHz-1MHz | 23.11 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QPSK | 1MHz-5MHz | 20.03 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QPSK | 5MHz-10MHz | 20.24 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QPSK | 10MHz-15MHz | 13.20 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QAM16 | -1MHz-0MHz | 19.30 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QAM16 | -5MHz--1MHz | 20.35 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.12 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.29 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QAM16 | 0MHz-1MHz | 32.22 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QAM16 | 1MHz-5MHz | 25.93 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QAM16 | 5MHz-10MHz | 23.07 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.11 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QAM16 | -1MHz-0MHz | 30.73 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QAM16 | -5MHz--1MHz | 23.84 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QAM16 | -10MHz--5MHz | 20.85 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.38 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QAM16 | 0MHz-1MHz | 18.59 | PASS |

| | | | | | | | | |
|--------|----|-------|-----|------|-------|---------------|-------|------|
| Band20 | 10 | 24400 | 12 | #Max | QAM16 | 1MHz-5MHz | 18.69 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QAM16 | 5MHz-10MHz | 24.55 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QAM16 | 10MHz-15MHz | 13.16 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QAM16 | -1MHz-0MHz | 23.42 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QAM16 | -5MHz--1MHz | 22.50 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QAM16 | -10MHz--5MHz | 22.68 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QAM16 | -15MHz--10MHz | 11.62 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QAM16 | 0MHz-1MHz | 22.97 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QAM16 | 1MHz-5MHz | 19.67 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QAM16 | 5MHz-10MHz | 20.95 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QAM16 | 10MHz-15MHz | 14.93 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | -1MHz-0MHz | 18.81 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | -5MHz--1MHz | 19.24 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | -20MHz--5MHz | 23.35 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | -25MHz--20MHz | 13.46 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | 0MHz-1MHz | 30.05 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | 1MHz-5MHz | 28.12 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | 5MHz-20MHz | 22.98 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | 20MHz-25MHz | 13.40 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QPSK | -1MHz-0MHz | 30.34 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QPSK | -5MHz--1MHz | 27.54 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QPSK | -20MHz--5MHz | 23.46 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QPSK | -25MHz--20MHz | 13.67 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QPSK | 0MHz-1MHz | 17.70 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QPSK | 1MHz-5MHz | 19.96 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QPSK | 5MHz-20MHz | 23.78 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QPSK | 20MHz-25MHz | 13.26 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | -1MHz-0MHz | 25.49 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | -5MHz--1MHz | 24.55 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | -20MHz--5MHz | 22.91 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | -25MHz--20MHz | 13.58 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | 0MHz-1MHz | 21.59 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | 1MHz-5MHz | 20.75 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | 5MHz-20MHz | 18.23 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | 20MHz-25MHz | 13.30 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | -1MHz-0MHz | 20.26 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | -5MHz--1MHz | 20.67 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | -20MHz--5MHz | 23.39 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | -25MHz--20MHz | 13.53 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | 0MHz-1MHz | 31.05 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | 1MHz-5MHz | 28.27 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | 5MHz-20MHz | 23.07 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | 20MHz-25MHz | 13.40 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QAM16 | -1MHz-0MHz | 30.56 | PASS |

| | | | | | | | | |
|--------|----|-------|-----|------|-------|---------------|-------|------|
| Band20 | 20 | 24250 | 18 | #Max | QAM16 | -5MHz--1MHz | 27.56 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QAM16 | -20MHz--5MHz | 23.47 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QAM16 | -25MHz--20MHz | 13.67 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QAM16 | 0MHz-1MHz | 19.28 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QAM16 | 1MHz-5MHz | 21.16 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QAM16 | 5MHz-20MHz | 23.92 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QAM16 | 20MHz-25MHz | 13.34 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | -1MHz-0MHz | 24.90 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | -5MHz--1MHz | 24.69 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | -20MHz--5MHz | 23.46 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | -25MHz--20MHz | 14.62 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | 0MHz-1MHz | 21.12 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | 1MHz-5MHz | 20.51 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | 5MHz-20MHz | 18.53 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | 20MHz-25MHz | 14.19 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | -1MHz-0MHz | 16.87 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | -5MHz--1MHz | 18.53 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | -20MHz--5MHz | 22.96 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | -25MHz--20MHz | 13.51 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | 0MHz-1MHz | 31.49 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | 1MHz-5MHz | 28.07 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | 5MHz-20MHz | 23.35 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | 20MHz-25MHz | 13.40 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QPSK | -1MHz-0MHz | 30.49 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QPSK | -5MHz--1MHz | 27.22 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QPSK | -20MHz--5MHz | 22.07 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QPSK | -25MHz--20MHz | 13.62 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QPSK | 0MHz-1MHz | 17.95 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QPSK | 1MHz-5MHz | 19.17 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QPSK | 5MHz-20MHz | 23.56 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QPSK | 20MHz-25MHz | 13.29 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | -1MHz-0MHz | 23.49 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | -5MHz--1MHz | 22.36 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | -20MHz--5MHz | 21.90 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | -25MHz--20MHz | 13.51 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | 0MHz-1MHz | 22.05 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | 1MHz-5MHz | 22.60 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | 5MHz-20MHz | 20.74 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | 20MHz-25MHz | 13.29 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | -1MHz-0MHz | 16.94 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | -5MHz--1MHz | 20.55 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | -20MHz--5MHz | 23.03 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | -25MHz--20MHz | 13.51 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | 0MHz-1MHz | 31.23 | PASS |

| | | | | | | | | |
|--------|----|-------|-----|------|-------|---------------|-------|------|
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | 1MHz-5MHz | 28.09 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | 5MHz-20MHz | 23.65 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | 20MHz-25MHz | 13.33 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QAM16 | -1MHz-0MHz | 30.63 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QAM16 | -5MHz--1MHz | 27.43 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QAM16 | -20MHz--5MHz | 22.15 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QAM16 | -25MHz--20MHz | 13.53 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QAM16 | 0MHz-1MHz | 19.61 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QAM16 | 1MHz-5MHz | 21.23 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QAM16 | 5MHz-20MHz | 24.03 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QAM16 | 20MHz-25MHz | 13.20 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | -1MHz-0MHz | 24.19 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | -5MHz--1MHz | 23.03 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | -20MHz--5MHz | 23.02 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | -25MHz--20MHz | 14.64 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | 0MHz-1MHz | 22.61 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | 1MHz-5MHz | 22.84 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | 5MHz-20MHz | 20.70 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | 20MHz-25MHz | 15.17 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | -1MHz-0MHz | 17.73 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | -5MHz--1MHz | 17.83 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | -20MHz--5MHz | 21.77 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | -25MHz--20MHz | 13.48 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | 0MHz-1MHz | 30.69 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | 1MHz-5MHz | 28.15 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | 5MHz-20MHz | 25.02 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | 20MHz-25MHz | 13.35 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QPSK | -1MHz-0MHz | 29.85 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QPSK | -5MHz--1MHz | 27.34 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QPSK | -20MHz--5MHz | 20.17 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QPSK | -25MHz--20MHz | 13.52 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QPSK | 0MHz-1MHz | 17.66 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QPSK | 1MHz-5MHz | 18.15 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QPSK | 5MHz-20MHz | 23.76 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QPSK | 20MHz-25MHz | 13.22 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | -1MHz-0MHz | 26.26 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | -5MHz--1MHz | 23.60 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | -20MHz--5MHz | 20.35 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | -25MHz--20MHz | 13.48 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | 0MHz-1MHz | 22.33 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | 1MHz-5MHz | 21.19 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | 5MHz-20MHz | 21.42 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | 20MHz-25MHz | 13.18 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | -1MHz-0MHz | 16.65 | PASS |

| | | | | | | | | |
|--------|-----|-------|-----|------|-------|-----------------|-------|------|
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | -5MHz--1MHz | 18.65 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | -20MHz--5MHz | 21.99 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | -25MHz--20MHz | 13.45 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | 0MHz-1MHz | 30.75 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | 1MHz-5MHz | 28.10 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | 5MHz-20MHz | 25.14 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | 20MHz-25MHz | 13.32 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QAM16 | -1MHz-0MHz | 30.29 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QAM16 | -5MHz--1MHz | 27.35 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QAM16 | -20MHz--5MHz | 20.81 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QAM16 | -25MHz--20MHz | 13.49 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QAM16 | 0MHz-1MHz | 17.16 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QAM16 | 1MHz-5MHz | 18.59 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QAM16 | 5MHz-20MHz | 23.87 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QAM16 | 20MHz-25MHz | 13.22 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | -1MHz-0MHz | 24.37 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | -5MHz--1MHz | 22.98 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | -20MHz--5MHz | 20.08 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | -25MHz--20MHz | 14.53 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | 0MHz-1MHz | 21.85 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | 1MHz-5MHz | 21.14 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | 5MHz-20MHz | 21.50 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | 20MHz-25MHz | 14.32 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QPSK | -1MHz-0MHz | 18.13 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QPSK | -2.5MHz--1MHz | 24.22 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QPSK | -3.5MHz--2.5MHz | 12.68 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QPSK | 0MHz-1MHz | 20.18 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QPSK | 1MHz-2.5MHz | 24.91 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QPSK | 2.5MHz-3.5MHz | 12.85 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QPSK | -1MHz-0MHz | 21.28 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QPSK | -2.5MHz--1MHz | 25.31 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QPSK | -3.5MHz--2.5MHz | 12.68 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QPSK | 0MHz-1MHz | 18.39 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QPSK | 1MHz-2.5MHz | 23.58 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QPSK | 2.5MHz-3.5MHz | 12.72 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QPSK | -1MHz-0MHz | 23.46 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QPSK | -2.5MHz--1MHz | 24.57 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QPSK | -3.5MHz--2.5MHz | 13.56 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QPSK | 0MHz-1MHz | 23.77 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QPSK | 1MHz-2.5MHz | 24.27 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QPSK | 2.5MHz-3.5MHz | 13.42 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QAM16 | -1MHz-0MHz | 20.74 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QAM16 | -2.5MHz--1MHz | 24.50 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QAM16 | -3.5MHz--2.5MHz | 12.96 | PASS |

| | | | | | | | | |
|-------|-----|-------|---|------|-------|-----------------|-------|------|
| Band3 | 1.4 | 19207 | 5 | #0 | QAM16 | 0MHz-1MHz | 22.66 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QAM16 | 1MHz-2.5MHz | 25.30 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QAM16 | 2.5MHz-3.5MHz | 12.93 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QAM16 | -1MHz-0MHz | 22.25 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QAM16 | -2.5MHz--1MHz | 25.52 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QAM16 | -3.5MHz--2.5MHz | 12.96 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QAM16 | 0MHz-1MHz | 19.84 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QAM16 | 1MHz-2.5MHz | 24.29 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QAM16 | 2.5MHz-3.5MHz | 12.89 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QAM16 | -1MHz-0MHz | 24.84 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QAM16 | -2.5MHz--1MHz | 25.46 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QAM16 | -3.5MHz--2.5MHz | 14.52 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QAM16 | 0MHz-1MHz | 24.06 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QAM16 | 1MHz-2.5MHz | 24.92 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QAM16 | 2.5MHz-3.5MHz | 14.37 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QPSK | -1MHz-0MHz | 14.63 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QPSK | -2.5MHz--1MHz | 22.65 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QPSK | -3.5MHz--2.5MHz | 12.60 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QPSK | 0MHz-1MHz | 16.11 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QPSK | 1MHz-2.5MHz | 23.30 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QPSK | 2.5MHz-3.5MHz | 12.74 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QPSK | -1MHz-0MHz | 16.39 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QPSK | -2.5MHz--1MHz | 23.62 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QPSK | -3.5MHz--2.5MHz | 12.76 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QPSK | 0MHz-1MHz | 15.61 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QPSK | 1MHz-2.5MHz | 22.21 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QPSK | 2.5MHz-3.5MHz | 12.65 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QPSK | -1MHz-0MHz | 20.86 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QPSK | -2.5MHz--1MHz | 22.33 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QPSK | -3.5MHz--2.5MHz | 13.24 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QPSK | 0MHz-1MHz | 19.85 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QPSK | 1MHz-2.5MHz | 22.48 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QPSK | 2.5MHz-3.5MHz | 13.36 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QAM16 | -1MHz-0MHz | 15.65 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QAM16 | -2.5MHz--1MHz | 23.03 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QAM16 | -3.5MHz--2.5MHz | 13.61 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QAM16 | 0MHz-1MHz | 18.39 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QAM16 | 1MHz-2.5MHz | 24.70 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QAM16 | 2.5MHz-3.5MHz | 13.68 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QAM16 | -1MHz-0MHz | 18.23 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QAM16 | -2.5MHz--1MHz | 24.81 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QAM16 | -3.5MHz--2.5MHz | 13.80 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QAM16 | 0MHz-1MHz | 15.57 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QAM16 | 1MHz-2.5MHz | 23.03 | PASS |

| | | | | | | | | |
|-------|-----|-------|---|------|-------|-----------------|-------|------|
| Band3 | 1.4 | 19575 | 5 | #Max | QAM16 | 2.5MHz-3.5MHz | 13.62 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QAM16 | -1MHz-0MHz | 23.75 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QAM16 | -2.5MHz--1MHz | 24.19 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QAM16 | -3.5MHz--2.5MHz | 13.84 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QAM16 | 0MHz-1MHz | 22.63 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QAM16 | 1MHz-2.5MHz | 23.95 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QAM16 | 2.5MHz-3.5MHz | 13.87 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QPSK | -1MHz-0MHz | 19.99 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QPSK | -2.5MHz--1MHz | 24.69 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QPSK | -3.5MHz--2.5MHz | 12.47 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QPSK | 0MHz-1MHz | 23.44 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QPSK | 1MHz-2.5MHz | 25.81 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QPSK | 2.5MHz-3.5MHz | 12.66 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QPSK | -1MHz-0MHz | 22.02 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QPSK | -2.5MHz--1MHz | 25.52 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QPSK | -3.5MHz--2.5MHz | 12.41 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QPSK | 0MHz-1MHz | 21.12 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QPSK | 1MHz-2.5MHz | 24.98 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QPSK | 2.5MHz-3.5MHz | 12.60 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QPSK | -1MHz-0MHz | 25.31 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QPSK | -2.5MHz--1MHz | 25.86 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QPSK | -3.5MHz--2.5MHz | 13.58 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QPSK | 0MHz-1MHz | 25.54 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QPSK | 1MHz-2.5MHz | 26.33 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QPSK | 2.5MHz-3.5MHz | 14.08 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QAM16 | -1MHz-0MHz | 22.59 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QAM16 | -2.5MHz--1MHz | 26.57 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QAM16 | -3.5MHz--2.5MHz | 14.16 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QAM16 | 0MHz-1MHz | 26.61 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QAM16 | 1MHz-2.5MHz | 27.28 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QAM16 | 2.5MHz-3.5MHz | 14.52 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QAM16 | -1MHz-0MHz | 26.09 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QAM16 | -2.5MHz--1MHz | 27.10 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QAM16 | -3.5MHz--2.5MHz | 14.42 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QAM16 | 0MHz-1MHz | 23.27 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QAM16 | 1MHz-2.5MHz | 26.76 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QAM16 | 2.5MHz-3.5MHz | 14.34 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QAM16 | -1MHz-0MHz | 26.18 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QAM16 | -2.5MHz--1MHz | 26.25 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QAM16 | -3.5MHz--2.5MHz | 14.07 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QAM16 | 0MHz-1MHz | 26.77 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QAM16 | 1MHz-2.5MHz | 26.59 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QAM16 | 2.5MHz-3.5MHz | 14.36 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QPSK | -1MHz-0MHz | 15.66 | PASS |

| | | | | | | | | |
|-------|---|-------|----|------|-------|--------------|-------|------|
| Band3 | 5 | 19225 | 8 | #0 | QPSK | -5MHz--1MHz | 20.13 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QPSK | -6MHz--5MHz | 24.90 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QPSK | -10MHz--6MHz | 12.78 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QPSK | 0MHz-1MHz | 29.16 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QPSK | 1MHz-5MHz | 25.91 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QPSK | 5MHz-6MHz | 25.37 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QPSK | 6MHz-10MHz | 13.26 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QPSK | -1MHz-0MHz | 29.91 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QPSK | -5MHz--1MHz | 25.81 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QPSK | -6MHz--5MHz | 25.20 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QPSK | -10MHz--6MHz | 12.82 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QPSK | 0MHz-1MHz | 16.28 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QPSK | 1MHz-5MHz | 20.98 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QPSK | 5MHz-6MHz | 24.97 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QPSK | 6MHz-10MHz | 13.11 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | -1MHz-0MHz | 22.34 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | -5MHz--1MHz | 19.79 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | -6MHz--5MHz | 24.45 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | -10MHz--6MHz | 12.64 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | 0MHz-1MHz | 22.67 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | 1MHz-5MHz | 19.54 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | 5MHz-6MHz | 24.07 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | 6MHz-10MHz | 12.42 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | -1MHz-0MHz | 17.30 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | -5MHz--1MHz | 22.20 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | -6MHz--5MHz | 25.04 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | -10MHz--6MHz | 12.85 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | 0MHz-1MHz | 30.22 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | 1MHz-5MHz | 26.43 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.30 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | 6MHz-10MHz | 13.22 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QAM16 | -1MHz-0MHz | 31.60 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QAM16 | -5MHz--1MHz | 26.59 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.13 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QAM16 | -10MHz--6MHz | 12.95 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QAM16 | 0MHz-1MHz | 18.52 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QAM16 | 1MHz-5MHz | 22.94 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QAM16 | 5MHz-6MHz | 25.07 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QAM16 | 6MHz-10MHz | 13.14 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | -1MHz-0MHz | 23.13 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | -5MHz--1MHz | 20.59 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | -6MHz--5MHz | 26.26 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | -10MHz--6MHz | 14.60 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | 0MHz-1MHz | 24.81 | PASS |

| | | | | | | | | |
|-------|---|-------|----|------|-------|--------------|-------|------|
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | 1MHz-5MHz | 20.58 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | 5MHz-6MHz | 25.79 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | 6MHz-10MHz | 14.19 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | -1MHz-0MHz | 12.67 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | -5MHz--1MHz | 16.46 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | -6MHz--5MHz | 24.91 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | -10MHz--6MHz | 12.86 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | 0MHz-1MHz | 29.02 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | 1MHz-5MHz | 26.20 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | 5MHz-6MHz | 25.46 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | 6MHz-10MHz | 13.25 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QPSK | -1MHz-0MHz | 28.79 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QPSK | -5MHz--1MHz | 26.00 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QPSK | -6MHz--5MHz | 25.13 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QPSK | -10MHz--6MHz | 12.85 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QPSK | 0MHz-1MHz | 11.91 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QPSK | 1MHz-5MHz | 16.10 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QPSK | 5MHz-6MHz | 24.97 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QPSK | 6MHz-10MHz | 13.21 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | -1MHz-0MHz | 21.90 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | -5MHz--1MHz | 15.75 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | -6MHz--5MHz | 23.96 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | -10MHz--6MHz | 13.24 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | 0MHz-1MHz | 20.33 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | 1MHz-5MHz | 16.49 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | 5MHz-6MHz | 23.86 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | 6MHz-10MHz | 13.06 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | -1MHz-0MHz | 13.94 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | -5MHz--1MHz | 18.67 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | -6MHz--5MHz | 24.83 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | -10MHz--6MHz | 12.87 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | 0MHz-1MHz | 30.68 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | 1MHz-5MHz | 26.55 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.40 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | 6MHz-10MHz | 13.30 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QAM16 | -1MHz-0MHz | 29.51 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QAM16 | -5MHz--1MHz | 26.35 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.05 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QAM16 | -10MHz--6MHz | 12.88 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QAM16 | 0MHz-1MHz | 15.08 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QAM16 | 1MHz-5MHz | 18.49 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QAM16 | 5MHz-6MHz | 25.12 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QAM16 | 6MHz-10MHz | 13.26 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | -1MHz-0MHz | 22.11 | PASS |

| | | | | | | | | |
|-------|---|-------|----|------|-------|--------------|-------|------|
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | -5MHz--1MHz | 17.63 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | -6MHz--5MHz | 25.32 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | -10MHz--6MHz | 14.15 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | 0MHz-1MHz | 24.19 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | 1MHz-5MHz | 18.34 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | 5MHz-6MHz | 24.99 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | 6MHz-10MHz | 14.30 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | -1MHz-0MHz | 12.99 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | -5MHz--1MHz | 18.37 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | -6MHz--5MHz | 24.81 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | -10MHz--6MHz | 12.68 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | 0MHz-1MHz | 31.55 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | 1MHz-5MHz | 25.84 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | 5MHz-6MHz | 25.27 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | 6MHz-10MHz | 13.24 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QPSK | -1MHz-0MHz | 29.51 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QPSK | -5MHz--1MHz | 24.00 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QPSK | -6MHz--5MHz | 24.97 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QPSK | -10MHz--6MHz | 12.74 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QPSK | 0MHz-1MHz | 15.20 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QPSK | 1MHz-5MHz | 21.35 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QPSK | 5MHz-6MHz | 25.08 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QPSK | 6MHz-10MHz | 13.17 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | -1MHz-0MHz | 23.23 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | -5MHz--1MHz | 19.37 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | -6MHz--5MHz | 25.22 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | -10MHz--6MHz | 13.90 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | 0MHz-1MHz | 23.79 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | 1MHz-5MHz | 20.44 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | 5MHz-6MHz | 26.42 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | 6MHz-10MHz | 14.81 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | -1MHz-0MHz | 18.22 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | -5MHz--1MHz | 21.70 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | -6MHz--5MHz | 24.87 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | -10MHz--6MHz | 12.78 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | 0MHz-1MHz | 31.38 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | 1MHz-5MHz | 26.68 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.27 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | 6MHz-10MHz | 13.24 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QAM16 | -1MHz-0MHz | 29.31 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QAM16 | -5MHz--1MHz | 24.83 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.04 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QAM16 | -10MHz--6MHz | 12.69 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QAM16 | 0MHz-1MHz | 18.90 | PASS |

| | | | | | | | | |
|-------|----|-------|----|------|-------|---------------|-------|------|
| Band3 | 5 | 19925 | 8 | #Max | QAM16 | 1MHz-5MHz | 24.21 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QAM16 | 5MHz-6MHz | 25.22 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QAM16 | 6MHz-10MHz | 13.23 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | -1MHz-0MHz | 27.23 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | -5MHz--1MHz | 20.63 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | -6MHz--5MHz | 25.19 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | -10MHz--6MHz | 13.91 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | 0MHz-1MHz | 24.43 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | 1MHz-5MHz | 21.91 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | 5MHz-6MHz | 26.47 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | 6MHz-10MHz | 14.92 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QPSK | -1MHz-0MHz | 15.91 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QPSK | -5MHz--1MHz | 17.89 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QPSK | -10MHz--5MHz | 24.46 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QPSK | -15MHz--10MHz | 11.26 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QPSK | 0MHz-1MHz | 31.46 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QPSK | 1MHz-5MHz | 27.06 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QPSK | 5MHz-10MHz | 23.96 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QPSK | 10MHz-15MHz | 13.21 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QPSK | -1MHz-0MHz | 31.20 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QPSK | -5MHz--1MHz | 27.32 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QPSK | -10MHz--5MHz | 24.33 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QPSK | -15MHz--10MHz | 11.36 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QPSK | 0MHz-1MHz | 15.70 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QPSK | 1MHz-5MHz | 20.61 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QPSK | 5MHz-10MHz | 24.74 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QPSK | 10MHz-15MHz | 13.12 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QPSK | -1MHz-0MHz | 25.76 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QPSK | -5MHz--1MHz | 22.54 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QPSK | -10MHz--5MHz | 22.12 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QPSK | -15MHz--10MHz | 12.43 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QPSK | 0MHz-1MHz | 23.33 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QPSK | 1MHz-5MHz | 21.57 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QPSK | 5MHz-10MHz | 21.19 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QPSK | 10MHz-15MHz | 13.40 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QAM16 | -1MHz-0MHz | 16.38 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QAM16 | -5MHz--1MHz | 19.76 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.55 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.29 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QAM16 | 0MHz-1MHz | 30.98 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QAM16 | 1MHz-5MHz | 27.33 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QAM16 | 5MHz-10MHz | 24.30 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.29 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QAM16 | -1MHz-0MHz | 31.31 | PASS |

| | | | | | | | | |
|-------|----|-------|----|------|-------|---------------|-------|------|
| Band3 | 10 | 19250 | 12 | #Max | QAM16 | -5MHz--1MHz | 27.54 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QAM16 | -10MHz--5MHz | 24.47 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.33 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QAM16 | 0MHz-1MHz | 17.05 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QAM16 | 1MHz-5MHz | 21.75 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QAM16 | 5MHz-10MHz | 24.99 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QAM16 | 10MHz-15MHz | 13.17 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QAM16 | -1MHz-0MHz | 25.12 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QAM16 | -5MHz--1MHz | 22.81 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QAM16 | -10MHz--5MHz | 22.93 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QAM16 | -15MHz--10MHz | 13.24 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QAM16 | 0MHz-1MHz | 24.16 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QAM16 | 1MHz-5MHz | 21.93 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QAM16 | 5MHz-10MHz | 22.07 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QAM16 | 10MHz-15MHz | 14.25 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QPSK | -1MHz-0MHz | 11.76 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QPSK | -5MHz--1MHz | 13.88 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QPSK | -10MHz--5MHz | 23.84 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QPSK | -15MHz--10MHz | 11.37 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QPSK | 0MHz-1MHz | 31.26 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QPSK | 1MHz-5MHz | 27.38 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QPSK | 5MHz-10MHz | 24.32 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QPSK | 10MHz-15MHz | 13.35 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QPSK | -1MHz-0MHz | 31.31 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QPSK | -5MHz--1MHz | 27.54 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QPSK | -10MHz--5MHz | 24.49 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QPSK | -15MHz--10MHz | 11.39 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QPSK | 0MHz-1MHz | 13.00 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QPSK | 1MHz-5MHz | 14.43 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QPSK | 5MHz-10MHz | 24.69 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QPSK | 10MHz-15MHz | 13.25 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QPSK | -1MHz-0MHz | 20.91 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QPSK | -5MHz--1MHz | 17.17 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QPSK | -10MHz--5MHz | 17.46 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QPSK | -15MHz--10MHz | 12.15 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QPSK | 0MHz-1MHz | 21.36 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QPSK | 1MHz-5MHz | 18.65 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QPSK | 5MHz-10MHz | 19.05 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QPSK | 10MHz-15MHz | 12.67 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QAM16 | -1MHz-0MHz | 13.76 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QAM16 | -5MHz--1MHz | 17.22 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.44 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.44 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QAM16 | 0MHz-1MHz | 30.64 | PASS |

| | | | | | | | | |
|-------|----|-------|----|------|-------|---------------|-------|------|
| Band3 | 10 | 19575 | 12 | #0 | QAM16 | 1MHz-5MHz | 27.57 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QAM16 | 5MHz-10MHz | 24.51 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.34 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QAM16 | -1MHz-0MHz | 30.15 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QAM16 | -5MHz--1MHz | 27.59 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QAM16 | -10MHz--5MHz | 24.55 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.42 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QAM16 | 0MHz-1MHz | 15.20 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QAM16 | 1MHz-5MHz | 17.46 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QAM16 | 5MHz-10MHz | 25.03 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QAM16 | 10MHz-15MHz | 13.24 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QAM16 | -1MHz-0MHz | 21.94 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QAM16 | -5MHz--1MHz | 18.56 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QAM16 | -10MHz--5MHz | 18.76 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QAM16 | -15MHz--10MHz | 13.05 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QAM16 | 0MHz-1MHz | 22.87 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QAM16 | 1MHz-5MHz | 19.78 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QAM16 | 5MHz-10MHz | 20.74 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QAM16 | 10MHz-15MHz | 13.70 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QPSK | -1MHz-0MHz | 14.77 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QPSK | -5MHz--1MHz | 18.28 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QPSK | -10MHz--5MHz | 24.40 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QPSK | -15MHz--10MHz | 11.21 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QPSK | 0MHz-1MHz | 31.86 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QPSK | 1MHz-5MHz | 27.70 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QPSK | 5MHz-10MHz | 24.77 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QPSK | 10MHz-15MHz | 13.22 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QPSK | -1MHz-0MHz | 29.69 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QPSK | -5MHz--1MHz | 25.98 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QPSK | -10MHz--5MHz | 22.97 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QPSK | -15MHz--10MHz | 11.33 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QPSK | 0MHz-1MHz | 16.87 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QPSK | 1MHz-5MHz | 19.65 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QPSK | 5MHz-10MHz | 24.95 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QPSK | 10MHz-15MHz | 13.24 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QPSK | -1MHz-0MHz | 24.03 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QPSK | -5MHz--1MHz | 20.83 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QPSK | -10MHz--5MHz | 20.56 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QPSK | -15MHz--10MHz | 12.73 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QPSK | 0MHz-1MHz | 25.70 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QPSK | 1MHz-5MHz | 23.50 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QPSK | 5MHz-10MHz | 24.53 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QPSK | 10MHz-15MHz | 14.94 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QAM16 | -1MHz-0MHz | 17.44 | PASS |

| | | | | | | | | |
|-------|----|-------|-----|------|-------|---------------|-------|------|
| Band3 | 10 | 19900 | 12 | #0 | QAM16 | -5MHz--1MHz | 20.52 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.38 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.18 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QAM16 | 0MHz-1MHz | 32.78 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QAM16 | 1MHz-5MHz | 27.82 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QAM16 | 5MHz-10MHz | 24.89 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.17 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QAM16 | -1MHz-0MHz | 31.35 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QAM16 | -5MHz--1MHz | 26.39 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QAM16 | -10MHz--5MHz | 23.33 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.29 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QAM16 | 0MHz-1MHz | 18.85 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QAM16 | 1MHz-5MHz | 21.64 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QAM16 | 5MHz-10MHz | 25.07 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QAM16 | 10MHz-15MHz | 13.18 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QAM16 | -1MHz-0MHz | 23.29 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QAM16 | -5MHz--1MHz | 21.31 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QAM16 | -10MHz--5MHz | 21.69 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QAM16 | -15MHz--10MHz | 13.72 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QAM16 | 0MHz-1MHz | 24.75 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QAM16 | 1MHz-5MHz | 23.67 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QAM16 | 5MHz-10MHz | 25.22 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QAM16 | 10MHz-15MHz | 15.92 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | -1MHz-0MHz | 16.01 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | -5MHz--1MHz | 19.28 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | -20MHz--5MHz | 23.21 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | -25MHz--20MHz | 13.47 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | 0MHz-1MHz | 29.89 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | 1MHz-5MHz | 28.12 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | 5MHz-20MHz | 24.51 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | 20MHz-25MHz | 13.47 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QPSK | -1MHz-0MHz | 30.46 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QPSK | -5MHz--1MHz | 27.42 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QPSK | -20MHz--5MHz | 23.19 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QPSK | -25MHz--20MHz | 13.57 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QPSK | 0MHz-1MHz | 16.82 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QPSK | 1MHz-5MHz | 19.69 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QPSK | 5MHz-20MHz | 24.74 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QPSK | 20MHz-25MHz | 13.30 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | -1MHz-0MHz | 26.06 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | -5MHz--1MHz | 24.84 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | -20MHz--5MHz | 23.25 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | -25MHz--20MHz | 14.45 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | 0MHz-1MHz | 23.20 | PASS |

| | | | | | | | | |
|-------|----|-------|-----|------|-------|---------------|-------|------|
| Band3 | 20 | 19300 | 100 | #0 | QPSK | 1MHz-5MHz | 22.73 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | 5MHz-20MHz | 20.66 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | 20MHz-25MHz | 13.95 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | -1MHz-0MHz | 18.20 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | -5MHz--1MHz | 20.35 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | -20MHz--5MHz | 23.21 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | -25MHz--20MHz | 13.44 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | 0MHz-1MHz | 30.96 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | 1MHz-5MHz | 28.11 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | 5MHz-20MHz | 24.56 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | 20MHz-25MHz | 13.41 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QAM16 | -1MHz-0MHz | 30.95 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QAM16 | -5MHz--1MHz | 27.44 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QAM16 | -20MHz--5MHz | 23.07 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QAM16 | -25MHz--20MHz | 13.62 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QAM16 | 0MHz-1MHz | 17.78 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QAM16 | 1MHz-5MHz | 21.35 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QAM16 | 5MHz-20MHz | 24.81 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QAM16 | 20MHz-25MHz | 13.34 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | -1MHz-0MHz | 24.89 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | -5MHz--1MHz | 25.20 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | -20MHz--5MHz | 23.53 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | -25MHz--20MHz | 15.48 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | 0MHz-1MHz | 24.00 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | 1MHz-5MHz | 23.57 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | 5MHz-20MHz | 21.70 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | 20MHz-25MHz | 14.93 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | -1MHz-0MHz | 12.15 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | -5MHz--1MHz | 14.95 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | -20MHz--5MHz | 23.16 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | -25MHz--20MHz | 13.42 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | 0MHz-1MHz | 31.51 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | 1MHz-5MHz | 28.16 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | 5MHz-20MHz | 24.85 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | 20MHz-25MHz | 13.49 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QPSK | -1MHz-0MHz | 30.95 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QPSK | -5MHz--1MHz | 27.42 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QPSK | -20MHz--5MHz | 23.16 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QPSK | -25MHz--20MHz | 13.59 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QPSK | 0MHz-1MHz | 13.55 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QPSK | 1MHz-5MHz | 15.90 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QPSK | 5MHz-20MHz | 24.14 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QPSK | 20MHz-25MHz | 13.36 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | -1MHz-0MHz | 20.31 | PASS |

| | | | | | | | | |
|-------|----|-------|-----|------|-------|---------------|-------|------|
| Band3 | 20 | 19575 | 100 | #0 | QPSK | -5MHz--1MHz | 18.76 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | -20MHz--5MHz | 17.29 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | -25MHz--20MHz | 13.69 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | 0MHz-1MHz | 23.24 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | 1MHz-5MHz | 21.23 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | 5MHz-20MHz | 20.15 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | 20MHz-25MHz | 13.14 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | -1MHz-0MHz | 14.33 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | -5MHz--1MHz | 17.30 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | -20MHz--5MHz | 23.19 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | -25MHz--20MHz | 13.38 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | 0MHz-1MHz | 30.75 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | 1MHz-5MHz | 28.24 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | 5MHz-20MHz | 24.92 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | 20MHz-25MHz | 13.54 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QAM16 | -1MHz-0MHz | 30.97 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QAM16 | -5MHz--1MHz | 27.47 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QAM16 | -20MHz--5MHz | 23.12 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QAM16 | -25MHz--20MHz | 13.56 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QAM16 | 0MHz-1MHz | 15.04 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QAM16 | 1MHz-5MHz | 18.26 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QAM16 | 5MHz-20MHz | 24.47 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QAM16 | 20MHz-25MHz | 13.34 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | -1MHz-0MHz | 22.83 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | -5MHz--1MHz | 21.25 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | -20MHz--5MHz | 19.35 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | -25MHz--20MHz | 14.97 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | 0MHz-1MHz | 25.08 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | 1MHz-5MHz | 23.68 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | 5MHz-20MHz | 21.95 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | 20MHz-25MHz | 14.47 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | -1MHz-0MHz | 21.01 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | -5MHz--1MHz | 22.33 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | -20MHz--5MHz | 23.12 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | -25MHz--20MHz | 13.41 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | 0MHz-1MHz | 31.32 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | 1MHz-5MHz | 28.09 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | 5MHz-20MHz | 25.13 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | 20MHz-25MHz | 13.38 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QPSK | -1MHz-0MHz | 30.31 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QPSK | -5MHz--1MHz | 27.27 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QPSK | -20MHz--5MHz | 22.62 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QPSK | -25MHz--20MHz | 13.47 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QPSK | 0MHz-1MHz | 17.05 | PASS |

| | | | | | | | | |
|--------|----|-------|-----|------|-------|---------------|-------|------|
| Band3 | 20 | 19850 | 18 | #Max | QPSK | 1MHz-5MHz | 19.01 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QPSK | 5MHz-20MHz | 24.97 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QPSK | 20MHz-25MHz | 13.30 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | -1MHz-0MHz | 24.44 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | -5MHz--1MHz | 23.33 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | -20MHz--5MHz | 21.12 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | -25MHz--20MHz | 13.93 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | 0MHz-1MHz | 26.72 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | 1MHz-5MHz | 25.07 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | 5MHz-20MHz | 24.01 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | 20MHz-25MHz | 15.14 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | -1MHz-0MHz | 21.23 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | -5MHz--1MHz | 22.76 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | -20MHz--5MHz | 23.09 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | -25MHz--20MHz | 13.31 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | 0MHz-1MHz | 31.38 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | 1MHz-5MHz | 28.12 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | 5MHz-20MHz | 25.10 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | 20MHz-25MHz | 13.45 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QAM16 | -1MHz-0MHz | 30.47 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QAM16 | -5MHz--1MHz | 27.36 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QAM16 | -20MHz--5MHz | 22.82 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QAM16 | -25MHz--20MHz | 13.46 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QAM16 | 0MHz-1MHz | 18.08 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QAM16 | 1MHz-5MHz | 20.23 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QAM16 | 5MHz-20MHz | 24.92 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QAM16 | 20MHz-25MHz | 13.32 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | -1MHz-0MHz | 25.50 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | -5MHz--1MHz | 24.72 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | -20MHz--5MHz | 22.27 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | -25MHz--20MHz | 14.71 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | 0MHz-1MHz | 26.35 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | 1MHz-5MHz | 26.14 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | 5MHz-20MHz | 25.01 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | 20MHz-25MHz | 15.32 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | -1MHz-0MHz | 15.74 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | -5MHz--1MHz | 16.15 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | -6MHz--5MHz | 24.87 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | -10MHz--6MHz | 12.73 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | 0MHz-1MHz | 29.96 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | 1MHz-5MHz | 24.72 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | 5MHz-6MHz | 25.16 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | 6MHz-10MHz | 13.10 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QPSK | -1MHz-0MHz | 30.17 | PASS |

| | | | | | | | | |
|--------|---|-------|----|------|-------|--------------|-------|------|
| Band40 | 5 | 38675 | 8 | #Max | QPSK | -5MHz--1MHz | 25.60 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QPSK | -6MHz--5MHz | 25.00 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QPSK | -10MHz--6MHz | 12.64 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QPSK | 0MHz-1MHz | 15.14 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QPSK | 1MHz-5MHz | 17.75 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QPSK | 5MHz-6MHz | 25.05 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QPSK | 6MHz-10MHz | 13.14 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | -1MHz-0MHz | 20.67 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | -5MHz--1MHz | 15.96 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | -6MHz--5MHz | 22.50 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | -10MHz--6MHz | 11.72 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | 0MHz-1MHz | 21.91 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | 1MHz-5MHz | 16.89 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | 5MHz-6MHz | 23.83 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | 6MHz-10MHz | 12.56 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | -1MHz-0MHz | 14.89 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | -5MHz--1MHz | 18.19 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | -6MHz--5MHz | 24.88 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | -10MHz--6MHz | 12.64 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | 0MHz-1MHz | 30.71 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | 1MHz-5MHz | 25.27 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.23 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | 6MHz-10MHz | 13.24 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QAM16 | -1MHz-0MHz | 31.16 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QAM16 | -5MHz--1MHz | 25.72 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.02 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QAM16 | -10MHz--6MHz | 12.63 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QAM16 | 0MHz-1MHz | 16.95 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QAM16 | 1MHz-5MHz | 19.75 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QAM16 | 5MHz-6MHz | 25.05 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QAM16 | 6MHz-10MHz | 13.06 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | -1MHz-0MHz | 21.56 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | -5MHz--1MHz | 15.48 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | -6MHz--5MHz | 23.40 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | -10MHz--6MHz | 12.68 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | 0MHz-1MHz | 21.89 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | 1MHz-5MHz | 17.23 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | 5MHz-6MHz | 24.49 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | 6MHz-10MHz | 13.49 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QPSK | -1MHz-0MHz | 17.21 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QPSK | -5MHz--1MHz | 17.16 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QPSK | -6MHz--5MHz | 25.46 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QPSK | -10MHz--6MHz | 13.25 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QPSK | 0MHz-1MHz | 29.55 | PASS |

| | | | | | | | | |
|--------|---|-------|----|------|-------|--------------|-------|------|
| Band40 | 5 | 39150 | 8 | #0 | QPSK | 1MHz-5MHz | 24.64 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QPSK | 5MHz-6MHz | 25.49 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QPSK | 6MHz-10MHz | 13.58 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QPSK | -1MHz-0MHz | 30.97 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QPSK | -5MHz--1MHz | 26.34 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QPSK | -6MHz--5MHz | 25.54 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QPSK | -10MHz--6MHz | 13.32 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QPSK | 0MHz-1MHz | 18.46 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QPSK | 1MHz-5MHz | 17.92 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QPSK | 5MHz-6MHz | 25.40 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QPSK | 6MHz-10MHz | 13.45 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | -1MHz-0MHz | 20.64 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | -5MHz--1MHz | 16.20 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | -6MHz--5MHz | 23.81 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | -10MHz--6MHz | 12.24 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | 0MHz-1MHz | 21.91 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | 1MHz-5MHz | 16.91 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | 5MHz-6MHz | 22.97 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | 6MHz-10MHz | 11.64 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | -1MHz-0MHz | 16.37 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | -5MHz--1MHz | 18.34 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | -6MHz--5MHz | 25.44 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | -10MHz--6MHz | 13.28 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | 0MHz-1MHz | 31.04 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | 1MHz-5MHz | 24.80 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.59 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | 6MHz-10MHz | 13.54 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QAM16 | -1MHz-0MHz | 31.28 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QAM16 | -5MHz--1MHz | 26.44 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.61 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QAM16 | -10MHz--6MHz | 13.24 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QAM16 | 0MHz-1MHz | 18.54 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QAM16 | 1MHz-5MHz | 19.45 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QAM16 | 5MHz-6MHz | 25.34 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QAM16 | 6MHz-10MHz | 13.46 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | -1MHz-0MHz | 20.82 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | -5MHz--1MHz | 16.13 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | -6MHz--5MHz | 24.26 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | -10MHz--6MHz | 13.43 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | 0MHz-1MHz | 22.85 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | 1MHz-5MHz | 16.68 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | 5MHz-6MHz | 23.35 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | 6MHz-10MHz | 12.60 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QPSK | -1MHz-0MHz | 17.47 | PASS |

| | | | | | | | | |
|--------|---|-------|----|------|-------|--------------|-------|------|
| Band40 | 5 | 39625 | 8 | #0 | QPSK | -5MHz--1MHz | 14.63 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QPSK | -6MHz--5MHz | 24.84 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QPSK | -10MHz--6MHz | 12.81 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QPSK | 0MHz-1MHz | 30.17 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QPSK | 1MHz-5MHz | 25.30 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QPSK | 5MHz-6MHz | 25.08 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QPSK | 6MHz-10MHz | 13.09 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QPSK | -1MHz-0MHz | 31.24 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QPSK | -5MHz--1MHz | 26.26 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QPSK | -6MHz--5MHz | 25.17 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QPSK | -10MHz--6MHz | 12.88 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QPSK | 0MHz-1MHz | 17.23 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QPSK | 1MHz-5MHz | 14.70 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QPSK | 5MHz-6MHz | 24.79 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QPSK | 6MHz-10MHz | 13.07 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | -1MHz-0MHz | 22.75 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | -5MHz--1MHz | 17.15 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | -6MHz--5MHz | 22.64 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | -10MHz--6MHz | 11.18 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | 0MHz-1MHz | 22.73 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | 1MHz-5MHz | 16.52 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | 5MHz-6MHz | 20.58 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | 6MHz-10MHz | 9.63 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | -1MHz-0MHz | 17.42 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | -5MHz--1MHz | 17.67 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | -6MHz--5MHz | 25.07 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | -10MHz--6MHz | 12.89 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | 0MHz-1MHz | 29.84 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | 1MHz-5MHz | 25.65 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.06 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | 6MHz-10MHz | 13.19 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QAM16 | -1MHz-0MHz | 32.00 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QAM16 | -5MHz--1MHz | 26.43 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.21 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QAM16 | -10MHz--6MHz | 12.95 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QAM16 | 0MHz-1MHz | 18.07 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QAM16 | 1MHz-5MHz | 17.36 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QAM16 | 5MHz-6MHz | 24.93 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QAM16 | 6MHz-10MHz | 13.08 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | -1MHz-0MHz | 22.85 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | -5MHz--1MHz | 16.59 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | -6MHz--5MHz | 23.11 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | -10MHz--6MHz | 12.74 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | 0MHz-1MHz | 22.28 | PASS |

| | | | | | | | | |
|--------|----|-------|----|------|-------|---------------|-------|------|
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | 1MHz-5MHz | 15.98 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | 5MHz-6MHz | 21.34 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | 6MHz-10MHz | 10.82 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QPSK | -1MHz-0MHz | 16.68 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QPSK | -5MHz--1MHz | 15.02 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QPSK | -10MHz--5MHz | 24.09 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QPSK | -15MHz--10MHz | 11.08 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QPSK | 0MHz-1MHz | 31.94 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QPSK | 1MHz-5MHz | 26.10 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QPSK | 5MHz-10MHz | 22.78 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QPSK | 10MHz-15MHz | 13.24 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QPSK | -1MHz-0MHz | 30.69 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QPSK | -5MHz--1MHz | 25.99 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QPSK | -10MHz--5MHz | 22.63 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QPSK | -15MHz--10MHz | 11.14 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QPSK | 0MHz-1MHz | 16.66 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QPSK | 1MHz-5MHz | 16.62 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QPSK | 5MHz-10MHz | 24.47 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QPSK | 10MHz-15MHz | 13.11 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QPSK | -1MHz-0MHz | 21.44 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QPSK | -5MHz--1MHz | 17.29 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QPSK | -10MHz--5MHz | 17.56 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QPSK | -15MHz--10MHz | 11.65 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QPSK | 0MHz-1MHz | 22.02 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QPSK | 1MHz-5MHz | 19.00 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QPSK | 5MHz-10MHz | 18.52 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QPSK | 10MHz-15MHz | 12.82 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QAM16 | -1MHz-0MHz | 15.57 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QAM16 | -5MHz--1MHz | 16.04 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.29 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.11 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QAM16 | 0MHz-1MHz | 31.04 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QAM16 | 1MHz-5MHz | 26.22 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QAM16 | 5MHz-10MHz | 23.11 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.19 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QAM16 | -1MHz-0MHz | 31.23 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QAM16 | -5MHz--1MHz | 25.94 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QAM16 | -10MHz--5MHz | 22.54 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.11 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QAM16 | 0MHz-1MHz | 17.12 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QAM16 | 1MHz-5MHz | 17.31 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QAM16 | 5MHz-10MHz | 24.87 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QAM16 | 10MHz-15MHz | 13.12 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QAM16 | -1MHz-0MHz | 20.92 | PASS |

| | | | | | | | | |
|--------|----|-------|----|------|-------|---------------|-------|------|
| Band40 | 10 | 38700 | 50 | #0 | QAM16 | -5MHz--1MHz | 17.83 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QAM16 | -10MHz--5MHz | 18.21 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QAM16 | -15MHz--10MHz | 13.00 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QAM16 | 0MHz-1MHz | 23.18 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QAM16 | 1MHz-5MHz | 19.24 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QAM16 | 5MHz-10MHz | 19.36 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QAM16 | 10MHz-15MHz | 14.01 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QPSK | -1MHz-0MHz | 15.15 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QPSK | -5MHz--1MHz | 16.15 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QPSK | -10MHz--5MHz | 24.38 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QPSK | -15MHz--10MHz | 11.81 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QPSK | 0MHz-1MHz | 30.96 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QPSK | 1MHz-5MHz | 25.94 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QPSK | 5MHz-10MHz | 22.52 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QPSK | 10MHz-15MHz | 13.49 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QPSK | -1MHz-0MHz | 32.28 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QPSK | -5MHz--1MHz | 26.90 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QPSK | -10MHz--5MHz | 23.71 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QPSK | -15MHz--10MHz | 11.80 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QPSK | 0MHz-1MHz | 18.11 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QPSK | 1MHz-5MHz | 17.38 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QPSK | 5MHz-10MHz | 24.50 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QPSK | 10MHz-15MHz | 13.45 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QPSK | -1MHz-0MHz | 21.79 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QPSK | -5MHz--1MHz | 18.39 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QPSK | -10MHz--5MHz | 18.24 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QPSK | -15MHz--10MHz | 12.34 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QPSK | 0MHz-1MHz | 21.99 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QPSK | 1MHz-5MHz | 18.53 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QPSK | 5MHz-10MHz | 17.74 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QPSK | 10MHz-15MHz | 12.26 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QAM16 | -1MHz-0MHz | 17.24 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QAM16 | -5MHz--1MHz | 17.53 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.68 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.82 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QAM16 | 0MHz-1MHz | 30.69 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QAM16 | 1MHz-5MHz | 25.53 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QAM16 | 5MHz-10MHz | 22.39 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.44 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QAM16 | -1MHz-0MHz | 30.84 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QAM16 | -5MHz--1MHz | 26.92 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QAM16 | -10MHz--5MHz | 23.47 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.80 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QAM16 | 0MHz-1MHz | 16.09 | PASS |

| | | | | | | | | |
|--------|----|-------|----|------|-------|---------------|-------|------|
| Band40 | 10 | 39150 | 12 | #Max | QAM16 | 1MHz-5MHz | 18.43 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QAM16 | 5MHz-10MHz | 24.74 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QAM16 | 10MHz-15MHz | 13.41 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QAM16 | -1MHz-0MHz | 21.63 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QAM16 | -5MHz--1MHz | 18.55 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QAM16 | -10MHz--5MHz | 19.05 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QAM16 | -15MHz--10MHz | 13.43 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QAM16 | 0MHz-1MHz | 21.45 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QAM16 | 1MHz-5MHz | 18.41 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QAM16 | 5MHz-10MHz | 18.60 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QAM16 | 10MHz-15MHz | 12.73 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QPSK | -1MHz-0MHz | 15.57 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QPSK | -5MHz--1MHz | 14.88 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QPSK | -10MHz--5MHz | 23.73 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QPSK | -15MHz--10MHz | 11.48 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QPSK | 0MHz-1MHz | 29.76 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QPSK | 1MHz-5MHz | 26.46 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QPSK | 5MHz-10MHz | 23.30 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QPSK | 10MHz-15MHz | 13.02 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QPSK | -1MHz-0MHz | 31.70 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QPSK | -5MHz--1MHz | 26.97 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QPSK | -10MHz--5MHz | 23.66 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QPSK | -15MHz--10MHz | 11.51 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QPSK | 0MHz-1MHz | 18.40 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QPSK | 1MHz-5MHz | 14.98 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QPSK | 5MHz-10MHz | 23.84 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QPSK | 10MHz-15MHz | 13.03 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QPSK | -1MHz-0MHz | 22.04 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QPSK | -5MHz--1MHz | 18.50 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QPSK | -10MHz--5MHz | 17.49 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QPSK | -15MHz--10MHz | 11.62 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QPSK | 0MHz-1MHz | 21.50 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QPSK | 1MHz-5MHz | 18.60 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QPSK | 5MHz-10MHz | 17.26 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QPSK | 10MHz-15MHz | 12.51 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QAM16 | -1MHz-0MHz | 16.60 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QAM16 | -5MHz--1MHz | 16.62 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.07 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.53 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QAM16 | 0MHz-1MHz | 30.92 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QAM16 | 1MHz-5MHz | 26.13 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QAM16 | 5MHz-10MHz | 23.06 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.11 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QAM16 | -1MHz-0MHz | 32.43 | PASS |

| | | | | | | | | |
|--------|----|-------|-----|------|-------|---------------|-------|------|
| Band40 | 10 | 39600 | 12 | #Max | QAM16 | -5MHz--1MHz | 26.98 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QAM16 | -10MHz--5MHz | 23.63 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.50 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QAM16 | 0MHz-1MHz | 17.27 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QAM16 | 1MHz-5MHz | 16.47 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QAM16 | 5MHz-10MHz | 24.20 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QAM16 | 10MHz-15MHz | 12.98 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QAM16 | -1MHz-0MHz | 21.75 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QAM16 | -5MHz--1MHz | 18.24 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QAM16 | -10MHz--5MHz | 17.57 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QAM16 | -15MHz--10MHz | 12.01 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QAM16 | 0MHz-1MHz | 22.14 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QAM16 | 1MHz-5MHz | 17.72 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QAM16 | 5MHz-10MHz | 17.32 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QAM16 | 10MHz-15MHz | 12.81 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | -1MHz-0MHz | 15.45 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | -5MHz--1MHz | 15.50 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | -20MHz--5MHz | 22.93 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | -25MHz--20MHz | 13.15 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | 0MHz-1MHz | 30.58 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | 1MHz-5MHz | 27.98 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | 5MHz-20MHz | 24.02 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | 20MHz-25MHz | 13.95 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QPSK | -1MHz-0MHz | 29.45 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QPSK | -5MHz--1MHz | 27.25 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QPSK | -20MHz--5MHz | 22.32 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QPSK | -25MHz--20MHz | 13.26 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QPSK | 0MHz-1MHz | 17.54 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QPSK | 1MHz-5MHz | 17.88 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QPSK | 5MHz-20MHz | 24.23 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QPSK | 20MHz-25MHz | 13.79 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | -1MHz-0MHz | 19.03 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | -5MHz--1MHz | 18.33 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | -20MHz--5MHz | 18.10 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | -25MHz--20MHz | 14.73 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | 0MHz-1MHz | 23.43 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | 1MHz-5MHz | 21.66 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | 5MHz-20MHz | 20.32 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | 20MHz-25MHz | 13.71 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | -1MHz-0MHz | 13.70 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | -5MHz--1MHz | 15.25 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | -20MHz--5MHz | 22.91 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | -25MHz--20MHz | 13.18 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | 0MHz-1MHz | 31.16 | PASS |

| | | | | | | | | |
|--------|----|-------|-----|------|-------|---------------|-------|------|
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | 1MHz-5MHz | 28.01 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | 5MHz-20MHz | 24.19 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | 20MHz-25MHz | 14.09 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QAM16 | -1MHz-0MHz | 30.54 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QAM16 | -5MHz--1MHz | 27.27 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QAM16 | -20MHz--5MHz | 22.28 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QAM16 | -25MHz--20MHz | 13.27 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QAM16 | 0MHz-1MHz | 16.05 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QAM16 | 1MHz-5MHz | 17.71 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QAM16 | 5MHz-20MHz | 24.26 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QAM16 | 20MHz-25MHz | 13.89 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | -1MHz-0MHz | 20.18 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | -5MHz--1MHz | 18.75 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | -20MHz--5MHz | 18.12 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | -25MHz--20MHz | 15.75 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | 0MHz-1MHz | 23.24 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | 1MHz-5MHz | 21.95 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | 5MHz-20MHz | 20.83 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | 20MHz-25MHz | 14.84 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | -1MHz-0MHz | 16.27 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | -5MHz--1MHz | 16.33 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | -20MHz--5MHz | 23.50 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | -25MHz--20MHz | 13.89 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | 0MHz-1MHz | 31.36 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | 1MHz-5MHz | 28.23 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | 5MHz-20MHz | 23.06 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | 20MHz-25MHz | 13.53 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QPSK | -1MHz-0MHz | 31.70 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QPSK | -5MHz--1MHz | 27.97 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QPSK | -20MHz--5MHz | 23.04 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QPSK | -25MHz--20MHz | 14.09 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QPSK | 0MHz-1MHz | 18.35 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QPSK | 1MHz-5MHz | 18.25 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QPSK | 5MHz-20MHz | 24.45 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QPSK | 20MHz-25MHz | 13.44 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | -1MHz-0MHz | 21.83 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | -5MHz--1MHz | 20.23 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | -20MHz--5MHz | 19.28 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | -25MHz--20MHz | 14.25 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | 0MHz-1MHz | 22.48 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | 1MHz-5MHz | 20.90 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | 5MHz-20MHz | 20.44 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | 20MHz-25MHz | 14.13 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | -1MHz-0MHz | 14.71 | PASS |

| | | | | | | | | |
|--------|----|-------|-----|------|-------|---------------|-------|------|
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | -5MHz--1MHz | 17.23 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | -20MHz--5MHz | 23.57 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | -25MHz--20MHz | 13.90 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | 0MHz-1MHz | 30.12 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | 1MHz-5MHz | 28.29 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | 5MHz-20MHz | 23.06 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | 20MHz-25MHz | 13.52 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QAM16 | -1MHz-0MHz | 31.57 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QAM16 | -5MHz--1MHz | 27.94 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QAM16 | -20MHz--5MHz | 22.96 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QAM16 | -25MHz--20MHz | 14.04 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QAM16 | 0MHz-1MHz | 17.37 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QAM16 | 1MHz-5MHz | 19.15 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QAM16 | 5MHz-20MHz | 24.66 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QAM16 | 20MHz-25MHz | 13.47 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | -1MHz-0MHz | 22.42 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | -5MHz--1MHz | 20.78 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | -20MHz--5MHz | 19.76 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | -25MHz--20MHz | 15.27 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | 0MHz-1MHz | 22.65 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | 1MHz-5MHz | 21.36 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | 5MHz-20MHz | 20.16 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | 20MHz-25MHz | 15.09 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QPSK | -1MHz-0MHz | 15.07 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QPSK | -5MHz--1MHz | 15.72 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QPSK | -20MHz--5MHz | 22.81 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QPSK | -25MHz--20MHz | 13.55 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QPSK | 0MHz-1MHz | 30.96 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QPSK | 1MHz-5MHz | 27.64 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QPSK | 5MHz-20MHz | 24.10 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QPSK | 20MHz-25MHz | 13.90 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QPSK | -1MHz-0MHz | 30.91 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QPSK | -5MHz--1MHz | 27.53 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QPSK | -20MHz--5MHz | 22.47 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QPSK | -25MHz--20MHz | 13.78 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QPSK | 0MHz-1MHz | 15.80 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QPSK | 1MHz-5MHz | 15.05 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QPSK | 5MHz-20MHz | 22.82 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QPSK | 20MHz-25MHz | 13.90 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | -1MHz-0MHz | 19.49 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | -5MHz--1MHz | 18.68 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | -20MHz--5MHz | 15.86 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | -25MHz--20MHz | 12.63 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | 0MHz-1MHz | 22.23 | PASS |

| | | | | | | | | |
|--------|----|-------|-----|------|-------|---------------|-------|------|
| Band40 | 20 | 39550 | 100 | #0 | QPSK | 1MHz-5MHz | 20.56 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | 5MHz-20MHz | 18.60 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | 20MHz-25MHz | 15.01 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | -1MHz-0MHz | 13.75 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | -5MHz--1MHz | 16.29 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | -20MHz--5MHz | 22.95 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | -25MHz--20MHz | 13.62 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | 0MHz-1MHz | 30.73 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | 1MHz-5MHz | 27.71 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | 5MHz-20MHz | 24.40 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | 20MHz-25MHz | 13.91 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QAM16 | -1MHz-0MHz | 31.30 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QAM16 | -5MHz--1MHz | 27.42 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QAM16 | -20MHz--5MHz | 22.46 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QAM16 | -25MHz--20MHz | 13.78 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QAM16 | 0MHz-1MHz | 16.11 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QAM16 | 1MHz-5MHz | 16.06 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QAM16 | 5MHz-20MHz | 22.86 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QAM16 | 20MHz-25MHz | 13.82 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | -1MHz-0MHz | 19.92 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | -5MHz--1MHz | 18.77 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | -20MHz--5MHz | 16.74 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | -25MHz--20MHz | 13.63 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | 0MHz-1MHz | 22.28 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | 1MHz-5MHz | 20.25 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | 5MHz-20MHz | 18.25 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | 20MHz-25MHz | 16.03 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QPSK | -1MHz-0MHz | 12.35 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QPSK | -5MHz--1MHz | 16.18 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QPSK | -6MHz--5MHz | 25.16 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QPSK | -10MHz--6MHz | 13.01 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QPSK | 0MHz-1MHz | 28.05 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QPSK | 1MHz-5MHz | 26.85 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QPSK | 5MHz-6MHz | 25.52 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QPSK | 6MHz-10MHz | 13.42 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QPSK | -1MHz-0MHz | 29.77 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QPSK | -5MHz--1MHz | 27.61 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QPSK | -6MHz--5MHz | 25.39 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QPSK | -10MHz--6MHz | 13.08 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QPSK | 0MHz-1MHz | 11.59 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QPSK | 1MHz-5MHz | 15.66 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QPSK | 5MHz-6MHz | 25.26 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QPSK | 6MHz-10MHz | 13.32 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | -1MHz-0MHz | 19.59 | PASS |

| | | | | | | | | |
|-------|---|-------|----|------|-------|--------------|-------|------|
| Band7 | 5 | 20775 | 25 | #0 | QPSK | -5MHz--1MHz | 16.37 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | -6MHz--5MHz | 22.64 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | -10MHz--6MHz | 11.29 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | 0MHz-1MHz | 21.65 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | 1MHz-5MHz | 16.24 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | 5MHz-6MHz | 22.05 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | 6MHz-10MHz | 10.52 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | -1MHz-0MHz | 15.11 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | -5MHz--1MHz | 17.53 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | -6MHz--5MHz | 25.17 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | -10MHz--6MHz | 13.03 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | 0MHz-1MHz | 29.11 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | 1MHz-5MHz | 27.23 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.51 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | 6MHz-10MHz | 13.46 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QAM16 | -1MHz-0MHz | 29.98 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QAM16 | -5MHz--1MHz | 27.79 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.41 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QAM16 | -10MHz--6MHz | 13.11 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QAM16 | 0MHz-1MHz | 13.55 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QAM16 | 1MHz-5MHz | 17.09 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QAM16 | 5MHz-6MHz | 25.27 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QAM16 | 6MHz-10MHz | 13.47 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | -1MHz-0MHz | 21.91 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | -5MHz--1MHz | 16.90 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | -6MHz--5MHz | 23.99 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | -10MHz--6MHz | 13.03 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | 0MHz-1MHz | 21.92 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | 1MHz-5MHz | 16.91 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | 5MHz-6MHz | 23.13 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | 6MHz-10MHz | 12.29 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QPSK | -1MHz-0MHz | 13.54 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QPSK | -5MHz--1MHz | 16.91 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QPSK | -6MHz--5MHz | 25.06 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QPSK | -10MHz--6MHz | 12.82 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QPSK | 0MHz-1MHz | 29.04 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QPSK | 1MHz-5MHz | 27.18 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QPSK | 5MHz-6MHz | 25.50 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QPSK | 6MHz-10MHz | 13.47 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QPSK | -1MHz-0MHz | 28.55 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QPSK | -5MHz--1MHz | 27.57 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QPSK | -6MHz--5MHz | 25.32 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QPSK | -10MHz--6MHz | 13.04 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QPSK | 0MHz-1MHz | 13.74 | PASS |

| | | | | | | | | |
|-------|---|-------|----|------|-------|--------------|-------|------|
| Band7 | 5 | 21100 | 8 | #Max | QPSK | 1MHz-5MHz | 17.70 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QPSK | 5MHz-6MHz | 25.30 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QPSK | 6MHz-10MHz | 13.37 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | -1MHz-0MHz | 21.76 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | -5MHz--1MHz | 16.52 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | -6MHz--5MHz | 23.10 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | -10MHz--6MHz | 11.65 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | 0MHz-1MHz | 20.93 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | 1MHz-5MHz | 17.59 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | 5MHz-6MHz | 23.33 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | 6MHz-10MHz | 11.94 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | -1MHz-0MHz | 13.66 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | -5MHz--1MHz | 18.50 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | -6MHz--5MHz | 25.16 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | -10MHz--6MHz | 12.95 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | 0MHz-1MHz | 30.89 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | 1MHz-5MHz | 27.03 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.52 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | 6MHz-10MHz | 13.44 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QAM16 | -1MHz-0MHz | 29.41 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QAM16 | -5MHz--1MHz | 27.23 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.25 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QAM16 | -10MHz--6MHz | 13.01 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QAM16 | 0MHz-1MHz | 15.92 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QAM16 | 1MHz-5MHz | 18.86 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QAM16 | 5MHz-6MHz | 25.41 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QAM16 | 6MHz-10MHz | 13.37 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | -1MHz-0MHz | 20.25 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | -5MHz--1MHz | 16.87 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | -6MHz--5MHz | 24.46 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | -10MHz--6MHz | 13.33 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | 0MHz-1MHz | 22.54 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | 1MHz-5MHz | 17.92 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | 5MHz-6MHz | 24.54 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | 6MHz-10MHz | 13.72 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | -1MHz-0MHz | 6.60 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | -5MHz--1MHz | 15.41 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | -6MHz--5MHz | 25.10 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | -10MHz--6MHz | 12.88 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | 0MHz-1MHz | 30.26 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | 1MHz-5MHz | 27.21 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | 5MHz-6MHz | 25.45 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | 6MHz-10MHz | 13.43 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QPSK | -1MHz-0MHz | 29.17 | PASS |

| | | | | | | | | |
|-------|----|-------|----|------|-------|---------------|-------|------|
| Band7 | 5 | 21425 | 8 | #Max | QPSK | -5MHz--1MHz | 27.33 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QPSK | -6MHz--5MHz | 25.23 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QPSK | -10MHz--6MHz | 13.02 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QPSK | 0MHz-1MHz | 8.07 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QPSK | 1MHz-5MHz | 16.13 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QPSK | 5MHz-6MHz | 25.31 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QPSK | 6MHz-10MHz | 13.44 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | -1MHz-0MHz | 17.70 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | -5MHz--1MHz | 11.87 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | -6MHz--5MHz | 23.04 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | -10MHz--6MHz | 11.28 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | 0MHz-1MHz | 16.90 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | 1MHz-5MHz | 12.29 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | 5MHz-6MHz | 23.73 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | 6MHz-10MHz | 12.23 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | -1MHz-0MHz | 10.67 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | -5MHz--1MHz | 17.82 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | -6MHz--5MHz | 25.18 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | -10MHz--6MHz | 12.93 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | 0MHz-1MHz | 30.01 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | 1MHz-5MHz | 27.61 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.52 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | 6MHz-10MHz | 13.55 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QAM16 | -1MHz-0MHz | 29.97 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QAM16 | -5MHz--1MHz | 27.86 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.29 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QAM16 | -10MHz--6MHz | 12.99 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QAM16 | 0MHz-1MHz | 12.55 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QAM16 | 1MHz-5MHz | 19.21 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QAM16 | 5MHz-6MHz | 25.35 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QAM16 | 6MHz-10MHz | 13.43 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | -1MHz-0MHz | 19.91 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | -5MHz--1MHz | 13.13 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | -6MHz--5MHz | 23.77 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | -10MHz--6MHz | 13.06 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | 0MHz-1MHz | 18.87 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | 1MHz-5MHz | 13.38 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | 5MHz-6MHz | 24.93 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | 6MHz-10MHz | 13.94 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QPSK | -1MHz-0MHz | 13.11 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QPSK | -5MHz--1MHz | 14.30 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QPSK | -10MHz--5MHz | 24.26 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QPSK | -15MHz--10MHz | 11.55 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QPSK | 0MHz-1MHz | 31.04 | PASS |

| | | | | | | | | |
|-------|----|-------|----|------|-------|---------------|-------|------|
| Band7 | 10 | 20800 | 12 | #0 | QPSK | 1MHz-5MHz | 27.67 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QPSK | 5MHz-10MHz | 24.58 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QPSK | 10MHz-15MHz | 13.46 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QPSK | -1MHz-0MHz | 32.44 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QPSK | -5MHz--1MHz | 27.73 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QPSK | -10MHz--5MHz | 24.55 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QPSK | -15MHz--10MHz | 11.39 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QPSK | 0MHz-1MHz | 9.16 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QPSK | 1MHz-5MHz | 12.96 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QPSK | 5MHz-10MHz | 24.11 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QPSK | 10MHz-15MHz | 13.40 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QPSK | -1MHz-0MHz | 20.76 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QPSK | -5MHz--1MHz | 16.84 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QPSK | -10MHz--5MHz | 16.55 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QPSK | -15MHz--10MHz | 11.20 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QPSK | 0MHz-1MHz | 19.65 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QPSK | 1MHz-5MHz | 16.02 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QPSK | 5MHz-10MHz | 15.60 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QPSK | 10MHz-15MHz | 11.27 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QAM16 | -1MHz-0MHz | 13.49 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QAM16 | -5MHz--1MHz | 17.07 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.59 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.57 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QAM16 | 0MHz-1MHz | 29.95 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QAM16 | 1MHz-5MHz | 27.43 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QAM16 | 5MHz-10MHz | 24.25 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.55 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QAM16 | -1MHz-0MHz | 31.19 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QAM16 | -5MHz--1MHz | 27.66 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QAM16 | -10MHz--5MHz | 24.29 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.61 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QAM16 | 0MHz-1MHz | 11.97 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QAM16 | 1MHz-5MHz | 15.94 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QAM16 | 5MHz-10MHz | 24.83 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QAM16 | 10MHz-15MHz | 13.51 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QAM16 | -1MHz-0MHz | 22.68 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QAM16 | -5MHz--1MHz | 18.58 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QAM16 | -10MHz--5MHz | 18.47 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QAM16 | -15MHz--10MHz | 12.92 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QAM16 | 0MHz-1MHz | 21.35 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QAM16 | 1MHz-5MHz | 18.04 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QAM16 | 5MHz-10MHz | 18.07 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QAM16 | 10MHz-15MHz | 12.08 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QPSK | -1MHz-0MHz | 14.17 | PASS |

| | | | | | | | | |
|-------|----|-------|----|------|-------|---------------|-------|------|
| Band7 | 10 | 21100 | 12 | #0 | QPSK | -5MHz--1MHz | 14.75 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QPSK | -10MHz--5MHz | 24.27 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QPSK | -15MHz--10MHz | 11.44 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QPSK | 0MHz-1MHz | 30.77 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QPSK | 1MHz-5MHz | 27.49 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QPSK | 5MHz-10MHz | 24.45 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QPSK | 10MHz-15MHz | 13.37 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QPSK | -1MHz-0MHz | 30.72 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QPSK | -5MHz--1MHz | 27.52 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QPSK | -10MHz--5MHz | 24.33 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QPSK | -15MHz--10MHz | 11.48 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QPSK | 0MHz-1MHz | 13.82 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QPSK | 1MHz-5MHz | 15.31 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QPSK | 5MHz-10MHz | 24.82 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QPSK | 10MHz-15MHz | 13.38 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QPSK | -1MHz-0MHz | 21.46 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QPSK | -5MHz--1MHz | 18.00 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QPSK | -10MHz--5MHz | 16.91 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QPSK | -15MHz--10MHz | 11.03 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QPSK | 0MHz-1MHz | 23.02 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QPSK | 1MHz-5MHz | 19.64 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QPSK | 5MHz-10MHz | 18.80 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QPSK | 10MHz-15MHz | 12.28 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QAM16 | -1MHz-0MHz | 15.15 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QAM16 | -5MHz--1MHz | 17.69 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.59 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.52 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QAM16 | 0MHz-1MHz | 30.59 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QAM16 | 1MHz-5MHz | 27.46 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QAM16 | 5MHz-10MHz | 24.27 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.51 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QAM16 | -1MHz-0MHz | 29.92 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QAM16 | -5MHz--1MHz | 27.57 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QAM16 | -10MHz--5MHz | 24.32 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.49 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QAM16 | 0MHz-1MHz | 15.57 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QAM16 | 1MHz-5MHz | 18.15 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QAM16 | 5MHz-10MHz | 25.03 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QAM16 | 10MHz-15MHz | 13.50 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QAM16 | -1MHz-0MHz | 22.04 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QAM16 | -5MHz--1MHz | 18.08 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QAM16 | -10MHz--5MHz | 18.53 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QAM16 | -15MHz--10MHz | 12.94 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QAM16 | 0MHz-1MHz | 23.24 | PASS |

| | | | | | | | | |
|-------|----|-------|----|------|-------|---------------|-------|------|
| Band7 | 10 | 21100 | 50 | #0 | QAM16 | 1MHz-5MHz | 19.32 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QAM16 | 5MHz-10MHz | 19.92 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QAM16 | 10MHz-15MHz | 13.49 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QPSK | -1MHz-0MHz | 7.44 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QPSK | -5MHz--1MHz | 12.03 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QPSK | -10MHz--5MHz | 23.78 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QPSK | -15MHz--10MHz | 11.47 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QPSK | 0MHz-1MHz | 30.04 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QPSK | 1MHz-5MHz | 28.06 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QPSK | 5MHz-10MHz | 25.09 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QPSK | 10MHz-15MHz | 13.45 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QPSK | -1MHz-0MHz | 30.61 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QPSK | -5MHz--1MHz | 27.95 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QPSK | -10MHz--5MHz | 24.63 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QPSK | -15MHz--10MHz | 11.50 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QPSK | 0MHz-1MHz | 9.09 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QPSK | 1MHz-5MHz | 13.30 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QPSK | 5MHz-10MHz | 24.72 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QPSK | 10MHz-15MHz | 13.33 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QPSK | -1MHz-0MHz | 18.15 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QPSK | -5MHz--1MHz | 13.42 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QPSK | -10MHz--5MHz | 14.25 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QPSK | -15MHz--10MHz | 10.81 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QPSK | 0MHz-1MHz | 17.72 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QPSK | 1MHz-5MHz | 13.62 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QPSK | 5MHz-10MHz | 15.46 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QPSK | 10MHz-15MHz | 12.81 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QAM16 | -1MHz-0MHz | 10.14 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QAM16 | -5MHz--1MHz | 14.65 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.22 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.45 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QAM16 | 0MHz-1MHz | 32.08 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QAM16 | 1MHz-5MHz | 28.06 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QAM16 | 5MHz-10MHz | 25.01 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.48 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QAM16 | -1MHz-0MHz | 32.25 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QAM16 | -5MHz--1MHz | 27.83 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QAM16 | -10MHz--5MHz | 24.71 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.48 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QAM16 | 0MHz-1MHz | 11.68 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QAM16 | 1MHz-5MHz | 16.05 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QAM16 | 5MHz-10MHz | 24.88 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QAM16 | 10MHz-15MHz | 13.36 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QAM16 | -1MHz-0MHz | 18.88 | PASS |

| | | | | | | | | |
|-------|----|-------|-----|------|-------|---------------|-------|------|
| Band7 | 10 | 21400 | 50 | #0 | QAM16 | -5MHz--1MHz | 14.47 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QAM16 | -10MHz--5MHz | 16.29 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QAM16 | -15MHz--10MHz | 12.14 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QAM16 | 0MHz-1MHz | 17.55 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QAM16 | 1MHz-5MHz | 14.92 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QAM16 | 5MHz-10MHz | 16.60 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QAM16 | 10MHz-15MHz | 13.99 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | -1MHz-0MHz | 12.02 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | -5MHz--1MHz | 13.90 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | -20MHz--5MHz | 23.15 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | -25MHz--20MHz | 13.51 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | 0MHz-1MHz | 30.04 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | 1MHz-5MHz | 28.20 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | 5MHz-20MHz | 24.32 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | 20MHz-25MHz | 13.76 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QPSK | -1MHz-0MHz | 30.67 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QPSK | -5MHz--1MHz | 27.63 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QPSK | -20MHz--5MHz | 23.19 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QPSK | -25MHz--20MHz | 13.67 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QPSK | 0MHz-1MHz | 9.57 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QPSK | 1MHz-5MHz | 12.64 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QPSK | 5MHz-20MHz | 23.82 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QPSK | 20MHz-25MHz | 13.60 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | -1MHz-0MHz | 19.89 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | -5MHz--1MHz | 18.22 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | -20MHz--5MHz | 17.16 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | -25MHz--20MHz | 13.45 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | 0MHz-1MHz | 18.56 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | 1MHz-5MHz | 17.17 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | 5MHz-20MHz | 15.36 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | 20MHz-25MHz | 12.53 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | -1MHz-0MHz | 13.57 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | -5MHz--1MHz | 15.83 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | -20MHz--5MHz | 23.34 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | -25MHz--20MHz | 13.54 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | 0MHz-1MHz | 31.11 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | 1MHz-5MHz | 28.14 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | 5MHz-20MHz | 24.44 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | 20MHz-25MHz | 13.74 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QAM16 | -1MHz-0MHz | 31.05 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QAM16 | -5MHz--1MHz | 27.47 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QAM16 | -20MHz--5MHz | 22.97 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QAM16 | -25MHz--20MHz | 13.61 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QAM16 | 0MHz-1MHz | 12.24 | PASS |

| | | | | | | | | |
|-------|----|-------|-----|------|-------|---------------|-------|------|
| Band7 | 20 | 20850 | 18 | #Max | QAM16 | 1MHz-5MHz | 15.39 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QAM16 | 5MHz-20MHz | 24.16 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QAM16 | 20MHz-25MHz | 13.59 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | -1MHz-0MHz | 20.87 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | -5MHz--1MHz | 20.31 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | -20MHz--5MHz | 19.18 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | -25MHz--20MHz | 15.45 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | 0MHz-1MHz | 21.04 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | 1MHz-5MHz | 19.60 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | 5MHz-20MHz | 17.68 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | 20MHz-25MHz | 13.78 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | -1MHz-0MHz | 12.29 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | -5MHz--1MHz | 13.70 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | -20MHz--5MHz | 23.09 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | -25MHz--20MHz | 13.52 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | 0MHz-1MHz | 31.25 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | 1MHz-5MHz | 28.06 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | 5MHz-20MHz | 23.60 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | 20MHz-25MHz | 13.68 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QPSK | -1MHz-0MHz | 30.75 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QPSK | -5MHz--1MHz | 27.41 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QPSK | -20MHz--5MHz | 22.50 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QPSK | -25MHz--20MHz | 13.62 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QPSK | 0MHz-1MHz | 12.81 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QPSK | 1MHz-5MHz | 15.17 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QPSK | 5MHz-20MHz | 24.03 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QPSK | 20MHz-25MHz | 13.60 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | -1MHz-0MHz | 19.46 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | -5MHz--1MHz | 18.07 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | -20MHz--5MHz | 16.68 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | -25MHz--20MHz | 13.13 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | 0MHz-1MHz | 21.54 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | 1MHz-5MHz | 20.55 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | 5MHz-20MHz | 19.00 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | 20MHz-25MHz | 12.63 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | -1MHz-0MHz | 13.73 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | -5MHz--1MHz | 15.77 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | -20MHz--5MHz | 23.25 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | -25MHz--20MHz | 13.55 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | 0MHz-1MHz | 31.46 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | 1MHz-5MHz | 28.21 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | 5MHz-20MHz | 23.75 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | 20MHz-25MHz | 13.72 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QAM16 | -1MHz-0MHz | 30.58 | PASS |

| | | | | | | | | |
|-------|----|-------|-----|------|-------|---------------|-------|------|
| Band7 | 20 | 21100 | 18 | #Max | QAM16 | -5MHz--1MHz | 27.44 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QAM16 | -20MHz--5MHz | 22.87 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QAM16 | -25MHz--20MHz | 13.64 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QAM16 | 0MHz-1MHz | 15.11 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QAM16 | 1MHz-5MHz | 18.12 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QAM16 | 5MHz-20MHz | 24.60 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QAM16 | 20MHz-25MHz | 13.54 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | -1MHz-0MHz | 20.43 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | -5MHz--1MHz | 19.55 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | -20MHz--5MHz | 18.14 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | -25MHz--20MHz | 14.72 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | 0MHz-1MHz | 22.47 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | 1MHz-5MHz | 21.94 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | 5MHz-20MHz | 20.73 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | 20MHz-25MHz | 14.31 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | -1MHz-0MHz | 11.02 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | -5MHz--1MHz | 12.50 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | -20MHz--5MHz | 22.94 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | -25MHz--20MHz | 13.53 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | 0MHz-1MHz | 31.36 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | 1MHz-5MHz | 28.13 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | 5MHz-20MHz | 25.21 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | 20MHz-25MHz | 13.71 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QPSK | -1MHz-0MHz | 30.67 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QPSK | -5MHz--1MHz | 27.57 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QPSK | -20MHz--5MHz | 23.38 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QPSK | -25MHz--20MHz | 13.66 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QPSK | 0MHz-1MHz | 9.52 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QPSK | 1MHz-5MHz | 11.48 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QPSK | 5MHz-20MHz | 24.03 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QPSK | 20MHz-25MHz | 13.57 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | -1MHz-0MHz | 16.50 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | -5MHz--1MHz | 15.87 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | -20MHz--5MHz | 14.79 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | -25MHz--20MHz | 12.41 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | 0MHz-1MHz | 17.28 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | 1MHz-5MHz | 16.15 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | 5MHz-20MHz | 15.21 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | 20MHz-25MHz | 13.43 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | -1MHz-0MHz | 12.30 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | -5MHz--1MHz | 14.33 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | -20MHz--5MHz | 23.13 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | -25MHz--20MHz | 13.52 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | 0MHz-1MHz | 30.97 | PASS |

| | | | | | | | | |
|-------|-----|-------|-----|------|-------|-----------------|-------|------|
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | 1MHz-5MHz | 28.22 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | 5MHz-20MHz | 25.08 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | 20MHz-25MHz | 13.66 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QAM16 | -1MHz-0MHz | 30.93 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QAM16 | -5MHz--1MHz | 27.62 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QAM16 | -20MHz--5MHz | 23.42 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QAM16 | -25MHz--20MHz | 13.67 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QAM16 | 0MHz-1MHz | 10.82 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QAM16 | 1MHz-5MHz | 13.82 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QAM16 | 5MHz-20MHz | 24.51 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QAM16 | 20MHz-25MHz | 13.57 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | -1MHz-0MHz | 18.39 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | -5MHz--1MHz | 17.12 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | -20MHz--5MHz | 15.65 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | -25MHz--20MHz | 13.55 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | 0MHz-1MHz | 18.70 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | 1MHz-5MHz | 17.32 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | 5MHz-20MHz | 16.17 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | 20MHz-25MHz | 15.32 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QPSK | -1MHz-0MHz | 15.87 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QPSK | -2.5MHz--1MHz | 21.97 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QPSK | -3.5MHz--2.5MHz | 12.37 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QPSK | 0MHz-1MHz | 20.34 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QPSK | 1MHz-2.5MHz | 23.82 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QPSK | 2.5MHz-3.5MHz | 12.36 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QPSK | -1MHz-0MHz | 18.08 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QPSK | -2.5MHz--1MHz | 23.15 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QPSK | -3.5MHz--2.5MHz | 12.56 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QPSK | 0MHz-1MHz | 19.24 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QPSK | 1MHz-2.5MHz | 22.54 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QPSK | 2.5MHz-3.5MHz | 12.33 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QPSK | -1MHz-0MHz | 24.65 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QPSK | -2.5MHz--1MHz | 24.97 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QPSK | -3.5MHz--2.5MHz | 12.41 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QPSK | 0MHz-1MHz | 27.47 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QPSK | 1MHz-2.5MHz | 25.54 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QPSK | 2.5MHz-3.5MHz | 12.13 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QAM16 | -1MHz-0MHz | 20.85 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QAM16 | -2.5MHz--1MHz | 24.13 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QAM16 | -3.5MHz--2.5MHz | 12.63 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QAM16 | 0MHz-1MHz | 24.05 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QAM16 | 1MHz-2.5MHz | 25.23 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QAM16 | 2.5MHz-3.5MHz | 12.64 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QAM16 | -1MHz-0MHz | 22.17 | PASS |

| | | | | | | | | |
|-------|-----|-------|---|------|-------|-----------------|-------|------|
| Band8 | 1.4 | 21457 | 5 | #Max | QAM16 | -2.5MHz--1MHz | 24.85 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QAM16 | -3.5MHz--2.5MHz | 12.64 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QAM16 | 0MHz-1MHz | 24.26 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QAM16 | 1MHz-2.5MHz | 24.67 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QAM16 | 2.5MHz-3.5MHz | 12.48 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QAM16 | -1MHz-0MHz | 26.22 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QAM16 | -2.5MHz--1MHz | 24.80 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QAM16 | -3.5MHz--2.5MHz | 12.55 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QAM16 | 0MHz-1MHz | 28.72 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QAM16 | 1MHz-2.5MHz | 24.66 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QAM16 | 2.5MHz-3.5MHz | 12.24 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QPSK | -1MHz-0MHz | 13.14 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QPSK | -2.5MHz--1MHz | 22.81 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QPSK | -3.5MHz--2.5MHz | 11.76 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QPSK | 0MHz-1MHz | 15.60 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QPSK | 1MHz-2.5MHz | 24.37 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QPSK | 2.5MHz-3.5MHz | 11.89 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QPSK | -1MHz-0MHz | 15.02 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QPSK | -2.5MHz--1MHz | 23.55 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QPSK | -3.5MHz--2.5MHz | 11.85 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QPSK | 0MHz-1MHz | 15.43 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QPSK | 1MHz-2.5MHz | 24.09 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QPSK | 2.5MHz-3.5MHz | 11.95 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QPSK | -1MHz-0MHz | 18.95 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QPSK | -2.5MHz--1MHz | 23.52 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QPSK | -3.5MHz--2.5MHz | 11.41 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QPSK | 0MHz-1MHz | 20.34 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QPSK | 1MHz-2.5MHz | 24.69 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QPSK | 2.5MHz-3.5MHz | 11.69 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QAM16 | -1MHz-0MHz | 14.37 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QAM16 | -2.5MHz--1MHz | 23.51 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QAM16 | -3.5MHz--2.5MHz | 12.14 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QAM16 | 0MHz-1MHz | 18.68 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QAM16 | 1MHz-2.5MHz | 24.70 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QAM16 | 2.5MHz-3.5MHz | 12.36 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QAM16 | -1MHz-0MHz | 17.15 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QAM16 | -2.5MHz--1MHz | 24.09 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QAM16 | -3.5MHz--2.5MHz | 12.23 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QAM16 | 0MHz-1MHz | 16.97 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QAM16 | 1MHz-2.5MHz | 24.31 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QAM16 | 2.5MHz-3.5MHz | 12.15 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QAM16 | -1MHz-0MHz | 22.88 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QAM16 | -2.5MHz--1MHz | 24.33 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QAM16 | -3.5MHz--2.5MHz | 13.42 | PASS |

| | | | | | | | | |
|-------|-----|-------|---|------|-------|-----------------|-------|------|
| Band8 | 1.4 | 21625 | 6 | #0 | QAM16 | 0MHz-1MHz | 23.32 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QAM16 | 1MHz-2.5MHz | 24.65 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QAM16 | 2.5MHz-3.5MHz | 13.32 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QPSK | -1MHz-0MHz | 10.49 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QPSK | -2.5MHz--1MHz | 23.27 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QPSK | -3.5MHz--2.5MHz | 11.21 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QPSK | 0MHz-1MHz | 15.45 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QPSK | 1MHz-2.5MHz | 23.74 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QPSK | 2.5MHz-3.5MHz | 12.24 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QPSK | -1MHz-0MHz | 11.22 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QPSK | -2.5MHz--1MHz | 23.65 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QPSK | -3.5MHz--2.5MHz | 11.30 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QPSK | 0MHz-1MHz | 13.68 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QPSK | 1MHz-2.5MHz | 22.60 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QPSK | 2.5MHz-3.5MHz | 12.22 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QPSK | -1MHz-0MHz | 17.59 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QPSK | -2.5MHz--1MHz | 23.69 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QPSK | -3.5MHz--2.5MHz | 11.31 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QPSK | 0MHz-1MHz | 21.09 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QPSK | 1MHz-2.5MHz | 24.93 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QPSK | 2.5MHz-3.5MHz | 12.14 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QAM16 | -1MHz-0MHz | 15.03 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QAM16 | -2.5MHz--1MHz | 24.14 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QAM16 | -3.5MHz--2.5MHz | 11.73 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QAM16 | 0MHz-1MHz | 20.80 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QAM16 | 1MHz-2.5MHz | 25.38 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QAM16 | 2.5MHz-3.5MHz | 12.47 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QAM16 | -1MHz-0MHz | 16.13 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QAM16 | -2.5MHz--1MHz | 24.52 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QAM16 | -3.5MHz--2.5MHz | 11.82 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QAM16 | 0MHz-1MHz | 17.22 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QAM16 | 1MHz-2.5MHz | 24.66 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QAM16 | 2.5MHz-3.5MHz | 12.39 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QAM16 | -1MHz-0MHz | 18.93 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QAM16 | -2.5MHz--1MHz | 25.21 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QAM16 | -3.5MHz--2.5MHz | 12.73 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QAM16 | 0MHz-1MHz | 23.82 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QAM16 | 1MHz-2.5MHz | 26.17 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QAM16 | 2.5MHz-3.5MHz | 13.75 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QPSK | -1MHz-0MHz | 13.05 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QPSK | -5MHz--1MHz | 20.43 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QPSK | -6MHz--5MHz | 25.00 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QPSK | -10MHz--6MHz | 12.72 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QPSK | 0MHz-1MHz | 28.68 | PASS |

| | | | | | | | | |
|-------|---|-------|----|------|-------|--------------|-------|------|
| Band8 | 5 | 21475 | 8 | #0 | QPSK | 1MHz-5MHz | 21.25 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QPSK | 5MHz-6MHz | 24.92 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QPSK | 6MHz-10MHz | 12.95 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QPSK | -1MHz-0MHz | 28.43 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QPSK | -5MHz--1MHz | 19.13 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QPSK | -6MHz--5MHz | 25.06 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QPSK | -10MHz--6MHz | 12.84 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QPSK | 0MHz-1MHz | 14.03 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QPSK | 1MHz-5MHz | 19.88 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QPSK | 5MHz-6MHz | 23.36 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QPSK | 6MHz-10MHz | 12.09 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | -1MHz-0MHz | 21.41 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | -5MHz--1MHz | 19.24 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | -6MHz--5MHz | 24.89 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | -10MHz--6MHz | 12.64 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | 0MHz-1MHz | 23.52 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | 1MHz-5MHz | 20.79 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | 5MHz-6MHz | 23.24 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | 6MHz-10MHz | 11.39 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | -1MHz-0MHz | 15.67 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | -5MHz--1MHz | 23.20 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | -6MHz--5MHz | 25.02 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | -10MHz--6MHz | 12.69 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | 0MHz-1MHz | 30.05 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | 1MHz-5MHz | 22.25 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.08 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | 6MHz-10MHz | 12.99 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QAM16 | -1MHz-0MHz | 29.09 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QAM16 | -5MHz--1MHz | 20.71 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QAM16 | -6MHz--5MHz | 25.05 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QAM16 | -10MHz--6MHz | 12.76 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QAM16 | 0MHz-1MHz | 16.66 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QAM16 | 1MHz-5MHz | 21.68 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QAM16 | 5MHz-6MHz | 23.64 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QAM16 | 6MHz-10MHz | 12.27 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | -1MHz-0MHz | 22.19 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | -5MHz--1MHz | 21.43 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | -6MHz--5MHz | 26.76 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | -10MHz--6MHz | 14.51 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | 0MHz-1MHz | 25.50 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | 1MHz-5MHz | 22.37 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | 5MHz-6MHz | 24.42 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | 6MHz-10MHz | 13.01 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QPSK | -1MHz-0MHz | 10.37 | PASS |

| | | | | | | | | |
|-------|---|-------|----|------|-------|--------------|-------|------|
| Band8 | 5 | 21625 | 8 | #0 | QPSK | -5MHz--1MHz | 17.50 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QPSK | -6MHz--5MHz | 24.25 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QPSK | -10MHz--6MHz | 12.40 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QPSK | 0MHz-1MHz | 29.45 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QPSK | 1MHz-5MHz | 22.41 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QPSK | 5MHz-6MHz | 24.99 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QPSK | 6MHz-10MHz | 12.99 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QPSK | -1MHz-0MHz | 27.75 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QPSK | -5MHz--1MHz | 20.60 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QPSK | -6MHz--5MHz | 24.79 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QPSK | -10MHz--6MHz | 12.55 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QPSK | 0MHz-1MHz | 12.57 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QPSK | 1MHz-5MHz | 20.05 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QPSK | 5MHz-6MHz | 24.52 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QPSK | 6MHz-10MHz | 12.64 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | -1MHz-0MHz | 21.16 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | -5MHz--1MHz | 15.60 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | -6MHz--5MHz | 23.78 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | -10MHz--6MHz | 11.75 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | 0MHz-1MHz | 20.24 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | 1MHz-5MHz | 16.64 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | 5MHz-6MHz | 24.50 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | 6MHz-10MHz | 12.62 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | -1MHz-0MHz | 10.79 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | -5MHz--1MHz | 19.38 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | -6MHz--5MHz | 24.51 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | -10MHz--6MHz | 12.53 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | 0MHz-1MHz | 30.48 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | 1MHz-5MHz | 23.00 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | 5MHz-6MHz | 24.97 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | 6MHz-10MHz | 12.94 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QAM16 | -1MHz-0MHz | 28.23 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QAM16 | -5MHz--1MHz | 21.73 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QAM16 | -6MHz--5MHz | 24.91 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QAM16 | -10MHz--6MHz | 12.43 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QAM16 | 0MHz-1MHz | 14.45 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QAM16 | 1MHz-5MHz | 21.48 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QAM16 | 5MHz-6MHz | 24.66 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QAM16 | 6MHz-10MHz | 12.68 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | -1MHz-0MHz | 21.62 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | -5MHz--1MHz | 17.22 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | -6MHz--5MHz | 24.74 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | -10MHz--6MHz | 13.21 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | 0MHz-1MHz | 23.98 | PASS |

| | | | | | | | | |
|-------|---|-------|----|------|-------|--------------|-------|------|
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | 1MHz-5MHz | 18.75 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | 5MHz-6MHz | 25.64 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | 6MHz-10MHz | 13.73 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | -1MHz-0MHz | 4.87 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | -5MHz--1MHz | 14.76 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | -6MHz--5MHz | 23.61 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | -10MHz--6MHz | 12.26 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | 0MHz-1MHz | 30.59 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | 1MHz-5MHz | 22.05 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | 5MHz-6MHz | 25.09 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | 6MHz-10MHz | 12.97 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QPSK | -1MHz-0MHz | 26.59 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QPSK | -5MHz--1MHz | 15.80 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QPSK | -6MHz--5MHz | 24.61 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QPSK | -10MHz--6MHz | 12.46 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QPSK | 0MHz-1MHz | 9.90 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QPSK | 1MHz-5MHz | 17.33 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QPSK | 5MHz-6MHz | 25.06 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QPSK | 6MHz-10MHz | 12.99 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | -1MHz-0MHz | 17.42 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | -5MHz--1MHz | 12.29 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | -6MHz--5MHz | 21.55 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | -10MHz--6MHz | 9.34 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | 0MHz-1MHz | 20.89 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | 1MHz-5MHz | 16.39 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | 5MHz-6MHz | 25.04 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | 6MHz-10MHz | 13.03 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | -1MHz-0MHz | 9.76 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | -5MHz--1MHz | 18.78 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | -6MHz--5MHz | 24.21 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | -10MHz--6MHz | 12.48 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | 0MHz-1MHz | 30.81 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | 1MHz-5MHz | 23.82 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | 5MHz-6MHz | 25.13 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | 6MHz-10MHz | 12.96 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QAM16 | -1MHz-0MHz | 26.66 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QAM16 | -5MHz--1MHz | 16.88 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QAM16 | -6MHz--5MHz | 24.78 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QAM16 | -10MHz--6MHz | 12.46 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QAM16 | 0MHz-1MHz | 14.05 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QAM16 | 1MHz-5MHz | 20.96 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QAM16 | 5MHz-6MHz | 25.05 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QAM16 | 6MHz-10MHz | 13.04 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | -1MHz-0MHz | 20.33 | PASS |


| | | | | | | | | |
|-------|----|-------|----|------|-------|---------------|-------|------|
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | -5MHz--1MHz | 14.07 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | -6MHz--5MHz | 22.37 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | -10MHz--6MHz | 10.92 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | 0MHz-1MHz | 24.16 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | 1MHz-5MHz | 18.32 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | 5MHz-6MHz | 26.85 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | 6MHz-10MHz | 14.87 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | -1MHz-0MHz | 13.28 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | -5MHz--1MHz | 17.25 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | -10MHz--5MHz | 24.32 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | -15MHz--10MHz | 11.29 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | 0MHz-1MHz | 30.78 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | 1MHz-5MHz | 22.25 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | 5MHz-10MHz | 18.97 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | 10MHz-15MHz | 13.04 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QPSK | -1MHz-0MHz | 30.25 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QPSK | -5MHz--1MHz | 25.22 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QPSK | -10MHz--5MHz | 24.05 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QPSK | -15MHz--10MHz | 11.14 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QPSK | 0MHz-1MHz | 7.32 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QPSK | 1MHz-5MHz | 12.74 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QPSK | 5MHz-10MHz | 23.47 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QPSK | 10MHz-15MHz | 12.19 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | -1MHz-0MHz | 21.19 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | -5MHz--1MHz | 18.99 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | -10MHz--5MHz | 23.91 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | -15MHz--10MHz | 11.20 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | 0MHz-1MHz | 21.17 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | 1MHz-5MHz | 18.42 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | 5MHz-10MHz | 17.71 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | 10MHz-15MHz | 11.52 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | -1MHz-0MHz | 14.89 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | -5MHz--1MHz | 20.27 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.38 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | -15MHz--10MHz | 11.19 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | 0MHz-1MHz | 30.49 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | 1MHz-5MHz | 23.40 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | 5MHz-10MHz | 20.11 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | 10MHz-15MHz | 13.00 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QAM16 | -1MHz-0MHz | 29.55 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QAM16 | -5MHz--1MHz | 26.17 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QAM16 | -10MHz--5MHz | 24.32 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.24 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QAM16 | 0MHz-1MHz | 10.06 | PASS |

| | | | | | | | | |
|-------|----|-------|----|------|-------|---------------|-------|------|
| Band8 | 10 | 21500 | 12 | #Max | QAM16 | 1MHz-5MHz | 15.73 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QAM16 | 5MHz-10MHz | 24.04 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QAM16 | 10MHz-15MHz | 12.35 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | -1MHz-0MHz | 22.12 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | -5MHz--1MHz | 19.65 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | -10MHz--5MHz | 24.85 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | -15MHz--10MHz | 12.20 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | 0MHz-1MHz | 21.34 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | 1MHz-5MHz | 18.98 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | 5MHz-10MHz | 18.50 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | 10MHz-15MHz | 11.52 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | -1MHz-0MHz | 8.70 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | -5MHz--1MHz | 12.23 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | -10MHz--5MHz | 23.74 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | -15MHz--10MHz | 10.90 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | 0MHz-1MHz | 30.98 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | 1MHz-5MHz | 24.28 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | 5MHz-10MHz | 21.04 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | 10MHz-15MHz | 12.86 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QPSK | -1MHz-0MHz | 29.83 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QPSK | -5MHz--1MHz | 22.75 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QPSK | -10MHz--5MHz | 19.69 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QPSK | -15MHz--10MHz | 11.13 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QPSK | 0MHz-1MHz | 11.08 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QPSK | 1MHz-5MHz | 15.12 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QPSK | 5MHz-10MHz | 24.28 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QPSK | 10MHz-15MHz | 12.54 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | -1MHz-0MHz | 20.00 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | -5MHz--1MHz | 17.07 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | -10MHz--5MHz | 16.72 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | -15MHz--10MHz | 10.51 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | 0MHz-1MHz | 20.54 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | 1MHz-5MHz | 18.10 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | 5MHz-10MHz | 19.41 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | 10MHz-15MHz | 12.43 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | -1MHz-0MHz | 11.09 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | -5MHz--1MHz | 15.75 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | -10MHz--5MHz | 24.06 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | -15MHz--10MHz | 10.93 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | 0MHz-1MHz | 29.45 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | 1MHz-5MHz | 24.86 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | 5MHz-10MHz | 21.79 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | 10MHz-15MHz | 12.97 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QAM16 | -1MHz-0MHz | 28.69 | PASS |


| | | | | | | | | |
|-------|----|-------|----|------|-------|---------------|-------|------|
| Band8 | 10 | 21625 | 12 | #Max | QAM16 | -5MHz--1MHz | 24.53 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QAM16 | -10MHz--5MHz | 21.19 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.08 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QAM16 | 0MHz-1MHz | 14.96 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QAM16 | 1MHz-5MHz | 18.79 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QAM16 | 5MHz-10MHz | 24.47 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QAM16 | 10MHz-15MHz | 12.65 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | -1MHz-0MHz | 20.75 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | -5MHz--1MHz | 17.93 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | -10MHz--5MHz | 18.59 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | -15MHz--10MHz | 12.31 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | 0MHz-1MHz | 22.62 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | 1MHz-5MHz | 19.36 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | 5MHz-10MHz | 21.22 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | 10MHz-15MHz | 13.80 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | -1MHz-0MHz | 6.60 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | -5MHz--1MHz | 11.46 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | -10MHz--5MHz | 23.82 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | -15MHz--10MHz | 10.89 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | 0MHz-1MHz | 30.67 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | 1MHz-5MHz | 26.28 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | 5MHz-10MHz | 24.88 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | 10MHz-15MHz | 12.98 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QPSK | -1MHz-0MHz | 29.04 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QPSK | -5MHz--1MHz | 18.87 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QPSK | -10MHz--5MHz | 15.73 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QPSK | -15MHz--10MHz | 11.03 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QPSK | 0MHz-1MHz | 11.24 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QPSK | 1MHz-5MHz | 14.94 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QPSK | 5MHz-10MHz | 24.99 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QPSK | 10MHz-15MHz | 12.97 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | -1MHz-0MHz | 19.28 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | -5MHz--1MHz | 14.78 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | -10MHz--5MHz | 15.11 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | -15MHz--10MHz | 10.64 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | 0MHz-1MHz | 20.01 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | 1MHz-5MHz | 16.19 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | 5MHz-10MHz | 24.91 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | 10MHz-15MHz | 12.91 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | -1MHz-0MHz | 9.89 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | -5MHz--1MHz | 15.50 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | -10MHz--5MHz | 23.94 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | -15MHz--10MHz | 10.92 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | 0MHz-1MHz | 32.10 | PASS |

| | | | | | | | | |
|-------|----|-------|----|------|-------|---------------|-------|------|
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | 1MHz-5MHz | 26.83 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | 5MHz-10MHz | 24.95 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | 10MHz-15MHz | 12.93 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QAM16 | -1MHz-0MHz | 30.85 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QAM16 | -5MHz--1MHz | 20.71 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QAM16 | -10MHz--5MHz | 17.30 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QAM16 | -15MHz--10MHz | 11.04 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QAM16 | 0MHz-1MHz | 14.51 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QAM16 | 1MHz-5MHz | 18.35 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QAM16 | 5MHz-10MHz | 24.92 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QAM16 | 10MHz-15MHz | 13.02 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | -1MHz-0MHz | 20.21 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | -5MHz--1MHz | 15.76 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | -10MHz--5MHz | 16.79 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | -15MHz--10MHz | 12.35 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | 0MHz-1MHz | 20.45 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | 1MHz-5MHz | 17.93 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | 5MHz-10MHz | 26.63 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | 10MHz-15MHz | 14.77 | PASS |


Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18500 RB Size=100 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24350 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=6 Position=#0



Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=1990 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=1990 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19850 RB Size=100 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39550 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#0



Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=39550 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0



Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0



Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21750 RB Size=50 Position=#0



Clause 4.2.4 LTE Transmitter Spurious Emissions

| Band | Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | Range (MHz) | RBW | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) | Verdict |
|-------|-----------------|------------|---------|-------------|------------|----------------------|---------|-----------------|------------------|-------------|---------|
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -57.03 | -36 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -60.17 | -36 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 319.25 | -67.23 | -36 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 1000 MHz-1910.00 MHz | 1 MHz | 1910.00 | -53.10 | -30 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 1935.00 MHz-3000 MHz | 1 MHz | 1935.89 | -55.86 | -30 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 3840.94 | -42.84 | -30 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2110.84 | -77.22 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 1805 | 1 | 1878.80 | -81.58 | -50 | PASS |

| | | | | | | | | | | | |
|-------|---|-------|---|----|------|---------------------------|----------|---------|--------|-------|------|
| | | | | | | MHz-1880 MHz | MHz | | | | |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2644.29 | -79.34 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 944.11 | -81.82 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 799.43 | -82.12 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3587.28 | -80.06 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 798.05 | -82.04 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 462.69 | -82.25 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1464.19 | -82.21 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2014.83 | -81.30 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2616.80 | -79.81 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2384.30 | -80.77 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3596.40 | -79.83 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3620.00 | -80.54 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2110.81 | -77.19 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 757.08 | -82.46 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 775.62 | -82.30 | -50 | PASS |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 1895 MHz-1915 MHz | 5 MHz | 1896.86 | -52.74 | -15.5 | PASS |

| | | | | | | | | | | | |
|-------|---|-------|---|----|------|----------------------------|------------|---------|--------|-----|------|
| | | | | | | MHz | | | | | |
| Band1 | 5 | 18025 | 1 | #0 | QPSK | 1915 MHz-1920 MHz | 5 MHz | 1919.75 | -49.32 | 1.6 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -56.00 | -36 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -61.25 | -36 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 360.48 | -65.39 | -36 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 1000 MHz-1937.50 MHz | 1 MHz | 1937.50 | -54.32 | -30 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 1962.50 MHz-3000 MHz | 1 MHz | 1963.36 | -53.11 | -30 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 3895.38 | -43.28 | -30 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2138.98 | -73.20 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1872.50 | -81.69 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2664.52 | -79.22 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 944.08 | -81.72 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 793.94 | -82.08 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3582.96 | -79.96 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 796.79 | -82.05 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 467.17 | -82.22 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1453.76 | -82.14 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 2010 | 1 | 2024.21 | -81.23 | -50 | PASS |

| | | | | | | | | | | | |
|-------|---|-------|---|----|------|----------------------------|------------|---------|--------|-------|------|
| | | | | | | MHz-2025 MHz | MHz | | | | |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2619.70 | -79.77 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2374.90 | -80.75 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3598.60 | -79.88 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3608.00 | -80.47 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2139.52 | -73.21 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 756.86 | -82.32 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 781.08 | -82.21 | -50 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 1895 MHz-1915 MHz | 5 MHz | 1895.90 | -53.82 | -15.5 | PASS |
| Band1 | 5 | 18300 | 1 | #0 | QPSK | 1915 MHz-1920 MHz | 5 MHz | 1915.62 | -54.11 | 1.6 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -57.61 | -36 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -61.04 | -36 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 401.80 | -67.10 | -36 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 1000 MHz-1965.00 MHz | 1 MHz | 1965.00 | -51.86 | -30 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 1990.00 MHz-3000 MHz | 1 MHz | 1990.84 | -57.28 | -30 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 3950.63 | -45.72 | -30 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2168.98 | -74.85 | -50 | PASS |

| | | | | | | | | | | | |
|-------|---|-------|---|----|------|---------------------------|----------|---------|--------|-----|------|
| | | | | | | MHz | | | | | |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1852.33 | -81.19 | -50 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2653.53 | -79.32 | -50 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 944.18 | -82.08 | -50 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 798.95 | -81.98 | -50 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3580.72 | -79.83 | -50 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 795.58 | -82.04 | -50 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 466.22 | -82.14 | -50 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1472.15 | -82.05 | -50 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2013.11 | -81.20 | -50 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2616.55 | -79.71 | -50 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2384.20 | -80.59 | -50 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3596.20 | -79.83 | -50 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3620.80 | -80.43 | -50 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2168.77 | -74.98 | -50 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 757.44 | -82.38 | -50 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 779.85 | -82.22 | -50 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|----------------------|---------|---------|--------|-------|------|
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 1895 MHz-1915 MHz | 5 MHz | 1895.30 | -53.96 | -15.5 | PASS |
| Band1 | 5 | 18575 | 1 | #0 | QPSK | 1915 MHz-1920 MHz | 5 MHz | 1918.55 | -54.13 | 1.6 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -56.91 | -36 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -61.37 | -36 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 320.42 | -67.36 | -36 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 1000 MHz-1895.00 MHz | 1 MHz | 1895.00 | -57.79 | -30 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 1965.00 MHz-3000 MHz | 1 MHz | 1990.88 | -53.79 | -30 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 3842.56 | -43.01 | -30 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2128.00 | -73.54 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1851.28 | -80.67 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2649.68 | -79.39 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 942.96 | -82.17 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 793.97 | -82.11 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3587.04 | -80.04 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 793.78 | -82.11 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 467.01 | -82.23 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1452.66 | -82.22 | -50 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|----------------------------|------------|---------|--------|-------|------|
| | | | | | | MHz | | | | | |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2010.63 | -81.32 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2613.50 | -79.82 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2399.50 | -80.70 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3593.60 | -79.85 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3606.20 | -80.47 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2128.00 | -73.78 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 752.22 | -82.45 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 781.17 | -82.22 | -50 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 1895 MHz-1915 MHz | 5 MHz | 1913.10 | -48.55 | -15.5 | PASS |
| Band1 | 20 | 18100 | 1 | #0 | QPSK | 1915 MHz-1920 MHz | 5 MHz | 1915.04 | -49.86 | 1.6 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -57.28 | -36 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -61.37 | -36 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 350.39 | -67.26 | -36 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 1000 MHz-1915.00 MHz | 1 MHz | 1905.85 | -44.03 | -30 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 1985.00 MHz-3000 MHz | 1 MHz | 1985.85 | -59.26 | -30 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 3882.38 | -40.93 | -30 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|---------------------|-------|---------|--------|-----|------|
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2132.98 | -72.70 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1871.38 | -79.91 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2633.65 | -74.54 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 943.87 | -82.02 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 793.19 | -82.04 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3588.72 | -79.97 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 795.13 | -82.08 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 464.86 | -82.20 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1471.40 | -82.23 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2010.66 | -79.91 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2615.55 | -79.02 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2387.90 | -80.69 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3599.20 | -79.86 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3613.20 | -80.48 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2133.85 | -72.85 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 756.38 | -82.35 | -50 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|----------------------|---------|---------|--------|-------|------|
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 772.02 | -82.05 | -50 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 1895 MHz-1915 MHz | 5 MHz | 1905.02 | -47.64 | -15.5 | PASS |
| Band1 | 20 | 18300 | 1 | #0 | QPSK | 1915 MHz-1920 MHz | 5 MHz | 1915.16 | -53.78 | 1.6 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -57.66 | -36 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -60.58 | -36 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 380.36 | -65.48 | -36 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 1000 MHz-1935.00 MHz | 1 MHz | 1925.65 | -48.18 | -30 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 2005.00 MHz-3000 MHz | 1 MHz | 2647.60 | -60.26 | -30 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 3922.19 | -45.22 | -30 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2168.02 | -75.31 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1876.78 | -81.57 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2667.81 | -79.28 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 944.29 | -81.97 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 802.25 | -81.99 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3589.68 | -79.93 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 795.53 | -81.96 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 466.30 | -82.14 | -50 | PASS |

| | | | | | | | | | | | |
|--------|----|-------|---|----|------|---------------------|---------|---------|--------|-------|------|
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1470.17 | -82.17 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2010.81 | -81.26 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2615.75 | -79.76 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2372.80 | -80.55 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3597.40 | -79.91 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3602.40 | -80.41 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2167.78 | -75.45 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 743.74 | -82.34 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 780.93 | -82.08 | -50 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 1895 MHz-1915 MHz | 5 MHz | 1895.58 | -53.82 | -15.5 | PASS |
| Band1 | 20 | 18500 | 1 | #0 | QPSK | 1915 MHz-1920 MHz | 5 MHz | 1915.69 | -54.12 | 1.6 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -58.28 | -36 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -61.34 | -36 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 30 MHz-822.00 MHz | 100 kHz | 821.84 | -70.83 | -36 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 847.00 MHz-1000 MHz | 100 kHz | 849.60 | -64.14 | -36 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 1000 MHz-1500 MHz | 1 MHz | 1469.00 | -63.88 | -30 | PASS |

| | | | | | | | | | | | |
|--------|---|-------|---|----|------|---------------------------|----------|----------|--------|-----|------|
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 1500 MHz-6000 MHz | 1 MHz | 1664.70 | -51.73 | -30 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 6000 MHz-12.75 GHz | 1 MHz | 12665.63 | -60.47 | -30 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2129.50 | -84.11 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1867.63 | -84.85 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2650.87 | -82.39 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 952.44 | -85.30 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 794.87 | -76.07 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3582.00 | -82.99 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 467.45 | -85.34 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1495.16 | -85.25 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1913.68 | -84.76 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2012.72 | -84.35 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2617.35 | -82.82 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2391.60 | -83.72 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3598.80 | -82.89 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 3600 | 1 | 3610.80 | -83.53 | -50 | PASS |

| | | | | | | | | | | | |
|--------|---|-------|---|----|------|---------------------------|------------|----------|--------|-----|------|
| | | | | | | MHz-3800 MHz | MHz | | | | |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2135.92 | -84.15 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 754.70 | -85.49 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 783.00 | -85.22 | -50 | PASS |
| Band20 | 5 | 24175 | 1 | #0 | QPSK | 758 MHz-788 MHz | 1 MHz | 785.12 | -85.23 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -58.97 | -36 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -63.37 | -36 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 30 MHz-834.50 MHz | 100 kHz | 833.78 | -62.83 | -36 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 859.50 MHz-1000 MHz | 100 kHz | 860.20 | -63.02 | -36 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 1000 MHz-1500 MHz | 1 MHz | 1485.50 | -63.88 | -30 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 1500 MHz-6000 MHz | 1 MHz | 4224.30 | -55.39 | -30 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 6000 MHz-12.75 GHz | 1 MHz | 12658.20 | -60.40 | -30 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2131.66 | -84.19 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1864.48 | -84.79 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2654.51 | -82.43 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 925.32 | -85.29 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 807.53 | -78.27 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 3510 | 1 | 3587.84 | -82.92 | -50 | PASS |

| | | | | | | | | | | | |
|--------|---|-------|---|----|------|---------------------------|------------|---------|--------|-----|------|
| | | | | | | MHz-3590 MHz | MHz | | | | |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 466.99 | -85.34 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1463.44 | -85.21 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1907.10 | -84.74 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2020.13 | -84.32 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2619.50 | -82.85 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2386.30 | -83.78 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3598.60 | -82.93 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3621.60 | -83.62 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2137.63 | -84.18 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 757.74 | -85.42 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 782.10 | -85.25 | -50 | PASS |
| Band20 | 5 | 24300 | 1 | #0 | QPSK | 758 MHz-788 MHz | 1 MHz | 784.25 | -85.19 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -58.67 | -36 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -63.16 | -36 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 30 MHz-847.00 MHz | 100 kHz | 846.75 | -63.19 | -36 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 872.00 MHz-1000 kHz | 100 kHz | 872.13 | -72.38 | -36 | PASS |

| | | | | | | | | | | | |
|--------|---|-------|---|----|------|---------------------------|----------|----------|--------|-----|------|
| | | | | | | MHz | | | | | |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 1000 MHz-1500 MHz | 1 MHz | 1359.50 | -63.87 | -30 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 1500 MHz-6000 MHz | 1 MHz | 1715.10 | -50.30 | -30 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 6000 MHz-12.75 GHz | 1 MHz | 12666.30 | -60.45 | -30 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2122.42 | -84.12 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1874.45 | -84.84 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2657.24 | -82.40 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 934.14 | -85.24 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 818.54 | -83.22 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3586.48 | -83.00 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 464.04 | -85.26 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1489.00 | -85.21 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1903.50 | -68.34 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2018.90 | -84.29 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2619.95 | -82.83 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2393.20 | -83.71 | -50 | PASS |

| | | | | | | | | | | | |
|--------|----|-------|---|----|------|---------------------|---------|----------|--------|-----|------|
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3595.60 | -82.83 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3602.60 | -83.54 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2134.30 | -84.14 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 757.38 | -85.41 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 772.77 | -85.24 | -50 | PASS |
| Band20 | 5 | 24425 | 1 | #0 | QPSK | 758 MHz-788 MHz | 1 MHz | 785.48 | -85.20 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -59.23 | -36 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -62.07 | -36 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 30 MHz-807.00 MHz | 100 kHz | 605.21 | -70.96 | -36 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 877.00 MHz-1000 MHz | 100 kHz | 997.42 | -72.31 | -36 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 1000 MHz-1500 MHz | 1 MHz | 1333.00 | -63.86 | -30 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 1500 MHz-6000 MHz | 1 MHz | 3332.40 | -52.90 | -30 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 6000 MHz-12.75 GHz | 1 MHz | 12642.00 | -60.43 | -30 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2111.08 | -84.14 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1877.75 | -84.86 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2646.88 | -82.36 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 926.19 | -85.25 | -50 | PASS |

| | | | | | | | | | | | |
|--------|----|-------|---|----|------|---------------------|--------|---------|--------|-----|------|
| | | | | | | MHz | MHz | | | | |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 801.23 | -80.93 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3584.24 | -83.00 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 463.53 | -85.30 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1466.39 | -85.25 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1903.44 | -71.39 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2022.14 | -84.34 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2618.45 | -82.86 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2384.80 | -83.70 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3596.00 | -82.81 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3618.60 | -83.56 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2144.38 | -84.21 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 747.00 | -85.48 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 782.01 | -85.18 | -50 | PASS |
| Band20 | 20 | 24250 | 1 | #0 | QPSK | 758 MHz-788 MHz | 1 MHz | 777.59 | -85.18 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -58.63 | -36 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -61.55 | -36 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 30 | 100 | 798.63 | -70.70 | -36 | PASS |

| | | | | | | | | | | | |
|--------|----|-------|---|----|------|---------------------------|------------|----------|--------|-----|------|
| | | | | | | MHz-812.00 MHz | kHz | | | | |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 882.00 MHz-1000 MHz | 100 kHz | 999.76 | -72.37 | -36 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 1000 MHz-1500 MHz | 1 MHz | 1339.00 | -63.83 | -30 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 1500 MHz-6000 MHz | 1 MHz | 1676.40 | -54.22 | -30 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 6000 MHz-12.75 GHz | 1 MHz | 12630.53 | -60.38 | -30 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2133.34 | -84.16 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1878.65 | -84.82 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2653.88 | -82.39 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 935.85 | -85.22 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 797.81 | -76.84 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3583.12 | -82.98 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 466.73 | -85.32 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1470.79 | -85.21 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1910.98 | -84.73 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2021.01 | -84.31 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2619.70 | -82.85 | -50 | PASS |

| | | | | | | | | | | | |
|--------|----|-------|---|----|------|--------------------------------|------------|----------|--------|-----|------|
| Band20 | 20 | 24300 | 1 | #0 | QPSK | MHz 2300 MHz-2400 MHz | 1 MHz | 2382.30 | -83.70 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3594.60 | -82.98 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3634.20 | -83.55 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2154.19 | -84.13 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 757.26 | -85.44 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 782.52 | -85.16 | -50 | PASS |
| Band20 | 20 | 24300 | 1 | #0 | QPSK | 758 MHz-788 MHz | 1 MHz | 787.97 | -85.22 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -58.65 | -36 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -62.40 | -36 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 30 MHz-817.00 MHz | 100 kHz | 502.67 | -70.80 | -36 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 887.00 MHz-1000 MHz | 100 kHz | 992.54 | -72.43 | -36 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 1000 MHz-1500 MHz | 1 MHz | 1418.50 | -63.87 | -30 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 1500 MHz-6000 MHz | 1 MHz | 4215.30 | -53.61 | -30 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 6000 MHz-12.75 GHz | 1 MHz | 12658.20 | -60.40 | -30 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2134.18 | -84.21 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1864.78 | -84.80 | -50 | PASS |

| | | | | | | | | | | | |
|--------|-----|-------|---|----|------|---------------------|-------|---------|--------|-----|------|
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2669.00 | -82.36 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 928.99 | -85.15 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 808.94 | -77.31 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3589.04 | -82.91 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 462.75 | -85.30 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1475.06 | -85.25 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1917.80 | -84.69 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2015.57 | -84.30 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2619.60 | -82.75 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2377.70 | -83.68 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3598.80 | -82.87 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3624.80 | -83.55 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2135.92 | -84.17 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 753.88 | -85.45 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 774.60 | -85.20 | -50 | PASS |
| Band20 | 20 | 24350 | 1 | #0 | QPSK | 758 MHz-788 MHz | 1 MHz | 782.57 | -85.18 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 9 kHz-150 | 1 | 0.01 | -57.75 | -36 | PASS |

| | | | | | | | | | | | |
|-------|-----|-------|---|----|------|----------------------|---------|---------|--------|-----|------|
| | | | | | | kHz | kHz | | | | |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -60.73 | -36 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 936.47 | -70.71 | -36 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 1000 MHz-1707.20 MHz | 1 MHz | 1707.20 | -44.81 | -30 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 1714.20 MHz-3000 MHz | 1 MHz | 1715.27 | -48.17 | -30 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 3420.88 | -51.07 | -30 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2141.50 | -81.71 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1872.28 | -82.37 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2649.82 | -79.93 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 925.07 | -82.73 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 799.13 | -82.59 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3589.20 | -80.54 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 796.12 | -82.59 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 466.92 | -82.79 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1477.92 | -82.37 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1915.78 | -82.27 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2012.07 | -81.87 | -50 | PASS |

| | | | | | | | | | | | |
|-------|-----|-------|---|----|------|----------------------------|------------|---------|--------|-----|------|
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2616.55 | -80.37 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2392.90 | -81.21 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3598.60 | -80.44 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3602.20 | -81.00 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2141.68 | -81.70 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 755.12 | -82.89 | -50 | PASS |
| Band3 | 1.4 | 19207 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 779.49 | -82.78 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -57.28 | -36 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -61.31 | -36 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 912.51 | -71.10 | -36 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 1000 MHz-1744.00 MHz | 1 MHz | 1744.00 | -44.79 | -30 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 1751.00 MHz-3000 MHz | 1 MHz | 1752.04 | -48.39 | -30 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 3494.00 | -43.94 | -30 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2118.88 | -81.59 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1842.50 | -73.87 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2665.71 | -79.82 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 925 MHz-960 | 1 | 937.99 | -82.68 | -50 | PASS |

| | | | | | | | | | | | |
|-------|-----|-------|---|----|------|---------------------|--------|---------|--------|-----|------|
| | | | | | | MHz | MHz | | | | |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 798.89 | -82.60 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3588.88 | -80.44 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 802.42 | -82.62 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 463.35 | -82.78 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1458.07 | -82.33 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1909.14 | -82.24 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2022.69 | -81.85 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2617.70 | -80.28 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2400.00 | -81.20 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3492.40 | -78.77 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3611.20 | -80.98 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2131.96 | -81.63 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 751.90 | -82.94 | -50 | PASS |
| Band3 | 1.4 | 19575 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 774.39 | -82.75 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -57.86 | -36 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -61.45 | -36 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 30 MHz-1000 | 100 | 858.09 | -71.06 | -36 | PASS |

| | | | | | | | | | | | |
|-------|-----|-------|---|----|------|----------------------------|----------|---------|--------|-----|------|
| | | | | | | MHz | kHz | | | | |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 1000 MHz-1780.80 MHz | 1 MHz | 1780.80 | -44.09 | -30 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 1787.80 MHz-3000 MHz | 1 MHz | 1788.81 | -48.40 | -30 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 3567.94 | -34.66 | -30 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2164.12 | -81.35 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1879.10 | -79.13 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2631.48 | -77.15 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 926.72 | -82.66 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 793.01 | -82.54 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3566.16 | -66.07 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 793.01 | -82.53 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 465.04 | -82.77 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1467.80 | -82.30 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1906.88 | -82.21 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2015.31 | -81.78 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2616.90 | -79.96 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 2300 | 1 | 2383.40 | -81.16 | -50 | PASS |

| | | | | | | | | | | | |
|-------|-----|-------|---|----|------|----------------------------|------------|---------|--------|-----|------|
| | | | | | | MHz-2400 MHz | MHz | | | | |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3566.00 | -71.53 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3614.00 | -80.89 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2163.91 | -81.42 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 756.26 | -82.86 | -50 | PASS |
| Band3 | 1.4 | 19943 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 773.79 | -82.69 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -56.15 | -36 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.17 | -61.46 | -36 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 926.77 | -71.20 | -36 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 1000 MHz-1700.00 MHz | 1 MHz | 1700.00 | -52.60 | -30 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 1725.00 MHz-3000 MHz | 1 MHz | 1726.06 | -50.82 | -30 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 3420.88 | -51.58 | -30 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2138.86 | -81.64 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1873.10 | -82.43 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2666.20 | -79.88 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 925.63 | -82.68 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 797.81 | -82.65 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 3510 | 1 | 3584.64 | -80.55 | -50 | PASS |

| | | | | | | | | | | | |
|-------|---|-------|---|----|------|----------------------------|------------|---------|--------|-----|------|
| | | | | | | MHz-3590 MHz | MHz | | | | |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 797.96 | -82.64 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 463.19 | -82.84 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1470.17 | -82.40 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1913.38 | -82.25 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2023.65 | -81.82 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2619.80 | -79.88 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2385.90 | -81.17 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3597.80 | -80.41 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3611.40 | -80.99 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2143.39 | -81.71 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 757.20 | -82.94 | -50 | PASS |
| Band3 | 5 | 19225 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 778.11 | -82.74 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -57.02 | -36 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -60.94 | -36 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 839.08 | -71.16 | -36 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 1000 MHz-1735.00 MHz | 1 MHz | 1735.00 | -50.55 | -30 | PASS |

| | | | | | | | | | | | |
|-------|---|-------|---|----|------|----------------------------|----------|---------|--------|-----|------|
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 1760.00 MHz-3000 MHz | 1 MHz | 2662.10 | -51.55 | -30 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 3490.75 | -43.84 | -30 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2137.42 | -81.62 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1841.15 | -73.59 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2654.72 | -79.82 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 930.29 | -82.73 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 794.93 | -82.61 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3588.48 | -80.53 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 792.88 | -82.59 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 465.83 | -82.79 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1481.92 | -82.74 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1902.24 | -76.21 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2020.04 | -81.82 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2616.45 | -80.22 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2383.30 | -81.08 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3599.40 | -80.37 | -50 | PASS |

| | | | | | | | | | | | |
|-------|---|-------|---|----|------|----------------------------|------------|---------|--------|-----|------|
| | | | | | | MHz | | | | | |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3610.00 | -81.00 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2140.42 | -81.62 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 757.08 | -82.92 | -50 | PASS |
| Band3 | 5 | 19575 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 776.79 | -82.78 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -57.06 | -36 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.17 | -60.91 | -36 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 886.12 | -71.13 | -36 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 1000 MHz-1770.00 MHz | 1 MHz | 1770.00 | -50.00 | -30 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 1795.00 MHz-3000 MHz | 1 MHz | 2762.01 | -51.53 | -30 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 3560.63 | -39.32 | -30 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2160.10 | -81.35 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1876.03 | -75.60 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2664.03 | -79.78 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 934.98 | -82.62 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 798.47 | -82.55 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3558.96 | -76.82 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 801.97 | -82.51 | -50 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|----------------------|---------|---------|--------|-----|------|
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 465.73 | -82.73 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1465.20 | -82.54 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1904.12 | -79.26 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2013.75 | -81.71 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2618.95 | -80.19 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2382.00 | -81.06 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3558.80 | -79.98 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3611.20 | -80.93 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2160.40 | -81.34 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 748.16 | -82.86 | -50 | PASS |
| Band3 | 5 | 19925 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 782.64 | -82.66 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -57.91 | -36 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -61.26 | -36 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 815.31 | -71.38 | -36 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 1000 MHz-1685.00 MHz | 1 MHz | 1607.60 | -53.64 | -30 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 1755.00 MHz-3000 MHz | 1 MHz | 1772.64 | -42.64 | -30 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 3000 MHz | 1 MHz | 3422.50 | -51.35 | -30 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|---------------------------|----------|---------|--------|-----|------|
| | | | | | | MHz-12.75 GHz | MHz | | | | |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2129.92 | -81.67 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1823.38 | -78.21 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2651.08 | -79.86 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 936.27 | -82.73 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 797.24 | -82.53 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3586.80 | -80.56 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 794.95 | -82.64 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 465.59 | -82.80 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1473.12 | -82.74 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1901.72 | -81.94 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2011.38 | -81.86 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2619.80 | -80.26 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2388.90 | -81.21 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3596.00 | -80.48 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3603.60 | -81.00 | -50 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|----------------------|---------|---------|--------|-----|------|
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2133.22 | -81.70 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 748.78 | -82.93 | -50 | PASS |
| Band3 | 20 | 19300 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 782.94 | -82.75 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -58.14 | -36 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -61.25 | -36 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 908.63 | -71.18 | -36 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 1000 MHz-1712.50 MHz | 1 MHz | 1703.24 | -49.06 | -30 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 1782.50 MHz-3000 MHz | 1 MHz | 2654.03 | -51.55 | -30 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 6954.44 | -47.05 | -30 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2142.52 | -81.63 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1834.70 | -71.61 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2643.03 | -79.84 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 925.07 | -82.73 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 794.93 | -82.58 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3589.68 | -80.46 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 788.78 | -82.60 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 462.90 | -82.74 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 1452 | 1 | 1461.37 | -82.72 | -50 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|----------------------------|------------|---------|--------|-----|------|
| | | | | | | MHz-1496 MHz | MHz | | | | |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1901.24 | -79.16 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2010.44 | -81.80 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2619.50 | -80.31 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2363.40 | -81.24 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3599.80 | -80.39 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3619.60 | -80.99 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2133.31 | -81.66 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 754.90 | -82.93 | -50 | PASS |
| Band3 | 20 | 19575 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 775.74 | -82.74 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -57.23 | -36 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -61.11 | -36 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 797.85 | -71.02 | -36 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 1000 MHz-1740.00 MHz | 1 MHz | 1730.38 | -45.10 | -30 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 1810.00 MHz-3000 MHz | 1 MHz | 2648.95 | -51.52 | -30 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 3532.19 | -45.38 | -30 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2145.94 | -81.40 | -50 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|---------------------------|----------|---------|--------|-----|------|
| | | | | | | MHz | | | | | |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1866.13 | -72.79 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2653.46 | -79.81 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 929.13 | -82.64 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 808.73 | -82.50 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3583.84 | -80.47 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 790.00 | -82.52 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 463.48 | -82.73 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1490.02 | -82.69 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1900.74 | -78.59 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2011.79 | -81.68 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2614.20 | -80.23 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2389.80 | -81.12 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3590.80 | -80.31 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3619.40 | -80.87 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2146.00 | -81.56 | -50 | PASS |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 738 MHz-758 | 1 | 750.10 | -82.90 | -50 | PASS |

| | | | | | | | | | | | |
|--------|----|-------|---|----|------|----------------------|---------|---------|--------|-----|------|
| | | | | | | MHz | MHz | | | | |
| Band3 | 20 | 19850 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 779.31 | -82.66 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -55.57 | -36 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -61.67 | -36 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 521.79 | -69.26 | -36 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 1000 MHz-2290.00 MHz | 1 MHz | 2288.71 | -50.36 | -30 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 2315.00 MHz-3000 MHz | 1 MHz | 2317.28 | -50.44 | -30 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 4600.63 | -46.63 | -30 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2114.14 | -66.44 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1877.00 | -69.63 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2621.40 | -66.15 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 926.86 | -71.22 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 805.34 | -71.21 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3589.68 | -66.69 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 791.93 | -71.22 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 466.17 | -71.31 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1490.76 | -70.55 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1900.04 | -68.58 | -50 | PASS |

| | | | | | | | | | | | |
|--------|---|-------|---|----|------|----------------------------|------------|---------|--------|-----|------|
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2022.95 | -66.79 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2570.10 | -65.56 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3596.60 | -66.58 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3610.80 | -66.99 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2128.27 | -67.33 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 750.40 | -71.49 | -50 | PASS |
| Band40 | 5 | 38675 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 780.18 | -71.26 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -56.44 | -36 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -60.54 | -36 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 960.52 | -68.82 | -36 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 1000 MHz-2337.50 MHz | 1 MHz | 2332.15 | -50.81 | -30 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 2362.50 MHz-3000 MHz | 1 MHz | 2363.56 | -45.50 | -30 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 4695.69 | -48.87 | -30 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2134.42 | -57.68 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1877.60 | -69.36 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2621.40 | -64.99 | -50 | PASS |

| | | | | | | | | | | | |
|--------|---|-------|---|----|------|---------------------|---------|---------|--------|-----|------|
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 942.05 | -71.21 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 794.36 | -71.12 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3585.04 | -66.67 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 799.36 | -71.13 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 465.33 | -71.23 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1494.28 | -54.70 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1911.44 | -69.34 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2024.76 | -68.74 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2618.70 | -65.98 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3596.60 | -66.59 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3621.20 | -66.97 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2134.30 | -59.30 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 755.52 | -71.36 | -50 | PASS |
| Band40 | 5 | 39150 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 780.03 | -71.28 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -54.23 | -36 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.17 | -61.35 | -36 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 902.71 | -70.06 | -36 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 1000 | 1 | 2376.69 | -51.81 | -30 | PASS |

| | | | | | | | | | | | |
|--------|---|-------|---|----|------|----------------------------|----------|---------|--------|-----|------|
| | | | | | | MHz-2385.00 MHz | MHz | | | | |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 2410.00 MHz-3000 MHz | 1 MHz | 2410.49 | -50.35 | -30 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 4790.75 | -38.58 | -30 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2136.82 | -68.18 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1871.68 | -70.84 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2655.49 | -66.09 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 925.21 | -71.14 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 809.12 | -71.00 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3589.20 | -66.67 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 795.85 | -71.10 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 462.94 | -71.21 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1473.65 | -71.04 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1919.04 | -69.91 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2022.33 | -68.80 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2608.60 | -66.27 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3598.60 | -66.54 | -50 | PASS |

| | | | | | | | | | | | |
|--------|----|-------|---|----|------|----------------------|---------|---------|--------|-----|------|
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3616.60 | -66.96 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2199.37 | -68.16 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 756.60 | -71.38 | -50 | PASS |
| Band40 | 5 | 39625 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 769.05 | -71.20 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -55.93 | -36 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -59.87 | -36 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 520.24 | -68.96 | -36 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 1000 MHz-2275.00 MHz | 1 MHz | 2178.10 | -60.53 | -30 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 2345.00 MHz-3000 MHz | 1 MHz | 2362.47 | -45.73 | -30 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 4602.25 | -46.31 | -30 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2112.94 | -67.43 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1879.33 | -68.71 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2620.77 | -67.10 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 931.79 | -71.24 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 796.28 | -71.07 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3589.28 | -66.67 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 792.61 | -71.14 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 462.5 | 1 | 465.27 | -71.33 | -50 | PASS |

| | | | | | | | | | | | |
|--------|----|-------|---|----|------|----------------------------|------------|---------|--------|-----|------|
| | | | | | | MHz-467.5 MHz | MHz | | | | |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1464.94 | -70.56 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1918.28 | -68.51 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2024.46 | -68.05 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2571.30 | -65.28 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3600.00 | -66.67 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3622.40 | -66.98 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2178.04 | -65.05 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 754.90 | -71.43 | -50 | PASS |
| Band40 | 20 | 38750 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 781.95 | -71.25 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -56.72 | -36 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -60.28 | -36 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 950.43 | -68.01 | -36 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 1000 MHz-2315.00 MHz | 1 MHz | 2305.80 | -51.16 | -30 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 2385.00 MHz-3000 MHz | 1 MHz | 2401.91 | -50.86 | -30 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 4681.88 | -44.08 | -30 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2120.74 | -60.12 | -50 | PASS |

| | | | | | | | | | | | |
|--------|----|-------|---|----|------|---------------------------|----------|---------|--------|-----|------|
| | | | | | | MHz | | | | | |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1877.08 | -70.19 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2639.74 | -65.78 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 942.89 | -71.24 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 816.32 | -71.10 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3587.84 | -66.67 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 793.91 | -71.18 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 464.98 | -71.22 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1460.40 | -58.29 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1915.28 | -68.76 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2023.10 | -67.89 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2607.20 | -65.25 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3596.40 | -66.57 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3609.20 | -66.98 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2120.98 | -60.21 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 755.80 | -71.44 | -50 | PASS |
| Band40 | 20 | 39150 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 777.87 | -71.25 | -50 | PASS |

| | | | | | | | | | | | |
|--------|----|-------|---|----|------|----------------------|---------|---------|--------|-----|------|
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -56.13 | -36 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -61.44 | -36 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 360.38 | -69.72 | -36 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 1000 MHz-2355.00 MHz | 1 MHz | 2345.52 | -48.25 | -30 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 2425.00 MHz-3000 MHz | 1 MHz | 2652.60 | -59.64 | -30 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 4762.31 | -45.26 | -30 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2167.48 | -66.90 | -50 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1862.08 | -70.31 | -50 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2647.30 | -65.89 | -50 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 930.43 | -71.19 | -50 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 802.46 | -71.09 | -50 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3587.76 | -66.65 | -50 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 791.21 | -71.12 | -50 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 467.13 | -71.22 | -50 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1468.41 | -70.77 | -50 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1915.46 | -69.37 | -50 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2018.78 | -68.23 | -50 | PASS |

| | | | | | | | | | | | |
|--------|----|-------|---|----|------|----------------------------|------------|----------|--------|-----|------|
| | | | | | | MHz | | | | | |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2618.70 | -66.32 | -50 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3597.40 | -66.57 | -50 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3611.40 | -66.92 | -50 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2184.25 | -67.53 | -50 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 757.06 | -71.39 | -50 | PASS |
| Band40 | 20 | 39550 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 782.55 | -71.10 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -56.36 | -36 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -60.39 | -36 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 825.69 | -69.74 | -36 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 1000 MHz-2490.00 MHz | 1 MHz | 2490.00 | -53.42 | -30 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 2515.00 MHz-3000 MHz | 1 MHz | 2515.81 | -53.81 | -30 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 12621.63 | -53.65 | -30 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2153.44 | -79.76 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1872.43 | -80.46 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2651.22 | -77.96 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 936.80 | -80.82 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 791 MHz-821 | 1 | 819.05 | -80.75 | -50 | PASS |

| | | | | | | | | | | | |
|-------|---|-------|---|----|------|---------------------------|----------|---------|--------|-------|------|
| | | | | | | MHz | MHz | | | | |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3586.40 | -78.56 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 790.67 | -80.65 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 465.18 | -80.86 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1459.79 | -80.77 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1916.02 | -80.37 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2020.43 | -79.66 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2390.10 | -79.30 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3599.80 | -78.47 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3617.80 | -79.09 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2143.03 | -79.75 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 756.90 | -81.05 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 779.76 | -80.85 | -50 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 2570 MHz-2575 MHz | 5 MHz | 2572.17 | -51.41 | 1.6 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 2575 MHz-2595 MHz | 5 MHz | 2594.36 | -51.38 | -15.5 | PASS |
| Band7 | 5 | 20775 | 1 | #0 | QPSK | 2595 MHz-2620 MHz | 1 MHz | 2619.93 | -78.41 | -40 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 9 kHz-150 | 1 | 0.01 | -55.93 | -36 | PASS |

| | | | | | | | | | | | |
|-------|---|-------|---|----|------|----------------------|---------|---------|--------|-----|------|
| | | | | | | kHz | kHz | | | | |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -60.31 | -36 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 983.22 | -69.92 | -36 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 1000 MHz-2522.50 MHz | 1 MHz | 2522.50 | -53.14 | -30 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 2547.50 MHz-3000 MHz | 1 MHz | 2547.88 | -54.34 | -30 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 5065.38 | -51.77 | -30 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2128.30 | -79.79 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1873.85 | -80.34 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2656.54 | -77.54 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 938.27 | -80.78 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 791.24 | -80.73 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3588.32 | -78.61 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 796.70 | -80.77 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 464.62 | -80.83 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1480.12 | -80.82 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1901.76 | -76.74 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2011.59 | -79.93 | -50 | PASS |

| | | | | | | | | | | | |
|-------|---|-------|---|----|------|----------------------|---------|---------|--------|-------|------|
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2389.50 | -79.25 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3599.00 | -78.43 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3609.60 | -79.13 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2134.30 | -79.77 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 755.32 | -81.07 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 780.72 | -80.83 | -50 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 2570 MHz-2575 MHz | 5 MHz | 2571.15 | -51.43 | 1.6 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 2575 MHz-2595 MHz | 5 MHz | 2593.60 | -51.38 | -15.5 | PASS |
| Band7 | 5 | 21100 | 1 | #0 | QPSK | 2595 MHz-2620 MHz | 1 MHz | 2617.03 | -78.38 | -40 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -55.24 | -36 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 4.08 | -59.11 | -36 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 909.40 | -69.98 | -36 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 1000 MHz-2555.00 MHz | 1 MHz | 2555.00 | -53.42 | -30 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 2580.00 MHz-3000 MHz | 1 MHz | 2580.35 | -56.04 | -30 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 5130.38 | -53.07 | -30 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2166.52 | -79.66 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 1805 | 1 | 1867.10 | -80.27 | -50 | PASS |

| | | | | | | | | | | | |
|-------|---|-------|---|----|------|---------------------------|----------|---------|--------|-----|------|
| | | | | | | MHz-1880 MHz | MHz | | | | |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2651.99 | -77.98 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 941.00 | -80.80 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 804.59 | -80.61 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3584.32 | -78.50 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 788.29 | -80.75 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 462.97 | -80.87 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1460.98 | -80.80 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1900.86 | -78.05 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2022.80 | -79.94 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2394.20 | -79.32 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3599.00 | -78.45 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3605.60 | -79.07 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2137.00 | -79.77 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 755.84 | -81.03 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 779.55 | -80.82 | -50 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 2570 MHz-2575 MHz | 5 MHz | 2570.01 | -50.06 | 1.6 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|----------------------------|------------|----------|--------|-------|------|
| | | | | | | MHz | | | | | |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 2575 MHz-2595 MHz | 5 MHz | 2594.72 | -51.36 | -15.5 | PASS |
| Band7 | 5 | 21425 | 1 | #0 | QPSK | 2595 MHz-2620 MHz | 1 MHz | 2617.68 | -78.33 | -40 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -55.83 | -36 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -60.58 | -36 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 913.77 | -70.15 | -36 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 1000 MHz-2475.00 MHz | 1 MHz | 2475.00 | -59.72 | -30 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 2545.00 MHz-3000 MHz | 1 MHz | 2570.78 | -50.96 | -30 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 12654.94 | -53.63 | -30 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2136.28 | -79.73 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1865.53 | -80.32 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2654.30 | -78.00 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 927.84 | -80.86 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 796.01 | -80.70 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3589.76 | -78.59 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 792.88 | -80.68 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 466.19 | -80.86 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 1452 | 1 | 1479.15 | -80.81 | -50 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|----------------------------|------------|---------|--------|-------|------|
| | | | | | | MHz-1496 MHz | MHz | | | | |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1902.36 | -80.36 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2011.25 | -79.56 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2362.00 | -79.04 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3598.00 | -78.50 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3608.40 | -79.03 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2152.03 | -79.77 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 748.02 | -80.98 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 782.94 | -80.85 | -50 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 2570 MHz-2575 MHz | 5 MHz | 2570.60 | -51.38 | 1.6 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 2575 MHz-2595 MHz | 5 MHz | 2594.48 | -51.34 | -15.5 | PASS |
| Band7 | 20 | 20850 | 1 | #0 | QPSK | 2595 MHz-2620 MHz | 1 MHz | 2619.93 | -78.38 | -40 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -55.64 | -36 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -60.87 | -36 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 911.15 | -69.90 | -36 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 1000 MHz-2500.00 MHz | 1 MHz | 2491.00 | -54.79 | -30 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 2570.00 MHz-3000 MHz | 1 MHz | 2570.36 | -58.32 | -30 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|---------------------------|----------|---------|--------|-----|------|
| | | | | | | MHz | | | | | |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 7578.44 | -49.11 | -30 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2136.58 | -79.71 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1877.53 | -80.39 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2656.05 | -77.47 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 926.40 | -80.79 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 801.68 | -80.68 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3585.52 | -78.61 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 792.70 | -80.76 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 466.00 | -80.84 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1467.22 | -80.80 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1919.42 | -80.29 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2017.59 | -78.45 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2377.80 | -78.98 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3594.80 | -78.49 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3616.20 | -79.14 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 2110 | 1 | 2124.85 | -79.76 | -50 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|----------------------------|------------|---------|--------|-------|------|
| | | | | | | MHz-2200 MHz | MHz | | | | |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 757.78 | -81.02 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 782.73 | -80.85 | -50 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 2570 MHz-2575 MHz | 5 MHz | 2571.76 | -51.39 | 1.6 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 2575 MHz-2595 MHz | 5 MHz | 2595.00 | -51.35 | -15.5 | PASS |
| Band7 | 20 | 21100 | 1 | #0 | QPSK | 2595 MHz-2620 MHz | 1 MHz | 2617.33 | -78.40 | -40 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -55.34 | -36 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -61.07 | -36 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 30 MHz-1000 MHz | 100 kHz | 798.73 | -69.71 | -36 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 1000 MHz-2525.00 MHz | 1 MHz | 2515.85 | -52.11 | -30 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 2595.00 MHz-3000 MHz | 1 MHz | 2745.53 | -59.28 | -30 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 3000 MHz-12.75 GHz | 1 MHz | 5101.94 | -52.25 | -30 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2141.08 | -79.75 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1865.68 | -80.20 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2673.76 | -76.68 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 927.52 | -80.77 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 796.22 | -80.68 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 3510 | 1 | 3587.44 | -78.60 | -50 | PASS |

| | | | | | | | | | | | |
|-------|-----|-------|---|----|------|---------------------------|----------|---------|--------|-------|------|
| | | | | | | MHz-3590 MHz | MHz | | | | |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 801.29 | -80.63 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 463.73 | -80.81 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1492.61 | -80.80 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1916.74 | -80.34 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2022.50 | -79.95 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2394.60 | -79.34 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3594.80 | -78.52 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3635.40 | -79.12 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2150.77 | -79.70 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 752.62 | -81.01 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 778.53 | -80.79 | -50 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 2570 MHz-2575 MHz | 5 MHz | 2572.52 | -51.37 | 1.6 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 2575 MHz-2595 MHz | 5 MHz | 2593.32 | -51.35 | -15.5 | PASS |
| Band7 | 20 | 21350 | 1 | #0 | QPSK | 2595 MHz-2620 MHz | 1 MHz | 2620.00 | -78.41 | -40 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -59.64 | -36 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 150 kHz-30 | 10 | 0.16 | -62.26 | -36 | PASS |

| | | | | | | | | | | | |
|-------|-----|-------|---|----|------|---------------------------|------------|----------|--------|-----|------|
| | | | | | | MHz | kHz | | | | |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 30 MHz-877.20 MHz | 100 kHz | 877.20 | -59.18 | -36 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 884.20 MHz-1000 MHz | 100 kHz | 884.32 | -60.64 | -36 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 1000 MHz-1500 MHz | 1 MHz | 1316.50 | -63.51 | -30 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 1500 MHz-6000 MHz | 1 MHz | 1760.10 | -57.53 | -30 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 6000 MHz-12.75 GHz | 1 MHz | 12656.85 | -60.40 | -30 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2144.44 | -83.78 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1877.53 | -84.48 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2658.71 | -82.02 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 925.95 | -84.82 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 792.17 | -84.71 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3585.12 | -82.66 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 792.97 | -84.67 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 463.37 | -84.90 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1463.70 | -84.82 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1900.24 | -84.30 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 2010 | 1 | 2024.75 | -83.95 | -50 | PASS |

| | | | | | | | | | | | |
|-------|-----|-------|---|----|------|---------------------------|------------|----------|--------|-----|------|
| | | | | | | MHz-2025 MHz | MHz | | | | |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2619.25 | -82.46 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2389.70 | -83.30 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3596.00 | -82.51 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3628.00 | -83.10 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2128.36 | -83.72 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 756.64 | -85.06 | -50 | PASS |
| Band8 | 1.4 | 21457 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 765.39 | -84.78 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -57.69 | -36 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.17 | -63.71 | -36 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 30 MHz-894.00 MHz | 100 kHz | 894.00 | -59.03 | -36 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 901.00 MHz-1000 MHz | 100 kHz | 901.10 | -60.97 | -36 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 1000 MHz-1500 MHz | 1 MHz | 1468.00 | -63.43 | -30 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 1500 MHz-6000 MHz | 1 MHz | 5793.00 | -58.65 | -30 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 6000 MHz-12.75 GHz | 1 MHz | 12651.45 | -60.43 | -30 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2128.18 | -83.76 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 1805 | 1 | 1876.63 | -84.44 | -50 | PASS |

| | | | | | | | | | | | |
|-------|-----|-------|---|----|------|---------------------------|----------|---------|--------|-----|------|
| | | | | | | MHz-1880 MHz | MHz | | | | |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2647.09 | -82.04 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 942.54 | -72.44 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 795.14 | -84.74 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3580.56 | -82.68 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 789.32 | -84.67 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 465.90 | -84.89 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1494.42 | -84.86 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1903.44 | -84.18 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2012.01 | -83.92 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2619.50 | -82.48 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2386.70 | -83.36 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3595.60 | -82.43 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3612.40 | -83.05 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2112.16 | -83.74 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 748.36 | -85.09 | -50 | PASS |
| Band8 | 1.4 | 21625 | 1 | #0 | QPSK | 753 MHz-783 | 1 | 781.53 | -84.91 | -50 | PASS |

| | | | | | | | | | | | |
|-------|-----|-------|---|----|------|---------------------|---------|----------|--------|-----|------|
| | | | | | | MHz | MHz | | | | |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -59.78 | -36 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -63.97 | -36 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 30 MHz-910.80 MHz | 100 kHz | 910.71 | -56.57 | -36 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 917.80 MHz-1000 MHz | 100 kHz | 917.88 | -61.06 | -36 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 1000 MHz-1500 MHz | 1 MHz | 1475.00 | -63.44 | -30 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 1500 MHz-6000 MHz | 1 MHz | 1827.60 | -58.10 | -30 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 6000 MHz-12.75 GHz | 1 MHz | 12651.45 | -60.36 | -30 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2140.18 | -83.76 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1826.15 | -83.32 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2664.80 | -82.03 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 959.41 | -78.16 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 806.06 | -84.69 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3582.08 | -82.59 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 789.82 | -84.64 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 465.32 | -84.90 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1456.49 | -84.86 | -50 | PASS |

| | | | | | | | | | | | |
|-------|-----|-------|---|----|------|---------------------|---------|----------|--------|-----|------|
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1917.98 | -84.37 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2012.57 | -83.89 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2618.90 | -82.47 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2388.40 | -83.36 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3598.60 | -82.55 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3603.00 | -83.08 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2124.49 | -83.78 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 751.34 | -85.06 | -50 | PASS |
| Band8 | 1.4 | 21793 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 780.45 | -84.90 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -58.34 | -36 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -63.96 | -36 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 30 MHz-870.00 MHz | 100 kHz | 869.08 | -70.49 | -36 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 895.00 MHz-1000 MHz | 100 kHz | 895.74 | -62.85 | -36 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 1000 MHz-1500 MHz | 1 MHz | 1479.50 | -63.48 | -30 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 1500 MHz-6000 MHz | 1 MHz | 1761.00 | -57.31 | -30 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 6000 MHz-12.75 GHz | 1 MHz | 12593.40 | -60.37 | -30 | PASS |

| | | | | | | | | | | | |
|-------|---|-------|---|----|------|---------------------|-------|---------|--------|-----|------|
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2124.70 | -83.78 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1878.58 | -84.40 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2660.11 | -82.03 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 929.31 | -84.68 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 798.23 | -84.61 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3587.52 | -82.60 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 798.91 | -84.66 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 463.76 | -84.89 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1462.30 | -84.90 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1908.82 | -84.30 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2017.11 | -83.91 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2619.10 | -82.40 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2383.10 | -83.28 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3593.80 | -82.51 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3644.60 | -83.09 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2139.07 | -83.81 | -50 | PASS |

| | | | | | | | | | | | |
|-------|---|-------|---|----|------|---------------------|---------|----------|--------|-----|------|
| | | | | | | MHz | | | | | |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 757.40 | -84.72 | -50 | PASS |
| Band8 | 5 | 21475 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 757.32 | -84.81 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -59.35 | -36 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -63.32 | -36 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 30 MHz-885.00 MHz | 100 kHz | 882.44 | -64.07 | -36 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 910.00 MHz-1000 MHz | 100 kHz | 910.72 | -63.94 | -36 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 1000 MHz-1500 MHz | 1 MHz | 1316.50 | -63.49 | -30 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 1500 MHz-6000 MHz | 1 MHz | 2686.20 | -58.28 | -30 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 6000 MHz-12.75 GHz | 1 MHz | 12610.95 | -60.39 | -30 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2163.28 | -83.76 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1876.93 | -84.51 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2652.48 | -81.97 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 942.99 | -74.12 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 794.75 | -84.69 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3574.24 | -82.75 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 772.54 | -84.70 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 462.51 | -84.92 | -50 | PASS |

| | | | | | | | | | | | |
|-------|---|-------|---|----|------|---------------------------|------------|---------|--------|-----|------|
| | | | | | | MHz | | | | | |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1470.08 | -84.87 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1909.98 | -84.39 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2010.89 | -83.99 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2618.40 | -82.41 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2391.40 | -83.34 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3421.80 | -82.55 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3608.00 | -83.09 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2128.99 | -83.78 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 751.16 | -85.10 | -50 | PASS |
| Band8 | 5 | 21625 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 772.47 | -84.61 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -58.92 | -36 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -63.56 | -36 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 30 MHz-900.00 MHz | 100 kHz | 897.74 | -63.57 | -36 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 925.00 MHz-1000 MHz | 100 kHz | 925.23 | -72.12 | -36 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 1000 MHz-1500 MHz | 1 MHz | 1323.00 | -63.48 | -30 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 1500 MHz-6000 MHz | 1 MHz | 2731.20 | -55.30 | -30 | PASS |

| | | | | | | | | | | | |
|-------|---|-------|---|----|------|---------------------------|----------|----------|--------|-----|------|
| | | | | | | MHz | | | | | |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 6000 MHz-12.75 GHz | 1 MHz | 12640.65 | -60.36 | -30 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2139.82 | -83.74 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1867.40 | -84.42 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2648.35 | -82.02 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 956.33 | -75.69 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 793.73 | -84.67 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3590.00 | -82.62 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 787.61 | -84.26 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 465.18 | -84.94 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1470.52 | -84.84 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1908.48 | -84.30 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2019.44 | -83.92 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2617.55 | -82.48 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2382.70 | -83.35 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3597.60 | -82.38 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 3600 | 1 | 3601.80 | -83.08 | -50 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|---------------------------|------------|----------|--------|-----|------|
| | | | | | | MHz-3800 MHz | MHz | | | | |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2138.08 | -83.76 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 750.32 | -85.06 | -50 | PASS |
| Band8 | 5 | 21775 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 780.84 | -84.83 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -58.15 | -36 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -63.97 | -36 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 30 MHz-865.00 MHz | 100 kHz | 862.83 | -70.69 | -36 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 905.00 MHz-1000 MHz | 100 kHz | 907.00 | -65.89 | -36 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 1000 MHz-1500 MHz | 1 MHz | 1451.50 | -63.35 | -30 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 1500 MHz-6000 MHz | 1 MHz | 1761.00 | -56.29 | -30 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 6000 MHz-12.75 GHz | 1 MHz | 12618.38 | -60.41 | -30 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2129.14 | -83.74 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1877.08 | -84.46 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2672.64 | -82.12 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 933.86 | -82.68 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 798.86 | -84.61 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3582.24 | -82.53 | -50 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|---------------------|---------|---------|--------|-----|------|
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 758.05 | -83.72 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 464.73 | -84.89 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1454.86 | -84.72 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1904.60 | -84.33 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2011.17 | -83.95 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2617.00 | -82.38 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2395.80 | -83.34 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3596.00 | -82.50 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3614.80 | -83.10 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2150.59 | -83.78 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 757.68 | -83.14 | -50 | PASS |
| Band8 | 10 | 21500 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 757.77 | -83.16 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -58.43 | -36 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -62.60 | -36 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 30 MHz-877.50 MHz | 100 kHz | 875.47 | -50.11 | -36 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 917.50 MHz-1000 MHz | 100 kHz | 917.58 | -69.36 | -36 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 1000 | 1 | 1344.50 | -63.45 | -30 | PASS |


| | | | | | | | | | | | |
|-------|----|-------|---|----|------|---------------------------|----------|----------|--------|-----|------|
| | | | | | | MHz-1500 MHz | MHz | | | | |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 1500 MHz-6000 MHz | 1 MHz | 2679.00 | -57.99 | -30 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 6000 MHz-12.75 GHz | 1 MHz | 12635.93 | -60.42 | -30 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2139.58 | -83.69 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1875.50 | -84.49 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2650.52 | -81.99 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 943.31 | -74.04 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 796.43 | -84.58 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3534.40 | -82.89 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 770.06 | -83.85 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 466.46 | -84.86 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1490.72 | -84.78 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1912.60 | -84.30 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2012.48 | -83.92 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2610.70 | -82.43 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2395.10 | -83.31 | -50 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|---------------------|---------|----------|--------|-----|------|
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3405.80 | -82.60 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3621.40 | -83.11 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2155.90 | -83.70 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 757.84 | -84.98 | -50 | PASS |
| Band8 | 10 | 21625 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 770.13 | -83.88 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 9 kHz-150 kHz | 1 kHz | 0.01 | -59.26 | -36 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 150 kHz-30 MHz | 10 kHz | 0.16 | -63.81 | -36 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 30 MHz-890.00 MHz | 100 kHz | 888.02 | -41.58 | -36 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 930.00 MHz-1000 MHz | 100 kHz | 935.88 | -72.24 | -36 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 1000 MHz-1500 MHz | 1 MHz | 1327.00 | -63.47 | -30 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 1500 MHz-6000 MHz | 1 MHz | 2716.80 | -58.42 | -30 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 6000 MHz-12.75 GHz | 1 MHz | 12644.70 | -60.39 | -30 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 2110 MHz-2170 MHz | 1 MHz | 2143.60 | -83.72 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 1805 MHz-1880 MHz | 1 MHz | 1866.50 | -84.42 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 2620 MHz-2690 MHz | 1 MHz | 2665.71 | -81.97 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 925 MHz-960 MHz | 1 MHz | 956.47 | -75.78 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 791 MHz-821 MHz | 1 MHz | 798.08 | -84.68 | -50 | PASS |

| | | | | | | | | | | | |
|-------|----|-------|---|----|------|---------------------------|----------|---------|--------|-----|------|
| | | | | | | MHz | MHz | | | | |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 3510 MHz-3590 MHz | 1 MHz | 3589.84 | -82.58 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 758 MHz-803 MHz | 1 MHz | 782.71 | -82.97 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 462.5 MHz-467.5 MHz | 1 MHz | 463.91 | -84.87 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 1452 MHz-1496 MHz | 1 MHz | 1457.90 | -84.82 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 1900 MHz-1920 MHz | 1 MHz | 1916.92 | -84.27 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 2010 MHz-2025 MHz | 1 MHz | 2016.75 | -83.87 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 2570 MHz-2620 MHz | 1 MHz | 2618.00 | -82.43 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 2300 MHz-2400 MHz | 1 MHz | 2389.40 | -83.34 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 3400 MHz-3600 MHz | 1 MHz | 3594.80 | -82.45 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 3600 MHz-3800 MHz | 1 MHz | 3609.20 | -83.03 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 2110 MHz-2200 MHz | 1 MHz | 2125.21 | -83.75 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 738 MHz-758 MHz | 1 MHz | 756.80 | -84.99 | -50 | PASS |
| Band8 | 10 | 21750 | 1 | #0 | QPSK | 753 MHz-783 MHz | 1 MHz | 782.67 | -83.00 | -50 | PASS |


Band1 QPSK BW=5MHz Channel=18025 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=5MHz Channel=18300 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=5MHz Channel=18575 RB Size=1 Position=#0


Conducted spurious emissions



Conducted spurious emissions




Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18300 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24175 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24425 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24300 RB Size=1 Position=#0


Conducted spurious emissions



Conducted spurious emissions




Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24350 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19225 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19925 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=38675 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=39150 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=39625 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=38750 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39150 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39550 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0


Conducted spurious emissions



Conducted spurious emissions




Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21475 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21500 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21775 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21750 RB Size=1 Position=#0

Conducted spurious emissions



Clause 4.2.5 LTE Transmitter minimum output power

| Band | Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | Power (dBm) | Limit (dBm) | Verdict |
|--------|-----------------|------------|---------|-------------|------------|-------------|-------------|---------|
| Band1 | 5 | 18025 | 25 | #0 | QPSK | -47.07 | -39 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | -47.81 | -39 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | -47.73 | -39 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | -46.80 | -39 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | -47.14 | -39 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | -45.94 | -39 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | -44.24 | -39 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | -45.06 | -39 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | -45.32 | -39 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | -43.92 | -39 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | -44.00 | -39 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | -45.16 | -39 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QPSK | -44.80 | -39 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QPSK | -45.26 | -39 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QPSK | -45.88 | -39 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | -44.85 | -39 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | -45.13 | -39 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | -45.13 | -39 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | -44.21 | -39 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | -44.84 | -39 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | -45.15 | -39 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | -46.17 | -39 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | -48.14 | -39 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | -48.96 | -39 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | -46.65 | -39 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | -47.72 | -39 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | -48.81 | -39 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | -46.96 | -39 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | -46.62 | -39 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | -46.93 | -39 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | -47.25 | -39 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | -46.12 | -39 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | -46.66 | -39 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QPSK | -44.99 | -39 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QPSK | -44.90 | -39 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QPSK | -46.35 | -39 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | -45.37 | -39 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | -44.91 | -39 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | -45.16 | -39 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | -45.82 | -39 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | -45.10 | -39 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | -44.89 | -39 | PASS |

Clause 4.2.6 LTE Receiver adjacent channel selectivity

| Band | Bandwidth (MHz) | UL Channel | UL RB Size | Modulation | Case | Interference Freq (MHz) | Interference Level (dBm) | Throughput (%) | Limit (%) | Verdict |
|--------|-----------------|------------|------------|------------|-------|-------------------------|--------------------------|----------------|-----------|---------|
| Band1 | 5 | 18300 | 25 | QPSK | Case1 | 2134.9975 | -54.5 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case1 | 2145.0025 | -54.5 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case2 | 2134.9975 | -25 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case2 | 2145.0025 | -25 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | Case1 | 2127.4975 | -54.5 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | Case1 | 2152.5025 | -54.5 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | Case2 | 2127.4975 | -25 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | Case2 | 2152.5025 | -25 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | Case1 | 800.9975 | -51.5 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | Case1 | 811.0025 | -51.5 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | Case2 | 800.9975 | -25 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | Case2 | 811.0025 | -25 | 100.00 | 95 | PASS |
| Band20 | 20 | 24300 | 100 | QPSK | Case1 | 793.4975 | -50.5 | 100.00 | 95 | PASS |
| Band20 | 20 | 24300 | 100 | QPSK | Case1 | 818.5025 | -50.5 | 100.00 | 95 | PASS |
| Band20 | 20 | 24300 | 100 | QPSK | Case2 | 793.4975 | -25 | 100.00 | 95 | PASS |
| Band20 | 20 | 24300 | 100 | QPSK | Case2 | 818.5025 | -25 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case1 | 1841.0975 | -56.2 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case1 | 1843.9025 | -56.2 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1841.0975 | -25 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1843.9025 | -25 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case1 | 1837.4975 | -51.5 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case1 | 1847.5025 | -51.5 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1837.4975 | -25 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1847.5025 | -25 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case1 | 1829.9975 | -51.5 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case1 | 1855.0025 | -51.5 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case2 | 1829.9975 | -25 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case2 | 1855.0025 | -25 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case1 | 2344.9975 | -53.8 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case1 | 2355.0025 | -53.8 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2344.9975 | -25 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2355.0025 | -25 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case1 | 2337.4975 | -53.8 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case1 | 2362.5025 | -53.8 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2337.4975 | -25 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2362.5025 | -25 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case1 | 2649.9975 | -52.5 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case1 | 2660.0025 | -52.5 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2649.9975 | -25 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2660.0025 | -25 | 100.00 | 95 | PASS |

| | | | | | | | | | | |
|-------|-----|-------|-----|------|-------|-----------|-------|--------|----|------|
| Band7 | 20 | 21100 | 100 | QPSK | Case1 | 2642.4975 | -52.5 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case1 | 2667.5025 | -52.5 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case2 | 2642.4975 | -25 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case2 | 2667.5025 | -25 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case1 | 941.0975 | -56.7 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case1 | 943.9025 | -56.7 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 941.0975 | -25 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 943.9025 | -25 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | Case1 | 937.4975 | -51.5 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | Case1 | 947.5025 | -51.5 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | Case2 | 937.4975 | -25 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | Case2 | 947.5025 | -25 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | Case1 | 934.9925 | -48.5 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | Case1 | 950.0075 | -48.5 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | Case2 | 934.9925 | -25 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | Case2 | 950.0075 | -25 | 100.00 | 95 | PASS |

Clause 4.2.7 LTE Receiver blocking characteristics in-band

| Band | Bandwidth (MHz) | UL Channel | UL RB Size | Modulation | Case | Interference Freq (MHz) | Interference Level (dBm) | Throughput (%) | Limit (%) | Verdict |
|-------|-----------------|------------|------------|------------|-------|-------------------------|--------------------------|----------------|-----------|---------|
| Band1 | 5 | 18300 | 25 | QPSK | Case1 | 2129.9875 | -56 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case1 | 2150.0125 | -56 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case2 | 2124.9925 | -44 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case2 | 2119.9925 | -44 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case2 | 2114.9925 | -44 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case2 | 2109.9925 | -44 | 99.89 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case2 | 2104.9925 | -44 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case2 | 2099.9925 | -44 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case2 | 2155.0075 | -44 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case2 | 2160.0075 | -44 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case2 | 2165.0075 | -44 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case2 | 2170.0075 | -44 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case2 | 2175.0075 | -44 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | Case2 | 2180.0075 | -44 | 99.91 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | Case1 | 2122.4875 | -56 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | Case1 | 2157.5125 | -56 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | Case2 | 2117.4925 | -44 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | Case2 | 2112.4925 | -44 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | Case2 | 2107.4925 | -44 | 99.78 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | Case2 | 2102.4925 | -44 | 99.89 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | Case2 | 2097.4925 | -44 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | Case2 | 2162.5075 | -44 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | Case2 | 2167.5075 | -44 | 100.00 | 95 | PASS |

| | | | | | | | | | | |
|--------|-----|-------|-----|------|-------|-----------|-----|--------|----|------|
| Band1 | 20 | 18300 | 100 | QPSK | Case2 | 2172.5075 | -44 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | Case2 | 2177.5075 | -44 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | Case2 | 2182.5075 | -44 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | Case1 | 795.9875 | -56 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | Case1 | 816.0125 | -56 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | Case2 | 790.9925 | -44 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | Case2 | 785.9925 | -44 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | Case2 | 780.9925 | -44 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | Case2 | 821.0075 | -44 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | Case2 | 826.0075 | -44 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | Case2 | 831.0075 | -44 | 100.00 | 95 | PASS |
| Band20 | 20 | 24300 | 100 | QPSK | Case1 | 788.4875 | -56 | 100.00 | 95 | PASS |
| Band20 | 20 | 24300 | 100 | QPSK | Case1 | 823.5125 | -56 | 100.00 | 95 | PASS |
| Band20 | 20 | 24300 | 100 | QPSK | Case2 | 783.4925 | -44 | 100.00 | 95 | PASS |
| Band20 | 20 | 24300 | 100 | QPSK | Case2 | 778.4925 | -44 | 100.00 | 95 | PASS |
| Band20 | 20 | 24300 | 100 | QPSK | Case2 | 828.5075 | -44 | 100.00 | 95 | PASS |
| Band20 | 20 | 24300 | 100 | QPSK | Case2 | 833.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case1 | 1839.6875 | -56 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case1 | 1845.3125 | -56 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1838.2925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1836.8925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1835.4925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1834.0925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1832.6925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1831.2925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1829.8925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1828.4925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1827.0925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1825.6925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1824.2925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1822.8925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1821.4925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1820.0925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1818.6925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1817.2925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1815.8925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1814.4925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1813.0925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1811.6925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1810.2925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1808.8925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1807.4925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1806.0925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1804.6925 | -44 | 100.00 | 95 | PASS |

| | | | | | | | | | | |
|-------|-----|-------|---|------|-------|-----------|-----|--------|----|------|
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1803.2925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1801.8925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1800.4925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1799.0925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1797.6925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1796.2925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1794.8925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1793.4925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1792.0925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1790.6925 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1846.7075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1848.1075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1849.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1850.9075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1852.3075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1853.7075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1855.1075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1856.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1857.9075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1859.3075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1860.7075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1862.1075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1863.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1864.9075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1866.3075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1867.7075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1869.1075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1870.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1871.9075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1873.3075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1874.7075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1876.1075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1877.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1878.9075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1880.3075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1881.7075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1883.1075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1884.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1885.9075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1887.3075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1888.7075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1890.1075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1891.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1892.9075 | -44 | 100.00 | 95 | PASS |

| | | | | | | | | | | |
|--------|-----|-------|-----|------|-------|-----------|-----|--------|----|------|
| Band3 | 1.4 | 19575 | 6 | QPSK | Case2 | 1894.3075 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case1 | 1832.4875 | -56 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case1 | 1852.5125 | -56 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1827.4925 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1822.4925 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1817.4925 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1812.4925 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1807.4925 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1802.4925 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1797.4925 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1792.4925 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1857.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1862.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1867.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1872.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1877.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1882.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1887.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | Case2 | 1892.5075 | -44 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case1 | 1824.9875 | -56 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case1 | 1860.0125 | -56 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case2 | 1819.9925 | -44 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case2 | 1814.9925 | -44 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case2 | 1809.9925 | -44 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case2 | 1804.9925 | -44 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case2 | 1799.9925 | -44 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case2 | 1794.9925 | -44 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case2 | 1865.0075 | -44 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case2 | 1870.0075 | -44 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case2 | 1875.0075 | -44 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case2 | 1880.0075 | -44 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case2 | 1885.0075 | -44 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | Case2 | 1890.0075 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case1 | 2339.9875 | -56 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case1 | 2360.0125 | -56 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2334.9925 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2329.9925 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2324.9925 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2319.9925 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2314.9925 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2309.9925 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2304.9925 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2299.9925 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2294.9925 | -44 | 100.00 | 95 | PASS |

| | | | | | | | | | | |
|--------|----|-------|-----|------|-------|-----------|-----|--------|----|------|
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2289.9925 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2365.0075 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2370.0075 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2375.0075 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2380.0075 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2385.0075 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2390.0075 | -44 | 99.59 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2395.0075 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2400.0075 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2405.0075 | -44 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | Case2 | 2410.0075 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case1 | 2332.4875 | -56 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case1 | 2367.5125 | -56 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2327.4925 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2322.4925 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2317.4925 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2312.4925 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2307.4925 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2302.4925 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2297.4925 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2292.4925 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2287.4925 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2372.5075 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2377.5075 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2382.5075 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2387.5075 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2392.5075 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2397.5075 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2402.5075 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2407.5075 | -44 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | Case2 | 2412.5075 | -44 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case1 | 2644.9875 | -56 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case1 | 2665.0125 | -56 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2639.9925 | -44 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2634.9925 | -44 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2629.9925 | -44 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2624.9925 | -44 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2619.9925 | -44 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2614.9925 | -44 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2609.9925 | -44 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2670.0075 | -44 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2675.0075 | -44 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2680.0075 | -44 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2685.0075 | -44 | 100.00 | 95 | PASS |

| | | | | | | | | | | |
|-------|-----|-------|-----|------|-------|-----------|-----|--------|----|------|
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2690.0075 | -44 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2695.0075 | -44 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | Case2 | 2700.0075 | -44 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case1 | 2637.4875 | -56 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case1 | 2672.5125 | -56 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case2 | 2632.4925 | -44 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case2 | 2627.4925 | -44 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case2 | 2622.4925 | -44 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case2 | 2617.4925 | -44 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case2 | 2612.4925 | -44 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case2 | 2607.4925 | -44 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case2 | 2677.5075 | -44 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case2 | 2682.5075 | -44 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case2 | 2687.5075 | -44 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case2 | 2692.5075 | -44 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case2 | 2697.5075 | -44 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | Case2 | 2702.5075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case1 | 939.6875 | -56 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case1 | 945.3125 | -56 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 938.2925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 936.8925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 935.4925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 934.0925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 932.6925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 931.2925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 929.8925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 928.4925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 927.0925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 925.6925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 924.2925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 922.8925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 921.4925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 920.0925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 918.6925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 917.2925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 915.8925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 914.4925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 913.0925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 911.6925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 910.2925 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 946.7075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 948.1075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 949.5075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 950.9075 | -44 | 100.00 | 95 | PASS |

| | | | | | | | | | | |
|-------|-----|-------|----|------|-------|----------|-----|--------|----|------|
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 952.3075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 953.7075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 955.1075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 956.5075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 957.9075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 959.3075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 960.7075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 962.1075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 963.5075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 964.9075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 966.3075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 967.7075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 969.1075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 970.5075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 971.9075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 973.3075 | -44 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | Case2 | 974.7075 | -44 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | Case1 | 932.4875 | -56 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | Case1 | 952.5125 | -56 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | Case2 | 927.4925 | -44 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | Case2 | 922.4925 | -44 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | Case2 | 917.4925 | -44 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | Case2 | 912.4925 | -44 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | Case2 | 957.5075 | -44 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | Case2 | 962.5075 | -44 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | Case2 | 967.5075 | -44 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | Case2 | 972.5075 | -44 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | Case1 | 929.9975 | -56 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | Case1 | 955.0025 | -56 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | Case2 | 924.9875 | -44 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | Case2 | 919.9875 | -44 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | Case2 | 914.9875 | -44 | 99.89 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | Case2 | 960.0125 | -44 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | Case2 | 965.0125 | -44 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | Case2 | 970.0125 | -44 | 100.00 | 95 | PASS |

Clause 4.2.7 LTE Receiver blocking characteristics narrow-band

| Band | Bandwidth (MHz) | UL Channel | UL RB Size | Modulation | Interference Freq (MHz) | Interference Level (dBm) | Throughput (%) | Limit (%) | Verdict |
|--------|-----------------|------------|------------|------------|-------------------------|--------------------------|----------------|-----------|---------|
| Band1 | 5 | 18300 | 25 | QPSK | 2137.2925 | -55 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | 2142.7075 | -55 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | 2129.7925 | -55 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | 2150.2075 | -55 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | 803.2925 | -55 | 100.00 | 95 | PASS |

| | | | | | | | | | |
|--------|-----|-------|-----|------|-----------|-----|--------|----|------|
| Band20 | 5 | 24300 | 25 | QPSK | 808.7075 | -55 | 100.00 | 95 | PASS |
| Band20 | 20 | 24300 | 100 | QPSK | 795.7925 | -55 | 100.00 | 95 | PASS |
| Band20 | 20 | 24300 | 100 | QPSK | 816.2075 | -55 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | 1841.5925 | -55 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | 1843.4075 | -55 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | 1839.7925 | -55 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | 1845.2075 | -55 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | 1832.2925 | -55 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | 1852.7075 | -55 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | 2347.2925 | -55 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | 2352.7075 | -55 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | 2339.7925 | -55 | 100.00 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | 2360.2075 | -55 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | 2652.2925 | -55 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | 2657.7075 | -55 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | 2644.7925 | -55 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | 2665.2075 | -55 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | 941.5925 | -55 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | 943.4075 | -55 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | 939.7925 | -55 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | 945.2075 | -55 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | 937.2875 | -55 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | 947.7125 | -55 | 100.00 | 95 | PASS |

Clause 4.2.8 LTE Receiver Spurious Response

| Band | Bandwidth (MHz) | UL Channel | UL RB Size | Modulation | Interference Freq (MHz) | Interference Level (dBm) | Throughput (%) | Limit (%) | Verdict |
|------|-----------------|------------|------------|------------|-------------------------|--------------------------|----------------|-----------|---------|
|------|-----------------|------------|------------|------------|-------------------------|--------------------------|----------------|-----------|---------|

Clause 4.2.9 LTE Receiver intermodulation characteristics

| Band | Bandwidth (MHz) | UL Channel | UL RB Size | Modulation | Interference 1 Freq (MHz) | Interference 1 Level (dBm) | Interference 2 Freq (MHz) | Interference 2 Level (dBm) | Throughput (%) | Limit (%) | Verdict |
|--------|-----------------|------------|------------|------------|---------------------------|----------------------------|---------------------------|----------------------------|----------------|-----------|---------|
| Band1 | 5 | 18300 | 25 | QPSK | 2130 | -46 | 2120 | -46 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | 2150 | -46 | 2160 | -46 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | 2122.5 | -46 | 2105 | -46 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | 2157.5 | -46 | 2175 | -46 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | 796 | -46 | 786 | -46 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | 816 | -46 | 826 | -46 | 100.00 | 95 | PASS |
| Band20 | 20 | 24300 | 100 | QPSK | 788.5 | -46 | 771 | -46 | 100.00 | 95 | PASS |
| Band20 | 20 | 24300 | 100 | QPSK | 823.5 | -46 | 841 | -46 | 100.00 | 95 | PASS |

| | | | | | | | | | | | |
|-------|-----|-------|-----|------|--------|-----|--------|-----|--------|----|------|
| 0 | | | | | | | | | | | |
| Band3 | 1.4 | 19575 | 6 | QPSK | 1839.7 | -46 | 1836.9 | -46 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | 1845.3 | -46 | 1848.1 | -46 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | 1832.5 | -46 | 1822.5 | -46 | 100.00 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | 1852.5 | -46 | 1862.5 | -46 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | 1825 | -46 | 1807.5 | -46 | 100.00 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | 1860 | -46 | 1877.5 | -46 | 100.00 | 95 | PASS |
| Band4 | 5 | 39150 | 25 | QPSK | 2340 | -46 | 2330 | -46 | 100.00 | 95 | PASS |
| 0 | | | | | | | | | | | |
| Band4 | 5 | 39150 | 25 | QPSK | 2360 | -46 | 2370 | -46 | 100.00 | 95 | PASS |
| 0 | | | | | | | | | | | |
| Band4 | 20 | 39150 | 100 | QPSK | 2332.5 | -46 | 2315 | -46 | 100.00 | 95 | PASS |
| 0 | | | | | | | | | | | |
| Band4 | 20 | 39150 | 100 | QPSK | 2367.5 | -46 | 2385 | -46 | 100.00 | 95 | PASS |
| 0 | | | | | | | | | | | |
| Band7 | 5 | 21100 | 25 | QPSK | 2645 | -46 | 2635 | -46 | 100.00 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | 2665 | -46 | 2675 | -46 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | 2637.5 | -46 | 2620 | -46 | 100.00 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | 2672.5 | -46 | 2690 | -46 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | 939.7 | -46 | 936.9 | -46 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | 945.3 | -46 | 948.1 | -46 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | 932.5 | -46 | 922.5 | -46 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | 952.5 | -46 | 962.5 | -46 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | 930 | -46 | 917.5 | -46 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | 955 | -46 | 967.5 | -46 | 100.00 | 95 | PASS |

Clause 4.2.10 LTE Receiver spurious emissions


| Band | Bandwidth (MHz) | UL Channel | Modulation | Range (MHz) | RBW | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) | Verdict |
|--------|-----------------|------------|------------|--------------------|---------|-----------------|------------------|-------------|---------|
| Band1 | 20 | 18100 | QPSK | 30 MHz-1000 MHz | 100 kHz | 218.57 | -92.16 | -57 | PASS |
| Band1 | 20 | 18100 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 2443.29 | -67.41 | -47 | PASS |
| Band1 | 20 | 18300 | QPSK | 30 MHz-1000 MHz | 100 kHz | 834.03 | -91.29 | -57 | PASS |
| Band1 | 20 | 18300 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 2525.54 | -61.69 | -47 | PASS |
| Band1 | 20 | 18500 | QPSK | 30 MHz-1000 MHz | 100 kHz | 40.77 | -88.01 | -57 | PASS |
| Band1 | 20 | 18500 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 1956.65 | -55.23 | -47 | PASS |
| Band20 | 20 | 24250 | QPSK | 30 MHz-1000 MHz | 100 kHz | 796.30 | -82.17 | -57 | PASS |
| Band20 | 20 | 24250 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 2436.44 | -72.70 | -47 | PASS |

| | | | | | | | | | |
|--------|----|-------|------|--------------------|---------|---------|--------|-----|------|
| | | | | GHz | | | | | |
| Band20 | 20 | 24300 | QPSK | 30 MHz-1000 MHz | 100 kHz | 797.85 | -82.15 | -57 | PASS |
| Band20 | 20 | 24300 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 2439.38 | -71.42 | -47 | PASS |
| Band20 | 20 | 24350 | QPSK | 30 MHz-1000 MHz | 100 kHz | 809.98 | -82.21 | -57 | PASS |
| Band20 | 20 | 24350 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 2463.85 | -75.72 | -47 | PASS |
| Band3 | 20 | 19300 | QPSK | 30 MHz-1000 MHz | 100 kHz | 944.13 | -92.26 | -57 | PASS |
| Band3 | 20 | 19300 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 2476.58 | -60.48 | -47 | PASS |
| Band3 | 20 | 19575 | QPSK | 30 MHz-1000 MHz | 100 kHz | 879.53 | -89.92 | -57 | PASS |
| Band3 | 20 | 19575 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 5184.96 | -72.20 | -47 | PASS |
| Band3 | 20 | 19850 | QPSK | 30 MHz-1000 MHz | 100 kHz | 426.92 | -85.56 | -57 | PASS |
| Band3 | 20 | 19850 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 1862.65 | -75.67 | -47 | PASS |
| Band40 | 20 | 38750 | QPSK | 30 MHz-1000 MHz | 100 kHz | 944.23 | -82.50 | -57 | PASS |
| Band40 | 20 | 38750 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 2314.04 | -75.91 | -47 | PASS |
| Band40 | 20 | 39150 | QPSK | 30 MHz-1000 MHz | 100 kHz | 944.23 | -83.06 | -57 | PASS |
| Band40 | 20 | 39150 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 1893.98 | -73.28 | -47 | PASS |
| Band40 | 20 | 39550 | QPSK | 30 MHz-1000 MHz | 100 kHz | 879.53 | -82.34 | -57 | PASS |
| Band40 | 20 | 39550 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 2381.60 | -75.81 | -47 | PASS |
| Band7 | 20 | 20850 | QPSK | 30 MHz-1000 MHz | 100 kHz | 944.23 | -88.96 | -57 | PASS |
| Band7 | 20 | 20850 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 2460.92 | -67.63 | -47 | PASS |
| Band7 | 20 | 21100 | QPSK | 30 MHz-1000 MHz | 100 kHz | 944.23 | -88.78 | -57 | PASS |
| Band7 | 20 | 21100 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 5310.29 | -68.92 | -47 | PASS |
| Band7 | 20 | 21350 | QPSK | 30 MHz-1000 MHz | 100 kHz | 879.53 | -85.97 | -57 | PASS |
| Band7 | 20 | 21350 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 2469.73 | -59.40 | -47 | PASS |

| | | | | GHz | | | | | |
|-------|----|-------|------|--------------------|---------|----------|--------|-----|------|
| Band8 | 10 | 21500 | QPSK | 30 MHz-1000 MHz | 100 kHz | 925.60 | -85.50 | -57 | PASS |
| Band8 | 10 | 21500 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 2478.54 | -76.63 | -47 | PASS |
| Band8 | 10 | 21625 | QPSK | 30 MHz-1000 MHz | 100 kHz | 945.20 | -85.87 | -57 | PASS |
| Band8 | 10 | 21625 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 12644.25 | -82.09 | -47 | PASS |
| Band8 | 10 | 21750 | QPSK | 30 MHz-1000 MHz | 100 kHz | 958.87 | -85.08 | -57 | PASS |
| Band8 | 10 | 21750 | QPSK | 1000 MHz-12.75 GHz | 1 MHz | 5186.92 | -81.67 | -47 | PASS |


Band1 QPSK BW=20MHz Channel=18300

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18100

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18500

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24300

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24250

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24350

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=38750

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39150

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39550

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21100

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21350

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21500

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21750

Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21625

Conducted spurious emissions



Clause 4.2.11 LTE Transmitter adjacent channel leakage power ratio

| Band | Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | Type | ACLR (dBc) | Limit (dBc) | Verdict |
|-------|-----------------|------------|---------|-------------|------------|----------|------------|-------------|---------|
| Band1 | 5 | 18025 | 8 | #0 | QPSK | U-ACLR2- | 52.56 | 35.2 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QPSK | U-ACLR1- | 46.62 | 32.2 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QPSK | E-ACLR- | 44.85 | 29.2 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QPSK | E-ACLR+ | 51.52 | 29.2 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QPSK | U-ACLR+ | 52.24 | 32.2 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QPSK | U-ACLR2+ | 52.87 | 35.2 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QPSK | U-ACLR2- | 52.42 | 35.2 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QPSK | U-ACLR1- | 50.85 | 32.2 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QPSK | E-ACLR- | 50.25 | 29.2 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QPSK | E-ACLR+ | 47.95 | 29.2 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QPSK | U-ACLR+ | 49.39 | 32.2 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QPSK | U-ACLR2+ | 52.71 | 35.2 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | U-ACLR2- | 52.20 | 35.2 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | U-ACLR1- | 48.06 | 32.2 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | E-ACLR- | 47.31 | 29.2 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | E-ACLR+ | 48.70 | 29.2 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | U-ACLR+ | 49.50 | 32.2 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QPSK | U-ACLR2+ | 52.68 | 35.2 | PASS |

| | | | | | | | | | |
|-------|---|-------|----|------|-------|----------|-------|------|------|
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | U-ACLR2- | 52.19 | 35.2 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | U-ACLR1- | 46.66 | 32.2 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | E-ACLR- | 44.76 | 29.2 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | E-ACLR+ | 51.15 | 29.2 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | U-ACLR+ | 51.82 | 32.2 | PASS |
| Band1 | 5 | 18025 | 8 | #0 | QAM16 | U-ACLR2+ | 52.52 | 35.2 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QAM16 | U-ACLR2- | 52.10 | 35.2 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QAM16 | U-ACLR1- | 50.69 | 32.2 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QAM16 | E-ACLR- | 50.09 | 29.2 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QAM16 | E-ACLR+ | 47.86 | 29.2 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QAM16 | U-ACLR+ | 49.36 | 32.2 | PASS |
| Band1 | 5 | 18025 | 8 | #Max | QAM16 | U-ACLR2+ | 52.46 | 35.2 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | U-ACLR2- | 52.26 | 35.2 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | U-ACLR1- | 49.08 | 32.2 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | E-ACLR- | 48.30 | 29.2 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | E-ACLR+ | 49.26 | 29.2 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | U-ACLR+ | 50.07 | 32.2 | PASS |
| Band1 | 5 | 18025 | 25 | #0 | QAM16 | U-ACLR2+ | 52.66 | 35.2 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QPSK | U-ACLR2- | 52.36 | 35.2 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QPSK | U-ACLR1- | 44.91 | 32.2 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QPSK | E-ACLR- | 42.14 | 29.2 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QPSK | E-ACLR+ | 49.75 | 29.2 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QPSK | U-ACLR+ | 50.33 | 32.2 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QPSK | U-ACLR2+ | 52.61 | 35.2 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QPSK | U-ACLR2- | 52.37 | 35.2 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QPSK | U-ACLR1- | 50.72 | 32.2 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QPSK | E-ACLR- | 50.13 | 29.2 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QPSK | E-ACLR+ | 39.95 | 29.2 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QPSK | U-ACLR+ | 42.99 | 32.2 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QPSK | U-ACLR2+ | 52.49 | 35.2 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | U-ACLR2- | 52.85 | 35.2 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | U-ACLR1- | 45.41 | 32.2 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | E-ACLR- | 44.56 | 29.2 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | E-ACLR+ | 42.54 | 29.2 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | U-ACLR+ | 43.31 | 32.2 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QPSK | U-ACLR2+ | 52.75 | 35.2 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | U-ACLR2- | 52.17 | 35.2 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | U-ACLR1- | 43.57 | 32.2 | PASS |

| | | | | | | | | | |
|-------|---|-------|----|------|-------|----------|-------|------|------|
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | E-ACLR- | 40.53 | 29.2 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | E-ACLR+ | 48.96 | 29.2 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | U-ACLR+ | 49.53 | 32.2 | PASS |
| Band1 | 5 | 18300 | 8 | #0 | QAM16 | U-ACLR2+ | 52.50 | 35.2 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QAM16 | U-ACLR2- | 52.17 | 35.2 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QAM16 | U-ACLR1- | 50.12 | 32.2 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QAM16 | E-ACLR- | 49.51 | 29.2 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QAM16 | E-ACLR+ | 38.57 | 29.2 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QAM16 | U-ACLR+ | 41.89 | 32.2 | PASS |
| Band1 | 5 | 18300 | 8 | #Max | QAM16 | U-ACLR2+ | 52.26 | 35.2 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | U-ACLR2- | 52.85 | 35.2 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | U-ACLR1- | 46.58 | 32.2 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | E-ACLR- | 45.67 | 29.2 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | E-ACLR+ | 43.50 | 29.2 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | U-ACLR+ | 44.30 | 32.2 | PASS |
| Band1 | 5 | 18300 | 25 | #0 | QAM16 | U-ACLR2+ | 52.61 | 35.2 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | U-ACLR2- | 52.72 | 35.2 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | U-ACLR1- | 47.93 | 32.2 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | E-ACLR- | 45.75 | 29.2 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | E-ACLR+ | 50.07 | 29.2 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | U-ACLR+ | 50.60 | 32.2 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QPSK | U-ACLR2+ | 53.12 | 35.2 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QPSK | U-ACLR2- | 52.72 | 35.2 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QPSK | U-ACLR1- | 48.12 | 32.2 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QPSK | E-ACLR- | 47.75 | 29.2 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QPSK | E-ACLR+ | 43.90 | 29.2 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QPSK | U-ACLR+ | 46.52 | 32.2 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QPSK | U-ACLR2+ | 52.92 | 35.2 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | U-ACLR2- | 52.49 | 35.2 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | U-ACLR1- | 46.99 | 32.2 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | E-ACLR- | 46.20 | 29.2 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | E-ACLR+ | 46.82 | 29.2 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | U-ACLR+ | 47.64 | 32.2 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QPSK | U-ACLR2+ | 52.85 | 35.2 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | U-ACLR2- | 52.42 | 35.2 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | U-ACLR1- | 48.44 | 32.2 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | E-ACLR- | 46.40 | 29.2 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |

| | | | | | | | | | |
|-------|----|-------|----|------|-------|----------|-------|------|------|
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | E-ACLR+ | 49.85 | 29.2 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | U-ACLR+ | 50.35 | 32.2 | PASS |
| Band1 | 5 | 18575 | 8 | #0 | QAM16 | U-ACLR2+ | 52.84 | 35.2 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QAM16 | U-ACLR2- | 52.45 | 35.2 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QAM16 | U-ACLR1- | 47.84 | 32.2 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QAM16 | E-ACLR- | 47.50 | 29.2 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QAM16 | E-ACLR+ | 44.97 | 29.2 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QAM16 | U-ACLR+ | 47.46 | 32.2 | PASS |
| Band1 | 5 | 18575 | 8 | #Max | QAM16 | U-ACLR2+ | 52.60 | 35.2 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | U-ACLR2- | 52.27 | 35.2 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | U-ACLR1- | 48.25 | 32.2 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | E-ACLR- | 47.47 | 29.2 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | E-ACLR+ | 48.57 | 29.2 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | U-ACLR+ | 49.32 | 32.2 | PASS |
| Band1 | 5 | 18575 | 25 | #0 | QAM16 | U-ACLR2+ | 52.83 | 35.2 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QPSK | U-ACLR2- | 52.20 | 35.2 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QPSK | U-ACLR1- | 45.49 | 32.2 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QPSK | E-ACLR- | 44.17 | 29.2 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QPSK | E-ACLR+ | 49.12 | 29.2 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QPSK | U-ACLR+ | 52.78 | 32.2 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QPSK | U-ACLR2+ | 52.94 | 35.2 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QPSK | U-ACLR2- | 51.03 | 35.2 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QPSK | U-ACLR1- | 51.49 | 32.2 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QPSK | E-ACLR- | 47.31 | 29.2 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QPSK | E-ACLR+ | 47.41 | 29.2 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QPSK | U-ACLR+ | 50.01 | 32.2 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QPSK | U-ACLR2+ | 52.55 | 35.2 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QPSK | U-ACLR2- | 51.05 | 35.2 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QPSK | U-ACLR1- | 48.22 | 32.2 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QPSK | E-ACLR- | 45.72 | 29.2 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QPSK | E-ACLR+ | 47.96 | 29.2 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QPSK | U-ACLR+ | 50.79 | 32.2 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QPSK | U-ACLR2+ | 52.68 | 35.2 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QAM16 | U-ACLR2- | 51.77 | 35.2 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QAM16 | U-ACLR1- | 44.79 | 32.2 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QAM16 | E-ACLR- | 43.43 | 29.2 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QAM16 | E-ACLR+ | 48.55 | 29.2 | PASS |
| Band1 | 10 | 18050 | 12 | #0 | QAM16 | U-ACLR+ | 52.25 | 32.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|----|------|-------|----------|-------|------|------|
| Band1 | 10 | 18050 | 12 | #0 | QAM16 | U-ACLR2+ | 52.33 | 35.2 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QAM16 | U-ACLR2- | 50.61 | 35.2 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QAM16 | U-ACLR1- | 51.12 | 32.2 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QAM16 | E-ACLR- | 46.92 | 29.2 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QAM16 | E-ACLR+ | 46.66 | 29.2 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QAM16 | U-ACLR+ | 49.06 | 32.2 | PASS |
| Band1 | 10 | 18050 | 12 | #Max | QAM16 | U-ACLR2+ | 52.19 | 35.2 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QAM16 | U-ACLR2- | 51.25 | 35.2 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QAM16 | U-ACLR1- | 49.32 | 32.2 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QAM16 | E-ACLR- | 46.49 | 29.2 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QAM16 | E-ACLR+ | 48.10 | 29.2 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QAM16 | U-ACLR+ | 51.28 | 32.2 | PASS |
| Band1 | 10 | 18050 | 50 | #0 | QAM16 | U-ACLR2+ | 52.35 | 35.2 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QPSK | U-ACLR2- | 51.89 | 35.2 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QPSK | U-ACLR1- | 44.48 | 32.2 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QPSK | E-ACLR- | 43.20 | 29.2 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QPSK | E-ACLR+ | 47.72 | 29.2 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QPSK | U-ACLR+ | 51.48 | 32.2 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QPSK | U-ACLR2+ | 51.67 | 35.2 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QPSK | U-ACLR2- | 51.82 | 35.2 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QPSK | U-ACLR1- | 52.14 | 32.2 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QPSK | E-ACLR- | 48.17 | 29.2 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QPSK | E-ACLR+ | 40.34 | 29.2 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QPSK | U-ACLR+ | 41.19 | 32.2 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QPSK | U-ACLR2+ | 52.30 | 35.2 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QPSK | U-ACLR2- | 50.47 | 35.2 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QPSK | U-ACLR1- | 46.28 | 32.2 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QPSK | E-ACLR- | 44.22 | 29.2 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QPSK | E-ACLR+ | 41.34 | 29.2 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QPSK | U-ACLR+ | 43.31 | 32.2 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QPSK | U-ACLR2+ | 48.09 | 35.2 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QAM16 | U-ACLR2- | 51.59 | 35.2 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QAM16 | U-ACLR1- | 44.44 | 32.2 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QAM16 | E-ACLR- | 43.05 | 29.2 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QAM16 | E-ACLR+ | 47.32 | 29.2 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QAM16 | U-ACLR+ | 51.16 | 32.2 | PASS |
| Band1 | 10 | 18300 | 12 | #0 | QAM16 | U-ACLR2+ | 51.31 | 35.2 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QAM16 | U-ACLR2- | 51.42 | 35.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|----|------|-------|----------|-------|------|------|
| Band1 | 10 | 18300 | 12 | #Max | QAM16 | U-ACLR1- | 51.84 | 32.2 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QAM16 | E-ACLR- | 47.82 | 29.2 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QAM16 | E-ACLR+ | 39.99 | 29.2 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QAM16 | U-ACLR+ | 41.08 | 32.2 | PASS |
| Band1 | 10 | 18300 | 12 | #Max | QAM16 | U-ACLR2+ | 52.06 | 35.2 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QAM16 | U-ACLR2- | 51.01 | 35.2 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QAM16 | U-ACLR1- | 46.57 | 32.2 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QAM16 | E-ACLR- | 44.57 | 29.2 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QAM16 | E-ACLR+ | 41.69 | 29.2 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QAM16 | U-ACLR+ | 43.49 | 32.2 | PASS |
| Band1 | 10 | 18300 | 50 | #0 | QAM16 | U-ACLR2+ | 48.81 | 35.2 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QPSK | U-ACLR2- | 52.42 | 35.2 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QPSK | U-ACLR1- | 47.34 | 32.2 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QPSK | E-ACLR- | 45.61 | 29.2 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QPSK | E-ACLR+ | 49.14 | 29.2 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QPSK | U-ACLR+ | 52.84 | 32.2 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QPSK | U-ACLR2+ | 52.98 | 35.2 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QPSK | U-ACLR2- | 50.00 | 35.2 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QPSK | U-ACLR1- | 50.84 | 32.2 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QPSK | E-ACLR- | 46.22 | 29.2 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QPSK | E-ACLR+ | 45.47 | 29.2 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QPSK | U-ACLR+ | 47.11 | 32.2 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QPSK | U-ACLR2+ | 52.86 | 35.2 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QPSK | U-ACLR2- | 50.85 | 35.2 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QPSK | U-ACLR1- | 47.98 | 32.2 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QPSK | E-ACLR- | 45.46 | 29.2 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QPSK | E-ACLR+ | 47.19 | 29.2 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QPSK | U-ACLR+ | 49.81 | 32.2 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QPSK | U-ACLR2+ | 52.40 | 35.2 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QAM16 | U-ACLR2- | 52.18 | 35.2 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QAM16 | U-ACLR1- | 45.94 | 32.2 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QAM16 | E-ACLR- | 44.48 | 29.2 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QAM16 | E-ACLR+ | 48.83 | 29.2 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QAM16 | U-ACLR+ | 52.56 | 32.2 | PASS |
| Band1 | 10 | 18550 | 12 | #0 | QAM16 | U-ACLR2+ | 52.66 | 35.2 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QAM16 | U-ACLR2- | 49.60 | 35.2 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QAM16 | U-ACLR1- | 50.42 | 32.2 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QAM16 | E-ACLR- | 45.82 | 29.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|-----|------|-------|----------|-------|------|------|
| Band1 | 10 | 18550 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QAM16 | E-ACLR+ | 45.20 | 29.2 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QAM16 | U-ACLR+ | 46.87 | 32.2 | PASS |
| Band1 | 10 | 18550 | 12 | #Max | QAM16 | U-ACLR2+ | 52.53 | 35.2 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QAM16 | U-ACLR2- | 50.82 | 35.2 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QAM16 | U-ACLR1- | 48.00 | 32.2 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QAM16 | E-ACLR- | 45.48 | 29.2 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QAM16 | E-ACLR+ | 47.53 | 29.2 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QAM16 | U-ACLR+ | 50.28 | 32.2 | PASS |
| Band1 | 10 | 18550 | 50 | #0 | QAM16 | U-ACLR2+ | 52.45 | 35.2 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | U-ACLR2- | 51.04 | 35.2 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | U-ACLR1- | 46.31 | 32.2 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | E-ACLR- | 43.86 | 29.2 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | E-ACLR+ | 46.02 | 29.2 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | U-ACLR+ | 52.80 | 32.2 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QPSK | U-ACLR2+ | 52.70 | 35.2 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QPSK | U-ACLR2- | 50.86 | 35.2 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QPSK | U-ACLR1- | 51.84 | 32.2 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QPSK | E-ACLR- | 44.69 | 29.2 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QPSK | E-ACLR+ | 44.54 | 29.2 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QPSK | U-ACLR+ | 47.23 | 32.2 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QPSK | U-ACLR2+ | 52.03 | 35.2 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | U-ACLR2- | 48.59 | 35.2 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | U-ACLR1- | 47.80 | 32.2 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | E-ACLR- | 42.99 | 29.2 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | E-ACLR+ | 44.65 | 29.2 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | U-ACLR+ | 50.18 | 32.2 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QPSK | U-ACLR2+ | 50.91 | 35.2 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | U-ACLR2- | 50.77 | 35.2 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | U-ACLR1- | 44.33 | 32.2 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | E-ACLR- | 43.06 | 29.2 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | E-ACLR+ | 45.70 | 29.2 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | U-ACLR+ | 52.43 | 32.2 | PASS |
| Band1 | 20 | 18100 | 18 | #0 | QAM16 | U-ACLR2+ | 52.43 | 35.2 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QAM16 | U-ACLR2- | 50.59 | 35.2 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QAM16 | U-ACLR1- | 51.66 | 32.2 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QAM16 | E-ACLR- | 44.31 | 29.2 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QAM16 | E-ACLR+ | 44.09 | 29.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|-----|------|-------|----------|-------|------|------|
| Band1 | 20 | 18100 | 18 | #Max | QAM16 | U-ACLR+ | 46.11 | 32.2 | PASS |
| Band1 | 20 | 18100 | 18 | #Max | QAM16 | U-ACLR2+ | 51.83 | 35.2 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | U-ACLR2- | 49.22 | 35.2 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | U-ACLR1- | 48.72 | 32.2 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | E-ACLR- | 43.52 | 29.2 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | E-ACLR+ | 45.35 | 29.2 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | U-ACLR+ | 51.10 | 32.2 | PASS |
| Band1 | 20 | 18100 | 100 | #0 | QAM16 | U-ACLR2+ | 51.57 | 35.2 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | U-ACLR2- | 50.94 | 35.2 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | U-ACLR1- | 45.58 | 32.2 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | E-ACLR- | 43.68 | 29.2 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | E-ACLR+ | 45.53 | 29.2 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | U-ACLR+ | 52.35 | 32.2 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QPSK | U-ACLR2+ | 52.18 | 35.2 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QPSK | U-ACLR2- | 51.34 | 35.2 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QPSK | U-ACLR1- | 52.23 | 32.2 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QPSK | E-ACLR- | 45.41 | 29.2 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QPSK | E-ACLR+ | 41.66 | 29.2 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QPSK | U-ACLR+ | 41.03 | 32.2 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QPSK | U-ACLR2+ | 51.96 | 35.2 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | U-ACLR2- | 47.99 | 35.2 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | U-ACLR1- | 46.75 | 32.2 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | E-ACLR- | 42.22 | 29.2 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | E-ACLR+ | 39.81 | 29.2 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | U-ACLR+ | 43.84 | 32.2 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QPSK | U-ACLR2+ | 45.55 | 35.2 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | U-ACLR2- | 50.69 | 35.2 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | U-ACLR1- | 45.15 | 32.2 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | E-ACLR- | 43.41 | 29.2 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | E-ACLR+ | 45.17 | 29.2 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | U-ACLR+ | 52.03 | 32.2 | PASS |
| Band1 | 20 | 18300 | 18 | #0 | QAM16 | U-ACLR2+ | 51.87 | 35.2 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QAM16 | U-ACLR2- | 51.19 | 35.2 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QAM16 | U-ACLR1- | 51.94 | 32.2 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QAM16 | E-ACLR- | 45.18 | 29.2 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QAM16 | E-ACLR+ | 41.29 | 29.2 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QAM16 | U-ACLR+ | 40.36 | 32.2 | PASS |
| Band1 | 20 | 18300 | 18 | #Max | QAM16 | U-ACLR2+ | 51.70 | 35.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|-----|------|-------|----------|-------|------|------|
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | U-ACLR2- | 49.32 | 35.2 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | U-ACLR1- | 48.51 | 32.2 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | E-ACLR- | 43.35 | 29.2 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | E-ACLR+ | 41.26 | 29.2 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | U-ACLR+ | 45.37 | 32.2 | PASS |
| Band1 | 20 | 18300 | 100 | #0 | QAM16 | U-ACLR2+ | 47.09 | 35.2 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | U-ACLR2- | 51.68 | 35.2 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | U-ACLR1- | 42.35 | 32.2 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | E-ACLR- | 42.15 | 29.2 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | E-ACLR+ | 46.47 | 29.2 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | U-ACLR+ | 52.32 | 32.2 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QPSK | U-ACLR2+ | 53.33 | 35.2 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QPSK | U-ACLR2- | 51.38 | 35.2 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QPSK | U-ACLR1- | 49.70 | 32.2 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QPSK | E-ACLR- | 44.44 | 29.2 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QPSK | E-ACLR+ | 45.09 | 29.2 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QPSK | U-ACLR+ | 47.58 | 32.2 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QPSK | U-ACLR2+ | 52.87 | 35.2 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | U-ACLR2- | 48.23 | 35.2 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | U-ACLR1- | 46.98 | 32.2 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | E-ACLR- | 42.44 | 29.2 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | E-ACLR+ | 45.22 | 29.2 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | U-ACLR+ | 50.17 | 32.2 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QPSK | U-ACLR2+ | 51.53 | 35.2 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | U-ACLR2- | 51.42 | 35.2 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | U-ACLR1- | 41.74 | 32.2 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | E-ACLR- | 41.94 | 29.2 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | E-ACLR+ | 46.14 | 29.2 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | U-ACLR+ | 52.05 | 32.2 | PASS |
| Band1 | 20 | 18500 | 18 | #0 | QAM16 | U-ACLR2+ | 53.00 | 35.2 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QAM16 | U-ACLR2- | 51.08 | 35.2 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QAM16 | U-ACLR1- | 49.60 | 32.2 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QAM16 | E-ACLR- | 44.14 | 29.2 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QAM16 | E-ACLR+ | 44.64 | 29.2 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QAM16 | U-ACLR+ | 46.89 | 32.2 | PASS |
| Band1 | 20 | 18500 | 18 | #Max | QAM16 | U-ACLR2+ | 52.60 | 35.2 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | U-ACLR2- | 49.12 | 35.2 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | U-ACLR1- | 47.79 | 32.2 | PASS |

| | | | | | | | | | |
|--------|----|-------|-----|------|-------|----------|-------|------|------|
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | E-ACLR- | 43.25 | 29.2 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | E-ACLR+ | 45.46 | 29.2 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | U-ACLR+ | 50.62 | 32.2 | PASS |
| Band1 | 20 | 18500 | 100 | #0 | QAM16 | U-ACLR2+ | 51.78 | 35.2 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | U-ACLR2- | 53.40 | 35.2 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | U-ACLR1- | 46.65 | 32.2 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | E-ACLR- | 45.28 | 29.2 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | E-ACLR+ | 46.89 | 29.2 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | U-ACLR+ | 47.28 | 32.2 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QPSK | U-ACLR2+ | 53.66 | 35.2 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QPSK | U-ACLR2- | 53.52 | 35.2 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QPSK | U-ACLR1- | 50.40 | 32.2 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QPSK | E-ACLR- | 49.89 | 29.2 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QPSK | E-ACLR+ | 45.57 | 29.2 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QPSK | U-ACLR+ | 47.38 | 32.2 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QPSK | U-ACLR2+ | 53.43 | 35.2 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | U-ACLR2- | 52.38 | 35.2 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | U-ACLR1- | 45.89 | 32.2 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | E-ACLR- | 45.19 | 29.2 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | E-ACLR+ | 45.70 | 29.2 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | U-ACLR+ | 46.32 | 32.2 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QPSK | U-ACLR2+ | 51.38 | 35.2 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | U-ACLR2- | 52.58 | 35.2 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | U-ACLR1- | 46.73 | 32.2 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | E-ACLR- | 45.12 | 29.2 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | E-ACLR+ | 46.86 | 29.2 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | U-ACLR+ | 47.21 | 32.2 | PASS |
| Band20 | 5 | 24175 | 8 | #0 | QAM16 | U-ACLR2+ | 52.85 | 35.2 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QAM16 | U-ACLR2- | 52.66 | 35.2 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QAM16 | U-ACLR1- | 50.17 | 32.2 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QAM16 | E-ACLR- | 49.67 | 29.2 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QAM16 | E-ACLR+ | 46.10 | 29.2 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QAM16 | U-ACLR+ | 47.90 | 32.2 | PASS |
| Band20 | 5 | 24175 | 8 | #Max | QAM16 | U-ACLR2+ | 52.75 | 35.2 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | U-ACLR2- | 52.81 | 35.2 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | U-ACLR1- | 45.75 | 32.2 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | E-ACLR- | 45.02 | 29.2 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |

| | | | | | | | | | |
|--------|---|-------|----|------|-------|----------|-------|------|------|
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | E-ACLR+ | 45.27 | 29.2 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | U-ACLR+ | 46.02 | 32.2 | PASS |
| Band20 | 5 | 24175 | 25 | #0 | QAM16 | U-ACLR2+ | 51.87 | 35.2 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | U-ACLR2- | 52.51 | 35.2 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | U-ACLR1- | 45.35 | 32.2 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | E-ACLR- | 43.76 | 29.2 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | E-ACLR+ | 45.66 | 29.2 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | U-ACLR+ | 45.97 | 32.2 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QPSK | U-ACLR2+ | 53.62 | 35.2 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QPSK | U-ACLR2- | 53.33 | 35.2 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QPSK | U-ACLR1- | 48.96 | 32.2 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QPSK | E-ACLR- | 48.52 | 29.2 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QPSK | E-ACLR+ | 44.51 | 29.2 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QPSK | U-ACLR+ | 45.87 | 32.2 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QPSK | U-ACLR2+ | 53.15 | 35.2 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | U-ACLR2- | 50.18 | 35.2 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | U-ACLR1- | 44.36 | 32.2 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | E-ACLR- | 43.67 | 29.2 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | E-ACLR+ | 43.43 | 29.2 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | U-ACLR+ | 44.10 | 32.2 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QPSK | U-ACLR2+ | 50.77 | 35.2 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | U-ACLR2- | 51.88 | 35.2 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | U-ACLR1- | 44.84 | 32.2 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | E-ACLR- | 42.95 | 29.2 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | E-ACLR+ | 45.47 | 29.2 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | U-ACLR+ | 45.76 | 32.2 | PASS |
| Band20 | 5 | 24300 | 8 | #0 | QAM16 | U-ACLR2+ | 52.85 | 35.2 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QAM16 | U-ACLR2- | 52.40 | 35.2 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QAM16 | U-ACLR1- | 48.77 | 32.2 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QAM16 | E-ACLR- | 48.34 | 29.2 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QAM16 | E-ACLR+ | 44.13 | 29.2 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QAM16 | U-ACLR+ | 45.73 | 32.2 | PASS |
| Band20 | 5 | 24300 | 8 | #Max | QAM16 | U-ACLR2+ | 52.29 | 35.2 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | U-ACLR2- | 50.33 | 35.2 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | U-ACLR1- | 43.60 | 32.2 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | E-ACLR- | 42.90 | 29.2 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | E-ACLR+ | 42.48 | 29.2 | PASS |
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | U-ACLR+ | 43.22 | 32.2 | PASS |

| | | | | | | | | | |
|--------|----|-------|----|------|-------|----------|-------|------|------|
| Band20 | 5 | 24300 | 25 | #0 | QAM16 | U-ACLR2+ | 50.59 | 35.2 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QPSK | U-ACLR2- | 52.52 | 35.2 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QPSK | U-ACLR1- | 44.42 | 32.2 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QPSK | E-ACLR- | 43.12 | 29.2 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QPSK | E-ACLR+ | 46.00 | 29.2 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QPSK | U-ACLR+ | 46.35 | 32.2 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QPSK | U-ACLR2+ | 53.60 | 35.2 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QPSK | U-ACLR2- | 53.07 | 35.2 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QPSK | U-ACLR1- | 47.21 | 32.2 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QPSK | E-ACLR- | 46.87 | 29.2 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QPSK | E-ACLR+ | 43.95 | 29.2 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QPSK | U-ACLR+ | 45.31 | 32.2 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QPSK | U-ACLR2+ | 53.17 | 35.2 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | U-ACLR2- | 49.96 | 35.2 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | U-ACLR1- | 44.06 | 32.2 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | E-ACLR- | 43.40 | 29.2 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | E-ACLR+ | 43.69 | 29.2 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | U-ACLR+ | 44.46 | 32.2 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QPSK | U-ACLR2+ | 51.37 | 35.2 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | U-ACLR2- | 51.72 | 35.2 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | U-ACLR1- | 44.98 | 32.2 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | E-ACLR- | 43.31 | 29.2 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | E-ACLR+ | 46.37 | 29.2 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | U-ACLR+ | 46.70 | 32.2 | PASS |
| Band20 | 5 | 24425 | 8 | #0 | QAM16 | U-ACLR2+ | 52.59 | 35.2 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QAM16 | U-ACLR2- | 52.25 | 35.2 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QAM16 | U-ACLR1- | 47.47 | 32.2 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QAM16 | E-ACLR- | 47.11 | 29.2 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QAM16 | E-ACLR+ | 44.31 | 29.2 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QAM16 | U-ACLR+ | 45.87 | 32.2 | PASS |
| Band20 | 5 | 24425 | 8 | #Max | QAM16 | U-ACLR2+ | 52.31 | 35.2 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | U-ACLR2- | 50.47 | 35.2 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | U-ACLR1- | 43.34 | 32.2 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | E-ACLR- | 42.62 | 29.2 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | E-ACLR+ | 42.53 | 29.2 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | U-ACLR+ | 43.36 | 32.2 | PASS |
| Band20 | 5 | 24425 | 25 | #0 | QAM16 | U-ACLR2+ | 52.06 | 35.2 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QPSK | U-ACLR2- | 53.21 | 35.2 | PASS |

| | | | | | | | | | |
|--------|----|-------|----|------|-------|----------|-------|------|------|
| Band20 | 10 | 24200 | 12 | #0 | QPSK | U-ACLR1- | 46.53 | 32.2 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QPSK | E-ACLR- | 45.25 | 29.2 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QPSK | E-ACLR+ | 46.89 | 29.2 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QPSK | U-ACLR+ | 51.41 | 32.2 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QPSK | U-ACLR2+ | 50.69 | 35.2 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QPSK | U-ACLR2- | 52.83 | 35.2 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QPSK | U-ACLR1- | 52.19 | 32.2 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QPSK | E-ACLR- | 48.50 | 29.2 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QPSK | E-ACLR+ | 44.41 | 29.2 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QPSK | U-ACLR+ | 45.62 | 32.2 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QPSK | U-ACLR2+ | 53.00 | 35.2 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QPSK | U-ACLR2- | 51.89 | 35.2 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QPSK | U-ACLR1- | 48.39 | 32.2 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QPSK | E-ACLR- | 46.13 | 29.2 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QPSK | E-ACLR+ | 42.42 | 29.2 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QPSK | U-ACLR+ | 45.74 | 32.2 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QPSK | U-ACLR2+ | 46.92 | 35.2 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QAM16 | U-ACLR2- | 52.18 | 35.2 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QAM16 | U-ACLR1- | 46.55 | 32.2 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QAM16 | E-ACLR- | 44.94 | 29.2 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QAM16 | E-ACLR+ | 46.35 | 29.2 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QAM16 | U-ACLR+ | 50.87 | 32.2 | PASS |
| Band20 | 10 | 24200 | 12 | #0 | QAM16 | U-ACLR2+ | 50.09 | 35.2 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QAM16 | U-ACLR2- | 51.86 | 35.2 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QAM16 | U-ACLR1- | 51.39 | 32.2 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QAM16 | E-ACLR- | 47.62 | 29.2 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QAM16 | E-ACLR+ | 44.02 | 29.2 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QAM16 | U-ACLR+ | 45.31 | 32.2 | PASS |
| Band20 | 10 | 24200 | 12 | #Max | QAM16 | U-ACLR2+ | 52.26 | 35.2 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QAM16 | U-ACLR2- | 52.59 | 35.2 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QAM16 | U-ACLR1- | 47.94 | 32.2 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QAM16 | E-ACLR- | 46.00 | 29.2 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QAM16 | E-ACLR+ | 42.70 | 29.2 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QAM16 | U-ACLR+ | 45.42 | 32.2 | PASS |
| Band20 | 10 | 24200 | 50 | #0 | QAM16 | U-ACLR2+ | 48.15 | 35.2 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QPSK | U-ACLR2- | 52.18 | 35.2 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QPSK | U-ACLR1- | 44.38 | 32.2 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QPSK | E-ACLR- | 43.25 | 29.2 | PASS |

| | | | | | | | | | |
|--------|----|-------|----|------|-------|----------|-------|------|------|
| Band20 | 10 | 24300 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QPSK | E-ACLR+ | 45.89 | 29.2 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QPSK | U-ACLR+ | 50.09 | 32.2 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QPSK | U-ACLR2+ | 50.04 | 35.2 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QPSK | U-ACLR2- | 50.78 | 35.2 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QPSK | U-ACLR1- | 51.54 | 32.2 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QPSK | E-ACLR- | 47.09 | 29.2 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QPSK | E-ACLR+ | 44.90 | 29.2 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QPSK | U-ACLR+ | 46.19 | 32.2 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QPSK | U-ACLR2+ | 53.08 | 35.2 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QPSK | U-ACLR2- | 47.00 | 35.2 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QPSK | U-ACLR1- | 45.89 | 32.2 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QPSK | E-ACLR- | 42.58 | 29.2 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QPSK | E-ACLR+ | 43.76 | 29.2 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QPSK | U-ACLR+ | 46.34 | 32.2 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QPSK | U-ACLR2+ | 48.79 | 35.2 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QAM16 | U-ACLR2- | 51.78 | 35.2 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QAM16 | U-ACLR1- | 44.30 | 32.2 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QAM16 | E-ACLR- | 43.09 | 29.2 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QAM16 | E-ACLR+ | 45.65 | 29.2 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QAM16 | U-ACLR+ | 49.88 | 32.2 | PASS |
| Band20 | 10 | 24300 | 12 | #0 | QAM16 | U-ACLR2+ | 49.93 | 35.2 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QAM16 | U-ACLR2- | 50.23 | 35.2 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QAM16 | U-ACLR1- | 51.13 | 32.2 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QAM16 | E-ACLR- | 46.59 | 29.2 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QAM16 | E-ACLR+ | 45.16 | 29.2 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QAM16 | U-ACLR+ | 46.77 | 32.2 | PASS |
| Band20 | 10 | 24300 | 12 | #Max | QAM16 | U-ACLR2+ | 52.23 | 35.2 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QAM16 | U-ACLR2- | 47.52 | 35.2 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QAM16 | U-ACLR1- | 44.68 | 32.2 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QAM16 | E-ACLR- | 42.01 | 29.2 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QAM16 | E-ACLR+ | 43.06 | 29.2 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QAM16 | U-ACLR+ | 45.20 | 32.2 | PASS |
| Band20 | 10 | 24300 | 50 | #0 | QAM16 | U-ACLR2+ | 49.03 | 35.2 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QPSK | U-ACLR2- | 52.48 | 35.2 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QPSK | U-ACLR1- | 46.38 | 32.2 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QPSK | E-ACLR- | 44.95 | 29.2 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QPSK | E-ACLR+ | 48.31 | 29.2 | PASS |

| | | | | | | | | | |
|--------|----|-------|----|------|-------|----------|-------|------|------|
| Band20 | 10 | 24400 | 12 | #0 | QPSK | U-ACLR+ | 52.16 | 32.2 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QPSK | U-ACLR2+ | 52.33 | 35.2 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QPSK | U-ACLR2- | 50.36 | 35.2 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QPSK | U-ACLR1- | 50.68 | 32.2 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QPSK | E-ACLR- | 46.39 | 29.2 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QPSK | E-ACLR+ | 44.41 | 29.2 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QPSK | U-ACLR+ | 45.51 | 32.2 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QPSK | U-ACLR2+ | 53.18 | 35.2 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QPSK | U-ACLR2- | 49.79 | 35.2 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QPSK | U-ACLR1- | 47.72 | 32.2 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QPSK | E-ACLR- | 45.03 | 29.2 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QPSK | E-ACLR+ | 43.27 | 29.2 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QPSK | U-ACLR+ | 45.36 | 32.2 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QPSK | U-ACLR2+ | 49.49 | 35.2 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QAM16 | U-ACLR2- | 51.78 | 35.2 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QAM16 | U-ACLR1- | 46.22 | 32.2 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QAM16 | E-ACLR- | 44.63 | 29.2 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QAM16 | E-ACLR+ | 47.70 | 29.2 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QAM16 | U-ACLR+ | 51.54 | 32.2 | PASS |
| Band20 | 10 | 24400 | 12 | #0 | QAM16 | U-ACLR2+ | 51.66 | 35.2 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QAM16 | U-ACLR2- | 50.06 | 35.2 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QAM16 | U-ACLR1- | 50.41 | 32.2 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QAM16 | E-ACLR- | 46.18 | 29.2 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QAM16 | E-ACLR+ | 43.91 | 29.2 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QAM16 | U-ACLR+ | 45.15 | 32.2 | PASS |
| Band20 | 10 | 24400 | 12 | #Max | QAM16 | U-ACLR2+ | 52.37 | 35.2 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QAM16 | U-ACLR2- | 49.79 | 35.2 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QAM16 | U-ACLR1- | 46.49 | 32.2 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QAM16 | E-ACLR- | 44.20 | 29.2 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QAM16 | E-ACLR+ | 42.48 | 29.2 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QAM16 | U-ACLR+ | 44.13 | 32.2 | PASS |
| Band20 | 10 | 24400 | 50 | #0 | QAM16 | U-ACLR2+ | 49.88 | 35.2 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | U-ACLR2- | 52.61 | 35.2 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | U-ACLR1- | 46.96 | 32.2 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | E-ACLR- | 44.48 | 29.2 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | E-ACLR+ | 46.32 | 29.2 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | U-ACLR+ | 53.74 | 32.2 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QPSK | U-ACLR2+ | 53.37 | 35.2 | PASS |

| | | | | | | | | | |
|--------|----|-------|-----|------|-------|----------|-------|------|------|
| Band20 | 20 | 24250 | 18 | #Max | QPSK | U-ACLR2- | 52.39 | 35.2 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QPSK | U-ACLR1- | 52.98 | 32.2 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QPSK | E-ACLR- | 46.43 | 29.2 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QPSK | E-ACLR+ | 44.60 | 29.2 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QPSK | U-ACLR+ | 47.16 | 32.2 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QPSK | U-ACLR2+ | 52.92 | 35.2 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | U-ACLR2- | 51.17 | 35.2 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | U-ACLR1- | 49.05 | 32.2 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | E-ACLR- | 44.53 | 29.2 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | E-ACLR+ | 40.66 | 29.2 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | U-ACLR+ | 45.43 | 32.2 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QPSK | U-ACLR2+ | 47.43 | 35.2 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | U-ACLR2- | 51.60 | 35.2 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | U-ACLR1- | 46.52 | 32.2 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | E-ACLR- | 43.90 | 29.2 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | E-ACLR+ | 45.55 | 29.2 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | U-ACLR+ | 52.82 | 32.2 | PASS |
| Band20 | 20 | 24250 | 18 | #0 | QAM16 | U-ACLR2+ | 52.55 | 35.2 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QAM16 | U-ACLR2- | 51.61 | 35.2 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QAM16 | U-ACLR1- | 52.20 | 32.2 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QAM16 | E-ACLR- | 45.63 | 29.2 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QAM16 | E-ACLR+ | 44.00 | 29.2 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QAM16 | U-ACLR+ | 46.59 | 32.2 | PASS |
| Band20 | 20 | 24250 | 18 | #Max | QAM16 | U-ACLR2+ | 52.14 | 35.2 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | U-ACLR2- | 51.51 | 35.2 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | U-ACLR1- | 48.56 | 32.2 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | E-ACLR- | 44.56 | 29.2 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | E-ACLR+ | 40.41 | 29.2 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | U-ACLR+ | 44.89 | 32.2 | PASS |
| Band20 | 20 | 24250 | 100 | #0 | QAM16 | U-ACLR2+ | 46.85 | 35.2 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | U-ACLR2- | 51.57 | 35.2 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | U-ACLR1- | 45.38 | 32.2 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | E-ACLR- | 43.62 | 29.2 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | E-ACLR+ | 46.41 | 29.2 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | U-ACLR+ | 53.59 | 32.2 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QPSK | U-ACLR2+ | 52.92 | 35.2 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QPSK | U-ACLR2- | 51.79 | 35.2 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QPSK | U-ACLR1- | 52.84 | 32.2 | PASS |

| | | | | | | | | | |
|--------|----|-------|-----|------|-------|----------|-------|------|------|
| Band20 | 20 | 24300 | 18 | #Max | QPSK | E-ACLR- | 46.04 | 29.2 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QPSK | E-ACLR+ | 44.39 | 29.2 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QPSK | U-ACLR+ | 46.72 | 32.2 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QPSK | U-ACLR2+ | 52.82 | 35.2 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | U-ACLR2- | 49.44 | 35.2 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | U-ACLR1- | 47.16 | 32.2 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | E-ACLR- | 43.38 | 29.2 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | E-ACLR+ | 42.80 | 29.2 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | U-ACLR+ | 47.19 | 32.2 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QPSK | U-ACLR2+ | 48.92 | 35.2 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | U-ACLR2- | 50.69 | 35.2 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | U-ACLR1- | 46.13 | 32.2 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | E-ACLR- | 43.47 | 29.2 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | E-ACLR+ | 45.45 | 29.2 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | U-ACLR+ | 52.53 | 32.2 | PASS |
| Band20 | 20 | 24300 | 18 | #0 | QAM16 | U-ACLR2+ | 52.05 | 35.2 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QAM16 | U-ACLR2- | 50.98 | 35.2 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QAM16 | U-ACLR1- | 51.90 | 32.2 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QAM16 | E-ACLR- | 45.13 | 29.2 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QAM16 | E-ACLR+ | 44.17 | 29.2 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QAM16 | U-ACLR+ | 46.97 | 32.2 | PASS |
| Band20 | 20 | 24300 | 18 | #Max | QAM16 | U-ACLR2+ | 52.02 | 35.2 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | U-ACLR2- | 49.70 | 35.2 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | U-ACLR1- | 47.09 | 32.2 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | E-ACLR- | 43.46 | 29.2 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | E-ACLR+ | 42.43 | 29.2 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | U-ACLR+ | 46.53 | 32.2 | PASS |
| Band20 | 20 | 24300 | 100 | #0 | QAM16 | U-ACLR2+ | 48.17 | 35.2 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | U-ACLR2- | 51.06 | 35.2 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | U-ACLR1- | 45.18 | 32.2 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | E-ACLR- | 43.15 | 29.2 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | E-ACLR+ | 46.91 | 29.2 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | U-ACLR+ | 53.58 | 32.2 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QPSK | U-ACLR2+ | 53.53 | 35.2 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QPSK | U-ACLR2- | 51.12 | 35.2 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QPSK | U-ACLR1- | 52.79 | 32.2 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QPSK | E-ACLR- | 44.25 | 29.2 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |

| | | | | | | | | | |
|--------|-----|-------|-----|------|-------|----------|-------|------|------|
| Band20 | 20 | 24350 | 18 | #Max | QPSK | E-ACLR+ | 43.80 | 29.2 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QPSK | U-ACLR+ | 45.60 | 32.2 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QPSK | U-ACLR2+ | 52.73 | 35.2 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | U-ACLR2- | 48.36 | 35.2 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | U-ACLR1- | 47.97 | 32.2 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | E-ACLR- | 42.78 | 29.2 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | E-ACLR+ | 43.25 | 29.2 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | U-ACLR+ | 46.49 | 32.2 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QPSK | U-ACLR2+ | 49.92 | 35.2 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | U-ACLR2- | 50.38 | 35.2 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | U-ACLR1- | 44.59 | 32.2 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | E-ACLR- | 42.73 | 29.2 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | E-ACLR+ | 46.04 | 29.2 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | U-ACLR+ | 52.69 | 32.2 | PASS |
| Band20 | 20 | 24350 | 18 | #0 | QAM16 | U-ACLR2+ | 52.73 | 35.2 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QAM16 | U-ACLR2- | 50.68 | 35.2 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QAM16 | U-ACLR1- | 52.10 | 32.2 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QAM16 | E-ACLR- | 43.91 | 29.2 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QAM16 | E-ACLR+ | 43.21 | 29.2 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QAM16 | U-ACLR+ | 44.79 | 32.2 | PASS |
| Band20 | 20 | 24350 | 18 | #Max | QAM16 | U-ACLR2+ | 52.11 | 35.2 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | U-ACLR2- | 47.43 | 35.2 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | U-ACLR1- | 47.03 | 32.2 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | E-ACLR- | 41.97 | 29.2 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | E-ACLR+ | 42.69 | 29.2 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | U-ACLR+ | 45.77 | 32.2 | PASS |
| Band20 | 20 | 24350 | 100 | #0 | QAM16 | U-ACLR2+ | 49.42 | 35.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QPSK | U-ACLR1- | 46.30 | 32.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QPSK | E-ACLR- | 41.25 | 29.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QPSK | E-ACLR+ | 43.65 | 29.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QPSK | U-ACLR+ | 48.22 | 32.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QPSK | U-ACLR1- | 48.39 | 32.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QPSK | E-ACLR- | 43.46 | 29.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QPSK | E-ACLR+ | 40.70 | 29.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QPSK | U-ACLR+ | 45.74 | 32.2 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QPSK | U-ACLR1- | 47.68 | 32.2 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QPSK | E-ACLR- | 44.93 | 29.2 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |

| | | | | | | | | | |
|-------|-----|-------|---|------|-------|----------|-------|------|------|
| Band3 | 1.4 | 19207 | 6 | #0 | QPSK | E-ACLR+ | 44.78 | 29.2 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QPSK | U-ACLR+ | 47.65 | 32.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QAM16 | U-ACLR1- | 47.82 | 32.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QAM16 | E-ACLR- | 42.81 | 29.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QAM16 | E-ACLR+ | 45.40 | 29.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #0 | QAM16 | U-ACLR+ | 49.22 | 32.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QAM16 | U-ACLR1- | 49.62 | 32.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QAM16 | E-ACLR- | 46.04 | 29.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QAM16 | E-ACLR+ | 42.80 | 29.2 | PASS |
| Band3 | 1.4 | 19207 | 5 | #Max | QAM16 | U-ACLR+ | 47.37 | 32.2 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QAM16 | U-ACLR1- | 47.68 | 32.2 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QAM16 | E-ACLR- | 44.64 | 29.2 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QAM16 | E-ACLR+ | 44.17 | 29.2 | PASS |
| Band3 | 1.4 | 19207 | 6 | #0 | QAM16 | U-ACLR+ | 47.33 | 32.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QPSK | U-ACLR1- | 43.76 | 32.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QPSK | E-ACLR- | 37.55 | 29.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QPSK | E-ACLR+ | 40.70 | 29.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QPSK | U-ACLR+ | 46.49 | 32.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QPSK | U-ACLR1- | 46.52 | 32.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QPSK | E-ACLR- | 40.56 | 29.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QPSK | E-ACLR+ | 37.58 | 29.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QPSK | U-ACLR+ | 43.59 | 32.2 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QPSK | U-ACLR1- | 44.33 | 32.2 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QPSK | E-ACLR- | 40.61 | 29.2 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QPSK | E-ACLR+ | 40.65 | 29.2 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QPSK | U-ACLR+ | 44.50 | 32.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QAM16 | U-ACLR1- | 44.90 | 32.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QAM16 | E-ACLR- | 38.60 | 29.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QAM16 | E-ACLR+ | 41.30 | 29.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #0 | QAM16 | U-ACLR+ | 47.27 | 32.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QAM16 | U-ACLR1- | 47.43 | 32.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QAM16 | E-ACLR- | 41.77 | 29.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QAM16 | E-ACLR+ | 38.35 | 29.2 | PASS |
| Band3 | 1.4 | 19575 | 5 | #Max | QAM16 | U-ACLR+ | 44.29 | 32.2 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QAM16 | U-ACLR1- | 46.68 | 32.2 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QAM16 | E-ACLR- | 42.75 | 29.2 | PASS |

| | | | | | | | | | |
|-------|-----|-------|---|------|-------|----------|-------|------|------|
| Band3 | 1.4 | 19575 | 6 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QAM16 | E-ACLR+ | 42.49 | 29.2 | PASS |
| Band3 | 1.4 | 19575 | 6 | #0 | QAM16 | U-ACLR+ | 46.35 | 32.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QPSK | U-ACLR1- | 47.53 | 32.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QPSK | E-ACLR- | 42.54 | 29.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QPSK | E-ACLR+ | 46.25 | 29.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QPSK | U-ACLR+ | 49.80 | 32.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QPSK | U-ACLR1- | 49.31 | 32.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QPSK | E-ACLR- | 45.30 | 29.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QPSK | E-ACLR+ | 43.10 | 29.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QPSK | U-ACLR+ | 47.94 | 32.2 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QPSK | U-ACLR1- | 48.94 | 32.2 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QPSK | E-ACLR- | 46.56 | 29.2 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QPSK | E-ACLR+ | 46.54 | 29.2 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QPSK | U-ACLR+ | 49.21 | 32.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QAM16 | U-ACLR1- | 49.07 | 32.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QAM16 | E-ACLR- | 45.83 | 29.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QAM16 | E-ACLR+ | 48.24 | 29.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #0 | QAM16 | U-ACLR+ | 50.39 | 32.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QAM16 | U-ACLR1- | 50.28 | 32.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QAM16 | E-ACLR- | 48.34 | 29.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QAM16 | E-ACLR+ | 45.73 | 29.2 | PASS |
| Band3 | 1.4 | 19943 | 5 | #Max | QAM16 | U-ACLR+ | 49.40 | 32.2 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QAM16 | U-ACLR1- | 49.19 | 32.2 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QAM16 | E-ACLR- | 47.33 | 29.2 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QAM16 | E-ACLR+ | 46.71 | 29.2 | PASS |
| Band3 | 1.4 | 19943 | 6 | #0 | QAM16 | U-ACLR+ | 49.28 | 32.2 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QPSK | U-ACLR2- | 52.77 | 35.2 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QPSK | U-ACLR1- | 45.51 | 32.2 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QPSK | E-ACLR- | 43.19 | 29.2 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QPSK | E-ACLR+ | 50.34 | 29.2 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QPSK | U-ACLR+ | 50.94 | 32.2 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QPSK | U-ACLR2+ | 53.07 | 35.2 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QPSK | U-ACLR2- | 52.82 | 35.2 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QPSK | U-ACLR1- | 51.17 | 32.2 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QPSK | E-ACLR- | 50.56 | 29.2 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |

| | | | | | | | | | |
|-------|---|-------|----|------|-------|----------|-------|------|------|
| Band3 | 5 | 19225 | 8 | #Max | QPSK | E-ACLR+ | 44.18 | 29.2 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QPSK | U-ACLR+ | 46.49 | 32.2 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QPSK | U-ACLR2+ | 52.97 | 35.2 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | U-ACLR2- | 52.56 | 35.2 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | U-ACLR1- | 45.35 | 32.2 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | E-ACLR- | 44.51 | 29.2 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | E-ACLR+ | 44.27 | 29.2 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | U-ACLR+ | 45.09 | 32.2 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QPSK | U-ACLR2+ | 52.41 | 35.2 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | U-ACLR2- | 52.15 | 35.2 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | U-ACLR1- | 46.09 | 32.2 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | E-ACLR- | 43.66 | 29.2 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | E-ACLR+ | 50.00 | 29.2 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | U-ACLR+ | 50.62 | 32.2 | PASS |
| Band3 | 5 | 19225 | 8 | #0 | QAM16 | U-ACLR2+ | 52.44 | 35.2 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QAM16 | U-ACLR2- | 52.28 | 35.2 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QAM16 | U-ACLR1- | 50.90 | 32.2 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QAM16 | E-ACLR- | 50.29 | 29.2 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QAM16 | E-ACLR+ | 44.67 | 29.2 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QAM16 | U-ACLR+ | 47.04 | 32.2 | PASS |
| Band3 | 5 | 19225 | 8 | #Max | QAM16 | U-ACLR2+ | 52.42 | 35.2 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | U-ACLR2- | 52.80 | 35.2 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | U-ACLR1- | 45.31 | 32.2 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | E-ACLR- | 44.52 | 29.2 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | E-ACLR+ | 44.12 | 29.2 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | U-ACLR+ | 45.00 | 32.2 | PASS |
| Band3 | 5 | 19225 | 25 | #0 | QAM16 | U-ACLR2+ | 52.63 | 35.2 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | U-ACLR2- | 52.73 | 35.2 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | U-ACLR1- | 41.21 | 32.2 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | E-ACLR- | 38.17 | 29.2 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | E-ACLR+ | 50.70 | 29.2 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | U-ACLR+ | 51.37 | 32.2 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QPSK | U-ACLR2+ | 53.04 | 35.2 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QPSK | U-ACLR2- | 52.92 | 35.2 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QPSK | U-ACLR1- | 51.42 | 32.2 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QPSK | E-ACLR- | 50.75 | 29.2 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QPSK | E-ACLR+ | 38.00 | 29.2 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QPSK | U-ACLR+ | 41.08 | 32.2 | PASS |

| | | | | | | | | | |
|-------|---|-------|----|------|-------|----------|-------|------|------|
| Band3 | 5 | 19575 | 8 | #Max | QPSK | U-ACLR2+ | 53.17 | 35.2 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | U-ACLR2- | 51.96 | 35.2 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | U-ACLR1- | 41.51 | 32.2 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | E-ACLR- | 40.72 | 29.2 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | E-ACLR+ | 41.41 | 29.2 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | U-ACLR+ | 42.22 | 32.2 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QPSK | U-ACLR2+ | 52.19 | 35.2 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | U-ACLR2- | 51.87 | 35.2 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | U-ACLR1- | 42.12 | 32.2 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | E-ACLR- | 39.25 | 29.2 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | E-ACLR+ | 50.04 | 29.2 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | U-ACLR+ | 50.73 | 32.2 | PASS |
| Band3 | 5 | 19575 | 8 | #0 | QAM16 | U-ACLR2+ | 52.22 | 35.2 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QAM16 | U-ACLR2- | 51.95 | 35.2 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QAM16 | U-ACLR1- | 50.60 | 32.2 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QAM16 | E-ACLR- | 49.92 | 29.2 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QAM16 | E-ACLR+ | 39.60 | 29.2 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QAM16 | U-ACLR+ | 42.56 | 32.2 | PASS |
| Band3 | 5 | 19575 | 8 | #Max | QAM16 | U-ACLR2+ | 52.21 | 35.2 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | U-ACLR2- | 52.12 | 35.2 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | U-ACLR1- | 42.37 | 32.2 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | E-ACLR- | 41.60 | 29.2 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | E-ACLR+ | 41.97 | 29.2 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | U-ACLR+ | 42.80 | 32.2 | PASS |
| Band3 | 5 | 19575 | 25 | #0 | QAM16 | U-ACLR2+ | 52.29 | 35.2 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | U-ACLR2- | 52.42 | 35.2 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | U-ACLR1- | 43.27 | 32.2 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | E-ACLR- | 40.52 | 29.2 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | E-ACLR+ | 50.49 | 29.2 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | U-ACLR+ | 51.09 | 32.2 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QPSK | U-ACLR2+ | 52.87 | 35.2 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QPSK | U-ACLR2- | 52.42 | 35.2 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QPSK | U-ACLR1- | 49.52 | 32.2 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QPSK | E-ACLR- | 49.02 | 29.2 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QPSK | E-ACLR+ | 43.00 | 29.2 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QPSK | U-ACLR+ | 45.84 | 32.2 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QPSK | U-ACLR2+ | 52.79 | 35.2 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | U-ACLR2- | 52.65 | 35.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|----|------|-------|----------|-------|------|------|
| Band3 | 5 | 19925 | 25 | #0 | QPSK | U-ACLR1- | 44.70 | 32.2 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | E-ACLR- | 43.97 | 29.2 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | E-ACLR+ | 45.28 | 29.2 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | U-ACLR+ | 46.09 | 32.2 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QPSK | U-ACLR2+ | 53.53 | 35.2 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | U-ACLR2- | 51.53 | 35.2 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | U-ACLR1- | 45.70 | 32.2 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | E-ACLR- | 43.34 | 29.2 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | E-ACLR+ | 50.10 | 29.2 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | U-ACLR+ | 50.72 | 32.2 | PASS |
| Band3 | 5 | 19925 | 8 | #0 | QAM16 | U-ACLR2+ | 52.02 | 35.2 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QAM16 | U-ACLR2- | 51.53 | 35.2 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QAM16 | U-ACLR1- | 49.23 | 32.2 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QAM16 | E-ACLR- | 48.71 | 29.2 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QAM16 | E-ACLR+ | 45.20 | 29.2 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QAM16 | U-ACLR+ | 47.62 | 32.2 | PASS |
| Band3 | 5 | 19925 | 8 | #Max | QAM16 | U-ACLR2+ | 51.91 | 35.2 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | U-ACLR2- | 52.11 | 35.2 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | U-ACLR1- | 44.53 | 32.2 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | E-ACLR- | 43.76 | 29.2 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | E-ACLR+ | 45.14 | 29.2 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | U-ACLR+ | 45.97 | 32.2 | PASS |
| Band3 | 5 | 19925 | 25 | #0 | QAM16 | U-ACLR2+ | 53.10 | 35.2 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QPSK | U-ACLR2- | 52.52 | 35.2 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QPSK | U-ACLR1- | 45.03 | 32.2 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QPSK | E-ACLR- | 43.80 | 29.2 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QPSK | E-ACLR+ | 48.68 | 29.2 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QPSK | U-ACLR+ | 52.37 | 32.2 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QPSK | U-ACLR2+ | 52.63 | 35.2 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QPSK | U-ACLR2- | 52.40 | 35.2 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QPSK | U-ACLR1- | 52.54 | 32.2 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QPSK | E-ACLR- | 48.69 | 29.2 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QPSK | E-ACLR+ | 45.02 | 29.2 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QPSK | U-ACLR+ | 46.53 | 32.2 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QPSK | U-ACLR2+ | 52.98 | 35.2 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QPSK | U-ACLR2- | 49.98 | 35.2 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QPSK | U-ACLR1- | 46.54 | 32.2 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QPSK | E-ACLR- | 44.20 | 29.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|----|------|-------|----------|-------|------|------|
| Band3 | 10 | 19250 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QPSK | E-ACLR+ | 43.43 | 29.2 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QPSK | U-ACLR+ | 45.78 | 32.2 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QPSK | U-ACLR2+ | 49.08 | 35.2 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QAM16 | U-ACLR2- | 51.71 | 35.2 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QAM16 | U-ACLR1- | 45.48 | 32.2 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QAM16 | E-ACLR- | 44.02 | 29.2 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QAM16 | E-ACLR+ | 48.03 | 29.2 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QAM16 | U-ACLR+ | 51.71 | 32.2 | PASS |
| Band3 | 10 | 19250 | 12 | #0 | QAM16 | U-ACLR2+ | 51.93 | 35.2 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QAM16 | U-ACLR2- | 51.62 | 35.2 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QAM16 | U-ACLR1- | 51.85 | 32.2 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QAM16 | E-ACLR- | 47.99 | 29.2 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QAM16 | E-ACLR+ | 44.93 | 29.2 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QAM16 | U-ACLR+ | 46.62 | 32.2 | PASS |
| Band3 | 10 | 19250 | 12 | #Max | QAM16 | U-ACLR2+ | 52.16 | 35.2 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QAM16 | U-ACLR2- | 50.84 | 35.2 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QAM16 | U-ACLR1- | 46.40 | 32.2 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QAM16 | E-ACLR- | 44.37 | 29.2 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QAM16 | E-ACLR+ | 43.52 | 29.2 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QAM16 | U-ACLR+ | 45.56 | 32.2 | PASS |
| Band3 | 10 | 19250 | 50 | #0 | QAM16 | U-ACLR2+ | 49.99 | 35.2 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QPSK | U-ACLR2- | 52.19 | 35.2 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QPSK | U-ACLR1- | 40.50 | 32.2 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QPSK | E-ACLR- | 39.74 | 29.2 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QPSK | E-ACLR+ | 48.80 | 29.2 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QPSK | U-ACLR+ | 52.46 | 32.2 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QPSK | U-ACLR2+ | 52.67 | 35.2 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QPSK | U-ACLR2- | 52.43 | 35.2 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QPSK | U-ACLR1- | 52.48 | 32.2 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QPSK | E-ACLR- | 48.71 | 29.2 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QPSK | E-ACLR+ | 40.11 | 29.2 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QPSK | U-ACLR+ | 40.87 | 32.2 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QPSK | U-ACLR2+ | 52.93 | 35.2 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QPSK | U-ACLR2- | 46.84 | 35.2 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QPSK | U-ACLR1- | 41.36 | 32.2 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QPSK | E-ACLR- | 39.58 | 29.2 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QPSK | E-ACLR+ | 40.85 | 29.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|----|------|-------|----------|-------|------|------|
| Band3 | 10 | 19575 | 50 | #0 | QPSK | U-ACLR+ | 42.81 | 32.2 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QPSK | U-ACLR2+ | 47.24 | 35.2 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QAM16 | U-ACLR2- | 51.56 | 35.2 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QAM16 | U-ACLR1- | 41.87 | 32.2 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QAM16 | E-ACLR- | 40.87 | 29.2 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QAM16 | E-ACLR+ | 48.13 | 29.2 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QAM16 | U-ACLR+ | 51.79 | 32.2 | PASS |
| Band3 | 10 | 19575 | 12 | #0 | QAM16 | U-ACLR2+ | 52.02 | 35.2 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QAM16 | U-ACLR2- | 51.42 | 35.2 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QAM16 | U-ACLR1- | 51.74 | 32.2 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QAM16 | E-ACLR- | 47.82 | 29.2 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QAM16 | E-ACLR+ | 41.61 | 29.2 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QAM16 | U-ACLR+ | 42.80 | 32.2 | PASS |
| Band3 | 10 | 19575 | 12 | #Max | QAM16 | U-ACLR2+ | 52.14 | 35.2 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QAM16 | U-ACLR2- | 47.65 | 35.2 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QAM16 | U-ACLR1- | 41.79 | 32.2 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QAM16 | E-ACLR- | 40.06 | 29.2 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QAM16 | E-ACLR+ | 41.41 | 29.2 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QAM16 | U-ACLR+ | 43.23 | 32.2 | PASS |
| Band3 | 10 | 19575 | 50 | #0 | QAM16 | U-ACLR2+ | 48.27 | 35.2 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QPSK | U-ACLR2- | 52.15 | 35.2 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QPSK | U-ACLR1- | 44.64 | 32.2 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QPSK | E-ACLR- | 43.40 | 29.2 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QPSK | E-ACLR+ | 48.93 | 29.2 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QPSK | U-ACLR+ | 52.53 | 32.2 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QPSK | U-ACLR2+ | 52.86 | 35.2 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QPSK | U-ACLR2- | 51.44 | 35.2 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QPSK | U-ACLR1- | 51.72 | 32.2 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QPSK | E-ACLR- | 47.72 | 29.2 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QPSK | E-ACLR+ | 44.41 | 29.2 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QPSK | U-ACLR+ | 45.70 | 32.2 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QPSK | U-ACLR2+ | 53.00 | 35.2 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QPSK | U-ACLR2- | 49.61 | 35.2 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QPSK | U-ACLR1- | 45.41 | 32.2 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QPSK | E-ACLR- | 43.27 | 29.2 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QPSK | E-ACLR+ | 46.26 | 29.2 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QPSK | U-ACLR+ | 48.21 | 32.2 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QPSK | U-ACLR2+ | 52.79 | 35.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|-----|------|-------|----------|-------|------|------|
| Band3 | 10 | 19900 | 12 | #0 | QAM16 | U-ACLR2- | 51.41 | 35.2 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QAM16 | U-ACLR1- | 45.36 | 32.2 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QAM16 | E-ACLR- | 43.85 | 29.2 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QAM16 | E-ACLR+ | 48.17 | 29.2 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QAM16 | U-ACLR+ | 51.84 | 32.2 | PASS |
| Band3 | 10 | 19900 | 12 | #0 | QAM16 | U-ACLR2+ | 52.03 | 35.2 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QAM16 | U-ACLR2- | 50.84 | 35.2 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QAM16 | U-ACLR1- | 51.05 | 32.2 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QAM16 | E-ACLR- | 47.10 | 29.2 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QAM16 | E-ACLR+ | 44.76 | 29.2 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QAM16 | U-ACLR+ | 46.37 | 32.2 | PASS |
| Band3 | 10 | 19900 | 12 | #Max | QAM16 | U-ACLR2+ | 52.08 | 35.2 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QAM16 | U-ACLR2- | 49.40 | 35.2 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QAM16 | U-ACLR1- | 44.57 | 32.2 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QAM16 | E-ACLR- | 42.65 | 29.2 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QAM16 | E-ACLR+ | 45.36 | 29.2 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QAM16 | U-ACLR+ | 47.18 | 32.2 | PASS |
| Band3 | 10 | 19900 | 50 | #0 | QAM16 | U-ACLR2+ | 52.16 | 35.2 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | U-ACLR2- | 51.70 | 35.2 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | U-ACLR1- | 46.04 | 32.2 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | E-ACLR- | 44.15 | 29.2 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | E-ACLR+ | 46.17 | 29.2 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | U-ACLR+ | 53.04 | 32.2 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QPSK | U-ACLR2+ | 52.96 | 35.2 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QPSK | U-ACLR2- | 51.72 | 35.2 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QPSK | U-ACLR1- | 52.46 | 32.2 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QPSK | E-ACLR- | 45.80 | 29.2 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QPSK | E-ACLR+ | 44.51 | 29.2 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QPSK | U-ACLR+ | 46.23 | 32.2 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QPSK | U-ACLR2+ | 52.60 | 35.2 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | U-ACLR2- | 50.40 | 35.2 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | U-ACLR1- | 48.95 | 32.2 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | E-ACLR- | 44.32 | 29.2 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | E-ACLR+ | 42.11 | 29.2 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | U-ACLR+ | 46.96 | 32.2 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QPSK | U-ACLR2+ | 48.15 | 35.2 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | U-ACLR2- | 50.97 | 35.2 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | U-ACLR1- | 45.66 | 32.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|-----|------|-------|----------|-------|------|------|
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | E-ACLR- | 43.63 | 29.2 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | E-ACLR+ | 45.46 | 29.2 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | U-ACLR+ | 52.30 | 32.2 | PASS |
| Band3 | 20 | 19300 | 18 | #0 | QAM16 | U-ACLR2+ | 52.25 | 35.2 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QAM16 | U-ACLR2- | 51.01 | 35.2 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QAM16 | U-ACLR1- | 51.71 | 32.2 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QAM16 | E-ACLR- | 45.08 | 29.2 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QAM16 | E-ACLR+ | 44.14 | 29.2 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QAM16 | U-ACLR+ | 46.20 | 32.2 | PASS |
| Band3 | 20 | 19300 | 18 | #Max | QAM16 | U-ACLR2+ | 51.94 | 35.2 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | U-ACLR2- | 50.14 | 35.2 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | U-ACLR1- | 48.34 | 32.2 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | E-ACLR- | 44.08 | 29.2 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | E-ACLR+ | 42.31 | 29.2 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | U-ACLR+ | 46.88 | 32.2 | PASS |
| Band3 | 20 | 19300 | 100 | #0 | QAM16 | U-ACLR2+ | 48.30 | 35.2 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | U-ACLR2- | 51.34 | 35.2 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | U-ACLR1- | 41.94 | 32.2 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | E-ACLR- | 42.14 | 29.2 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | E-ACLR+ | 46.30 | 29.2 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | U-ACLR+ | 53.09 | 32.2 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QPSK | U-ACLR2+ | 52.96 | 35.2 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QPSK | U-ACLR2- | 51.69 | 35.2 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QPSK | U-ACLR1- | 52.47 | 32.2 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QPSK | E-ACLR- | 45.73 | 29.2 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QPSK | E-ACLR+ | 42.68 | 29.2 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QPSK | U-ACLR+ | 42.87 | 32.2 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QPSK | U-ACLR2+ | 52.51 | 35.2 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | U-ACLR2- | 44.74 | 35.2 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | U-ACLR1- | 43.29 | 32.2 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | E-ACLR- | 39.00 | 29.2 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | E-ACLR+ | 41.26 | 29.2 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | U-ACLR+ | 45.75 | 32.2 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QPSK | U-ACLR2+ | 47.82 | 35.2 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | U-ACLR2- | 50.54 | 35.2 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | U-ACLR1- | 43.14 | 32.2 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | E-ACLR- | 42.41 | 29.2 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |

| | | | | | | | | | |
|-------|----|-------|-----|------|-------|----------|-------|------|------|
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | E-ACLR+ | 45.43 | 29.2 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | U-ACLR+ | 52.17 | 32.2 | PASS |
| Band3 | 20 | 19575 | 18 | #0 | QAM16 | U-ACLR2+ | 52.17 | 35.2 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QAM16 | U-ACLR2- | 50.86 | 35.2 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QAM16 | U-ACLR1- | 51.59 | 32.2 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QAM16 | E-ACLR- | 44.86 | 29.2 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QAM16 | E-ACLR+ | 42.97 | 29.2 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QAM16 | U-ACLR+ | 44.15 | 32.2 | PASS |
| Band3 | 20 | 19575 | 18 | #Max | QAM16 | U-ACLR2+ | 51.82 | 35.2 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | U-ACLR2- | 45.69 | 35.2 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | U-ACLR1- | 44.31 | 32.2 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | E-ACLR- | 40.01 | 29.2 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | E-ACLR+ | 42.30 | 29.2 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | U-ACLR+ | 46.81 | 32.2 | PASS |
| Band3 | 20 | 19575 | 100 | #0 | QAM16 | U-ACLR2+ | 48.86 | 35.2 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | U-ACLR2- | 51.38 | 35.2 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | U-ACLR1- | 48.60 | 32.2 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | E-ACLR- | 44.79 | 29.2 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | E-ACLR+ | 46.37 | 29.2 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | U-ACLR+ | 53.01 | 32.2 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QPSK | U-ACLR2+ | 53.04 | 35.2 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QPSK | U-ACLR2- | 51.47 | 35.2 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QPSK | U-ACLR1- | 52.27 | 32.2 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QPSK | E-ACLR- | 45.31 | 29.2 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QPSK | E-ACLR+ | 44.27 | 29.2 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QPSK | U-ACLR+ | 45.57 | 32.2 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QPSK | U-ACLR2+ | 52.90 | 35.2 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | U-ACLR2- | 48.61 | 35.2 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | U-ACLR1- | 48.08 | 32.2 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | E-ACLR- | 42.78 | 29.2 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | E-ACLR+ | 45.64 | 29.2 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | U-ACLR+ | 49.90 | 32.2 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QPSK | U-ACLR2+ | 52.69 | 35.2 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | U-ACLR2- | 50.76 | 35.2 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | U-ACLR1- | 47.90 | 32.2 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | E-ACLR- | 44.15 | 29.2 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | E-ACLR+ | 45.65 | 29.2 | PASS |
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | U-ACLR+ | 52.32 | 32.2 | PASS |

| | | | | | | | | | |
|--------|----|-------|-----|------|-------|----------|-------|------|------|
| Band3 | 20 | 19850 | 18 | #0 | QAM16 | U-ACLR2+ | 52.32 | 35.2 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QAM16 | U-ACLR2- | 50.77 | 35.2 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QAM16 | U-ACLR1- | 51.53 | 32.2 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QAM16 | E-ACLR- | 44.65 | 29.2 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QAM16 | E-ACLR+ | 44.01 | 29.2 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QAM16 | U-ACLR+ | 45.95 | 32.2 | PASS |
| Band3 | 20 | 19850 | 18 | #Max | QAM16 | U-ACLR2+ | 52.20 | 35.2 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | U-ACLR2- | 48.32 | 35.2 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | U-ACLR1- | 47.73 | 32.2 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | E-ACLR- | 42.51 | 29.2 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | E-ACLR+ | 45.13 | 29.2 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | U-ACLR+ | 49.39 | 32.2 | PASS |
| Band3 | 20 | 19850 | 100 | #0 | QAM16 | U-ACLR2+ | 52.19 | 35.2 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | U-ACLR2- | 52.76 | 35.2 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | U-ACLR1- | 41.21 | 32.2 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | E-ACLR- | 40.94 | 29.2 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | E-ACLR+ | 49.87 | 29.2 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | U-ACLR+ | 55.01 | 32.2 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QPSK | U-ACLR2+ | 54.57 | 35.2 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QPSK | U-ACLR2- | 55.40 | 35.2 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QPSK | U-ACLR1- | 55.42 | 32.2 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QPSK | E-ACLR- | 50.38 | 29.2 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QPSK | E-ACLR+ | 42.14 | 29.2 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QPSK | U-ACLR+ | 42.55 | 32.2 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QPSK | U-ACLR2+ | 53.32 | 35.2 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | U-ACLR2- | 45.96 | 35.2 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | U-ACLR1- | 42.64 | 32.2 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | E-ACLR- | 39.97 | 29.2 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | E-ACLR+ | 41.32 | 29.2 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | U-ACLR+ | 44.17 | 32.2 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QPSK | U-ACLR2+ | 46.95 | 35.2 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | U-ACLR2- | 53.28 | 35.2 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | U-ACLR1- | 40.57 | 32.2 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | E-ACLR- | 40.60 | 29.2 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | E-ACLR+ | 49.47 | 29.2 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | U-ACLR+ | 54.96 | 32.2 | PASS |
| Band40 | 5 | 38675 | 8 | #0 | QAM16 | U-ACLR2+ | 54.09 | 35.2 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QAM16 | U-ACLR2- | 54.67 | 35.2 | PASS |

| | | | | | | | | | |
|--------|---|-------|----|------|-------|----------|-------|------|------|
| Band40 | 5 | 38675 | 8 | #Max | QAM16 | U-ACLR1- | 54.86 | 32.2 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QAM16 | E-ACLR- | 49.71 | 29.2 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QAM16 | E-ACLR+ | 42.09 | 29.2 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QAM16 | U-ACLR+ | 42.28 | 32.2 | PASS |
| Band40 | 5 | 38675 | 8 | #Max | QAM16 | U-ACLR2+ | 53.71 | 35.2 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | U-ACLR2- | 45.66 | 35.2 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | U-ACLR1- | 42.14 | 32.2 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | E-ACLR- | 39.61 | 29.2 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | E-ACLR+ | 41.08 | 29.2 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | U-ACLR+ | 43.61 | 32.2 | PASS |
| Band40 | 5 | 38675 | 25 | #0 | QAM16 | U-ACLR2+ | 46.88 | 35.2 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QPSK | U-ACLR2- | 52.27 | 35.2 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QPSK | U-ACLR1- | 40.99 | 32.2 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QPSK | E-ACLR- | 40.76 | 29.2 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QPSK | E-ACLR+ | 49.70 | 29.2 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QPSK | U-ACLR+ | 54.95 | 32.2 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QPSK | U-ACLR2+ | 54.27 | 35.2 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QPSK | U-ACLR2- | 55.56 | 35.2 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QPSK | U-ACLR1- | 55.43 | 32.2 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QPSK | E-ACLR- | 50.48 | 29.2 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QPSK | E-ACLR+ | 42.19 | 29.2 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QPSK | U-ACLR+ | 42.71 | 32.2 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QPSK | U-ACLR2+ | 52.43 | 35.2 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | U-ACLR2- | 46.02 | 35.2 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | U-ACLR1- | 42.64 | 32.2 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | E-ACLR- | 40.10 | 29.2 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | E-ACLR+ | 40.83 | 29.2 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | U-ACLR+ | 43.86 | 32.2 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QPSK | U-ACLR2+ | 46.61 | 35.2 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | U-ACLR2- | 52.20 | 35.2 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | U-ACLR1- | 40.20 | 32.2 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | E-ACLR- | 40.13 | 29.2 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | E-ACLR+ | 49.02 | 29.2 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | U-ACLR+ | 54.32 | 32.2 | PASS |
| Band40 | 5 | 39150 | 8 | #0 | QAM16 | U-ACLR2+ | 53.59 | 35.2 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QAM16 | U-ACLR2- | 54.91 | 35.2 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QAM16 | U-ACLR1- | 55.12 | 32.2 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QAM16 | E-ACLR- | 49.95 | 29.2 | PASS |

| | | | | | | | | | |
|--------|---|-------|----|------|-------|----------|-------|------|------|
| Band40 | 5 | 39150 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QAM16 | E-ACLR+ | 41.96 | 29.2 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QAM16 | U-ACLR+ | 42.25 | 32.2 | PASS |
| Band40 | 5 | 39150 | 8 | #Max | QAM16 | U-ACLR2+ | 52.32 | 35.2 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | U-ACLR2- | 45.37 | 35.2 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | U-ACLR1- | 42.20 | 32.2 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | E-ACLR- | 39.69 | 29.2 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | E-ACLR+ | 40.13 | 29.2 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | U-ACLR+ | 42.88 | 32.2 | PASS |
| Band40 | 5 | 39150 | 25 | #0 | QAM16 | U-ACLR2+ | 45.83 | 35.2 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QPSK | U-ACLR2- | 50.20 | 35.2 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QPSK | U-ACLR1- | 40.35 | 32.2 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QPSK | E-ACLR- | 39.87 | 29.2 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QPSK | E-ACLR+ | 49.78 | 29.2 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QPSK | U-ACLR+ | 54.29 | 32.2 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QPSK | U-ACLR2+ | 54.92 | 35.2 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QPSK | U-ACLR2- | 55.72 | 35.2 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QPSK | U-ACLR1- | 55.23 | 32.2 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QPSK | E-ACLR- | 50.48 | 29.2 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QPSK | E-ACLR+ | 40.01 | 29.2 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QPSK | U-ACLR+ | 40.64 | 32.2 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QPSK | U-ACLR2+ | 49.84 | 35.2 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | U-ACLR2- | 46.41 | 35.2 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | U-ACLR1- | 43.88 | 32.2 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | E-ACLR- | 40.65 | 29.2 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | E-ACLR+ | 40.19 | 29.2 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | U-ACLR+ | 44.34 | 32.2 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QPSK | U-ACLR2+ | 46.15 | 35.2 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | U-ACLR2- | 51.10 | 35.2 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | U-ACLR1- | 40.19 | 32.2 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | E-ACLR- | 39.94 | 29.2 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | E-ACLR+ | 49.03 | 29.2 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | U-ACLR+ | 54.00 | 32.2 | PASS |
| Band40 | 5 | 39625 | 8 | #0 | QAM16 | U-ACLR2+ | 53.91 | 35.2 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QAM16 | U-ACLR2- | 54.82 | 35.2 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QAM16 | U-ACLR1- | 54.85 | 32.2 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QAM16 | E-ACLR- | 49.71 | 29.2 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QAM16 | E-ACLR+ | 40.78 | 29.2 | PASS |

| | | | | | | | | | |
|--------|----|-------|----|------|-------|----------|-------|------|------|
| Band40 | 5 | 39625 | 8 | #Max | QAM16 | U-ACLR+ | 41.50 | 32.2 | PASS |
| Band40 | 5 | 39625 | 8 | #Max | QAM16 | U-ACLR2+ | 50.55 | 35.2 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | U-ACLR2- | 45.44 | 35.2 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | U-ACLR1- | 42.69 | 32.2 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | E-ACLR- | 39.85 | 29.2 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | E-ACLR+ | 39.26 | 29.2 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | U-ACLR+ | 42.62 | 32.2 | PASS |
| Band40 | 5 | 39625 | 25 | #0 | QAM16 | U-ACLR2+ | 44.93 | 35.2 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QPSK | U-ACLR2- | 49.39 | 35.2 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QPSK | U-ACLR1- | 42.26 | 32.2 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QPSK | E-ACLR- | 41.14 | 29.2 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QPSK | E-ACLR+ | 48.16 | 29.2 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QPSK | U-ACLR+ | 57.42 | 32.2 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QPSK | U-ACLR2+ | 57.30 | 35.2 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QPSK | U-ACLR2- | 56.91 | 35.2 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QPSK | U-ACLR1- | 56.95 | 32.2 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QPSK | E-ACLR- | 47.57 | 29.2 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QPSK | E-ACLR+ | 42.43 | 29.2 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QPSK | U-ACLR+ | 43.46 | 32.2 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QPSK | U-ACLR2+ | 50.73 | 35.2 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QPSK | U-ACLR2- | 47.40 | 35.2 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QPSK | U-ACLR1- | 44.61 | 32.2 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QPSK | E-ACLR- | 39.86 | 29.2 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QPSK | E-ACLR+ | 41.32 | 29.2 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QPSK | U-ACLR+ | 46.30 | 32.2 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QPSK | U-ACLR2+ | 48.75 | 35.2 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QAM16 | U-ACLR2- | 49.82 | 35.2 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QAM16 | U-ACLR1- | 41.48 | 32.2 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QAM16 | E-ACLR- | 40.95 | 29.2 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QAM16 | E-ACLR+ | 47.32 | 29.2 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QAM16 | U-ACLR+ | 56.50 | 32.2 | PASS |
| Band40 | 10 | 38700 | 12 | #0 | QAM16 | U-ACLR2+ | 56.50 | 35.2 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QAM16 | U-ACLR2- | 56.07 | 35.2 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QAM16 | U-ACLR1- | 56.26 | 32.2 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QAM16 | E-ACLR- | 46.76 | 29.2 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QAM16 | E-ACLR+ | 42.14 | 29.2 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QAM16 | U-ACLR+ | 42.46 | 32.2 | PASS |
| Band40 | 10 | 38700 | 12 | #Max | QAM16 | U-ACLR2+ | 51.41 | 35.2 | PASS |

| | | | | | | | | | |
|--------|----|-------|----|------|-------|----------|-------|------|------|
| Band40 | 10 | 38700 | 50 | #0 | QAM16 | U-ACLR2- | 46.60 | 35.2 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QAM16 | U-ACLR1- | 44.57 | 32.2 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QAM16 | E-ACLR- | 39.72 | 29.2 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QAM16 | E-ACLR+ | 41.03 | 29.2 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QAM16 | U-ACLR+ | 46.01 | 32.2 | PASS |
| Band40 | 10 | 38700 | 50 | #0 | QAM16 | U-ACLR2+ | 48.11 | 35.2 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QPSK | U-ACLR2- | 50.80 | 35.2 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QPSK | U-ACLR1- | 42.19 | 32.2 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QPSK | E-ACLR- | 41.45 | 29.2 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QPSK | E-ACLR+ | 47.54 | 29.2 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QPSK | U-ACLR+ | 57.02 | 32.2 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QPSK | U-ACLR2+ | 57.14 | 35.2 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QPSK | U-ACLR2- | 57.24 | 35.2 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QPSK | U-ACLR1- | 57.38 | 32.2 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QPSK | E-ACLR- | 48.04 | 29.2 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QPSK | E-ACLR+ | 42.69 | 29.2 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QPSK | U-ACLR+ | 44.20 | 32.2 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QPSK | U-ACLR2+ | 50.87 | 35.2 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QPSK | U-ACLR2- | 47.95 | 35.2 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QPSK | U-ACLR1- | 45.29 | 32.2 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QPSK | E-ACLR- | 40.45 | 29.2 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QPSK | E-ACLR+ | 40.19 | 29.2 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QPSK | U-ACLR+ | 45.82 | 32.2 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QPSK | U-ACLR2+ | 47.55 | 35.2 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QAM16 | U-ACLR2- | 50.57 | 35.2 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QAM16 | U-ACLR1- | 41.78 | 32.2 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QAM16 | E-ACLR- | 41.51 | 29.2 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QAM16 | E-ACLR+ | 46.73 | 29.2 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QAM16 | U-ACLR+ | 56.34 | 32.2 | PASS |
| Band40 | 10 | 39150 | 12 | #0 | QAM16 | U-ACLR2+ | 56.21 | 35.2 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QAM16 | U-ACLR2- | 56.60 | 35.2 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QAM16 | U-ACLR1- | 56.52 | 32.2 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QAM16 | E-ACLR- | 47.26 | 29.2 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QAM16 | E-ACLR+ | 42.33 | 29.2 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QAM16 | U-ACLR+ | 43.24 | 32.2 | PASS |
| Band40 | 10 | 39150 | 12 | #Max | QAM16 | U-ACLR2+ | 50.29 | 35.2 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QAM16 | U-ACLR2- | 47.39 | 35.2 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QAM16 | U-ACLR1- | 44.52 | 32.2 | PASS |

| | | | | | | | | | |
|--------|----|-------|----|------|-------|----------|-------|------|------|
| Band40 | 10 | 39150 | 50 | #0 | QAM16 | E-ACLR- | 40.02 | 29.2 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QAM16 | E-ACLR+ | 39.78 | 29.2 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QAM16 | U-ACLR+ | 45.14 | 32.2 | PASS |
| Band40 | 10 | 39150 | 50 | #0 | QAM16 | U-ACLR2+ | 46.76 | 35.2 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QPSK | U-ACLR2- | 49.16 | 35.2 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QPSK | U-ACLR1- | 42.20 | 32.2 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QPSK | E-ACLR- | 40.69 | 29.2 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QPSK | E-ACLR+ | 47.84 | 29.2 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QPSK | U-ACLR+ | 56.51 | 32.2 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QPSK | U-ACLR2+ | 56.75 | 35.2 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QPSK | U-ACLR2- | 57.07 | 35.2 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QPSK | U-ACLR1- | 56.98 | 32.2 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QPSK | E-ACLR- | 47.98 | 29.2 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QPSK | E-ACLR+ | 41.34 | 29.2 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QPSK | U-ACLR+ | 43.52 | 32.2 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QPSK | U-ACLR2+ | 48.81 | 35.2 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QPSK | U-ACLR2- | 48.37 | 35.2 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QPSK | U-ACLR1- | 46.18 | 32.2 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QPSK | E-ACLR- | 40.16 | 29.2 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QPSK | E-ACLR+ | 39.73 | 29.2 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QPSK | U-ACLR+ | 46.21 | 32.2 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QPSK | U-ACLR2+ | 47.47 | 35.2 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QAM16 | U-ACLR2- | 49.09 | 35.2 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QAM16 | U-ACLR1- | 41.49 | 32.2 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QAM16 | E-ACLR- | 40.69 | 29.2 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QAM16 | E-ACLR+ | 46.87 | 29.2 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QAM16 | U-ACLR+ | 55.93 | 32.2 | PASS |
| Band40 | 10 | 39600 | 12 | #0 | QAM16 | U-ACLR2+ | 55.96 | 35.2 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QAM16 | U-ACLR2- | 56.29 | 35.2 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QAM16 | U-ACLR1- | 56.44 | 32.2 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QAM16 | E-ACLR- | 47.23 | 29.2 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QAM16 | E-ACLR+ | 41.05 | 29.2 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QAM16 | U-ACLR+ | 42.44 | 32.2 | PASS |
| Band40 | 10 | 39600 | 12 | #Max | QAM16 | U-ACLR2+ | 48.40 | 35.2 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QAM16 | U-ACLR2- | 46.40 | 35.2 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QAM16 | U-ACLR1- | 44.67 | 32.2 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QAM16 | E-ACLR- | 39.22 | 29.2 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |

| | | | | | | | | | |
|--------|----|-------|-----|------|-------|----------|-------|------|------|
| Band40 | 10 | 39600 | 50 | #0 | QAM16 | E-ACLR+ | 38.60 | 29.2 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QAM16 | U-ACLR+ | 44.52 | 32.2 | PASS |
| Band40 | 10 | 39600 | 50 | #0 | QAM16 | U-ACLR2+ | 45.63 | 35.2 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | U-ACLR2- | 47.56 | 35.2 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | U-ACLR1- | 44.02 | 32.2 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | E-ACLR- | 41.57 | 29.2 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | E-ACLR+ | 45.93 | 29.2 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | U-ACLR+ | 57.60 | 32.2 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QPSK | U-ACLR2+ | 57.57 | 35.2 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QPSK | U-ACLR2- | 56.66 | 35.2 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QPSK | U-ACLR1- | 56.80 | 32.2 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QPSK | E-ACLR- | 44.82 | 29.2 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QPSK | E-ACLR+ | 43.10 | 29.2 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QPSK | U-ACLR+ | 45.37 | 32.2 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QPSK | U-ACLR2+ | 50.14 | 35.2 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | U-ACLR2- | 47.69 | 35.2 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | U-ACLR1- | 46.16 | 32.2 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | E-ACLR- | 39.44 | 29.2 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | E-ACLR+ | 41.45 | 29.2 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | U-ACLR+ | 49.41 | 32.2 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QPSK | U-ACLR2+ | 51.17 | 35.2 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | U-ACLR2- | 47.64 | 35.2 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | U-ACLR1- | 42.61 | 32.2 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | E-ACLR- | 41.11 | 29.2 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | E-ACLR+ | 45.37 | 29.2 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | U-ACLR+ | 57.00 | 32.2 | PASS |
| Band40 | 20 | 38750 | 18 | #0 | QAM16 | U-ACLR2+ | 57.04 | 35.2 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QAM16 | U-ACLR2- | 56.18 | 35.2 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QAM16 | U-ACLR1- | 56.31 | 32.2 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QAM16 | E-ACLR- | 44.30 | 29.2 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QAM16 | E-ACLR+ | 42.60 | 29.2 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QAM16 | U-ACLR+ | 44.05 | 32.2 | PASS |
| Band40 | 20 | 38750 | 18 | #Max | QAM16 | U-ACLR2+ | 49.60 | 35.2 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | U-ACLR2- | 46.89 | 35.2 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | U-ACLR1- | 45.43 | 32.2 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | E-ACLR- | 38.87 | 29.2 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | E-ACLR+ | 41.01 | 29.2 | PASS |
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | U-ACLR+ | 48.84 | 32.2 | PASS |

| | | | | | | | | | |
|--------|----|-------|-----|------|-------|----------|-------|------|------|
| Band40 | 20 | 38750 | 100 | #0 | QAM16 | U-ACLR2+ | 49.98 | 35.2 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | U-ACLR2- | 48.37 | 35.2 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | U-ACLR1- | 43.83 | 32.2 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | E-ACLR- | 42.01 | 29.2 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | E-ACLR+ | 45.35 | 29.2 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | U-ACLR+ | 57.59 | 32.2 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QPSK | U-ACLR2+ | 57.61 | 35.2 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QPSK | U-ACLR2- | 57.30 | 35.2 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QPSK | U-ACLR1- | 57.56 | 32.2 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QPSK | E-ACLR- | 45.24 | 29.2 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QPSK | E-ACLR+ | 42.97 | 29.2 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QPSK | U-ACLR+ | 46.09 | 32.2 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QPSK | U-ACLR2+ | 49.46 | 35.2 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | U-ACLR2- | 48.98 | 35.2 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | U-ACLR1- | 47.71 | 32.2 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | E-ACLR- | 39.86 | 29.2 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | E-ACLR+ | 40.57 | 29.2 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | U-ACLR+ | 48.00 | 32.2 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QPSK | U-ACLR2+ | 49.48 | 35.2 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | U-ACLR2- | 49.24 | 35.2 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | U-ACLR1- | 42.83 | 32.2 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | E-ACLR- | 42.00 | 29.2 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | E-ACLR+ | 44.65 | 29.2 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | U-ACLR+ | 56.86 | 32.2 | PASS |
| Band40 | 20 | 39150 | 18 | #0 | QAM16 | U-ACLR2+ | 56.95 | 35.2 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QAM16 | U-ACLR2- | 56.50 | 35.2 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QAM16 | U-ACLR1- | 56.68 | 32.2 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QAM16 | E-ACLR- | 44.48 | 29.2 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QAM16 | E-ACLR+ | 42.87 | 29.2 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QAM16 | U-ACLR+ | 45.15 | 32.2 | PASS |
| Band40 | 20 | 39150 | 18 | #Max | QAM16 | U-ACLR2+ | 50.32 | 35.2 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | U-ACLR2- | 48.68 | 35.2 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | U-ACLR1- | 47.25 | 32.2 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | E-ACLR- | 39.69 | 29.2 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | E-ACLR+ | 40.21 | 29.2 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | U-ACLR+ | 47.66 | 32.2 | PASS |
| Band40 | 20 | 39150 | 100 | #0 | QAM16 | U-ACLR2+ | 49.20 | 35.2 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QPSK | U-ACLR2- | 47.34 | 35.2 | PASS |

| | | | | | | | | | |
|--------|----|-------|-----|------|-------|----------|-------|------|------|
| Band40 | 20 | 39550 | 18 | #0 | QPSK | U-ACLR1- | 43.53 | 32.2 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QPSK | E-ACLR- | 41.17 | 29.2 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QPSK | E-ACLR+ | 45.63 | 29.2 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QPSK | U-ACLR+ | 56.82 | 32.2 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QPSK | U-ACLR2+ | 56.84 | 35.2 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QPSK | U-ACLR2- | 56.90 | 35.2 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QPSK | U-ACLR1- | 57.11 | 32.2 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QPSK | E-ACLR- | 44.79 | 29.2 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QPSK | E-ACLR+ | 41.01 | 29.2 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QPSK | U-ACLR+ | 44.70 | 32.2 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QPSK | U-ACLR2+ | 46.14 | 35.2 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | U-ACLR2- | 47.86 | 35.2 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | U-ACLR1- | 46.11 | 32.2 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | E-ACLR- | 37.54 | 29.2 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | E-ACLR+ | 40.66 | 29.2 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | U-ACLR+ | 48.48 | 32.2 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QPSK | U-ACLR2+ | 49.29 | 35.2 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | U-ACLR2- | 47.74 | 35.2 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | U-ACLR1- | 42.37 | 32.2 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | E-ACLR- | 40.94 | 29.2 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | E-ACLR+ | 45.00 | 29.2 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | U-ACLR+ | 56.28 | 32.2 | PASS |
| Band40 | 20 | 39550 | 18 | #0 | QAM16 | U-ACLR2+ | 56.26 | 35.2 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QAM16 | U-ACLR2- | 56.21 | 35.2 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QAM16 | U-ACLR1- | 56.41 | 32.2 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QAM16 | E-ACLR- | 44.09 | 29.2 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QAM16 | E-ACLR+ | 40.90 | 29.2 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QAM16 | U-ACLR+ | 43.06 | 32.2 | PASS |
| Band40 | 20 | 39550 | 18 | #Max | QAM16 | U-ACLR2+ | 46.50 | 35.2 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | U-ACLR2- | 46.56 | 35.2 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | U-ACLR1- | 45.24 | 32.2 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | E-ACLR- | 36.93 | 29.2 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | E-ACLR+ | 39.50 | 29.2 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | U-ACLR+ | 47.20 | 32.2 | PASS |
| Band40 | 20 | 39550 | 100 | #0 | QAM16 | U-ACLR2+ | 47.86 | 35.2 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QPSK | U-ACLR2- | 53.13 | 35.2 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QPSK | U-ACLR1- | 42.38 | 32.2 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QPSK | E-ACLR- | 40.45 | 29.2 | PASS |

| | | | | | | | | | |
|-------|---|-------|----|------|-------|----------|-------|------|------|
| Band7 | 5 | 20775 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QPSK | E-ACLR+ | 51.54 | 29.2 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QPSK | U-ACLR+ | 52.28 | 32.2 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QPSK | U-ACLR2+ | 53.58 | 35.2 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QPSK | U-ACLR2- | 53.31 | 35.2 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QPSK | U-ACLR1- | 52.90 | 32.2 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QPSK | E-ACLR- | 52.12 | 29.2 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QPSK | E-ACLR+ | 39.08 | 29.2 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QPSK | U-ACLR+ | 41.40 | 32.2 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QPSK | U-ACLR2+ | 53.51 | 35.2 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | U-ACLR2- | 50.88 | 35.2 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | U-ACLR1- | 41.20 | 32.2 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | E-ACLR- | 40.45 | 29.2 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | E-ACLR+ | 40.19 | 29.2 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | U-ACLR+ | 40.95 | 32.2 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QPSK | U-ACLR2+ | 50.48 | 35.2 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | U-ACLR2- | 52.23 | 35.2 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | U-ACLR1- | 43.63 | 32.2 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | E-ACLR- | 41.64 | 29.2 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | E-ACLR+ | 50.62 | 29.2 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | U-ACLR+ | 51.25 | 32.2 | PASS |
| Band7 | 5 | 20775 | 8 | #0 | QAM16 | U-ACLR2+ | 52.52 | 35.2 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QAM16 | U-ACLR2- | 52.27 | 35.2 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QAM16 | U-ACLR1- | 51.88 | 32.2 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QAM16 | E-ACLR- | 51.16 | 29.2 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QAM16 | E-ACLR+ | 41.23 | 29.2 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QAM16 | U-ACLR+ | 43.44 | 32.2 | PASS |
| Band7 | 5 | 20775 | 8 | #Max | QAM16 | U-ACLR2+ | 52.53 | 35.2 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | U-ACLR2- | 52.01 | 35.2 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | U-ACLR1- | 41.72 | 32.2 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | E-ACLR- | 40.93 | 29.2 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | E-ACLR+ | 40.78 | 29.2 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | U-ACLR+ | 41.56 | 32.2 | PASS |
| Band7 | 5 | 20775 | 25 | #0 | QAM16 | U-ACLR2+ | 51.64 | 35.2 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QPSK | U-ACLR2- | 53.15 | 35.2 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QPSK | U-ACLR1- | 42.92 | 32.2 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QPSK | E-ACLR- | 40.65 | 29.2 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QPSK | E-ACLR+ | 51.88 | 29.2 | PASS |

| | | | | | | | | | |
|-------|---|-------|----|------|-------|----------|-------|------|------|
| Band7 | 5 | 21100 | 8 | #0 | QPSK | U-ACLR+ | 52.63 | 32.2 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QPSK | U-ACLR2+ | 53.60 | 35.2 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QPSK | U-ACLR2- | 53.19 | 35.2 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QPSK | U-ACLR1- | 52.64 | 32.2 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QPSK | E-ACLR- | 51.87 | 29.2 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QPSK | E-ACLR+ | 41.35 | 29.2 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QPSK | U-ACLR+ | 43.62 | 32.2 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QPSK | U-ACLR2+ | 53.48 | 35.2 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | U-ACLR2- | 51.09 | 35.2 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | U-ACLR1- | 41.58 | 32.2 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | E-ACLR- | 40.83 | 29.2 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | E-ACLR+ | 42.01 | 29.2 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | U-ACLR+ | 42.75 | 32.2 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QPSK | U-ACLR2+ | 51.55 | 35.2 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | U-ACLR2- | 52.47 | 35.2 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | U-ACLR1- | 43.28 | 32.2 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | E-ACLR- | 40.79 | 29.2 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | E-ACLR+ | 50.96 | 29.2 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | U-ACLR+ | 51.65 | 32.2 | PASS |
| Band7 | 5 | 21100 | 8 | #0 | QAM16 | U-ACLR2+ | 52.85 | 35.2 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QAM16 | U-ACLR2- | 52.50 | 35.2 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QAM16 | U-ACLR1- | 51.78 | 32.2 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QAM16 | E-ACLR- | 51.06 | 29.2 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QAM16 | E-ACLR+ | 41.39 | 29.2 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QAM16 | U-ACLR+ | 44.01 | 32.2 | PASS |
| Band7 | 5 | 21100 | 8 | #Max | QAM16 | U-ACLR2+ | 52.80 | 35.2 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | U-ACLR2- | 52.14 | 35.2 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | U-ACLR1- | 41.89 | 32.2 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | E-ACLR- | 41.05 | 29.2 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | E-ACLR+ | 41.98 | 29.2 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | U-ACLR+ | 42.83 | 32.2 | PASS |
| Band7 | 5 | 21100 | 25 | #0 | QAM16 | U-ACLR2+ | 52.52 | 35.2 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | U-ACLR2- | 53.08 | 35.2 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | U-ACLR1- | 38.93 | 32.2 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | E-ACLR- | 35.53 | 29.2 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | E-ACLR+ | 51.83 | 29.2 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | U-ACLR+ | 52.65 | 32.2 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QPSK | U-ACLR2+ | 53.57 | 35.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|----|------|-------|----------|-------|------|------|
| Band7 | 5 | 21425 | 8 | #Max | QPSK | U-ACLR2- | 53.16 | 35.2 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QPSK | U-ACLR1- | 52.69 | 32.2 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QPSK | E-ACLR- | 51.82 | 29.2 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QPSK | E-ACLR+ | 36.22 | 29.2 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QPSK | U-ACLR+ | 39.74 | 32.2 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QPSK | U-ACLR2+ | 53.45 | 35.2 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | U-ACLR2- | 50.89 | 35.2 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | U-ACLR1- | 37.33 | 32.2 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | E-ACLR- | 36.44 | 29.2 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | E-ACLR+ | 36.89 | 29.2 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | U-ACLR+ | 37.84 | 32.2 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QPSK | U-ACLR2+ | 51.76 | 35.2 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | U-ACLR2- | 52.22 | 35.2 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | U-ACLR1- | 40.94 | 32.2 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | E-ACLR- | 37.65 | 29.2 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | E-ACLR+ | 51.17 | 29.2 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | U-ACLR+ | 51.93 | 32.2 | PASS |
| Band7 | 5 | 21425 | 8 | #0 | QAM16 | U-ACLR2+ | 52.63 | 35.2 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QAM16 | U-ACLR2- | 52.23 | 35.2 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QAM16 | U-ACLR1- | 52.09 | 32.2 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QAM16 | E-ACLR- | 51.30 | 29.2 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QAM16 | E-ACLR+ | 38.87 | 29.2 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QAM16 | U-ACLR+ | 42.16 | 32.2 | PASS |
| Band7 | 5 | 21425 | 8 | #Max | QAM16 | U-ACLR2+ | 52.54 | 35.2 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | U-ACLR2- | 51.82 | 35.2 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | U-ACLR1- | 38.50 | 32.2 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | E-ACLR- | 37.66 | 29.2 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | E-ACLR+ | 38.18 | 29.2 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | U-ACLR+ | 39.06 | 32.2 | PASS |
| Band7 | 5 | 21425 | 25 | #0 | QAM16 | U-ACLR2+ | 52.72 | 35.2 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QPSK | U-ACLR2- | 52.57 | 35.2 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QPSK | U-ACLR1- | 41.45 | 32.2 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QPSK | E-ACLR- | 40.72 | 29.2 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QPSK | E-ACLR+ | 49.18 | 29.2 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QPSK | U-ACLR+ | 52.81 | 32.2 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QPSK | U-ACLR2+ | 53.13 | 35.2 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QPSK | U-ACLR2- | 52.78 | 35.2 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QPSK | U-ACLR1- | 53.05 | 32.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|----|------|-------|----------|-------|------|------|
| Band7 | 10 | 20800 | 12 | #Max | QPSK | E-ACLR- | 49.17 | 29.2 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QPSK | E-ACLR+ | 39.14 | 29.2 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QPSK | U-ACLR+ | 39.76 | 32.2 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QPSK | U-ACLR2+ | 53.08 | 35.2 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QPSK | U-ACLR2- | 45.94 | 35.2 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QPSK | U-ACLR1- | 42.21 | 32.2 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QPSK | E-ACLR- | 39.99 | 29.2 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QPSK | E-ACLR+ | 38.92 | 29.2 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QPSK | U-ACLR+ | 41.22 | 32.2 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QPSK | U-ACLR2+ | 44.52 | 35.2 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QAM16 | U-ACLR2- | 51.84 | 35.2 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QAM16 | U-ACLR1- | 42.74 | 32.2 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QAM16 | E-ACLR- | 41.71 | 29.2 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QAM16 | E-ACLR+ | 48.12 | 29.2 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QAM16 | U-ACLR+ | 51.96 | 32.2 | PASS |
| Band7 | 10 | 20800 | 12 | #0 | QAM16 | U-ACLR2+ | 51.97 | 35.2 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QAM16 | U-ACLR2- | 51.86 | 35.2 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QAM16 | U-ACLR1- | 52.26 | 32.2 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QAM16 | E-ACLR- | 48.30 | 29.2 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QAM16 | E-ACLR+ | 40.50 | 29.2 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QAM16 | U-ACLR+ | 41.39 | 32.2 | PASS |
| Band7 | 10 | 20800 | 12 | #Max | QAM16 | U-ACLR2+ | 52.46 | 35.2 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QAM16 | U-ACLR2- | 47.07 | 35.2 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QAM16 | U-ACLR1- | 42.16 | 32.2 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QAM16 | E-ACLR- | 40.24 | 29.2 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QAM16 | E-ACLR+ | 39.38 | 29.2 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QAM16 | U-ACLR+ | 41.32 | 32.2 | PASS |
| Band7 | 10 | 20800 | 50 | #0 | QAM16 | U-ACLR2+ | 46.00 | 35.2 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QPSK | U-ACLR2- | 52.61 | 35.2 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QPSK | U-ACLR1- | 41.89 | 32.2 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QPSK | E-ACLR- | 41.07 | 29.2 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QPSK | E-ACLR+ | 49.22 | 29.2 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QPSK | U-ACLR+ | 52.96 | 32.2 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QPSK | U-ACLR2+ | 53.07 | 35.2 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QPSK | U-ACLR2- | 52.70 | 35.2 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QPSK | U-ACLR1- | 53.02 | 32.2 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QPSK | E-ACLR- | 49.12 | 29.2 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |

| | | | | | | | | | |
|-------|----|-------|----|------|-------|----------|-------|------|------|
| Band7 | 10 | 21100 | 12 | #Max | QPSK | E-ACLR+ | 41.72 | 29.2 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QPSK | U-ACLR+ | 42.51 | 32.2 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QPSK | U-ACLR2+ | 53.33 | 35.2 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QPSK | U-ACLR2- | 46.24 | 35.2 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QPSK | U-ACLR1- | 42.71 | 32.2 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QPSK | E-ACLR- | 40.39 | 29.2 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QPSK | E-ACLR+ | 41.74 | 29.2 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QPSK | U-ACLR+ | 44.11 | 32.2 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QPSK | U-ACLR2+ | 47.33 | 35.2 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QAM16 | U-ACLR2- | 51.91 | 35.2 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QAM16 | U-ACLR1- | 43.09 | 32.2 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QAM16 | E-ACLR- | 42.01 | 29.2 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QAM16 | E-ACLR+ | 48.45 | 29.2 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QAM16 | U-ACLR+ | 52.22 | 32.2 | PASS |
| Band7 | 10 | 21100 | 12 | #0 | QAM16 | U-ACLR2+ | 52.31 | 35.2 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QAM16 | U-ACLR2- | 51.80 | 35.2 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QAM16 | U-ACLR1- | 52.11 | 32.2 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QAM16 | E-ACLR- | 48.18 | 29.2 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QAM16 | E-ACLR+ | 42.62 | 29.2 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QAM16 | U-ACLR+ | 43.73 | 32.2 | PASS |
| Band7 | 10 | 21100 | 12 | #Max | QAM16 | U-ACLR2+ | 52.62 | 35.2 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QAM16 | U-ACLR2- | 47.36 | 35.2 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QAM16 | U-ACLR1- | 42.26 | 32.2 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QAM16 | E-ACLR- | 40.38 | 29.2 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QAM16 | E-ACLR+ | 41.82 | 29.2 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QAM16 | U-ACLR+ | 43.78 | 32.2 | PASS |
| Band7 | 10 | 21100 | 50 | #0 | QAM16 | U-ACLR2+ | 48.34 | 35.2 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QPSK | U-ACLR2- | 52.43 | 35.2 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QPSK | U-ACLR1- | 38.25 | 32.2 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QPSK | E-ACLR- | 37.63 | 29.2 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QPSK | E-ACLR+ | 49.55 | 29.2 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QPSK | U-ACLR+ | 53.13 | 32.2 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QPSK | U-ACLR2+ | 53.47 | 35.2 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QPSK | U-ACLR2- | 53.02 | 35.2 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QPSK | U-ACLR1- | 53.13 | 32.2 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QPSK | E-ACLR- | 49.37 | 29.2 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QPSK | E-ACLR+ | 38.44 | 29.2 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QPSK | U-ACLR+ | 39.10 | 32.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|-----|------|-------|----------|-------|------|------|
| Band7 | 10 | 21400 | 12 | #Max | QPSK | U-ACLR2+ | 53.33 | 35.2 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QPSK | U-ACLR2- | 44.18 | 35.2 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QPSK | U-ACLR1- | 38.30 | 32.2 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QPSK | E-ACLR- | 36.64 | 29.2 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QPSK | E-ACLR+ | 37.23 | 29.2 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QPSK | U-ACLR+ | 38.63 | 32.2 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QPSK | U-ACLR2+ | 45.83 | 35.2 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QAM16 | U-ACLR2- | 51.83 | 35.2 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QAM16 | U-ACLR1- | 39.38 | 32.2 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QAM16 | E-ACLR- | 38.60 | 29.2 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QAM16 | E-ACLR+ | 48.84 | 29.2 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QAM16 | U-ACLR+ | 52.52 | 32.2 | PASS |
| Band7 | 10 | 21400 | 12 | #0 | QAM16 | U-ACLR2+ | 52.65 | 35.2 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QAM16 | U-ACLR2- | 52.08 | 35.2 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QAM16 | U-ACLR1- | 52.19 | 32.2 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QAM16 | E-ACLR- | 48.44 | 29.2 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QAM16 | E-ACLR+ | 39.80 | 29.2 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QAM16 | U-ACLR+ | 40.66 | 32.2 | PASS |
| Band7 | 10 | 21400 | 12 | #Max | QAM16 | U-ACLR2+ | 52.52 | 35.2 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QAM16 | U-ACLR2- | 45.66 | 35.2 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QAM16 | U-ACLR1- | 38.43 | 32.2 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QAM16 | E-ACLR- | 37.06 | 29.2 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QAM16 | E-ACLR+ | 37.62 | 29.2 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QAM16 | U-ACLR+ | 38.88 | 32.2 | PASS |
| Band7 | 10 | 21400 | 50 | #0 | QAM16 | U-ACLR2+ | 46.87 | 35.2 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | U-ACLR2- | 51.46 | 35.2 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | U-ACLR1- | 41.68 | 32.2 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | E-ACLR- | 41.51 | 29.2 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | E-ACLR+ | 46.35 | 29.2 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | U-ACLR+ | 53.26 | 32.2 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QPSK | U-ACLR2+ | 53.06 | 35.2 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QPSK | U-ACLR2- | 52.11 | 35.2 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QPSK | U-ACLR1- | 53.01 | 32.2 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QPSK | E-ACLR- | 46.12 | 29.2 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QPSK | E-ACLR+ | 41.14 | 29.2 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QPSK | U-ACLR+ | 40.04 | 32.2 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QPSK | U-ACLR2+ | 52.82 | 35.2 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | U-ACLR2- | 44.76 | 35.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|-----|------|-------|----------|-------|------|------|
| Band7 | 20 | 20850 | 100 | #0 | QPSK | U-ACLR1- | 42.87 | 32.2 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | E-ACLR- | 39.06 | 29.2 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | E-ACLR+ | 37.37 | 29.2 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | U-ACLR+ | 41.63 | 32.2 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QPSK | U-ACLR2+ | 42.96 | 35.2 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | U-ACLR2- | 50.86 | 35.2 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | U-ACLR1- | 41.74 | 32.2 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | E-ACLR- | 41.61 | 29.2 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | E-ACLR+ | 45.71 | 29.2 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | U-ACLR+ | 52.57 | 32.2 | PASS |
| Band7 | 20 | 20850 | 18 | #0 | QAM16 | U-ACLR2+ | 52.43 | 35.2 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QAM16 | U-ACLR2- | 51.38 | 35.2 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QAM16 | U-ACLR1- | 52.24 | 32.2 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QAM16 | E-ACLR- | 45.29 | 29.2 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QAM16 | E-ACLR+ | 41.63 | 29.2 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QAM16 | U-ACLR+ | 40.96 | 32.2 | PASS |
| Band7 | 20 | 20850 | 18 | #Max | QAM16 | U-ACLR2+ | 52.21 | 35.2 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | U-ACLR2- | 45.74 | 35.2 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | U-ACLR1- | 44.00 | 32.2 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | E-ACLR- | 40.17 | 29.2 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | E-ACLR+ | 39.15 | 29.2 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | U-ACLR+ | 43.35 | 32.2 | PASS |
| Band7 | 20 | 20850 | 100 | #0 | QAM16 | U-ACLR2+ | 44.80 | 35.2 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | U-ACLR2- | 51.69 | 35.2 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | U-ACLR1- | 41.24 | 32.2 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | E-ACLR- | 41.58 | 29.2 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | E-ACLR+ | 46.49 | 29.2 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | U-ACLR+ | 53.48 | 32.2 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QPSK | U-ACLR2+ | 52.94 | 35.2 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QPSK | U-ACLR2- | 51.60 | 35.2 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QPSK | U-ACLR1- | 52.86 | 32.2 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QPSK | E-ACLR- | 45.76 | 29.2 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QPSK | E-ACLR+ | 42.63 | 29.2 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QPSK | U-ACLR+ | 42.79 | 32.2 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QPSK | U-ACLR2+ | 52.99 | 35.2 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | U-ACLR2- | 43.98 | 35.2 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | U-ACLR1- | 42.61 | 32.2 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | E-ACLR- | 38.34 | 29.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|-----|------|-------|----------|-------|------|------|
| Band7 | 20 | 21100 | 100 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | E-ACLR+ | 40.24 | 29.2 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | U-ACLR+ | 44.94 | 32.2 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QPSK | U-ACLR2+ | 46.41 | 35.2 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | U-ACLR2- | 50.88 | 35.2 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | U-ACLR1- | 42.32 | 32.2 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | E-ACLR- | 41.99 | 29.2 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | E-ACLR+ | 45.54 | 29.2 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | U-ACLR+ | 52.58 | 32.2 | PASS |
| Band7 | 20 | 21100 | 18 | #0 | QAM16 | U-ACLR2+ | 52.08 | 35.2 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QAM16 | U-ACLR2- | 50.78 | 35.2 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QAM16 | U-ACLR1- | 51.95 | 32.2 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QAM16 | E-ACLR- | 44.88 | 29.2 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QAM16 | E-ACLR+ | 43.21 | 29.2 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QAM16 | U-ACLR+ | 44.17 | 32.2 | PASS |
| Band7 | 20 | 21100 | 18 | #Max | QAM16 | U-ACLR2+ | 52.21 | 35.2 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | U-ACLR2- | 44.70 | 35.2 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | U-ACLR1- | 43.15 | 32.2 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | E-ACLR- | 39.13 | 29.2 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | E-ACLR+ | 41.19 | 29.2 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | U-ACLR+ | 45.57 | 32.2 | PASS |
| Band7 | 20 | 21100 | 100 | #0 | QAM16 | U-ACLR2+ | 47.28 | 35.2 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | U-ACLR2- | 51.47 | 35.2 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | U-ACLR1- | 40.24 | 32.2 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | E-ACLR- | 40.80 | 29.2 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | E-ACLR+ | 46.82 | 29.2 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | U-ACLR+ | 53.46 | 32.2 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QPSK | U-ACLR2+ | 53.44 | 35.2 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QPSK | U-ACLR2- | 52.09 | 35.2 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QPSK | U-ACLR1- | 52.90 | 32.2 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QPSK | E-ACLR- | 46.21 | 29.2 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QPSK | E-ACLR+ | 40.54 | 29.2 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QPSK | U-ACLR+ | 38.97 | 32.2 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QPSK | U-ACLR2+ | 52.86 | 35.2 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | U-ACLR2- | 42.28 | 35.2 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | U-ACLR1- | 40.53 | 32.2 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | E-ACLR- | 36.59 | 29.2 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | E-ACLR+ | 37.29 | 29.2 | PASS |

| | | | | | | | | | |
|-------|-----|-------|-----|------|-------|----------|-------|------|------|
| Band7 | 20 | 21350 | 100 | #0 | QPSK | U-ACLR+ | 40.66 | 32.2 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QPSK | U-ACLR2+ | 42.89 | 35.2 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | U-ACLR2- | 50.89 | 35.2 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | U-ACLR1- | 40.77 | 32.2 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | E-ACLR- | 41.21 | 29.2 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | E-ACLR+ | 46.03 | 29.2 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | U-ACLR+ | 52.76 | 32.2 | PASS |
| Band7 | 20 | 21350 | 18 | #0 | QAM16 | U-ACLR2+ | 52.71 | 35.2 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QAM16 | U-ACLR2- | 51.33 | 35.2 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QAM16 | U-ACLR1- | 52.12 | 32.2 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QAM16 | E-ACLR- | 45.39 | 29.2 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QAM16 | E-ACLR+ | 41.34 | 29.2 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QAM16 | U-ACLR+ | 40.34 | 32.2 | PASS |
| Band7 | 20 | 21350 | 18 | #Max | QAM16 | U-ACLR2+ | 52.38 | 35.2 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | U-ACLR2- | 42.79 | 35.2 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | U-ACLR1- | 40.78 | 32.2 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | E-ACLR- | 37.14 | 29.2 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | E-ACLR+ | 37.80 | 29.2 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | U-ACLR+ | 41.00 | 32.2 | PASS |
| Band7 | 20 | 21350 | 100 | #0 | QAM16 | U-ACLR2+ | 43.47 | 35.2 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QPSK | U-ACLR1- | 46.56 | 32.2 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QPSK | E-ACLR- | 40.41 | 29.2 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QPSK | E-ACLR+ | 45.35 | 29.2 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QPSK | U-ACLR+ | 49.74 | 32.2 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QPSK | U-ACLR1- | 48.81 | 32.2 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QPSK | E-ACLR- | 43.60 | 29.2 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QPSK | E-ACLR+ | 42.72 | 29.2 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QPSK | U-ACLR+ | 47.74 | 32.2 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QPSK | U-ACLR1- | 49.05 | 32.2 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QPSK | E-ACLR- | 46.58 | 29.2 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QPSK | E-ACLR+ | 48.43 | 29.2 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QPSK | U-ACLR+ | 49.46 | 32.2 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QAM16 | U-ACLR1- | 48.17 | 32.2 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QAM16 | E-ACLR- | 42.68 | 29.2 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QAM16 | E-ACLR+ | 47.41 | 29.2 | PASS |
| Band8 | 1.4 | 21457 | 5 | #0 | QAM16 | U-ACLR+ | 50.17 | 32.2 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QAM16 | U-ACLR1- | 49.86 | 32.2 | PASS |

| | | | | | | | | | |
|-------|-----|-------|---|------|-------|----------|-------|------|------|
| Band8 | 1.4 | 21457 | 5 | #Max | QAM16 | E-ACLR- | 46.39 | 29.2 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QAM16 | E-ACLR+ | 45.58 | 29.2 | PASS |
| Band8 | 1.4 | 21457 | 5 | #Max | QAM16 | U-ACLR+ | 49.05 | 32.2 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QAM16 | U-ACLR1- | 48.73 | 32.2 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QAM16 | E-ACLR- | 46.19 | 29.2 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QAM16 | E-ACLR+ | 47.86 | 29.2 | PASS |
| Band8 | 1.4 | 21457 | 6 | #0 | QAM16 | U-ACLR+ | 48.96 | 32.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QPSK | U-ACLR1- | 45.07 | 32.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QPSK | E-ACLR- | 37.81 | 29.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QPSK | E-ACLR+ | 42.52 | 29.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QPSK | U-ACLR+ | 48.97 | 32.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QPSK | U-ACLR1- | 48.17 | 32.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QPSK | E-ACLR- | 41.39 | 29.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QPSK | E-ACLR+ | 38.96 | 29.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QPSK | U-ACLR+ | 45.86 | 32.2 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QPSK | U-ACLR1- | 46.36 | 32.2 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QPSK | E-ACLR- | 41.76 | 29.2 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QPSK | E-ACLR+ | 42.91 | 29.2 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QPSK | U-ACLR+ | 47.39 | 32.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QAM16 | U-ACLR1- | 46.19 | 32.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QAM16 | E-ACLR- | 39.07 | 29.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QAM16 | E-ACLR+ | 43.91 | 29.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #0 | QAM16 | U-ACLR+ | 49.61 | 32.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QAM16 | U-ACLR1- | 48.96 | 32.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QAM16 | E-ACLR- | 42.82 | 29.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QAM16 | E-ACLR+ | 40.22 | 29.2 | PASS |
| Band8 | 1.4 | 21625 | 5 | #Max | QAM16 | U-ACLR+ | 46.87 | 32.2 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QAM16 | U-ACLR1- | 47.93 | 32.2 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QAM16 | E-ACLR- | 43.58 | 29.2 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QAM16 | E-ACLR+ | 44.79 | 29.2 | PASS |
| Band8 | 1.4 | 21625 | 6 | #0 | QAM16 | U-ACLR+ | 48.20 | 32.2 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QPSK | U-ACLR1- | 43.78 | 32.2 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QPSK | E-ACLR- | 35.55 | 29.2 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QPSK | E-ACLR+ | 41.73 | 29.2 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QPSK | U-ACLR+ | 48.67 | 32.2 | PASS |

| | | | | | | | | | |
|-------|-----|-------|----|------|-------|----------|-------|------|------|
| Band8 | 1.4 | 21793 | 5 | #Max | QPSK | U-ACLR1- | 47.13 | 32.2 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QPSK | E-ACLR- | 38.64 | 29.2 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QPSK | E-ACLR+ | 37.21 | 29.2 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QPSK | U-ACLR+ | 44.64 | 32.2 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QPSK | U-ACLR1- | 44.98 | 32.2 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QPSK | E-ACLR- | 39.25 | 29.2 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QPSK | E-ACLR+ | 41.91 | 29.2 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QPSK | U-ACLR+ | 46.75 | 32.2 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QAM16 | U-ACLR1- | 46.62 | 32.2 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QAM16 | E-ACLR- | 38.97 | 29.2 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QAM16 | E-ACLR+ | 44.49 | 29.2 | PASS |
| Band8 | 1.4 | 21793 | 5 | #0 | QAM16 | U-ACLR+ | 49.72 | 32.2 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QAM16 | U-ACLR1- | 49.05 | 32.2 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QAM16 | E-ACLR- | 43.14 | 29.2 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QAM16 | E-ACLR+ | 41.19 | 29.2 | PASS |
| Band8 | 1.4 | 21793 | 5 | #Max | QAM16 | U-ACLR+ | 47.72 | 32.2 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QAM16 | U-ACLR1- | 46.63 | 32.2 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QAM16 | E-ACLR- | 41.38 | 29.2 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QAM16 | E-ACLR+ | 43.67 | 29.2 | PASS |
| Band8 | 1.4 | 21793 | 6 | #0 | QAM16 | U-ACLR+ | 48.23 | 32.2 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QPSK | U-ACLR2- | 53.68 | 35.2 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QPSK | U-ACLR1- | 45.64 | 32.2 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QPSK | E-ACLR- | 43.13 | 29.2 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QPSK | E-ACLR+ | 47.69 | 29.2 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QPSK | U-ACLR+ | 48.05 | 32.2 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QPSK | U-ACLR2+ | 53.82 | 35.2 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QPSK | U-ACLR2- | 53.81 | 35.2 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QPSK | U-ACLR1- | 46.53 | 32.2 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QPSK | E-ACLR- | 46.20 | 29.2 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QPSK | E-ACLR+ | 43.31 | 29.2 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QPSK | U-ACLR+ | 45.80 | 32.2 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QPSK | U-ACLR2+ | 53.26 | 35.2 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | U-ACLR2- | 52.27 | 35.2 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | U-ACLR1- | 45.60 | 32.2 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | E-ACLR- | 44.69 | 29.2 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | E-ACLR+ | 45.12 | 29.2 | PASS |

| | | | | | | | | | |
|-------|---|-------|----|------|-------|----------|-------|------|------|
| Band8 | 5 | 21475 | 25 | #0 | QPSK | U-ACLR+ | 45.90 | 32.2 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QPSK | U-ACLR2+ | 51.42 | 35.2 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | U-ACLR2- | 52.85 | 35.2 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | U-ACLR1- | 47.32 | 32.2 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | E-ACLR- | 44.72 | 29.2 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | E-ACLR+ | 47.78 | 29.2 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | U-ACLR+ | 48.13 | 32.2 | PASS |
| Band8 | 5 | 21475 | 8 | #0 | QAM16 | U-ACLR2+ | 53.03 | 35.2 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QAM16 | U-ACLR2- | 53.01 | 35.2 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QAM16 | U-ACLR1- | 46.90 | 32.2 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QAM16 | E-ACLR- | 46.58 | 29.2 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QAM16 | E-ACLR+ | 44.73 | 29.2 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QAM16 | U-ACLR+ | 47.00 | 32.2 | PASS |
| Band8 | 5 | 21475 | 8 | #Max | QAM16 | U-ACLR2+ | 52.69 | 35.2 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | U-ACLR2- | 53.26 | 35.2 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | U-ACLR1- | 47.02 | 32.2 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | E-ACLR- | 46.17 | 29.2 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | E-ACLR+ | 45.84 | 29.2 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | U-ACLR+ | 46.59 | 32.2 | PASS |
| Band8 | 5 | 21475 | 25 | #0 | QAM16 | U-ACLR2+ | 52.17 | 35.2 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QPSK | U-ACLR2- | 53.58 | 35.2 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QPSK | U-ACLR1- | 41.20 | 32.2 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QPSK | E-ACLR- | 37.74 | 29.2 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QPSK | E-ACLR+ | 48.74 | 29.2 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QPSK | U-ACLR+ | 49.16 | 32.2 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QPSK | U-ACLR2+ | 54.07 | 35.2 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QPSK | U-ACLR2- | 53.69 | 35.2 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QPSK | U-ACLR1- | 47.60 | 32.2 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QPSK | E-ACLR- | 47.24 | 29.2 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QPSK | E-ACLR+ | 40.42 | 29.2 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QPSK | U-ACLR+ | 43.72 | 32.2 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QPSK | U-ACLR2+ | 53.71 | 35.2 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | U-ACLR2- | 51.43 | 35.2 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | U-ACLR1- | 41.96 | 32.2 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | E-ACLR- | 41.09 | 29.2 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | E-ACLR+ | 42.18 | 29.2 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | U-ACLR+ | 43.15 | 32.2 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QPSK | U-ACLR2+ | 52.07 | 35.2 | PASS |

| | | | | | | | | | |
|-------|---|-------|----|------|-------|----------|-------|------|------|
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | U-ACLR2- | 52.57 | 35.2 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | U-ACLR1- | 42.31 | 32.2 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | E-ACLR- | 38.94 | 29.2 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | E-ACLR+ | 48.65 | 29.2 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | U-ACLR+ | 49.12 | 32.2 | PASS |
| Band8 | 5 | 21625 | 8 | #0 | QAM16 | U-ACLR2+ | 53.09 | 35.2 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QAM16 | U-ACLR2- | 52.68 | 35.2 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QAM16 | U-ACLR1- | 48.00 | 32.2 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QAM16 | E-ACLR- | 47.58 | 29.2 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QAM16 | E-ACLR+ | 41.73 | 29.2 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QAM16 | U-ACLR+ | 44.90 | 32.2 | PASS |
| Band8 | 5 | 21625 | 8 | #Max | QAM16 | U-ACLR2+ | 52.77 | 35.2 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | U-ACLR2- | 51.96 | 35.2 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | U-ACLR1- | 42.85 | 32.2 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | E-ACLR- | 42.03 | 29.2 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | E-ACLR+ | 43.39 | 29.2 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | U-ACLR+ | 44.38 | 32.2 | PASS |
| Band8 | 5 | 21625 | 25 | #0 | QAM16 | U-ACLR2+ | 52.34 | 35.2 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | U-ACLR2- | 53.32 | 35.2 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | U-ACLR1- | 38.11 | 32.2 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | E-ACLR- | 34.44 | 29.2 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | E-ACLR+ | 49.20 | 29.2 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | U-ACLR+ | 49.63 | 32.2 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QPSK | U-ACLR2+ | 54.13 | 35.2 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QPSK | U-ACLR2- | 53.55 | 35.2 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QPSK | U-ACLR1- | 43.33 | 32.2 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QPSK | E-ACLR- | 43.06 | 29.2 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QPSK | E-ACLR+ | 38.09 | 29.2 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QPSK | U-ACLR+ | 41.54 | 32.2 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QPSK | U-ACLR2+ | 53.99 | 35.2 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | U-ACLR2- | 49.81 | 35.2 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | U-ACLR1- | 38.72 | 32.2 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | E-ACLR- | 37.87 | 29.2 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | E-ACLR+ | 42.35 | 29.2 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | U-ACLR+ | 43.28 | 32.2 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QPSK | U-ACLR2+ | 52.72 | 35.2 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | U-ACLR2- | 52.57 | 35.2 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | U-ACLR1- | 41.36 | 32.2 | PASS |


| | | | | | | | | | |
|-------|----|-------|----|------|-------|----------|-------|------|------|
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | E-ACLR- | 37.53 | 29.2 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | E-ACLR+ | 49.52 | 29.2 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | U-ACLR+ | 49.97 | 32.2 | PASS |
| Band8 | 5 | 21775 | 8 | #0 | QAM16 | U-ACLR2+ | 53.14 | 35.2 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QAM16 | U-ACLR2- | 52.74 | 35.2 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QAM16 | U-ACLR1- | 43.62 | 32.2 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QAM16 | E-ACLR- | 43.36 | 29.2 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QAM16 | E-ACLR+ | 41.16 | 29.2 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QAM16 | U-ACLR+ | 44.47 | 32.2 | PASS |
| Band8 | 5 | 21775 | 8 | #Max | QAM16 | U-ACLR2+ | 53.17 | 35.2 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | U-ACLR2- | 50.35 | 35.2 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | U-ACLR1- | 40.06 | 32.2 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | E-ACLR- | 39.25 | 29.2 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | E-ACLR+ | 44.04 | 29.2 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | U-ACLR+ | 44.92 | 32.2 | PASS |
| Band8 | 5 | 21775 | 25 | #0 | QAM16 | U-ACLR2+ | 53.37 | 35.2 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | U-ACLR2- | 53.61 | 35.2 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | U-ACLR1- | 44.39 | 32.2 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | E-ACLR- | 43.40 | 29.2 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | E-ACLR+ | 46.27 | 29.2 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | U-ACLR+ | 50.61 | 32.2 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QPSK | U-ACLR2+ | 50.33 | 35.2 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QPSK | U-ACLR2- | 53.42 | 35.2 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QPSK | U-ACLR1- | 51.97 | 32.2 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QPSK | E-ACLR- | 48.87 | 29.2 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QPSK | E-ACLR+ | 38.55 | 29.2 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QPSK | U-ACLR+ | 39.28 | 32.2 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QPSK | U-ACLR2+ | 53.03 | 35.2 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | U-ACLR2- | 51.87 | 35.2 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | U-ACLR1- | 44.99 | 32.2 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | E-ACLR- | 43.77 | 29.2 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | E-ACLR+ | 40.88 | 29.2 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | U-ACLR+ | 43.25 | 32.2 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QPSK | U-ACLR2+ | 46.37 | 35.2 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | U-ACLR2- | 52.42 | 35.2 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | U-ACLR1- | 46.13 | 32.2 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | E-ACLR- | 44.71 | 29.2 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |

| | | | | | | | | | |
|-------|----|-------|----|------|-------|----------|-------|------|------|
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | E-ACLR+ | 46.26 | 29.2 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | U-ACLR+ | 50.65 | 32.2 | PASS |
| Band8 | 10 | 21500 | 12 | #0 | QAM16 | U-ACLR2+ | 50.23 | 35.2 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QAM16 | U-ACLR2- | 52.47 | 35.2 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QAM16 | U-ACLR1- | 51.73 | 32.2 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QAM16 | E-ACLR- | 48.35 | 29.2 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QAM16 | E-ACLR+ | 40.24 | 29.2 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QAM16 | U-ACLR+ | 41.21 | 32.2 | PASS |
| Band8 | 10 | 21500 | 12 | #Max | QAM16 | U-ACLR2+ | 52.43 | 35.2 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | U-ACLR2- | 52.28 | 35.2 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | U-ACLR1- | 45.19 | 32.2 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | E-ACLR- | 43.98 | 29.2 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | E-ACLR+ | 41.15 | 29.2 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | U-ACLR+ | 43.32 | 32.2 | PASS |
| Band8 | 10 | 21500 | 50 | #0 | QAM16 | U-ACLR2+ | 47.16 | 35.2 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | U-ACLR2- | 53.02 | 35.2 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | U-ACLR1- | 39.01 | 32.2 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | E-ACLR- | 38.29 | 29.2 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | E-ACLR+ | 47.77 | 29.2 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | U-ACLR+ | 51.97 | 32.2 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QPSK | U-ACLR2+ | 51.59 | 35.2 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QPSK | U-ACLR2- | 50.37 | 35.2 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QPSK | U-ACLR1- | 51.02 | 32.2 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QPSK | E-ACLR- | 46.61 | 29.2 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QPSK | E-ACLR+ | 41.27 | 29.2 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QPSK | U-ACLR+ | 42.16 | 32.2 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QPSK | U-ACLR2+ | 53.54 | 35.2 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | U-ACLR2- | 47.68 | 35.2 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | U-ACLR1- | 42.20 | 32.2 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | E-ACLR- | 40.34 | 29.2 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | E-ACLR+ | 41.82 | 29.2 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | U-ACLR+ | 43.58 | 32.2 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QPSK | U-ACLR2+ | 48.84 | 35.2 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | U-ACLR2- | 52.19 | 35.2 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | U-ACLR1- | 41.06 | 32.2 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | E-ACLR- | 40.14 | 29.2 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | E-ACLR+ | 47.47 | 29.2 | PASS |
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | U-ACLR+ | 51.58 | 32.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|----|------|-------|----------|-------|------|------|
| Band8 | 10 | 21625 | 12 | #0 | QAM16 | U-ACLR2+ | 51.37 | 35.2 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QAM16 | U-ACLR2- | 50.46 | 35.2 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QAM16 | U-ACLR1- | 51.18 | 32.2 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QAM16 | E-ACLR- | 46.80 | 29.2 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QAM16 | E-ACLR+ | 42.69 | 29.2 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QAM16 | U-ACLR+ | 43.99 | 32.2 | PASS |
| Band8 | 10 | 21625 | 12 | #Max | QAM16 | U-ACLR2+ | 52.63 | 35.2 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | U-ACLR2- | 48.64 | 35.2 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | U-ACLR1- | 42.30 | 32.2 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | E-ACLR- | 40.63 | 29.2 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | E-ACLR+ | 42.65 | 29.2 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | U-ACLR+ | 44.28 | 32.2 | PASS |
| Band8 | 10 | 21625 | 50 | #0 | QAM16 | U-ACLR2+ | 49.95 | 35.2 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | U-ACLR2- | 52.98 | 35.2 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | U-ACLR1- | 38.40 | 32.2 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | E-ACLR- | 37.74 | 29.2 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | E-ACLR+ | 49.73 | 29.2 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | U-ACLR+ | 52.82 | 32.2 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QPSK | U-ACLR2+ | 54.08 | 35.2 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QPSK | U-ACLR2- | 47.40 | 35.2 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QPSK | U-ACLR1- | 48.75 | 32.2 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QPSK | E-ACLR- | 43.69 | 29.2 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QPSK | E-ACLR+ | 41.52 | 29.2 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QPSK | U-ACLR+ | 42.33 | 32.2 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QPSK | U-ACLR2+ | 54.16 | 35.2 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | U-ACLR2- | 46.38 | 35.2 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | U-ACLR1- | 40.22 | 32.2 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | E-ACLR- | 38.51 | 29.2 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | E-ACLR+ | 41.99 | 29.2 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | U-ACLR+ | 42.71 | 32.2 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QPSK | U-ACLR2+ | 52.68 | 35.2 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | U-ACLR2- | 52.05 | 35.2 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | U-ACLR1- | 40.66 | 32.2 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | E-ACLR- | 39.77 | 29.2 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | E-ACLR+ | 48.92 | 29.2 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | U-ACLR+ | 52.24 | 32.2 | PASS |
| Band8 | 10 | 21750 | 12 | #0 | QAM16 | U-ACLR2+ | 53.03 | 35.2 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QAM16 | U-ACLR2- | 48.05 | 35.2 | PASS |

| | | | | | | | | | |
|-------|----|-------|----|------|-------|----------|-------|------|------|
| Band8 | 10 | 21750 | 12 | #Max | QAM16 | U-ACLR1- | 49.32 | 32.2 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QAM16 | E-ACLR- | 44.39 | 29.2 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QAM16 | E-ACLR+ | 42.91 | 29.2 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QAM16 | U-ACLR+ | 44.02 | 32.2 | PASS |
| Band8 | 10 | 21750 | 12 | #Max | QAM16 | U-ACLR2+ | 53.19 | 35.2 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | U-ACLR2- | 47.73 | 35.2 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | U-ACLR1- | 40.50 | 32.2 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | E-ACLR- | 39.00 | 29.2 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | EUTRA | 0.00 | 0 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | E-ACLR+ | 42.88 | 29.2 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | U-ACLR+ | 43.57 | 32.2 | PASS |
| Band8 | 10 | 21750 | 50 | #0 | QAM16 | U-ACLR2+ | 53.44 | 35.2 | PASS |


Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max



Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0



Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#Max



Band1 QAM16 BW=10MHz Channel=18300 RB Size=50 Position=#0



Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0



Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#0



Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#Max



Band1 QAM16 BW=20MHz Channel=18300 RB Size=100 Position=#0



Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0



Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18500 RB Size=100 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0



Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max



Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0



Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#0



Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24200 RB Size=50 Position=#0



Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#0



Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#Max



Band20 QAM16 BW=10MHz Channel=24300 RB Size=50 Position=#0



Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max



Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0



Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#0



Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#Max



Band20 QAM16 BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max



Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0



Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#0



Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#Max



Band20 QAM16 BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0



Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24350 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0



Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#0



Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#Max



Band3 QAM16 BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0



Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#Max



Band3 QAM16 BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0



Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#Max



Band3 QAM16 BW=20MHz Channel=19575 RB Size=100 Position=#0



Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0



Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19850 RB Size=100 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#Max



Band40 QAM16 BW=10MHz Channel=39600 RB Size=50 Position=#0



Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#0



Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=38750 RB Size=100 Position=#0



Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#0



Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#0



Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#Max



Band40 QPSK BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#Max



Band40 QAM16 BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39550 RB Size=100 Position=#0



Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=39550 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#Max



Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#Max



Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0



Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0



Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#Max



Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#Max



Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0



Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0



Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max



Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21750 RB Size=50 Position=#0



Clause 4.2.12 LTE Receiver Reference Sensitivity Level

| Band | Bandwidth (MHz) | UL Channel | UL RB Size | Modulation | Ref Sensitivity (dBm) | Throughput (%) | Limit (%) | Verdict |
|--------|-----------------|------------|------------|------------|-----------------------|----------------|-----------|---------|
| Band1 | 5 | 18025 | 25 | QPSK | -100 | 100.00 | 95 | PASS |
| Band1 | 5 | 18300 | 25 | QPSK | -100 | 99.89 | 95 | PASS |
| Band1 | 5 | 18575 | 25 | QPSK | -100 | 100.00 | 95 | PASS |
| Band1 | 20 | 18100 | 100 | QPSK | -94 | 100.00 | 95 | PASS |
| Band1 | 20 | 18300 | 100 | QPSK | -94 | 100.00 | 95 | PASS |
| Band1 | 20 | 18500 | 100 | QPSK | -94 | 99.78 | 95 | PASS |
| Band20 | 5 | 24175 | 25 | QPSK | -97 | 100.00 | 95 | PASS |
| Band20 | 5 | 24300 | 25 | QPSK | -97 | 100.00 | 95 | PASS |
| Band20 | 5 | 24425 | 25 | QPSK | -97 | 100.00 | 95 | PASS |
| Band20 | 20 | 24250 | 100 | QPSK | -90 | 99.78 | 95 | PASS |
| Band20 | 20 | 24300 | 100 | QPSK | -90 | 99.78 | 95 | PASS |
| Band20 | 20 | 24350 | 100 | QPSK | -90 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19207 | 6 | QPSK | -101.7 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19575 | 6 | QPSK | -101.7 | 100.00 | 95 | PASS |
| Band3 | 1.4 | 19943 | 6 | QPSK | -101.7 | 99.77 | 95 | PASS |
| Band3 | 5 | 19225 | 25 | QPSK | -97 | 99.89 | 95 | PASS |
| Band3 | 5 | 19575 | 25 | QPSK | -97 | 100.00 | 95 | PASS |
| Band3 | 5 | 19925 | 25 | QPSK | -97 | 100.00 | 95 | PASS |
| Band3 | 20 | 19300 | 100 | QPSK | -91 | 99.22 | 95 | PASS |
| Band3 | 20 | 19575 | 100 | QPSK | -91 | 100.00 | 95 | PASS |

| | | | | | | | | |
|--------|-----|-------|-----|------|--------|--------|----|------|
| Band3 | 20 | 19850 | 100 | QPSK | -91 | 97.22 | 95 | PASS |
| Band40 | 5 | 38675 | 25 | QPSK | -99.3 | 100.00 | 95 | PASS |
| Band40 | 5 | 39150 | 25 | QPSK | -99.3 | 95.32 | 95 | PASS |
| Band40 | 5 | 39625 | 25 | QPSK | -99.3 | 100.00 | 95 | PASS |
| Band40 | 20 | 38750 | 100 | QPSK | -93.3 | 98.88 | 95 | PASS |
| Band40 | 20 | 39150 | 100 | QPSK | -93.3 | 100.00 | 95 | PASS |
| Band40 | 20 | 39550 | 100 | QPSK | -93.3 | 100.00 | 95 | PASS |
| Band7 | 5 | 20775 | 25 | QPSK | -98 | 97.14 | 95 | PASS |
| Band7 | 5 | 21100 | 25 | QPSK | -98 | 100.00 | 95 | PASS |
| Band7 | 5 | 21425 | 25 | QPSK | -98 | 100.00 | 95 | PASS |
| Band7 | 20 | 20850 | 100 | QPSK | -92 | 99.78 | 95 | PASS |
| Band7 | 20 | 21100 | 100 | QPSK | -92 | 100.00 | 95 | PASS |
| Band7 | 20 | 21350 | 100 | QPSK | -92 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21457 | 6 | QPSK | -102.2 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21625 | 6 | QPSK | -102.2 | 100.00 | 95 | PASS |
| Band8 | 1.4 | 21793 | 6 | QPSK | -102.2 | 100.00 | 95 | PASS |
| Band8 | 5 | 21475 | 25 | QPSK | -97 | 100.00 | 95 | PASS |
| Band8 | 5 | 21625 | 25 | QPSK | -97 | 100.00 | 95 | PASS |
| Band8 | 5 | 21775 | 25 | QPSK | -97 | 100.00 | 95 | PASS |
| Band8 | 10 | 21500 | 50 | QPSK | -94 | 100.00 | 95 | PASS |
| Band8 | 10 | 21625 | 50 | QPSK | -94 | 100.00 | 95 | PASS |
| Band8 | 10 | 21750 | 50 | QPSK | -94 | 100.00 | 95 | PASS |