

# TEST REPORT

CheckCode:448682

Report

No.:C202202091295-1E-G1

**Applicant:** Lumi United Technology Co., Ltd.  
**Address:** Room 801-804,Building 1,Chongwen Park,Nanshan iPark,No.3370, Liuxian Avenue, Fuguang Community,Taoyuan Residential District, Nanshan District, Shenzhen, China

**The following sample information was submitted and identified by/on the behalf of the client**

Name: Hub M1S Gen 2  
Specifications: HM1S-G02  
Product Weight(g): 139.50  
Product Size(mm): 75x79x79  
Category under the WEEE Directive: Category 6 ( Small IT and telecommunication equipment (no external dimension more than 50 cm))

Date of Receipt: Feb.10, 2022 Test Period: Feb.10, 2022 – Feb.25, 2022

**Test Request:** Calculation of the Reuse/Recycling and Recovery Targets under the 2012/19/EU WEEE Directive.

**Test Result:** Please refer to following page(s).

Edited by Chen Jiaying Reviewed by Tang Liping Approved by Zheng Xiaojing



扫一扫 验真伪

Seal of:

GUANGZHOU GRG METROLOGY &amp; TEST CO., LTD.

Issue date:Mar.18,2022

This test report is responsible for the tested samples only. Without permission of the test center this test report is not permitted to be duplicated in extracts. The test report is invalid without the specialized stamp of GUANGZHOU GRG METROLOGY & TEST CO., LTD. The test report is invalid if altered. Objections to the test report must be submitted to GUANGZHOU GRG METROLOGY & TEST CO., LTD. within 15 days.

**GUANGZHOU GRG METROLOGY & TEST CO., LTD.**

Address: No.31 Nanxiang Second Road, Science City, Huangpu District, Guangzhou, China

Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

# TEST REPORT



CheckCode:448682  
 Report  
 No.:C202202091295-1E-G1

## 1. Result of Reuse/Recycling Rate and Recovery Rate Assessment

Reuse/Recycling and Recovery	Reuse/Recycling /Recovery Targets under the 2012/19/EU WEEE Directive	Result of Assessment	WEEE requirement
Reuse/Recycling Rate (%)	55	87.45	PASS
Recovery Rate (%)	75	89.27	PASS

## 2. Photos of tested sample

Model No.: HM1S-G02



# TEST REPORT

CheckCode:448682

Report


No.:C202202091295-1E-G1

### 3. Disassembly Procedure

The disassembly procedure taken here is in accordance with the treatment requirements under the Annex VII of the WEEE Directive. In addition, to consider economic and efficiency factors, manual operation and disassembly tools have been applied to separate the components and materials from this product in order to simulate the scenario at the treatment facility, and to achieve the objective that the separated components and materials can be reused/recycled and recovered.

### 4. Assessment Results

#### 4.1 Assessment Summary

Product Name/ Model No.	Hub M1S Gen 2/ HM1S-G02
	
<b>Total Weight(g)</b>	<b>139.50</b>
<b>Disassembly tool</b>	<b>Garden scissors</b>
	<b>Concave screwdriver</b>
<b>Disassembly Time (s)</b>	<b>1800</b>
<b>Material and Recycling Information</b>	<b>See 4.2 Material and Recycling Information</b>

**GUANGZHOU GRG METROLOGY & TEST CO., LTD.**

Address: No.31 Nanxiang Second Road, Science City, Huangpu District, Guangzhou, China

Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

# TEST REPORT

CheckCode:448682

Report

No.:C202202091295-1E-G1

## 4.2. Material and Recycling Information

According to the information declared by the applicant company, the material and recycling information for this product is described in the following table.

The Reuse/recycling and recovery assessment for this product is based upon economic and efficiency considerations, and the waste treatment technologies and equipment that are most frequently available to the market.

Component / Material Composition		Photo No.	Weight (g)	Percent Weight (%)	Reuse/ Recycling (%)	Energy Recovery (%)	Recovery (%)
Plastic cement	PC	A1,A2	70.03	50.20	44.18	0.00	44.18
	Rubber	A4	0.37	0.27	0.00	0.24	0.24
	PE	A6	0.03	0.02	0.02	0.00	0.02
Metal	Fe	A3	3.73	2.67	2.62	0.00	2.62
	CU c2680	A5	7.01	5.03	4.02	0.00	4.02
PCB	PCB	A7	46.04	33.00	29.70	0.00	29.70
Hybrid components	Hybrid components	A8	12.29	8.81	6.91	1.59	8.49
Total			139.50	100.00	87.45	1.82	89.27

### Note:

Due to their insignificant weight and the difficulty of their separation in a manual operation, sticker, solder, paint and printing materials are not included in this assessment.

Plastic containing brominated flame retardants is not assessed in the list.



# TEST REPORT

CheckCode:448682

Report

No.:C202202091295-1E-G1

## 5. Reuse/Recycling and Recovery Rate Calculation

Reuse/Recycling & Recovery Rate using in the report are calculated as following formulas:

$$\text{Reuse/Recycling Rate} = \frac{\text{Reuse/Recycling Weight}}{\text{Product Total Weight}} \quad (\%)$$

$$\text{Recovery Rate} = \frac{\text{Reuse/Recycling Weight} + \text{Energy Recovery Weight}}{\text{Product Total Weight}} \quad (\%)$$

Total weigh of the product is including the main product and accessories.

## 6. ANNEX VII of WEEE Directive

Selective treatment for materials and components of waste electrical and electronic equipment:

- Polychlorinated biphenyls (PCB) containing capacitors in accordance with Council Directive 96/59/EC of 16 September 1996 on the disposal of polychlorinated biphenyls and polychlorinated terphenyls (PCB/PCT) (1).
- Mercury containing components, such as switches or backlighting lamps.
- Batteries.
- Printed circuit boards of mobile phones generally, and of other devices if the surface of the printed circuit board is greater than 10 square centimetres.
- Toner cartridges, liquid and pasty, as well as colour toner.
- Plastic containing brominated flame retardants.
- Asbestos waste and components which contain asbestos.
- Cathode ray tubes.
- Chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HCFC) or hydrofluorocarbons (HFC), hydrocarbons (HC).
- Gas discharge lamps.
- Liquid crystal displays (together with their casing where appropriate) of a surface greater than 100 square centimeters and all those back-lighted with gas discharge lamps,
- External electric cables.
- Components containing refractory ceramic fibres as described in Commission Directive 97/69/EC of 5 December 1997 adapting to technical progress Council Directive 67/548/EEC relating to the classification, packaging and labelling of dangerous substances .

### GUANGZHOU GRG METROLOGY & TEST CO., LTD.

Address: No.31 Nanxiang Second Road, Science City, Huangpu District, Guangzhou, China

Tel: 4006020999 Fax: +86-020-38698685 Website: <http://www.grgtest.com>

# TEST REPORT

CheckCode:448682

Report

No.:C202202091295-1E-G1

- Components containing radioactive substances with the exception of components that are below the exemption thresholds set in Article 3 of and Annex I to Council Directive 96/29/Euratom of 13 May 1996 laying down basic safety standards for the protection of the health of workers and the general public against the dangers arising from ionising radiation .
- Electrolyte capacitors containing substances of concern (height > 25 mm, diameter > 25 mm or proportionately similar volume).

7.This report is to supersede test report C202202091295-1E,  
the report C202202091295-1E was cancelled since this report is sent out.

-----End of Report-----