Reference No.: WTX20X11088153W



EXHIBIT 1 - PRODUCT LABELING

Proposed CE Label Format

Agara

Wireless Remote Switch H1 (Double Rocker) Беспроводной выключатель H1 (2 клавиши)

Model: WRS-R02 Battery Type: CR2450
Lumi United Technology Co., Ltd. Made in China
Address: 8th Floor, JinQi Wisdom Valley, No.1 Tangling Road, Liuxian
Ave, Taoyuan Residential District, Nanshan District, Shenzhen, China

THE F








Importer name: XXX Importer address: XXX

Specifications: Text is orange in color and is justified. Labels are printed in indelible ink on permanent adhesive backing or silk-screened onto the EUT or shall be affixed at a conspicuous location on the EUT. The 'CE' marking and 'UKCA' marking must be affixed to the EUT or to its data plate. Where this is not possible or not warranted on account of the nature of the apparatus, it must be affixed to the packaging, if any, and to the accompanying documents. The 'CE' marking is allowed less than 5 mm but must clear. If the 'CE' marking and 'UKCA' marking is reduced or enlarged the proportions given in the above graduated drawing must be respected. The Importer name, address and Manufacturer name and address should indicate on marking label or packaging or in a document accompanying.

Proposed Label Location on EUT



CE Label Location

Waltek Testing Group (Shenzhen) Co., Ltd. http://www.semtest.com.cn

Reference No.: WTX20X11088153W



EXHIBIT 2 - PACKAGING LABEL

Proposed CE Label Format



<u>Specifications</u>: Text is white in color and is justified. The 'CE' marking and 'UKCA' marking must be affixed to the EUT or to its data plate. Where this is not possible or not warranted on account of the nature of the apparatus, it must be affixed to the packaging, if any, and to the accompanying documents. The 'CE' marking is allowed less than 5 mm but must clear. If the 'CE' marking and 'UKCA' marking is reduced or enlarged the proportions given in the above graduated drawing must be respected. The Importer name, address and Manufacturer name and address should indicate on marking label or packaging or in a document accompanying.

CE Label Location

CE Label Coation

Wire less Remote Spatial Making in Spatial Label III Compared to the Sp









EXHIBIT 3 - EUT PHOTOGRAPHS




























Solder Board-Component View




Solder Board-Component View 2











TO MALE AND THE BUT END OF THE PARTY OF THE