

Test Report No. C220908032002-1 Date: Sep 17, 2022 Page 1 of 9

Applicant: DOKE COMMUNICATION (HK) LIMITED

Applicant address: RM 1902 EASEY COMM BLDG 253-261 HENNESSY ROAD WANCHAI HK CHINA

The following samples were submitted and identified on behalf of the clients as

Sample Name: Smart phone

Model: A52

Category under the WEEE

VI (Small IT and telecommunication equipment) Directive:

Blackview Trademark:

Manufacturer: Shenzhen DOKE Electronic Co., Ltd.

Manufacturer Address: 801, Building3, 7th Industrial Zone, Yulv Community, Yutang Road, Guangming

District, Shenzhen, China.

CPST Internal Reference No.: C220908032 Sep 08, 2022 Sample Received Date:

Test Period: Sep 08, 2022 to Sep 17, 2022 Test Method: Please refer to next page(s). Test Result: Please refer to next page(s).

CONCLUSION:

RESULT TESTED SAMPLES TEST ITEM

Smart phone 1.Reuse /Recycling /Recovery - 2012/19/EU WEEE Directive **PASS**

Signed (CASOT) per alf of

Eurones (Dongguan) Consumer Products Testing Service Co., Ltd

WRITTEN BY:

REVIEWED BY:

APPROVED BY:

Lu Jian Fei, Fair

air Lu

Report writer

Liu Xiao Fang, Sunshine

Report Reviewer

Pan Jian Ding, Will **Technical Supervisor**

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Eurones (Dongguan) Consumer Products Testing Service Co., Ltd. Tel: (86-769) 38937858 Room 1092, No.12, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Fax: (86-769) 38937859

Http://www.cpstlab.com

E-mail: service@cpstlab.com



No. C220908032002-1

32002-1 Date: Sep 17, 2022


Page 2 of 9

Photo of the Submitted Sample











No. C220908032002-

Date: Sep 17, 2022


Page 3 of 9

Result of Reuse /Recycling /Recovery Assessment

Reuse /Recycling /Recovery	Reuse /Recycling (%)	Recovery (%)
Reuse /Recycling /Recovery Targets under the 2012/19/EU WEEE Directive	55	75
Result of Assessment	79.76	79.76
WEEE requirement compliance	OK	OK

Appearance of the Product








No. C220908032002-1

Date: Sep 17, 2022

Page 4 of 9

Disassembly Tree







No. C220908032002-1

Date: Sep 17, 2022

Page 5 of 9





No. C220908032002-1 Date: Sep 17, 2022 Page 6 of 9

Photo No.	Component/Material	Weight(g)	Reuse/R ecycling(%)	Energy Recovery (%)	Recovery(%)
А	Plastic	98.41	90	52 × 0, -20, 1 06	90
в	Metal	36.19	80	Ch ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	80
c	РСВ	8.68	70	CP 25 25	70
Des	Glasses	31.28	50	5 07-51 89	50
	Total	174.56	79.76	69 G	79.76

Disassembly Procedure

The disassembly procedure taken here is in accordance with the treatment requirements under the Annex II of the WEEE

Directive. In addition, to consider economic and efficiency factors, manual operation and disassembly tools have been applied

to separate the components and materials from this product in order to simulate the scenario at the treatment facility, and to achieve the objective that the separated components and materials can be reused, recycled and recovered.

Connection technique

For this product, the connection technology including as following: Glue and Screwed

Disassembly tool:

The disassembly tools used for this product show as following:

Pictures	Disassembly Tool	Pictures	
	Cross Screwdriver		
	Pictures		

Disassembly time: 120 minutes

Selective Treatment for Materials and Components

According to Articles 6(1) and the Annex VII of the WEEE Directive, this product contains components and material items are described in the following table.





Component/Material	Photo No.	Size & Quantity	Weight (g)
Printed circuit boards of mobile phones generally,	33 21	0.56 cm ² *1 44.88 cm ² *1 0.25 cm ² *1 8.40 cm ² *1	GRS

Date: Sep 17, 2022

Page 7 of 9

No. C220908032002-1

Component/Material	Photo No.	Size & Quantity	weight (g)
Printed circuit boards of mobile phones generally, and of other devices if the surface of the printed circuit board is greater than 10 square centimeters	C	0.56 cm ² *1 44.88 cm ² *1 0.25 cm ² *1 8.40 cm ² *1 0.48 cm ² *1 0.56 cm ² *1 0.56 cm ² *1 0.56 cm ² *1 0.56 cm ² *1	8.68

Material and Recycling Information

According to the information declared by the applicant company, the material and recycling information for this product is described in the following table.

The reuse, recycling and recovery assessment for this product is based upon economic and efficiency considerations, and thewaste treatment technologies and equipment that are most frequently available to the market.

Photo No.	Component/Material	Weight (g)	Percent Weight (%)	Reuse/Recycling (%)	Energy Recovery (%)	Recovery (%)
Α	Plastic	98.41	56.38	90	× -4	90
В	Metal	36.19	20.73	80	2 2	80
C	PCB	8.68	4.97	70		70
D	Glasses	31.28	17.92	50	, C , \	50
C.P.	Total	174.56	<u> </u>	79.76	61 68	79.76

Note:

Calculation of the recovery rate about this product is not including the battery. Battery should execute the Directive 2006/66/EC.

Due to their insignificant weight and the difficulty of their separation in a manual operation, sticker, solder, paint and printing materials are not included in this assessment.

Plastic containing brominated flame retardants in not assessed in the list

Recycling and Recovery Rate Calculation

Reuse Recycling & Recovery Rate using in the report are calculated as following formulas:

Reuse & Recycling Rate = (Reuse & Recycling Weight) / (Product Total Weight) (%)

Recovery Rate = (Reuse& Recycling Weight + Energy Recovery Weight) / (Product Total Weight) (%)

Total weigh of the product is including the main product and accessories





No. C220908032002-1 Date: Sep 17, 2022 Page 8 of 9

ANNEX VII of WEEE Directive

Selective treatment for materials and components of waste electrical and electronic equipment:

- polychlorinated biphenyls (PCB) containing capacitors in accordance with Council Directive 96/59/EC of 16
 September 1996 on the disposal of polychlorinated biphenyls and polychlorinated terphenyls (PCB/PCT) (1),
- mercury containing components, such as switches or backlighting lamps,
- batteries
- printed circuit boards of mobile phones generally, and of other devices if the surface of the printed circuit board is greater than 10 square centimeters,
- toner cartridges, liquid and paste, as well as colour toner,
- plastic containing brominated flame retardants,
- asbestos waste and components which contain asbestos,
- cathode ray tubes,
- chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HCFC) or hydrofluorocarbons (HFC), hydrocarbons (HC),
- gas discharge lamps,
- liquid crystal displays (together with their casing where appropriate) of a surface greater than 80 square centimetres and all those back-lighted with gas discharge lamps,
- external electric cables,
- components containing refractory ceramic fibres as described in Commission Directive 97/69/EC of 5

 December 1997 adapting to technical progress for the 23rd time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances,
- components containing radioactive substances with the exception of components that are below the exemption thresholds set in Article 3 of and Annex I to Council Directive 96/29/Euratom of 13 May 1996 laying down basic safety standards for the protection of the health of workers and the general public against the dangers arising from ionizing radiation,
- electrolyte capacitors containing substances of concern (height > 25 mm, diameter > 25 mm or proportionately similar volume).

Recommendations for WEEE Directive Compliance

- In order to avoid the product not meeting the reuse/recycling /recovery targets regulated under the WEEE Directive and the regulations of EU countries, the applicant company should, when selecting material and components design, consider they can be easy to reuse and recycle, This consideration will lessen the impact of the required international environmental directives and also improve the product's competitiveness
- It is recommended that the applicant company, when designing new product, especially where components and material have a large weight ratio, should consider using recyclable materials in order to increase the product's reuse/recycling /recover ration





No. C220908032002-1 Date: Sep 17, 2022 Page 9 of 9

The product should comply with the RoHS Directive (Directive 2011/65/EU on the restriction of the use of certain hazardous substance in electrical and electronics equipment), the hazardous substance specification in the Directive should be controlled in the homogenous material of this product

- If a product has changed its product design, or materials or components employed, then the product should be reassessed and retested in accordance with the WEEE Directive for reuse/recycling /recovery assessment and RoHS for restricted /banned substances requirements.
- Remark: As specified by applicant, to test content in the selected materials of the submitted samples. The test results are only responsible for the submitted sample. The test report is only for customer research, teaching, internal quality control, product development and other purposes, for reference only.

*** End of Report ***

