

**Clause 4.2.26 Frequency error and Modulation accuracy in EGPRS Configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Type	Result	Low Limit	high Limit	Verdict
HVHT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	21.4	-174.74	174.74	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4.33	0	9	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	15	0	30	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	27.65	-174.74	174.74	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	3.97	0	9	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	12.62	0	30	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	21.53	-174.74	174.74	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4.48	0	9	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	14.95	0	30	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	27.75	-174.74	174.74	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	3.96	0	9	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	12.46	0	30	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	21.55	-174.74	174.74	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4.38	0	9	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	14.97	0	30	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	27.72	-174.74	174.74	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	3.89	0	9	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	12.46	0	30	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	21.56	-174.74	174.74	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4.31	0	9	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	15.01	0	30	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	27.74	-174.74	174.74	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	4	0	9	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	12.56	0	30	PASS
Vibration-X	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	21.52	-174.74	174.74	PASS
Vibration-X	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4.46	0	9	PASS
Vibration-X	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	14.82	0	30	PASS
Vibration-X	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	27.66	-174.74	174.74	PASS
Vibration-X	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	4	0	9	PASS
Vibration-X	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	12.5	0	30	PASS

Vibration-Y	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	21.4	-174.74	174.74	PASS
Vibration-Y	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4.39	0	9	PASS
Vibration-Y	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	14.98	0	30	PASS
Vibration-Y	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	27.8	-174.74	174.74	PASS
Vibration-Y	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	3.89	0	9	PASS
Vibration-Y	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	12.52	0	30	PASS
Vibration-Z	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	21.42	-174.74	174.74	PASS
Vibration-Z	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4.46	0	9	PASS
Vibration-Z	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	14.86	0	30	PASS
Vibration-Z	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	27.68	-174.74	174.74	PASS
Vibration-Z	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	3.97	0	9	PASS
Vibration-Z	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	12.53	0	30	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-3.81	-89.76	89.76	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	1.66	0	9	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	4.96	0	30	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-5.55	-89.76	89.76	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.7	0	9	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	2.16	0	30	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-3.91	-89.76	89.76	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	1.69	0	9	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	4.91	0	30	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-5.64	-89.76	89.76	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.79	0	9	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	2.2	0	30	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-3.89	-89.76	89.76	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	1.62	0	9	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	4.88	0	30	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-5.57	-89.76	89.76	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.62	0	9	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	2.04	0	30	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-3.8	-89.76	89.76	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	1.63	0	9	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	5.01	0	30	PASS

LVL	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-5.64	-89.76	89.76	PASS
LVL	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.8	0	9	PASS
LVL	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	2.2	0	30	PASS
Vibration-X	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-3.87	-89.76	89.76	PASS
Vibration-X	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	1.71	0	9	PASS
Vibration-X	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	4.96	0	30	PASS
Vibration-X	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-5.59	-89.76	89.76	PASS
Vibration-X	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.7	0	9	PASS
Vibration-X	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	2.16	0	30	PASS
Vibration-Y	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-3.75	-89.76	89.76	PASS
Vibration-Y	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	1.7	0	9	PASS
Vibration-Y	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	4.93	0	30	PASS
Vibration-Y	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-5.55	-89.76	89.76	PASS
Vibration-Y	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.71	0	9	PASS
Vibration-Y	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	2.04	0	30	PASS
Vibration-Z	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-3.73	-89.76	89.76	PASS
Vibration-Z	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	1.65	0	9	PASS
Vibration-Z	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	4.98	0	30	PASS
Vibration-Z	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-5.65	-89.76	89.76	PASS
Vibration-Z	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.62	0	9	PASS
Vibration-Z	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	2.08	0	30	PASS

**Clause 4.2.27 Frequency error under multipath inEGPRS Configuration**

Condition	Band	Type	Channel	Frequency (MHz)	Gamma	Result (Hz)	Low Limit (Hz)	high Limit (Hz)	Verdict
HVHT	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	25.48	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens1	698	1747.4	5;5;5;5	14.36	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens2	698	1747.4	5;5;5;5	21.14	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens3	698	1747.4	5;5;5;5	23.36	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens4	698	1747.4	5;5;5;5	17.03	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens5	698	1747.4	5;5;5;5	15.95	-174.74	174.74	PASS

HVHT	EGPRS1800	HT100 @Connect	698	1747.4	5;5;5;5	24.47	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens1	698	1747.4	5;5;5;5	20.27	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens2	698	1747.4	5;5;5;5	19.04	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens3	698	1747.4	5;5;5;5	16.2	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens4	698	1747.4	5;5;5;5	26.76	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens5	698	1747.4	5;5;5;5	21.65	-524.74	524.74	PASS
HVHT	EGPRS1800	TU50 @Connect	698	1747.4	5;5;5;5	29.4	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	20.49	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	21.21	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	26.37	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	25.01	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	16.91	-434.74	434.74	PASS
HVHT	EGPRS1800	TU3 @Connect	698	1747.4	5;5;5;5	49.86	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	40.27	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	25.32	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	19.16	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	12.17	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	20.3	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	12.82	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	23.41	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	24.41	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	30.17	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	26.88	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	29.74	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	26.73	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	19.58	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	13.86	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	19.2	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	26.66	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	25	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	22.09	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	22.87	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	18.89	-174.74	174.74	PASS
HVLT	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	25.41	-174.74	174.74	PASS
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	14.31	-174.74	174.74	PASS

		@Sens1							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	21.17	-174.74	174.74	PASS
		@Sens2							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	23.52	-174.74	174.74	PASS
		@Sens3							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	17.03	-174.74	174.74	PASS
		@Sens4							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	15.99	-174.74	174.74	PASS
		@Sens5							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	24.48	-524.74	524.74	PASS
		@Connect							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	20.25	-524.74	524.74	PASS
		@Sens1							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	19.05	-524.74	524.74	PASS
		@Sens2							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	16.15	-524.74	524.74	PASS
		@Sens3							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	26.86	-524.74	524.74	PASS
		@Sens4							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	21.61	-524.74	524.74	PASS
		@Sens5							
HVLT	EGPRS1800	TU50	698	1747.4	5;5;5;5	29.56	-434.74	434.74	PASS
		@Connect							
HVLT	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	20.35	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	21.08	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	26.31	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	25.03	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	16.99	-434.74	434.74	PASS
HVLT	EGPRS1800	TU3	698	1747.4	5;5;5;5	49.98	-174.74	174.74	PASS
		@Connect							
HVLT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	40.28	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	25.3	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	19.02	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	12.27	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	20.2	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	12.81	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	23.41	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	24.27	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	30.09	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	26.83	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	29.78	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	26.67	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	19.61	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	13.72	-174.74	174.74	PASS

HVLT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	19.3	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	26.6	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	25.04	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	22.12	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	22.91	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	19.03	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	25.45	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens1	698	1747.4	5;5;5;5	14.32	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens2	698	1747.4	5;5;5;5	21.15	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens3	698	1747.4	5;5;5;5	23.46	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens4	698	1747.4	5;5;5;5	16.91	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens5	698	1747.4	5;5;5;5	15.82	-174.74	174.74	PASS
LVHT	EGPRS1800	HT100 @Connect	698	1747.4	5;5;5;5	24.42	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens1	698	1747.4	5;5;5;5	20.34	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens2	698	1747.4	5;5;5;5	18.91	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens3	698	1747.4	5;5;5;5	16.14	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens4	698	1747.4	5;5;5;5	26.91	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens5	698	1747.4	5;5;5;5	21.76	-524.74	524.74	PASS
LVHT	EGPRS1800	TU50 @Connect	698	1747.4	5;5;5;5	29.43	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	20.37	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	21.14	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	26.37	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	25.15	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	16.9	-434.74	434.74	PASS
LVHT	EGPRS1800	TU3 @Connect	698	1747.4	5;5;5;5	49.85	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	40.26	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	25.35	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	19.03	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	12.21	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	20.27	-174.74	174.74	PASS

LVHT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	12.93	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	23.32	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	24.43	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	30.13	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	26.83	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	29.66	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	26.66	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	19.61	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	13.74	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	19.21	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	26.58	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	24.97	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	22.15	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	22.97	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	19.03	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	25.36	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Sens1	698	1747.4	5;5;5;5	14.31	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Sens2	698	1747.4	5;5;5;5	21.17	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Sens3	698	1747.4	5;5;5;5	23.52	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Sens4	698	1747.4	5;5;5;5	17.07	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Sens5	698	1747.4	5;5;5;5	15.85	-174.74	174.74	PASS
LVLТ	EGPRS1800	HT100 @Connect	698	1747.4	5;5;5;5	24.34	-524.74	524.74	PASS
LVLТ	EGPRS1800	HT100 @Sens1	698	1747.4	5;5;5;5	20.31	-524.74	524.74	PASS
LVLТ	EGPRS1800	HT100 @Sens2	698	1747.4	5;5;5;5	18.99	-524.74	524.74	PASS
LVLТ	EGPRS1800	HT100 @Sens3	698	1747.4	5;5;5;5	16.3	-524.74	524.74	PASS
LVLТ	EGPRS1800	HT100 @Sens4	698	1747.4	5;5;5;5	26.92	-524.74	524.74	PASS
LVLТ	EGPRS1800	HT100 @Sens5	698	1747.4	5;5;5;5	21.62	-524.74	524.74	PASS
LVLТ	EGPRS1800	TU50 @Connect	698	1747.4	5;5;5;5	29.37	-434.74	434.74	PASS
LVLТ	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	20.33	-434.74	434.74	PASS
LVLТ	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	21.2	-434.74	434.74	PASS
LVLТ	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	26.49	-434.74	434.74	PASS

LVLT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	25.02	-434.74	434.74	PASS
LVLT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	17	-434.74	434.74	PASS
LVLT	EGPRS1800	TU3 @Connect	698	1747.4	5;5;5;5	49.87	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	40.21	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	25.36	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	19.03	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	12.29	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	20.22	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	12.81	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	23.43	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	24.46	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	30.12	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	26.93	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	29.81	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	26.71	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	19.65	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	13.76	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	19.36	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	26.47	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	25.04	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	22.07	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	23.02	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	19.02	-174.74	174.74	PASS
HVHT	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	-15.35	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	-8.75	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	-0.18	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	-12.06	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	-8.53	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens5	38	897.6	6;6;6;6	-12.22	-389.76	389.76	PASS
HVHT	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	-4.51	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	-12.25	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	-12.81	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	-9.96	-269.76	269.76	PASS



HVHT	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	-20.24	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	-16.59	-269.76	269.76	PASS
HVHT	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	-14.82	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-9.53	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-15.39	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-14.99	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	-12.23	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	-14.67	-249.76	249.76	PASS
HVHT	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	-14.76	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	-13.75	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	-11.21	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	-12.18	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	-13.52	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-14.71	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	-16.98	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-12.83	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	-13.01	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	-15.91	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	-16.17	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	-10.71	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	-12.79	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	-11.95	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	-13.73	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	-12.37	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	-8.8	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	-12.94	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	-13.29	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	-12.17	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	-14.2	-319.76	319.76	PASS
HVLT	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	-15.36	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	-8.84	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	-0.15	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	-11.99	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	-8.35	-389.76	389.76	PASS
HVLT	EGPRS900	RA250	38	897.6	6;6;6;6	-12.16	-389.76	389.76	PASS

		@Sens5							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	-4.43	-269.76	269.76	PASS
		@Connect							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	-12.34	-269.76	269.76	PASS
		@Sens1							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	-12.81	-269.76	269.76	PASS
		@Sens2							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	-9.91	-269.76	269.76	PASS
		@Sens3							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	-20.3	-269.76	269.76	PASS
		@Sens4							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	-16.58	-269.76	269.76	PASS
		@Sens5							
HVLT	EGPRS900	TU50	38	897.6	6;6;6;6	-14.9	-249.76	249.76	PASS
		@Connect							
HVLT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-9.56	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-15.45	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-14.85	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	-12.33	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	-14.59	-249.76	249.76	PASS
HVLT	EGPRS900	TU3	38	897.6	6;6;6;6	-14.78	-319.76	319.76	PASS
		@Connect							
HVLT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	-13.79	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	-11.17	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	-12.3	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	-13.62	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-14.89	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	-16.97	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-12.72	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	-13	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	-15.8	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	-16.29	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	-10.59	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	-12.72	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	-11.87	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	-13.66	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	-12.38	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	-8.66	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	-12.82	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	-13.33	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	-12.11	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	-14.09	-319.76	319.76	PASS
LVHT	EGPRS900	RA250	38	897.6	6;6;6;6	-15.33	-389.76	389.76	PASS
		@Connect							

LVHT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	-8.88	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	-0.2	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	-11.94	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	-8.37	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens5	38	897.6	6;6;6;6	-12.26	-389.76	389.76	PASS
LVHT	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	-4.54	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	-12.15	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	-12.96	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	-9.95	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	-20.37	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	-16.56	-269.76	269.76	PASS
LVHT	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	-14.85	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-9.41	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-15.48	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-14.95	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	-12.38	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	-14.65	-249.76	249.76	PASS
LVHT	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	-14.85	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	-13.76	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	-11.19	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	-12.17	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	-13.53	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-14.72	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	-16.88	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-12.77	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	-13.17	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	-15.82	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	-16.13	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	-10.75	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	-12.67	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	-11.96	-319.76	319.76	PASS

LVHT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	-13.56	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	-12.42	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	-8.83	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	-12.91	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	-13.31	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	-12.03	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	-14.14	-319.76	319.76	PASS
LVLT	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	-15.25	-389.76	389.76	PASS
LVLT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	-8.79	-389.76	389.76	PASS
LVLT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	-0.18	-389.76	389.76	PASS
LVLT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	-11.91	-389.76	389.76	PASS
LVLT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	-8.37	-389.76	389.76	PASS
LVLT	EGPRS900	RA250 @Sens5	38	897.6	6;6;6;6	-12.21	-389.76	389.76	PASS
LVLT	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	-4.51	-269.76	269.76	PASS
LVLT	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	-12.2	-269.76	269.76	PASS
LVLT	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	-12.98	-269.76	269.76	PASS
LVLT	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	-10.04	-269.76	269.76	PASS
LVLT	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	-20.19	-269.76	269.76	PASS
LVLT	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	-16.55	-269.76	269.76	PASS
LVLT	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	-14.84	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-9.41	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-15.36	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-14.94	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	-12.31	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	-14.56	-249.76	249.76	PASS
LVLT	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	-14.8	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	-13.69	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	-11.22	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	-12.25	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	-13.59	-319.76	319.76	PASS

LVL	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-14.82	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @6	38	897.6	6;6;6;6	-16.89	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-12.76	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @8	38	897.6	6;6;6;6	-13.05	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @9	38	897.6	6;6;6;6	-15.88	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @10	38	897.6	6;6;6;6	-16.15	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @11	38	897.6	6;6;6;6	-10.66	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @12	38	897.6	6;6;6;6	-12.71	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @13	38	897.6	6;6;6;6	-11.8	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @14	38	897.6	6;6;6;6	-13.73	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @15	38	897.6	6;6;6;6	-12.37	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @16	38	897.6	6;6;6;6	-8.67	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @17	38	897.6	6;6;6;6	-12.84	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @18	38	897.6	6;6;6;6	-13.42	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @19	38	897.6	6;6;6;6	-12.07	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @20	38	897.6	6;6;6;6	-14.22	-319.76	319.76	PASS

**Clause 4.2.28 EGPRS Transmitter output power**

Condition	Band	Channel	Frequency (MHz)	Gamma	Slot	Result	Low Limit	high Limit	Verdict
HVHT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	slot1	24.57	22	29	PASS
HVHT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS1800	512	1710.2	6;6;6;6	slot1	23.02	21	27	PASS
HVHT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS1800	512	1710.2	7;7;7;7	slot1	21.2	19	25	PASS
HVHT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS1800	512	1710.2	8;8;8;8	slot1	19.65	17	23	PASS
HVHT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS1800	512	1710.2	9;9;9;9	slot1	17.51	15	21	PASS
HVHT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS1800	512	1710.2	10;10;10;10	slot1	15.26	13	19	PASS
HVHT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1800	512	1710.2	11;11;11;11	slot1	13.16	10	18	PASS
HVHT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1800	512	1710.2	12;12;12;12	slot1	11.43	8	16	PASS
HVHT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS1800	512	1710.2	13;13;13;13	slot1	9.81	6	14	PASS
HVHT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS1800	512	1710.2	14;14;14;14	slot1	7.18	4	12	PASS
HVHT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1800	512	1710.2	15;15;15;15	slot1	5.37	2	10	PASS
HVHT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS1800	512	1710.2	16;16;16;16	slot1	3.42	-1	9	PASS
HVHT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.08	0	0	PASS

HVHT	EGPRS1800	512	1710.2	17;17;17;17	slot1	1.21	-3	7	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	slot1	-0.59	-5	5	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	slot1	24.2	22	29	PASS
HVHT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS1800	698	1747.4	6;6;6;6	slot1	23.25	21	27	PASS
HVHT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS1800	698	1747.4	7;7;7;7	slot1	21.08	19	25	PASS
HVHT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS1800	698	1747.4	8;8;8;8	slot1	18.83	17	23	PASS
HVHT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS1800	698	1747.4	9;9;9;9	slot1	17.59	15	21	PASS
HVHT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS1800	698	1747.4	10;10;10;10	slot1	14.78	13	19	PASS
HVHT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS1800	698	1747.4	11;11;11;11	slot1	12.96	10	18	PASS
HVHT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS1800	698	1747.4	12;12;12;12	slot1	11.02	8	16	PASS
HVHT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1800	698	1747.4	13;13;13;13	slot1	9.25	6	14	PASS
HVHT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1800	698	1747.4	14;14;14;14	slot1	7.56	4	12	PASS
HVHT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS1800	698	1747.4	15;15;15;15	slot1	4.99	2	10	PASS
HVHT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS1800	698	1747.4	16;16;16;16	slot1	3.1	-1	9	PASS
HVHT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS1800	698	1747.4	17;17;17;17	slot1	0.63	-3	7	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	slot1	-0.74	-5	5	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	slot1	24.73	22	29	PASS
HVHT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS1800	885	1784.8	6;6;6;6	slot1	23.29	21	27	PASS
HVHT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS1800	885	1784.8	7;7;7;7	slot1	21.42	19	25	PASS
HVHT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS1800	885	1784.8	8;8;8;8	slot1	19.44	17	23	PASS
HVHT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS1800	885	1784.8	9;9;9;9	slot1	17.45	15	21	PASS
HVHT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1800	885	1784.8	10;10;10;10	slot1	14.47	13	19	PASS
HVHT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.06	0	0	PASS

HVHT	EGPRS1800	885	1784.8	11;11;11;11	slot1	13.04	10	18	PASS
HVHT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS1800	885	1784.8	12;12;12;12	slot1	10.84	8	16	PASS
HVHT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS1800	885	1784.8	13;13;13;13	slot1	9.1	6	14	PASS
HVHT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS1800	885	1784.8	14;14;14;14	slot1	7.01	4	12	PASS
HVHT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS1800	885	1784.8	15;15;15;15	slot1	5.1	2	10	PASS
HVHT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS1800	885	1784.8	16;16;16;16	slot1	2.54	-1	9	PASS
HVHT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS1800	885	1784.8	17;17;17;17	slot1	1.12	-3	7	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	slot1	-1.49	-5	5	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	slot1	24.52	22	29	PASS
HVLT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS1800	512	1710.2	6;6;6;6	slot1	23.04	21	27	PASS
HVLT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1800	512	1710.2	7;7;7;7	slot1	21.18	19	25	PASS
HVLT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS1800	512	1710.2	8;8;8;8	slot1	19.55	17	23	PASS
HVLT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1800	512	1710.2	9;9;9;9	slot1	17.65	15	21	PASS
HVLT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1800	512	1710.2	10;10;10;10	slot1	15.29	13	19	PASS
HVLT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS1800	512	1710.2	11;11;11;11	slot1	13.03	10	18	PASS
HVLT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS1800	512	1710.2	12;12;12;12	slot1	11.54	8	16	PASS
HVLT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS1800	512	1710.2	13;13;13;13	slot1	9.75	6	14	PASS
HVLT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS1800	512	1710.2	14;14;14;14	slot1	7.22	4	12	PASS
HVLT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS1800	512	1710.2	15;15;15;15	slot1	5.46	2	10	PASS
HVLT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS1800	512	1710.2	16;16;16;16	slot1	3.51	-1	9	PASS
HVLT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1800	512	1710.2	17;17;17;17	slot1	1.12	-3	7	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	slot1	-0.7	-5	5	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.11	0	0	PASS

HVLT	EGPRS1800	698	1747.4	5;5;5;5	slot1	24.28	22	29	PASS
HVLT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1800	698	1747.4	6;6;6;6	slot1	23.28	21	27	PASS
HVLT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1800	698	1747.4	7;7;7;7	slot1	21.05	19	25	PASS
HVLT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1800	698	1747.4	8;8;8;8	slot1	18.93	17	23	PASS
HVLT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1800	698	1747.4	9;9;9;9	slot1	17.5	15	21	PASS
HVLT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1800	698	1747.4	10;10;10;10	slot1	14.82	13	19	PASS
HVLT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	698	1747.4	11;11;11;11	slot1	13.06	10	18	PASS
HVLT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.11	0	0	PASS
HVLT	EGPRS1800	698	1747.4	12;12;12;12	slot1	10.95	8	16	PASS
HVLT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS1800	698	1747.4	13;13;13;13	slot1	9.36	6	14	PASS
HVLT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS1800	698	1747.4	14;14;14;14	slot1	7.44	4	12	PASS
HVLT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1800	698	1747.4	15;15;15;15	slot1	5.05	2	10	PASS
HVLT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS1800	698	1747.4	16;16;16;16	slot1	3.07	-1	9	PASS
HVLT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS1800	698	1747.4	17;17;17;17	slot1	0.74	-3	7	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	slot1	-0.63	-5	5	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	slot1	24.7	22	29	PASS
HVLT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS1800	885	1784.8	6;6;6;6	slot1	23.28	21	27	PASS
HVLT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS1800	885	1784.8	7;7;7;7	slot1	21.42	19	25	PASS
HVLT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	885	1784.8	8;8;8;8	slot1	19.42	17	23	PASS
HVLT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1800	885	1784.8	9;9;9;9	slot1	17.41	15	21	PASS
HVLT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	885	1784.8	10;10;10;10	slot1	14.48	13	19	PASS
HVLT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS1800	885	1784.8	11;11;11;11	slot1	13.15	10	18	PASS
HVLT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS1800	885	1784.8	12;12;12;12	slot1	10.88	8	16	PASS
HVLT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.1	0	0	PASS



HVLT	EGPRS1800	885	1784.8	13;13;13;13	slot1	9.05	6	14	PASS
HVLT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS1800	885	1784.8	14;14;14;14	slot1	6.99	4	12	PASS
HVLT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.11	0	0	PASS
HVLT	EGPRS1800	885	1784.8	15;15;15;15	slot1	5.08	2	10	PASS
HVLT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	885	1784.8	16;16;16;16	slot1	2.49	-1	9	PASS
HVLT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS1800	885	1784.8	17;17;17;17	slot1	1.02	-3	7	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	slot1	-1.39	-5	5	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	slot1	24.46	22	29	PASS
LVHT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS1800	512	1710.2	6;6;6;6	slot1	23.17	21	27	PASS
LVHT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1800	512	1710.2	7;7;7;7	slot1	21.23	19	25	PASS
LVHT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS1800	512	1710.2	8;8;8;8	slot1	19.46	17	23	PASS
LVHT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.11	0	0	PASS
LVHT	EGPRS1800	512	1710.2	9;9;9;9	slot1	17.65	15	21	PASS
LVHT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS1800	512	1710.2	10;10;10;10	slot1	15.26	13	19	PASS
LVHT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	512	1710.2	11;11;11;11	slot1	13.18	10	18	PASS
LVHT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS1800	512	1710.2	12;12;12;12	slot1	11.37	8	16	PASS
LVHT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS1800	512	1710.2	13;13;13;13	slot1	9.86	6	14	PASS
LVHT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS1800	512	1710.2	14;14;14;14	slot1	7.36	4	12	PASS
LVHT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS1800	512	1710.2	15;15;15;15	slot1	5.47	2	10	PASS
LVHT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS1800	512	1710.2	16;16;16;16	slot1	3.59	-1	9	PASS
LVHT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	512	1710.2	17;17;17;17	slot1	1.22	-3	7	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	slot1	-0.6	-5	5	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	slot1	24.31	22	29	PASS
LVHT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS1800	698	1747.4	6;6;6;6	slot1	23.37	21	27	PASS
LVHT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.18	0	0	PASS

LVHT	EGPRS1800	698	1747.4	7;7;7;7	slot1	21.09	19	25	PASS
LVHT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS1800	698	1747.4	8;8;8;8	slot1	18.9	17	23	PASS
LVHT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	698	1747.4	9;9;9;9	slot1	17.52	15	21	PASS
LVHT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1800	698	1747.4	10;10;10;10	slot1	14.83	13	19	PASS
LVHT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	698	1747.4	11;11;11;11	slot1	12.94	10	18	PASS
LVHT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS1800	698	1747.4	12;12;12;12	slot1	11.01	8	16	PASS
LVHT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	698	1747.4	13;13;13;13	slot1	9.26	6	14	PASS
LVHT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS1800	698	1747.4	14;14;14;14	slot1	7.46	4	12	PASS
LVHT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS1800	698	1747.4	15;15;15;15	slot1	4.94	2	10	PASS
LVHT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	698	1747.4	16;16;16;16	slot1	3.06	-1	9	PASS
LVHT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS1800	698	1747.4	17;17;17;17	slot1	0.75	-3	7	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	slot1	-0.69	-5	5	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	slot1	24.62	22	29	PASS
LVHT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS1800	885	1784.8	6;6;6;6	slot1	23.18	21	27	PASS
LVHT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS1800	885	1784.8	7;7;7;7	slot1	21.38	19	25	PASS
LVHT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.11	0	0	PASS
LVHT	EGPRS1800	885	1784.8	8;8;8;8	slot1	19.39	17	23	PASS
LVHT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS1800	885	1784.8	9;9;9;9	slot1	17.4	15	21	PASS
LVHT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS1800	885	1784.8	10;10;10;10	slot1	14.53	13	19	PASS
LVHT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS1800	885	1784.8	11;11;11;11	slot1	13.05	10	18	PASS
LVHT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS1800	885	1784.8	12;12;12;12	slot1	11.01	8	16	PASS
LVHT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	885	1784.8	13;13;13;13	slot1	9.19	6	14	PASS
LVHT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1800	885	1784.8	14;14;14;14	slot1	7.02	4	12	PASS
LVHT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.15	0	0	PASS

LVHT	EGPRS1800	885	1784.8	15;15;15;15	slot1	5.08	2	10	PASS
LVHT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	885	1784.8	16;16;16;16	slot1	2.58	-1	9	PASS
LVHT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1800	885	1784.8	17;17;17;17	slot1	1.02	-3	7	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	slot1	-1.47	-5	5	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	slot1	24.42	22	29	PASS
LVLT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.06	0	0	PASS
LVLT	EGPRS1800	512	1710.2	6;6;6;6	slot1	23.05	21	27	PASS
LVLT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	512	1710.2	7;7;7;7	slot1	21.09	19	25	PASS
LVLT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS1800	512	1710.2	8;8;8;8	slot1	19.46	17	23	PASS
LVLT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS1800	512	1710.2	9;9;9;9	slot1	17.61	15	21	PASS
LVLT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	512	1710.2	10;10;10;10	slot1	15.2	13	19	PASS
LVLT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS1800	512	1710.2	11;11;11;11	slot1	13.08	10	18	PASS
LVLT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS1800	512	1710.2	12;12;12;12	slot1	11.39	8	16	PASS
LVLT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1800	512	1710.2	13;13;13;13	slot1	9.76	6	14	PASS
LVLT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1800	512	1710.2	14;14;14;14	slot1	7.18	4	12	PASS
LVLT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1800	512	1710.2	15;15;15;15	slot1	5.47	2	10	PASS
LVLT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS1800	512	1710.2	16;16;16;16	slot1	3.55	-1	9	PASS
LVLT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	512	1710.2	17;17;17;17	slot1	1.26	-3	7	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	slot1	-0.64	-5	5	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	slot1	24.33	22	29	PASS
LVLT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS1800	698	1747.4	6;6;6;6	slot1	23.24	21	27	PASS
LVLT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS1800	698	1747.4	7;7;7;7	slot1	21.05	19	25	PASS
LVLT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS1800	698	1747.4	8;8;8;8	slot1	18.89	17	23	PASS
LVLT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.2	0	0	PASS

LVLT	EGPRS1800	698	1747.4	9;9;9;9	slot1	17.53	15	21	PASS
LVLT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1800	698	1747.4	10;10;10;10	slot1	14.8	13	19	PASS
LVLT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1800	698	1747.4	11;11;11;11	slot1	13.09	10	18	PASS
LVLT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS1800	698	1747.4	12;12;12;12	slot1	11	8	16	PASS
LVLT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	698	1747.4	13;13;13;13	slot1	9.36	6	14	PASS
LVLT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.1	0	0	PASS
LVLT	EGPRS1800	698	1747.4	14;14;14;14	slot1	7.47	4	12	PASS
LVLT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS1800	698	1747.4	15;15;15;15	slot1	5.03	2	10	PASS
LVLT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1800	698	1747.4	16;16;16;16	slot1	3.17	-1	9	PASS
LVLT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1800	698	1747.4	17;17;17;17	slot1	0.6	-3	7	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	slot1	-0.7	-5	5	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	slot1	24.55	22	29	PASS
LVLT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS1800	885	1784.8	6;6;6;6	slot1	23.23	21	27	PASS
LVLT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS1800	885	1784.8	7;7;7;7	slot1	21.57	19	25	PASS
LVLT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS1800	885	1784.8	8;8;8;8	slot1	19.26	17	23	PASS
LVLT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	885	1784.8	9;9;9;9	slot1	17.42	15	21	PASS
LVLT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1800	885	1784.8	10;10;10;10	slot1	14.56	13	19	PASS
LVLT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.06	0	0	PASS
LVLT	EGPRS1800	885	1784.8	11;11;11;11	slot1	13.12	10	18	PASS
LVLT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS1800	885	1784.8	12;12;12;12	slot1	10.87	8	16	PASS
LVLT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS1800	885	1784.8	13;13;13;13	slot1	9.19	6	14	PASS
LVLT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	885	1784.8	14;14;14;14	slot1	7.08	4	12	PASS
LVLT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS1800	885	1784.8	15;15;15;15	slot1	5.11	2	10	PASS
LVLT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1800	885	1784.8	16;16;16;16	slot1	2.55	-1	9	PASS
LVLT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.15	0	0	PASS

LVLT	EGPRS1800	885	1784.8	17;17;17;17	slot1	1	-3	7	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	slot1	-1.43	-5	5	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	slot1	27.1	24	30	PASS
HVHT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS900	975	880.2	7;7;7;7	slot1	25.06	22	28	PASS
HVHT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS900	975	880.2	8;8;8;8	slot1	23.36	20	26	PASS
HVHT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS900	975	880.2	9;9;9;9	slot1	20.79	18	24	PASS
HVHT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS900	975	880.2	10;10;10;10	slot1	18.75	16	22	PASS
HVHT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS900	975	880.2	11;11;11;11	slot1	17.21	14	20	PASS
HVHT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS900	975	880.2	12;12;12;12	slot1	14.64	12	18	PASS
HVHT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS900	975	880.2	13;13;13;13	slot1	13.33	10	16	PASS
HVHT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS900	975	880.2	14;14;14;14	slot1	10.73	6	16	PASS
HVHT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS900	975	880.2	15;15;15;15	slot1	8.92	4	14	PASS
HVHT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS900	975	880.2	16;16;16;16	slot1	6.97	2	12	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	slot1	4.97	0	10	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	slot1	27.14	24	30	PASS
HVHT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS900	38	897.6	7;7;7;7	slot1	25.11	22	28	PASS
HVHT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS900	38	897.6	8;8;8;8	slot1	22.83	20	26	PASS
HVHT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS900	38	897.6	9;9;9;9	slot1	20.51	18	24	PASS
HVHT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS900	38	897.6	10;10;10;10	slot1	18.99	16	22	PASS
HVHT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS900	38	897.6	11;11;11;11	slot1	16.87	14	20	PASS
HVHT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS900	38	897.6	12;12;12;12	slot1	14.89	12	18	PASS
HVHT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS900	38	897.6	13;13;13;13	slot1	13.24	10	16	PASS
HVHT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.2	0	0	PASS

HVHT	EGPRS900	38	897.6	14;14;14;14	slot1	11.1	6	16	PASS
HVHT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS900	38	897.6	15;15;15;15	slot1	8.66	4	14	PASS
HVHT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS900	38	897.6	16;16;16;16	slot1	6.54	2	12	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	slot1	5.25	0	10	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	slot1	26.2	24	30	PASS
HVHT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS900	124	914.8	7;7;7;7	slot1	24.86	22	28	PASS
HVHT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS900	124	914.8	8;8;8;8	slot1	22.65	20	26	PASS
HVHT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS900	124	914.8	9;9;9;9	slot1	21.35	18	24	PASS
HVHT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS900	124	914.8	10;10;10;10	slot1	19.02	16	22	PASS
HVHT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS900	124	914.8	11;11;11;11	slot1	17.03	14	20	PASS
HVHT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS900	124	914.8	12;12;12;12	slot1	14.98	12	18	PASS
HVHT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS900	124	914.8	13;13;13;13	slot1	13.24	10	16	PASS
HVHT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS900	124	914.8	14;14;14;14	slot1	10.86	6	16	PASS
HVHT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS900	124	914.8	15;15;15;15	slot1	8.94	4	14	PASS
HVHT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS900	124	914.8	16;16;16;16	slot1	6.8	2	12	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	slot1	4.76	0	10	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	slot1	27.06	24	30	PASS
HVLT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS900	975	880.2	7;7;7;7	slot1	25.05	22	28	PASS
HVLT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS900	975	880.2	8;8;8;8	slot1	23.3	20	26	PASS
HVLT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS900	975	880.2	9;9;9;9	slot1	20.88	18	24	PASS
HVLT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS900	975	880.2	10;10;10;10	slot1	18.93	16	22	PASS
HVLT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS900	975	880.2	11;11;11;11	slot1	17.17	14	20	PASS
HVLT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.07	0	0	PASS

HVLT	EGPRS900	975	880.2	12;12;12;12	slot1	14.61	12	18	PASS
HVLT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS900	975	880.2	13;13;13;13	slot1	13.27	10	16	PASS
HVLT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.11	0	0	PASS
HVLT	EGPRS900	975	880.2	14;14;14;14	slot1	10.76	6	16	PASS
HVLT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS900	975	880.2	15;15;15;15	slot1	8.92	4	14	PASS
HVLT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS900	975	880.2	16;16;16;16	slot1	6.97	2	12	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	slot1	4.92	0	10	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	slot1	27.13	24	30	PASS
HVLT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS900	38	897.6	7;7;7;7	slot1	25.08	22	28	PASS
HVLT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS900	38	897.6	8;8;8;8	slot1	22.75	20	26	PASS
HVLT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.11	0	0	PASS
HVLT	EGPRS900	38	897.6	9;9;9;9	slot1	20.43	18	24	PASS
HVLT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS900	38	897.6	10;10;10;10	slot1	19.08	16	22	PASS
HVLT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS900	38	897.6	11;11;11;11	slot1	16.8	14	20	PASS
HVLT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS900	38	897.6	12;12;12;12	slot1	14.95	12	18	PASS
HVLT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS900	38	897.6	13;13;13;13	slot1	13.17	10	16	PASS
HVLT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS900	38	897.6	14;14;14;14	slot1	10.98	6	16	PASS
HVLT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS900	38	897.6	15;15;15;15	slot1	8.49	4	14	PASS
HVLT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS900	38	897.6	16;16;16;16	slot1	6.5	2	12	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	slot1	5.16	0	10	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	slot1	26.21	24	30	PASS
HVLT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.19	0	0	PASS
HVLT	EGPRS900	124	914.8	7;7;7;7	slot1	24.93	22	28	PASS
HVLT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS900	124	914.8	8;8;8;8	slot1	22.53	20	26	PASS
HVLT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS900	124	914.8	9;9;9;9	slot1	21.28	18	24	PASS
HVLT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.2	0	0	PASS

HVLT	EGPRS900	124	914.8	10;10;10;10	slot1	18.98	16	22	PASS
HVLT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS900	124	914.8	11;11;11;11	slot1	16.87	14	20	PASS
HVLT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS900	124	914.8	12;12;12;12	slot1	14.91	12	18	PASS
HVLT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS900	124	914.8	13;13;13;13	slot1	13.06	10	16	PASS
HVLT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS900	124	914.8	14;14;14;14	slot1	10.91	6	16	PASS
HVLT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS900	124	914.8	15;15;15;15	slot1	8.91	4	14	PASS
HVLT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS900	124	914.8	16;16;16;16	slot1	6.85	2	12	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	slot1	4.82	0	10	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	slot1	26.91	24	30	PASS
LVHT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS900	975	880.2	7;7;7;7	slot1	25.06	22	28	PASS
LVHT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS900	975	880.2	8;8;8;8	slot1	23.27	20	26	PASS
LVHT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS900	975	880.2	9;9;9;9	slot1	20.86	18	24	PASS
LVHT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS900	975	880.2	10;10;10;10	slot1	18.86	16	22	PASS
LVHT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS900	975	880.2	11;11;11;11	slot1	17.27	14	20	PASS
LVHT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS900	975	880.2	12;12;12;12	slot1	14.55	12	18	PASS
LVHT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS900	975	880.2	13;13;13;13	slot1	13.37	10	16	PASS
LVHT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS900	975	880.2	14;14;14;14	slot1	10.58	6	16	PASS
LVHT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS900	975	880.2	15;15;15;15	slot1	8.9	4	14	PASS
LVHT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS900	975	880.2	16;16;16;16	slot1	6.92	2	12	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	slot1	5.02	0	10	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	slot1	27.07	24	30	PASS
LVHT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS900	38	897.6	7;7;7;7	slot1	25.1	22	28	PASS
LVHT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.03	0	0	PASS



LVHT	EGPRS900	38	897.6	8;8;8;8	slot1	22.84	20	26	PASS
LVHT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS900	38	897.6	9;9;9;9	slot1	20.51	18	24	PASS
LVHT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS900	38	897.6	10;10;10;10	slot1	19.07	16	22	PASS
LVHT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS900	38	897.6	11;11;11;11	slot1	16.87	14	20	PASS
LVHT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS900	38	897.6	12;12;12;12	slot1	15.02	12	18	PASS
LVHT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS900	38	897.6	13;13;13;13	slot1	13.32	10	16	PASS
LVHT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS900	38	897.6	14;14;14;14	slot1	11.09	6	16	PASS
LVHT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.11	0	0	PASS
LVHT	EGPRS900	38	897.6	15;15;15;15	slot1	8.53	4	14	PASS
LVHT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS900	38	897.6	16;16;16;16	slot1	6.64	2	12	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	slot1	5.14	0	10	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	slot1	26.31	24	30	PASS
LVHT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS900	124	914.8	7;7;7;7	slot1	24.8	22	28	PASS
LVHT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS900	124	914.8	8;8;8;8	slot1	22.54	20	26	PASS
LVHT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS900	124	914.8	9;9;9;9	slot1	21.28	18	24	PASS
LVHT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS900	124	914.8	10;10;10;10	slot1	19	16	22	PASS
LVHT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS900	124	914.8	11;11;11;11	slot1	16.95	14	20	PASS
LVHT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS900	124	914.8	12;12;12;12	slot1	15.03	12	18	PASS
LVHT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS900	124	914.8	13;13;13;13	slot1	13.19	10	16	PASS
LVHT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS900	124	914.8	14;14;14;14	slot1	10.74	6	16	PASS
LVHT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS900	124	914.8	15;15;15;15	slot1	9	4	14	PASS
LVHT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS900	124	914.8	16;16;16;16	slot1	6.79	2	12	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	slot1	4.77	0	10	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.09	0	0	PASS

LVLT	EGPRS900	975	880.2	6;6;6;6	slot1	27.07	24	30	PASS
LVLT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS900	975	880.2	7;7;7;7	slot1	24.96	22	28	PASS
LVLT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS900	975	880.2	8;8;8;8	slot1	23.31	20	26	PASS
LVLT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS900	975	880.2	9;9;9;9	slot1	20.93	18	24	PASS
LVLT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS900	975	880.2	10;10;10;10	slot1	18.9	16	22	PASS
LVLT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS900	975	880.2	11;11;11;11	slot1	17.12	14	20	PASS
LVLT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.06	0	0	PASS
LVLT	EGPRS900	975	880.2	12;12;12;12	slot1	14.55	12	18	PASS
LVLT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS900	975	880.2	13;13;13;13	slot1	13.34	10	16	PASS
LVLT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS900	975	880.2	14;14;14;14	slot1	10.61	6	16	PASS
LVLT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.1	0	0	PASS
LVLT	EGPRS900	975	880.2	15;15;15;15	slot1	8.83	4	14	PASS
LVLT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS900	975	880.2	16;16;16;16	slot1	6.98	2	12	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	slot1	5.05	0	10	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.08	0	0	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	slot1	27.02	24	30	PASS
LVLT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS900	38	897.6	7;7;7;7	slot1	25.1	22	28	PASS
LVLT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS900	38	897.6	8;8;8;8	slot1	22.67	20	26	PASS
LVLT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS900	38	897.6	9;9;9;9	slot1	20.43	18	24	PASS
LVLT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS900	38	897.6	10;10;10;10	slot1	19.15	16	22	PASS
LVLT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS900	38	897.6	11;11;11;11	slot1	16.89	14	20	PASS
LVLT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS900	38	897.6	12;12;12;12	slot1	15.01	12	18	PASS
LVLT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS900	38	897.6	13;13;13;13	slot1	13.26	10	16	PASS
LVLT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS900	38	897.6	14;14;14;14	slot1	10.97	6	16	PASS
LVLT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS900	38	897.6	15;15;15;15	slot1	8.61	4	14	PASS
LVLT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.18	0	0	PASS

LVLT	EGPRS900	38	897.6	16;16;16;16	slot1	6.49	2	12	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	slot1	5.28	0	10	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	slot1	26.24	24	30	PASS
LVLT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS900	124	914.8	7;7;7;7	slot1	24.78	22	28	PASS
LVLT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS900	124	914.8	8;8;8;8	slot1	22.48	20	26	PASS
LVLT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS900	124	914.8	9;9;9;9	slot1	21.38	18	24	PASS
LVLT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS900	124	914.8	10;10;10;10	slot1	19.01	16	22	PASS
LVLT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS900	124	914.8	11;11;11;11	slot1	16.88	14	20	PASS
LVLT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS900	124	914.8	12;12;12;12	slot1	14.93	12	18	PASS
LVLT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS900	124	914.8	13;13;13;13	slot1	13.08	10	16	PASS
LVLT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS900	124	914.8	14;14;14;14	slot1	10.8	6	16	PASS
LVLT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS900	124	914.8	15;15;15;15	slot1	9.04	4	14	PASS
LVLT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS900	124	914.8	16;16;16;16	slot1	6.8	2	12	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	slot1	4.73	0	10	PASS

**Clause 4.2.29 Modulation Spectrum in EGPRS configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Relative Result (dB)	Relative Limit (dB)	Absolute Result (dBm)	Absolute Limit (dBm)	Verdict
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-75.12	-60	-58.91	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-73.9	-60	-57.68	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-73	-60	-56.59	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-71.59	-60	-55.37	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-69.72	-60	-53.45	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-800	-67.33	-60	-51.1	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-65.26	-60	-48.92	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-59.57	-60	-43.29	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-250	-42.61	-33	-26.36	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-200	-36.08	-30	-19.85	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-100	-7.79	0.5	8.4	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	100	-8.02	0.5	8.09	-36	PASS

HVHT	EGPRS1800	512	1710.2	5;5;5;5	200	-35.98	-30	-19.83	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	250	-43.52	-33	-27.15	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-59.04	-60	-42.81	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-64.32	-60	-48.23	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	800	-67.09	-60	-50.92	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1000	-69.55	-60	-53.36	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-71.64	-60	-55.42	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1400	-72.79	-60	-56.56	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1600	-74.12	-60	-57.91	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-76	-60	-59.71	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-74.63	-60	-83.16	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-73.77	-60	-82.2	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-71.94	-60	-80.44	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-70.14	-60	-78.55	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-68.67	-60	-77.11	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-800	-67.45	-60	-75.95	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-64.16	-60	-72.74	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-59.43	-60	-67.92	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-250	-43.15	-33	-51.61	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-200	-38.76	-30	-47.24	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.89	0.5	-17.33	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	100	-9.04	0.5	-17.51	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	200	-38.9	-30	-47.44	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	250	-42.06	-33	-50.57	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-59.22	-60	-67.76	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-64.83	-60	-73.43	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	800	-67.32	-60	-75.77	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1000	-68.86	-60	-77.38	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-71.11	-60	-79.49	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1400	-72.1	-60	-80.62	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1600	-72.94	-60	-81.49	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-74.5	-60	-82.96	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-75.15	-60	-59.22	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-73.46	-60	-57.64	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-72.52	-60	-56.7	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-71.8	-60	-55.97	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-68.8	-60	-52.85	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-800	-66.86	-60	-51.16	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-63.8	-60	-47.83	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-58.4	-60	-42.62	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-250	-42.27	-33	-26.5	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-200	-36.41	-30	-20.54	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-100	-7.31	0.5	8.42	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	100	-7.76	0.5	8.13	-36	PASS

HVHT	EGPRS1800	698	1747.4	5;5;5;5	200	-36.82	-30	-21.08	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	250	-42.81	-33	-26.87	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-58.06	-60	-42.34	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-63.53	-60	-47.8	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	800	-66.69	-60	-50.96	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1000	-68.77	-60	-52.92	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-70.73	-60	-54.86	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1400	-72.8	-60	-56.89	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1600	-74.61	-60	-58.74	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-75.55	-60	-59.73	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-74.98	-60	-83.18	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-72.8	-60	-81.08	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-72.9	-60	-81.07	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-70.24	-60	-78.59	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-68.44	-60	-76.88	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-800	-66.5	-60	-74.94	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-63.56	-60	-71.83	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-59.06	-60	-67.34	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-250	-42.95	-33	-51.17	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-200	-39.1	-30	-47.54	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-100	-9.24	0.5	-17.61	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	100	-9.77	0.5	-17.92	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	200	-39.32	-30	-47.65	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	250	-43.17	-33	-51.48	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-59.43	-60	-67.73	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-63.56	-60	-72.02	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	800	-67.32	-60	-75.67	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1000	-68.84	-60	-77.34	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-70.77	-60	-79.08	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1400	-71.8	-60	-80.08	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1600	-72.61	-60	-80.99	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-74.55	-60	-82.79	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-75.25	-60	-58.6	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-74.25	-60	-57.55	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-72.76	-60	-56.09	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-71.17	-60	-54.46	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-69.88	-60	-53.37	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-800	-67.76	-60	-51.05	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-63.68	-60	-47.06	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-58.99	-60	-42.2	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-250	-43.37	-33	-26.77	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-200	-37.28	-30	-20.76	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-100	-8.09	0.5	8.67	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	100	-8.95	0.5	7.67	-36	PASS

HVHT	EGPRS1800	885	1784.8	5;5;5;5	200	-37.62	-30	-20.96	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	250	-43.36	-33	-26.8	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-58.81	-60	-42.19	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-64.58	-60	-47.91	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	800	-68.11	-60	-51.44	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1000	-69.16	-60	-52.45	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-70.59	-60	-53.95	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1400	-72.22	-60	-55.51	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1600	-74.52	-60	-57.86	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-75.42	-60	-58.66	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-73.18	-60	-82.89	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-71.98	-60	-81.64	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-71.02	-60	-80.63	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-69.24	-60	-78.93	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-67.27	-60	-76.99	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-800	-65.83	-60	-75.5	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-62.42	-60	-72.18	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-57.45	-60	-67.12	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-250	-41.69	-33	-51.33	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-200	-37.66	-30	-47.47	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-100	-7.37	0.5	-17.05	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	100	-8.5	0.5	-18.14	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	200	-37.91	-30	-47.62	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	250	-41.77	-33	-51.49	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-57.43	-60	-67.04	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-62.41	-60	-72.23	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	800	-64.53	-60	-74.14	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1000	-67.75	-60	-77.36	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-69.43	-60	-79.2	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1400	-70.75	-60	-80.53	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1600	-72.25	-60	-81.93	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-73.61	-60	-83.1	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-75.25	-60	-58.94	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-73.85	-60	-57.61	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-72.98	-60	-56.64	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-71.64	-60	-55.44	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-69.7	-60	-53.52	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-800	-67.35	-60	-51.18	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-65.25	-60	-49.01	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-59.61	-60	-43.38	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-250	-42.69	-33	-26.39	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-200	-36.07	-30	-19.88	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-100	-7.88	0.5	8.52	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	100	-8.11	0.5	8.26	-36	PASS

HVLT	EGPRS1800	512	1710.2	5;5;5;5	200	-36.01	-30	-19.76	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	250	-43.37	-33	-27.3	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-59.04	-60	-42.84	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-64.42	-60	-48.15	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	800	-67.02	-60	-50.93	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1000	-69.55	-60	-53.27	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-71.56	-60	-55.31	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1400	-72.8	-60	-56.55	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1600	-74.06	-60	-57.83	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-75.96	-60	-59.76	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-74.59	-60	-83.18	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-73.7	-60	-82.12	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-71.92	-60	-80.5	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-70.03	-60	-78.52	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-68.74	-60	-77.1	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-800	-67.39	-60	-76.01	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-64.29	-60	-72.67	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-59.54	-60	-67.97	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-250	-43.15	-33	-51.72	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-200	-38.62	-30	-47.19	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.86	0.5	-17.23	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	100	-9	0.5	-17.48	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	200	-39	-30	-47.38	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	250	-42.04	-33	-50.55	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-59.25	-60	-67.75	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-64.92	-60	-73.39	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	800	-67.43	-60	-75.8	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1000	-68.92	-60	-77.38	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-71.11	-60	-79.62	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1400	-72.07	-60	-80.56	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1600	-72.88	-60	-81.42	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-74.56	-60	-83.1	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-75.22	-60	-59.37	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-73.43	-60	-57.62	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-72.51	-60	-56.65	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-71.8	-60	-56.01	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-68.66	-60	-52.87	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-800	-66.94	-60	-51.03	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-63.67	-60	-47.99	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-58.41	-60	-42.65	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-250	-42.36	-33	-26.4	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-200	-36.36	-30	-20.61	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-100	-7.41	0.5	8.44	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	100	-7.9	0.5	8.03	-36	PASS

HVLT	EGPRS1800	698	1747.4	5;5;5;5	200	-36.88	-30	-20.98	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	250	-42.85	-33	-26.93	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-58.19	-60	-42.27	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-63.54	-60	-47.65	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	800	-66.73	-60	-50.98	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1000	-68.87	-60	-52.87	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-70.71	-60	-54.85	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1400	-72.8	-60	-56.96	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1600	-74.61	-60	-58.79	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-75.45	-60	-59.62	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-74.94	-60	-83.17	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-72.74	-60	-81.13	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-72.81	-60	-81.22	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-70.28	-60	-78.63	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-68.42	-60	-76.86	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-800	-66.54	-60	-74.84	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-63.56	-60	-71.7	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-58.98	-60	-67.42	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-250	-42.86	-33	-51.3	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-200	-39.2	-30	-47.46	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-100	-9.26	0.5	-17.64	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	100	-9.79	0.5	-17.98	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	200	-39.18	-30	-47.51	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	250	-43.22	-33	-51.39	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-59.53	-60	-67.81	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-63.63	-60	-72.06	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	800	-67.39	-60	-75.72	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1000	-68.98	-60	-77.22	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-70.74	-60	-79.08	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1400	-71.94	-60	-80.26	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1600	-72.7	-60	-80.95	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-74.43	-60	-82.86	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-75.23	-60	-58.59	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-74.19	-60	-57.66	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-72.82	-60	-56.21	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-71.14	-60	-54.53	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-70.03	-60	-53.35	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-800	-67.63	-60	-50.98	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-63.65	-60	-46.94	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-58.97	-60	-42.25	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-250	-43.46	-33	-26.71	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-200	-37.42	-30	-20.66	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-100	-8	0.5	8.68	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	100	-8.98	0.5	7.72	-36	PASS



HVLT	EGPRS1800	885	1784.8	5;5;5;5	200	-37.55	-30	-21.01	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	250	-43.48	-33	-26.7	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-59	-60	-42.32	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-64.62	-60	-47.96	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	800	-68.06	-60	-51.4	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1000	-69.23	-60	-52.52	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-70.52	-60	-53.9	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1400	-72.26	-60	-55.49	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1600	-74.43	-60	-57.86	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-75.31	-60	-58.76	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-73.16	-60	-82.9	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-71.88	-60	-81.72	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-71.03	-60	-80.72	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-69.13	-60	-78.87	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-67.3	-60	-76.96	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-800	-65.79	-60	-75.48	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-62.58	-60	-72.16	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-57.42	-60	-67.13	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-250	-41.69	-33	-51.19	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-200	-37.74	-30	-47.29	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-100	-7.3	0.5	-17.07	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	100	-8.48	0.5	-18.15	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	200	-37.92	-30	-47.54	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	250	-41.69	-33	-51.44	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-57.53	-60	-67.2	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-62.4	-60	-72.14	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	800	-64.43	-60	-74.08	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1000	-67.73	-60	-77.48	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-69.57	-60	-79.24	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1400	-70.84	-60	-80.42	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1600	-72.28	-60	-81.83	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-73.43	-60	-83.27	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-75.08	-60	-58.9	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-73.81	-60	-57.68	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-72.84	-60	-56.75	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-71.71	-60	-55.39	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-69.7	-60	-53.61	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-800	-67.38	-60	-51.08	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-65.31	-60	-49.03	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-59.62	-60	-43.3	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-250	-42.62	-33	-26.38	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-200	-36.08	-30	-19.78	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-100	-7.82	0.5	8.43	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	100	-8.11	0.5	8.13	-36	PASS

LVHT	EGPRS1800	512	1710.2	5;5;5;5	200	-36.01	-30	-19.8	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	250	-43.4	-33	-27.15	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-59.17	-60	-42.8	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-64.42	-60	-48.19	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	800	-67.02	-60	-50.87	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1000	-69.52	-60	-53.3	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-71.69	-60	-55.36	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1400	-72.74	-60	-56.61	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1600	-74.01	-60	-57.92	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-75.99	-60	-59.73	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-74.65	-60	-83.17	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-73.76	-60	-82.12	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-72.02	-60	-80.57	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-70.03	-60	-78.53	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-68.74	-60	-77.17	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-800	-67.52	-60	-75.95	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-64.26	-60	-72.69	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-59.41	-60	-67.98	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-250	-43.24	-33	-51.73	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-200	-38.65	-30	-47.23	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.75	0.5	-17.41	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	100	-8.89	0.5	-17.41	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	200	-38.84	-30	-47.36	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	250	-42.02	-33	-50.44	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-59.1	-60	-67.7	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-64.86	-60	-73.44	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	800	-67.29	-60	-75.83	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1000	-68.8	-60	-77.4	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-71.09	-60	-79.64	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1400	-72.02	-60	-80.62	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1600	-72.83	-60	-81.41	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-74.6	-60	-83.04	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-75.22	-60	-59.2	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-73.49	-60	-57.54	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-72.49	-60	-56.78	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-71.77	-60	-55.95	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-68.72	-60	-52.85	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-800	-66.83	-60	-51.1	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-63.77	-60	-47.92	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-58.38	-60	-42.57	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-250	-42.25	-33	-26.32	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-200	-36.32	-30	-20.46	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-100	-7.33	0.5	8.55	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	100	-7.78	0.5	8.1	-36	PASS

LVHT	EGPRS1800	698	1747.4	5;5;5;5	200	-36.83	-30	-21.03	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	250	-42.69	-33	-27	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-58.06	-60	-42.23	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-63.63	-60	-47.75	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	800	-66.68	-60	-50.92	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1000	-68.8	-60	-52.89	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-70.62	-60	-54.72	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1400	-72.71	-60	-56.88	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1600	-74.59	-60	-58.8	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-75.44	-60	-59.69	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-74.88	-60	-83.19	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-72.86	-60	-81.17	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-72.87	-60	-81.05	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-70.26	-60	-78.47	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-68.44	-60	-76.85	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-800	-66.56	-60	-74.95	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-63.51	-60	-71.83	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-58.95	-60	-67.35	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-250	-42.95	-33	-51.2	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-200	-39.07	-30	-47.36	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-100	-9.35	0.5	-17.62	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	100	-9.71	0.5	-17.93	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	200	-39.18	-30	-47.66	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	250	-43.03	-33	-51.4	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-59.54	-60	-67.85	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-63.69	-60	-71.98	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	800	-67.49	-60	-75.73	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1000	-68.97	-60	-77.34	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-70.87	-60	-79.07	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1400	-71.76	-60	-80.1	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1600	-72.69	-60	-81	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-74.5	-60	-82.81	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-75.15	-60	-58.62	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-74.26	-60	-57.64	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-72.72	-60	-56.18	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-71.17	-60	-54.61	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-69.97	-60	-53.24	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-800	-67.62	-60	-50.93	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-63.74	-60	-47.1	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-59.02	-60	-42.36	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-250	-43.28	-33	-26.67	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-200	-37.25	-30	-20.65	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-100	-7.93	0.5	8.57	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	100	-8.99	0.5	7.78	-36	PASS

LVHT	EGPRS1800	885	1784.8	5;5;5;5	200	-37.69	-30	-20.85	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	250	-43.47	-33	-26.8	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-58.88	-60	-42.34	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-64.52	-60	-48	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	800	-68.17	-60	-51.36	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1000	-69.27	-60	-52.49	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-70.59	-60	-53.92	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1400	-72.18	-60	-55.52	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1600	-74.43	-60	-57.84	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-75.29	-60	-58.77	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-73.18	-60	-82.93	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-71.91	-60	-81.7	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-70.98	-60	-80.63	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-69.15	-60	-78.91	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-67.32	-60	-77.05	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-800	-65.81	-60	-75.5	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-62.4	-60	-72.1	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-57.46	-60	-67.19	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-250	-41.67	-33	-51.33	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-200	-37.74	-30	-47.4	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-100	-7.29	0.5	-17.01	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	100	-8.32	0.5	-18.09	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	200	-38.05	-30	-47.61	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	250	-41.72	-33	-51.43	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-57.38	-60	-67.2	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-62.39	-60	-72.09	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	800	-64.56	-60	-74.07	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1000	-67.84	-60	-77.39	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-69.58	-60	-79.26	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1400	-70.79	-60	-80.39	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1600	-72.29	-60	-81.89	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-73.45	-60	-83.1	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-75.25	-60	-58.87	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-73.82	-60	-57.63	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-72.89	-60	-56.67	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-71.64	-60	-55.47	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-69.81	-60	-53.57	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-800	-67.37	-60	-51.04	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-65.12	-60	-49.05	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-59.49	-60	-43.34	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-250	-42.61	-33	-26.38	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-200	-36.13	-30	-19.8	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-100	-7.83	0.5	8.35	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	100	-8.15	0.5	8.23	-36	PASS

LVLT	EGPRS1800	512	1710.2	5;5;5;5	200	-36.11	-30	-19.84	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	250	-43.55	-33	-27.26	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-59.06	-60	-42.89	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-64.3	-60	-48.12	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	800	-67.11	-60	-50.91	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1000	-69.45	-60	-53.21	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-71.63	-60	-55.46	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1400	-72.73	-60	-56.57	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1600	-74.05	-60	-57.93	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-75.99	-60	-59.86	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-74.68	-60	-83.12	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-73.67	-60	-82.23	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-71.93	-60	-80.38	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-70.04	-60	-78.6	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-68.64	-60	-77.19	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-800	-67.41	-60	-76.04	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-64.19	-60	-72.8	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-59.45	-60	-68	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-250	-43.21	-33	-51.76	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-200	-38.63	-30	-47.25	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.83	0.5	-17.27	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	100	-8.97	0.5	-17.37	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	200	-38.93	-30	-47.31	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	250	-41.92	-33	-50.52	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-59.11	-60	-67.59	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-64.84	-60	-73.44	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	800	-67.38	-60	-75.74	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1000	-68.87	-60	-77.34	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-71.02	-60	-79.48	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1400	-72.02	-60	-80.5	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1600	-72.92	-60	-81.42	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-74.43	-60	-83.1	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-75.17	-60	-59.24	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-73.48	-60	-57.57	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-72.54	-60	-56.76	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-71.76	-60	-55.96	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-68.74	-60	-52.84	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-800	-66.88	-60	-51.08	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-63.84	-60	-47.86	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-58.39	-60	-42.54	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-250	-42.36	-33	-26.45	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-200	-36.37	-30	-20.47	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-100	-7.37	0.5	8.47	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	100	-7.79	0.5	8.08	-36	PASS

LVLT	EGPRS1800	698	1747.4	5;5;5;5	200	-36.87	-30	-20.94	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	250	-42.77	-33	-26.93	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-58.08	-60	-42.33	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-63.56	-60	-47.62	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	800	-66.71	-60	-50.95	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1000	-68.82	-60	-52.94	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-70.58	-60	-54.79	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1400	-72.73	-60	-56.92	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1600	-74.69	-60	-58.77	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-75.41	-60	-59.59	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-74.94	-60	-83.28	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-72.73	-60	-81.17	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-72.9	-60	-81.07	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-70.23	-60	-78.62	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-68.4	-60	-76.87	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-800	-66.58	-60	-75.01	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-63.54	-60	-71.81	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-58.94	-60	-67.3	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-250	-42.84	-33	-51.26	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-200	-39.06	-30	-47.48	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-100	-9.4	0.5	-17.6	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	100	-9.66	0.5	-17.97	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	200	-39.31	-30	-47.63	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	250	-43.04	-33	-51.44	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-59.44	-60	-67.87	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-63.61	-60	-72.05	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	800	-67.41	-60	-75.63	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1000	-68.93	-60	-77.3	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-70.91	-60	-79.16	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1400	-71.86	-60	-80.1	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1600	-72.62	-60	-80.98	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-74.62	-60	-82.83	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-75.16	-60	-58.57	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-74.28	-60	-57.63	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-72.8	-60	-56.06	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-71.11	-60	-54.45	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-69.95	-60	-53.28	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-800	-67.66	-60	-51.01	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-63.68	-60	-46.93	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-58.88	-60	-42.22	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-250	-43.3	-33	-26.8	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-200	-37.3	-30	-20.58	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-100	-8.03	0.5	8.63	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	100	-8.93	0.5	7.65	-36	PASS

LVLT	EGPRS1800	885	1784.8	5;5;5;5	200	-37.51	-30	-20.89	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	250	-43.39	-33	-26.81	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-58.84	-60	-42.33	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-64.52	-60	-47.88	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	800	-68.04	-60	-51.5	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1000	-69.1	-60	-52.46	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-70.54	-60	-53.95	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1400	-72.14	-60	-55.55	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1600	-74.51	-60	-57.72	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-75.37	-60	-58.64	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-73.24	-60	-82.81	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-71.93	-60	-81.7	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-71	-60	-80.67	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-69.13	-60	-78.9	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-67.25	-60	-77.03	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-800	-65.92	-60	-75.56	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-62.42	-60	-72.18	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-57.44	-60	-67.04	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-250	-41.63	-33	-51.25	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-200	-37.62	-30	-47.4	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-100	-7.34	0.5	-16.98	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	100	-8.34	0.5	-18.09	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	200	-38.04	-30	-47.7	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	250	-41.84	-33	-51.42	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-57.55	-60	-67.22	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-62.43	-60	-72.11	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	800	-64.42	-60	-74.15	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1000	-67.72	-60	-77.52	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-69.6	-60	-79.17	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1400	-70.78	-60	-80.52	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1600	-72.29	-60	-81.91	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-73.61	-60	-83.18	-55	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-78.3	-60	-60.21	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1600	-77.7	-60	-59.88	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1400	-76.12	-60	-58.3	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-75.83	-60	-57.87	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1000	-74.38	-60	-56.51	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-800	-74.01	-60	-56.15	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-600	-72.36	-60	-54.23	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-400	-62.35	-60	-44.34	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-250	-43.16	-33	-25.14	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-200	-38.33	-30	-20.39	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-100	-7.47	0.5	10.43	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	100	-8.82	0.5	9.21	-36	PASS

HVHT	EGPRS900	975	880.2	6;6;6;6	200	-38.14	-30	-20.35	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	250	-43.41	-33	-25.45	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	400	-62.28	-60	-44.19	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	600	-71.46	-60	-53.62	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	800	-74.51	-60	-56.59	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1000	-74.5	-60	-56.51	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1200	-77.08	-60	-59	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1400	-76.84	-60	-59.02	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1600	-77.82	-60	-59.95	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1800	-79.55	-60	-61.64	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-77.83	-60	-81.2	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1600	-77.52	-60	-80.76	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1400	-75.78	-60	-79.11	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-75.74	-60	-79.11	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1000	-74.51	-60	-77.81	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-800	-73.29	-60	-76.43	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-600	-72.83	-60	-76	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-400	-69.92	-60	-73.07	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-250	-43.3	-33	-46.48	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-200	-40.15	-30	-43.56	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-100	-9.5	0.5	-12.85	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	100	-9.61	0.5	-12.9	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	200	-40.06	-30	-43.28	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	250	-43.97	-33	-47.25	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	400	-69.42	-60	-72.73	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	600	-72.02	-60	-75.33	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	800	-73.07	-60	-76.29	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1000	-74.61	-60	-77.93	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1200	-76.14	-60	-79.5	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1400	-75.9	-60	-79.04	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1600	-76.63	-60	-79.98	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1800	-78.38	-60	-81.66	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-76.88	-60	-59.67	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1600	-76.98	-60	-59.8	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1400	-75.45	-60	-58.31	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-75.12	-60	-57.96	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1000	-73.88	-60	-56.57	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-800	-73.14	-60	-56.01	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-600	-70.9	-60	-53.86	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-400	-61.98	-60	-44.74	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-250	-42.28	-33	-25.13	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-200	-38.03	-30	-20.88	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-100	-7.8	0.5	9.59	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	100	-8.51	0.5	8.8	-36	PASS



HVHT	EGPRS900	38	897.6	6;6;6;6	200	-38.04	-30	-20.72	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	250	-43.22	-33	-26.16	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	400	-61.74	-60	-44.66	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	600	-70.92	-60	-53.69	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	800	-72.77	-60	-55.55	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1000	-74.81	-60	-57.52	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1200	-74.89	-60	-57.63	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1400	-76.67	-60	-59.35	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1600	-77.48	-60	-60.42	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1800	-78.55	-60	-61.22	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-78.06	-60	-82.08	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1600	-76.31	-60	-80.27	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1400	-75.44	-60	-79.48	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-74.63	-60	-78.49	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1000	-74.6	-60	-78.51	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-800	-73.39	-60	-77.29	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-600	-71.67	-60	-75.65	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-400	-69.11	-60	-73.11	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-250	-43.92	-33	-47.82	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-200	-39.24	-30	-43.33	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-100	-8.67	0.5	-12.63	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	100	-7.97	0.5	-12.06	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	200	-39.57	-30	-43.5	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	250	-44.04	-33	-47.95	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	400	-68.9	-60	-72.93	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	600	-71.84	-60	-75.69	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	800	-72.84	-60	-76.84	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1000	-74.2	-60	-78.08	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1200	-75.61	-60	-79.74	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1400	-75.54	-60	-79.52	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1600	-76.78	-60	-80.85	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1800	-77.86	-60	-81.79	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-77.07	-60	-58.92	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1600	-77.65	-60	-59.61	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1400	-76.39	-60	-58.37	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-75.28	-60	-57.23	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1000	-74.32	-60	-56.1	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-800	-73.8	-60	-55.69	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-600	-72.25	-60	-54.2	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-400	-61.69	-60	-43.48	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-250	-42.96	-33	-24.91	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-200	-38.83	-30	-20.8	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-100	-8.26	0.5	9.94	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	100	-8.76	0.5	9.28	-36	PASS

HVHT	EGPRS900	124	914.8	6;6;6;6	200	-38.71	-30	-20.55	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	250	-43.14	-33	-25.19	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	400	-62.18	-60	-44.25	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	600	-72.84	-60	-54.74	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	800	-73.85	-60	-55.76	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1000	-74.27	-60	-56.3	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1200	-76.49	-60	-58.41	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1400	-77.31	-60	-59.28	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1600	-77.66	-60	-59.55	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1800	-78.74	-60	-60.56	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-76.06	-60	-80.71	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1600	-75.91	-60	-80.52	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1400	-75.85	-60	-80.42	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-74.01	-60	-78.64	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1000	-73.64	-60	-78.13	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-800	-72.84	-60	-77.28	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-600	-71.15	-60	-75.65	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-400	-68.36	-60	-72.83	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-250	-42.51	-33	-47.05	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-200	-39.12	-30	-43.64	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-100	-7.37	0.5	-11.89	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	100	-7.64	0.5	-12.21	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	200	-38.64	-30	-43.34	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	250	-43.23	-33	-47.71	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	400	-68.83	-60	-73.43	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	600	-71.31	-60	-75.73	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	800	-73.13	-60	-77.65	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1000	-73.68	-60	-78.2	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1200	-74.4	-60	-78.99	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1400	-75.84	-60	-80.36	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1600	-77.43	-60	-81.87	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1800	-76.4	-60	-80.96	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-78.25	-60	-60.27	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1600	-77.71	-60	-59.88	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1400	-76.26	-60	-58.31	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-75.83	-60	-58.02	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1000	-74.52	-60	-56.47	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-800	-74.12	-60	-56.09	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-600	-72.36	-60	-54.34	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-400	-62.36	-60	-44.3	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-250	-43.12	-33	-25.23	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-200	-38.39	-30	-20.44	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-100	-7.52	0.5	10.54	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	100	-8.82	0.5	9.1	-36	PASS

HVLT	EGPRS900	975	880.2	6;6;6;6	200	-38.26	-30	-20.32	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	250	-43.43	-33	-25.42	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	400	-62.28	-60	-44.15	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	600	-71.57	-60	-53.53	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	800	-74.53	-60	-56.72	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1000	-74.49	-60	-56.48	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1200	-76.96	-60	-59	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1400	-76.92	-60	-58.92	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1600	-77.81	-60	-59.77	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1800	-79.56	-60	-61.59	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-77.92	-60	-81.05	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1600	-77.54	-60	-80.82	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1400	-75.73	-60	-79.04	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-75.85	-60	-79.01	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1000	-74.5	-60	-77.9	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-800	-73.19	-60	-76.48	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-600	-72.89	-60	-76.09	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-400	-69.8	-60	-73.04	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-250	-43.29	-33	-46.5	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-200	-40.29	-30	-43.54	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-100	-9.56	0.5	-12.84	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	100	-9.53	0.5	-12.76	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	200	-39.97	-30	-43.32	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	250	-44.06	-33	-47.21	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	400	-69.42	-60	-72.69	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	600	-72.09	-60	-75.35	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	800	-72.96	-60	-76.35	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1000	-74.63	-60	-77.99	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1200	-76.3	-60	-79.46	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1400	-75.91	-60	-79.12	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1600	-76.68	-60	-79.98	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1800	-78.3	-60	-81.6	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-76.91	-60	-59.61	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1600	-76.89	-60	-59.78	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1400	-75.37	-60	-58.22	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-75.23	-60	-57.94	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1000	-73.76	-60	-56.6	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-800	-73.23	-60	-55.91	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-600	-71.04	-60	-53.81	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-400	-62.12	-60	-44.86	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-250	-42.33	-33	-25.09	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-200	-37.93	-30	-20.71	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-100	-7.63	0.5	9.51	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	100	-8.48	0.5	8.8	-36	PASS

HVLT	EGPRS900	38	897.6	6;6;6;6	200	-37.92	-30	-20.74	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	250	-43.23	-33	-26.18	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	400	-61.75	-60	-44.53	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	600	-70.85	-60	-53.74	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	800	-72.83	-60	-55.52	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1000	-74.85	-60	-57.69	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1200	-74.82	-60	-57.74	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1400	-76.71	-60	-59.45	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1600	-77.52	-60	-60.31	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1800	-78.48	-60	-61.27	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-78.02	-60	-82	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1600	-76.44	-60	-80.27	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1400	-75.46	-60	-79.37	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-74.65	-60	-78.58	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1000	-74.5	-60	-78.4	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-800	-73.3	-60	-77.43	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-600	-71.65	-60	-75.56	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-400	-69.21	-60	-73.21	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-250	-43.83	-33	-47.92	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-200	-39.2	-30	-43.34	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-100	-8.78	0.5	-12.67	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	100	-8.01	0.5	-12.02	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	200	-39.69	-30	-43.67	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	250	-44.02	-33	-48.09	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	400	-69.02	-60	-72.94	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	600	-71.83	-60	-75.83	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	800	-73	-60	-76.95	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1000	-74.03	-60	-78.04	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1200	-75.7	-60	-79.75	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1400	-75.54	-60	-79.44	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1600	-76.82	-60	-80.88	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1800	-77.82	-60	-81.77	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-77.14	-60	-59.01	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1600	-77.64	-60	-59.62	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1400	-76.41	-60	-58.31	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-75.26	-60	-57.18	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1000	-74.25	-60	-56.22	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-800	-73.75	-60	-55.62	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-600	-72.34	-60	-54.17	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-400	-61.58	-60	-43.53	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-250	-43.06	-33	-25	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-200	-38.81	-30	-20.69	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-100	-8.16	0.5	9.96	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	100	-8.95	0.5	9.21	-36	PASS

HVLT	EGPRS900	124	914.8	6;6;6;6	200	-38.59	-30	-20.49	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	250	-43.14	-33	-25.09	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	400	-62.27	-60	-44.09	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	600	-72.81	-60	-54.61	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	800	-73.92	-60	-55.62	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1000	-74.37	-60	-56.13	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1200	-76.47	-60	-58.38	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1400	-77.44	-60	-59.26	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1600	-77.49	-60	-59.4	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1800	-78.75	-60	-60.6	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-76.02	-60	-80.62	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1600	-75.99	-60	-80.45	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1400	-75.77	-60	-80.37	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-74.02	-60	-78.59	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1000	-73.7	-60	-78.21	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-800	-72.72	-60	-77.36	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-600	-71.25	-60	-75.77	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-400	-68.29	-60	-72.91	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-250	-42.44	-33	-47.14	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-200	-38.97	-30	-43.52	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-100	-7.52	0.5	-11.97	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	100	-7.69	0.5	-12.24	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	200	-38.7	-30	-43.2	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	250	-43.1	-33	-47.65	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	400	-68.8	-60	-73.43	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	600	-71.37	-60	-75.77	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	800	-73.1	-60	-77.6	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1000	-73.59	-60	-78.17	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1200	-74.46	-60	-79.06	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1400	-76.01	-60	-80.51	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1600	-77.47	-60	-81.89	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1800	-76.41	-60	-80.95	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-78.14	-60	-60.32	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1600	-77.78	-60	-59.77	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1400	-76.18	-60	-58.18	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-75.85	-60	-57.98	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1000	-74.37	-60	-56.47	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-800	-74.12	-60	-56.03	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-600	-72.2	-60	-54.27	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-400	-62.38	-60	-44.44	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-250	-43.1	-33	-25.22	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-200	-38.48	-30	-20.55	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-100	-7.53	0.5	10.56	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	100	-8.71	0.5	9.25	-36	PASS

LVHT	EGPRS900	975	880.2	6;6;6;6	200	-38.23	-30	-20.29	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	250	-43.38	-33	-25.42	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	400	-62.2	-60	-44.29	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	600	-71.58	-60	-53.53	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	800	-74.53	-60	-56.73	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1000	-74.41	-60	-56.54	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1200	-76.98	-60	-59.04	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1400	-76.88	-60	-59.06	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1600	-77.86	-60	-59.78	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1800	-79.63	-60	-61.63	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-77.8	-60	-81.19	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1600	-77.57	-60	-80.78	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1400	-75.74	-60	-79.03	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-75.88	-60	-79.11	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1000	-74.61	-60	-77.89	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-800	-73.25	-60	-76.4	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-600	-72.85	-60	-76.11	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-400	-69.92	-60	-73.2	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-250	-43.4	-33	-46.53	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-200	-40.13	-30	-43.45	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-100	-9.55	0.5	-12.84	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	100	-9.48	0.5	-12.79	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	200	-39.98	-30	-43.27	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	250	-43.98	-33	-47.34	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	400	-69.45	-60	-72.84	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	600	-71.94	-60	-75.35	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	800	-73.06	-60	-76.4	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1000	-74.6	-60	-78.03	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1200	-76.24	-60	-79.46	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1400	-75.91	-60	-79.04	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1600	-76.79	-60	-79.9	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1800	-78.4	-60	-81.6	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-76.86	-60	-59.62	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1600	-76.99	-60	-59.78	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1400	-75.5	-60	-58.23	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-75.25	-60	-57.96	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1000	-73.74	-60	-56.57	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-800	-73.28	-60	-55.99	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-600	-71.03	-60	-53.81	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-400	-62.07	-60	-44.91	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-250	-42.2	-33	-24.98	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-200	-38	-30	-20.86	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-100	-7.76	0.5	9.45	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	100	-8.49	0.5	8.69	-36	PASS

LVHT	EGPRS900	38	897.6	6;6;6;6	200	-37.97	-30	-20.82	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	250	-43.24	-33	-26.1	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	400	-61.77	-60	-44.64	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	600	-70.85	-60	-53.62	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	800	-72.74	-60	-55.67	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1000	-74.73	-60	-57.5	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1200	-74.88	-60	-57.66	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1400	-76.71	-60	-59.46	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1600	-77.46	-60	-60.34	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1800	-78.51	-60	-61.21	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-78.03	-60	-82.09	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1600	-76.28	-60	-80.41	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1400	-75.52	-60	-79.52	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-74.51	-60	-78.6	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1000	-74.55	-60	-78.54	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-800	-73.37	-60	-77.32	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-600	-71.64	-60	-75.55	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-400	-69.16	-60	-73.26	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-250	-43.83	-33	-47.81	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-200	-39.2	-30	-43.2	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-100	-8.75	0.5	-12.65	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	100	-7.97	0.5	-12.06	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	200	-39.61	-30	-43.6	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	250	-44.02	-33	-48.04	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	400	-68.91	-60	-73	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	600	-71.85	-60	-75.73	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	800	-72.83	-60	-76.83	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1000	-74.13	-60	-78	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1200	-75.74	-60	-79.61	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1400	-75.61	-60	-79.51	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1600	-76.88	-60	-80.86	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1800	-77.84	-60	-81.74	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-77.01	-60	-59	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1600	-77.66	-60	-59.49	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1400	-76.38	-60	-58.26	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-75.28	-60	-57.22	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1000	-74.28	-60	-56.18	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-800	-73.72	-60	-55.65	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-600	-72.26	-60	-54.16	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-400	-61.6	-60	-43.45	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-250	-43.02	-33	-24.9	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-200	-38.93	-30	-20.69	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-100	-8.08	0.5	9.99	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	100	-8.81	0.5	9.3	-36	PASS

LVHT	EGPRS900	124	914.8	6;6;6;6	200	-38.67	-30	-20.48	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	250	-43.15	-33	-25.02	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	400	-62.3	-60	-44.22	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	600	-72.82	-60	-54.6	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	800	-73.88	-60	-55.62	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1000	-74.33	-60	-56.26	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1200	-76.38	-60	-58.31	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1400	-77.42	-60	-59.2	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1600	-77.52	-60	-59.57	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1800	-78.81	-60	-60.66	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-76.13	-60	-80.69	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1600	-76.02	-60	-80.49	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1400	-75.82	-60	-80.33	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-74.14	-60	-78.55	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1000	-73.75	-60	-78.23	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-800	-72.77	-60	-77.27	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-600	-71.17	-60	-75.68	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-400	-68.28	-60	-72.89	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-250	-42.59	-33	-47.03	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-200	-38.99	-30	-43.63	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-100	-7.48	0.5	-11.94	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	100	-7.76	0.5	-12.17	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	200	-38.73	-30	-43.28	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	250	-43.1	-33	-47.67	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	400	-68.91	-60	-73.42	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	600	-71.34	-60	-75.73	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	800	-73	-60	-77.61	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1000	-73.58	-60	-78.18	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1200	-74.42	-60	-79.03	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1400	-75.89	-60	-80.37	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1600	-77.47	-60	-81.93	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1800	-76.36	-60	-80.9	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-78.3	-60	-60.24	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1600	-77.75	-60	-59.82	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1400	-76.24	-60	-58.34	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-75.91	-60	-57.86	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1000	-74.5	-60	-56.45	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-800	-74	-60	-56.06	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-600	-72.24	-60	-54.32	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-400	-62.23	-60	-44.32	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-250	-43.12	-33	-25.16	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-200	-38.42	-30	-20.42	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-100	-7.53	0.5	10.58	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	100	-8.8	0.5	9.14	-36	PASS



LVLT	EGPRS900	975	880.2	6;6;6;6	200	-38.2	-30	-20.31	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	250	-43.55	-33	-25.57	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	400	-62.16	-60	-44.28	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	600	-71.47	-60	-53.54	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	800	-74.53	-60	-56.63	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1000	-74.48	-60	-56.64	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1200	-77	-60	-59.13	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1400	-76.94	-60	-58.94	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1600	-77.88	-60	-59.94	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1800	-79.61	-60	-61.73	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-77.79	-60	-81.1	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1600	-77.52	-60	-80.76	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1400	-75.76	-60	-78.98	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-75.77	-60	-79.09	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1000	-74.48	-60	-77.86	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-800	-73.22	-60	-76.58	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-600	-72.88	-60	-76.18	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-400	-69.8	-60	-73.23	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-250	-43.39	-33	-46.64	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-200	-40.26	-30	-43.39	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-100	-9.64	0.5	-12.72	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	100	-9.5	0.5	-12.73	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	200	-40.16	-30	-43.23	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	250	-44.03	-33	-47.28	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	400	-69.54	-60	-72.71	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	600	-72	-60	-75.2	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	800	-73.07	-60	-76.39	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1000	-74.71	-60	-77.89	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1200	-76.31	-60	-79.45	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1400	-75.83	-60	-79.05	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1600	-76.68	-60	-80	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1800	-78.34	-60	-81.63	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-76.99	-60	-59.71	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1600	-76.87	-60	-59.74	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1400	-75.5	-60	-58.25	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-75.15	-60	-57.86	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1000	-73.77	-60	-56.61	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-800	-73.29	-60	-55.91	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-600	-70.91	-60	-53.82	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-400	-62.07	-60	-44.78	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-250	-42.3	-33	-25.14	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-200	-38.1	-30	-20.87	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-100	-7.68	0.5	9.52	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	100	-8.46	0.5	8.66	-36	PASS

LVLT	EGPRS900	38	897.6	6;6;6;6	200	-37.93	-30	-20.84	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	250	-43.4	-33	-26.09	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	400	-61.77	-60	-44.56	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	600	-70.89	-60	-53.6	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	800	-72.88	-60	-55.67	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1000	-74.74	-60	-57.59	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1200	-74.95	-60	-57.76	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1400	-76.66	-60	-59.33	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1600	-77.63	-60	-60.3	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1800	-78.52	-60	-61.18	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-78.2	-60	-82.08	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1600	-76.27	-60	-80.28	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1400	-75.51	-60	-79.38	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-74.62	-60	-78.54	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1000	-74.56	-60	-78.47	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-800	-73.28	-60	-77.33	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-600	-71.56	-60	-75.59	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-400	-69.17	-60	-73.23	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-250	-43.88	-33	-47.92	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-200	-39.3	-30	-43.31	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-100	-8.74	0.5	-12.68	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	100	-7.96	0.5	-11.94	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	200	-39.6	-30	-43.52	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	250	-44.01	-33	-48.04	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	400	-68.93	-60	-73.02	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	600	-71.89	-60	-75.69	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	800	-72.94	-60	-76.83	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1000	-74.19	-60	-78.16	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1200	-75.77	-60	-79.71	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1400	-75.61	-60	-79.45	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1600	-76.89	-60	-80.77	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1800	-77.81	-60	-81.74	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-77.1	-60	-59.01	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1600	-77.63	-60	-59.52	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1400	-76.47	-60	-58.43	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-75.29	-60	-57.08	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1000	-74.34	-60	-56.29	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-800	-73.69	-60	-55.59	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-600	-72.27	-60	-54.27	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-400	-61.67	-60	-43.53	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-250	-43.08	-33	-24.81	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-200	-38.86	-30	-20.87	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-100	-8.18	0.5	9.84	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	100	-8.9	0.5	9.19	-36	PASS

LVLT	EGPRS900	124	914.8	6;6;6;6	200	-38.65	-30	-20.52	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	250	-43.3	-33	-25.18	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	400	-62.21	-60	-44.18	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	600	-72.72	-60	-54.69	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	800	-73.74	-60	-55.81	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1000	-74.33	-60	-56.25	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1200	-76.53	-60	-58.28	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1400	-77.33	-60	-59.24	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1600	-77.53	-60	-59.55	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1800	-78.72	-60	-60.67	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-76.16	-60	-80.61	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1600	-75.97	-60	-80.42	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1400	-75.84	-60	-80.24	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-74.02	-60	-78.65	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1000	-73.73	-60	-78.21	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-800	-72.87	-60	-77.41	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-600	-71.1	-60	-75.73	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-400	-68.32	-60	-72.73	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-250	-42.61	-33	-47.08	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-200	-39.13	-30	-43.53	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-100	-7.48	0.5	-12.03	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	100	-7.65	0.5	-12.19	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	200	-38.65	-30	-43.17	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	250	-43.24	-33	-47.76	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	400	-68.91	-60	-73.3	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	600	-71.32	-60	-75.84	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	800	-73.05	-60	-77.68	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1000	-73.66	-60	-78.05	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1200	-74.51	-60	-79.05	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1400	-75.83	-60	-80.38	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1600	-77.35	-60	-81.94	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1800	-76.46	-60	-80.97	-51	PASS

**Clause 4.2.29 Switching Spectrum in EGPRS configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Result (dBm)	Limit (dBm)	Verdict
HVHT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	24.48		PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-48.08	-32.33	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-44.36	-29.33	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-37.3	-26	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-31.36	-23	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-31.59	-23	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-36.11	-26	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-44.1	-29.33	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-48.28	-32.33	PASS

HVHT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	-0.63		PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-70.31	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-69.12	-32	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-61.34	-26	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-57.25	-23	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-57.31	-23	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-58.62	-26	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-68.8	-32	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-72.23	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	24.35		PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-48.16	-32.48	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-43.9	-29.48	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-36.18	-26	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-31.26	-23	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-32.08	-23	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-35.69	-26	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-43.77	-29.48	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-46.51	-32.48	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	-0.71		PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-71.86	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-67.94	-32	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-60.45	-26	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-55.64	-23	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-54.56	-23	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-60.12	-26	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-67.87	-32	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-69.48	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	24.5		PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-47.17	-32.38	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-44.57	-29.38	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-35.13	-26	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-29.1	-23	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-30.57	-23	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-35.95	-26	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-43.93	-29.38	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-48.36	-32.38	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	-1.18		PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.71	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-68.58	-32	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-61.78	-26	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-56.4	-23	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-55.74	-23	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-59.46	-26	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-67.53	-32	PASS

HVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-71.11	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	24.49		PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-47.95	-32.33	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-44.4	-29.33	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-37.16	-26	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-31.25	-23	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-31.46	-23	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-36.28	-26	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-44.17	-29.33	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-48.19	-32.33	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	-0.55		PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-70.45	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-68.94	-32	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-61.3	-26	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-57.1	-23	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-57.18	-23	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-58.67	-26	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-68.89	-32	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-72.05	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	24.35		PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-48.16	-32.48	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-43.8	-29.48	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-36.25	-26	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-31.32	-23	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-32.17	-23	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-35.66	-26	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-43.81	-29.48	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-46.33	-32.48	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	-0.74		PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-71.99	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-67.85	-32	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-60.32	-26	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-55.61	-23	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-54.53	-23	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-60.13	-26	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-67.8	-32	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-69.45	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	24.42		PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-47.34	-32.38	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-44.56	-29.38	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-35.23	-26	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-28.94	-23	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-30.65	-23	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-35.86	-26	PASS

HVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-43.83	-29.38	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-48.2	-32.38	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	-1.2		PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.61	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-68.54	-32	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-61.82	-26	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-56.45	-23	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-55.75	-23	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-59.52	-26	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-67.57	-32	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-71.01	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	24.56		PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-48.06	-32.33	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-44.28	-29.33	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-37.16	-26	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-31.35	-23	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-31.59	-23	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-36.19	-26	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-44.1	-29.33	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-48.26	-32.33	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	-0.52		PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-70.35	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-69.12	-32	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-61.27	-26	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-57.21	-23	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-57.16	-23	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-58.8	-26	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-68.8	-32	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-72.23	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	24.32		PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-48	-32.48	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-43.89	-29.48	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-36.12	-26	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-31.19	-23	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-32.19	-23	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-35.57	-26	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-43.84	-29.48	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-46.48	-32.48	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	-0.58		PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-72	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-67.8	-32	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-60.35	-26	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-55.69	-23	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-54.55	-23	PASS

LVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-60.04	-26	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-67.83	-32	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-69.58	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	24.59		PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-47.22	-32.38	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-44.53	-29.38	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-35.05	-26	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-29.09	-23	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-30.68	-23	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-35.88	-26	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-43.81	-29.38	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-48.24	-32.38	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	-1.27		PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.63	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-68.66	-32	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-61.73	-26	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-56.35	-23	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-55.63	-23	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-59.37	-26	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-67.68	-32	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-71.03	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	24.62		PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-48.09	-32.33	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-44.44	-29.33	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-37.28	-26	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-31.24	-23	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-31.63	-23	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-36.16	-26	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-44.1	-29.33	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-48.28	-32.33	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	-0.63		PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-70.4	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-69.09	-32	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-61.35	-26	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-57.23	-23	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-57.19	-23	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-58.79	-26	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-68.86	-32	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-72.19	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	24.42		PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-48.07	-32.48	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-43.86	-29.48	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-36.15	-26	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-31.35	-23	PASS

LVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-32.15	-23	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-35.58	-26	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-43.81	-29.48	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-46.41	-32.48	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	-0.62		PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-71.93	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-67.86	-32	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-60.35	-26	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-55.77	-23	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-54.55	-23	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-60.21	-26	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-67.87	-32	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-69.48	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	24.5		PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-47.3	-32.38	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-44.67	-29.38	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-35.11	-26	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-29.06	-23	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-30.57	-23	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-35.83	-26	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-43.96	-29.38	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-48.29	-32.38	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	-1.25		PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.65	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-68.55	-32	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-61.76	-26	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-56.34	-23	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-55.65	-23	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-59.5	-26	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-67.53	-32	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-71.11	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	Ref Power	26.03		PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-50.39	-30.89	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-45.61	-27.89	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-600	-43.7	-26	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-400	-32.99	-23	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	400	-29.6	-23	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	600	-41.88	-26	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1200	-47.13	-27.89	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1800	-49.99	-30.89	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	Ref Power	4.08		PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-69.14	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-67.97	-32	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-600	-64.52	-26	PASS



HVHT	EGPRS900	975	880.2	17;17;17;17	-400	-62.05	-23	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	400	-63.33	-23	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	600	-63.9	-26	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1200	-68.19	-32	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1800	-67.61	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	Ref Power	25.86		PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-49.42	-31.13	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-46.71	-28.13	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-600	-41.87	-26	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-400	-31.53	-23	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	400	-31.5	-23	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	600	-40.95	-26	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1200	-47.7	-28.13	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1800	-49.61	-31.13	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	Ref Power	4.1		PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-70.56	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-67	-32	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-600	-64.62	-26	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-400	-61.51	-23	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	400	-62.74	-23	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	600	-65.37	-26	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1200	-68.7	-32	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1800	-69.89	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	Ref Power	25.75		PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-46.95	-31.12	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-46.93	-28.12	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-600	-41.75	-26	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-400	-30.7	-23	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	400	-28.94	-23	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	600	-41.8	-26	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1200	-45.34	-28.12	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1800	-50.02	-31.12	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	Ref Power	3.96		PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-69.8	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-67.85	-32	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-600	-65.19	-26	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-400	-63.4	-23	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	400	-60.77	-23	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	600	-64.38	-26	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1200	-68.93	-32	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1800	-70.88	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	Ref Power	25.95		PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-50.42	-30.89	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-45.67	-27.89	PASS

HVLT	EGPRS900	975	880.2	6;6;6;6	-600	-43.88	-26	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-400	-33.09	-23	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	400	-29.6	-23	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	600	-41.99	-26	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1200	-47.19	-27.89	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1800	-50.03	-30.89	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	Ref Power	4.08		PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-69.13	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-68.1	-32	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-600	-64.64	-26	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-400	-62.06	-23	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	400	-63.4	-23	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	600	-63.91	-26	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1200	-68.08	-32	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1800	-67.7	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	Ref Power	25.81		PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-49.42	-31.13	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-46.65	-28.13	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-600	-41.83	-26	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-400	-31.5	-23	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	400	-31.53	-23	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	600	-41	-26	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1200	-47.75	-28.13	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1800	-49.64	-31.13	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	Ref Power	4.06		PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-70.63	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-66.95	-32	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-600	-64.56	-26	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-400	-61.46	-23	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	400	-62.68	-23	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	600	-65.32	-26	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1200	-68.58	-32	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1800	-69.81	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	Ref Power	25.7		PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-46.81	-31.12	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-47.01	-28.12	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-600	-41.8	-26	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-400	-30.78	-23	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	400	-29.07	-23	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	600	-41.69	-26	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1200	-45.36	-28.12	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1800	-49.91	-31.12	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	Ref Power	3.92		PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-69.79	-36	PASS

HVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-67.79	-32	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-600	-65.14	-26	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-400	-63.33	-23	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	400	-60.76	-23	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	600	-64.26	-26	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1200	-68.83	-32	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1800	-70.71	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	Ref Power	25.92		PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-50.39	-30.89	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-45.68	-27.89	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-600	-43.73	-26	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-400	-33.07	-23	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	400	-29.57	-23	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	600	-41.85	-26	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1200	-47.07	-27.89	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1800	-49.94	-30.89	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	Ref Power	4.2		PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-69.24	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-68.13	-32	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-600	-64.61	-26	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-400	-62.09	-23	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	400	-63.31	-23	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	600	-63.84	-26	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1200	-68.16	-32	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1800	-67.6	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	Ref Power	25.81		PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-49.35	-31.13	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-46.74	-28.13	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-600	-41.82	-26	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-400	-31.61	-23	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	400	-31.36	-23	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	600	-40.96	-26	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1200	-47.72	-28.13	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1800	-49.7	-31.13	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	Ref Power	4.05		PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-70.66	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-66.85	-32	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-600	-64.64	-26	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-400	-61.43	-23	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	400	-62.59	-23	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	600	-65.48	-26	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1200	-68.74	-32	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1800	-69.92	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	Ref Power	25.86		PASS

LVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-46.8	-31.12	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-47.06	-28.12	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-600	-41.79	-26	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-400	-30.76	-23	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	400	-29	-23	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	600	-41.7	-26	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1200	-45.44	-28.12	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1800	-49.89	-31.12	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	Ref Power	3.82		PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-69.94	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-67.81	-32	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-600	-65.08	-26	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-400	-63.42	-23	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	400	-60.73	-23	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	600	-64.4	-26	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1200	-68.86	-32	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1800	-70.87	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	Ref Power	26.08		PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-50.32	-30.89	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-45.62	-27.89	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-600	-43.81	-26	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-400	-33.15	-23	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	400	-29.5	-23	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	600	-41.99	-26	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1200	-47.13	-27.89	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1800	-49.94	-30.89	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	Ref Power	4.09		PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-69.26	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-68.03	-32	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-600	-64.62	-26	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-400	-62.08	-23	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	400	-63.29	-23	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	600	-63.97	-26	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1200	-68.08	-32	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1800	-67.76	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	Ref Power	25.84		PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-49.45	-31.13	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-46.66	-28.13	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-600	-41.89	-26	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-400	-31.53	-23	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	400	-31.44	-23	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	600	-40.85	-26	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1200	-47.63	-28.13	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1800	-49.56	-31.13	PASS

LVLT	EGPRS900	38	897.6	17;17;17;17	Ref Power	4		PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-70.61	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-66.98	-32	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-600	-64.64	-26	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-400	-61.42	-23	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	400	-62.71	-23	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	600	-65.46	-26	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1200	-68.61	-32	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1800	-69.77	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	Ref Power	25.82		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-46.83	-31.12	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-47.03	-28.12	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-600	-41.84	-26	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-400	-30.78	-23	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	400	-28.93	-23	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	600	-41.86	-26	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1200	-45.32	-28.12	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1800	-50.02	-31.12	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	Ref Power	3.89		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-69.79	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-67.87	-32	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-600	-65.1	-26	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-400	-63.27	-23	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	400	-60.77	-23	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	600	-64.43	-26	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1200	-68.74	-32	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1800	-70.84	-36	PASS

**Clause 4.2.4 Frequency error and phase error in GPRS multi slot configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Type	Result	Low Limit	high Limit	Verdict
HVHT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	0.11	-174.74	174.74	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	2.93	0	5	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	9.26	0	20	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	24.6	-174.74	174.74	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	2.6	0	5	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	7.87	0	20	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error	0.2	-174.74	174.74	PASS

					(Hz)				
HVLT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	2.78	0	5	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	9.28	0	20	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	24.52	-174.74	174.74	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	2.66	0	5	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	7.84	0	20	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	0.24	-174.74	174.74	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	2.78	0	5	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	9.25	0	20	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	24.55	-174.74	174.74	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	2.62	0	5	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	7.82	0	20	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	0.24	-174.74	174.74	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	2.89	0	5	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	9.16	0	20	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	24.62	-174.74	174.74	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	2.64	0	5	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	7.91	0	20	PASS
Vibration-X	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	0.19	-174.74	174.74	PASS
Vibration-X	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	2.86	0	5	PASS
Vibration-X	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	9.12	0	20	PASS
Vibration-X	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	24.55	-174.74	174.74	PASS
Vibration-X	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error	2.51	0	5	PASS

					(Degree)				
Vibration-X	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	7.9	0	20	PASS
Vibration-Y	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	0.09	-174.74	174.74	PASS
Vibration-Y	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	2.87	0	5	PASS
Vibration-Y	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	9.19	0	20	PASS
Vibration-Y	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	24.55	-174.74	174.74	PASS
Vibration-Y	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	2.6	0	5	PASS
Vibration-Y	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	8	0	20	PASS
Vibration-Z	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	0.14	-174.74	174.74	PASS
Vibration-Z	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	2.9	0	5	PASS
Vibration-Z	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	9.28	0	20	PASS
Vibration-Z	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	24.54	-174.74	174.74	PASS
Vibration-Z	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	2.56	0	5	PASS
Vibration-Z	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	7.91	0	20	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	9.34	-89.76	89.76	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	1.77	0	5	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	12.11	0	20	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	1.43	-89.76	89.76	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.32	0	5	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	1.32	0	20	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	9.38	-89.76	89.76	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	1.72	0	5	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error	12.13	0	20	PASS

					(Degree)				
HVLT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	1.36	-89.76	89.76	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.5	0	5	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	1.35	0	20	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	9.33	-89.76	89.76	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	1.8	0	5	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	12.06	0	20	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	1.47	-89.76	89.76	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.46	0	5	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	1.33	0	20	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	9.47	-89.76	89.76	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	1.76	0	5	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	11.95	0	20	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	1.45	-89.76	89.76	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.48	0	5	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	1.37	0	20	PASS
Vibration-X	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	9.38	-89.76	89.76	PASS
Vibration-X	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	1.73	0	5	PASS
Vibration-X	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	12.02	0	20	PASS
Vibration-X	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	1.36	-89.76	89.76	PASS
Vibration-X	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.45	0	5	PASS
Vibration-X	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	1.32	0	20	PASS
Vibration-Y	GPRS900	38	897.6	3;3;3;3	Frequency Error	9.32	-89.76	89.76	PASS



					(Hz)				
Vibration-Y	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	1.66	0	5	PASS
Vibration-Y	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	12.01	0	20	PASS
Vibration-Y	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	1.42	-89.76	89.76	PASS
Vibration-Y	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.42	0	5	PASS
Vibration-Y	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	1.27	0	20	PASS
Vibration-Z	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	9.33	-89.76	89.76	PASS
Vibration-Z	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	1.67	0	5	PASS
Vibration-Z	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	12.06	0	20	PASS
Vibration-Z	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	1.48	-89.76	89.76	PASS
Vibration-Z	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.32	0	5	PASS
Vibration-Z	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	1.35	0	20	PASS

**Clause 4.2.10 Transmitter output power in GPRS multi slot configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Slot	Result	Low Limit	high Limit	Verdict
HVHT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30	28	32	PASS
HVHT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	27.99	25	31	PASS
HVHT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	26.13	23	29	PASS
HVHT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	24.05	21	27	PASS
HVHT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	22.05	19	25	PASS
HVHT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	20.19	17	23	PASS
HVHT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	18.11	15	21	PASS
HVHT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	16.24	13	19	PASS
HVHT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	14.28	11	17	PASS

HVHT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	12.36	8	16	PASS
HVHT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	10.17	6	14	PASS
HVHT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	8.01	4	12	PASS
HVHT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	6.07	2	10	PASS
HVHT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	4.15	0	8	PASS
HVHT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	2.69	-3	7	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	1.04	-5	5	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	30.33	28	32	PASS
HVHT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	28.15	25	31	PASS
HVHT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	26.23	23	29	PASS
HVHT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	24.22	21	27	PASS
HVHT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	22.23	19	25	PASS
HVHT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	20.17	17	23	PASS
HVHT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	18.23	15	21	PASS
HVHT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	14.36	11	17	PASS
HVHT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	12.35	8	16	PASS
HVHT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	10.43	6	14	PASS
HVHT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	8.25	4	12	PASS
HVHT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	6.26	2	10	PASS
HVHT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	4.32	0	8	PASS
HVHT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	2.77	-3	7	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.11	0	0	PASS

HVHT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	1.15	-5	5	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	30.34	28	32	PASS
HVHT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	28.4	25	31	PASS
HVHT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	26.44	23	29	PASS
HVHT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	24.36	21	27	PASS
HVHT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	22.39	19	25	PASS
HVHT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	20.25	17	23	PASS
HVHT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	18.21	15	21	PASS
HVHT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	16.23	13	19	PASS
HVHT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	14.02	11	17	PASS
HVHT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	12.2	8	16	PASS
HVHT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	10.21	6	14	PASS
HVHT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	8.26	4	12	PASS
HVHT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS1800	885	1784.8	15;15;15;15	Power slot1	6.22	2	10	PASS
HVHT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	4.24	0	8	PASS
HVHT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	2.56	-3	7	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	0.78	-5	5	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30.17	28	32	PASS
HVLT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	28.13	25	31	PASS
HVLT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	26.12	23	29	PASS
HVLT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	24.11	21	27	PASS
HVLT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	22.18	19	25	PASS
HVLT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.15	0	0	PASS

HVLT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	20.06	17	23	PASS
HVLT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	18.27	15	21	PASS
HVLT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	16.17	13	19	PASS
HVLT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	14.36	11	17	PASS
HVLT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	12.41	8	16	PASS
HVLT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	10.07	6	14	PASS
HVLT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	8.02	4	12	PASS
HVLT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	6.13	2	10	PASS
HVLT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	4.25	0	8	PASS
HVLT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	2.68	-3	7	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	0.96	-5	5	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	30.35	28	32	PASS
HVLT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	28.32	25	31	PASS
HVLT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	26.23	23	29	PASS
HVLT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	24.34	21	27	PASS
HVLT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	22.23	19	25	PASS
HVLT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	20.33	17	23	PASS
HVLT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	18.31	15	21	PASS
HVLT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	14.2	11	17	PASS
HVLT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	12.32	8	16	PASS
HVLT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	10.41	6	14	PASS
HVLT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	8.21	4	12	PASS

HVLT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	6.34	2	10	PASS
HVLT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	4.28	0	8	PASS
HVLT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	2.7	-3	7	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	1.08	-5	5	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	30.44	28	32	PASS
HVLT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	28.27	25	31	PASS
HVLT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	26.33	23	29	PASS
HVLT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	24.36	21	27	PASS
HVLT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	22.35	19	25	PASS
HVLT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	20.24	17	23	PASS
HVLT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	18.21	15	21	PASS
HVLT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	16.33	13	19	PASS
HVLT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	14.2	11	17	PASS
HVLT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	12.25	8	16	PASS
HVLT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	10.24	6	14	PASS
HVLT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	8.2	4	12	PASS
HVLT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS1800	885	1784.8	15;15;15;15	Power slot1	6.29	2	10	PASS
HVLT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	4.13	0	8	PASS
HVLT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	2.4	-3	7	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	0.78	-5	5	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30.16	28	32	PASS
LVHT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	28.15	25	31	PASS

LVHT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	26.16	23	29	PASS
LVHT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	24.14	21	27	PASS
LVHT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	22	19	25	PASS
LVHT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	20.18	17	23	PASS
LVHT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	18.21	15	21	PASS
LVHT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	16.33	13	19	PASS
LVHT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	14.2	11	17	PASS
LVHT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	12.28	8	16	PASS
LVHT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	10.12	6	14	PASS
LVHT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	8.18	4	12	PASS
LVHT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	6.12	2	10	PASS
LVHT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	4.19	0	8	PASS
LVHT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	2.57	-3	7	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	1.15	-5	5	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	30.16	28	32	PASS
LVHT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	28.26	25	31	PASS
LVHT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	26.18	23	29	PASS
LVHT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	24.28	21	27	PASS
LVHT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	22.2	19	25	PASS
LVHT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	20.21	17	23	PASS
LVHT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	18.29	15	21	PASS
LVHT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.02	0	0	PASS

LVHT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	14.21	11	17	PASS
LVHT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	12.37	8	16	PASS
LVHT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	10.39	6	14	PASS
LVHT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	8.36	4	12	PASS
LVHT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	6.3	2	10	PASS
LVHT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	4.42	0	8	PASS
LVHT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	2.82	-3	7	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	1.07	-5	5	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	30.38	28	32	PASS
LVHT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	28.45	25	31	PASS
LVHT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	26.32	23	29	PASS
LVHT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	24.37	21	27	PASS
LVHT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	22.41	19	25	PASS
LVHT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	20.29	17	23	PASS
LVHT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	18.18	15	21	PASS
LVHT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	16.22	13	19	PASS
LVHT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	14.06	11	17	PASS
LVHT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	12.18	8	16	PASS
LVHT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	10.28	6	14	PASS
LVHT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	8.22	4	12	PASS
LVHT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1800	885	1784.8	15;15;15;15	Power slot1	6.14	2	10	PASS
LVHT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	4.11	0	8	PASS
LVHT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.15	0	0	PASS

LVHT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	2.41	-3	7	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	0.79	-5	5	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30.16	28	32	PASS
LVLT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	28.06	25	31	PASS
LVLT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	26.03	23	29	PASS
LVLT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	24	21	27	PASS
LVLT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	22	19	25	PASS
LVLT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	20.12	17	23	PASS
LVLT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	18.28	15	21	PASS
LVLT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	16.28	13	19	PASS
LVLT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	14.35	11	17	PASS
LVLT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	12.42	8	16	PASS
LVLT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	10.23	6	14	PASS
LVLT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	8.04	4	12	PASS
LVLT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	6.14	2	10	PASS
LVLT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	4.17	0	8	PASS
LVLT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	2.57	-3	7	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	1.06	-5	5	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	30.33	28	32	PASS
LVLT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	28.23	25	31	PASS
LVLT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	26.31	23	29	PASS
LVLT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	24.26	21	27	PASS
LVLT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.2	0	0	PASS



LVLT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	22.3	19	25	PASS
LVLT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	20.2	17	23	PASS
LVLT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	18.24	15	21	PASS
LVLT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	14.37	11	17	PASS
LVLT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	12.41	8	16	PASS
LVLT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	10.42	6	14	PASS
LVLT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	8.21	4	12	PASS
LVLT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	6.35	2	10	PASS
LVLT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	4.39	0	8	PASS
LVLT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	2.74	-3	7	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	1.18	-5	5	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	30.35	28	32	PASS
LVLT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	28.36	25	31	PASS
LVLT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	26.45	23	29	PASS
LVLT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	24.42	21	27	PASS
LVLT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	22.23	19	25	PASS
LVLT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	20.4	17	23	PASS
LVLT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	18.25	15	21	PASS
LVLT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	16.31	13	19	PASS
LVLT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	14.04	11	17	PASS
LVLT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	12.2	8	16	PASS
LVLT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	10.23	6	14	PASS

LVLT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	8.3	4	12	PASS
LVLT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	885	1784.8	15;15;15;15	Power slot1	6.27	2	10	PASS
LVLT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	4.24	0	8	PASS
LVLT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	2.37	-3	7	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	0.66	-5	5	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.59	31	35	PASS
HVHT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	975	880.2	4;4;4;4	Power slot1	31.06	28	34	PASS
HVHT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS900	975	880.2	5;5;5;5	Power slot1	28.96	26	32	PASS
HVHT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS900	975	880.2	6;6;6;6	Power slot1	26.9	24	30	PASS
HVHT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS900	975	880.2	7;7;7;7	Power slot1	25.14	22	28	PASS
HVHT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	975	880.2	8;8;8;8	Power slot1	22.91	20	26	PASS
HVHT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS900	975	880.2	9;9;9;9	Power slot1	20.83	18	24	PASS
HVHT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	975	880.2	10;10;10;10	Power slot1	18.82	16	22	PASS
HVHT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS900	975	880.2	11;11;11;11	Power slot1	16.69	14	20	PASS
HVHT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS900	975	880.2	12;12;12;12	Power slot1	14.8	12	18	PASS
HVHT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS900	975	880.2	13;13;13;13	Power slot1	12.69	10	16	PASS
HVHT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS900	975	880.2	14;14;14;14	Power slot1	10.45	6	16	PASS
HVHT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	975	880.2	15;15;15;15	Power slot1	8.52	4	14	PASS
HVHT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS900	975	880.2	16;16;16;16	Power slot1	6.57	2	12	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	Power slot1	4.57	0	10	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Power slot1	32.37	31	35	PASS
HVHT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS900	38	897.6	4;4;4;4	Power slot1	30.9	28	34	PASS

HVHT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS900	38	897.6	5;5;5;5	Power slot1	28.87	26	32	PASS
HVHT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS900	38	897.6	6;6;6;6	Power slot1	26.78	24	30	PASS
HVHT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS900	38	897.6	7;7;7;7	Power slot1	24.85	22	28	PASS
HVHT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS900	38	897.6	8;8;8;8	Power slot1	22.92	20	26	PASS
HVHT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS900	38	897.6	9;9;9;9	Power slot1	20.74	18	24	PASS
HVHT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	38	897.6	10;10;10;10	Power slot1	18.73	16	22	PASS
HVHT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	38	897.6	11;11;11;11	Power slot1	16.74	14	20	PASS
HVHT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS900	38	897.6	12;12;12;12	Power slot1	14.62	12	18	PASS
HVHT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS900	38	897.6	13;13;13;13	Power slot1	12.71	10	16	PASS
HVHT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS900	38	897.6	14;14;14;14	Power slot1	10.43	6	16	PASS
HVHT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS900	38	897.6	15;15;15;15	Power slot1	8.42	4	14	PASS
HVHT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	38	897.6	16;16;16;16	Power slot1	6.55	2	12	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Power slot1	4.54	0	10	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	Power slot1	32.51	31	35	PASS
HVHT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS900	124	914.8	4;4;4;4	Power slot1	30.88	28	34	PASS
HVHT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS900	124	914.8	5;5;5;5	Power slot1	28.87	26	32	PASS
HVHT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS900	124	914.8	6;6;6;6	Power slot1	27	24	30	PASS
HVHT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS900	124	914.8	7;7;7;7	Power slot1	24.98	22	28	PASS
HVHT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS900	124	914.8	8;8;8;8	Power slot1	22.86	20	26	PASS
HVHT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS900	124	914.8	9;9;9;9	Power slot1	20.95	18	24	PASS
HVHT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS900	124	914.8	10;10;10;10	Power slot1	18.87	16	22	PASS
HVHT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	124	914.8	11;11;11;11	Power slot1	16.92	14	20	PASS

HVHT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	124	914.8	12;12;12;12	Power slot1	14.85	12	18	PASS
HVHT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS900	124	914.8	13;13;13;13	Power slot1	12.68	10	16	PASS
HVHT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS900	124	914.8	14;14;14;14	Power slot1	10.57	6	16	PASS
HVHT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	124	914.8	15;15;15;15	Power slot1	8.7	4	14	PASS
HVHT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS900	124	914.8	16;16;16;16	Power slot1	6.76	2	12	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	Power slot1	4.88	0	10	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.47	31	35	PASS
HVLT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS900	975	880.2	4;4;4;4	Power slot1	31.02	28	34	PASS
HVLT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS900	975	880.2	5;5;5;5	Power slot1	29.06	26	32	PASS
HVLT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS900	975	880.2	6;6;6;6	Power slot1	27.08	24	30	PASS
HVLT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS900	975	880.2	7;7;7;7	Power slot1	25.11	22	28	PASS
HVLT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS900	975	880.2	8;8;8;8	Power slot1	23.09	20	26	PASS
HVLT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	975	880.2	9;9;9;9	Power slot1	20.85	18	24	PASS
HVLT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS900	975	880.2	10;10;10;10	Power slot1	18.7	16	22	PASS
HVLT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS900	975	880.2	11;11;11;11	Power slot1	16.67	14	20	PASS
HVLT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS900	975	880.2	12;12;12;12	Power slot1	14.8	12	18	PASS
HVLT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	975	880.2	13;13;13;13	Power slot1	12.76	10	16	PASS
HVLT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS900	975	880.2	14;14;14;14	Power slot1	10.42	6	16	PASS
HVLT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	975	880.2	15;15;15;15	Power slot1	8.5	4	14	PASS
HVLT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS900	975	880.2	16;16;16;16	Power slot1	6.52	2	12	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	Power slot1	4.61	0	10	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Power slot1	32.4	31	35	PASS

HVLT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS900	38	897.6	4;4;4;4	Power slot1	30.84	28	34	PASS
HVLT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS900	38	897.6	5;5;5;5	Power slot1	28.94	26	32	PASS
HVLT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS900	38	897.6	6;6;6;6	Power slot1	26.85	24	30	PASS
HVLT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS900	38	897.6	7;7;7;7	Power slot1	24.86	22	28	PASS
HVLT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS900	38	897.6	8;8;8;8	Power slot1	22.92	20	26	PASS
HVLT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS900	38	897.6	9;9;9;9	Power slot1	20.66	18	24	PASS
HVLT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS900	38	897.6	10;10;10;10	Power slot1	18.73	16	22	PASS
HVLT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS900	38	897.6	11;11;11;11	Power slot1	16.63	14	20	PASS
HVLT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS900	38	897.6	12;12;12;12	Power slot1	14.63	12	18	PASS
HVLT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS900	38	897.6	13;13;13;13	Power slot1	12.59	10	16	PASS
HVLT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	38	897.6	14;14;14;14	Power slot1	10.44	6	16	PASS
HVLT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS900	38	897.6	15;15;15;15	Power slot1	8.48	4	14	PASS
HVLT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	38	897.6	16;16;16;16	Power slot1	6.41	2	12	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Power slot1	4.6	0	10	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	Power slot1	32.47	31	35	PASS
HVLT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS900	124	914.8	4;4;4;4	Power slot1	31.01	28	34	PASS
HVLT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS900	124	914.8	5;5;5;5	Power slot1	28.95	26	32	PASS
HVLT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS900	124	914.8	6;6;6;6	Power slot1	26.82	24	30	PASS
HVLT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS900	124	914.8	7;7;7;7	Power slot1	24.83	22	28	PASS
HVLT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	124	914.8	8;8;8;8	Power slot1	22.78	20	26	PASS
HVLT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS900	124	914.8	9;9;9;9	Power slot1	21.02	18	24	PASS
HVLT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS900	124	914.8	10;10;10;10	Power slot1	18.83	16	22	PASS

HVLT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS900	124	914.8	11;11;11;11	Power slot1	16.94	14	20	PASS
HVLT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS900	124	914.8	12;12;12;12	Power slot1	14.84	12	18	PASS
HVLT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS900	124	914.8	13;13;13;13	Power slot1	12.81	10	16	PASS
HVLT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS900	124	914.8	14;14;14;14	Power slot1	10.68	6	16	PASS
HVLT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS900	124	914.8	15;15;15;15	Power slot1	8.8	4	14	PASS
HVLT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	124	914.8	16;16;16;16	Power slot1	6.77	2	12	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	Power slot1	4.77	0	10	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.5	31	35	PASS
LVHT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS900	975	880.2	4;4;4;4	Power slot1	31.09	28	34	PASS
LVHT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	975	880.2	5;5;5;5	Power slot1	29.09	26	32	PASS
LVHT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS900	975	880.2	6;6;6;6	Power slot1	26.9	24	30	PASS
LVHT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS900	975	880.2	7;7;7;7	Power slot1	25.14	22	28	PASS
LVHT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS900	975	880.2	8;8;8;8	Power slot1	23.09	20	26	PASS
LVHT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS900	975	880.2	9;9;9;9	Power slot1	20.84	18	24	PASS
LVHT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS900	975	880.2	10;10;10;10	Power slot1	18.76	16	22	PASS
LVHT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS900	975	880.2	11;11;11;11	Power slot1	16.65	14	20	PASS
LVHT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS900	975	880.2	12;12;12;12	Power slot1	14.73	12	18	PASS
LVHT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS900	975	880.2	13;13;13;13	Power slot1	12.74	10	16	PASS
LVHT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS900	975	880.2	14;14;14;14	Power slot1	10.5	6	16	PASS
LVHT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS900	975	880.2	15;15;15;15	Power slot1	8.5	4	14	PASS
LVHT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS900	975	880.2	16;16;16;16	Power slot1	6.52	2	12	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	Power slot1	4.63	0	10	PASS

LVHT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Power slot1	32.51	31	35	PASS
LVHT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS900	38	897.6	4;4;4;4	Power slot1	30.84	28	34	PASS
LVHT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS900	38	897.6	5;5;5;5	Power slot1	28.87	26	32	PASS
LVHT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS900	38	897.6	6;6;6;6	Power slot1	26.83	24	30	PASS
LVHT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS900	38	897.6	7;7;7;7	Power slot1	24.94	22	28	PASS
LVHT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS900	38	897.6	8;8;8;8	Power slot1	22.77	20	26	PASS
LVHT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS900	38	897.6	9;9;9;9	Power slot1	20.75	18	24	PASS
LVHT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS900	38	897.6	10;10;10;10	Power slot1	18.67	16	22	PASS
LVHT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS900	38	897.6	11;11;11;11	Power slot1	16.78	14	20	PASS
LVHT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	38	897.6	12;12;12;12	Power slot1	14.72	12	18	PASS
LVHT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS900	38	897.6	13;13;13;13	Power slot1	12.62	10	16	PASS
LVHT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS900	38	897.6	14;14;14;14	Power slot1	10.43	6	16	PASS
LVHT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS900	38	897.6	15;15;15;15	Power slot1	8.43	4	14	PASS
LVHT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS900	38	897.6	16;16;16;16	Power slot1	6.43	2	12	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Power slot1	4.59	0	10	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	Power slot1	32.59	31	35	PASS
LVHT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS900	124	914.8	4;4;4;4	Power slot1	31.03	28	34	PASS
LVHT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS900	124	914.8	5;5;5;5	Power slot1	28.98	26	32	PASS
LVHT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS900	124	914.8	6;6;6;6	Power slot1	26.85	24	30	PASS
LVHT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS900	124	914.8	7;7;7;7	Power slot1	24.91	22	28	PASS
LVHT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS900	124	914.8	8;8;8;8	Power slot1	22.81	20	26	PASS
LVHT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	124	914.8	9;9;9;9	Power slot1	20.9	18	24	PASS

LVHT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS900	124	914.8	10;10;10;10	Power slot1	18.82	16	22	PASS
LVHT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS900	124	914.8	11;11;11;11	Power slot1	16.88	14	20	PASS
LVHT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS900	124	914.8	12;12;12;12	Power slot1	14.83	12	18	PASS
LVHT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS900	124	914.8	13;13;13;13	Power slot1	12.67	10	16	PASS
LVHT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	124	914.8	14;14;14;14	Power slot1	10.68	6	16	PASS
LVHT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS900	124	914.8	15;15;15;15	Power slot1	8.68	4	14	PASS
LVHT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	124	914.8	16;16;16;16	Power slot1	6.76	2	12	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	Power slot1	4.83	0	10	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.56	31	35	PASS
LVLT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS900	975	880.2	4;4;4;4	Power slot1	31.11	28	34	PASS
LVLT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS900	975	880.2	5;5;5;5	Power slot1	29.06	26	32	PASS
LVLT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS900	975	880.2	6;6;6;6	Power slot1	27.08	24	30	PASS
LVLT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS900	975	880.2	7;7;7;7	Power slot1	25.08	22	28	PASS
LVLT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	975	880.2	8;8;8;8	Power slot1	23.09	20	26	PASS
LVLT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	975	880.2	9;9;9;9	Power slot1	20.83	18	24	PASS
LVLT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS900	975	880.2	10;10;10;10	Power slot1	18.69	16	22	PASS
LVLT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS900	975	880.2	11;11;11;11	Power slot1	16.83	14	20	PASS
LVLT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	975	880.2	12;12;12;12	Power slot1	14.83	12	18	PASS
LVLT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS900	975	880.2	13;13;13;13	Power slot1	12.67	10	16	PASS
LVLT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS900	975	880.2	14;14;14;14	Power slot1	10.37	6	16	PASS
LVLT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS900	975	880.2	15;15;15;15	Power slot1	8.55	4	14	PASS
LVLT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS900	975	880.2	16;16;16;16	Power slot1	6.59	2	12	PASS



LVLT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	Power slot1	4.64	0	10	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Power slot1	32.43	31	35	PASS
LVLT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS900	38	897.6	4;4;4;4	Power slot1	30.84	28	34	PASS
LVLT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS900	38	897.6	5;5;5;5	Power slot1	28.83	26	32	PASS
LVLT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS900	38	897.6	6;6;6;6	Power slot1	26.95	24	30	PASS
LVLT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS900	38	897.6	7;7;7;7	Power slot1	24.97	22	28	PASS
LVLT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS900	38	897.6	8;8;8;8	Power slot1	22.79	20	26	PASS
LVLT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS900	38	897.6	9;9;9;9	Power slot1	20.74	18	24	PASS
LVLT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS900	38	897.6	10;10;10;10	Power slot1	18.73	16	22	PASS
LVLT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS900	38	897.6	11;11;11;11	Power slot1	16.66	14	20	PASS
LVLT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS900	38	897.6	12;12;12;12	Power slot1	14.69	12	18	PASS
LVLT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS900	38	897.6	13;13;13;13	Power slot1	12.68	10	16	PASS
LVLT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS900	38	897.6	14;14;14;14	Power slot1	10.49	6	16	PASS
LVLT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS900	38	897.6	15;15;15;15	Power slot1	8.55	4	14	PASS
LVLT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS900	38	897.6	16;16;16;16	Power slot1	6.58	2	12	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Power slot1	4.65	0	10	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	Power slot1	32.55	31	35	PASS
LVLT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS900	124	914.8	4;4;4;4	Power slot1	30.86	28	34	PASS
LVLT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS900	124	914.8	5;5;5;5	Power slot1	28.9	26	32	PASS
LVLT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS900	124	914.8	6;6;6;6	Power slot1	26.95	24	30	PASS
LVLT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS900	124	914.8	7;7;7;7	Power slot1	24.85	22	28	PASS
LVLT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS900	124	914.8	8;8;8;8	Power slot1	22.82	20	26	PASS

LVLT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS900	124	914.8	9;9;9;9	Power slot1	20.83	18	24	PASS
LVLT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS900	124	914.8	10;10;10;10	Power slot1	18.97	16	22	PASS
LVLT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS900	124	914.8	11;11;11;11	Power slot1	16.93	14	20	PASS
LVLT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS900	124	914.8	12;12;12;12	Power slot1	14.76	12	18	PASS
LVLT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS900	124	914.8	13;13;13;13	Power slot1	12.72	10	16	PASS
LVLT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS900	124	914.8	14;14;14;14	Power slot1	10.58	6	16	PASS
LVLT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS900	124	914.8	15;15;15;15	Power slot1	8.81	4	14	PASS
LVLT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS900	124	914.8	16;16;16;16	Power slot1	6.78	2	12	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	Power slot1	4.86	0	10	PASS

**Clause 4.2.11 Modulation Spectrum in GPRS multi slot configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Relative Result (dB)	Relative Limit (dB)	Absolute Result (dBm)	Absolute Limit (dBm)	Verdict
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-74.59	-60	-53.25	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1600	-74.44	-60	-53.05	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1400	-72.96	-60	-51.44	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-73.34	-60	-51.81	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1000	-71.63	-60	-50.3	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-800	-69.41	-60	-48.01	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-65.68	-60	-44.22	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-60.92	-60	-39.42	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-250	-40.66	-33	-19.3	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-200	-35.91	-30	-14.44	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-100	-8.14	0.5	13.3	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	100	-7.54	0.5	13.84	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	200	-35.85	-30	-14.33	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	250	-40.66	-33	-19.24	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	400	-59.95	-60	-38.57	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	600	-66.64	-60	-45.19	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	800	-68.39	-60	-46.99	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1000	-70.9	-60	-49.43	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-72.02	-60	-50.71	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1400	-73.28	-60	-51.84	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1600	-74.92	-60	-53.57	-55	PASS

HVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-74.12	-60	-52.76	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-67.15	-60	-75.83	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1600	-67.99	-60	-76.52	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1400	-67.72	-60	-76.3	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-67.31	-60	-76.02	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1000	-67.31	-60	-75.84	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-800	-66.35	-60	-74.97	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-64.05	-60	-72.46	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-60.66	-60	-69.34	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-250	-40.54	-33	-49.1	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-200	-35.15	-30	-43.68	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-100	-7.55	0.5	-16.14	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	100	-7.35	0.5	-15.84	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	200	-35.54	-30	-44.1	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	250	-40	-33	-48.52	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	400	-60.14	-60	-68.78	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	600	-64.6	-60	-73.09	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	800	-66.59	-60	-75.11	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1000	-66.21	-60	-74.89	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-67.24	-60	-75.9	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1400	-67	-60	-75.67	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1600	-67.2	-60	-75.89	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-67.64	-60	-76.21	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-74.58	-60	-52.29	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1600	-73.77	-60	-51.66	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1400	-73.1	-60	-50.87	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-72.4	-60	-50.18	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1000	-71.16	-60	-49.1	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-800	-69.75	-60	-47.58	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-65.81	-60	-43.59	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-60.2	-60	-38.15	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-250	-40.44	-33	-18.41	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-200	-36.31	-30	-14.15	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-100	-8.94	0.5	13.2	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	100	-8.48	0.5	13.51	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	200	-36.43	-30	-14.18	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	250	-40.53	-33	-18.36	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	400	-61.27	-60	-39.03	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	600	-66.5	-60	-44.47	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	800	-69.42	-60	-47.34	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1000	-71.37	-60	-49.24	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-72.26	-60	-50.17	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1400	-73.62	-60	-51.39	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1600	-74.39	-60	-52.36	-55	PASS

HVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-74.45	-60	-52.4	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-68.16	-60	-75.4	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1600	-68.34	-60	-75.41	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1400	-68.14	-60	-75.32	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-68.58	-60	-75.83	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1000	-67.56	-60	-74.64	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-800	-66.33	-60	-73.36	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-64.24	-60	-71.29	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-60.18	-60	-67.32	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-250	-40.51	-33	-47.57	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.49	-30	-43.59	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-100	-8.87	0.5	-15.93	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	100	-8.49	0.5	-15.61	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	200	-36.14	-30	-43.2	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	250	-40.18	-33	-47.42	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	400	-60.22	-60	-67.36	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	600	-63.84	-60	-70.83	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	800	-67.3	-60	-74.47	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1000	-67.75	-60	-74.79	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-68.18	-60	-75.45	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1400	-68.46	-60	-75.65	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1600	-68.55	-60	-75.76	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-68.3	-60	-75.41	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-74.44	-60	-51.7	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1600	-74.65	-60	-51.99	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1400	-74.2	-60	-51.57	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-72.16	-60	-49.52	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1000	-71.98	-60	-49.39	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-800	-68.47	-60	-45.79	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-66.27	-60	-43.47	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-60.62	-60	-37.98	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-250	-39.99	-33	-17.36	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.19	-30	-13.5	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-100	-9.6	0.5	13.08	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	100	-9.68	0.5	13.1	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	200	-35.9	-30	-13.16	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	250	-41.15	-33	-18.59	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	400	-60.89	-60	-38.17	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	600	-65.89	-60	-43.23	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	800	-68.84	-60	-46.24	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1000	-71.55	-60	-48.78	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-72.88	-60	-50.1	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1400	-73.94	-60	-51.2	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1600	-73.77	-60	-51.23	-55	PASS

HVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-74.9	-60	-52.22	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-69.49	-60	-75.92	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1600	-69.59	-60	-75.95	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1400	-68.93	-60	-75.3	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-68.6	-60	-75.1	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1000	-67.93	-60	-74.45	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-800	-66.76	-60	-73.16	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-65.09	-60	-71.45	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-59.82	-60	-66.3	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-250	-40.67	-33	-47.22	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-200	-36.48	-30	-42.8	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-100	-9.61	0.5	-15.97	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	100	-8.99	0.5	-15.35	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	200	-36.34	-30	-42.68	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	250	-41.02	-33	-47.4	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	400	-60.34	-60	-66.67	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	600	-64.72	-60	-71.12	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	800	-67.08	-60	-73.43	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1000	-67.54	-60	-74.02	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-68.04	-60	-74.29	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1400	-68.61	-60	-74.99	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1600	-69.26	-60	-75.8	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-69.11	-60	-75.44	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-74.71	-60	-53.18	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1600	-74.46	-60	-53.02	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1400	-73.03	-60	-51.45	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-73.26	-60	-51.84	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1000	-71.67	-60	-50.41	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-800	-69.54	-60	-48.17	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-65.74	-60	-44.27	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-60.8	-60	-39.55	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-250	-40.61	-33	-19.38	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-200	-35.9	-30	-14.6	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-100	-7.99	0.5	13.31	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	100	-7.56	0.5	13.78	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	200	-35.9	-30	-14.47	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	250	-40.69	-33	-19.37	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	400	-59.87	-60	-38.62	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	600	-66.57	-60	-45.13	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	800	-68.46	-60	-47.05	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1000	-70.86	-60	-49.58	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-72.02	-60	-50.65	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1400	-73.18	-60	-51.83	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1600	-75	-60	-53.55	-55	PASS

HVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-74.05	-60	-52.77	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-67.19	-60	-75.69	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1600	-67.83	-60	-76.48	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1400	-67.74	-60	-76.37	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-67.43	-60	-76.02	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1000	-67.22	-60	-75.81	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-800	-66.41	-60	-74.91	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-63.97	-60	-72.62	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-60.78	-60	-69.28	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-250	-40.52	-33	-49.08	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-200	-35.05	-30	-43.66	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-100	-7.53	0.5	-16.12	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	100	-7.23	0.5	-15.84	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	200	-35.42	-30	-44.04	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	250	-39.92	-33	-48.53	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	400	-60.11	-60	-68.78	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	600	-64.49	-60	-73.16	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	800	-66.64	-60	-75.11	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1000	-66.23	-60	-74.89	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-67.33	-60	-75.97	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1400	-67.11	-60	-75.71	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1600	-67.13	-60	-75.81	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-67.68	-60	-76.31	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-74.58	-60	-52.32	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1600	-73.81	-60	-51.7	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1400	-73.12	-60	-50.84	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-72.41	-60	-50.27	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1000	-71.25	-60	-49.05	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-800	-69.58	-60	-47.44	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-65.78	-60	-43.63	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-60.28	-60	-38.23	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-250	-40.6	-33	-18.31	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-200	-36.33	-30	-14.26	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-100	-8.83	0.5	13.2	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	100	-8.56	0.5	13.59	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	200	-36.37	-30	-14.31	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	250	-40.57	-33	-18.47	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	400	-61.14	-60	-39.08	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	600	-66.55	-60	-44.53	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	800	-69.56	-60	-47.33	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1000	-71.37	-60	-49.29	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-72.37	-60	-50.26	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1400	-73.61	-60	-51.4	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1600	-74.38	-60	-52.35	-55	PASS

HVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-74.63	-60	-52.5	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-68.33	-60	-75.37	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1600	-68.36	-60	-75.46	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1400	-68.14	-60	-75.35	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-68.67	-60	-75.85	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1000	-67.45	-60	-74.57	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-800	-66.33	-60	-73.37	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-64.18	-60	-71.41	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-60.09	-60	-67.42	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-250	-40.44	-33	-47.67	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.52	-30	-43.63	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-100	-8.77	0.5	-15.9	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	100	-8.4	0.5	-15.6	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	200	-35.98	-30	-43.23	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	250	-40.15	-33	-47.29	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	400	-60.13	-60	-67.38	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	600	-63.77	-60	-70.93	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	800	-67.31	-60	-74.46	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1000	-67.7	-60	-74.76	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-68.28	-60	-75.44	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1400	-68.57	-60	-75.69	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1600	-68.71	-60	-75.79	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-68.27	-60	-75.43	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-74.42	-60	-51.7	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1600	-74.56	-60	-51.98	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1400	-74.38	-60	-51.67	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-72.04	-60	-49.4	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1000	-71.95	-60	-49.34	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-800	-68.47	-60	-45.79	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-66.12	-60	-43.5	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-60.63	-60	-37.95	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-250	-40.06	-33	-17.39	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.1	-30	-13.38	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-100	-9.6	0.5	13.17	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	100	-9.67	0.5	12.95	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	200	-35.87	-30	-13.29	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	250	-41.15	-33	-18.53	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	400	-60.89	-60	-38.16	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	600	-65.96	-60	-43.31	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	800	-68.85	-60	-46.13	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1000	-71.57	-60	-48.82	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-72.79	-60	-50.08	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1400	-73.83	-60	-51.22	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1600	-73.9	-60	-51.07	-55	PASS

HVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-74.83	-60	-52.07	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-69.68	-60	-76.07	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1600	-69.72	-60	-76.02	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1400	-68.9	-60	-75.44	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-68.77	-60	-75.03	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1000	-68.04	-60	-74.33	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-800	-66.78	-60	-73.23	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-65.09	-60	-71.41	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-59.84	-60	-66.16	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-250	-40.76	-33	-47.16	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-200	-36.36	-30	-42.78	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-100	-9.68	0.5	-16.09	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	100	-8.99	0.5	-15.5	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	200	-36.36	-30	-42.64	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	250	-41.08	-33	-47.48	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	400	-60.29	-60	-66.77	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	600	-64.66	-60	-71.07	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	800	-67.06	-60	-73.38	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1000	-67.7	-60	-74.04	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-68.04	-60	-74.42	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1400	-68.58	-60	-75.05	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1600	-69.28	-60	-75.75	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-69.07	-60	-75.36	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-74.61	-60	-53.28	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1600	-74.49	-60	-53.1	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1400	-72.94	-60	-51.52	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-73.18	-60	-51.82	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1000	-71.66	-60	-50.35	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-800	-69.56	-60	-48.06	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-65.68	-60	-44.24	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-60.92	-60	-39.45	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-250	-40.71	-33	-19.41	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-200	-36	-30	-14.54	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-100	-8.02	0.5	13.32	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	100	-7.53	0.5	13.89	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	200	-35.75	-30	-14.48	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	250	-40.64	-33	-19.27	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	400	-59.9	-60	-38.49	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	600	-66.53	-60	-45.14	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	800	-68.4	-60	-47.13	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1000	-70.95	-60	-49.48	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-71.95	-60	-50.66	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1400	-73.13	-60	-51.75	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1600	-75.08	-60	-53.53	-55	PASS



LVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-74.07	-60	-52.7	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-67.1	-60	-75.67	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1600	-67.83	-60	-76.56	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1400	-67.84	-60	-76.34	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-67.3	-60	-75.96	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1000	-67.16	-60	-75.74	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-800	-66.38	-60	-75.02	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-63.9	-60	-72.56	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-60.81	-60	-69.38	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-250	-40.44	-33	-49.1	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-200	-35.01	-30	-43.58	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-100	-7.52	0.5	-16.14	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	100	-7.18	0.5	-15.9	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	200	-35.5	-30	-44.05	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	250	-39.89	-33	-48.42	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	400	-60.2	-60	-68.76	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	600	-64.55	-60	-73.02	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	800	-66.61	-60	-75.16	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1000	-66.2	-60	-74.75	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-67.35	-60	-75.83	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1400	-67.11	-60	-75.77	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1600	-67.13	-60	-75.83	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-67.74	-60	-76.32	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-74.49	-60	-52.3	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1600	-73.78	-60	-51.68	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1400	-73.09	-60	-50.89	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-72.41	-60	-50.14	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1000	-71.06	-60	-48.95	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-800	-69.72	-60	-47.53	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-65.81	-60	-43.58	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-60.28	-60	-38.12	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-250	-40.59	-33	-18.29	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-200	-36.39	-30	-14.22	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-100	-8.9	0.5	13.29	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	100	-8.5	0.5	13.51	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	200	-36.33	-30	-14.27	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	250	-40.46	-33	-18.33	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	400	-61.16	-60	-38.98	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	600	-66.66	-60	-44.5	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	800	-69.52	-60	-47.27	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1000	-71.32	-60	-49.19	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-72.21	-60	-50.25	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1400	-73.53	-60	-51.44	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1600	-74.35	-60	-52.35	-55	PASS

LVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-74.47	-60	-52.37	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-68.24	-60	-75.45	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1600	-68.2	-60	-75.33	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1400	-68.19	-60	-75.26	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-68.53	-60	-75.87	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1000	-67.42	-60	-74.67	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-800	-66.27	-60	-73.36	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-64.22	-60	-71.3	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-60.1	-60	-67.42	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-250	-40.4	-33	-47.61	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.56	-30	-43.55	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-100	-8.76	0.5	-15.87	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	100	-8.53	0.5	-15.68	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	200	-35.98	-30	-43.13	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	250	-40.2	-33	-47.3	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	400	-60.2	-60	-67.2	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	600	-63.75	-60	-71	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	800	-67.18	-60	-74.52	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1000	-67.67	-60	-74.85	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-68.21	-60	-75.26	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1400	-68.58	-60	-75.6	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1600	-68.74	-60	-75.89	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-68.27	-60	-75.29	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-74.42	-60	-51.65	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1600	-74.61	-60	-51.93	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1400	-74.35	-60	-51.58	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-72.11	-60	-49.44	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1000	-72.1	-60	-49.26	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-800	-68.36	-60	-45.73	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-66.28	-60	-43.46	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-60.5	-60	-37.9	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-250	-40.12	-33	-17.43	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.05	-30	-13.33	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-100	-9.51	0.5	13.11	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	100	-9.59	0.5	12.96	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	200	-36	-30	-13.22	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	250	-41.23	-33	-18.48	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	400	-61.02	-60	-38.3	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	600	-65.85	-60	-43.19	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	800	-68.81	-60	-46.2	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1000	-71.44	-60	-48.87	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-72.84	-60	-50.18	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1400	-73.87	-60	-51.18	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1600	-73.85	-60	-51.22	-55	PASS

LVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-74.76	-60	-52.23	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-69.65	-60	-76.1	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1600	-69.65	-60	-75.99	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1400	-69.05	-60	-75.3	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-68.61	-60	-75.01	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1000	-67.99	-60	-74.39	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-800	-66.93	-60	-73.18	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-64.92	-60	-71.48	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-59.86	-60	-66.19	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-250	-40.8	-33	-47.09	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-200	-36.48	-30	-42.79	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-100	-9.52	0.5	-16.1	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	100	-8.96	0.5	-15.39	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	200	-36.24	-30	-42.67	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	250	-40.99	-33	-47.45	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	400	-60.29	-60	-66.76	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	600	-64.66	-60	-71.03	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	800	-66.99	-60	-73.34	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1000	-67.71	-60	-74.13	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-68.05	-60	-74.32	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1400	-68.58	-60	-75.12	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1600	-69.37	-60	-75.85	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-69.01	-60	-75.47	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-74.62	-60	-53.32	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1600	-74.47	-60	-53.05	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1400	-73.01	-60	-51.51	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-73.18	-60	-51.95	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1000	-71.62	-60	-50.31	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-800	-69.42	-60	-48.02	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-65.59	-60	-44.19	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-60.83	-60	-39.5	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-250	-40.69	-33	-19.35	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-200	-35.83	-30	-14.49	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-100	-8.03	0.5	13.34	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	100	-7.59	0.5	13.77	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	200	-35.85	-30	-14.5	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	250	-40.67	-33	-19.3	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	400	-60.05	-60	-38.5	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	600	-66.63	-60	-45.16	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	800	-68.45	-60	-47.12	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1000	-70.86	-60	-49.55	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-72.08	-60	-50.62	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1400	-73.12	-60	-51.74	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1600	-75.09	-60	-53.68	-55	PASS

LVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-74.21	-60	-52.79	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-67.18	-60	-75.85	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1600	-67.95	-60	-76.43	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1400	-67.83	-60	-76.41	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-67.33	-60	-76.01	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1000	-67.25	-60	-75.84	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-800	-66.37	-60	-75.05	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-63.88	-60	-72.63	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-60.65	-60	-69.23	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-250	-40.4	-33	-49.08	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-200	-35.19	-30	-43.73	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-100	-7.58	0.5	-16.18	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	100	-7.3	0.5	-15.82	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	200	-35.55	-30	-44.1	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	250	-40.01	-33	-48.44	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	400	-60.14	-60	-68.6	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	600	-64.48	-60	-73.07	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	800	-66.66	-60	-75.12	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1000	-66.24	-60	-74.87	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-67.24	-60	-75.99	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1400	-67.15	-60	-75.66	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1600	-67.31	-60	-75.89	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-67.67	-60	-76.27	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-74.5	-60	-52.38	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1600	-73.86	-60	-51.75	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1400	-73.02	-60	-50.83	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-72.43	-60	-50.17	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1000	-71.24	-60	-48.94	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-800	-69.76	-60	-47.57	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-65.68	-60	-43.58	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-60.31	-60	-38.06	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-250	-40.54	-33	-18.3	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-200	-36.29	-30	-14.27	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-100	-8.86	0.5	13.16	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	100	-8.48	0.5	13.69	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	200	-36.36	-30	-14.19	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	250	-40.61	-33	-18.34	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	400	-61.29	-60	-39.07	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	600	-66.63	-60	-44.49	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	800	-69.43	-60	-47.43	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1000	-71.43	-60	-49.16	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-72.38	-60	-50.1	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1400	-73.61	-60	-51.44	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1600	-74.37	-60	-52.24	-55	PASS

LVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-74.54	-60	-52.43	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-68.16	-60	-75.45	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1600	-68.25	-60	-75.43	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1400	-68.13	-60	-75.37	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-68.68	-60	-75.84	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1000	-67.57	-60	-74.74	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-800	-66.26	-60	-73.44	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-64.12	-60	-71.36	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-60.14	-60	-67.23	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-250	-40.38	-33	-47.63	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.46	-30	-43.63	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-100	-8.78	0.5	-15.91	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	100	-8.46	0.5	-15.59	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	200	-36.06	-30	-43.19	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	250	-40.17	-33	-47.39	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	400	-60.12	-60	-67.3	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	600	-63.79	-60	-70.87	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	800	-67.25	-60	-74.45	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1000	-67.77	-60	-74.88	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-68.27	-60	-75.32	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1400	-68.64	-60	-75.63	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1600	-68.69	-60	-75.89	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-68.32	-60	-75.33	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-74.39	-60	-51.68	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1600	-74.68	-60	-51.83	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1400	-74.36	-60	-51.66	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-72.13	-60	-49.44	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1000	-72.09	-60	-49.25	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-800	-68.39	-60	-45.81	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-66.15	-60	-43.4	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-60.51	-60	-37.98	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-250	-40.05	-33	-17.29	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.1	-30	-13.38	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-100	-9.55	0.5	13.18	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	100	-9.61	0.5	13	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	200	-35.95	-30	-13.23	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	250	-41.17	-33	-18.6	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	400	-60.97	-60	-38.17	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	600	-65.98	-60	-43.22	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	800	-68.81	-60	-46.09	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1000	-71.58	-60	-48.72	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-72.83	-60	-50.24	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1400	-73.94	-60	-51.22	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1600	-73.93	-60	-51.05	-55	PASS

LVL	GPRS1800	885	1784.8	3;3;3;3	1800	-74.83	-60	-52.1	-55	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	-1800	-69.55	-60	-75.92	-55	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	-1600	-69.6	-60	-76.11	-55	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	-1400	-68.9	-60	-75.28	-55	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	-1200	-68.71	-60	-75.11	-55	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	-1000	-67.94	-60	-74.38	-55	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	-800	-66.92	-60	-73.21	-55	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	-600	-64.94	-60	-71.39	-55	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	-400	-59.82	-60	-66.2	-36	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	-250	-40.73	-33	-47.19	-36	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	-200	-36.52	-30	-42.92	-36	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	-100	-9.57	0.5	-15.91	-36	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	100	-9.04	0.5	-15.37	-36	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	200	-36.24	-30	-42.82	-36	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	250	-41.08	-33	-47.52	-36	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	400	-60.28	-60	-66.76	-36	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	600	-64.63	-60	-71.04	-55	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	800	-67.05	-60	-73.48	-55	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	1000	-67.58	-60	-74.07	-55	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	1200	-67.91	-60	-74.35	-55	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	1400	-68.65	-60	-75.08	-55	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	1600	-69.34	-60	-75.69	-55	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	1800	-69.08	-60	-75.47	-55	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1800	-78.86	-60	-54.76	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1600	-77.36	-60	-53.17	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1400	-77.87	-60	-53.83	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1200	-77.4	-60	-53.24	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1000	-73.52	-60	-49.28	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-800	-75.13	-60	-51	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-600	-73.46	-60	-49.33	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-400	-68.84	-60	-44.69	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-250	-40.43	-33	-16.24	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-200	-36.44	-30	-12.18	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-100	-7.76	0.5	16.52	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	100	-8.29	0.5	15.84	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	200	-35.99	-30	-11.83	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	250	-40.46	-33	-16.26	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	400	-69.7	-60	-45.51	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	600	-73.89	-60	-49.66	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	800	-75.03	-60	-50.82	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1000	-73.63	-60	-49.4	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1200	-77.61	-60	-53.4	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1400	-77.16	-60	-52.97	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1600	-76.59	-60	-52.37	-51	PASS

HVHT	GPRS900	975	880.2	3;3;3;3	1800	-78.1	-60	-53.85	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1800	-72.3	-60	-75.59	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1600	-68.91	-60	-72.11	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1400	-71.05	-60	-74.3	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1200	-70.17	-60	-73.5	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1000	-66.32	-60	-69.63	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-800	-70.24	-60	-73.39	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-600	-69.76	-60	-72.97	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-400	-67.65	-60	-70.93	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-250	-41.53	-33	-44.77	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-200	-36.86	-30	-40.13	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-100	-8.22	0.5	-11.46	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	100	-8.93	0.5	-12.09	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	200	-36.59	-30	-39.98	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	250	-41.16	-33	-44.43	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	400	-67.07	-60	-70.4	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	600	-69.84	-60	-73.05	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	800	-70.22	-60	-73.49	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1000	-65.75	-60	-68.97	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1200	-70.12	-60	-73.32	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1400	-70.43	-60	-73.78	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1600	-68.96	-60	-72.23	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1800	-72.01	-60	-75.25	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1800	-77.69	-60	-52.05	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1600	-79.55	-60	-53.97	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1400	-79.08	-60	-53.52	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1200	-78.36	-60	-52.71	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1000	-74.94	-60	-49.32	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-800	-77.76	-60	-52.11	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-600	-72.53	-60	-47.01	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-400	-70.11	-60	-44.54	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-250	-40.67	-33	-15.01	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-200	-38.3	-30	-12.67	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-100	-9.63	0.5	15.95	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	100	-11.93	0.5	13.69	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	200	-38.56	-30	-13.08	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	250	-38.34	-33	-12.74	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	400	-69.49	-60	-43.81	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	600	-75.25	-60	-49.74	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	800	-76.23	-60	-50.52	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1000	-73.64	-60	-48.1	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1200	-77.61	-60	-52.1	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1400	-78.86	-60	-53.19	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1600	-80.76	-60	-55.23	-51	PASS

HVHT	GPRS900	38	897.6	3;3;3;3	1800	-79.65	-60	-54.01	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1800	-72.28	-60	-75.26	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1600	-69.49	-60	-72.49	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1400	-70.83	-60	-73.87	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1200	-70.5	-60	-73.63	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1000	-66.44	-60	-69.42	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-800	-70.58	-60	-73.59	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-600	-69.89	-60	-72.9	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-400	-67.24	-60	-70.25	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-250	-41.18	-33	-44.25	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-200	-37	-30	-39.85	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-100	-8.85	0.5	-11.8	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	100	-9.38	0.5	-12.23	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	200	-36.38	-30	-39.4	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	250	-42.32	-33	-45.29	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	400	-67.05	-60	-70.01	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	600	-71.64	-60	-74.57	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	800	-71.31	-60	-74.26	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1000	-66.66	-60	-69.85	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1200	-70.51	-60	-73.44	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1400	-70.48	-60	-73.54	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1600	-69.78	-60	-72.79	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1800	-72.6	-60	-75.64	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1800	-79.87	-60	-54.74	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1600	-77.52	-60	-52.62	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1400	-78.95	-60	-53.84	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1200	-77.97	-60	-53.11	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1000	-74.08	-60	-49	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-800	-76.53	-60	-51.74	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-600	-74.9	-60	-50.05	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-400	-69.83	-60	-44.87	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-250	-40.98	-33	-16.04	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-200	-37.31	-30	-12.28	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-100	-8.73	0.5	16.22	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	100	-9.25	0.5	15.63	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	200	-37.06	-30	-12.11	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	250	-40.97	-33	-16.19	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	400	-69.92	-60	-44.94	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	600	-74.95	-60	-50.01	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	800	-76.32	-60	-51.46	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1000	-73.94	-60	-48.97	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1200	-77.52	-60	-52.6	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1400	-78.4	-60	-53.44	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1600	-77.43	-60	-52.34	-51	PASS



HVHT	GPRS900	124	914.8	3;3;3;3	1800	-78.52	-60	-53.52	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1800	-72.69	-60	-75.35	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1600	-70.83	-60	-73.64	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1400	-71.07	-60	-73.85	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1200	-70.99	-60	-73.88	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1000	-66.02	-60	-68.87	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-800	-70.7	-60	-73.42	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-600	-70.64	-60	-73.39	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-400	-67.64	-60	-70.29	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-250	-40.42	-33	-43.25	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-200	-36.96	-30	-39.8	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-100	-8.74	0.5	-11.62	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	100	-8.39	0.5	-11.14	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	200	-37.41	-30	-40.18	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	250	-40.79	-33	-43.67	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	400	-68.22	-60	-71.06	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	600	-70.58	-60	-73.3	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	800	-70.73	-60	-73.52	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1000	-66.09	-60	-68.82	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1200	-71.22	-60	-73.89	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1400	-71.39	-60	-74.31	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1600	-70.19	-60	-73.06	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1800	-72.01	-60	-74.72	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1800	-78.94	-60	-54.62	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1600	-77.2	-60	-53.17	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1400	-78.05	-60	-53.86	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1200	-77.32	-60	-53.1	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1000	-73.49	-60	-49.32	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-800	-75.31	-60	-50.97	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-600	-73.39	-60	-49.31	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-400	-68.85	-60	-44.75	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-250	-40.46	-33	-16.29	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-200	-36.43	-30	-12.24	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-100	-7.68	0.5	16.48	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	100	-8.3	0.5	15.79	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	200	-36.09	-30	-11.81	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	250	-40.52	-33	-16.33	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	400	-69.6	-60	-45.52	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	600	-73.74	-60	-49.57	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	800	-75.04	-60	-50.89	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1000	-73.6	-60	-49.31	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1200	-77.7	-60	-53.49	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1400	-77.26	-60	-53.02	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1600	-76.5	-60	-52.42	-51	PASS

HVLT	GPRS900	975	880.2	3;3;3;3	1800	-78.07	-60	-53.86	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1800	-72.2	-60	-75.5	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1600	-68.83	-60	-72.2	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1400	-70.9	-60	-74.33	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1200	-70.19	-60	-73.41	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1000	-66.27	-60	-69.45	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-800	-70.26	-60	-73.44	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-600	-69.62	-60	-72.96	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-400	-67.56	-60	-70.94	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-250	-41.5	-33	-44.81	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-200	-36.83	-30	-40.29	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-100	-8.21	0.5	-11.54	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	100	-8.89	0.5	-12.14	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	200	-36.61	-30	-39.87	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	250	-41.14	-33	-44.57	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	400	-67.23	-60	-70.34	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	600	-69.8	-60	-73.12	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	800	-70.08	-60	-73.48	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1000	-65.71	-60	-68.96	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1200	-70.18	-60	-73.49	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1400	-70.46	-60	-73.64	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1600	-68.95	-60	-72.37	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1800	-71.97	-60	-75.24	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1800	-77.55	-60	-51.97	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1600	-79.61	-60	-53.86	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1400	-79.06	-60	-53.41	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1200	-78.24	-60	-52.77	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1000	-75.02	-60	-49.33	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-800	-77.79	-60	-52.13	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-600	-72.68	-60	-47.08	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-400	-70.19	-60	-44.69	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-250	-40.73	-33	-15.1	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-200	-38.26	-30	-12.68	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-100	-9.7	0.5	16.01	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	100	-11.92	0.5	13.63	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	200	-38.6	-30	-13	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	250	-38.48	-33	-12.74	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	400	-69.5	-60	-43.92	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	600	-75.42	-60	-49.78	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	800	-76.15	-60	-50.69	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1000	-73.63	-60	-48	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1200	-77.65	-60	-52	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1400	-78.82	-60	-53.26	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1600	-80.81	-60	-55.12	-51	PASS

HVLT	GPRS900	38	897.6	3;3;3;3	1800	-79.64	-60	-54.07	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1800	-72.44	-60	-75.4	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1600	-69.34	-60	-72.48	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1400	-70.93	-60	-73.96	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1200	-70.51	-60	-73.53	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1000	-66.43	-60	-69.36	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-800	-70.71	-60	-73.71	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-600	-69.82	-60	-72.9	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-400	-67.29	-60	-70.11	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-250	-41.13	-33	-44.13	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-200	-36.86	-30	-40.01	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-100	-8.89	0.5	-11.79	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	100	-9.28	0.5	-12.4	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	200	-36.45	-30	-39.38	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	250	-42.23	-33	-45.26	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	400	-67.18	-60	-70.1	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	600	-71.6	-60	-74.54	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	800	-71.26	-60	-74.2	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1000	-66.75	-60	-69.76	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1200	-70.38	-60	-73.38	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1400	-70.59	-60	-73.46	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1600	-69.89	-60	-72.86	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1800	-72.65	-60	-75.61	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1800	-79.72	-60	-54.81	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1600	-77.49	-60	-52.67	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1400	-78.79	-60	-53.93	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1200	-78.09	-60	-53.08	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1000	-73.9	-60	-49.02	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-800	-76.55	-60	-51.72	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-600	-74.93	-60	-49.93	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-400	-69.76	-60	-44.79	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-250	-40.95	-33	-16.09	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-200	-37.28	-30	-12.19	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-100	-8.72	0.5	16.27	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	100	-9.22	0.5	15.64	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	200	-36.96	-30	-12.06	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	250	-40.96	-33	-16	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	400	-69.9	-60	-44.88	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	600	-75.01	-60	-49.98	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	800	-76.46	-60	-51.38	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1000	-74.06	-60	-48.96	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1200	-77.53	-60	-52.67	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1400	-78.32	-60	-53.28	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1600	-77.39	-60	-52.32	-51	PASS

HVLT	GPRS900	124	914.8	3;3;3;3	1800	-78.48	-60	-53.45	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1800	-72.61	-60	-75.47	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1600	-70.7	-60	-73.63	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1400	-71.08	-60	-73.84	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1200	-71.13	-60	-73.94	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1000	-66.11	-60	-68.81	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-800	-70.69	-60	-73.52	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-600	-70.54	-60	-73.36	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-400	-67.58	-60	-70.39	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-250	-40.52	-33	-43.37	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-200	-36.96	-30	-39.88	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-100	-8.7	0.5	-11.67	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	100	-8.23	0.5	-11.06	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	200	-37.37	-30	-40.11	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	250	-40.7	-33	-43.58	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	400	-68.14	-60	-70.99	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	600	-70.52	-60	-73.3	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	800	-70.72	-60	-73.56	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1000	-65.97	-60	-68.8	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1200	-71.09	-60	-73.9	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1400	-71.38	-60	-74.3	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1600	-70.18	-60	-73.05	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1800	-71.88	-60	-74.72	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1800	-78.77	-60	-54.68	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1600	-77.37	-60	-53	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1400	-77.98	-60	-53.74	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1200	-77.29	-60	-53.23	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1000	-73.46	-60	-49.24	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-800	-75.12	-60	-50.97	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-600	-73.45	-60	-49.32	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-400	-68.97	-60	-44.7	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-250	-40.42	-33	-16.16	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-200	-36.35	-30	-12.13	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-100	-7.77	0.5	16.43	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	100	-8.42	0.5	15.87	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	200	-36.04	-30	-11.91	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	250	-40.57	-33	-16.27	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	400	-69.64	-60	-45.5	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	600	-73.89	-60	-49.61	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	800	-75.02	-60	-50.78	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1000	-73.64	-60	-49.37	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1200	-77.76	-60	-53.48	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1400	-77.28	-60	-52.92	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1600	-76.57	-60	-52.41	-51	PASS

LVHT	GPRS900	975	880.2	3;3;3;3	1800	-78	-60	-53.86	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1800	-72.29	-60	-75.6	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1600	-68.91	-60	-72.14	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1400	-70.93	-60	-74.27	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1200	-70.23	-60	-73.46	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1000	-66.3	-60	-69.62	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-800	-70.24	-60	-73.42	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-600	-69.76	-60	-73	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-400	-67.63	-60	-70.97	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-250	-41.52	-33	-44.85	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-200	-36.91	-30	-40.27	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-100	-8.19	0.5	-11.5	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	100	-8.92	0.5	-12.12	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	200	-36.58	-30	-39.93	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	250	-41.22	-33	-44.54	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	400	-67.08	-60	-70.37	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	600	-69.82	-60	-73.21	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	800	-70.21	-60	-73.4	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1000	-65.73	-60	-69	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1200	-70.21	-60	-73.39	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1400	-70.37	-60	-73.75	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1600	-69.09	-60	-72.27	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1800	-71.98	-60	-75.24	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1800	-77.66	-60	-52.04	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1600	-79.53	-60	-53.89	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1400	-79.18	-60	-53.59	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1200	-78.31	-60	-52.61	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1000	-74.93	-60	-49.29	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-800	-77.81	-60	-52.07	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-600	-72.56	-60	-46.97	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-400	-70.16	-60	-44.66	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-250	-40.78	-33	-15.16	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-200	-38.26	-30	-12.69	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-100	-9.64	0.5	15.92	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	100	-11.97	0.5	13.61	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	200	-38.61	-30	-13.02	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	250	-38.29	-33	-12.86	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	400	-69.44	-60	-43.9	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	600	-75.26	-60	-49.67	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	800	-76.3	-60	-50.51	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1000	-73.7	-60	-48.11	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1200	-77.59	-60	-52.05	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1400	-78.87	-60	-53.12	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1600	-80.77	-60	-55.11	-51	PASS

LVHT	GPRS900	38	897.6	3;3;3;3	1800	-79.63	-60	-54.03	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1800	-72.35	-60	-75.29	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1600	-69.3	-60	-72.41	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1400	-70.86	-60	-73.89	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1200	-70.56	-60	-73.61	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1000	-66.53	-60	-69.37	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-800	-70.56	-60	-73.73	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-600	-69.83	-60	-72.81	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-400	-67.11	-60	-70.21	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-250	-41.31	-33	-44.28	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-200	-36.96	-30	-39.94	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-100	-8.81	0.5	-11.93	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	100	-9.27	0.5	-12.27	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	200	-36.47	-30	-39.45	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	250	-42.27	-33	-45.26	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	400	-67.18	-60	-70.03	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	600	-71.64	-60	-74.5	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	800	-71.16	-60	-74.29	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1000	-66.66	-60	-69.68	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1200	-70.44	-60	-73.47	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1400	-70.58	-60	-73.47	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1600	-69.81	-60	-72.82	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1800	-72.64	-60	-75.75	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1800	-79.88	-60	-54.86	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1600	-77.58	-60	-52.7	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1400	-78.82	-60	-53.89	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1200	-77.97	-60	-53.1	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1000	-74	-60	-49.08	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-800	-76.59	-60	-51.68	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-600	-75.03	-60	-50.02	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-400	-69.86	-60	-44.86	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-250	-41.04	-33	-16.14	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-200	-37.35	-30	-12.35	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-100	-8.68	0.5	16.17	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	100	-9.34	0.5	15.71	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	200	-36.96	-30	-12.16	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	250	-40.99	-33	-16.09	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	400	-69.86	-60	-44.97	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	600	-75.02	-60	-50.14	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	800	-76.42	-60	-51.43	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1000	-73.97	-60	-48.94	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1200	-77.5	-60	-52.68	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1400	-78.29	-60	-53.33	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1600	-77.44	-60	-52.34	-51	PASS

LVHT	GPRS900	124	914.8	3;3;3;3	1800	-78.53	-60	-53.49	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1800	-72.65	-60	-75.42	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1600	-70.73	-60	-73.61	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1400	-71.07	-60	-73.75	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1200	-71.06	-60	-73.81	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1000	-66	-60	-68.83	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-800	-70.67	-60	-73.38	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-600	-70.68	-60	-73.33	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-400	-67.61	-60	-70.32	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-250	-40.45	-33	-43.36	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-200	-37.01	-30	-39.7	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-100	-8.75	0.5	-11.55	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	100	-8.24	0.5	-11.1	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	200	-37.34	-30	-40.24	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	250	-40.79	-33	-43.65	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	400	-68.22	-60	-71.02	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	600	-70.63	-60	-73.25	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	800	-70.57	-60	-73.45	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1000	-66.05	-60	-68.86	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1200	-71.16	-60	-73.95	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1400	-71.48	-60	-74.14	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1600	-70.34	-60	-72.99	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1800	-71.96	-60	-74.65	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1800	-78.8	-60	-54.64	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1600	-77.29	-60	-53.08	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1400	-77.87	-60	-53.79	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1200	-77.48	-60	-53.15	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1000	-73.56	-60	-49.24	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-800	-75.24	-60	-51	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-600	-73.51	-60	-49.18	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-400	-68.97	-60	-44.73	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-250	-40.45	-33	-16.24	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-200	-36.33	-30	-12.2	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-100	-7.63	0.5	16.47	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	100	-8.39	0.5	15.85	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	200	-36.16	-30	-11.87	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	250	-40.47	-33	-16.37	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	400	-69.67	-60	-45.53	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	600	-73.9	-60	-49.59	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	800	-75.09	-60	-50.74	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1000	-73.66	-60	-49.49	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1200	-77.7	-60	-53.38	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1400	-77.17	-60	-53.06	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1600	-76.5	-60	-52.24	-51	PASS

LVLT	GPRS900	975	880.2	3;3;3;3	1800	-78.14	-60	-53.79	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1800	-72.24	-60	-75.58	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1600	-68.87	-60	-72.2	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1400	-70.9	-60	-74.34	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1200	-70.15	-60	-73.53	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1000	-66.32	-60	-69.45	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-800	-70.24	-60	-73.49	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-600	-69.75	-60	-72.9	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-400	-67.6	-60	-70.9	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-250	-41.48	-33	-44.74	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-200	-37	-30	-40.15	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-100	-8.18	0.5	-11.45	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	100	-8.88	0.5	-12.22	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	200	-36.62	-30	-40.01	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	250	-41.11	-33	-44.48	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	400	-67.07	-60	-70.41	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	600	-69.75	-60	-73.05	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	800	-70.22	-60	-73.45	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1000	-65.8	-60	-68.95	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1200	-70.21	-60	-73.43	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1400	-70.49	-60	-73.71	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1600	-68.99	-60	-72.4	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1800	-71.93	-60	-75.28	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1800	-77.62	-60	-51.98	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1600	-79.46	-60	-53.93	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1400	-79.1	-60	-53.56	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1200	-78.3	-60	-52.65	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1000	-74.87	-60	-49.35	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-800	-77.75	-60	-52.07	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-600	-72.57	-60	-47.04	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-400	-70.17	-60	-44.55	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-250	-40.76	-33	-15.15	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-200	-38.34	-30	-12.66	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-100	-9.54	0.5	15.96	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	100	-12.04	0.5	13.67	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	200	-38.64	-30	-13.05	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	250	-38.41	-33	-12.78	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	400	-69.4	-60	-43.83	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	600	-75.43	-60	-49.72	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	800	-76.29	-60	-50.63	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1000	-73.64	-60	-48.01	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1200	-77.74	-60	-52.1	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1400	-78.68	-60	-53.15	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1600	-80.83	-60	-55.2	-51	PASS



LVLT	GPRS900	38	897.6	3;3;3;3	1800	-79.72	-60	-53.98	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1800	-72.46	-60	-75.36	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1600	-69.43	-60	-72.35	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1400	-70.89	-60	-73.93	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1200	-70.54	-60	-73.52	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1000	-66.38	-60	-69.35	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-800	-70.7	-60	-73.72	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-600	-69.9	-60	-72.79	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-400	-67.12	-60	-70.11	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-250	-41.15	-33	-44.16	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-200	-36.83	-30	-39.96	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-100	-8.89	0.5	-11.81	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	100	-9.28	0.5	-12.36	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	200	-36.4	-30	-39.36	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	250	-42.2	-33	-45.19	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	400	-67.17	-60	-70.09	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	600	-71.56	-60	-74.51	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	800	-71.24	-60	-74.2	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1000	-66.7	-60	-69.84	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1200	-70.53	-60	-73.45	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1400	-70.47	-60	-73.6	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1600	-69.97	-60	-72.89	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1800	-72.64	-60	-75.77	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1800	-79.86	-60	-54.8	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1600	-77.61	-60	-52.67	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1400	-78.87	-60	-53.8	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1200	-77.96	-60	-53.07	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1000	-74.02	-60	-48.95	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-800	-76.66	-60	-51.71	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-600	-74.9	-60	-50.06	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-400	-69.87	-60	-44.77	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-250	-40.95	-33	-15.99	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-200	-37.28	-30	-12.34	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-100	-8.74	0.5	16.24	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	100	-9.25	0.5	15.76	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	200	-37.1	-30	-12	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	250	-41	-33	-16.14	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	400	-69.85	-60	-44.91	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	600	-75.08	-60	-49.96	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	800	-76.5	-60	-51.42	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1000	-74.09	-60	-49.12	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1200	-77.59	-60	-52.64	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1400	-78.37	-60	-53.41	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1600	-77.31	-60	-52.5	-51	PASS

LVL	GPRS900	124	914.8	3;3;3;3	1800	-78.53	-60	-53.5	-51	PASS
LVL	GPRS900	124	914.8	17;17;17;17	-1800	-72.7	-60	-75.43	-51	PASS
LVL	GPRS900	124	914.8	17;17;17;17	-1600	-70.82	-60	-73.66	-51	PASS
LVL	GPRS900	124	914.8	17;17;17;17	-1400	-71.04	-60	-73.94	-51	PASS
LVL	GPRS900	124	914.8	17;17;17;17	-1200	-71.08	-60	-73.91	-51	PASS
LVL	GPRS900	124	914.8	17;17;17;17	-1000	-66.14	-60	-68.84	-51	PASS
LVL	GPRS900	124	914.8	17;17;17;17	-800	-70.62	-60	-73.43	-51	PASS
LVL	GPRS900	124	914.8	17;17;17;17	-600	-70.5	-60	-73.4	-51	PASS
LVL	GPRS900	124	914.8	17;17;17;17	-400	-67.64	-60	-70.33	-36	PASS
LVL	GPRS900	124	914.8	17;17;17;17	-250	-40.55	-33	-43.29	-36	PASS
LVL	GPRS900	124	914.8	17;17;17;17	-200	-37	-30	-39.77	-36	PASS
LVL	GPRS900	124	914.8	17;17;17;17	-100	-8.76	0.5	-11.6	-36	PASS
LVL	GPRS900	124	914.8	17;17;17;17	100	-8.39	0.5	-11.18	-36	PASS
LVL	GPRS900	124	914.8	17;17;17;17	200	-37.47	-30	-40.26	-36	PASS
LVL	GPRS900	124	914.8	17;17;17;17	250	-40.81	-33	-43.6	-36	PASS
LVL	GPRS900	124	914.8	17;17;17;17	400	-68.19	-60	-71.07	-36	PASS
LVL	GPRS900	124	914.8	17;17;17;17	600	-70.55	-60	-73.35	-51	PASS
LVL	GPRS900	124	914.8	17;17;17;17	800	-70.7	-60	-73.55	-51	PASS
LVL	GPRS900	124	914.8	17;17;17;17	1000	-65.96	-60	-68.79	-51	PASS
LVL	GPRS900	124	914.8	17;17;17;17	1200	-71.12	-60	-73.91	-51	PASS
LVL	GPRS900	124	914.8	17;17;17;17	1400	-71.36	-60	-74.15	-51	PASS
LVL	GPRS900	124	914.8	17;17;17;17	1600	-70.27	-60	-72.95	-51	PASS
LVL	GPRS900	124	914.8	17;17;17;17	1800	-71.83	-60	-74.72	-51	PASS

**Clause 4.2.11 Switching Spectrum in GPRS multi slot configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Result (dBm)	Limit (dBm)	Verdict
HVHT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	29.69		PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-40.92	-27.13	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-39.41	-24.13	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-32.23	-24.06	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-28.2	-22.06	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	400	-27.9	-22.06	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	600	-32.35	-24.06	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-38.99	-24.13	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-41.22	-27.13	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	0.33		PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-60.52	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-58.11	-32	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-52.94	-26	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-50.02	-23	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	400	-46.83	-23	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	600	-51.73	-26	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-57.29	-32	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-61.37	-36	PASS

HVHT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	30.2		PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-40.84	-26.72	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-39.21	-23.72	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-32.22	-23.72	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-27.15	-21.72	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	400	-25.05	-21.72	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	600	-31.01	-23.72	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-37.19	-23.72	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-41.5	-26.72	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	0.8		PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-61.23	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-57.27	-32	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-52.63	-26	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-49.11	-23	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	400	-45.83	-23	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	600	-50.2	-26	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-56.97	-32	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-59.84	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	30.34		PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-41.13	-26.46	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-37.27	-23.46	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-30.31	-23.46	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-25.01	-21.46	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	400	-25.33	-21.46	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	600	-30.73	-23.46	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-37.95	-23.46	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-40.99	-26.46	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	0.87		PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-60.31	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-57.89	-32	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-52.14	-26	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-48.8	-23	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	400	-46.22	-23	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	600	-50.59	-26	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-57.4	-32	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-60.42	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	29.84		PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-41.03	-27.13	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-39.46	-24.13	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-32.37	-24.06	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-28.26	-22.06	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	400	-27.95	-22.06	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	600	-32.28	-24.06	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-39.05	-24.13	PASS

HVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-41.19	-27.13	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	0.31		PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-60.54	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-58.24	-32	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-52.96	-26	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-50.12	-23	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	400	-46.87	-23	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	600	-51.74	-26	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-57.27	-32	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-61.47	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	30.18		PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-40.82	-26.72	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-39.16	-23.72	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-32.32	-23.72	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-27.23	-21.72	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	400	-24.96	-21.72	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	600	-31.13	-23.72	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-37.12	-23.72	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-41.54	-26.72	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	0.64		PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-61.37	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-57.35	-32	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-52.59	-26	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-49.08	-23	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	400	-45.86	-23	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	600	-50.24	-26	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-56.96	-32	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-59.72	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	30.53		PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-41.02	-26.46	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-37.31	-23.46	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-30.21	-23.46	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-24.95	-21.46	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	400	-25.22	-21.46	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	600	-30.71	-23.46	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-38.01	-23.46	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-41.13	-26.46	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	0.83		PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-60.32	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-57.88	-32	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-52.16	-26	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-48.93	-23	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	400	-46.28	-23	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	600	-50.52	-26	PASS

HVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-57.31	-32	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-60.29	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	29.77		PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-40.95	-27.13	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-39.48	-24.13	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-32.2	-24.06	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-28.24	-22.06	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	400	-27.91	-22.06	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	600	-32.42	-24.06	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-38.94	-24.13	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-41.21	-27.13	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	0.18		PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-60.54	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-58.14	-32	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-52.91	-26	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-49.96	-23	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	400	-46.74	-23	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	600	-51.74	-26	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-57.26	-32	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-61.44	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	30.13		PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-40.91	-26.72	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-39.2	-23.72	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-32.28	-23.72	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-27.3	-21.72	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	400	-25.03	-21.72	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	600	-31.11	-23.72	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-37.06	-23.72	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-41.57	-26.72	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	0.76		PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-61.29	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-57.34	-32	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-52.5	-26	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-49.16	-23	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	400	-45.94	-23	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	600	-50.28	-26	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-56.95	-32	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-59.78	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	30.5		PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-41.11	-26.46	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-37.25	-23.46	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-30.29	-23.46	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-24.9	-21.46	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	400	-25.17	-21.46	PASS

LVHT	GPRS1800	885	1784.8	3;3;3;3	600	-30.79	-23.46	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-37.98	-23.46	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-41.09	-26.46	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	0.99		PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-60.22	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-57.95	-32	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-52.1	-26	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-48.78	-23	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	400	-46.31	-23	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	600	-50.65	-26	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-57.35	-32	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-60.33	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	29.69		PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-40.99	-27.13	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-39.43	-24.13	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-32.36	-24.06	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-28.35	-22.06	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	400	-27.94	-22.06	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	600	-32.27	-24.06	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-38.97	-24.13	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-41.14	-27.13	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	0.23		PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-60.46	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-58.21	-32	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-53	-26	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-50.01	-23	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	400	-46.79	-23	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	600	-51.66	-26	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-57.36	-32	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-61.52	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	30.15		PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-40.79	-26.72	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-39.06	-23.72	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-32.25	-23.72	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-27.13	-21.72	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	400	-24.95	-21.72	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	600	-31.08	-23.72	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-37.01	-23.72	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-41.67	-26.72	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	0.79		PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-61.3	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-57.35	-32	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-52.66	-26	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-49.17	-23	PASS

LVLT	GPRS1800	698	1747.4	18;18;18;18	400	-45.87	-23	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	600	-50.34	-26	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-56.93	-32	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-59.82	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	30.38		PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-41.04	-26.46	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-37.29	-23.46	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-30.37	-23.46	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-24.93	-21.46	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	400	-25.26	-21.46	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	600	-30.68	-23.46	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-37.93	-23.46	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-41.03	-26.46	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	0.95		PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-60.33	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-57.96	-32	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-52.15	-26	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-48.8	-23	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	400	-46.21	-23	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	600	-50.54	-26	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-57.28	-32	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-60.42	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.59		PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1800	-44.03	-24.27	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1200	-42.72	-21.27	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-600	-38.28	-21.27	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-400	-34.17	-19.27	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	400	-34.48	-19.27	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	600	-37.23	-21.27	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1200	-42.05	-21.27	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1800	-43.35	-24.27	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	Ref Power	4.57		PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1800	-54.26	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1200	-52.44	-32	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-600	-47.69	-26	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-400	-44.86	-23	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	400	-42.93	-23	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	600	-46.46	-26	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1200	-50.99	-32	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1800	-54.68	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Ref Power	32.5		PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1800	-44.3	-24.36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1200	-42.46	-21.36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-600	-37.18	-21.36	PASS

HVHT	GPRS900	38	897.6	3;3;3;3	-400	-34.74	-19.36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	400	-35.25	-19.36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	600	-38.09	-21.36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1200	-43.61	-21.36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1800	-43.42	-24.36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Ref Power	4.65		PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1800	-55.7	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1200	-51.81	-32	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-600	-48.02	-26	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-400	-44.69	-23	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	400	-43.09	-23	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	600	-46.48	-26	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1200	-52.64	-32	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1800	-54.29	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	Ref Power	32.68		PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1800	-43.52	-24.28	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1200	-41.89	-21.28	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-600	-38.4	-21.28	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-400	-35.03	-19.28	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	400	-34.79	-19.28	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	600	-37.14	-21.28	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1200	-41.22	-21.28	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1800	-43.13	-24.28	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	Ref Power	4.96		PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1800	-53.76	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1200	-52.1	-32	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-600	-47.54	-26	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-400	-44.26	-23	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	400	-42.26	-23	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	600	-45.29	-26	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1200	-51.2	-32	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1800	-55.14	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.56		PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1800	-44.02	-24.27	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1200	-42.76	-21.27	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-600	-38.26	-21.27	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-400	-34.21	-19.27	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	400	-34.46	-19.27	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	600	-37.35	-21.27	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1200	-42.07	-21.27	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1800	-43.27	-24.27	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	Ref Power	4.54		PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1800	-54.32	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1200	-52.31	-32	PASS



HVLT	GPRS900	975	880.2	17;17;17;17	-600	-47.58	-26	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-400	-44.95	-23	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	400	-42.93	-23	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	600	-46.3	-26	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1200	-51.12	-32	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1800	-54.76	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Ref Power	32.51		PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1800	-44.33	-24.36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1200	-42.46	-21.36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-600	-37.28	-21.36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-400	-34.78	-19.36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	400	-35.38	-19.36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	600	-38.15	-21.36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1200	-43.51	-21.36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1800	-43.32	-24.36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Ref Power	4.56		PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1800	-55.75	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1200	-51.8	-32	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-600	-47.98	-26	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-400	-44.74	-23	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	400	-42.99	-23	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	600	-46.47	-26	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1200	-52.73	-32	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1800	-54.31	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	Ref Power	32.54		PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1800	-43.65	-24.28	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1200	-42	-21.28	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-600	-38.41	-21.28	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-400	-35.13	-19.28	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	400	-34.71	-19.28	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	600	-37.3	-21.28	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1200	-41.34	-21.28	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1800	-43.15	-24.28	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	Ref Power	4.89		PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1800	-53.72	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1200	-52.17	-32	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-600	-47.66	-26	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-400	-44.08	-23	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	400	-42.24	-23	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	600	-45.32	-26	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1200	-51.19	-32	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1800	-55.11	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.58		PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1800	-44.07	-24.27	PASS

LVHT	GPRS900	975	880.2	3;3;3;3	-1200	-42.74	-21.27	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-600	-38.24	-21.27	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-400	-34.04	-19.27	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	400	-34.59	-19.27	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	600	-37.29	-21.27	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1200	-42.09	-21.27	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1800	-43.37	-24.27	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	Ref Power	4.66		PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1800	-54.3	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1200	-52.36	-32	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-600	-47.58	-26	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-400	-44.96	-23	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	400	-42.95	-23	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	600	-46.35	-26	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1200	-50.94	-32	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1800	-54.73	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Ref Power	32.46		PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1800	-44.27	-24.36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1200	-42.44	-21.36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-600	-37.27	-21.36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-400	-34.8	-19.36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	400	-35.37	-19.36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	600	-38.1	-21.36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1200	-43.57	-21.36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1800	-43.34	-24.36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Ref Power	4.64		PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1800	-55.85	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1200	-51.87	-32	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-600	-48	-26	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-400	-44.65	-23	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	400	-42.95	-23	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	600	-46.38	-26	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1200	-52.74	-32	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1800	-54.29	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	Ref Power	32.62		PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1800	-43.59	-24.28	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1200	-41.99	-21.28	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-600	-38.43	-21.28	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-400	-35.07	-19.28	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	400	-34.79	-19.28	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	600	-37.25	-21.28	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1200	-41.23	-21.28	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1800	-43.09	-24.28	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	Ref Power	5.03		PASS

LVHT	GPRS900	124	914.8	17;17;17;17	-1800	-53.68	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1200	-52.09	-32	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-600	-47.53	-26	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-400	-44.2	-23	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	400	-42.15	-23	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	600	-45.29	-26	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1200	-51.19	-32	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1800	-55.08	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.55		PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1800	-44.17	-24.27	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1200	-42.76	-21.27	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-600	-38.3	-21.27	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-400	-34.12	-19.27	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	400	-34.54	-19.27	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	600	-37.37	-21.27	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1200	-42	-21.27	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1800	-43.41	-24.27	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	Ref Power	4.72		PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1800	-54.2	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1200	-52.27	-32	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-600	-47.58	-26	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-400	-44.81	-23	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	400	-42.89	-23	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	600	-46.29	-26	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1200	-50.93	-32	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1800	-54.73	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Ref Power	32.44		PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1800	-44.35	-24.36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1200	-42.48	-21.36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-600	-37.25	-21.36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-400	-34.71	-19.36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	400	-35.22	-19.36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	600	-38.12	-21.36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1200	-43.51	-21.36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1800	-43.34	-24.36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Ref Power	4.57		PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1800	-55.85	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1200	-51.83	-32	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-600	-47.97	-26	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-400	-44.71	-23	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	400	-43.06	-23	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	600	-46.37	-26	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1200	-52.77	-32	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1800	-54.38	-36	PASS

LVLT	GPRS900	124	914.8	3;3;3;3	Ref Power	32.7			PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1800	-43.62	-24.28		PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1200	-41.94	-21.28		PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-600	-38.51	-21.28		PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-400	-35.17	-19.28		PASS
LVLT	GPRS900	124	914.8	3;3;3;3	400	-34.65	-19.28		PASS
LVLT	GPRS900	124	914.8	3;3;3;3	600	-37.22	-21.28		PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1200	-41.34	-21.28		PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1800	-43.19	-24.28		PASS
LVLT	GPRS900	124	914.8	17;17;17;17	Ref Power	4.87			PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1800	-53.61	-36		PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1200	-52.18	-32		PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-600	-47.49	-26		PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-400	-44.13	-23		PASS
LVLT	GPRS900	124	914.8	17;17;17;17	400	-42.29	-23		PASS
LVLT	GPRS900	124	914.8	17;17;17;17	600	-45.35	-26		PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1200	-51.3	-32		PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1800	-55.08	-36		PASS

**Clause 4.2.1 Transmitter-Frequency error and phase error**

Condition	Band	Channel	Frequency (MHz)	PCL	Type	Result	Low Limit	high Limit	Verdict
HVHT	GSM1800	698	1747.4	0	Frequency Error (Hz)	0.85	-174.74	174.74	PASS
HVHT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	2.47	0	5	PASS
HVHT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	8.94	0	20	PASS
HVHT	GSM1800	698	1747.4	15	Frequency Error (Hz)	25.19	-174.74	174.74	PASS
HVHT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	2.31	0	5	PASS
HVHT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	7.05	0	20	PASS
HVLT	GSM1800	698	1747.4	0	Frequency Error (Hz)	0.95	-174.74	174.74	PASS
HVLT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	2.55	0	5	PASS
HVLT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	9.03	0	20	PASS
HVLT	GSM1800	698	1747.4	15	Frequency Error (Hz)	25.29	-174.74	174.74	PASS
HVLT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	2.23	0	5	PASS
HVLT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	7	0	20	PASS
LVHT	GSM1800	698	1747.4	0	Frequency Error (Hz)	1.02	-174.74	174.74	PASS
LVHT	GSM1800	698	1747.4	0	RMS Phase Error	2.51	0	5	PASS

					(Degree)				
LVHT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	9.07	0	20	PASS
LVHT	GSM1800	698	1747.4	15	Frequency Error (Hz)	25.24	-174.74	174.74	PASS
LVHT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	2.4	0	5	PASS
LVHT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	7.07	0	20	PASS
LVLТ	GSM1800	698	1747.4	0	Frequency Error (Hz)	0.99	-174.74	174.74	PASS
LVLТ	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	2.55	0	5	PASS
LVLТ	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	9.07	0	20	PASS
LVLТ	GSM1800	698	1747.4	15	Frequency Error (Hz)	25.18	-174.74	174.74	PASS
LVLТ	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	2.37	0	5	PASS
LVLТ	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	6.96	0	20	PASS
Vibration-X	GSM1800	698	1747.4	0	Frequency Error (Hz)	0.83	-174.74	174.74	PASS
Vibration-X	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	2.47	0	5	PASS
Vibration-X	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	9.09	0	20	PASS
Vibration-X	GSM1800	698	1747.4	15	Frequency Error (Hz)	25.31	-174.74	174.74	PASS
Vibration-X	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	2.38	0	5	PASS
Vibration-X	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	7.07	0	20	PASS
Vibration-Y	GSM1800	698	1747.4	0	Frequency Error (Hz)	1	-174.74	174.74	PASS
Vibration-Y	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	2.57	0	5	PASS
Vibration-Y	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	9.05	0	20	PASS
Vibration-Y	GSM1800	698	1747.4	15	Frequency Error (Hz)	25.22	-174.74	174.74	PASS
Vibration-Y	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	2.33	0	5	PASS
Vibration-Y	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	7.02	0	20	PASS
Vibration-Z	GSM1800	698	1747.4	0	Frequency Error (Hz)	0.94	-174.74	174.74	PASS
Vibration-Z	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	2.5	0	5	PASS
Vibration-Z	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	9.06	0	20	PASS
Vibration-Z	GSM1800	698	1747.4	15	Frequency Error (Hz)	25.16	-174.74	174.74	PASS

Vibration-Z	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	2.23	0	5	PASS
Vibration-Z	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	6.98	0	20	PASS
HVHT	GSM900	38	897.6	5	Frequency Error (Hz)	3.28	-89.76	89.76	PASS
HVHT	GSM900	38	897.6	5	RMS Phase Error (Degree)	1.72	0	5	PASS
HVHT	GSM900	38	897.6	5	Peak Phase Error (Degree)	12.32	0	20	PASS
HVHT	GSM900	38	897.6	19	Frequency Error (Hz)	0.02	-89.76	89.76	PASS
HVHT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.42	0	5	PASS
HVHT	GSM900	38	897.6	19	Peak Phase Error (Degree)	1.32	0	20	PASS
HVLT	GSM900	38	897.6	5	Frequency Error (Hz)	3.26	-89.76	89.76	PASS
HVLT	GSM900	38	897.6	5	RMS Phase Error (Degree)	1.81	0	5	PASS
HVLT	GSM900	38	897.6	5	Peak Phase Error (Degree)	12.24	0	20	PASS
HVLT	GSM900	38	897.6	19	Frequency Error (Hz)	0.05	-89.76	89.76	PASS
HVLT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.32	0	5	PASS
HVLT	GSM900	38	897.6	19	Peak Phase Error (Degree)	1.4	0	20	PASS
LVHT	GSM900	38	897.6	5	Frequency Error (Hz)	3.3	-89.76	89.76	PASS
LVHT	GSM900	38	897.6	5	RMS Phase Error (Degree)	1.8	0	5	PASS
LVHT	GSM900	38	897.6	5	Peak Phase Error (Degree)	12.23	0	20	PASS
LVHT	GSM900	38	897.6	19	Frequency Error (Hz)	-0.13	-89.76	89.76	PASS
LVHT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.39	0	5	PASS
LVHT	GSM900	38	897.6	19	Peak Phase Error (Degree)	1.45	0	20	PASS
LVLT	GSM900	38	897.6	5	Frequency Error (Hz)	3.31	-89.76	89.76	PASS
LVLT	GSM900	38	897.6	5	RMS Phase Error (Degree)	1.83	0	5	PASS
LVLT	GSM900	38	897.6	5	Peak Phase Error (Degree)	12.26	0	20	PASS
LVLT	GSM900	38	897.6	19	Frequency Error (Hz)	-0.05	-89.76	89.76	PASS
LVLT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.43	0	5	PASS
LVLT	GSM900	38	897.6	19	Peak Phase Error (Degree)	1.28	0	20	PASS

Vibration-X	GSM900	38	897.6	5	Frequency Error (Hz)	3.23	-89.76	89.76	PASS
Vibration-X	GSM900	38	897.6	5	RMS Phase Error (Degree)	1.75	0	5	PASS
Vibration-X	GSM900	38	897.6	5	Peak Phase Error (Degree)	12.41	0	20	PASS
Vibration-X	GSM900	38	897.6	19	Frequency Error (Hz)	0.04	-89.76	89.76	PASS
Vibration-X	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.33	0	5	PASS
Vibration-X	GSM900	38	897.6	19	Peak Phase Error (Degree)	1.42	0	20	PASS
Vibration-Y	GSM900	38	897.6	5	Frequency Error (Hz)	3.35	-89.76	89.76	PASS
Vibration-Y	GSM900	38	897.6	5	RMS Phase Error (Degree)	1.71	0	5	PASS
Vibration-Y	GSM900	38	897.6	5	Peak Phase Error (Degree)	12.24	0	20	PASS
Vibration-Y	GSM900	38	897.6	19	Frequency Error (Hz)	-0.02	-89.76	89.76	PASS
Vibration-Y	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.42	0	5	PASS
Vibration-Y	GSM900	38	897.6	19	Peak Phase Error (Degree)	1.43	0	20	PASS
Vibration-Z	GSM900	38	897.6	5	Frequency Error (Hz)	3.29	-89.76	89.76	PASS
Vibration-Z	GSM900	38	897.6	5	RMS Phase Error (Degree)	1.81	0	5	PASS
Vibration-Z	GSM900	38	897.6	5	Peak Phase Error (Degree)	12.3	0	20	PASS
Vibration-Z	GSM900	38	897.6	19	Frequency Error (Hz)	0	-89.76	89.76	PASS
Vibration-Z	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.35	0	5	PASS
Vibration-Z	GSM900	38	897.6	19	Peak Phase Error (Degree)	1.34	0	20	PASS

**Clause 4.2.2 Transmitter-Frequency error under multi path**

Condition	Band	Type	Channel	Frequency (MHz)	PCL	Result (Hz)	Low Limit (Hz)	high Limit (Hz)	Verdict
HVHT	GSM1800	RA130 @RACH	698	1747.4	0	0.52	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens1	698	1747.4	0	6.88	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens2	698	1747.4	0	-0.95	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens3	698	1747.4	0	0.85	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens4	698	1747.4	0	2.52	-574.74	574.74	PASS

HVHT	GSM1800	RA130 @Sens5	698	1747.4	0	-0.61	-574.74	574.74	PASS
HVHT	GSM1800	HT100 @RACH	698	1747.4	0	2.82	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens1	698	1747.4	0	-2.78	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens2	698	1747.4	0	5.72	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens3	698	1747.4	0	-2.52	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens4	698	1747.4	0	-5.03	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens5	698	1747.4	0	-16.33	-524.74	524.74	PASS
HVHT	GSM1800	TU50 @RACH	698	1747.4	0	-15.85	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens1	698	1747.4	0	-22.65	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens2	698	1747.4	0	-15.47	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens3	698	1747.4	0	-8.06	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens4	698	1747.4	0	-11.74	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens5	698	1747.4	0	-11.96	-434.74	434.74	PASS
HVHT	GSM1800	TU1_5 @RACH	698	1747.4	0	-11.79	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @1	698	1747.4	0	-10.01	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @2	698	1747.4	0	-11.13	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @3	698	1747.4	0	-13.35	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @4	698	1747.4	0	-8.02	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @5	698	1747.4	0	-8.91	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @6	698	1747.4	0	-9.17	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @7	698	1747.4	0	-7.08	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @8	698	1747.4	0	-8.96	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @9	698	1747.4	0	-11.12	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @10	698	1747.4	0	-9.22	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @11	698	1747.4	0	-5.03	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @12	698	1747.4	0	-4.74	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @13	698	1747.4	0	-4.99	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @14	698	1747.4	0	-3.3	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @15	698	1747.4	0	-3.66	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @16	698	1747.4	0	-4.95	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @17	698	1747.4	0	-3.57	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @18	698	1747.4	0	-12.76	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @19	698	1747.4	0	-4.44	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @20	698	1747.4	0	0.08	-494.74	494.74	PASS
HVLT	GSM1800	RA130 @RACH	698	1747.4	0	0.5	-574.74	574.74	PASS



HVLT	GSM1800	RA130 @Sens1	698	1747.4	0	6.88	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens2	698	1747.4	0	-1	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens3	698	1747.4	0	0.76	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens4	698	1747.4	0	2.54	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens5	698	1747.4	0	-0.69	-574.74	574.74	PASS
HVLT	GSM1800	HT100 @RACH	698	1747.4	0	2.88	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens1	698	1747.4	0	-2.8	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens2	698	1747.4	0	5.68	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens3	698	1747.4	0	-2.47	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens4	698	1747.4	0	-5	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens5	698	1747.4	0	-16.18	-524.74	524.74	PASS
HVLT	GSM1800	TU50 @RACH	698	1747.4	0	-15.95	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens1	698	1747.4	0	-22.64	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens2	698	1747.4	0	-15.51	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens3	698	1747.4	0	-7.99	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens4	698	1747.4	0	-11.78	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens5	698	1747.4	0	-11.98	-434.74	434.74	PASS
HVLT	GSM1800	TU1_5 @RACH	698	1747.4	0	-11.82	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @1	698	1747.4	0	-9.97	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @2	698	1747.4	0	-11.24	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @3	698	1747.4	0	-13.36	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @4	698	1747.4	0	-8.05	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @5	698	1747.4	0	-8.85	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @6	698	1747.4	0	-9.19	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @7	698	1747.4	0	-7.2	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @8	698	1747.4	0	-9.01	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @9	698	1747.4	0	-11.13	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @10	698	1747.4	0	-9.24	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @11	698	1747.4	0	-5.11	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @12	698	1747.4	0	-4.77	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @13	698	1747.4	0	-5.09	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @14	698	1747.4	0	-3.23	-494.74	494.74	PASS

HVLT	GSM1800	TU1_5 @15	698	1747.4	0	-3.6	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @16	698	1747.4	0	-5.03	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @17	698	1747.4	0	-3.4	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @18	698	1747.4	0	-12.74	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @19	698	1747.4	0	-4.61	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @20	698	1747.4	0	0.06	-494.74	494.74	PASS
LVHT	GSM1800	RA130 @RACH	698	1747.4	0	0.6	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens1	698	1747.4	0	6.87	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens2	698	1747.4	0	-1	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens3	698	1747.4	0	0.7	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens4	698	1747.4	0	2.52	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens5	698	1747.4	0	-0.58	-574.74	574.74	PASS
LVHT	GSM1800	HT100 @RACH	698	1747.4	0	2.93	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens1	698	1747.4	0	-2.75	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens2	698	1747.4	0	5.72	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens3	698	1747.4	0	-2.6	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens4	698	1747.4	0	-5.16	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens5	698	1747.4	0	-16.33	-524.74	524.74	PASS
LVHT	GSM1800	TU50 @RACH	698	1747.4	0	-15.97	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens1	698	1747.4	0	-22.76	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens2	698	1747.4	0	-15.44	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens3	698	1747.4	0	-8.1	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens4	698	1747.4	0	-11.81	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens5	698	1747.4	0	-11.93	-434.74	434.74	PASS
LVHT	GSM1800	TU1_5 @RACH	698	1747.4	0	-11.73	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @1	698	1747.4	0	-10	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @2	698	1747.4	0	-11.08	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @3	698	1747.4	0	-13.42	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @4	698	1747.4	0	-8.05	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @5	698	1747.4	0	-8.82	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @6	698	1747.4	0	-9.08	-494.74	494.74	PASS

LVHT	GSM1800	TU1_5 @7	698	1747.4	0	-7.1	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @8	698	1747.4	0	-9.08	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @9	698	1747.4	0	-11.05	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @10	698	1747.4	0	-9.25	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @11	698	1747.4	0	-5.06	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @12	698	1747.4	0	-4.77	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @13	698	1747.4	0	-5.01	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @14	698	1747.4	0	-3.17	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @15	698	1747.4	0	-3.6	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @16	698	1747.4	0	-5.08	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @17	698	1747.4	0	-3.51	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @18	698	1747.4	0	-12.74	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @19	698	1747.4	0	-4.51	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @20	698	1747.4	0	0.04	-494.74	494.74	PASS
LVL	GSM1800	RA130 @RACH	698	1747.4	0	0.61	-574.74	574.74	PASS
LVL	GSM1800	RA130 @Sens1	698	1747.4	0	6.88	-574.74	574.74	PASS
LVL	GSM1800	RA130 @Sens2	698	1747.4	0	-1.01	-574.74	574.74	PASS
LVL	GSM1800	RA130 @Sens3	698	1747.4	0	0.72	-574.74	574.74	PASS
LVL	GSM1800	RA130 @Sens4	698	1747.4	0	2.49	-574.74	574.74	PASS
LVL	GSM1800	RA130 @Sens5	698	1747.4	0	-0.7	-574.74	574.74	PASS
LVL	GSM1800	HT100 @RACH	698	1747.4	0	2.83	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens1	698	1747.4	0	-2.76	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens2	698	1747.4	0	5.73	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens3	698	1747.4	0	-2.54	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens4	698	1747.4	0	-4.99	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens5	698	1747.4	0	-16.32	-524.74	524.74	PASS
LVL	GSM1800	TU50 @RACH	698	1747.4	0	-15.85	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens1	698	1747.4	0	-22.8	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens2	698	1747.4	0	-15.51	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens3	698	1747.4	0	-8.11	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens4	698	1747.4	0	-11.82	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens5	698	1747.4	0	-12.1	-434.74	434.74	PASS

LVL	GSM1800	TU1_5 @RACH	698	1747.4	0	-11.67	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @1	698	1747.4	0	-9.92	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @2	698	1747.4	0	-11.08	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @3	698	1747.4	0	-13.39	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @4	698	1747.4	0	-8.08	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @5	698	1747.4	0	-8.73	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @6	698	1747.4	0	-9.23	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @7	698	1747.4	0	-7.1	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @8	698	1747.4	0	-8.94	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @9	698	1747.4	0	-11.16	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @10	698	1747.4	0	-9.3	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @11	698	1747.4	0	-4.95	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @12	698	1747.4	0	-4.61	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @13	698	1747.4	0	-4.96	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @14	698	1747.4	0	-3.24	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @15	698	1747.4	0	-3.67	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @16	698	1747.4	0	-4.96	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @17	698	1747.4	0	-3.57	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @18	698	1747.4	0	-12.64	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @19	698	1747.4	0	-4.58	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @20	698	1747.4	0	0.08	-494.74	494.74	PASS
HVHT	GSM900	RA250 @RACH	38	897.6	5	8.16	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens1	38	897.6	5	10.5	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens2	38	897.6	5	-21.78	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens3	38	897.6	5	-11.8	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens4	38	897.6	5	4.82	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens5	38	897.6	5	-1.45	-389.76	389.76	PASS
HVHT	GSM900	HT100 @RACH	38	897.6	5	3.02	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens1	38	897.6	5	-1.83	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens2	38	897.6	5	4.53	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens3	38	897.6	5	4.07	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens4	38	897.6	5	0.63	-269.76	269.76	PASS

HVHT	GSM900	HT100 @Sens5	38	897.6	5	-1.62	-269.76	269.76	PASS
HVHT	GSM900	TU50 @RACH	38	897.6	5	-4.61	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens1	38	897.6	5	-7.85	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens2	38	897.6	5	2.48	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens3	38	897.6	5	1.17	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens4	38	897.6	5	5.07	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens5	38	897.6	5	-9.04	-249.76	249.76	PASS
HVHT	GSM900	TU3 @RACH	38	897.6	5	-3.72	-319.76	319.76	PASS
HVHT	GSM900	TU3 @1	38	897.6	5	-5.72	-319.76	319.76	PASS
HVHT	GSM900	TU3 @2	38	897.6	5	-4.33	-319.76	319.76	PASS
HVHT	GSM900	TU3 @3	38	897.6	5	-3.11	-319.76	319.76	PASS
HVHT	GSM900	TU3 @4	38	897.6	5	-1.76	-319.76	319.76	PASS
HVHT	GSM900	TU3 @5	38	897.6	5	-2.31	-319.76	319.76	PASS
HVHT	GSM900	TU3 @6	38	897.6	5	-5.84	-319.76	319.76	PASS
HVHT	GSM900	TU3 @7	38	897.6	5	-5.97	-319.76	319.76	PASS
HVHT	GSM900	TU3 @8	38	897.6	5	-3.17	-319.76	319.76	PASS
HVHT	GSM900	TU3 @9	38	897.6	5	-4.5	-319.76	319.76	PASS
HVHT	GSM900	TU3 @10	38	897.6	5	-1.34	-319.76	319.76	PASS
HVHT	GSM900	TU3 @11	38	897.6	5	0.39	-319.76	319.76	PASS
HVHT	GSM900	TU3 @12	38	897.6	5	-7.97	-319.76	319.76	PASS
HVHT	GSM900	TU3 @13	38	897.6	5	-5.39	-319.76	319.76	PASS
HVHT	GSM900	TU3 @14	38	897.6	5	-3.73	-319.76	319.76	PASS
HVHT	GSM900	TU3 @15	38	897.6	5	-5.52	-319.76	319.76	PASS
HVHT	GSM900	TU3 @16	38	897.6	5	-4.98	-319.76	319.76	PASS
HVHT	GSM900	TU3 @17	38	897.6	5	-4.61	-319.76	319.76	PASS
HVHT	GSM900	TU3 @18	38	897.6	5	-4.04	-319.76	319.76	PASS
HVHT	GSM900	TU3 @19	38	897.6	5	-2.71	-319.76	319.76	PASS
HVHT	GSM900	TU3 @20	38	897.6	5	-3.25	-319.76	319.76	PASS
HVLT	GSM900	RA250 @RACH	38	897.6	5	8.26	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens1	38	897.6	5	10.53	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens2	38	897.6	5	-21.79	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens3	38	897.6	5	-11.9	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens4	38	897.6	5	4.74	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens5	38	897.6	5	-1.35	-389.76	389.76	PASS
HVLT	GSM900	HT100 @RACH	38	897.6	5	3.08	-269.76	269.76	PASS
HVLT	GSM900	HT100	38	897.6	5	-1.8	-269.76	269.76	PASS

		@Sens1							
HVLT	GSM900	HT100	38	897.6	5	4.51	-269.76	269.76	PASS
		@Sens2							
HVLT	GSM900	HT100	38	897.6	5	4.14	-269.76	269.76	PASS
		@Sens3							
HVLT	GSM900	HT100	38	897.6	5	0.59	-269.76	269.76	PASS
		@Sens4							
HVLT	GSM900	HT100	38	897.6	5	-1.64	-269.76	269.76	PASS
		@Sens5							
HVLT	GSM900	TU50 @RACH	38	897.6	5	-4.75	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens1	38	897.6	5	-7.77	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens2	38	897.6	5	2.4	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens3	38	897.6	5	1.22	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens4	38	897.6	5	4.96	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens5	38	897.6	5	-9.08	-249.76	249.76	PASS
HVLT	GSM900	TU3 @RACH	38	897.6	5	-3.85	-319.76	319.76	PASS
HVLT	GSM900	TU3 @1	38	897.6	5	-5.64	-319.76	319.76	PASS
HVLT	GSM900	TU3 @2	38	897.6	5	-4.41	-319.76	319.76	PASS
HVLT	GSM900	TU3 @3	38	897.6	5	-2.98	-319.76	319.76	PASS
HVLT	GSM900	TU3 @4	38	897.6	5	-1.72	-319.76	319.76	PASS
HVLT	GSM900	TU3 @5	38	897.6	5	-2.19	-319.76	319.76	PASS
HVLT	GSM900	TU3 @6	38	897.6	5	-5.84	-319.76	319.76	PASS
HVLT	GSM900	TU3 @7	38	897.6	5	-5.92	-319.76	319.76	PASS
HVLT	GSM900	TU3 @8	38	897.6	5	-3.12	-319.76	319.76	PASS
HVLT	GSM900	TU3 @9	38	897.6	5	-4.34	-319.76	319.76	PASS
HVLT	GSM900	TU3 @10	38	897.6	5	-1.3	-319.76	319.76	PASS
HVLT	GSM900	TU3 @11	38	897.6	5	0.33	-319.76	319.76	PASS
HVLT	GSM900	TU3 @12	38	897.6	5	-7.79	-319.76	319.76	PASS
HVLT	GSM900	TU3 @13	38	897.6	5	-5.47	-319.76	319.76	PASS
HVLT	GSM900	TU3 @14	38	897.6	5	-3.8	-319.76	319.76	PASS
HVLT	GSM900	TU3 @15	38	897.6	5	-5.64	-319.76	319.76	PASS
HVLT	GSM900	TU3 @16	38	897.6	5	-4.92	-319.76	319.76	PASS
HVLT	GSM900	TU3 @17	38	897.6	5	-4.69	-319.76	319.76	PASS
HVLT	GSM900	TU3 @18	38	897.6	5	-4.06	-319.76	319.76	PASS
HVLT	GSM900	TU3 @19	38	897.6	5	-2.78	-319.76	319.76	PASS
HVLT	GSM900	TU3 @20	38	897.6	5	-3.28	-319.76	319.76	PASS
LVHT	GSM900	RA250	38	897.6	5	8.17	-389.76	389.76	PASS
		@RACH							
LVHT	GSM900	RA250	38	897.6	5	10.58	-389.76	389.76	PASS
		@Sens1							
LVHT	GSM900	RA250	38	897.6	5	-21.75	-389.76	389.76	PASS
		@Sens2							
LVHT	GSM900	RA250	38	897.6	5	-11.87	-389.76	389.76	PASS
		@Sens3							

LVHT	GSM900	RA250 @Sens4	38	897.6	5	4.67	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens5	38	897.6	5	-1.38	-389.76	389.76	PASS
LVHT	GSM900	HT100 @RACH	38	897.6	5	3.05	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens1	38	897.6	5	-1.8	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens2	38	897.6	5	4.43	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens3	38	897.6	5	4.03	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens4	38	897.6	5	0.55	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens5	38	897.6	5	-1.57	-269.76	269.76	PASS
LVHT	GSM900	TU50 @RACH	38	897.6	5	-4.7	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens1	38	897.6	5	-7.9	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens2	38	897.6	5	2.36	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens3	38	897.6	5	1.22	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens4	38	897.6	5	5.05	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens5	38	897.6	5	-9.02	-249.76	249.76	PASS
LVHT	GSM900	TU3 @RACH	38	897.6	5	-3.88	-319.76	319.76	PASS
LVHT	GSM900	TU3 @1	38	897.6	5	-5.69	-319.76	319.76	PASS
LVHT	GSM900	TU3 @2	38	897.6	5	-4.43	-319.76	319.76	PASS
LVHT	GSM900	TU3 @3	38	897.6	5	-2.96	-319.76	319.76	PASS
LVHT	GSM900	TU3 @4	38	897.6	5	-1.82	-319.76	319.76	PASS
LVHT	GSM900	TU3 @5	38	897.6	5	-2.22	-319.76	319.76	PASS
LVHT	GSM900	TU3 @6	38	897.6	5	-5.88	-319.76	319.76	PASS
LVHT	GSM900	TU3 @7	38	897.6	5	-6.1	-319.76	319.76	PASS
LVHT	GSM900	TU3 @8	38	897.6	5	-3.08	-319.76	319.76	PASS
LVHT	GSM900	TU3 @9	38	897.6	5	-4.41	-319.76	319.76	PASS
LVHT	GSM900	TU3 @10	38	897.6	5	-1.42	-319.76	319.76	PASS
LVHT	GSM900	TU3 @11	38	897.6	5	0.45	-319.76	319.76	PASS
LVHT	GSM900	TU3 @12	38	897.6	5	-7.95	-319.76	319.76	PASS
LVHT	GSM900	TU3 @13	38	897.6	5	-5.36	-319.76	319.76	PASS
LVHT	GSM900	TU3 @14	38	897.6	5	-3.7	-319.76	319.76	PASS
LVHT	GSM900	TU3 @15	38	897.6	5	-5.64	-319.76	319.76	PASS
LVHT	GSM900	TU3 @16	38	897.6	5	-4.79	-319.76	319.76	PASS
LVHT	GSM900	TU3 @17	38	897.6	5	-4.71	-319.76	319.76	PASS
LVHT	GSM900	TU3 @18	38	897.6	5	-3.97	-319.76	319.76	PASS
LVHT	GSM900	TU3 @19	38	897.6	5	-2.81	-319.76	319.76	PASS
LVHT	GSM900	TU3 @20	38	897.6	5	-3.29	-319.76	319.76	PASS
LVLT	GSM900	RA250	38	897.6	5	8.28	-389.76	389.76	PASS

		@RACH							
LVL	GSM900	RA250 @Sens1	38	897.6	5	10.56	-389.76	389.76	PASS
LVL	GSM900	RA250 @Sens2	38	897.6	5	-21.9	-389.76	389.76	PASS
LVL	GSM900	RA250 @Sens3	38	897.6	5	-11.91	-389.76	389.76	PASS
LVL	GSM900	RA250 @Sens4	38	897.6	5	4.64	-389.76	389.76	PASS
LVL	GSM900	RA250 @Sens5	38	897.6	5	-1.34	-389.76	389.76	PASS
LVL	GSM900	HT100 @RACH	38	897.6	5	3.15	-269.76	269.76	PASS
LVL	GSM900	HT100 @Sens1	38	897.6	5	-1.78	-269.76	269.76	PASS
LVL	GSM900	HT100 @Sens2	38	897.6	5	4.51	-269.76	269.76	PASS
LVL	GSM900	HT100 @Sens3	38	897.6	5	4.12	-269.76	269.76	PASS
LVL	GSM900	HT100 @Sens4	38	897.6	5	0.65	-269.76	269.76	PASS
LVL	GSM900	HT100 @Sens5	38	897.6	5	-1.62	-269.76	269.76	PASS
LVL	GSM900	TU50 @RACH	38	897.6	5	-4.66	-249.76	249.76	PASS
LVL	GSM900	TU50 @Sens1	38	897.6	5	-7.91	-249.76	249.76	PASS
LVL	GSM900	TU50 @Sens2	38	897.6	5	2.32	-249.76	249.76	PASS
LVL	GSM900	TU50 @Sens3	38	897.6	5	1.17	-249.76	249.76	PASS
LVL	GSM900	TU50 @Sens4	38	897.6	5	5.03	-249.76	249.76	PASS
LVL	GSM900	TU50 @Sens5	38	897.6	5	-9.19	-249.76	249.76	PASS
LVL	GSM900	TU3 @RACH	38	897.6	5	-3.85	-319.76	319.76	PASS
LVL	GSM900	TU3 @1	38	897.6	5	-5.66	-319.76	319.76	PASS
LVL	GSM900	TU3 @2	38	897.6	5	-4.31	-319.76	319.76	PASS
LVL	GSM900	TU3 @3	38	897.6	5	-2.95	-319.76	319.76	PASS
LVL	GSM900	TU3 @4	38	897.6	5	-1.71	-319.76	319.76	PASS
LVL	GSM900	TU3 @5	38	897.6	5	-2.34	-319.76	319.76	PASS
LVL	GSM900	TU3 @6	38	897.6	5	-5.88	-319.76	319.76	PASS
LVL	GSM900	TU3 @7	38	897.6	5	-5.92	-319.76	319.76	PASS
LVL	GSM900	TU3 @8	38	897.6	5	-3.07	-319.76	319.76	PASS
LVL	GSM900	TU3 @9	38	897.6	5	-4.4	-319.76	319.76	PASS
LVL	GSM900	TU3 @10	38	897.6	5	-1.37	-319.76	319.76	PASS
LVL	GSM900	TU3 @11	38	897.6	5	0.38	-319.76	319.76	PASS
LVL	GSM900	TU3 @12	38	897.6	5	-7.87	-319.76	319.76	PASS
LVL	GSM900	TU3 @13	38	897.6	5	-5.31	-319.76	319.76	PASS
LVL	GSM900	TU3 @14	38	897.6	5	-3.87	-319.76	319.76	PASS



LVLT	GSM900	TU3 @15	38	897.6	5	-5.68	-319.76	319.76	PASS
LVLT	GSM900	TU3 @16	38	897.6	5	-4.91	-319.76	319.76	PASS
LVLT	GSM900	TU3 @17	38	897.6	5	-4.78	-319.76	319.76	PASS
LVLT	GSM900	TU3 @18	38	897.6	5	-3.93	-319.76	319.76	PASS
LVLT	GSM900	TU3 @19	38	897.6	5	-2.74	-319.76	319.76	PASS
LVLT	GSM900	TU3 @20	38	897.6	5	-3.27	-319.76	319.76	PASS

**Clause 4.2.5 Transmitter output power and burst timing**

Condition	Band	Channel	Frequency (MHz)	PCL	Type	Result	Low Limit	high Limit	Verdict
HVHT	GSM1800	512	1710.2	0	Power	29.72	28	32	PASS
HVHT	GSM1800	512	1710.2	0	PvT(%)	-0.14	0	0	PASS
HVHT	GSM1800	512	1710.2	1	Power	27.77	25	31	PASS
HVHT	GSM1800	512	1710.2	1	PvT(%)	-0.01	0	0	PASS
HVHT	GSM1800	512	1710.2	2	Power	25.69	23	29	PASS
HVHT	GSM1800	512	1710.2	2	PvT(%)	-0.16	0	0	PASS
HVHT	GSM1800	512	1710.2	3	Power	23.64	21	27	PASS
HVHT	GSM1800	512	1710.2	3	PvT(%)	-0.14	0	0	PASS
HVHT	GSM1800	512	1710.2	4	Power	21.66	19	25	PASS
HVHT	GSM1800	512	1710.2	4	PvT(%)	-0.02	0	0	PASS
HVHT	GSM1800	512	1710.2	5	Power	19.67	17	23	PASS
HVHT	GSM1800	512	1710.2	5	PvT(%)	-0.02	0	0	PASS
HVHT	GSM1800	512	1710.2	6	Power	17.69	15	21	PASS
HVHT	GSM1800	512	1710.2	6	PvT(%)	-0.14	0	0	PASS
HVHT	GSM1800	512	1710.2	7	Power	15.64	13	19	PASS
HVHT	GSM1800	512	1710.2	7	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	512	1710.2	8	Power	13.53	11	17	PASS
HVHT	GSM1800	512	1710.2	8	PvT(%)	-0.01	0	0	PASS
HVHT	GSM1800	512	1710.2	9	Power	11.52	8	16	PASS
HVHT	GSM1800	512	1710.2	9	PvT(%)	-0.06	0	0	PASS
HVHT	GSM1800	512	1710.2	10	Power	9.43	6	14	PASS
HVHT	GSM1800	512	1710.2	10	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1800	512	1710.2	11	Power	7.33	4	12	PASS
HVHT	GSM1800	512	1710.2	11	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	512	1710.2	12	Power	5.45	2	10	PASS
HVHT	GSM1800	512	1710.2	12	PvT(%)	-0.07	0	0	PASS
HVHT	GSM1800	512	1710.2	13	Power	3.47	0	8	PASS
HVHT	GSM1800	512	1710.2	13	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1800	512	1710.2	14	Power	1.65	-3	7	PASS
HVHT	GSM1800	512	1710.2	14	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1800	512	1710.2	15	Power	0.17	-5	5	PASS
HVHT	GSM1800	512	1710.2	15	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	698	1747.4	0	Power	29.98	28	32	PASS
HVHT	GSM1800	698	1747.4	0	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	698	1747.4	1	Power	28.23	25	31	PASS

HVHT	GSM1800	698	1747.4	1	PvT(%)	-0.18	0	0	PASS
HVHT	GSM1800	698	1747.4	2	Power	25.97	23	29	PASS
HVHT	GSM1800	698	1747.4	2	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	698	1747.4	3	Power	24.03	21	27	PASS
HVHT	GSM1800	698	1747.4	3	PvT(%)	-0.02	0	0	PASS
HVHT	GSM1800	698	1747.4	4	Power	22.08	19	25	PASS
HVHT	GSM1800	698	1747.4	4	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1800	698	1747.4	5	Power	19.98	17	23	PASS
HVHT	GSM1800	698	1747.4	5	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1800	698	1747.4	6	Power	17.97	15	21	PASS
HVHT	GSM1800	698	1747.4	6	PvT(%)	-0.2	0	0	PASS
HVHT	GSM1800	698	1747.4	7	Power	16.07	13	19	PASS
HVHT	GSM1800	698	1747.4	7	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1800	698	1747.4	8	Power	14.12	11	17	PASS
HVHT	GSM1800	698	1747.4	8	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1800	698	1747.4	9	Power	12.11	8	16	PASS
HVHT	GSM1800	698	1747.4	9	PvT(%)	-0.14	0	0	PASS
HVHT	GSM1800	698	1747.4	10	Power	9.93	6	14	PASS
HVHT	GSM1800	698	1747.4	10	PvT(%)	-0.15	0	0	PASS
HVHT	GSM1800	698	1747.4	11	Power	7.85	4	12	PASS
HVHT	GSM1800	698	1747.4	11	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	698	1747.4	12	Power	5.84	2	10	PASS
HVHT	GSM1800	698	1747.4	12	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1800	698	1747.4	13	Power	3.95	0	8	PASS
HVHT	GSM1800	698	1747.4	13	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1800	698	1747.4	14	Power	2.24	-3	7	PASS
HVHT	GSM1800	698	1747.4	14	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	698	1747.4	15	Power	0.59	-5	5	PASS
HVHT	GSM1800	698	1747.4	15	PvT(%)	-0.2	0	0	PASS
HVHT	GSM1800	885	1784.8	0	Power	30.24	28	32	PASS
HVHT	GSM1800	885	1784.8	0	PvT(%)	-0.18	0	0	PASS
HVHT	GSM1800	885	1784.8	1	Power	28.49	25	31	PASS
HVHT	GSM1800	885	1784.8	1	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1800	885	1784.8	2	Power	26.3	23	29	PASS
HVHT	GSM1800	885	1784.8	2	PvT(%)	-0.04	0	0	PASS
HVHT	GSM1800	885	1784.8	3	Power	24.27	21	27	PASS
HVHT	GSM1800	885	1784.8	3	PvT(%)	-0.01	0	0	PASS
HVHT	GSM1800	885	1784.8	4	Power	22.25	19	25	PASS
HVHT	GSM1800	885	1784.8	4	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1800	885	1784.8	5	Power	20.17	17	23	PASS
HVHT	GSM1800	885	1784.8	5	PvT(%)	-0.08	0	0	PASS
HVHT	GSM1800	885	1784.8	6	Power	18.26	15	21	PASS
HVHT	GSM1800	885	1784.8	6	PvT(%)	-0.04	0	0	PASS
HVHT	GSM1800	885	1784.8	7	Power	16.26	13	19	PASS

HVHT	GSM1800	885	1784.8	7	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	885	1784.8	8	Power	14.24	11	17	PASS
HVHT	GSM1800	885	1784.8	8	PvT(%)	-0.18	0	0	PASS
HVHT	GSM1800	885	1784.8	9	Power	12.15	8	16	PASS
HVHT	GSM1800	885	1784.8	9	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1800	885	1784.8	10	Power	10.15	6	14	PASS
HVHT	GSM1800	885	1784.8	10	PvT(%)	-0.14	0	0	PASS
HVHT	GSM1800	885	1784.8	11	Power	7.86	4	12	PASS
HVHT	GSM1800	885	1784.8	11	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	885	1784.8	12	Power	6	2	10	PASS
HVHT	GSM1800	885	1784.8	12	PvT(%)	-0.06	0	0	PASS
HVHT	GSM1800	885	1784.8	13	Power	4.09	0	8	PASS
HVHT	GSM1800	885	1784.8	13	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1800	885	1784.8	14	Power	2.32	-3	7	PASS
HVHT	GSM1800	885	1784.8	14	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	885	1784.8	15	Power	0.79	-5	5	PASS
HVHT	GSM1800	885	1784.8	15	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1800	512	1710.2	0	Power	29.69	28	32	PASS
HVLT	GSM1800	512	1710.2	0	PvT(%)	-0.18	0	0	PASS
HVLT	GSM1800	512	1710.2	1	Power	27.72	25	31	PASS
HVLT	GSM1800	512	1710.2	1	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	512	1710.2	2	Power	25.72	23	29	PASS
HVLT	GSM1800	512	1710.2	2	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1800	512	1710.2	3	Power	23.67	21	27	PASS
HVLT	GSM1800	512	1710.2	3	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1800	512	1710.2	4	Power	21.73	19	25	PASS
HVLT	GSM1800	512	1710.2	4	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1800	512	1710.2	5	Power	19.76	17	23	PASS
HVLT	GSM1800	512	1710.2	5	PvT(%)	-0.03	0	0	PASS
HVLT	GSM1800	512	1710.2	6	Power	17.67	15	21	PASS
HVLT	GSM1800	512	1710.2	6	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1800	512	1710.2	7	Power	15.6	13	19	PASS
HVLT	GSM1800	512	1710.2	7	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	512	1710.2	8	Power	13.67	11	17	PASS
HVLT	GSM1800	512	1710.2	8	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	512	1710.2	9	Power	11.57	8	16	PASS
HVLT	GSM1800	512	1710.2	9	PvT(%)	-0.08	0	0	PASS
HVLT	GSM1800	512	1710.2	10	Power	9.5	6	14	PASS
HVLT	GSM1800	512	1710.2	10	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	512	1710.2	11	Power	7.47	4	12	PASS
HVLT	GSM1800	512	1710.2	11	PvT(%)	-0.03	0	0	PASS
HVLT	GSM1800	512	1710.2	12	Power	5.43	2	10	PASS
HVLT	GSM1800	512	1710.2	12	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	512	1710.2	13	Power	3.37	0	8	PASS

HVLT	GSM1800	512	1710.2	13	PvT(%)	-0.13	0	0	PASS
HVLT	GSM1800	512	1710.2	14	Power	1.73	-3	7	PASS
HVLT	GSM1800	512	1710.2	14	PvT(%)	-0.16	0	0	PASS
HVLT	GSM1800	512	1710.2	15	Power	0.09	-5	5	PASS
HVLT	GSM1800	512	1710.2	15	PvT(%)	-0.02	0	0	PASS
HVLT	GSM1800	698	1747.4	0	Power	30.15	28	32	PASS
HVLT	GSM1800	698	1747.4	0	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	698	1747.4	1	Power	28.07	25	31	PASS
HVLT	GSM1800	698	1747.4	1	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1800	698	1747.4	2	Power	26.03	23	29	PASS
HVLT	GSM1800	698	1747.4	2	PvT(%)	-0.03	0	0	PASS
HVLT	GSM1800	698	1747.4	3	Power	24.13	21	27	PASS
HVLT	GSM1800	698	1747.4	3	PvT(%)	-0.1	0	0	PASS
HVLT	GSM1800	698	1747.4	4	Power	22.01	19	25	PASS
HVLT	GSM1800	698	1747.4	4	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	698	1747.4	5	Power	20.14	17	23	PASS
HVLT	GSM1800	698	1747.4	5	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1800	698	1747.4	6	Power	18.1	15	21	PASS
HVLT	GSM1800	698	1747.4	6	PvT(%)	-0.18	0	0	PASS
HVLT	GSM1800	698	1747.4	7	Power	16.03	13	19	PASS
HVLT	GSM1800	698	1747.4	7	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1800	698	1747.4	8	Power	14.07	11	17	PASS
HVLT	GSM1800	698	1747.4	8	PvT(%)	-0.02	0	0	PASS
HVLT	GSM1800	698	1747.4	9	Power	12.09	8	16	PASS
HVLT	GSM1800	698	1747.4	9	PvT(%)	-0.03	0	0	PASS
HVLT	GSM1800	698	1747.4	10	Power	10.1	6	14	PASS
HVLT	GSM1800	698	1747.4	10	PvT(%)	-0.08	0	0	PASS
HVLT	GSM1800	698	1747.4	11	Power	7.78	4	12	PASS
HVLT	GSM1800	698	1747.4	11	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1800	698	1747.4	12	Power	5.87	2	10	PASS
HVLT	GSM1800	698	1747.4	12	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	698	1747.4	13	Power	4.04	0	8	PASS
HVLT	GSM1800	698	1747.4	13	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1800	698	1747.4	14	Power	2.23	-3	7	PASS
HVLT	GSM1800	698	1747.4	14	PvT(%)	-0.03	0	0	PASS
HVLT	GSM1800	698	1747.4	15	Power	0.54	-5	5	PASS
HVLT	GSM1800	698	1747.4	15	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	885	1784.8	0	Power	30.21	28	32	PASS
HVLT	GSM1800	885	1784.8	0	PvT(%)	-0.05	0	0	PASS
HVLT	GSM1800	885	1784.8	1	Power	28.5	25	31	PASS
HVLT	GSM1800	885	1784.8	1	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1800	885	1784.8	2	Power	26.25	23	29	PASS
HVLT	GSM1800	885	1784.8	2	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	885	1784.8	3	Power	24.23	21	27	PASS

HVLT	GSM1800	885	1784.8	3	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1800	885	1784.8	4	Power	22.26	19	25	PASS
HVLT	GSM1800	885	1784.8	4	PvT(%)	-0.2	0	0	PASS
HVLT	GSM1800	885	1784.8	5	Power	20.22	17	23	PASS
HVLT	GSM1800	885	1784.8	5	PvT(%)	-0.07	0	0	PASS
HVLT	GSM1800	885	1784.8	6	Power	18.25	15	21	PASS
HVLT	GSM1800	885	1784.8	6	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1800	885	1784.8	7	Power	16.15	13	19	PASS
HVLT	GSM1800	885	1784.8	7	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	885	1784.8	8	Power	14.12	11	17	PASS
HVLT	GSM1800	885	1784.8	8	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	885	1784.8	9	Power	12.21	8	16	PASS
HVLT	GSM1800	885	1784.8	9	PvT(%)	-0.1	0	0	PASS
HVLT	GSM1800	885	1784.8	10	Power	10.13	6	14	PASS
HVLT	GSM1800	885	1784.8	10	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1800	885	1784.8	11	Power	8.05	4	12	PASS
HVLT	GSM1800	885	1784.8	11	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	885	1784.8	12	Power	6.08	2	10	PASS
HVLT	GSM1800	885	1784.8	12	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	885	1784.8	13	Power	4.14	0	8	PASS
HVLT	GSM1800	885	1784.8	13	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	885	1784.8	14	Power	2.38	-3	7	PASS
HVLT	GSM1800	885	1784.8	14	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1800	885	1784.8	15	Power	0.92	-5	5	PASS
HVLT	GSM1800	885	1784.8	15	PvT(%)	-0.11	0	0	PASS
LVHT	GSM1800	512	1710.2	0	Power	29.71	28	32	PASS
LVHT	GSM1800	512	1710.2	0	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1800	512	1710.2	1	Power	27.74	25	31	PASS
LVHT	GSM1800	512	1710.2	1	PvT(%)	-0.18	0	0	PASS
LVHT	GSM1800	512	1710.2	2	Power	25.77	23	29	PASS
LVHT	GSM1800	512	1710.2	2	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	512	1710.2	3	Power	23.79	21	27	PASS
LVHT	GSM1800	512	1710.2	3	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1800	512	1710.2	4	Power	21.68	19	25	PASS
LVHT	GSM1800	512	1710.2	4	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	512	1710.2	5	Power	19.76	17	23	PASS
LVHT	GSM1800	512	1710.2	5	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1800	512	1710.2	6	Power	17.71	15	21	PASS
LVHT	GSM1800	512	1710.2	6	PvT(%)	-0.13	0	0	PASS
LVHT	GSM1800	512	1710.2	7	Power	15.52	13	19	PASS
LVHT	GSM1800	512	1710.2	7	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1800	512	1710.2	8	Power	13.69	11	17	PASS
LVHT	GSM1800	512	1710.2	8	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1800	512	1710.2	9	Power	11.59	8	16	PASS

LVHT	GSM1800	512	1710.2	9	PvT(%)	-0.07	0	0	PASS
LVHT	GSM1800	512	1710.2	10	Power	9.46	6	14	PASS
LVHT	GSM1800	512	1710.2	10	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1800	512	1710.2	11	Power	7.47	4	12	PASS
LVHT	GSM1800	512	1710.2	11	PvT(%)	-0.17	0	0	PASS
LVHT	GSM1800	512	1710.2	12	Power	5.34	2	10	PASS
LVHT	GSM1800	512	1710.2	12	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1800	512	1710.2	13	Power	3.48	0	8	PASS
LVHT	GSM1800	512	1710.2	13	PvT(%)	-0.2	0	0	PASS
LVHT	GSM1800	512	1710.2	14	Power	1.72	-3	7	PASS
LVHT	GSM1800	512	1710.2	14	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	512	1710.2	15	Power	0.17	-5	5	PASS
LVHT	GSM1800	512	1710.2	15	PvT(%)	-0.2	0	0	PASS
LVHT	GSM1800	698	1747.4	0	Power	30.07	28	32	PASS
LVHT	GSM1800	698	1747.4	0	PvT(%)	-0.07	0	0	PASS
LVHT	GSM1800	698	1747.4	1	Power	28.17	25	31	PASS
LVHT	GSM1800	698	1747.4	1	PvT(%)	-0.18	0	0	PASS
LVHT	GSM1800	698	1747.4	2	Power	26.11	23	29	PASS
LVHT	GSM1800	698	1747.4	2	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1800	698	1747.4	3	Power	24.02	21	27	PASS
LVHT	GSM1800	698	1747.4	3	PvT(%)	-0.1	0	0	PASS
LVHT	GSM1800	698	1747.4	4	Power	22	19	25	PASS
LVHT	GSM1800	698	1747.4	4	PvT(%)	-0.1	0	0	PASS
LVHT	GSM1800	698	1747.4	5	Power	20.13	17	23	PASS
LVHT	GSM1800	698	1747.4	5	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1800	698	1747.4	6	Power	17.96	15	21	PASS
LVHT	GSM1800	698	1747.4	6	PvT(%)	-0.2	0	0	PASS
LVHT	GSM1800	698	1747.4	7	Power	15.99	13	19	PASS
LVHT	GSM1800	698	1747.4	7	PvT(%)	-0.2	0	0	PASS
LVHT	GSM1800	698	1747.4	8	Power	14.08	11	17	PASS
LVHT	GSM1800	698	1747.4	8	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1800	698	1747.4	9	Power	12.11	8	16	PASS
LVHT	GSM1800	698	1747.4	9	PvT(%)	-0.17	0	0	PASS
LVHT	GSM1800	698	1747.4	10	Power	9.91	6	14	PASS
LVHT	GSM1800	698	1747.4	10	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	698	1747.4	11	Power	7.79	4	12	PASS
LVHT	GSM1800	698	1747.4	11	PvT(%)	-0.14	0	0	PASS
LVHT	GSM1800	698	1747.4	12	Power	5.89	2	10	PASS
LVHT	GSM1800	698	1747.4	12	PvT(%)	-0.2	0	0	PASS
LVHT	GSM1800	698	1747.4	13	Power	4.09	0	8	PASS
LVHT	GSM1800	698	1747.4	13	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1800	698	1747.4	14	Power	2.17	-3	7	PASS
LVHT	GSM1800	698	1747.4	14	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1800	698	1747.4	15	Power	0.71	-5	5	PASS

LVHT	GSM1800	698	1747.4	15	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1800	885	1784.8	0	Power	30.25	28	32	PASS
LVHT	GSM1800	885	1784.8	0	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1800	885	1784.8	1	Power	28.46	25	31	PASS
LVHT	GSM1800	885	1784.8	1	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	885	1784.8	2	Power	26.36	23	29	PASS
LVHT	GSM1800	885	1784.8	2	PvT(%)	-0.16	0	0	PASS
LVHT	GSM1800	885	1784.8	3	Power	24.33	21	27	PASS
LVHT	GSM1800	885	1784.8	3	PvT(%)	-0.07	0	0	PASS
LVHT	GSM1800	885	1784.8	4	Power	22.23	19	25	PASS
LVHT	GSM1800	885	1784.8	4	PvT(%)	-0.17	0	0	PASS
LVHT	GSM1800	885	1784.8	5	Power	20.23	17	23	PASS
LVHT	GSM1800	885	1784.8	5	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	885	1784.8	6	Power	18.28	15	21	PASS
LVHT	GSM1800	885	1784.8	6	PvT(%)	-0.11	0	0	PASS
LVHT	GSM1800	885	1784.8	7	Power	16.16	13	19	PASS
LVHT	GSM1800	885	1784.8	7	PvT(%)	-0.16	0	0	PASS
LVHT	GSM1800	885	1784.8	8	Power	14.13	11	17	PASS
LVHT	GSM1800	885	1784.8	8	PvT(%)	-0.07	0	0	PASS
LVHT	GSM1800	885	1784.8	9	Power	12.12	8	16	PASS
LVHT	GSM1800	885	1784.8	9	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	885	1784.8	10	Power	10.23	6	14	PASS
LVHT	GSM1800	885	1784.8	10	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1800	885	1784.8	11	Power	8.05	4	12	PASS
LVHT	GSM1800	885	1784.8	11	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	885	1784.8	12	Power	6.04	2	10	PASS
LVHT	GSM1800	885	1784.8	12	PvT(%)	-0.14	0	0	PASS
LVHT	GSM1800	885	1784.8	13	Power	4.24	0	8	PASS
LVHT	GSM1800	885	1784.8	13	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1800	885	1784.8	14	Power	2.4	-3	7	PASS
LVHT	GSM1800	885	1784.8	14	PvT(%)	-0.1	0	0	PASS
LVHT	GSM1800	885	1784.8	15	Power	0.78	-5	5	PASS
LVHT	GSM1800	885	1784.8	15	PvT(%)	-0.1	0	0	PASS
LVLT	GSM1800	512	1710.2	0	Power	29.69	28	32	PASS
LVLT	GSM1800	512	1710.2	0	PvT(%)	-0.04	0	0	PASS
LVLT	GSM1800	512	1710.2	1	Power	27.77	25	31	PASS
LVLT	GSM1800	512	1710.2	1	PvT(%)	-0.01	0	0	PASS
LVLT	GSM1800	512	1710.2	2	Power	25.77	23	29	PASS
LVLT	GSM1800	512	1710.2	2	PvT(%)	-0.02	0	0	PASS
LVLT	GSM1800	512	1710.2	3	Power	23.81	21	27	PASS
LVLT	GSM1800	512	1710.2	3	PvT(%)	-0.14	0	0	PASS
LVLT	GSM1800	512	1710.2	4	Power	21.62	19	25	PASS
LVLT	GSM1800	512	1710.2	4	PvT(%)	-0.17	0	0	PASS
LVLT	GSM1800	512	1710.2	5	Power	19.62	17	23	PASS

LVL	GSM1800	512	1710.2	5	PvT(%)	-0.17	0	0	PASS
LVL	GSM1800	512	1710.2	6	Power	17.66	15	21	PASS
LVL	GSM1800	512	1710.2	6	PvT(%)	-0.05	0	0	PASS
LVL	GSM1800	512	1710.2	7	Power	15.46	13	19	PASS
LVL	GSM1800	512	1710.2	7	PvT(%)	-0.02	0	0	PASS
LVL	GSM1800	512	1710.2	8	Power	13.59	11	17	PASS
LVL	GSM1800	512	1710.2	8	PvT(%)	-0.08	0	0	PASS
LVL	GSM1800	512	1710.2	9	Power	11.64	8	16	PASS
LVL	GSM1800	512	1710.2	9	PvT(%)	-0.12	0	0	PASS
LVL	GSM1800	512	1710.2	10	Power	9.58	6	14	PASS
LVL	GSM1800	512	1710.2	10	PvT(%)	-0.02	0	0	PASS
LVL	GSM1800	512	1710.2	11	Power	7.31	4	12	PASS
LVL	GSM1800	512	1710.2	11	PvT(%)	-0.19	0	0	PASS
LVL	GSM1800	512	1710.2	12	Power	5.32	2	10	PASS
LVL	GSM1800	512	1710.2	12	PvT(%)	-0.11	0	0	PASS
LVL	GSM1800	512	1710.2	13	Power	3.36	0	8	PASS
LVL	GSM1800	512	1710.2	13	PvT(%)	-0.02	0	0	PASS
LVL	GSM1800	512	1710.2	14	Power	1.76	-3	7	PASS
LVL	GSM1800	512	1710.2	14	PvT(%)	-0.02	0	0	PASS
LVL	GSM1800	512	1710.2	15	Power	0.09	-5	5	PASS
LVL	GSM1800	512	1710.2	15	PvT(%)	-0.12	0	0	PASS
LVL	GSM1800	698	1747.4	0	Power	30.06	28	32	PASS
LVL	GSM1800	698	1747.4	0	PvT(%)	-0.18	0	0	PASS
LVL	GSM1800	698	1747.4	1	Power	28.19	25	31	PASS
LVL	GSM1800	698	1747.4	1	PvT(%)	-0.17	0	0	PASS
LVL	GSM1800	698	1747.4	2	Power	26	23	29	PASS
LVL	GSM1800	698	1747.4	2	PvT(%)	-0.04	0	0	PASS
LVL	GSM1800	698	1747.4	3	Power	24.12	21	27	PASS
LVL	GSM1800	698	1747.4	3	PvT(%)	-0.18	0	0	PASS
LVL	GSM1800	698	1747.4	4	Power	22.01	19	25	PASS
LVL	GSM1800	698	1747.4	4	PvT(%)	-0.11	0	0	PASS
LVL	GSM1800	698	1747.4	5	Power	20.08	17	23	PASS
LVL	GSM1800	698	1747.4	5	PvT(%)	-0.18	0	0	PASS
LVL	GSM1800	698	1747.4	6	Power	18.1	15	21	PASS
LVL	GSM1800	698	1747.4	6	PvT(%)	-0.16	0	0	PASS
LVL	GSM1800	698	1747.4	7	Power	15.9	13	19	PASS
LVL	GSM1800	698	1747.4	7	PvT(%)	-0.03	0	0	PASS
LVL	GSM1800	698	1747.4	8	Power	13.97	11	17	PASS
LVL	GSM1800	698	1747.4	8	PvT(%)	-0.16	0	0	PASS
LVL	GSM1800	698	1747.4	9	Power	12.03	8	16	PASS
LVL	GSM1800	698	1747.4	9	PvT(%)	-0.11	0	0	PASS
LVL	GSM1800	698	1747.4	10	Power	9.92	6	14	PASS
LVL	GSM1800	698	1747.4	10	PvT(%)	-0.1	0	0	PASS
LVL	GSM1800	698	1747.4	11	Power	7.92	4	12	PASS



LVLT	GSM1800	698	1747.4	11	PvT(%)	-0.07	0	0	PASS
LVLT	GSM1800	698	1747.4	12	Power	5.97	2	10	PASS
LVLT	GSM1800	698	1747.4	12	PvT(%)	-0.15	0	0	PASS
LVLT	GSM1800	698	1747.4	13	Power	4.08	0	8	PASS
LVLT	GSM1800	698	1747.4	13	PvT(%)	-0.18	0	0	PASS
LVLT	GSM1800	698	1747.4	14	Power	2.29	-3	7	PASS
LVLT	GSM1800	698	1747.4	14	PvT(%)	-0.19	0	0	PASS
LVLT	GSM1800	698	1747.4	15	Power	0.68	-5	5	PASS
LVLT	GSM1800	698	1747.4	15	PvT(%)	-0.15	0	0	PASS
LVLT	GSM1800	885	1784.8	0	Power	30.37	28	32	PASS
LVLT	GSM1800	885	1784.8	0	PvT(%)	-0.08	0	0	PASS
LVLT	GSM1800	885	1784.8	1	Power	28.45	25	31	PASS
LVLT	GSM1800	885	1784.8	1	PvT(%)	-0.19	0	0	PASS
LVLT	GSM1800	885	1784.8	2	Power	26.22	23	29	PASS
LVLT	GSM1800	885	1784.8	2	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	885	1784.8	3	Power	24.28	21	27	PASS
LVLT	GSM1800	885	1784.8	3	PvT(%)	-0.08	0	0	PASS
LVLT	GSM1800	885	1784.8	4	Power	22.29	19	25	PASS
LVLT	GSM1800	885	1784.8	4	PvT(%)	-0.04	0	0	PASS
LVLT	GSM1800	885	1784.8	5	Power	20.17	17	23	PASS
LVLT	GSM1800	885	1784.8	5	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1800	885	1784.8	6	Power	18.24	15	21	PASS
LVLT	GSM1800	885	1784.8	6	PvT(%)	-0.01	0	0	PASS
LVLT	GSM1800	885	1784.8	7	Power	16.2	13	19	PASS
LVLT	GSM1800	885	1784.8	7	PvT(%)	-0.02	0	0	PASS
LVLT	GSM1800	885	1784.8	8	Power	14.18	11	17	PASS
LVLT	GSM1800	885	1784.8	8	PvT(%)	-0.17	0	0	PASS
LVLT	GSM1800	885	1784.8	9	Power	12.21	8	16	PASS
LVLT	GSM1800	885	1784.8	9	PvT(%)	-0.14	0	0	PASS
LVLT	GSM1800	885	1784.8	10	Power	10.14	6	14	PASS
LVLT	GSM1800	885	1784.8	10	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	885	1784.8	11	Power	7.92	4	12	PASS
LVLT	GSM1800	885	1784.8	11	PvT(%)	-0.01	0	0	PASS
LVLT	GSM1800	885	1784.8	12	Power	5.99	2	10	PASS
LVLT	GSM1800	885	1784.8	12	PvT(%)	-0.2	0	0	PASS
LVLT	GSM1800	885	1784.8	13	Power	4.18	0	8	PASS
LVLT	GSM1800	885	1784.8	13	PvT(%)	-0.02	0	0	PASS
LVLT	GSM1800	885	1784.8	14	Power	2.32	-3	7	PASS
LVLT	GSM1800	885	1784.8	14	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	885	1784.8	15	Power	0.78	-5	5	PASS
LVLT	GSM1800	885	1784.8	15	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	975	880.2	5	Power	32.58	31	35	PASS
HVHT	GSM900	975	880.2	5	PvT(%)	-0.06	0	0	PASS
HVHT	GSM900	975	880.2	6	Power	31.04	28	34	PASS

HVHT	GSM900	975	880.2	6	PvT(%)	-0.03	0	0	PASS
HVHT	GSM900	975	880.2	7	Power	29.02	26	32	PASS
HVHT	GSM900	975	880.2	7	PvT(%)	-0.17	0	0	PASS
HVHT	GSM900	975	880.2	8	Power	26.98	24	30	PASS
HVHT	GSM900	975	880.2	8	PvT(%)	-0.03	0	0	PASS
HVHT	GSM900	975	880.2	9	Power	24.97	22	28	PASS
HVHT	GSM900	975	880.2	9	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	975	880.2	10	Power	22.98	20	26	PASS
HVHT	GSM900	975	880.2	10	PvT(%)	-0.18	0	0	PASS
HVHT	GSM900	975	880.2	11	Power	20.75	18	24	PASS
HVHT	GSM900	975	880.2	11	PvT(%)	-0.2	0	0	PASS
HVHT	GSM900	975	880.2	12	Power	18.74	16	22	PASS
HVHT	GSM900	975	880.2	12	PvT(%)	-0.02	0	0	PASS
HVHT	GSM900	975	880.2	13	Power	16.78	14	20	PASS
HVHT	GSM900	975	880.2	13	PvT(%)	-0.03	0	0	PASS
HVHT	GSM900	975	880.2	14	Power	14.72	12	18	PASS
HVHT	GSM900	975	880.2	14	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	975	880.2	15	Power	12.81	10	16	PASS
HVHT	GSM900	975	880.2	15	PvT(%)	-0.06	0	0	PASS
HVHT	GSM900	975	880.2	16	Power	10.55	6	16	PASS
HVHT	GSM900	975	880.2	16	PvT(%)	-0.08	0	0	PASS
HVHT	GSM900	975	880.2	17	Power	8.58	4	14	PASS
HVHT	GSM900	975	880.2	17	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	975	880.2	18	Power	6.57	2	12	PASS
HVHT	GSM900	975	880.2	18	PvT(%)	-0.19	0	0	PASS
HVHT	GSM900	975	880.2	19	Power	4.6	0	10	PASS
HVHT	GSM900	975	880.2	19	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	38	897.6	5	Power	32.4	31	35	PASS
HVHT	GSM900	38	897.6	5	PvT(%)	-0.07	0	0	PASS
HVHT	GSM900	38	897.6	6	Power	30.97	28	34	PASS
HVHT	GSM900	38	897.6	6	PvT(%)	-0.18	0	0	PASS
HVHT	GSM900	38	897.6	7	Power	28.82	26	32	PASS
HVHT	GSM900	38	897.6	7	PvT(%)	-0.19	0	0	PASS
HVHT	GSM900	38	897.6	8	Power	26.8	24	30	PASS
HVHT	GSM900	38	897.6	8	PvT(%)	-0.17	0	0	PASS
HVHT	GSM900	38	897.6	9	Power	24.82	22	28	PASS
HVHT	GSM900	38	897.6	9	PvT(%)	-0.08	0	0	PASS
HVHT	GSM900	38	897.6	10	Power	22.86	20	26	PASS
HVHT	GSM900	38	897.6	10	PvT(%)	-0.12	0	0	PASS
HVHT	GSM900	38	897.6	11	Power	20.77	18	24	PASS
HVHT	GSM900	38	897.6	11	PvT(%)	-0.11	0	0	PASS
HVHT	GSM900	38	897.6	12	Power	18.66	16	22	PASS
HVHT	GSM900	38	897.6	12	PvT(%)	-0.12	0	0	PASS
HVHT	GSM900	38	897.6	13	Power	16.66	14	20	PASS

HVHT	GSM900	38	897.6	13	PvT(%)	-0.19	0	0	PASS
HVHT	GSM900	38	897.6	14	Power	14.71	12	18	PASS
HVHT	GSM900	38	897.6	14	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	38	897.6	15	Power	12.69	10	16	PASS
HVHT	GSM900	38	897.6	15	PvT(%)	-0.06	0	0	PASS
HVHT	GSM900	38	897.6	16	Power	10.46	6	16	PASS
HVHT	GSM900	38	897.6	16	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	38	897.6	17	Power	8.58	4	14	PASS
HVHT	GSM900	38	897.6	17	PvT(%)	-0.16	0	0	PASS
HVHT	GSM900	38	897.6	18	Power	6.61	2	12	PASS
HVHT	GSM900	38	897.6	18	PvT(%)	-0.01	0	0	PASS
HVHT	GSM900	38	897.6	19	Power	4.54	0	10	PASS
HVHT	GSM900	38	897.6	19	PvT(%)	-0.04	0	0	PASS
HVHT	GSM900	124	914.8	5	Power	32.51	31	35	PASS
HVHT	GSM900	124	914.8	5	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	124	914.8	6	Power	30.91	28	34	PASS
HVHT	GSM900	124	914.8	6	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	124	914.8	7	Power	29.02	26	32	PASS
HVHT	GSM900	124	914.8	7	PvT(%)	-0.07	0	0	PASS
HVHT	GSM900	124	914.8	8	Power	26.89	24	30	PASS
HVHT	GSM900	124	914.8	8	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	124	914.8	9	Power	25	22	28	PASS
HVHT	GSM900	124	914.8	9	PvT(%)	-0.16	0	0	PASS
HVHT	GSM900	124	914.8	10	Power	22.93	20	26	PASS
HVHT	GSM900	124	914.8	10	PvT(%)	-0.12	0	0	PASS
HVHT	GSM900	124	914.8	11	Power	20.97	18	24	PASS
HVHT	GSM900	124	914.8	11	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	124	914.8	12	Power	18.99	16	22	PASS
HVHT	GSM900	124	914.8	12	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	124	914.8	13	Power	16.99	14	20	PASS
HVHT	GSM900	124	914.8	13	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	124	914.8	14	Power	14.83	12	18	PASS
HVHT	GSM900	124	914.8	14	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	124	914.8	15	Power	12.73	10	16	PASS
HVHT	GSM900	124	914.8	15	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	124	914.8	16	Power	10.62	6	16	PASS
HVHT	GSM900	124	914.8	16	PvT(%)	-0.17	0	0	PASS
HVHT	GSM900	124	914.8	17	Power	8.8	4	14	PASS
HVHT	GSM900	124	914.8	17	PvT(%)	-0.06	0	0	PASS
HVHT	GSM900	124	914.8	18	Power	6.72	2	12	PASS
HVHT	GSM900	124	914.8	18	PvT(%)	-0.16	0	0	PASS
HVHT	GSM900	124	914.8	19	Power	4.9	0	10	PASS
HVHT	GSM900	124	914.8	19	PvT(%)	-0.02	0	0	PASS
HVLT	GSM900	975	880.2	5	Power	32.52	31	35	PASS

HVLT	GSM900	975	880.2	5	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	975	880.2	6	Power	31.06	28	34	PASS
HVLT	GSM900	975	880.2	6	PvT(%)	-0.2	0	0	PASS
HVLT	GSM900	975	880.2	7	Power	29.11	26	32	PASS
HVLT	GSM900	975	880.2	7	PvT(%)	-0.03	0	0	PASS
HVLT	GSM900	975	880.2	8	Power	27.08	24	30	PASS
HVLT	GSM900	975	880.2	8	PvT(%)	-0.01	0	0	PASS
HVLT	GSM900	975	880.2	9	Power	25.03	22	28	PASS
HVLT	GSM900	975	880.2	9	PvT(%)	-0.04	0	0	PASS
HVLT	GSM900	975	880.2	10	Power	23.1	20	26	PASS
HVLT	GSM900	975	880.2	10	PvT(%)	-0.03	0	0	PASS
HVLT	GSM900	975	880.2	11	Power	20.74	18	24	PASS
HVLT	GSM900	975	880.2	11	PvT(%)	-0.06	0	0	PASS
HVLT	GSM900	975	880.2	12	Power	18.82	16	22	PASS
HVLT	GSM900	975	880.2	12	PvT(%)	-0.19	0	0	PASS
HVLT	GSM900	975	880.2	13	Power	16.75	14	20	PASS
HVLT	GSM900	975	880.2	13	PvT(%)	-0.17	0	0	PASS
HVLT	GSM900	975	880.2	14	Power	14.87	12	18	PASS
HVLT	GSM900	975	880.2	14	PvT(%)	-0.06	0	0	PASS
HVLT	GSM900	975	880.2	15	Power	12.68	10	16	PASS
HVLT	GSM900	975	880.2	15	PvT(%)	-0.13	0	0	PASS
HVLT	GSM900	975	880.2	16	Power	10.58	6	16	PASS
HVLT	GSM900	975	880.2	16	PvT(%)	-0.18	0	0	PASS
HVLT	GSM900	975	880.2	17	Power	8.63	4	14	PASS
HVLT	GSM900	975	880.2	17	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	975	880.2	18	Power	6.61	2	12	PASS
HVLT	GSM900	975	880.2	18	PvT(%)	-0.17	0	0	PASS
HVLT	GSM900	975	880.2	19	Power	4.65	0	10	PASS
HVLT	GSM900	975	880.2	19	PvT(%)	-0.16	0	0	PASS
HVLT	GSM900	38	897.6	5	Power	32.5	31	35	PASS
HVLT	GSM900	38	897.6	5	PvT(%)	-0.02	0	0	PASS
HVLT	GSM900	38	897.6	6	Power	30.93	28	34	PASS
HVLT	GSM900	38	897.6	6	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	38	897.6	7	Power	28.97	26	32	PASS
HVLT	GSM900	38	897.6	7	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	38	897.6	8	Power	26.82	24	30	PASS
HVLT	GSM900	38	897.6	8	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	38	897.6	9	Power	24.81	22	28	PASS
HVLT	GSM900	38	897.6	9	PvT(%)	-0.13	0	0	PASS
HVLT	GSM900	38	897.6	10	Power	22.93	20	26	PASS
HVLT	GSM900	38	897.6	10	PvT(%)	-0.13	0	0	PASS
HVLT	GSM900	38	897.6	11	Power	20.62	18	24	PASS
HVLT	GSM900	38	897.6	11	PvT(%)	-0.01	0	0	PASS
HVLT	GSM900	38	897.6	12	Power	18.72	16	22	PASS

HVLT	GSM900	38	897.6	12	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	38	897.6	13	Power	16.84	14	20	PASS
HVLT	GSM900	38	897.6	13	PvT(%)	-0.15	0	0	PASS
HVLT	GSM900	38	897.6	14	Power	14.6	12	18	PASS
HVLT	GSM900	38	897.6	14	PvT(%)	-0.19	0	0	PASS
HVLT	GSM900	38	897.6	15	Power	12.69	10	16	PASS
HVLT	GSM900	38	897.6	15	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	38	897.6	16	Power	10.45	6	16	PASS
HVLT	GSM900	38	897.6	16	PvT(%)	-0.2	0	0	PASS
HVLT	GSM900	38	897.6	17	Power	8.54	4	14	PASS
HVLT	GSM900	38	897.6	17	PvT(%)	-0.16	0	0	PASS
HVLT	GSM900	38	897.6	18	Power	6.56	2	12	PASS
HVLT	GSM900	38	897.6	18	PvT(%)	-0.09	0	0	PASS
HVLT	GSM900	38	897.6	19	Power	4.52	0	10	PASS
HVLT	GSM900	38	897.6	19	PvT(%)	-0.15	0	0	PASS
HVLT	GSM900	124	914.8	5	Power	32.41	31	35	PASS
HVLT	GSM900	124	914.8	5	PvT(%)	-0.06	0	0	PASS
HVLT	GSM900	124	914.8	6	Power	31.07	28	34	PASS
HVLT	GSM900	124	914.8	6	PvT(%)	-0.16	0	0	PASS
HVLT	GSM900	124	914.8	7	Power	29.01	26	32	PASS
HVLT	GSM900	124	914.8	7	PvT(%)	-0.01	0	0	PASS
HVLT	GSM900	124	914.8	8	Power	26.88	24	30	PASS
HVLT	GSM900	124	914.8	8	PvT(%)	-0.03	0	0	PASS
HVLT	GSM900	124	914.8	9	Power	24.98	22	28	PASS
HVLT	GSM900	124	914.8	9	PvT(%)	-0.2	0	0	PASS
HVLT	GSM900	124	914.8	10	Power	22.93	20	26	PASS
HVLT	GSM900	124	914.8	10	PvT(%)	-0.05	0	0	PASS
HVLT	GSM900	124	914.8	11	Power	20.84	18	24	PASS
HVLT	GSM900	124	914.8	11	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	124	914.8	12	Power	18.97	16	22	PASS
HVLT	GSM900	124	914.8	12	PvT(%)	-0.01	0	0	PASS
HVLT	GSM900	124	914.8	13	Power	16.86	14	20	PASS
HVLT	GSM900	124	914.8	13	PvT(%)	-0.01	0	0	PASS
HVLT	GSM900	124	914.8	14	Power	14.87	12	18	PASS
HVLT	GSM900	124	914.8	14	PvT(%)	-0.13	0	0	PASS
HVLT	GSM900	124	914.8	15	Power	12.74	10	16	PASS
HVLT	GSM900	124	914.8	15	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	124	914.8	16	Power	10.55	6	16	PASS
HVLT	GSM900	124	914.8	16	PvT(%)	-0.02	0	0	PASS
HVLT	GSM900	124	914.8	17	Power	8.73	4	14	PASS
HVLT	GSM900	124	914.8	17	PvT(%)	-0.14	0	0	PASS
HVLT	GSM900	124	914.8	18	Power	6.79	2	12	PASS
HVLT	GSM900	124	914.8	18	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	124	914.8	19	Power	4.82	0	10	PASS

HVLT	GSM900	124	914.8	19	PvT(%)	-0.07	0	0	PASS
LVHT	GSM900	975	880.2	5	Power	32.41	31	35	PASS
LVHT	GSM900	975	880.2	5	PvT(%)	-0.18	0	0	PASS
LVHT	GSM900	975	880.2	6	Power	30.93	28	34	PASS
LVHT	GSM900	975	880.2	6	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	975	880.2	7	Power	28.99	26	32	PASS
LVHT	GSM900	975	880.2	7	PvT(%)	-0.19	0	0	PASS
LVHT	GSM900	975	880.2	8	Power	26.91	24	30	PASS
LVHT	GSM900	975	880.2	8	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	975	880.2	9	Power	25.02	22	28	PASS
LVHT	GSM900	975	880.2	9	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	975	880.2	10	Power	23.03	20	26	PASS
LVHT	GSM900	975	880.2	10	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	975	880.2	11	Power	20.78	18	24	PASS
LVHT	GSM900	975	880.2	11	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	975	880.2	12	Power	18.69	16	22	PASS
LVHT	GSM900	975	880.2	12	PvT(%)	-0.09	0	0	PASS
LVHT	GSM900	975	880.2	13	Power	16.68	14	20	PASS
LVHT	GSM900	975	880.2	13	PvT(%)	-0.16	0	0	PASS
LVHT	GSM900	975	880.2	14	Power	14.8	12	18	PASS
LVHT	GSM900	975	880.2	14	PvT(%)	-0.01	0	0	PASS
LVHT	GSM900	975	880.2	15	Power	12.73	10	16	PASS
LVHT	GSM900	975	880.2	15	PvT(%)	-0.12	0	0	PASS
LVHT	GSM900	975	880.2	16	Power	10.44	6	16	PASS
LVHT	GSM900	975	880.2	16	PvT(%)	-0.14	0	0	PASS
LVHT	GSM900	975	880.2	17	Power	8.51	4	14	PASS
LVHT	GSM900	975	880.2	17	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	975	880.2	18	Power	6.48	2	12	PASS
LVHT	GSM900	975	880.2	18	PvT(%)	-0.16	0	0	PASS
LVHT	GSM900	975	880.2	19	Power	4.58	0	10	PASS
LVHT	GSM900	975	880.2	19	PvT(%)	-0.16	0	0	PASS
LVHT	GSM900	38	897.6	5	Power	32.36	31	35	PASS
LVHT	GSM900	38	897.6	5	PvT(%)	-0.03	0	0	PASS
LVHT	GSM900	38	897.6	6	Power	30.91	28	34	PASS
LVHT	GSM900	38	897.6	6	PvT(%)	-0.15	0	0	PASS
LVHT	GSM900	38	897.6	7	Power	28.88	26	32	PASS
LVHT	GSM900	38	897.6	7	PvT(%)	-0.11	0	0	PASS
LVHT	GSM900	38	897.6	8	Power	26.84	24	30	PASS
LVHT	GSM900	38	897.6	8	PvT(%)	-0.19	0	0	PASS
LVHT	GSM900	38	897.6	9	Power	24.89	22	28	PASS
LVHT	GSM900	38	897.6	9	PvT(%)	-0.07	0	0	PASS
LVHT	GSM900	38	897.6	10	Power	22.89	20	26	PASS
LVHT	GSM900	38	897.6	10	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	38	897.6	11	Power	20.63	18	24	PASS

LVHT	GSM900	38	897.6	11	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	38	897.6	12	Power	18.76	16	22	PASS
LVHT	GSM900	38	897.6	12	PvT(%)	-0.18	0	0	PASS
LVHT	GSM900	38	897.6	13	Power	16.69	14	20	PASS
LVHT	GSM900	38	897.6	13	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	38	897.6	14	Power	14.63	12	18	PASS
LVHT	GSM900	38	897.6	14	PvT(%)	-0.03	0	0	PASS
LVHT	GSM900	38	897.6	15	Power	12.56	10	16	PASS
LVHT	GSM900	38	897.6	15	PvT(%)	-0.19	0	0	PASS
LVHT	GSM900	38	897.6	16	Power	10.39	6	16	PASS
LVHT	GSM900	38	897.6	16	PvT(%)	-0.16	0	0	PASS
LVHT	GSM900	38	897.6	17	Power	8.55	4	14	PASS
LVHT	GSM900	38	897.6	17	PvT(%)	-0.08	0	0	PASS
LVHT	GSM900	38	897.6	18	Power	6.6	2	12	PASS
LVHT	GSM900	38	897.6	18	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	38	897.6	19	Power	4.59	0	10	PASS
LVHT	GSM900	38	897.6	19	PvT(%)	-0.11	0	0	PASS
LVHT	GSM900	124	914.8	5	Power	32.58	31	35	PASS
LVHT	GSM900	124	914.8	5	PvT(%)	-0.04	0	0	PASS
LVHT	GSM900	124	914.8	6	Power	31.06	28	34	PASS
LVHT	GSM900	124	914.8	6	PvT(%)	-0.18	0	0	PASS
LVHT	GSM900	124	914.8	7	Power	28.9	26	32	PASS
LVHT	GSM900	124	914.8	7	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	124	914.8	8	Power	26.87	24	30	PASS
LVHT	GSM900	124	914.8	8	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	124	914.8	9	Power	24.89	22	28	PASS
LVHT	GSM900	124	914.8	9	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	124	914.8	10	Power	22.82	20	26	PASS
LVHT	GSM900	124	914.8	10	PvT(%)	-0.01	0	0	PASS
LVHT	GSM900	124	914.8	11	Power	20.97	18	24	PASS
LVHT	GSM900	124	914.8	11	PvT(%)	-0.03	0	0	PASS
LVHT	GSM900	124	914.8	12	Power	18.86	16	22	PASS
LVHT	GSM900	124	914.8	12	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	124	914.8	13	Power	16.87	14	20	PASS
LVHT	GSM900	124	914.8	13	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	124	914.8	14	Power	14.86	12	18	PASS
LVHT	GSM900	124	914.8	14	PvT(%)	-0.16	0	0	PASS
LVHT	GSM900	124	914.8	15	Power	12.73	10	16	PASS
LVHT	GSM900	124	914.8	15	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	124	914.8	16	Power	10.73	6	16	PASS
LVHT	GSM900	124	914.8	16	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	124	914.8	17	Power	8.66	4	14	PASS
LVHT	GSM900	124	914.8	17	PvT(%)	-0.18	0	0	PASS
LVHT	GSM900	124	914.8	18	Power	6.83	2	12	PASS

LVHT	GSM900	124	914.8	18	PvT(%)	-0.15	0	0	PASS
LVHT	GSM900	124	914.8	19	Power	4.95	0	10	PASS
LVHT	GSM900	124	914.8	19	PvT(%)	-0.04	0	0	PASS
LVLT	GSM900	975	880.2	5	Power	32.56	31	35	PASS
LVLT	GSM900	975	880.2	5	PvT(%)	-0.19	0	0	PASS
LVLT	GSM900	975	880.2	6	Power	31.09	28	34	PASS
LVLT	GSM900	975	880.2	6	PvT(%)	-0.08	0	0	PASS
LVLT	GSM900	975	880.2	7	Power	29.07	26	32	PASS
LVLT	GSM900	975	880.2	7	PvT(%)	-0.1	0	0	PASS
LVLT	GSM900	975	880.2	8	Power	27.03	24	30	PASS
LVLT	GSM900	975	880.2	8	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	975	880.2	9	Power	25.06	22	28	PASS
LVLT	GSM900	975	880.2	9	PvT(%)	-0.12	0	0	PASS
LVLT	GSM900	975	880.2	10	Power	23.06	20	26	PASS
LVLT	GSM900	975	880.2	10	PvT(%)	-0.11	0	0	PASS
LVLT	GSM900	975	880.2	11	Power	20.78	18	24	PASS
LVLT	GSM900	975	880.2	11	PvT(%)	-0.11	0	0	PASS
LVLT	GSM900	975	880.2	12	Power	18.78	16	22	PASS
LVLT	GSM900	975	880.2	12	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	975	880.2	13	Power	16.86	14	20	PASS
LVLT	GSM900	975	880.2	13	PvT(%)	-0.02	0	0	PASS
LVLT	GSM900	975	880.2	14	Power	14.78	12	18	PASS
LVLT	GSM900	975	880.2	14	PvT(%)	-0.1	0	0	PASS
LVLT	GSM900	975	880.2	15	Power	12.65	10	16	PASS
LVLT	GSM900	975	880.2	15	PvT(%)	-0.02	0	0	PASS
LVLT	GSM900	975	880.2	16	Power	10.43	6	16	PASS
LVLT	GSM900	975	880.2	16	PvT(%)	-0.14	0	0	PASS
LVLT	GSM900	975	880.2	17	Power	8.47	4	14	PASS
LVLT	GSM900	975	880.2	17	PvT(%)	-0.14	0	0	PASS
LVLT	GSM900	975	880.2	18	Power	6.63	2	12	PASS
LVLT	GSM900	975	880.2	18	PvT(%)	-0.03	0	0	PASS
LVLT	GSM900	975	880.2	19	Power	4.62	0	10	PASS
LVLT	GSM900	975	880.2	19	PvT(%)	-0.1	0	0	PASS
LVLT	GSM900	38	897.6	5	Power	32.33	31	35	PASS
LVLT	GSM900	38	897.6	5	PvT(%)	-0.17	0	0	PASS
LVLT	GSM900	38	897.6	6	Power	31	28	34	PASS
LVLT	GSM900	38	897.6	6	PvT(%)	-0.02	0	0	PASS
LVLT	GSM900	38	897.6	7	Power	28.8	26	32	PASS
LVLT	GSM900	38	897.6	7	PvT(%)	-0.01	0	0	PASS
LVLT	GSM900	38	897.6	8	Power	26.89	24	30	PASS
LVLT	GSM900	38	897.6	8	PvT(%)	-0.1	0	0	PASS
LVLT	GSM900	38	897.6	9	Power	24.8	22	28	PASS
LVLT	GSM900	38	897.6	9	PvT(%)	-0.05	0	0	PASS
LVLT	GSM900	38	897.6	10	Power	22.9	20	26	PASS



LVLT	GSM900	38	897.6	10	PvT(%)	-0.11	0	0	PASS
LVLT	GSM900	38	897.6	11	Power	20.72	18	24	PASS
LVLT	GSM900	38	897.6	11	PvT(%)	-0.06	0	0	PASS
LVLT	GSM900	38	897.6	12	Power	18.67	16	22	PASS
LVLT	GSM900	38	897.6	12	PvT(%)	-0.19	0	0	PASS
LVLT	GSM900	38	897.6	13	Power	16.73	14	20	PASS
LVLT	GSM900	38	897.6	13	PvT(%)	-0.19	0	0	PASS
LVLT	GSM900	38	897.6	14	Power	14.65	12	18	PASS
LVLT	GSM900	38	897.6	14	PvT(%)	-0.08	0	0	PASS
LVLT	GSM900	38	897.6	15	Power	12.55	10	16	PASS
LVLT	GSM900	38	897.6	15	PvT(%)	-0.02	0	0	PASS
LVLT	GSM900	38	897.6	16	Power	10.56	6	16	PASS
LVLT	GSM900	38	897.6	16	PvT(%)	-0.14	0	0	PASS
LVLT	GSM900	38	897.6	17	Power	8.59	4	14	PASS
LVLT	GSM900	38	897.6	17	PvT(%)	-0.02	0	0	PASS
LVLT	GSM900	38	897.6	18	Power	6.6	2	12	PASS
LVLT	GSM900	38	897.6	18	PvT(%)	-0.1	0	0	PASS
LVLT	GSM900	38	897.6	19	Power	4.61	0	10	PASS
LVLT	GSM900	38	897.6	19	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	124	914.8	5	Power	32.51	31	35	PASS
LVLT	GSM900	124	914.8	5	PvT(%)	-0.06	0	0	PASS
LVLT	GSM900	124	914.8	6	Power	30.96	28	34	PASS
LVLT	GSM900	124	914.8	6	PvT(%)	-0.19	0	0	PASS
LVLT	GSM900	124	914.8	7	Power	28.91	26	32	PASS
LVLT	GSM900	124	914.8	7	PvT(%)	-0.1	0	0	PASS
LVLT	GSM900	124	914.8	8	Power	26.92	24	30	PASS
LVLT	GSM900	124	914.8	8	PvT(%)	-0.06	0	0	PASS
LVLT	GSM900	124	914.8	9	Power	24.9	22	28	PASS
LVLT	GSM900	124	914.8	9	PvT(%)	-0.1	0	0	PASS
LVLT	GSM900	124	914.8	10	Power	22.9	20	26	PASS
LVLT	GSM900	124	914.8	10	PvT(%)	-0.12	0	0	PASS
LVLT	GSM900	124	914.8	11	Power	21.01	18	24	PASS
LVLT	GSM900	124	914.8	11	PvT(%)	-0.06	0	0	PASS
LVLT	GSM900	124	914.8	12	Power	18.96	16	22	PASS
LVLT	GSM900	124	914.8	12	PvT(%)	-0.06	0	0	PASS
LVLT	GSM900	124	914.8	13	Power	16.87	14	20	PASS
LVLT	GSM900	124	914.8	13	PvT(%)	-0.11	0	0	PASS
LVLT	GSM900	124	914.8	14	Power	14.76	12	18	PASS
LVLT	GSM900	124	914.8	14	PvT(%)	-0.18	0	0	PASS
LVLT	GSM900	124	914.8	15	Power	12.81	10	16	PASS
LVLT	GSM900	124	914.8	15	PvT(%)	-0.03	0	0	PASS
LVLT	GSM900	124	914.8	16	Power	10.65	6	16	PASS
LVLT	GSM900	124	914.8	16	PvT(%)	-0.16	0	0	PASS
LVLT	GSM900	124	914.8	17	Power	8.73	4	14	PASS

LVL	GSM900	124	914.8	17	PvT(%)	-0.18	0	0	PASS
LVL	GSM900	124	914.8	18	Power	6.73	2	12	PASS
LVL	GSM900	124	914.8	18	PvT(%)	-0.08	0	0	PASS
LVL	GSM900	124	914.8	19	Power	4.84	0	10	PASS
LVL	GSM900	124	914.8	19	PvT(%)	-0.18	0	0	PASS

**Clause 4.2.6 Transmitter-Modulation Spectrum**

Condition	Band	Channel	Frequency (MHz)	PCL	Offset (kHz)	Relative Result (dB)	Relative Limit (dB)	Absolute Result (dBm)	Absolute Limit (dBm)	Verdict
HVHT	GSM1800	512	1710.2	0	-1800	-74.49	-60	-52.51	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1600	-74.16	-60	-52.01	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1400	-73.73	-60	-51.73	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1200	-72.11	-60	-50.06	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1000	-70.9	-60	-48.84	-55	PASS
HVHT	GSM1800	512	1710.2	0	-800	-68.5	-60	-46.3	-55	PASS
HVHT	GSM1800	512	1710.2	0	-600	-65.62	-60	-43.52	-55	PASS
HVHT	GSM1800	512	1710.2	0	-400	-60	-60	-37.96	-36	PASS
HVHT	GSM1800	512	1710.2	0	-250	-40.93	-33	-18.78	-36	PASS
HVHT	GSM1800	512	1710.2	0	-200	-36.93	-30	-14.7	-36	PASS
HVHT	GSM1800	512	1710.2	0	-100	-9.76	0.5	12.31	-36	PASS
HVHT	GSM1800	512	1710.2	0	100	-8.57	0.5	13.51	-36	PASS
HVHT	GSM1800	512	1710.2	0	200	-36.51	-30	-14.41	-36	PASS
HVHT	GSM1800	512	1710.2	0	250	-40.42	-33	-18.19	-36	PASS
HVHT	GSM1800	512	1710.2	0	400	-59.71	-60	-37.73	-36	PASS
HVHT	GSM1800	512	1710.2	0	600	-65.92	-60	-43.74	-55	PASS
HVHT	GSM1800	512	1710.2	0	800	-68.92	-60	-46.79	-55	PASS
HVHT	GSM1800	512	1710.2	0	1000	-70.76	-60	-48.68	-55	PASS
HVHT	GSM1800	512	1710.2	0	1200	-72.69	-60	-50.66	-55	PASS
HVHT	GSM1800	512	1710.2	0	1400	-72.97	-60	-50.8	-55	PASS
HVHT	GSM1800	512	1710.2	0	1600	-74.62	-60	-52.49	-55	PASS
HVHT	GSM1800	512	1710.2	0	1800	-74.02	-60	-51.96	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1800	-68.57	-60	-76.41	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1600	-68.78	-60	-76.65	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1400	-67.94	-60	-75.84	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1200	-68.15	-60	-76.08	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1000	-67.55	-60	-75.58	-55	PASS
HVHT	GSM1800	512	1710.2	15	-800	-66.45	-60	-74.26	-55	PASS
HVHT	GSM1800	512	1710.2	15	-600	-64.25	-60	-72.2	-55	PASS
HVHT	GSM1800	512	1710.2	15	-400	-58.93	-60	-66.83	-36	PASS
HVHT	GSM1800	512	1710.2	15	-250	-40.91	-33	-48.82	-36	PASS
HVHT	GSM1800	512	1710.2	15	-200	-35.43	-30	-43.36	-36	PASS
HVHT	GSM1800	512	1710.2	15	-100	-8.62	0.5	-16.52	-36	PASS
HVHT	GSM1800	512	1710.2	15	100	-8.9	0.5	-16.79	-36	PASS

HVHT	GSM1800	512	1710.2	15	200	-35.79	-30	-43.55	-36	PASS
HVHT	GSM1800	512	1710.2	15	250	-40.67	-33	-48.4	-36	PASS
HVHT	GSM1800	512	1710.2	15	400	-59.27	-60	-67.11	-36	PASS
HVHT	GSM1800	512	1710.2	15	600	-63.77	-60	-71.73	-55	PASS
HVHT	GSM1800	512	1710.2	15	800	-66.24	-60	-74.07	-55	PASS
HVHT	GSM1800	512	1710.2	15	1000	-67.43	-60	-75.31	-55	PASS
HVHT	GSM1800	512	1710.2	15	1200	-68.19	-60	-76.11	-55	PASS
HVHT	GSM1800	512	1710.2	15	1400	-67.67	-60	-75.55	-55	PASS
HVHT	GSM1800	512	1710.2	15	1600	-68.55	-60	-76.42	-55	PASS
HVHT	GSM1800	512	1710.2	15	1800	-68.49	-60	-76.38	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1800	-74.44	-60	-52.18	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1600	-74.04	-60	-51.78	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1400	-73.1	-60	-50.66	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1200	-71.07	-60	-48.74	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1000	-70.13	-60	-47.79	-55	PASS
HVHT	GSM1800	698	1747.4	0	-800	-67.31	-60	-44.91	-55	PASS
HVHT	GSM1800	698	1747.4	0	-600	-64.56	-60	-42.15	-55	PASS
HVHT	GSM1800	698	1747.4	0	-400	-59.34	-60	-37.04	-36	PASS
HVHT	GSM1800	698	1747.4	0	-250	-40.19	-33	-17.86	-36	PASS
HVHT	GSM1800	698	1747.4	0	-200	-36.64	-30	-14.31	-36	PASS
HVHT	GSM1800	698	1747.4	0	-100	-9.38	0.5	13	-36	PASS
HVHT	GSM1800	698	1747.4	0	100	-8.45	0.5	13.88	-36	PASS
HVHT	GSM1800	698	1747.4	0	200	-36.21	-30	-13.89	-36	PASS
HVHT	GSM1800	698	1747.4	0	250	-40.03	-33	-17.58	-36	PASS
HVHT	GSM1800	698	1747.4	0	400	-58.73	-60	-36.46	-36	PASS
HVHT	GSM1800	698	1747.4	0	600	-64.02	-60	-41.73	-55	PASS
HVHT	GSM1800	698	1747.4	0	800	-66.76	-60	-44.39	-55	PASS
HVHT	GSM1800	698	1747.4	0	1000	-69.93	-60	-47.57	-55	PASS
HVHT	GSM1800	698	1747.4	0	1200	-71.31	-60	-49.07	-55	PASS
HVHT	GSM1800	698	1747.4	0	1400	-72.59	-60	-50.24	-55	PASS
HVHT	GSM1800	698	1747.4	0	1600	-73.78	-60	-51.35	-55	PASS
HVHT	GSM1800	698	1747.4	0	1800	-74.33	-60	-51.87	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1800	-69.1	-60	-76.5	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1600	-69.17	-60	-76.6	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1400	-67.86	-60	-75.27	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1200	-67.9	-60	-75.24	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1000	-67.32	-60	-74.76	-55	PASS
HVHT	GSM1800	698	1747.4	15	-800	-66.93	-60	-74.2	-55	PASS
HVHT	GSM1800	698	1747.4	15	-600	-63.79	-60	-71.32	-55	PASS
HVHT	GSM1800	698	1747.4	15	-400	-58.76	-60	-66.07	-36	PASS
HVHT	GSM1800	698	1747.4	15	-250	-40.87	-33	-48.26	-36	PASS
HVHT	GSM1800	698	1747.4	15	-200	-35.36	-30	-42.67	-36	PASS
HVHT	GSM1800	698	1747.4	15	-100	-8.79	0.5	-16.23	-36	PASS
HVHT	GSM1800	698	1747.4	15	100	-8.92	0.5	-16.2	-36	PASS

HVHT	GSM1800	698	1747.4	15	200	-35.68	-30	-43.13	-36	PASS
HVHT	GSM1800	698	1747.4	15	250	-40.92	-33	-48.34	-36	PASS
HVHT	GSM1800	698	1747.4	15	400	-59.1	-60	-66.34	-36	PASS
HVHT	GSM1800	698	1747.4	15	600	-63.49	-60	-70.91	-55	PASS
HVHT	GSM1800	698	1747.4	15	800	-65.79	-60	-73.27	-55	PASS
HVHT	GSM1800	698	1747.4	15	1000	-67.11	-60	-74.52	-55	PASS
HVHT	GSM1800	698	1747.4	15	1200	-68.54	-60	-75.85	-55	PASS
HVHT	GSM1800	698	1747.4	15	1400	-67.94	-60	-75.4	-55	PASS
HVHT	GSM1800	698	1747.4	15	1600	-67.96	-60	-75.21	-55	PASS
HVHT	GSM1800	698	1747.4	15	1800	-67.86	-60	-75.28	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1800	-75.15	-60	-52.06	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1600	-74.45	-60	-51.47	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1400	-74.48	-60	-51.51	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1200	-72.85	-60	-49.74	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1000	-71.09	-60	-48.09	-55	PASS
HVHT	GSM1800	885	1784.8	0	-800	-68.12	-60	-44.96	-55	PASS
HVHT	GSM1800	885	1784.8	0	-600	-65.38	-60	-42.27	-55	PASS
HVHT	GSM1800	885	1784.8	0	-400	-59.56	-60	-36.52	-36	PASS
HVHT	GSM1800	885	1784.8	0	-250	-40.32	-33	-17.37	-36	PASS
HVHT	GSM1800	885	1784.8	0	-200	-36.56	-30	-13.49	-36	PASS
HVHT	GSM1800	885	1784.8	0	-100	-8.77	0.5	14.17	-36	PASS
HVHT	GSM1800	885	1784.8	0	100	-10.06	0.5	12.9	-36	PASS
HVHT	GSM1800	885	1784.8	0	200	-36.18	-30	-13	-36	PASS
HVHT	GSM1800	885	1784.8	0	250	-40.31	-33	-17.13	-36	PASS
HVHT	GSM1800	885	1784.8	0	400	-60.05	-60	-36.91	-36	PASS
HVHT	GSM1800	885	1784.8	0	600	-64.98	-60	-41.9	-55	PASS
HVHT	GSM1800	885	1784.8	0	800	-68.38	-60	-45.42	-55	PASS
HVHT	GSM1800	885	1784.8	0	1000	-70.7	-60	-47.73	-55	PASS
HVHT	GSM1800	885	1784.8	0	1200	-73.23	-60	-50.1	-55	PASS
HVHT	GSM1800	885	1784.8	0	1400	-73.64	-60	-50.5	-55	PASS
HVHT	GSM1800	885	1784.8	0	1600	-74.68	-60	-51.72	-55	PASS
HVHT	GSM1800	885	1784.8	0	1800	-75.2	-60	-52.25	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1800	-68.99	-60	-75.77	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1600	-68.59	-60	-75.43	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1400	-69.45	-60	-76.42	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1200	-67.55	-60	-74.37	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1000	-67.87	-60	-74.51	-55	PASS
HVHT	GSM1800	885	1784.8	15	-800	-66.67	-60	-73.56	-55	PASS
HVHT	GSM1800	885	1784.8	15	-600	-63.5	-60	-70.38	-55	PASS
HVHT	GSM1800	885	1784.8	15	-400	-59.73	-60	-66.45	-36	PASS
HVHT	GSM1800	885	1784.8	15	-250	-41.35	-33	-48.27	-36	PASS
HVHT	GSM1800	885	1784.8	15	-200	-36.6	-30	-43.4	-36	PASS
HVHT	GSM1800	885	1784.8	15	-100	-8.88	0.5	-15.74	-36	PASS
HVHT	GSM1800	885	1784.8	15	100	-8.7	0.5	-15.5	-36	PASS

HVHT	GSM1800	885	1784.8	15	200	-36.36	-30	-43.22	-36	PASS
HVHT	GSM1800	885	1784.8	15	250	-40.7	-33	-47.55	-36	PASS
HVHT	GSM1800	885	1784.8	15	400	-60.58	-60	-67.37	-36	PASS
HVHT	GSM1800	885	1784.8	15	600	-63.75	-60	-70.62	-55	PASS
HVHT	GSM1800	885	1784.8	15	800	-65.78	-60	-72.56	-55	PASS
HVHT	GSM1800	885	1784.8	15	1000	-68.1	-60	-74.78	-55	PASS
HVHT	GSM1800	885	1784.8	15	1200	-68.23	-60	-75.09	-55	PASS
HVHT	GSM1800	885	1784.8	15	1400	-68.62	-60	-75.4	-55	PASS
HVHT	GSM1800	885	1784.8	15	1600	-69.26	-60	-76.02	-55	PASS
HVHT	GSM1800	885	1784.8	15	1800	-68.89	-60	-75.67	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1800	-74.52	-60	-52.48	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1600	-74.2	-60	-52.13	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1400	-73.86	-60	-51.66	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1200	-72.08	-60	-50	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1000	-70.79	-60	-48.69	-55	PASS
HVLT	GSM1800	512	1710.2	0	-800	-68.45	-60	-46.38	-55	PASS
HVLT	GSM1800	512	1710.2	0	-600	-65.74	-60	-43.69	-55	PASS
HVLT	GSM1800	512	1710.2	0	-400	-59.94	-60	-37.85	-36	PASS
HVLT	GSM1800	512	1710.2	0	-250	-41	-33	-18.85	-36	PASS
HVLT	GSM1800	512	1710.2	0	-200	-36.87	-30	-14.82	-36	PASS
HVLT	GSM1800	512	1710.2	0	-100	-9.69	0.5	12.4	-36	PASS
HVLT	GSM1800	512	1710.2	0	100	-8.47	0.5	13.61	-36	PASS
HVLT	GSM1800	512	1710.2	0	200	-36.5	-30	-14.41	-36	PASS
HVLT	GSM1800	512	1710.2	0	250	-40.36	-33	-18.37	-36	PASS
HVLT	GSM1800	512	1710.2	0	400	-59.83	-60	-37.64	-36	PASS
HVLT	GSM1800	512	1710.2	0	600	-65.82	-60	-43.72	-55	PASS
HVLT	GSM1800	512	1710.2	0	800	-69.03	-60	-46.88	-55	PASS
HVLT	GSM1800	512	1710.2	0	1000	-70.75	-60	-48.75	-55	PASS
HVLT	GSM1800	512	1710.2	0	1200	-72.87	-60	-50.66	-55	PASS
HVLT	GSM1800	512	1710.2	0	1400	-72.87	-60	-50.86	-55	PASS
HVLT	GSM1800	512	1710.2	0	1600	-74.52	-60	-52.42	-55	PASS
HVLT	GSM1800	512	1710.2	0	1800	-73.99	-60	-51.83	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1800	-68.52	-60	-76.38	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1600	-68.71	-60	-76.64	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1400	-68.08	-60	-75.99	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1200	-68.25	-60	-76.11	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1000	-67.51	-60	-75.42	-55	PASS
HVLT	GSM1800	512	1710.2	15	-800	-66.29	-60	-74.17	-55	PASS
HVLT	GSM1800	512	1710.2	15	-600	-64.33	-60	-72.14	-55	PASS
HVLT	GSM1800	512	1710.2	15	-400	-58.85	-60	-66.75	-36	PASS
HVLT	GSM1800	512	1710.2	15	-250	-40.9	-33	-48.81	-36	PASS
HVLT	GSM1800	512	1710.2	15	-200	-35.44	-30	-43.35	-36	PASS
HVLT	GSM1800	512	1710.2	15	-100	-8.58	0.5	-16.49	-36	PASS
HVLT	GSM1800	512	1710.2	15	100	-8.88	0.5	-16.82	-36	PASS

HVLT	GSM1800	512	1710.2	15	200	-35.78	-30	-43.61	-36	PASS
HVLT	GSM1800	512	1710.2	15	250	-40.58	-33	-48.48	-36	PASS
HVLT	GSM1800	512	1710.2	15	400	-59.25	-60	-67.19	-36	PASS
HVLT	GSM1800	512	1710.2	15	600	-63.79	-60	-71.73	-55	PASS
HVLT	GSM1800	512	1710.2	15	800	-66.19	-60	-74.09	-55	PASS
HVLT	GSM1800	512	1710.2	15	1000	-67.57	-60	-75.34	-55	PASS
HVLT	GSM1800	512	1710.2	15	1200	-68.06	-60	-76.07	-55	PASS
HVLT	GSM1800	512	1710.2	15	1400	-67.5	-60	-75.51	-55	PASS
HVLT	GSM1800	512	1710.2	15	1600	-68.55	-60	-76.49	-55	PASS
HVLT	GSM1800	512	1710.2	15	1800	-68.51	-60	-76.44	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1800	-74.48	-60	-52.05	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1600	-74.03	-60	-51.82	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1400	-72.97	-60	-50.63	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1200	-71.15	-60	-48.85	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1000	-70.05	-60	-47.77	-55	PASS
HVLT	GSM1800	698	1747.4	0	-800	-67.22	-60	-44.89	-55	PASS
HVLT	GSM1800	698	1747.4	0	-600	-64.55	-60	-42.25	-55	PASS
HVLT	GSM1800	698	1747.4	0	-400	-59.35	-60	-36.92	-36	PASS
HVLT	GSM1800	698	1747.4	0	-250	-40.23	-33	-17.89	-36	PASS
HVLT	GSM1800	698	1747.4	0	-200	-36.7	-30	-14.38	-36	PASS
HVLT	GSM1800	698	1747.4	0	-100	-9.4	0.5	12.96	-36	PASS
HVLT	GSM1800	698	1747.4	0	100	-8.42	0.5	13.82	-36	PASS
HVLT	GSM1800	698	1747.4	0	200	-36.21	-30	-13.98	-36	PASS
HVLT	GSM1800	698	1747.4	0	250	-39.89	-33	-17.6	-36	PASS
HVLT	GSM1800	698	1747.4	0	400	-58.69	-60	-36.51	-36	PASS
HVLT	GSM1800	698	1747.4	0	600	-64	-60	-41.82	-55	PASS
HVLT	GSM1800	698	1747.4	0	800	-66.71	-60	-44.5	-55	PASS
HVLT	GSM1800	698	1747.4	0	1000	-69.92	-60	-47.68	-55	PASS
HVLT	GSM1800	698	1747.4	0	1200	-71.38	-60	-49.14	-55	PASS
HVLT	GSM1800	698	1747.4	0	1400	-72.59	-60	-50.25	-55	PASS
HVLT	GSM1800	698	1747.4	0	1600	-73.79	-60	-51.47	-55	PASS
HVLT	GSM1800	698	1747.4	0	1800	-74.22	-60	-51.85	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1800	-69	-60	-76.47	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1600	-69.2	-60	-76.57	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1400	-68.01	-60	-75.43	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1200	-67.83	-60	-75.22	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1000	-67.33	-60	-74.71	-55	PASS
HVLT	GSM1800	698	1747.4	15	-800	-66.78	-60	-74.21	-55	PASS
HVLT	GSM1800	698	1747.4	15	-600	-63.9	-60	-71.25	-55	PASS
HVLT	GSM1800	698	1747.4	15	-400	-58.6	-60	-66.05	-36	PASS
HVLT	GSM1800	698	1747.4	15	-250	-40.98	-33	-48.31	-36	PASS
HVLT	GSM1800	698	1747.4	15	-200	-35.31	-30	-42.74	-36	PASS
HVLT	GSM1800	698	1747.4	15	-100	-8.78	0.5	-16.24	-36	PASS
HVLT	GSM1800	698	1747.4	15	100	-8.75	0.5	-16.28	-36	PASS

HVLT	GSM1800	698	1747.4	15	200	-35.59	-30	-43.02	-36	PASS
HVLT	GSM1800	698	1747.4	15	250	-40.93	-33	-48.32	-36	PASS
HVLT	GSM1800	698	1747.4	15	400	-58.93	-60	-66.38	-36	PASS
HVLT	GSM1800	698	1747.4	15	600	-63.56	-60	-71.02	-55	PASS
HVLT	GSM1800	698	1747.4	15	800	-65.94	-60	-73.25	-55	PASS
HVLT	GSM1800	698	1747.4	15	1000	-67.06	-60	-74.56	-55	PASS
HVLT	GSM1800	698	1747.4	15	1200	-68.6	-60	-75.95	-55	PASS
HVLT	GSM1800	698	1747.4	15	1400	-68.02	-60	-75.4	-55	PASS
HVLT	GSM1800	698	1747.4	15	1600	-67.88	-60	-75.22	-55	PASS
HVLT	GSM1800	698	1747.4	15	1800	-67.94	-60	-75.28	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1800	-75.22	-60	-52.04	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1600	-74.46	-60	-51.41	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1400	-74.51	-60	-51.33	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1200	-72.74	-60	-49.69	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1000	-71.06	-60	-48.12	-55	PASS
HVLT	GSM1800	885	1784.8	0	-800	-68.11	-60	-45.04	-55	PASS
HVLT	GSM1800	885	1784.8	0	-600	-65.32	-60	-42.23	-55	PASS
HVLT	GSM1800	885	1784.8	0	-400	-59.62	-60	-36.58	-36	PASS
HVLT	GSM1800	885	1784.8	0	-250	-40.47	-33	-17.32	-36	PASS
HVLT	GSM1800	885	1784.8	0	-200	-36.52	-30	-13.45	-36	PASS
HVLT	GSM1800	885	1784.8	0	-100	-8.84	0.5	14.23	-36	PASS
HVLT	GSM1800	885	1784.8	0	100	-10.11	0.5	12.98	-36	PASS
HVLT	GSM1800	885	1784.8	0	200	-36.16	-30	-13.01	-36	PASS
HVLT	GSM1800	885	1784.8	0	250	-40.23	-33	-17.15	-36	PASS
HVLT	GSM1800	885	1784.8	0	400	-60.03	-60	-36.86	-36	PASS
HVLT	GSM1800	885	1784.8	0	600	-64.92	-60	-41.88	-55	PASS
HVLT	GSM1800	885	1784.8	0	800	-68.52	-60	-45.45	-55	PASS
HVLT	GSM1800	885	1784.8	0	1000	-70.7	-60	-47.65	-55	PASS
HVLT	GSM1800	885	1784.8	0	1200	-73.11	-60	-50.17	-55	PASS
HVLT	GSM1800	885	1784.8	0	1400	-73.58	-60	-50.5	-55	PASS
HVLT	GSM1800	885	1784.8	0	1600	-74.84	-60	-51.65	-55	PASS
HVLT	GSM1800	885	1784.8	0	1800	-75.33	-60	-52.18	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1800	-68.99	-60	-75.83	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1600	-68.68	-60	-75.53	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1400	-69.48	-60	-76.44	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1200	-67.6	-60	-74.34	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1000	-67.72	-60	-74.62	-55	PASS
HVLT	GSM1800	885	1784.8	15	-800	-66.8	-60	-73.49	-55	PASS
HVLT	GSM1800	885	1784.8	15	-600	-63.64	-60	-70.48	-55	PASS
HVLT	GSM1800	885	1784.8	15	-400	-59.69	-60	-66.47	-36	PASS
HVLT	GSM1800	885	1784.8	15	-250	-41.45	-33	-48.15	-36	PASS
HVLT	GSM1800	885	1784.8	15	-200	-36.58	-30	-43.42	-36	PASS
HVLT	GSM1800	885	1784.8	15	-100	-8.96	0.5	-15.75	-36	PASS
HVLT	GSM1800	885	1784.8	15	100	-8.65	0.5	-15.4	-36	PASS

HVLT	GSM1800	885	1784.8	15	200	-36.31	-30	-43.15	-36	PASS
HVLT	GSM1800	885	1784.8	15	250	-40.69	-33	-47.43	-36	PASS
HVLT	GSM1800	885	1784.8	15	400	-60.59	-60	-67.32	-36	PASS
HVLT	GSM1800	885	1784.8	15	600	-63.76	-60	-70.57	-55	PASS
HVLT	GSM1800	885	1784.8	15	800	-65.78	-60	-72.47	-55	PASS
HVLT	GSM1800	885	1784.8	15	1000	-68.02	-60	-74.9	-55	PASS
HVLT	GSM1800	885	1784.8	15	1200	-68.34	-60	-75.12	-55	PASS
HVLT	GSM1800	885	1784.8	15	1400	-68.6	-60	-75.56	-55	PASS
HVLT	GSM1800	885	1784.8	15	1600	-69.35	-60	-76.19	-55	PASS
HVLT	GSM1800	885	1784.8	15	1800	-68.82	-60	-75.69	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1800	-74.6	-60	-52.44	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1600	-74.24	-60	-52.04	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1400	-73.84	-60	-51.59	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1200	-72.09	-60	-50.05	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1000	-70.91	-60	-48.68	-55	PASS
LVHT	GSM1800	512	1710.2	0	-800	-68.43	-60	-46.32	-55	PASS
LVHT	GSM1800	512	1710.2	0	-600	-65.66	-60	-43.57	-55	PASS
LVHT	GSM1800	512	1710.2	0	-400	-60.09	-60	-37.85	-36	PASS
LVHT	GSM1800	512	1710.2	0	-250	-41.02	-33	-18.85	-36	PASS
LVHT	GSM1800	512	1710.2	0	-200	-36.98	-30	-14.68	-36	PASS
LVHT	GSM1800	512	1710.2	0	-100	-9.8	0.5	12.32	-36	PASS
LVHT	GSM1800	512	1710.2	0	100	-8.64	0.5	13.57	-36	PASS
LVHT	GSM1800	512	1710.2	0	200	-36.45	-30	-14.48	-36	PASS
LVHT	GSM1800	512	1710.2	0	250	-40.4	-33	-18.37	-36	PASS
LVHT	GSM1800	512	1710.2	0	400	-59.8	-60	-37.76	-36	PASS
LVHT	GSM1800	512	1710.2	0	600	-65.77	-60	-43.65	-55	PASS
LVHT	GSM1800	512	1710.2	0	800	-68.97	-60	-46.77	-55	PASS
LVHT	GSM1800	512	1710.2	0	1000	-70.77	-60	-48.69	-55	PASS
LVHT	GSM1800	512	1710.2	0	1200	-72.79	-60	-50.77	-55	PASS
LVHT	GSM1800	512	1710.2	0	1400	-72.89	-60	-50.73	-55	PASS
LVHT	GSM1800	512	1710.2	0	1600	-74.51	-60	-52.48	-55	PASS
LVHT	GSM1800	512	1710.2	0	1800	-74.1	-60	-51.96	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1800	-68.57	-60	-76.42	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1600	-68.66	-60	-76.54	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1400	-67.98	-60	-75.88	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1200	-68.27	-60	-75.97	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1000	-67.58	-60	-75.41	-55	PASS
LVHT	GSM1800	512	1710.2	15	-800	-66.34	-60	-74.18	-55	PASS
LVHT	GSM1800	512	1710.2	15	-600	-64.32	-60	-72.14	-55	PASS
LVHT	GSM1800	512	1710.2	15	-400	-58.82	-60	-66.86	-36	PASS
LVHT	GSM1800	512	1710.2	15	-250	-40.99	-33	-48.82	-36	PASS
LVHT	GSM1800	512	1710.2	15	-200	-35.33	-30	-43.34	-36	PASS
LVHT	GSM1800	512	1710.2	15	-100	-8.62	0.5	-16.34	-36	PASS
LVHT	GSM1800	512	1710.2	15	100	-8.87	0.5	-16.64	-36	PASS



LVHT	GSM1800	512	1710.2	15	200	-35.83	-30	-43.62	-36	PASS
LVHT	GSM1800	512	1710.2	15	250	-40.66	-33	-48.39	-36	PASS
LVHT	GSM1800	512	1710.2	15	400	-59.22	-60	-67.22	-36	PASS
LVHT	GSM1800	512	1710.2	15	600	-63.86	-60	-71.58	-55	PASS
LVHT	GSM1800	512	1710.2	15	800	-66.16	-60	-73.93	-55	PASS
LVHT	GSM1800	512	1710.2	15	1000	-67.57	-60	-75.44	-55	PASS
LVHT	GSM1800	512	1710.2	15	1200	-68.19	-60	-76	-55	PASS
LVHT	GSM1800	512	1710.2	15	1400	-67.6	-60	-75.39	-55	PASS
LVHT	GSM1800	512	1710.2	15	1600	-68.46	-60	-76.37	-55	PASS
LVHT	GSM1800	512	1710.2	15	1800	-68.56	-60	-76.4	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1800	-74.53	-60	-52.07	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1600	-74.18	-60	-51.75	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1400	-73.11	-60	-50.75	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1200	-71.13	-60	-48.84	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1000	-70.02	-60	-47.68	-55	PASS
LVHT	GSM1800	698	1747.4	0	-800	-67.31	-60	-44.88	-55	PASS
LVHT	GSM1800	698	1747.4	0	-600	-64.6	-60	-42.17	-55	PASS
LVHT	GSM1800	698	1747.4	0	-400	-59.19	-60	-37	-36	PASS
LVHT	GSM1800	698	1747.4	0	-250	-40.24	-33	-17.99	-36	PASS
LVHT	GSM1800	698	1747.4	0	-200	-36.79	-30	-14.43	-36	PASS
LVHT	GSM1800	698	1747.4	0	-100	-9.33	0.5	12.97	-36	PASS
LVHT	GSM1800	698	1747.4	0	100	-8.46	0.5	13.87	-36	PASS
LVHT	GSM1800	698	1747.4	0	200	-36.21	-30	-13.85	-36	PASS
LVHT	GSM1800	698	1747.4	0	250	-39.86	-33	-17.56	-36	PASS
LVHT	GSM1800	698	1747.4	0	400	-58.79	-60	-36.52	-36	PASS
LVHT	GSM1800	698	1747.4	0	600	-64.09	-60	-41.77	-55	PASS
LVHT	GSM1800	698	1747.4	0	800	-66.71	-60	-44.34	-55	PASS
LVHT	GSM1800	698	1747.4	0	1000	-69.9	-60	-47.72	-55	PASS
LVHT	GSM1800	698	1747.4	0	1200	-71.44	-60	-49.1	-55	PASS
LVHT	GSM1800	698	1747.4	0	1400	-72.56	-60	-50.31	-55	PASS
LVHT	GSM1800	698	1747.4	0	1600	-73.64	-60	-51.35	-55	PASS
LVHT	GSM1800	698	1747.4	0	1800	-74.29	-60	-51.9	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1800	-68.96	-60	-76.47	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1600	-69.05	-60	-76.57	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1400	-67.9	-60	-75.45	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1200	-67.89	-60	-75.23	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1000	-67.32	-60	-74.72	-55	PASS
LVHT	GSM1800	698	1747.4	15	-800	-66.81	-60	-74.26	-55	PASS
LVHT	GSM1800	698	1747.4	15	-600	-63.88	-60	-71.26	-55	PASS
LVHT	GSM1800	698	1747.4	15	-400	-58.73	-60	-66.12	-36	PASS
LVHT	GSM1800	698	1747.4	15	-250	-40.92	-33	-48.33	-36	PASS
LVHT	GSM1800	698	1747.4	15	-200	-35.2	-30	-42.71	-36	PASS
LVHT	GSM1800	698	1747.4	15	-100	-8.81	0.5	-16.18	-36	PASS
LVHT	GSM1800	698	1747.4	15	100	-8.74	0.5	-16.29	-36	PASS

LVHT	GSM1800	698	1747.4	15	200	-35.74	-30	-43.03	-36	PASS
LVHT	GSM1800	698	1747.4	15	250	-40.75	-33	-48.17	-36	PASS
LVHT	GSM1800	698	1747.4	15	400	-59.05	-60	-66.41	-36	PASS
LVHT	GSM1800	698	1747.4	15	600	-63.56	-60	-70.87	-55	PASS
LVHT	GSM1800	698	1747.4	15	800	-65.87	-60	-73.24	-55	PASS
LVHT	GSM1800	698	1747.4	15	1000	-67.05	-60	-74.55	-55	PASS
LVHT	GSM1800	698	1747.4	15	1200	-68.41	-60	-75.92	-55	PASS
LVHT	GSM1800	698	1747.4	15	1400	-68.09	-60	-75.48	-55	PASS
LVHT	GSM1800	698	1747.4	15	1600	-67.83	-60	-75.29	-55	PASS
LVHT	GSM1800	698	1747.4	15	1800	-67.9	-60	-75.27	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1800	-75.23	-60	-52.16	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1600	-74.51	-60	-51.46	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1400	-74.54	-60	-51.43	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1200	-72.67	-60	-49.72	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1000	-71.05	-60	-48.02	-55	PASS
LVHT	GSM1800	885	1784.8	0	-800	-68.13	-60	-45.07	-55	PASS
LVHT	GSM1800	885	1784.8	0	-600	-65.33	-60	-42.27	-55	PASS
LVHT	GSM1800	885	1784.8	0	-400	-59.67	-60	-36.66	-36	PASS
LVHT	GSM1800	885	1784.8	0	-250	-40.46	-33	-17.34	-36	PASS
LVHT	GSM1800	885	1784.8	0	-200	-36.6	-30	-13.62	-36	PASS
LVHT	GSM1800	885	1784.8	0	-100	-8.86	0.5	14.24	-36	PASS
LVHT	GSM1800	885	1784.8	0	100	-10.23	0.5	12.98	-36	PASS
LVHT	GSM1800	885	1784.8	0	200	-36.17	-30	-13.14	-36	PASS
LVHT	GSM1800	885	1784.8	0	250	-40.29	-33	-17.11	-36	PASS
LVHT	GSM1800	885	1784.8	0	400	-59.98	-60	-36.86	-36	PASS
LVHT	GSM1800	885	1784.8	0	600	-64.95	-60	-42.04	-55	PASS
LVHT	GSM1800	885	1784.8	0	800	-68.49	-60	-45.45	-55	PASS
LVHT	GSM1800	885	1784.8	0	1000	-70.7	-60	-47.68	-55	PASS
LVHT	GSM1800	885	1784.8	0	1200	-73.28	-60	-50.14	-55	PASS
LVHT	GSM1800	885	1784.8	0	1400	-73.61	-60	-50.52	-55	PASS
LVHT	GSM1800	885	1784.8	0	1600	-74.74	-60	-51.61	-55	PASS
LVHT	GSM1800	885	1784.8	0	1800	-75.39	-60	-52.21	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1800	-68.95	-60	-75.8	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1600	-68.66	-60	-75.51	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1400	-69.6	-60	-76.43	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1200	-67.7	-60	-74.47	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1000	-67.71	-60	-74.62	-55	PASS
LVHT	GSM1800	885	1784.8	15	-800	-66.77	-60	-73.52	-55	PASS
LVHT	GSM1800	885	1784.8	15	-600	-63.63	-60	-70.32	-55	PASS
LVHT	GSM1800	885	1784.8	15	-400	-59.73	-60	-66.57	-36	PASS
LVHT	GSM1800	885	1784.8	15	-250	-41.5	-33	-48.31	-36	PASS
LVHT	GSM1800	885	1784.8	15	-200	-36.65	-30	-43.42	-36	PASS
LVHT	GSM1800	885	1784.8	15	-100	-8.84	0.5	-15.82	-36	PASS
LVHT	GSM1800	885	1784.8	15	100	-8.51	0.5	-15.42	-36	PASS

LVHT	GSM1800	885	1784.8	15	200	-36.35	-30	-43.17	-36	PASS
LVHT	GSM1800	885	1784.8	15	250	-40.6	-33	-47.45	-36	PASS
LVHT	GSM1800	885	1784.8	15	400	-60.57	-60	-67.38	-36	PASS
LVHT	GSM1800	885	1784.8	15	600	-63.83	-60	-70.62	-55	PASS
LVHT	GSM1800	885	1784.8	15	800	-65.71	-60	-72.57	-55	PASS
LVHT	GSM1800	885	1784.8	15	1000	-68.07	-60	-74.75	-55	PASS
LVHT	GSM1800	885	1784.8	15	1200	-68.3	-60	-75	-55	PASS
LVHT	GSM1800	885	1784.8	15	1400	-68.65	-60	-75.53	-55	PASS
LVHT	GSM1800	885	1784.8	15	1600	-69.26	-60	-76.09	-55	PASS
LVHT	GSM1800	885	1784.8	15	1800	-68.99	-60	-75.66	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1800	-74.62	-60	-52.54	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1600	-74.27	-60	-51.99	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1400	-73.84	-60	-51.71	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1200	-72.22	-60	-50.11	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1000	-70.82	-60	-48.67	-55	PASS
LVLT	GSM1800	512	1710.2	0	-800	-68.42	-60	-46.32	-55	PASS
LVLT	GSM1800	512	1710.2	0	-600	-65.75	-60	-43.56	-55	PASS
LVLT	GSM1800	512	1710.2	0	-400	-59.95	-60	-37.93	-36	PASS
LVLT	GSM1800	512	1710.2	0	-250	-40.86	-33	-18.85	-36	PASS
LVLT	GSM1800	512	1710.2	0	-200	-36.83	-30	-14.78	-36	PASS
LVLT	GSM1800	512	1710.2	0	-100	-9.83	0.5	12.38	-36	PASS
LVLT	GSM1800	512	1710.2	0	100	-8.55	0.5	13.64	-36	PASS
LVLT	GSM1800	512	1710.2	0	200	-36.59	-30	-14.48	-36	PASS
LVLT	GSM1800	512	1710.2	0	250	-40.46	-33	-18.24	-36	PASS
LVLT	GSM1800	512	1710.2	0	400	-59.73	-60	-37.73	-36	PASS
LVLT	GSM1800	512	1710.2	0	600	-65.74	-60	-43.68	-55	PASS
LVLT	GSM1800	512	1710.2	0	800	-69.02	-60	-46.91	-55	PASS
LVLT	GSM1800	512	1710.2	0	1000	-70.81	-60	-48.72	-55	PASS
LVLT	GSM1800	512	1710.2	0	1200	-72.75	-60	-50.64	-55	PASS
LVLT	GSM1800	512	1710.2	0	1400	-72.88	-60	-50.79	-55	PASS
LVLT	GSM1800	512	1710.2	0	1600	-74.68	-60	-52.5	-55	PASS
LVLT	GSM1800	512	1710.2	0	1800	-73.96	-60	-51.9	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1800	-68.57	-60	-76.5	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1600	-68.72	-60	-76.58	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1400	-68.12	-60	-75.85	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1200	-68.17	-60	-76.04	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1000	-67.68	-60	-75.42	-55	PASS
LVLT	GSM1800	512	1710.2	15	-800	-66.32	-60	-74.26	-55	PASS
LVLT	GSM1800	512	1710.2	15	-600	-64.3	-60	-72.25	-55	PASS
LVLT	GSM1800	512	1710.2	15	-400	-58.83	-60	-66.86	-36	PASS
LVLT	GSM1800	512	1710.2	15	-250	-41.05	-33	-48.89	-36	PASS
LVLT	GSM1800	512	1710.2	15	-200	-35.46	-30	-43.28	-36	PASS
LVLT	GSM1800	512	1710.2	15	-100	-8.63	0.5	-16.51	-36	PASS
LVLT	GSM1800	512	1710.2	15	100	-8.83	0.5	-16.79	-36	PASS

LVLT	GSM1800	512	1710.2	15	200	-35.79	-30	-43.66	-36	PASS
LVLT	GSM1800	512	1710.2	15	250	-40.59	-33	-48.55	-36	PASS
LVLT	GSM1800	512	1710.2	15	400	-59.23	-60	-67.21	-36	PASS
LVLT	GSM1800	512	1710.2	15	600	-63.79	-60	-71.58	-55	PASS
LVLT	GSM1800	512	1710.2	15	800	-66.24	-60	-74.1	-55	PASS
LVLT	GSM1800	512	1710.2	15	1000	-67.5	-60	-75.31	-55	PASS
LVLT	GSM1800	512	1710.2	15	1200	-68.12	-60	-76.03	-55	PASS
LVLT	GSM1800	512	1710.2	15	1400	-67.53	-60	-75.55	-55	PASS
LVLT	GSM1800	512	1710.2	15	1600	-68.53	-60	-76.48	-55	PASS
LVLT	GSM1800	512	1710.2	15	1800	-68.49	-60	-76.43	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1800	-74.49	-60	-52.22	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1600	-74.02	-60	-51.8	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1400	-72.98	-60	-50.73	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1200	-71.13	-60	-48.74	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1000	-70.12	-60	-47.8	-55	PASS
LVLT	GSM1800	698	1747.4	0	-800	-67.24	-60	-44.92	-55	PASS
LVLT	GSM1800	698	1747.4	0	-600	-64.53	-60	-42.29	-55	PASS
LVLT	GSM1800	698	1747.4	0	-400	-59.28	-60	-36.91	-36	PASS
LVLT	GSM1800	698	1747.4	0	-250	-40.29	-33	-17.93	-36	PASS
LVLT	GSM1800	698	1747.4	0	-200	-36.64	-30	-14.33	-36	PASS
LVLT	GSM1800	698	1747.4	0	-100	-9.41	0.5	12.99	-36	PASS
LVLT	GSM1800	698	1747.4	0	100	-8.45	0.5	13.85	-36	PASS
LVLT	GSM1800	698	1747.4	0	200	-36.18	-30	-14	-36	PASS
LVLT	GSM1800	698	1747.4	0	250	-39.94	-33	-17.59	-36	PASS
LVLT	GSM1800	698	1747.4	0	400	-58.73	-60	-36.49	-36	PASS
LVLT	GSM1800	698	1747.4	0	600	-63.95	-60	-41.68	-55	PASS
LVLT	GSM1800	698	1747.4	0	800	-66.75	-60	-44.46	-55	PASS
LVLT	GSM1800	698	1747.4	0	1000	-69.88	-60	-47.72	-55	PASS
LVLT	GSM1800	698	1747.4	0	1200	-71.44	-60	-49.18	-55	PASS
LVLT	GSM1800	698	1747.4	0	1400	-72.66	-60	-50.34	-55	PASS
LVLT	GSM1800	698	1747.4	0	1600	-73.63	-60	-51.37	-55	PASS
LVLT	GSM1800	698	1747.4	0	1800	-74.2	-60	-51.86	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1800	-69	-60	-76.56	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1600	-69.2	-60	-76.59	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1400	-68.04	-60	-75.27	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1200	-67.81	-60	-75.35	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1000	-67.38	-60	-74.74	-55	PASS
LVLT	GSM1800	698	1747.4	15	-800	-66.76	-60	-74.25	-55	PASS
LVLT	GSM1800	698	1747.4	15	-600	-63.84	-60	-71.28	-55	PASS
LVLT	GSM1800	698	1747.4	15	-400	-58.6	-60	-66.04	-36	PASS
LVLT	GSM1800	698	1747.4	15	-250	-40.83	-33	-48.3	-36	PASS
LVLT	GSM1800	698	1747.4	15	-200	-35.36	-30	-42.64	-36	PASS
LVLT	GSM1800	698	1747.4	15	-100	-8.86	0.5	-16.2	-36	PASS
LVLT	GSM1800	698	1747.4	15	100	-8.74	0.5	-16.29	-36	PASS

LVLT	GSM1800	698	1747.4	15	200	-35.67	-30	-43.11	-36	PASS
LVLT	GSM1800	698	1747.4	15	250	-40.86	-33	-48.33	-36	PASS
LVLT	GSM1800	698	1747.4	15	400	-59.1	-60	-66.44	-36	PASS
LVLT	GSM1800	698	1747.4	15	600	-63.47	-60	-70.92	-55	PASS
LVLT	GSM1800	698	1747.4	15	800	-65.94	-60	-73.27	-55	PASS
LVLT	GSM1800	698	1747.4	15	1000	-67.03	-60	-74.44	-55	PASS
LVLT	GSM1800	698	1747.4	15	1200	-68.41	-60	-75.98	-55	PASS
LVLT	GSM1800	698	1747.4	15	1400	-67.98	-60	-75.4	-55	PASS
LVLT	GSM1800	698	1747.4	15	1600	-67.88	-60	-75.24	-55	PASS
LVLT	GSM1800	698	1747.4	15	1800	-67.96	-60	-75.28	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1800	-75.2	-60	-52.16	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1600	-74.55	-60	-51.45	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1400	-74.55	-60	-51.41	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1200	-72.78	-60	-49.75	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1000	-71.12	-60	-48	-55	PASS
LVLT	GSM1800	885	1784.8	0	-800	-68.04	-60	-45.08	-55	PASS
LVLT	GSM1800	885	1784.8	0	-600	-65.43	-60	-42.21	-55	PASS
LVLT	GSM1800	885	1784.8	0	-400	-59.56	-60	-36.52	-36	PASS
LVLT	GSM1800	885	1784.8	0	-250	-40.38	-33	-17.29	-36	PASS
LVLT	GSM1800	885	1784.8	0	-200	-36.68	-30	-13.45	-36	PASS
LVLT	GSM1800	885	1784.8	0	-100	-8.77	0.5	14.15	-36	PASS
LVLT	GSM1800	885	1784.8	0	100	-10.15	0.5	12.86	-36	PASS
LVLT	GSM1800	885	1784.8	0	200	-36.21	-30	-13.13	-36	PASS
LVLT	GSM1800	885	1784.8	0	250	-40.21	-33	-17.17	-36	PASS
LVLT	GSM1800	885	1784.8	0	400	-60.05	-60	-36.91	-36	PASS
LVLT	GSM1800	885	1784.8	0	600	-65.02	-60	-41.95	-55	PASS
LVLT	GSM1800	885	1784.8	0	800	-68.46	-60	-45.44	-55	PASS
LVLT	GSM1800	885	1784.8	0	1000	-70.74	-60	-47.81	-55	PASS
LVLT	GSM1800	885	1784.8	0	1200	-73.12	-60	-50.06	-55	PASS
LVLT	GSM1800	885	1784.8	0	1400	-73.56	-60	-50.59	-55	PASS
LVLT	GSM1800	885	1784.8	0	1600	-74.85	-60	-51.69	-55	PASS
LVLT	GSM1800	885	1784.8	0	1800	-75.38	-60	-52.29	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1800	-68.88	-60	-75.77	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1600	-68.65	-60	-75.57	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1400	-69.57	-60	-76.27	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1200	-67.69	-60	-74.37	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1000	-67.77	-60	-74.64	-55	PASS
LVLT	GSM1800	885	1784.8	15	-800	-66.67	-60	-73.59	-55	PASS
LVLT	GSM1800	885	1784.8	15	-600	-63.51	-60	-70.45	-55	PASS
LVLT	GSM1800	885	1784.8	15	-400	-59.67	-60	-66.6	-36	PASS
LVLT	GSM1800	885	1784.8	15	-250	-41.36	-33	-48.17	-36	PASS
LVLT	GSM1800	885	1784.8	15	-200	-36.61	-30	-43.43	-36	PASS
LVLT	GSM1800	885	1784.8	15	-100	-8.94	0.5	-15.81	-36	PASS
LVLT	GSM1800	885	1784.8	15	100	-8.55	0.5	-15.33	-36	PASS

LVLT	GSM1800	885	1784.8	15	200	-36.46	-30	-43.14	-36	PASS
LVLT	GSM1800	885	1784.8	15	250	-40.62	-33	-47.45	-36	PASS
LVLT	GSM1800	885	1784.8	15	400	-60.57	-60	-67.39	-36	PASS
LVLT	GSM1800	885	1784.8	15	600	-63.75	-60	-70.65	-55	PASS
LVLT	GSM1800	885	1784.8	15	800	-65.82	-60	-72.6	-55	PASS
LVLT	GSM1800	885	1784.8	15	1000	-68.05	-60	-74.82	-55	PASS
LVLT	GSM1800	885	1784.8	15	1200	-68.29	-60	-75.05	-55	PASS
LVLT	GSM1800	885	1784.8	15	1400	-68.74	-60	-75.56	-55	PASS
LVLT	GSM1800	885	1784.8	15	1600	-69.32	-60	-76.06	-55	PASS
LVLT	GSM1800	885	1784.8	15	1800	-68.83	-60	-75.81	-55	PASS
HVHT	GSM900	975	880.2	5	-1800	-80	-60	-55.05	-51	PASS
HVHT	GSM900	975	880.2	5	-1600	-77.61	-60	-52.86	-51	PASS
HVHT	GSM900	975	880.2	5	-1400	-78.14	-60	-53.25	-51	PASS
HVHT	GSM900	975	880.2	5	-1200	-77.56	-60	-52.64	-51	PASS
HVHT	GSM900	975	880.2	5	-1000	-74.09	-60	-49.22	-51	PASS
HVHT	GSM900	975	880.2	5	-800	-76.31	-60	-51.42	-51	PASS
HVHT	GSM900	975	880.2	5	-600	-74.33	-60	-49.45	-51	PASS
HVHT	GSM900	975	880.2	5	-400	-69.42	-60	-44.66	-36	PASS
HVHT	GSM900	975	880.2	5	-250	-40.56	-33	-15.76	-36	PASS
HVHT	GSM900	975	880.2	5	-200	-36.58	-30	-11.88	-36	PASS
HVHT	GSM900	975	880.2	5	-100	-9.27	0.5	15.43	-36	PASS
HVHT	GSM900	975	880.2	5	100	-8.78	0.5	16.06	-36	PASS
HVHT	GSM900	975	880.2	5	200	-36.22	-30	-11.4	-36	PASS
HVHT	GSM900	975	880.2	5	250	-40.98	-33	-16.2	-36	PASS
HVHT	GSM900	975	880.2	5	400	-69.82	-60	-45.1	-36	PASS
HVHT	GSM900	975	880.2	5	600	-74.67	-60	-49.98	-51	PASS
HVHT	GSM900	975	880.2	5	800	-75.35	-60	-50.56	-51	PASS
HVHT	GSM900	975	880.2	5	1000	-74	-60	-49.2	-51	PASS
HVHT	GSM900	975	880.2	5	1200	-77.61	-60	-52.68	-51	PASS
HVHT	GSM900	975	880.2	5	1400	-76.55	-60	-51.7	-51	PASS
HVHT	GSM900	975	880.2	5	1600	-76.94	-60	-52.09	-51	PASS
HVHT	GSM900	975	880.2	5	1800	-78.96	-60	-54.14	-51	PASS
HVHT	GSM900	975	880.2	19	-1800	-71.23	-60	-75.23	-51	PASS
HVHT	GSM900	975	880.2	19	-1600	-68.53	-60	-72.56	-51	PASS
HVHT	GSM900	975	880.2	19	-1400	-69.94	-60	-73.76	-51	PASS
HVHT	GSM900	975	880.2	19	-1200	-69.7	-60	-73.82	-51	PASS
HVHT	GSM900	975	880.2	19	-1000	-64.77	-60	-68.75	-51	PASS
HVHT	GSM900	975	880.2	19	-800	-69.25	-60	-73.23	-51	PASS
HVHT	GSM900	975	880.2	19	-600	-68.71	-60	-72.75	-51	PASS
HVHT	GSM900	975	880.2	19	-400	-65.64	-60	-69.7	-36	PASS
HVHT	GSM900	975	880.2	19	-250	-40.65	-33	-44.65	-36	PASS
HVHT	GSM900	975	880.2	19	-200	-36.47	-30	-40.35	-36	PASS
HVHT	GSM900	975	880.2	19	-100	-8.49	0.5	-12.42	-36	PASS
HVHT	GSM900	975	880.2	19	100	-7.43	0.5	-11.41	-36	PASS

HVHT	GSM900	975	880.2	19	200	-35.86	-30	-39.88	-36	PASS
HVHT	GSM900	975	880.2	19	250	-41.5	-33	-45.44	-36	PASS
HVHT	GSM900	975	880.2	19	400	-66.34	-60	-70.31	-36	PASS
HVHT	GSM900	975	880.2	19	600	-68.9	-60	-73.05	-51	PASS
HVHT	GSM900	975	880.2	19	800	-69.71	-60	-73.7	-51	PASS
HVHT	GSM900	975	880.2	19	1000	-64.88	-60	-68.95	-51	PASS
HVHT	GSM900	975	880.2	19	1200	-69.51	-60	-73.4	-51	PASS
HVHT	GSM900	975	880.2	19	1400	-69.34	-60	-73.22	-51	PASS
HVHT	GSM900	975	880.2	19	1600	-68.61	-60	-72.55	-51	PASS
HVHT	GSM900	975	880.2	19	1800	-70.42	-60	-74.36	-51	PASS
HVHT	GSM900	38	897.6	5	-1800	-77.96	-60	-54.13	-51	PASS
HVHT	GSM900	38	897.6	5	-1600	-75.75	-60	-51.89	-51	PASS
HVHT	GSM900	38	897.6	5	-1400	-77.12	-60	-53.2	-51	PASS
HVHT	GSM900	38	897.6	5	-1200	-76.7	-60	-52.94	-51	PASS
HVHT	GSM900	38	897.6	5	-1000	-74	-60	-50.11	-51	PASS
HVHT	GSM900	38	897.6	5	-800	-75.01	-60	-51.16	-51	PASS
HVHT	GSM900	38	897.6	5	-600	-73.29	-60	-49.32	-51	PASS
HVHT	GSM900	38	897.6	5	-400	-69.29	-60	-45.31	-36	PASS
HVHT	GSM900	38	897.6	5	-250	-40.74	-33	-16.88	-36	PASS
HVHT	GSM900	38	897.6	5	-200	-36.23	-30	-12.3	-36	PASS
HVHT	GSM900	38	897.6	5	-100	-7.89	0.5	15.95	-36	PASS
HVHT	GSM900	38	897.6	5	100	-7.56	0.5	16.23	-36	PASS
HVHT	GSM900	38	897.6	5	200	-36.64	-30	-12.66	-36	PASS
HVHT	GSM900	38	897.6	5	250	-41.34	-33	-17.35	-36	PASS
HVHT	GSM900	38	897.6	5	400	-69.11	-60	-45.12	-36	PASS
HVHT	GSM900	38	897.6	5	600	-73.39	-60	-49.63	-51	PASS
HVHT	GSM900	38	897.6	5	800	-74.98	-60	-51.13	-51	PASS
HVHT	GSM900	38	897.6	5	1000	-73.47	-60	-49.45	-51	PASS
HVHT	GSM900	38	897.6	5	1200	-76.74	-60	-52.84	-51	PASS
HVHT	GSM900	38	897.6	5	1400	-77.01	-60	-53.17	-51	PASS
HVHT	GSM900	38	897.6	5	1600	-75.33	-60	-51.32	-51	PASS
HVHT	GSM900	38	897.6	5	1800	-78.68	-60	-54.87	-51	PASS
HVHT	GSM900	38	897.6	19	-1800	-72.12	-60	-75.47	-51	PASS
HVHT	GSM900	38	897.6	19	-1600	-69.75	-60	-73.11	-51	PASS
HVHT	GSM900	38	897.6	19	-1400	-70.69	-60	-74.06	-51	PASS
HVHT	GSM900	38	897.6	19	-1200	-70.82	-60	-74.07	-51	PASS
HVHT	GSM900	38	897.6	19	-1000	-65.63	-60	-69.04	-51	PASS
HVHT	GSM900	38	897.6	19	-800	-70.61	-60	-73.98	-51	PASS
HVHT	GSM900	38	897.6	19	-600	-69.48	-60	-72.9	-51	PASS
HVHT	GSM900	38	897.6	19	-400	-67.25	-60	-70.64	-36	PASS
HVHT	GSM900	38	897.6	19	-250	-40.85	-33	-44.31	-36	PASS
HVHT	GSM900	38	897.6	19	-200	-36.99	-30	-40.26	-36	PASS
HVHT	GSM900	38	897.6	19	-100	-8.6	0.5	-11.95	-36	PASS
HVHT	GSM900	38	897.6	19	100	-8.44	0.5	-11.84	-36	PASS

HVHT	GSM900	38	897.6	19	200	-36.82	-30	-40.29	-36	PASS
HVHT	GSM900	38	897.6	19	250	-41.01	-33	-44.25	-36	PASS
HVHT	GSM900	38	897.6	19	400	-66.33	-60	-69.63	-36	PASS
HVHT	GSM900	38	897.6	19	600	-69.6	-60	-72.91	-51	PASS
HVHT	GSM900	38	897.6	19	800	-70.35	-60	-73.82	-51	PASS
HVHT	GSM900	38	897.6	19	1000	-66.05	-60	-69.47	-51	PASS
HVHT	GSM900	38	897.6	19	1200	-70.17	-60	-73.52	-51	PASS
HVHT	GSM900	38	897.6	19	1400	-70.71	-60	-73.99	-51	PASS
HVHT	GSM900	38	897.6	19	1600	-69.1	-60	-72.39	-51	PASS
HVHT	GSM900	38	897.6	19	1800	-72.11	-60	-75.4	-51	PASS
HVHT	GSM900	124	914.8	5	-1800	-79.06	-60	-54.51	-51	PASS
HVHT	GSM900	124	914.8	5	-1600	-77.06	-60	-52.57	-51	PASS
HVHT	GSM900	124	914.8	5	-1400	-77.89	-60	-53.36	-51	PASS
HVHT	GSM900	124	914.8	5	-1200	-76.96	-60	-52.54	-51	PASS
HVHT	GSM900	124	914.8	5	-1000	-73.46	-60	-49	-51	PASS
HVHT	GSM900	124	914.8	5	-800	-75.02	-60	-50.38	-51	PASS
HVHT	GSM900	124	914.8	5	-600	-74.3	-60	-49.77	-51	PASS
HVHT	GSM900	124	914.8	5	-400	-69.3	-60	-44.81	-36	PASS
HVHT	GSM900	124	914.8	5	-250	-40.75	-33	-16.18	-36	PASS
HVHT	GSM900	124	914.8	5	-200	-36.49	-30	-12.01	-36	PASS
HVHT	GSM900	124	914.8	5	-100	-9.08	0.5	15.65	-36	PASS
HVHT	GSM900	124	914.8	5	100	-8.38	0.5	16.17	-36	PASS
HVHT	GSM900	124	914.8	5	200	-36.92	-30	-12.3	-36	PASS
HVHT	GSM900	124	914.8	5	250	-41.64	-33	-17.09	-36	PASS
HVHT	GSM900	124	914.8	5	400	-69.77	-60	-45.32	-36	PASS
HVHT	GSM900	124	914.8	5	600	-74.51	-60	-49.84	-51	PASS
HVHT	GSM900	124	914.8	5	800	-75.52	-60	-50.92	-51	PASS
HVHT	GSM900	124	914.8	5	1000	-74.48	-60	-49.85	-51	PASS
HVHT	GSM900	124	914.8	5	1200	-76.87	-60	-52.47	-51	PASS
HVHT	GSM900	124	914.8	5	1400	-76.47	-60	-51.89	-51	PASS
HVHT	GSM900	124	914.8	5	1600	-76.56	-60	-52.03	-51	PASS
HVHT	GSM900	124	914.8	5	1800	-78.57	-60	-53.99	-51	PASS
HVHT	GSM900	124	914.8	19	-1800	-72.65	-60	-75.38	-51	PASS
HVHT	GSM900	124	914.8	19	-1600	-70.48	-60	-73.17	-51	PASS
HVHT	GSM900	124	914.8	19	-1400	-70.83	-60	-73.57	-51	PASS
HVHT	GSM900	124	914.8	19	-1200	-70.67	-60	-73.57	-51	PASS
HVHT	GSM900	124	914.8	19	-1000	-65.9	-60	-68.81	-51	PASS
HVHT	GSM900	124	914.8	19	-800	-71.1	-60	-74	-51	PASS
HVHT	GSM900	124	914.8	19	-600	-71.48	-60	-74.5	-51	PASS
HVHT	GSM900	124	914.8	19	-400	-67.06	-60	-69.78	-36	PASS
HVHT	GSM900	124	914.8	19	-250	-41.17	-33	-44.06	-36	PASS
HVHT	GSM900	124	914.8	19	-200	-36.54	-30	-39.36	-36	PASS
HVHT	GSM900	124	914.8	19	-100	-9.18	0.5	-12.01	-36	PASS
HVHT	GSM900	124	914.8	19	100	-7.95	0.5	-10.96	-36	PASS



HVHT	GSM900	124	914.8	19	200	-36.6	-30	-39.39	-36	PASS
HVHT	GSM900	124	914.8	19	250	-41.44	-33	-44.35	-36	PASS
HVHT	GSM900	124	914.8	19	400	-67.2	-60	-69.97	-36	PASS
HVHT	GSM900	124	914.8	19	600	-70.7	-60	-73.63	-51	PASS
HVHT	GSM900	124	914.8	19	800	-70.7	-60	-73.53	-51	PASS
HVHT	GSM900	124	914.8	19	1000	-66.25	-60	-69.05	-51	PASS
HVHT	GSM900	124	914.8	19	1200	-70.32	-60	-73.08	-51	PASS
HVHT	GSM900	124	914.8	19	1400	-71.36	-60	-74.24	-51	PASS
HVHT	GSM900	124	914.8	19	1600	-69.48	-60	-72.32	-51	PASS
HVHT	GSM900	124	914.8	19	1800	-72.1	-60	-74.91	-51	PASS
HVLT	GSM900	975	880.2	5	-1800	-79.88	-60	-55.09	-51	PASS
HVLT	GSM900	975	880.2	5	-1600	-77.67	-60	-52.82	-51	PASS
HVLT	GSM900	975	880.2	5	-1400	-78.01	-60	-53.18	-51	PASS
HVLT	GSM900	975	880.2	5	-1200	-77.45	-60	-52.76	-51	PASS
HVLT	GSM900	975	880.2	5	-1000	-74.08	-60	-49.18	-51	PASS
HVLT	GSM900	975	880.2	5	-800	-76.23	-60	-51.48	-51	PASS
HVLT	GSM900	975	880.2	5	-600	-74.43	-60	-49.47	-51	PASS
HVLT	GSM900	975	880.2	5	-400	-69.54	-60	-44.65	-36	PASS
HVLT	GSM900	975	880.2	5	-250	-40.58	-33	-15.75	-36	PASS
HVLT	GSM900	975	880.2	5	-200	-36.71	-30	-11.79	-36	PASS
HVLT	GSM900	975	880.2	5	-100	-9.23	0.5	15.53	-36	PASS
HVLT	GSM900	975	880.2	5	100	-8.67	0.5	16.04	-36	PASS
HVLT	GSM900	975	880.2	5	200	-36.36	-30	-11.56	-36	PASS
HVLT	GSM900	975	880.2	5	250	-40.99	-33	-16.14	-36	PASS
HVLT	GSM900	975	880.2	5	400	-69.74	-60	-45.09	-36	PASS
HVLT	GSM900	975	880.2	5	600	-74.77	-60	-49.93	-51	PASS
HVLT	GSM900	975	880.2	5	800	-75.3	-60	-50.63	-51	PASS
HVLT	GSM900	975	880.2	5	1000	-73.94	-60	-49.14	-51	PASS
HVLT	GSM900	975	880.2	5	1200	-77.57	-60	-52.7	-51	PASS
HVLT	GSM900	975	880.2	5	1400	-76.65	-60	-51.78	-51	PASS
HVLT	GSM900	975	880.2	5	1600	-76.98	-60	-52.03	-51	PASS
HVLT	GSM900	975	880.2	5	1800	-78.82	-60	-54.04	-51	PASS
HVLT	GSM900	975	880.2	19	-1800	-71.29	-60	-75.21	-51	PASS
HVLT	GSM900	975	880.2	19	-1600	-68.6	-60	-72.61	-51	PASS
HVLT	GSM900	975	880.2	19	-1400	-69.86	-60	-73.82	-51	PASS
HVLT	GSM900	975	880.2	19	-1200	-69.7	-60	-73.75	-51	PASS
HVLT	GSM900	975	880.2	19	-1000	-64.8	-60	-68.75	-51	PASS
HVLT	GSM900	975	880.2	19	-800	-69.31	-60	-73.41	-51	PASS
HVLT	GSM900	975	880.2	19	-600	-68.66	-60	-72.78	-51	PASS
HVLT	GSM900	975	880.2	19	-400	-65.66	-60	-69.62	-36	PASS
HVLT	GSM900	975	880.2	19	-250	-40.57	-33	-44.61	-36	PASS
HVLT	GSM900	975	880.2	19	-200	-36.46	-30	-40.35	-36	PASS
HVLT	GSM900	975	880.2	19	-100	-8.55	0.5	-12.39	-36	PASS
HVLT	GSM900	975	880.2	19	100	-7.55	0.5	-11.44	-36	PASS

HVLT	GSM900	975	880.2	19	200	-35.95	-30	-39.87	-36	PASS
HVLT	GSM900	975	880.2	19	250	-41.53	-33	-45.44	-36	PASS
HVLT	GSM900	975	880.2	19	400	-66.44	-60	-70.35	-36	PASS
HVLT	GSM900	975	880.2	19	600	-68.98	-60	-73.07	-51	PASS
HVLT	GSM900	975	880.2	19	800	-69.75	-60	-73.88	-51	PASS
HVLT	GSM900	975	880.2	19	1000	-65.05	-60	-68.9	-51	PASS
HVLT	GSM900	975	880.2	19	1200	-69.39	-60	-73.35	-51	PASS
HVLT	GSM900	975	880.2	19	1400	-69.37	-60	-73.28	-51	PASS
HVLT	GSM900	975	880.2	19	1600	-68.6	-60	-72.52	-51	PASS
HVLT	GSM900	975	880.2	19	1800	-70.34	-60	-74.5	-51	PASS
HVLT	GSM900	38	897.6	5	-1800	-77.97	-60	-54.09	-51	PASS
HVLT	GSM900	38	897.6	5	-1600	-75.73	-60	-52.01	-51	PASS
HVLT	GSM900	38	897.6	5	-1400	-77.12	-60	-53.17	-51	PASS
HVLT	GSM900	38	897.6	5	-1200	-76.65	-60	-52.82	-51	PASS
HVLT	GSM900	38	897.6	5	-1000	-73.95	-60	-49.97	-51	PASS
HVLT	GSM900	38	897.6	5	-800	-75.06	-60	-51.24	-51	PASS
HVLT	GSM900	38	897.6	5	-600	-73.36	-60	-49.37	-51	PASS
HVLT	GSM900	38	897.6	5	-400	-69.26	-60	-45.44	-36	PASS
HVLT	GSM900	38	897.6	5	-250	-40.77	-33	-16.88	-36	PASS
HVLT	GSM900	38	897.6	5	-200	-36.26	-30	-12.28	-36	PASS
HVLT	GSM900	38	897.6	5	-100	-8.02	0.5	15.91	-36	PASS
HVLT	GSM900	38	897.6	5	100	-7.7	0.5	16.27	-36	PASS
HVLT	GSM900	38	897.6	5	200	-36.7	-30	-12.73	-36	PASS
HVLT	GSM900	38	897.6	5	250	-41.17	-33	-17.32	-36	PASS
HVLT	GSM900	38	897.6	5	400	-69.04	-60	-45.05	-36	PASS
HVLT	GSM900	38	897.6	5	600	-73.4	-60	-49.52	-51	PASS
HVLT	GSM900	38	897.6	5	800	-74.83	-60	-51.12	-51	PASS
HVLT	GSM900	38	897.6	5	1000	-73.48	-60	-49.58	-51	PASS
HVLT	GSM900	38	897.6	5	1200	-76.74	-60	-52.95	-51	PASS
HVLT	GSM900	38	897.6	5	1400	-77.01	-60	-53.09	-51	PASS
HVLT	GSM900	38	897.6	5	1600	-75.22	-60	-51.33	-51	PASS
HVLT	GSM900	38	897.6	5	1800	-78.75	-60	-54.85	-51	PASS
HVLT	GSM900	38	897.6	19	-1800	-72.06	-60	-75.36	-51	PASS
HVLT	GSM900	38	897.6	19	-1600	-69.64	-60	-73.15	-51	PASS
HVLT	GSM900	38	897.6	19	-1400	-70.67	-60	-73.97	-51	PASS
HVLT	GSM900	38	897.6	19	-1200	-70.85	-60	-74.06	-51	PASS
HVLT	GSM900	38	897.6	19	-1000	-65.77	-60	-68.98	-51	PASS
HVLT	GSM900	38	897.6	19	-800	-70.63	-60	-74.15	-51	PASS
HVLT	GSM900	38	897.6	19	-600	-69.5	-60	-72.93	-51	PASS
HVLT	GSM900	38	897.6	19	-400	-67.31	-60	-70.58	-36	PASS
HVLT	GSM900	38	897.6	19	-250	-40.8	-33	-44.28	-36	PASS
HVLT	GSM900	38	897.6	19	-200	-36.94	-30	-40.29	-36	PASS
HVLT	GSM900	38	897.6	19	-100	-8.64	0.5	-11.91	-36	PASS
HVLT	GSM900	38	897.6	19	100	-8.48	0.5	-11.72	-36	PASS

HVLT	GSM900	38	897.6	19	200	-36.85	-30	-40.32	-36	PASS
HVLT	GSM900	38	897.6	19	250	-40.93	-33	-44.38	-36	PASS
HVLT	GSM900	38	897.6	19	400	-66.33	-60	-69.54	-36	PASS
HVLT	GSM900	38	897.6	19	600	-69.69	-60	-73.02	-51	PASS
HVLT	GSM900	38	897.6	19	800	-70.32	-60	-73.78	-51	PASS
HVLT	GSM900	38	897.6	19	1000	-66.06	-60	-69.45	-51	PASS
HVLT	GSM900	38	897.6	19	1200	-70.14	-60	-73.51	-51	PASS
HVLT	GSM900	38	897.6	19	1400	-70.71	-60	-74.02	-51	PASS
HVLT	GSM900	38	897.6	19	1600	-68.99	-60	-72.41	-51	PASS
HVLT	GSM900	38	897.6	19	1800	-72.06	-60	-75.31	-51	PASS
HVLT	GSM900	124	914.8	5	-1800	-79.03	-60	-54.54	-51	PASS
HVLT	GSM900	124	914.8	5	-1600	-76.98	-60	-52.55	-51	PASS
HVLT	GSM900	124	914.8	5	-1400	-77.74	-60	-53.23	-51	PASS
HVLT	GSM900	124	914.8	5	-1200	-76.94	-60	-52.45	-51	PASS
HVLT	GSM900	124	914.8	5	-1000	-73.53	-60	-49.05	-51	PASS
HVLT	GSM900	124	914.8	5	-800	-74.96	-60	-50.37	-51	PASS
HVLT	GSM900	124	914.8	5	-600	-74.35	-60	-49.78	-51	PASS
HVLT	GSM900	124	914.8	5	-400	-69.31	-60	-44.75	-36	PASS
HVLT	GSM900	124	914.8	5	-250	-40.74	-33	-16.09	-36	PASS
HVLT	GSM900	124	914.8	5	-200	-36.48	-30	-12.04	-36	PASS
HVLT	GSM900	124	914.8	5	-100	-8.93	0.5	15.55	-36	PASS
HVLT	GSM900	124	914.8	5	100	-8.39	0.5	16.31	-36	PASS
HVLT	GSM900	124	914.8	5	200	-36.74	-30	-12.38	-36	PASS
HVLT	GSM900	124	914.8	5	250	-41.6	-33	-17.04	-36	PASS
HVLT	GSM900	124	914.8	5	400	-69.95	-60	-45.23	-36	PASS
HVLT	GSM900	124	914.8	5	600	-74.44	-60	-49.85	-51	PASS
HVLT	GSM900	124	914.8	5	800	-75.53	-60	-51.05	-51	PASS
HVLT	GSM900	124	914.8	5	1000	-74.39	-60	-49.85	-51	PASS
HVLT	GSM900	124	914.8	5	1200	-76.99	-60	-52.42	-51	PASS
HVLT	GSM900	124	914.8	5	1400	-76.55	-60	-52.03	-51	PASS
HVLT	GSM900	124	914.8	5	1600	-76.49	-60	-52.01	-51	PASS
HVLT	GSM900	124	914.8	5	1800	-78.42	-60	-53.92	-51	PASS
HVLT	GSM900	124	914.8	19	-1800	-72.67	-60	-75.41	-51	PASS
HVLT	GSM900	124	914.8	19	-1600	-70.41	-60	-73.33	-51	PASS
HVLT	GSM900	124	914.8	19	-1400	-70.82	-60	-73.62	-51	PASS
HVLT	GSM900	124	914.8	19	-1200	-70.71	-60	-73.56	-51	PASS
HVLT	GSM900	124	914.8	19	-1000	-65.94	-60	-68.93	-51	PASS
HVLT	GSM900	124	914.8	19	-800	-71.15	-60	-73.88	-51	PASS
HVLT	GSM900	124	914.8	19	-600	-71.51	-60	-74.36	-51	PASS
HVLT	GSM900	124	914.8	19	-400	-67.02	-60	-69.74	-36	PASS
HVLT	GSM900	124	914.8	19	-250	-41.08	-33	-44.09	-36	PASS
HVLT	GSM900	124	914.8	19	-200	-36.47	-30	-39.31	-36	PASS
HVLT	GSM900	124	914.8	19	-100	-9.09	0.5	-11.94	-36	PASS
HVLT	GSM900	124	914.8	19	100	-8.13	0.5	-10.88	-36	PASS

HVLT	GSM900	124	914.8	19	200	-36.69	-30	-39.4	-36	PASS
HVLT	GSM900	124	914.8	19	250	-41.47	-33	-44.2	-36	PASS
HVLT	GSM900	124	914.8	19	400	-67.22	-60	-70.03	-36	PASS
HVLT	GSM900	124	914.8	19	600	-70.8	-60	-73.69	-51	PASS
HVLT	GSM900	124	914.8	19	800	-70.74	-60	-73.6	-51	PASS
HVLT	GSM900	124	914.8	19	1000	-66.09	-60	-69.04	-51	PASS
HVLT	GSM900	124	914.8	19	1200	-70.28	-60	-73.07	-51	PASS
HVLT	GSM900	124	914.8	19	1400	-71.33	-60	-74.18	-51	PASS
HVLT	GSM900	124	914.8	19	1600	-69.35	-60	-72.25	-51	PASS
HVLT	GSM900	124	914.8	19	1800	-72.08	-60	-75.01	-51	PASS
LVHT	GSM900	975	880.2	5	-1800	-79.96	-60	-55.03	-51	PASS
LVHT	GSM900	975	880.2	5	-1600	-77.68	-60	-52.77	-51	PASS
LVHT	GSM900	975	880.2	5	-1400	-78	-60	-53.24	-51	PASS
LVHT	GSM900	975	880.2	5	-1200	-77.43	-60	-52.65	-51	PASS
LVHT	GSM900	975	880.2	5	-1000	-74.02	-60	-49.1	-51	PASS
LVHT	GSM900	975	880.2	5	-800	-76.19	-60	-51.38	-51	PASS
LVHT	GSM900	975	880.2	5	-600	-74.34	-60	-49.5	-51	PASS
LVHT	GSM900	975	880.2	5	-400	-69.42	-60	-44.63	-36	PASS
LVHT	GSM900	975	880.2	5	-250	-40.57	-33	-15.75	-36	PASS
LVHT	GSM900	975	880.2	5	-200	-36.7	-30	-11.81	-36	PASS
LVHT	GSM900	975	880.2	5	-100	-9.31	0.5	15.45	-36	PASS
LVHT	GSM900	975	880.2	5	100	-8.75	0.5	16.06	-36	PASS
LVHT	GSM900	975	880.2	5	200	-36.31	-30	-11.47	-36	PASS
LVHT	GSM900	975	880.2	5	250	-40.85	-33	-16.2	-36	PASS
LVHT	GSM900	975	880.2	5	400	-69.87	-60	-44.95	-36	PASS
LVHT	GSM900	975	880.2	5	600	-74.67	-60	-49.97	-51	PASS
LVHT	GSM900	975	880.2	5	800	-75.35	-60	-50.52	-51	PASS
LVHT	GSM900	975	880.2	5	1000	-73.97	-60	-49.14	-51	PASS
LVHT	GSM900	975	880.2	5	1200	-77.58	-60	-52.75	-51	PASS
LVHT	GSM900	975	880.2	5	1400	-76.6	-60	-51.76	-51	PASS
LVHT	GSM900	975	880.2	5	1600	-76.8	-60	-52.12	-51	PASS
LVHT	GSM900	975	880.2	5	1800	-78.97	-60	-54.12	-51	PASS
LVHT	GSM900	975	880.2	19	-1800	-71.18	-60	-75.22	-51	PASS
LVHT	GSM900	975	880.2	19	-1600	-68.61	-60	-72.51	-51	PASS
LVHT	GSM900	975	880.2	19	-1400	-69.92	-60	-73.83	-51	PASS
LVHT	GSM900	975	880.2	19	-1200	-69.71	-60	-73.88	-51	PASS
LVHT	GSM900	975	880.2	19	-1000	-64.87	-60	-68.71	-51	PASS
LVHT	GSM900	975	880.2	19	-800	-69.35	-60	-73.4	-51	PASS
LVHT	GSM900	975	880.2	19	-600	-68.72	-60	-72.62	-51	PASS
LVHT	GSM900	975	880.2	19	-400	-65.66	-60	-69.69	-36	PASS
LVHT	GSM900	975	880.2	19	-250	-40.57	-33	-44.53	-36	PASS
LVHT	GSM900	975	880.2	19	-200	-36.43	-30	-40.43	-36	PASS
LVHT	GSM900	975	880.2	19	-100	-8.57	0.5	-12.5	-36	PASS
LVHT	GSM900	975	880.2	19	100	-7.59	0.5	-11.45	-36	PASS

LVHT	GSM900	975	880.2	19	200	-35.95	-30	-39.94	-36	PASS
LVHT	GSM900	975	880.2	19	250	-41.5	-33	-45.39	-36	PASS
LVHT	GSM900	975	880.2	19	400	-66.48	-60	-70.36	-36	PASS
LVHT	GSM900	975	880.2	19	600	-68.97	-60	-73.05	-51	PASS
LVHT	GSM900	975	880.2	19	800	-69.89	-60	-73.89	-51	PASS
LVHT	GSM900	975	880.2	19	1000	-64.93	-60	-69.05	-51	PASS
LVHT	GSM900	975	880.2	19	1200	-69.49	-60	-73.52	-51	PASS
LVHT	GSM900	975	880.2	19	1400	-69.37	-60	-73.2	-51	PASS
LVHT	GSM900	975	880.2	19	1600	-68.65	-60	-72.49	-51	PASS
LVHT	GSM900	975	880.2	19	1800	-70.52	-60	-74.4	-51	PASS
LVHT	GSM900	38	897.6	5	-1800	-78.02	-60	-54.12	-51	PASS
LVHT	GSM900	38	897.6	5	-1600	-75.87	-60	-51.98	-51	PASS
LVHT	GSM900	38	897.6	5	-1400	-77.16	-60	-53.26	-51	PASS
LVHT	GSM900	38	897.6	5	-1200	-76.64	-60	-52.92	-51	PASS
LVHT	GSM900	38	897.6	5	-1000	-73.88	-60	-50.03	-51	PASS
LVHT	GSM900	38	897.6	5	-800	-75.12	-60	-51.23	-51	PASS
LVHT	GSM900	38	897.6	5	-600	-73.32	-60	-49.37	-51	PASS
LVHT	GSM900	38	897.6	5	-400	-69.16	-60	-45.43	-36	PASS
LVHT	GSM900	38	897.6	5	-250	-40.81	-33	-16.95	-36	PASS
LVHT	GSM900	38	897.6	5	-200	-36.35	-30	-12.34	-36	PASS
LVHT	GSM900	38	897.6	5	-100	-7.98	0.5	15.85	-36	PASS
LVHT	GSM900	38	897.6	5	100	-7.56	0.5	16.21	-36	PASS
LVHT	GSM900	38	897.6	5	200	-36.67	-30	-12.78	-36	PASS
LVHT	GSM900	38	897.6	5	250	-41.34	-33	-17.34	-36	PASS
LVHT	GSM900	38	897.6	5	400	-68.96	-60	-45.1	-36	PASS
LVHT	GSM900	38	897.6	5	600	-73.44	-60	-49.57	-51	PASS
LVHT	GSM900	38	897.6	5	800	-74.96	-60	-51.06	-51	PASS
LVHT	GSM900	38	897.6	5	1000	-73.45	-60	-49.54	-51	PASS
LVHT	GSM900	38	897.6	5	1200	-76.68	-60	-52.95	-51	PASS
LVHT	GSM900	38	897.6	5	1400	-76.91	-60	-53.05	-51	PASS
LVHT	GSM900	38	897.6	5	1600	-75.23	-60	-51.41	-51	PASS
LVHT	GSM900	38	897.6	5	1800	-78.81	-60	-54.92	-51	PASS
LVHT	GSM900	38	897.6	19	-1800	-72.01	-60	-75.45	-51	PASS
LVHT	GSM900	38	897.6	19	-1600	-69.62	-60	-73.05	-51	PASS
LVHT	GSM900	38	897.6	19	-1400	-70.75	-60	-73.98	-51	PASS
LVHT	GSM900	38	897.6	19	-1200	-70.72	-60	-74.04	-51	PASS
LVHT	GSM900	38	897.6	19	-1000	-65.65	-60	-69.09	-51	PASS
LVHT	GSM900	38	897.6	19	-800	-70.76	-60	-74.14	-51	PASS
LVHT	GSM900	38	897.6	19	-600	-69.48	-60	-72.8	-51	PASS
LVHT	GSM900	38	897.6	19	-400	-67.3	-60	-70.57	-36	PASS
LVHT	GSM900	38	897.6	19	-250	-40.92	-33	-44.26	-36	PASS
LVHT	GSM900	38	897.6	19	-200	-36.92	-30	-40.36	-36	PASS
LVHT	GSM900	38	897.6	19	-100	-8.67	0.5	-11.92	-36	PASS
LVHT	GSM900	38	897.6	19	100	-8.33	0.5	-11.73	-36	PASS

LVHT	GSM900	38	897.6	19	200	-36.88	-30	-40.26	-36	PASS
LVHT	GSM900	38	897.6	19	250	-40.98	-33	-44.41	-36	PASS
LVHT	GSM900	38	897.6	19	400	-66.31	-60	-69.67	-36	PASS
LVHT	GSM900	38	897.6	19	600	-69.54	-60	-72.91	-51	PASS
LVHT	GSM900	38	897.6	19	800	-70.32	-60	-73.76	-51	PASS
LVHT	GSM900	38	897.6	19	1000	-65.98	-60	-69.33	-51	PASS
LVHT	GSM900	38	897.6	19	1200	-70.21	-60	-73.58	-51	PASS
LVHT	GSM900	38	897.6	19	1400	-70.65	-60	-73.93	-51	PASS
LVHT	GSM900	38	897.6	19	1600	-68.98	-60	-72.47	-51	PASS
LVHT	GSM900	38	897.6	19	1800	-72.03	-60	-75.33	-51	PASS
LVHT	GSM900	124	914.8	5	-1800	-79.04	-60	-54.52	-51	PASS
LVHT	GSM900	124	914.8	5	-1600	-76.96	-60	-52.41	-51	PASS
LVHT	GSM900	124	914.8	5	-1400	-77.75	-60	-53.33	-51	PASS
LVHT	GSM900	124	914.8	5	-1200	-76.97	-60	-52.49	-51	PASS
LVHT	GSM900	124	914.8	5	-1000	-73.43	-60	-49.03	-51	PASS
LVHT	GSM900	124	914.8	5	-800	-75.01	-60	-50.3	-51	PASS
LVHT	GSM900	124	914.8	5	-600	-74.39	-60	-49.75	-51	PASS
LVHT	GSM900	124	914.8	5	-400	-69.37	-60	-44.69	-36	PASS
LVHT	GSM900	124	914.8	5	-250	-40.69	-33	-16.13	-36	PASS
LVHT	GSM900	124	914.8	5	-200	-36.48	-30	-12	-36	PASS
LVHT	GSM900	124	914.8	5	-100	-9	0.5	15.5	-36	PASS
LVHT	GSM900	124	914.8	5	100	-8.37	0.5	16.12	-36	PASS
LVHT	GSM900	124	914.8	5	200	-36.89	-30	-12.3	-36	PASS
LVHT	GSM900	124	914.8	5	250	-41.73	-33	-17.1	-36	PASS
LVHT	GSM900	124	914.8	5	400	-69.78	-60	-45.31	-36	PASS
LVHT	GSM900	124	914.8	5	600	-74.53	-60	-49.83	-51	PASS
LVHT	GSM900	124	914.8	5	800	-75.57	-60	-51.08	-51	PASS
LVHT	GSM900	124	914.8	5	1000	-74.39	-60	-49.91	-51	PASS
LVHT	GSM900	124	914.8	5	1200	-76.95	-60	-52.4	-51	PASS
LVHT	GSM900	124	914.8	5	1400	-76.57	-60	-51.9	-51	PASS
LVHT	GSM900	124	914.8	5	1600	-76.58	-60	-52.02	-51	PASS
LVHT	GSM900	124	914.8	5	1800	-78.41	-60	-53.93	-51	PASS
LVHT	GSM900	124	914.8	19	-1800	-72.61	-60	-75.39	-51	PASS
LVHT	GSM900	124	914.8	19	-1600	-70.45	-60	-73.23	-51	PASS
LVHT	GSM900	124	914.8	19	-1400	-70.82	-60	-73.62	-51	PASS
LVHT	GSM900	124	914.8	19	-1200	-70.66	-60	-73.5	-51	PASS
LVHT	GSM900	124	914.8	19	-1000	-65.99	-60	-68.75	-51	PASS
LVHT	GSM900	124	914.8	19	-800	-71.11	-60	-73.84	-51	PASS
LVHT	GSM900	124	914.8	19	-600	-71.5	-60	-74.35	-51	PASS
LVHT	GSM900	124	914.8	19	-400	-66.94	-60	-69.83	-36	PASS
LVHT	GSM900	124	914.8	19	-250	-41.25	-33	-44.07	-36	PASS
LVHT	GSM900	124	914.8	19	-200	-36.48	-30	-39.33	-36	PASS
LVHT	GSM900	124	914.8	19	-100	-9.19	0.5	-12.01	-36	PASS
LVHT	GSM900	124	914.8	19	100	-8.02	0.5	-10.89	-36	PASS

LVHT	GSM900	124	914.8	19	200	-36.67	-30	-39.41	-36	PASS
LVHT	GSM900	124	914.8	19	250	-41.45	-33	-44.16	-36	PASS
LVHT	GSM900	124	914.8	19	400	-67.24	-60	-69.96	-36	PASS
LVHT	GSM900	124	914.8	19	600	-70.86	-60	-73.55	-51	PASS
LVHT	GSM900	124	914.8	19	800	-70.81	-60	-73.58	-51	PASS
LVHT	GSM900	124	914.8	19	1000	-66.14	-60	-69	-51	PASS
LVHT	GSM900	124	914.8	19	1200	-70.36	-60	-73.11	-51	PASS
LVHT	GSM900	124	914.8	19	1400	-71.38	-60	-74.2	-51	PASS
LVHT	GSM900	124	914.8	19	1600	-69.47	-60	-72.2	-51	PASS
LVHT	GSM900	124	914.8	19	1800	-72.2	-60	-75.03	-51	PASS
LVLТ	GSM900	975	880.2	5	-1800	-79.98	-60	-55.17	-51	PASS
LVLТ	GSM900	975	880.2	5	-1600	-77.74	-60	-52.88	-51	PASS
LVLТ	GSM900	975	880.2	5	-1400	-78.15	-60	-53.3	-51	PASS
LVLТ	GSM900	975	880.2	5	-1200	-77.58	-60	-52.78	-51	PASS
LVLТ	GSM900	975	880.2	5	-1000	-73.98	-60	-49.22	-51	PASS
LVLТ	GSM900	975	880.2	5	-800	-76.31	-60	-51.38	-51	PASS
LVLТ	GSM900	975	880.2	5	-600	-74.41	-60	-49.56	-51	PASS
LVLТ	GSM900	975	880.2	5	-400	-69.42	-60	-44.71	-36	PASS
LVLТ	GSM900	975	880.2	5	-250	-40.63	-33	-15.65	-36	PASS
LVLТ	GSM900	975	880.2	5	-200	-36.6	-30	-11.88	-36	PASS
LVLТ	GSM900	975	880.2	5	-100	-9.34	0.5	15.54	-36	PASS
LVLТ	GSM900	975	880.2	5	100	-8.75	0.5	16.14	-36	PASS
LVLТ	GSM900	975	880.2	5	200	-36.33	-30	-11.59	-36	PASS
LVLТ	GSM900	975	880.2	5	250	-40.86	-33	-16.04	-36	PASS
LVLТ	GSM900	975	880.2	5	400	-69.78	-60	-45.1	-36	PASS
LVLТ	GSM900	975	880.2	5	600	-74.74	-60	-50.02	-51	PASS
LVLТ	GSM900	975	880.2	5	800	-75.3	-60	-50.48	-51	PASS
LVLТ	GSM900	975	880.2	5	1000	-74.07	-60	-49.18	-51	PASS
LVLТ	GSM900	975	880.2	5	1200	-77.58	-60	-52.77	-51	PASS
LVLТ	GSM900	975	880.2	5	1400	-76.6	-60	-51.75	-51	PASS
LVLТ	GSM900	975	880.2	5	1600	-76.94	-60	-52.05	-51	PASS
LVLТ	GSM900	975	880.2	5	1800	-78.84	-60	-54.13	-51	PASS
LVLТ	GSM900	975	880.2	19	-1800	-71.27	-60	-75.15	-51	PASS
LVLТ	GSM900	975	880.2	19	-1600	-68.61	-60	-72.67	-51	PASS
LVLТ	GSM900	975	880.2	19	-1400	-69.87	-60	-73.83	-51	PASS
LVLТ	GSM900	975	880.2	19	-1200	-69.76	-60	-73.83	-51	PASS
LVLТ	GSM900	975	880.2	19	-1000	-64.79	-60	-68.85	-51	PASS
LVLТ	GSM900	975	880.2	19	-800	-69.3	-60	-73.32	-51	PASS
LVLТ	GSM900	975	880.2	19	-600	-68.66	-60	-72.76	-51	PASS
LVLТ	GSM900	975	880.2	19	-400	-65.55	-60	-69.72	-36	PASS
LVLТ	GSM900	975	880.2	19	-250	-40.61	-33	-44.64	-36	PASS
LVLТ	GSM900	975	880.2	19	-200	-36.44	-30	-40.44	-36	PASS
LVLТ	GSM900	975	880.2	19	-100	-8.42	0.5	-12.57	-36	PASS
LVLТ	GSM900	975	880.2	19	100	-7.45	0.5	-11.57	-36	PASS

LVLT	GSM900	975	880.2	19	200	-35.9	-30	-39.91	-36	PASS
LVLT	GSM900	975	880.2	19	250	-41.38	-33	-45.42	-36	PASS
LVLT	GSM900	975	880.2	19	400	-66.39	-60	-70.47	-36	PASS
LVLT	GSM900	975	880.2	19	600	-68.91	-60	-72.95	-51	PASS
LVLT	GSM900	975	880.2	19	800	-69.73	-60	-73.88	-51	PASS
LVLT	GSM900	975	880.2	19	1000	-64.96	-60	-68.94	-51	PASS
LVLT	GSM900	975	880.2	19	1200	-69.42	-60	-73.36	-51	PASS
LVLT	GSM900	975	880.2	19	1400	-69.26	-60	-73.31	-51	PASS
LVLT	GSM900	975	880.2	19	1600	-68.56	-60	-72.61	-51	PASS
LVLT	GSM900	975	880.2	19	1800	-70.44	-60	-74.41	-51	PASS
LVLT	GSM900	38	897.6	5	-1800	-78.03	-60	-54.11	-51	PASS
LVLT	GSM900	38	897.6	5	-1600	-75.78	-60	-52.04	-51	PASS
LVLT	GSM900	38	897.6	5	-1400	-77.1	-60	-53.22	-51	PASS
LVLT	GSM900	38	897.6	5	-1200	-76.78	-60	-52.95	-51	PASS
LVLT	GSM900	38	897.6	5	-1000	-73.99	-60	-50.1	-51	PASS
LVLT	GSM900	38	897.6	5	-800	-75.08	-60	-51.25	-51	PASS
LVLT	GSM900	38	897.6	5	-600	-73.2	-60	-49.45	-51	PASS
LVLT	GSM900	38	897.6	5	-400	-69.17	-60	-45.41	-36	PASS
LVLT	GSM900	38	897.6	5	-250	-40.73	-33	-16.76	-36	PASS
LVLT	GSM900	38	897.6	5	-200	-36.19	-30	-12.35	-36	PASS
LVLT	GSM900	38	897.6	5	-100	-7.98	0.5	15.81	-36	PASS
LVLT	GSM900	38	897.6	5	100	-7.64	0.5	16.26	-36	PASS
LVLT	GSM900	38	897.6	5	200	-36.58	-30	-12.78	-36	PASS
LVLT	GSM900	38	897.6	5	250	-41.24	-33	-17.34	-36	PASS
LVLT	GSM900	38	897.6	5	400	-68.98	-60	-45.21	-36	PASS
LVLT	GSM900	38	897.6	5	600	-73.33	-60	-49.5	-51	PASS
LVLT	GSM900	38	897.6	5	800	-74.91	-60	-51.1	-51	PASS
LVLT	GSM900	38	897.6	5	1000	-73.35	-60	-49.5	-51	PASS
LVLT	GSM900	38	897.6	5	1200	-76.74	-60	-52.77	-51	PASS
LVLT	GSM900	38	897.6	5	1400	-77	-60	-53.19	-51	PASS
LVLT	GSM900	38	897.6	5	1600	-75.21	-60	-51.33	-51	PASS
LVLT	GSM900	38	897.6	5	1800	-78.8	-60	-54.89	-51	PASS
LVLT	GSM900	38	897.6	19	-1800	-72.03	-60	-75.47	-51	PASS
LVLT	GSM900	38	897.6	19	-1600	-69.63	-60	-73.1	-51	PASS
LVLT	GSM900	38	897.6	19	-1400	-70.78	-60	-74.08	-51	PASS
LVLT	GSM900	38	897.6	19	-1200	-70.71	-60	-74.13	-51	PASS
LVLT	GSM900	38	897.6	19	-1000	-65.73	-60	-69	-51	PASS
LVLT	GSM900	38	897.6	19	-800	-70.78	-60	-74.1	-51	PASS
LVLT	GSM900	38	897.6	19	-600	-69.59	-60	-72.77	-51	PASS
LVLT	GSM900	38	897.6	19	-400	-67.26	-60	-70.51	-36	PASS
LVLT	GSM900	38	897.6	19	-250	-40.77	-33	-44.2	-36	PASS
LVLT	GSM900	38	897.6	19	-200	-36.93	-30	-40.36	-36	PASS
LVLT	GSM900	38	897.6	19	-100	-8.64	0.5	-11.95	-36	PASS
LVLT	GSM900	38	897.6	19	100	-8.4	0.5	-11.77	-36	PASS



LVLT	GSM900	38	897.6	19	200	-36.86	-30	-40.31	-36	PASS
LVLT	GSM900	38	897.6	19	250	-40.91	-33	-44.32	-36	PASS
LVLT	GSM900	38	897.6	19	400	-66.23	-60	-69.56	-36	PASS
LVLT	GSM900	38	897.6	19	600	-69.57	-60	-72.98	-51	PASS
LVLT	GSM900	38	897.6	19	800	-70.37	-60	-73.87	-51	PASS
LVLT	GSM900	38	897.6	19	1000	-66.1	-60	-69.41	-51	PASS
LVLT	GSM900	38	897.6	19	1200	-70.2	-60	-73.64	-51	PASS
LVLT	GSM900	38	897.6	19	1400	-70.61	-60	-74.05	-51	PASS
LVLT	GSM900	38	897.6	19	1600	-69.09	-60	-72.46	-51	PASS
LVLT	GSM900	38	897.6	19	1800	-72.07	-60	-75.36	-51	PASS
LVLT	GSM900	124	914.8	5	-1800	-79.06	-60	-54.46	-51	PASS
LVLT	GSM900	124	914.8	5	-1600	-77.01	-60	-52.51	-51	PASS
LVLT	GSM900	124	914.8	5	-1400	-77.81	-60	-53.28	-51	PASS
LVLT	GSM900	124	914.8	5	-1200	-77.07	-60	-52.52	-51	PASS
LVLT	GSM900	124	914.8	5	-1000	-73.54	-60	-49.02	-51	PASS
LVLT	GSM900	124	914.8	5	-800	-75.01	-60	-50.3	-51	PASS
LVLT	GSM900	124	914.8	5	-600	-74.34	-60	-49.92	-51	PASS
LVLT	GSM900	124	914.8	5	-400	-69.24	-60	-44.68	-36	PASS
LVLT	GSM900	124	914.8	5	-250	-40.67	-33	-16.21	-36	PASS
LVLT	GSM900	124	914.8	5	-200	-36.46	-30	-11.98	-36	PASS
LVLT	GSM900	124	914.8	5	-100	-9.07	0.5	15.55	-36	PASS
LVLT	GSM900	124	914.8	5	100	-8.29	0.5	16.12	-36	PASS
LVLT	GSM900	124	914.8	5	200	-36.74	-30	-12.37	-36	PASS
LVLT	GSM900	124	914.8	5	250	-41.68	-33	-17.08	-36	PASS
LVLT	GSM900	124	914.8	5	400	-69.76	-60	-45.39	-36	PASS
LVLT	GSM900	124	914.8	5	600	-74.42	-60	-49.81	-51	PASS
LVLT	GSM900	124	914.8	5	800	-75.55	-60	-50.91	-51	PASS
LVLT	GSM900	124	914.8	5	1000	-74.41	-60	-49.95	-51	PASS
LVLT	GSM900	124	914.8	5	1200	-76.94	-60	-52.44	-51	PASS
LVLT	GSM900	124	914.8	5	1400	-76.62	-60	-52.07	-51	PASS
LVLT	GSM900	124	914.8	5	1600	-76.58	-60	-52.02	-51	PASS
LVLT	GSM900	124	914.8	5	1800	-78.56	-60	-53.99	-51	PASS
LVLT	GSM900	124	914.8	19	-1800	-72.52	-60	-75.51	-51	PASS
LVLT	GSM900	124	914.8	19	-1600	-70.39	-60	-73.25	-51	PASS
LVLT	GSM900	124	914.8	19	-1400	-70.82	-60	-73.6	-51	PASS
LVLT	GSM900	124	914.8	19	-1200	-70.61	-60	-73.53	-51	PASS
LVLT	GSM900	124	914.8	19	-1000	-66	-60	-68.81	-51	PASS
LVLT	GSM900	124	914.8	19	-800	-71.06	-60	-73.91	-51	PASS
LVLT	GSM900	124	914.8	19	-600	-71.53	-60	-74.39	-51	PASS
LVLT	GSM900	124	914.8	19	-400	-66.99	-60	-69.82	-36	PASS
LVLT	GSM900	124	914.8	19	-250	-41.24	-33	-43.98	-36	PASS
LVLT	GSM900	124	914.8	19	-200	-36.54	-30	-39.37	-36	PASS
LVLT	GSM900	124	914.8	19	-100	-9.09	0.5	-12.02	-36	PASS
LVLT	GSM900	124	914.8	19	100	-8.03	0.5	-10.8	-36	PASS

LVLT	GSM900	124	914.8	19	200	-36.61	-30	-39.44	-36	PASS
LVLT	GSM900	124	914.8	19	250	-41.44	-33	-44.3	-36	PASS
LVLT	GSM900	124	914.8	19	400	-67.28	-60	-69.96	-36	PASS
LVLT	GSM900	124	914.8	19	600	-70.84	-60	-73.63	-51	PASS
LVLT	GSM900	124	914.8	19	800	-70.8	-60	-73.63	-51	PASS
LVLT	GSM900	124	914.8	19	1000	-66.24	-60	-68.93	-51	PASS
LVLT	GSM900	124	914.8	19	1200	-70.29	-60	-73.04	-51	PASS
LVLT	GSM900	124	914.8	19	1400	-71.37	-60	-74.2	-51	PASS
LVLT	GSM900	124	914.8	19	1600	-69.4	-60	-72.26	-51	PASS
LVLT	GSM900	124	914.8	19	1800	-72.17	-60	-74.95	-51	PASS

**Clause 4.2.6 Transmitter-Switching Spectrum**

Condition	Band	Channel	Frequency (MHz)	PCL	Offset (kHz)	Result (dBm)	Limit (dBm)	Verdict
HVHT	GSM1800	512	1710.2	0	Ref Power	29.79		PASS
HVHT	GSM1800	512	1710.2	0	-1800	-42.16	-27.12	PASS
HVHT	GSM1800	512	1710.2	0	-1200	-39.67	-24.12	PASS
HVHT	GSM1800	512	1710.2	0	-600	-33.97	-24.06	PASS
HVHT	GSM1800	512	1710.2	0	-400	-27.75	-22.06	PASS
HVHT	GSM1800	512	1710.2	0	400	-26.89	-22.06	PASS
HVHT	GSM1800	512	1710.2	0	600	-32.8	-24.06	PASS
HVHT	GSM1800	512	1710.2	0	1200	-40.97	-24.12	PASS
HVHT	GSM1800	512	1710.2	0	1800	-39.71	-27.12	PASS
HVHT	GSM1800	512	1710.2	15	Ref Power	0.34		PASS
HVHT	GSM1800	512	1710.2	15	-1800	-61.39	-36	PASS
HVHT	GSM1800	512	1710.2	15	-1200	-58.58	-32	PASS
HVHT	GSM1800	512	1710.2	15	-600	-53.06	-26	PASS
HVHT	GSM1800	512	1710.2	15	-400	-49.32	-23	PASS
HVHT	GSM1800	512	1710.2	15	400	-47.03	-23	PASS
HVHT	GSM1800	512	1710.2	15	600	-50.76	-26	PASS
HVHT	GSM1800	512	1710.2	15	1200	-58.36	-32	PASS
HVHT	GSM1800	512	1710.2	15	1800	-59.44	-36	PASS
HVHT	GSM1800	698	1747.4	0	Ref Power	30.16		PASS
HVHT	GSM1800	698	1747.4	0	-1800	-41.16	-26.7	PASS
HVHT	GSM1800	698	1747.4	0	-1200	-37.25	-23.7	PASS
HVHT	GSM1800	698	1747.4	0	-600	-32.69	-23.7	PASS
HVHT	GSM1800	698	1747.4	0	-400	-26.78	-21.7	PASS
HVHT	GSM1800	698	1747.4	0	400	-26.67	-21.7	PASS
HVHT	GSM1800	698	1747.4	0	600	-31.37	-23.7	PASS
HVHT	GSM1800	698	1747.4	0	1200	-38.65	-23.7	PASS
HVHT	GSM1800	698	1747.4	0	1800	-40.85	-26.7	PASS
HVHT	GSM1800	698	1747.4	15	Ref Power	0.7		PASS
HVHT	GSM1800	698	1747.4	15	-1800	-60.81	-36	PASS
HVHT	GSM1800	698	1747.4	15	-1200	-57.7	-32	PASS
HVHT	GSM1800	698	1747.4	15	-600	-51.96	-26	PASS

HVHT	GSM1800	698	1747.4	15	-400	-48.78	-23	PASS
HVHT	GSM1800	698	1747.4	15	400	-46	-23	PASS
HVHT	GSM1800	698	1747.4	15	600	-50.82	-26	PASS
HVHT	GSM1800	698	1747.4	15	1200	-56.53	-32	PASS
HVHT	GSM1800	698	1747.4	15	1800	-60.6	-36	PASS
HVHT	GSM1800	885	1784.8	0	Ref Power	30.36		PASS
HVHT	GSM1800	885	1784.8	0	-1800	-41.9	-26.46	PASS
HVHT	GSM1800	885	1784.8	0	-1200	-37.49	-23.46	PASS
HVHT	GSM1800	885	1784.8	0	-600	-30.27	-23.46	PASS
HVHT	GSM1800	885	1784.8	0	-400	-23.8	-21.46	PASS
HVHT	GSM1800	885	1784.8	0	400	-25.71	-21.46	PASS
HVHT	GSM1800	885	1784.8	0	600	-32.85	-23.46	PASS
HVHT	GSM1800	885	1784.8	0	1200	-38.69	-23.46	PASS
HVHT	GSM1800	885	1784.8	0	1800	-40.62	-26.46	PASS
HVHT	GSM1800	885	1784.8	15	Ref Power	0.97		PASS
HVHT	GSM1800	885	1784.8	15	-1800	-59.88	-36	PASS
HVHT	GSM1800	885	1784.8	15	-1200	-58.31	-32	PASS
HVHT	GSM1800	885	1784.8	15	-600	-52.35	-26	PASS
HVHT	GSM1800	885	1784.8	15	-400	-48.79	-23	PASS
HVHT	GSM1800	885	1784.8	15	400	-46.26	-23	PASS
HVHT	GSM1800	885	1784.8	15	600	-50.48	-26	PASS
HVHT	GSM1800	885	1784.8	15	1200	-56.23	-32	PASS
HVHT	GSM1800	885	1784.8	15	1800	-59.02	-36	PASS
HVLT	GSM1800	512	1710.2	0	Ref Power	29.75		PASS
HVLT	GSM1800	512	1710.2	0	-1800	-42.06	-27.12	PASS
HVLT	GSM1800	512	1710.2	0	-1200	-39.79	-24.12	PASS
HVLT	GSM1800	512	1710.2	0	-600	-33.93	-24.06	PASS
HVLT	GSM1800	512	1710.2	0	-400	-27.8	-22.06	PASS
HVLT	GSM1800	512	1710.2	0	400	-26.84	-22.06	PASS
HVLT	GSM1800	512	1710.2	0	600	-32.89	-24.06	PASS
HVLT	GSM1800	512	1710.2	0	1200	-40.97	-24.12	PASS
HVLT	GSM1800	512	1710.2	0	1800	-39.65	-27.12	PASS
HVLT	GSM1800	512	1710.2	15	Ref Power	0.2		PASS
HVLT	GSM1800	512	1710.2	15	-1800	-61.32	-36	PASS
HVLT	GSM1800	512	1710.2	15	-1200	-58.66	-32	PASS
HVLT	GSM1800	512	1710.2	15	-600	-53.01	-26	PASS
HVLT	GSM1800	512	1710.2	15	-400	-49.32	-23	PASS
HVLT	GSM1800	512	1710.2	15	400	-47.05	-23	PASS
HVLT	GSM1800	512	1710.2	15	600	-50.82	-26	PASS
HVLT	GSM1800	512	1710.2	15	1200	-58.42	-32	PASS
HVLT	GSM1800	512	1710.2	15	1800	-59.38	-36	PASS
HVLT	GSM1800	698	1747.4	0	Ref Power	30.26		PASS
HVLT	GSM1800	698	1747.4	0	-1800	-41.28	-26.7	PASS
HVLT	GSM1800	698	1747.4	0	-1200	-37.3	-23.7	PASS

HVLT	GSM1800	698	1747.4	0	-600	-32.82	-23.7	PASS
HVLT	GSM1800	698	1747.4	0	-400	-26.8	-21.7	PASS
HVLT	GSM1800	698	1747.4	0	400	-26.66	-21.7	PASS
HVLT	GSM1800	698	1747.4	0	600	-31.49	-23.7	PASS
HVLT	GSM1800	698	1747.4	0	1200	-38.59	-23.7	PASS
HVLT	GSM1800	698	1747.4	0	1800	-40.73	-26.7	PASS
HVLT	GSM1800	698	1747.4	15	Ref Power	0.73		PASS
HVLT	GSM1800	698	1747.4	15	-1800	-60.78	-36	PASS
HVLT	GSM1800	698	1747.4	15	-1200	-57.71	-32	PASS
HVLT	GSM1800	698	1747.4	15	-600	-51.88	-26	PASS
HVLT	GSM1800	698	1747.4	15	-400	-48.77	-23	PASS
HVLT	GSM1800	698	1747.4	15	400	-46.07	-23	PASS
HVLT	GSM1800	698	1747.4	15	600	-50.74	-26	PASS
HVLT	GSM1800	698	1747.4	15	1200	-56.63	-32	PASS
HVLT	GSM1800	698	1747.4	15	1800	-60.46	-36	PASS
HVLT	GSM1800	885	1784.8	0	Ref Power	30.44		PASS
HVLT	GSM1800	885	1784.8	0	-1800	-41.94	-26.46	PASS
HVLT	GSM1800	885	1784.8	0	-1200	-37.65	-23.46	PASS
HVLT	GSM1800	885	1784.8	0	-600	-30.28	-23.46	PASS
HVLT	GSM1800	885	1784.8	0	-400	-23.84	-21.46	PASS
HVLT	GSM1800	885	1784.8	0	400	-25.7	-21.46	PASS
HVLT	GSM1800	885	1784.8	0	600	-32.83	-23.46	PASS
HVLT	GSM1800	885	1784.8	0	1200	-38.76	-23.46	PASS
HVLT	GSM1800	885	1784.8	0	1800	-40.52	-26.46	PASS
HVLT	GSM1800	885	1784.8	15	Ref Power	1		PASS
HVLT	GSM1800	885	1784.8	15	-1800	-59.89	-36	PASS
HVLT	GSM1800	885	1784.8	15	-1200	-58.31	-32	PASS
HVLT	GSM1800	885	1784.8	15	-600	-52.4	-26	PASS
HVLT	GSM1800	885	1784.8	15	-400	-48.84	-23	PASS
HVLT	GSM1800	885	1784.8	15	400	-46.24	-23	PASS
HVLT	GSM1800	885	1784.8	15	600	-50.57	-26	PASS
HVLT	GSM1800	885	1784.8	15	1200	-56.3	-32	PASS
HVLT	GSM1800	885	1784.8	15	1800	-59.1	-36	PASS
LVHT	GSM1800	512	1710.2	0	Ref Power	29.8		PASS
LVHT	GSM1800	512	1710.2	0	-1800	-42.2	-27.12	PASS
LVHT	GSM1800	512	1710.2	0	-1200	-39.72	-24.12	PASS
LVHT	GSM1800	512	1710.2	0	-600	-34.08	-24.06	PASS
LVHT	GSM1800	512	1710.2	0	-400	-27.84	-22.06	PASS
LVHT	GSM1800	512	1710.2	0	400	-26.77	-22.06	PASS
LVHT	GSM1800	512	1710.2	0	600	-32.77	-24.06	PASS
LVHT	GSM1800	512	1710.2	0	1200	-40.96	-24.12	PASS
LVHT	GSM1800	512	1710.2	0	1800	-39.75	-27.12	PASS
LVHT	GSM1800	512	1710.2	15	Ref Power	0.33		PASS
LVHT	GSM1800	512	1710.2	15	-1800	-61.46	-36	PASS

LVHT	GSM1800	512	1710.2	15	-1200	-58.63	-32	PASS
LVHT	GSM1800	512	1710.2	15	-600	-52.96	-26	PASS
LVHT	GSM1800	512	1710.2	15	-400	-49.3	-23	PASS
LVHT	GSM1800	512	1710.2	15	400	-47.15	-23	PASS
LVHT	GSM1800	512	1710.2	15	600	-50.88	-26	PASS
LVHT	GSM1800	512	1710.2	15	1200	-58.36	-32	PASS
LVHT	GSM1800	512	1710.2	15	1800	-59.43	-36	PASS
LVHT	GSM1800	698	1747.4	0	Ref Power	30.22		PASS
LVHT	GSM1800	698	1747.4	0	-1800	-41.31	-26.7	PASS
LVHT	GSM1800	698	1747.4	0	-1200	-37.14	-23.7	PASS
LVHT	GSM1800	698	1747.4	0	-600	-32.66	-23.7	PASS
LVHT	GSM1800	698	1747.4	0	-400	-26.62	-21.7	PASS
LVHT	GSM1800	698	1747.4	0	400	-26.64	-21.7	PASS
LVHT	GSM1800	698	1747.4	0	600	-31.39	-23.7	PASS
LVHT	GSM1800	698	1747.4	0	1200	-38.68	-23.7	PASS
LVHT	GSM1800	698	1747.4	0	1800	-40.77	-26.7	PASS
LVHT	GSM1800	698	1747.4	15	Ref Power	0.65		PASS
LVHT	GSM1800	698	1747.4	15	-1800	-60.82	-36	PASS
LVHT	GSM1800	698	1747.4	15	-1200	-57.86	-32	PASS
LVHT	GSM1800	698	1747.4	15	-600	-52.03	-26	PASS
LVHT	GSM1800	698	1747.4	15	-400	-48.82	-23	PASS
LVHT	GSM1800	698	1747.4	15	400	-46.08	-23	PASS
LVHT	GSM1800	698	1747.4	15	600	-50.69	-26	PASS
LVHT	GSM1800	698	1747.4	15	1200	-56.59	-32	PASS
LVHT	GSM1800	698	1747.4	15	1800	-60.49	-36	PASS
LVHT	GSM1800	885	1784.8	0	Ref Power	30.44		PASS
LVHT	GSM1800	885	1784.8	0	-1800	-41.95	-26.46	PASS
LVHT	GSM1800	885	1784.8	0	-1200	-37.61	-23.46	PASS
LVHT	GSM1800	885	1784.8	0	-600	-30.4	-23.46	PASS
LVHT	GSM1800	885	1784.8	0	-400	-23.83	-21.46	PASS
LVHT	GSM1800	885	1784.8	0	400	-25.61	-21.46	PASS
LVHT	GSM1800	885	1784.8	0	600	-32.84	-23.46	PASS
LVHT	GSM1800	885	1784.8	0	1200	-38.78	-23.46	PASS
LVHT	GSM1800	885	1784.8	0	1800	-40.57	-26.46	PASS
LVHT	GSM1800	885	1784.8	15	Ref Power	0.84		PASS
LVHT	GSM1800	885	1784.8	15	-1800	-59.89	-36	PASS
LVHT	GSM1800	885	1784.8	15	-1200	-58.19	-32	PASS
LVHT	GSM1800	885	1784.8	15	-600	-52.32	-26	PASS
LVHT	GSM1800	885	1784.8	15	-400	-48.88	-23	PASS
LVHT	GSM1800	885	1784.8	15	400	-46.27	-23	PASS
LVHT	GSM1800	885	1784.8	15	600	-50.54	-26	PASS
LVHT	GSM1800	885	1784.8	15	1200	-56.29	-32	PASS
LVHT	GSM1800	885	1784.8	15	1800	-58.98	-36	PASS
LVLT	GSM1800	512	1710.2	0	Ref Power	29.75		PASS

LVLT	GSM1800	512	1710.2	0	-1800	-42.1	-27.12	PASS
LVLT	GSM1800	512	1710.2	0	-1200	-39.69	-24.12	PASS
LVLT	GSM1800	512	1710.2	0	-600	-33.96	-24.06	PASS
LVLT	GSM1800	512	1710.2	0	-400	-27.86	-22.06	PASS
LVLT	GSM1800	512	1710.2	0	400	-26.74	-22.06	PASS
LVLT	GSM1800	512	1710.2	0	600	-32.91	-24.06	PASS
LVLT	GSM1800	512	1710.2	0	1200	-40.99	-24.12	PASS
LVLT	GSM1800	512	1710.2	0	1800	-39.79	-27.12	PASS
LVLT	GSM1800	512	1710.2	15	Ref Power	0.3		PASS
LVLT	GSM1800	512	1710.2	15	-1800	-61.35	-36	PASS
LVLT	GSM1800	512	1710.2	15	-1200	-58.62	-32	PASS
LVLT	GSM1800	512	1710.2	15	-600	-53.04	-26	PASS
LVLT	GSM1800	512	1710.2	15	-400	-49.17	-23	PASS
LVLT	GSM1800	512	1710.2	15	400	-47.14	-23	PASS
LVLT	GSM1800	512	1710.2	15	600	-50.79	-26	PASS
LVLT	GSM1800	512	1710.2	15	1200	-58.4	-32	PASS
LVLT	GSM1800	512	1710.2	15	1800	-59.33	-36	PASS
LVLT	GSM1800	698	1747.4	0	Ref Power	30.11		PASS
LVLT	GSM1800	698	1747.4	0	-1800	-41.26	-26.7	PASS
LVLT	GSM1800	698	1747.4	0	-1200	-37.29	-23.7	PASS
LVLT	GSM1800	698	1747.4	0	-600	-32.77	-23.7	PASS
LVLT	GSM1800	698	1747.4	0	-400	-26.78	-21.7	PASS
LVLT	GSM1800	698	1747.4	0	400	-26.66	-21.7	PASS
LVLT	GSM1800	698	1747.4	0	600	-31.43	-23.7	PASS
LVLT	GSM1800	698	1747.4	0	1200	-38.57	-23.7	PASS
LVLT	GSM1800	698	1747.4	0	1800	-40.66	-26.7	PASS
LVLT	GSM1800	698	1747.4	15	Ref Power	0.71		PASS
LVLT	GSM1800	698	1747.4	15	-1800	-60.76	-36	PASS
LVLT	GSM1800	698	1747.4	15	-1200	-57.83	-32	PASS
LVLT	GSM1800	698	1747.4	15	-600	-51.91	-26	PASS
LVLT	GSM1800	698	1747.4	15	-400	-48.75	-23	PASS
LVLT	GSM1800	698	1747.4	15	400	-45.92	-23	PASS
LVLT	GSM1800	698	1747.4	15	600	-50.79	-26	PASS
LVLT	GSM1800	698	1747.4	15	1200	-56.57	-32	PASS
LVLT	GSM1800	698	1747.4	15	1800	-60.43	-36	PASS
LVLT	GSM1800	885	1784.8	0	Ref Power	30.48		PASS
LVLT	GSM1800	885	1784.8	0	-1800	-41.94	-26.46	PASS
LVLT	GSM1800	885	1784.8	0	-1200	-37.47	-23.46	PASS
LVLT	GSM1800	885	1784.8	0	-600	-30.28	-23.46	PASS
LVLT	GSM1800	885	1784.8	0	-400	-23.74	-21.46	PASS
LVLT	GSM1800	885	1784.8	0	400	-25.72	-21.46	PASS
LVLT	GSM1800	885	1784.8	0	600	-32.94	-23.46	PASS
LVLT	GSM1800	885	1784.8	0	1200	-38.77	-23.46	PASS
LVLT	GSM1800	885	1784.8	0	1800	-40.49	-26.46	PASS

LVLT	GSM1800	885	1784.8	15	Ref Power	0.89		PASS
LVLT	GSM1800	885	1784.8	15	-1800	-59.94	-36	PASS
LVLT	GSM1800	885	1784.8	15	-1200	-58.2	-32	PASS
LVLT	GSM1800	885	1784.8	15	-600	-52.41	-26	PASS
LVLT	GSM1800	885	1784.8	15	-400	-48.86	-23	PASS
LVLT	GSM1800	885	1784.8	15	400	-46.28	-23	PASS
LVLT	GSM1800	885	1784.8	15	600	-50.57	-26	PASS
LVLT	GSM1800	885	1784.8	15	1200	-56.21	-32	PASS
LVLT	GSM1800	885	1784.8	15	1800	-59.07	-36	PASS
HVHT	GSM900	975	880.2	5	Ref Power	32.68		PASS
HVHT	GSM900	975	880.2	5	-1800	-44.65	-24.28	PASS
HVHT	GSM900	975	880.2	5	-1200	-41.31	-21.28	PASS
HVHT	GSM900	975	880.2	5	-600	-38.33	-21.28	PASS
HVHT	GSM900	975	880.2	5	-400	-33.88	-19.28	PASS
HVHT	GSM900	975	880.2	5	400	-35.58	-19.28	PASS
HVHT	GSM900	975	880.2	5	600	-36.93	-21.28	PASS
HVHT	GSM900	975	880.2	5	1200	-42.58	-21.28	PASS
HVHT	GSM900	975	880.2	5	1800	-43.07	-24.28	PASS
HVHT	GSM900	975	880.2	19	Ref Power	4.72		PASS
HVHT	GSM900	975	880.2	19	-1800	-54.16	-36	PASS
HVHT	GSM900	975	880.2	19	-1200	-52.1	-32	PASS
HVHT	GSM900	975	880.2	19	-600	-47.41	-26	PASS
HVHT	GSM900	975	880.2	19	-400	-44.47	-23	PASS
HVHT	GSM900	975	880.2	19	400	-42.82	-23	PASS
HVHT	GSM900	975	880.2	19	600	-46.24	-26	PASS
HVHT	GSM900	975	880.2	19	1200	-51.51	-32	PASS
HVHT	GSM900	975	880.2	19	1800	-54.54	-36	PASS
HVHT	GSM900	38	897.6	5	Ref Power	32.48		PASS
HVHT	GSM900	38	897.6	5	-1800	-43.63	-24.36	PASS
HVHT	GSM900	38	897.6	5	-1200	-42.66	-21.36	PASS
HVHT	GSM900	38	897.6	5	-600	-37.35	-21.36	PASS
HVHT	GSM900	38	897.6	5	-400	-34.29	-19.36	PASS
HVHT	GSM900	38	897.6	5	400	-35.29	-19.36	PASS
HVHT	GSM900	38	897.6	5	600	-37.84	-21.36	PASS
HVHT	GSM900	38	897.6	5	1200	-42.13	-21.36	PASS
HVHT	GSM900	38	897.6	5	1800	-44.94	-24.36	PASS
HVHT	GSM900	38	897.6	19	Ref Power	4.58		PASS
HVHT	GSM900	38	897.6	19	-1800	-55.65	-36	PASS
HVHT	GSM900	38	897.6	19	-1200	-51.36	-32	PASS
HVHT	GSM900	38	897.6	19	-600	-47.76	-26	PASS
HVHT	GSM900	38	897.6	19	-400	-44.55	-23	PASS
HVHT	GSM900	38	897.6	19	400	-42.74	-23	PASS
HVHT	GSM900	38	897.6	19	600	-46.17	-26	PASS
HVHT	GSM900	38	897.6	19	1200	-52.36	-32	PASS

HVHT	GSM900	38	897.6	19	1800	-54.35	-36	PASS
HVHT	GSM900	124	914.8	5	Ref Power	32.62		PASS
HVHT	GSM900	124	914.8	5	-1800	-42.17	-24.28	PASS
HVHT	GSM900	124	914.8	5	-1200	-41.86	-21.28	PASS
HVHT	GSM900	124	914.8	5	-600	-39.41	-21.28	PASS
HVHT	GSM900	124	914.8	5	-400	-34.03	-19.28	PASS
HVHT	GSM900	124	914.8	5	400	-34.16	-19.28	PASS
HVHT	GSM900	124	914.8	5	600	-38.36	-21.28	PASS
HVHT	GSM900	124	914.8	5	1200	-42.09	-21.28	PASS
HVHT	GSM900	124	914.8	5	1800	-41.87	-24.28	PASS
HVHT	GSM900	124	914.8	19	Ref Power	5.05		PASS
HVHT	GSM900	124	914.8	19	-1800	-53.62	-36	PASS
HVHT	GSM900	124	914.8	19	-1200	-51.21	-32	PASS
HVHT	GSM900	124	914.8	19	-600	-47.12	-26	PASS
HVHT	GSM900	124	914.8	19	-400	-44.32	-23	PASS
HVHT	GSM900	124	914.8	19	400	-41.97	-23	PASS
HVHT	GSM900	124	914.8	19	600	-45.44	-26	PASS
HVHT	GSM900	124	914.8	19	1200	-51.34	-32	PASS
HVHT	GSM900	124	914.8	19	1800	-54.91	-36	PASS
HVLT	GSM900	975	880.2	5	Ref Power	32.54		PASS
HVLT	GSM900	975	880.2	5	-1800	-44.64	-24.28	PASS
HVLT	GSM900	975	880.2	5	-1200	-41.21	-21.28	PASS
HVLT	GSM900	975	880.2	5	-600	-38.46	-21.28	PASS
HVLT	GSM900	975	880.2	5	-400	-33.83	-19.28	PASS
HVLT	GSM900	975	880.2	5	400	-35.45	-19.28	PASS
HVLT	GSM900	975	880.2	5	600	-36.83	-21.28	PASS
HVLT	GSM900	975	880.2	5	1200	-42.52	-21.28	PASS
HVLT	GSM900	975	880.2	5	1800	-43.12	-24.28	PASS
HVLT	GSM900	975	880.2	19	Ref Power	4.64		PASS
HVLT	GSM900	975	880.2	19	-1800	-54.07	-36	PASS
HVLT	GSM900	975	880.2	19	-1200	-52.18	-32	PASS
HVLT	GSM900	975	880.2	19	-600	-47.54	-26	PASS
HVLT	GSM900	975	880.2	19	-400	-44.62	-23	PASS
HVLT	GSM900	975	880.2	19	400	-42.94	-23	PASS
HVLT	GSM900	975	880.2	19	600	-46.32	-26	PASS
HVLT	GSM900	975	880.2	19	1200	-51.55	-32	PASS
HVLT	GSM900	975	880.2	19	1800	-54.68	-36	PASS
HVLT	GSM900	38	897.6	5	Ref Power	32.47		PASS
HVLT	GSM900	38	897.6	5	-1800	-43.55	-24.36	PASS
HVLT	GSM900	38	897.6	5	-1200	-42.57	-21.36	PASS
HVLT	GSM900	38	897.6	5	-600	-37.28	-21.36	PASS
HVLT	GSM900	38	897.6	5	-400	-34.45	-19.36	PASS
HVLT	GSM900	38	897.6	5	400	-35.22	-19.36	PASS
HVLT	GSM900	38	897.6	5	600	-37.86	-21.36	PASS



HVLT	GSM900	38	897.6	5	1200	-42.03	-21.36	PASS
HVLT	GSM900	38	897.6	5	1800	-44.88	-24.36	PASS
HVLT	GSM900	38	897.6	19	Ref Power	4.66		PASS
HVLT	GSM900	38	897.6	19	-1800	-55.59	-36	PASS
HVLT	GSM900	38	897.6	19	-1200	-51.4	-32	PASS
HVLT	GSM900	38	897.6	19	-600	-47.8	-26	PASS
HVLT	GSM900	38	897.6	19	-400	-44.71	-23	PASS
HVLT	GSM900	38	897.6	19	400	-42.8	-23	PASS
HVLT	GSM900	38	897.6	19	600	-46.24	-26	PASS
HVLT	GSM900	38	897.6	19	1200	-52.38	-32	PASS
HVLT	GSM900	38	897.6	19	1800	-54.29	-36	PASS
HVLT	GSM900	124	914.8	5	Ref Power	32.67		PASS
HVLT	GSM900	124	914.8	5	-1800	-42.15	-24.28	PASS
HVLT	GSM900	124	914.8	5	-1200	-41.77	-21.28	PASS
HVLT	GSM900	124	914.8	5	-600	-39.38	-21.28	PASS
HVLT	GSM900	124	914.8	5	-400	-33.96	-19.28	PASS
HVLT	GSM900	124	914.8	5	400	-34.02	-19.28	PASS
HVLT	GSM900	124	914.8	5	600	-38.54	-21.28	PASS
HVLT	GSM900	124	914.8	5	1200	-42.03	-21.28	PASS
HVLT	GSM900	124	914.8	5	1800	-41.88	-24.28	PASS
HVLT	GSM900	124	914.8	19	Ref Power	4.89		PASS
HVLT	GSM900	124	914.8	19	-1800	-53.56	-36	PASS
HVLT	GSM900	124	914.8	19	-1200	-51.27	-32	PASS
HVLT	GSM900	124	914.8	19	-600	-47.11	-26	PASS
HVLT	GSM900	124	914.8	19	-400	-44.2	-23	PASS
HVLT	GSM900	124	914.8	19	400	-42.06	-23	PASS
HVLT	GSM900	124	914.8	19	600	-45.41	-26	PASS
HVLT	GSM900	124	914.8	19	1200	-51.31	-32	PASS
HVLT	GSM900	124	914.8	19	1800	-54.82	-36	PASS
LVHT	GSM900	975	880.2	5	Ref Power	32.58		PASS
LVHT	GSM900	975	880.2	5	-1800	-44.6	-24.28	PASS
LVHT	GSM900	975	880.2	5	-1200	-41.2	-21.28	PASS
LVHT	GSM900	975	880.2	5	-600	-38.38	-21.28	PASS
LVHT	GSM900	975	880.2	5	-400	-33.86	-19.28	PASS
LVHT	GSM900	975	880.2	5	400	-35.59	-19.28	PASS
LVHT	GSM900	975	880.2	5	600	-36.87	-21.28	PASS
LVHT	GSM900	975	880.2	5	1200	-42.54	-21.28	PASS
LVHT	GSM900	975	880.2	5	1800	-43.14	-24.28	PASS
LVHT	GSM900	975	880.2	19	Ref Power	4.59		PASS
LVHT	GSM900	975	880.2	19	-1800	-54.04	-36	PASS
LVHT	GSM900	975	880.2	19	-1200	-52.02	-32	PASS
LVHT	GSM900	975	880.2	19	-600	-47.46	-26	PASS
LVHT	GSM900	975	880.2	19	-400	-44.49	-23	PASS
LVHT	GSM900	975	880.2	19	400	-42.88	-23	PASS

LVHT	GSM900	975	880.2	19	600	-46.27	-26	PASS
LVHT	GSM900	975	880.2	19	1200	-51.54	-32	PASS
LVHT	GSM900	975	880.2	19	1800	-54.53	-36	PASS
LVHT	GSM900	38	897.6	5	Ref Power	32.52		PASS
LVHT	GSM900	38	897.6	5	-1800	-43.66	-24.36	PASS
LVHT	GSM900	38	897.6	5	-1200	-42.53	-21.36	PASS
LVHT	GSM900	38	897.6	5	-600	-37.45	-21.36	PASS
LVHT	GSM900	38	897.6	5	-400	-34.3	-19.36	PASS
LVHT	GSM900	38	897.6	5	400	-35.29	-19.36	PASS
LVHT	GSM900	38	897.6	5	600	-37.83	-21.36	PASS
LVHT	GSM900	38	897.6	5	1200	-41.99	-21.36	PASS
LVHT	GSM900	38	897.6	5	1800	-44.91	-24.36	PASS
LVHT	GSM900	38	897.6	19	Ref Power	4.77		PASS
LVHT	GSM900	38	897.6	19	-1800	-55.75	-36	PASS
LVHT	GSM900	38	897.6	19	-1200	-51.54	-32	PASS
LVHT	GSM900	38	897.6	19	-600	-47.75	-26	PASS
LVHT	GSM900	38	897.6	19	-400	-44.61	-23	PASS
LVHT	GSM900	38	897.6	19	400	-42.71	-23	PASS
LVHT	GSM900	38	897.6	19	600	-46.2	-26	PASS
LVHT	GSM900	38	897.6	19	1200	-52.32	-32	PASS
LVHT	GSM900	38	897.6	19	1800	-54.35	-36	PASS
LVHT	GSM900	124	914.8	5	Ref Power	32.56		PASS
LVHT	GSM900	124	914.8	5	-1800	-42.01	-24.28	PASS
LVHT	GSM900	124	914.8	5	-1200	-41.8	-21.28	PASS
LVHT	GSM900	124	914.8	5	-600	-39.4	-21.28	PASS
LVHT	GSM900	124	914.8	5	-400	-33.97	-19.28	PASS
LVHT	GSM900	124	914.8	5	400	-34.06	-19.28	PASS
LVHT	GSM900	124	914.8	5	600	-38.55	-21.28	PASS
LVHT	GSM900	124	914.8	5	1200	-42.14	-21.28	PASS
LVHT	GSM900	124	914.8	5	1800	-41.93	-24.28	PASS
LVHT	GSM900	124	914.8	19	Ref Power	5.02		PASS
LVHT	GSM900	124	914.8	19	-1800	-53.57	-36	PASS
LVHT	GSM900	124	914.8	19	-1200	-51.18	-32	PASS
LVHT	GSM900	124	914.8	19	-600	-47.27	-26	PASS
LVHT	GSM900	124	914.8	19	-400	-44.33	-23	PASS
LVHT	GSM900	124	914.8	19	400	-41.96	-23	PASS
LVHT	GSM900	124	914.8	19	600	-45.39	-26	PASS
LVHT	GSM900	124	914.8	19	1200	-51.34	-32	PASS
LVHT	GSM900	124	914.8	19	1800	-54.86	-36	PASS
LVLT	GSM900	975	880.2	5	Ref Power	32.59		PASS
LVLT	GSM900	975	880.2	5	-1800	-44.48	-24.28	PASS
LVLT	GSM900	975	880.2	5	-1200	-41.2	-21.28	PASS
LVLT	GSM900	975	880.2	5	-600	-38.3	-21.28	PASS
LVLT	GSM900	975	880.2	5	-400	-34.01	-19.28	PASS

LVLT	GSM900	975	880.2	5	400	-35.62	-19.28	PASS
LVLT	GSM900	975	880.2	5	600	-36.93	-21.28	PASS
LVLT	GSM900	975	880.2	5	1200	-42.6	-21.28	PASS
LVLT	GSM900	975	880.2	5	1800	-43.18	-24.28	PASS
LVLT	GSM900	975	880.2	19	Ref Power	4.73		PASS
LVLT	GSM900	975	880.2	19	-1800	-54.15	-36	PASS
LVLT	GSM900	975	880.2	19	-1200	-52.01	-32	PASS
LVLT	GSM900	975	880.2	19	-600	-47.44	-26	PASS
LVLT	GSM900	975	880.2	19	-400	-44.63	-23	PASS
LVLT	GSM900	975	880.2	19	400	-42.93	-23	PASS
LVLT	GSM900	975	880.2	19	600	-46.25	-26	PASS
LVLT	GSM900	975	880.2	19	1200	-51.46	-32	PASS
LVLT	GSM900	975	880.2	19	1800	-54.64	-36	PASS
LVLT	GSM900	38	897.6	5	Ref Power	32.55		PASS
LVLT	GSM900	38	897.6	5	-1800	-43.68	-24.36	PASS
LVLT	GSM900	38	897.6	5	-1200	-42.53	-21.36	PASS
LVLT	GSM900	38	897.6	5	-600	-37.47	-21.36	PASS
LVLT	GSM900	38	897.6	5	-400	-34.39	-19.36	PASS
LVLT	GSM900	38	897.6	5	400	-35.36	-19.36	PASS
LVLT	GSM900	38	897.6	5	600	-37.72	-21.36	PASS
LVLT	GSM900	38	897.6	5	1200	-42	-21.36	PASS
LVLT	GSM900	38	897.6	5	1800	-44.9	-24.36	PASS
LVLT	GSM900	38	897.6	19	Ref Power	4.73		PASS
LVLT	GSM900	38	897.6	19	-1800	-55.6	-36	PASS
LVLT	GSM900	38	897.6	19	-1200	-51.52	-32	PASS
LVLT	GSM900	38	897.6	19	-600	-47.83	-26	PASS
LVLT	GSM900	38	897.6	19	-400	-44.68	-23	PASS
LVLT	GSM900	38	897.6	19	400	-42.78	-23	PASS
LVLT	GSM900	38	897.6	19	600	-46.31	-26	PASS
LVLT	GSM900	38	897.6	19	1200	-52.33	-32	PASS
LVLT	GSM900	38	897.6	19	1800	-54.25	-36	PASS
LVLT	GSM900	124	914.8	5	Ref Power	32.58		PASS
LVLT	GSM900	124	914.8	5	-1800	-42.08	-24.28	PASS
LVLT	GSM900	124	914.8	5	-1200	-41.77	-21.28	PASS
LVLT	GSM900	124	914.8	5	-600	-39.46	-21.28	PASS
LVLT	GSM900	124	914.8	5	-400	-34.02	-19.28	PASS
LVLT	GSM900	124	914.8	5	400	-34.09	-19.28	PASS
LVLT	GSM900	124	914.8	5	600	-38.52	-21.28	PASS
LVLT	GSM900	124	914.8	5	1200	-41.97	-21.28	PASS
LVLT	GSM900	124	914.8	5	1800	-41.83	-24.28	PASS
LVLT	GSM900	124	914.8	19	Ref Power	4.88		PASS
LVLT	GSM900	124	914.8	19	-1800	-53.56	-36	PASS
LVLT	GSM900	124	914.8	19	-1200	-51.27	-32	PASS
LVLT	GSM900	124	914.8	19	-600	-47.15	-26	PASS

LVLT	GSM900	124	914.8	19	-400	-44.23	-23	PASS
LVLT	GSM900	124	914.8	19	400	-42	-23	PASS
LVLT	GSM900	124	914.8	19	600	-45.37	-26	PASS
LVLT	GSM900	124	914.8	19	1200	-51.3	-32	PASS
LVLT	GSM900	124	914.8	19	1800	-54.77	-36	PASS