Notified Body TÜV Rheinland LGA Products GmbH

Tillystraße 2 90431 Nürnberg notified by the



Bundesnetzagentur für Elektrizität, Gas, Telekommunikation, Post und Eisenbahnen

under No. 0197

herewith issues an

EU-Type Examination Certificate

within the meaning of Annex III Module B of the 2014/53/EU Radio Equipment Directive (RED) for compliance with the essential requirements of this directive

Registration Number:

RT 60165628 0001

Evaluation Report Nr.:

CN22KHGW 001

Manufacturer:

Shenzhen DOKE Electronic Co., Ltd

801, Building3, 7th Industrial Zone,

Yulv Community, Yutang Road, Guangming District,

Shenzhen P.R. China

Product:

Radio Equipment (Mobile Phone)

Type

Identification:

BV7100

(Blackview)

Essential

requirements:

2014/53/EU (RED)

Article 3.1a Health

Article 3.1a Electrical Safety

Article 3.1b EMC

Article 3.2 Radio spectrum

The technical design of the assessed type has been verified based on the technical documentation presented by the manufacturer according to Annex III Module B of the Directive. As far as the essential requirements indicated, the Notified Body of TÜV Rheinland LGA Products GmbH confirms, that the technical design of the apparatus meets the essential requirements of the Directive 2014/53/EU Article 3.

This certificate consists of this page and Annex I. Validity of the certificate is specified in the Annex I.

Notified Body

Date <u>07.09.2022</u>

S. Peng

TÜVRheinland

Certificate Registration No.: RT 60165628 0001



1 of 3

Equipment

Product Mobile Phone Trademark Blackview Identification BV7100

Product description: This product is Mobile Phone, which supports GSM/WCDMA/LTE, Bluetooth, Wi-Fi, GNSS,

NFC and FM functions.

System description

Frequency band(s) of operation E-GSM 900, DCS 1800, WCDMA Band I/VIII

LTE Bands 1/3/7/8/20/40, 2400-2483.5MHz, 5150-5250MHz, 5725- $5875MHz,\,1559-1610MHz,\,87.5-108MHz,\,13.557-13.567MHz$

Operating frequency E-GSM 900: Uplink: 880-915MHz, Downlink: 925-960MHz

DCS 1800: Uplink: 1710-1785MHz, Downlink: 1805-1880MHz WCDMA Band I: Uplink: 1920-1980MHz, Downlink: 2110-2170MHz WCDMA Band VIII: Uplink: 880-915MHz, Downlink: 925-960MHz LTE Band 1: Uplink: 1920-1980MHz, Downlink: 2110-2170MHz LTE Band 3: Uplink: 1710-1785MHz, Downlink: 1805-1880MHz LTE Band 7: Uplink: 2500-2570MHz, Downlink: 2620-2690MHz LTE Band 8: Uplink: 880-915MHz, Downlink: 925-960MHz LTE Band 20: Uplink: 832-862MHz, Downlink: 791-821MHz

LTE Band 40: Uplink & Downlink: 2300-2400MHz

Bluetooth: 2402-2480MHz 2.4GHz Wi-Fi: 2412-2472MHz

5GHz Wi-Fi: 5150-5250MHz, 5725-5875MHz

GNSS (receiver): 1575.42MHz

NFC: 13.56MHz

FM(receiver): 87.5-108MHz

Channel spacing / bandwidth 200kHz, 1MHz, 1.4MHz, 2MHz, 3MHz, 5MHz, 10MHz, 15MHz,

20MHz, 40MHz, 80MHz E-GSM 900: 33dBm±2dB

RF output power DCS 1800: 30dBm±2dB

WCDMA: 24dBm+1.7dB/-3.7dB LTE bands: 23dBm+2.7dB/-2.7dB Bluetooth: 9.61dBm (max.e.i.r.p.) 2.4GHz Wi-Fi: 15.92dBm (max. e.i.r.p.) 5GHz Wi-Fi: 10.57dBm (max. e.i.r.p.)

NFC:20.24 dBuA/m@10m

 $\mathsf{GMSK},\,\mathsf{8PSK},\,\mathsf{QPSK},\,\mathsf{16QAM},\,\mathsf{DSSS}\,\,(\mathsf{DBPSK},\,\mathsf{DQPSK},\,\mathsf{CCK}),$ Type of modulation

OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM), GFSK, pi/4-

DQPSK, 8-DPSK, FM, ASK

Integral Antenna Type of antenna Mode of operation (simplex / duplex) Duplex Up to 100% Duty cycle (access protocol, if applicable) :

Hardware version M800 MBA2 BOM3 Software version BV7100_EEA_M800

Documentation

User information and installation instructions	\boxtimes
Block diagram	\bowtie
Circuit diagram	\boxtimes
Part list	\boxtimes
PCB layout	\boxtimes
Photo documentation	\boxtimes
Versions of firmware/software used	\boxtimes
Statement of compliance with art. 10.2 it can be operated in at least one Member State without infringing applicable requirements on the use of radio spectrum.	
Risk Analysis	\boxtimes

Certificate Registration No.: RT 60165628 0001



2 of 3

Conformity Assessment

Artic		ublication of harmonised standard Standard	Test Report No.	Issued by
3.1a	Health	EN 50360:2017 EN 50566:2017	STR220722005013E	Shenzhen NTEK Testing Technology Co., Ltd.
3.1a	Safety			
3.1b	EMC			
3.2	Radio	EN 300 328 V2.2.2; EN 301 893 V2.1.1; EN 301 511 V12.5.1; EN 301 908-1 V13.1.1 EN 301 908-2 V13.1.1; EN 301 908-13 V13.1.1; EN 303 345-3 V1.1.1; EN 303 413 V1.2.1; EN 300 330 V2.1.1	STR220722005001E STR220722005002E STR220722005003E; STR220722005004E; STR220722005006E; STR220722005007E; STR220722005009E; STR220722005009E; STR220722005010E; STR220722005011E	Shenzhen NTEK Testing Technology Co., Ltd.
3.3	Others			
Appli	ed non-hari	monised standards	<u> </u>	-
Artic	е	Standard	Test Report No.	Issued by
3.1a	Health	EN 62479: 2010	STR220722005013E	Shenzhen NTEK Testing Technology Co., Ltd.
	Safety	EN 62368-1:2014+A11:2017	STS220722001001E	Shenzhen NTEK Testing Technology Co., Ltd.
	EMC	EN 301 489-1 V2.2.3 EN 301 489-3 V2.1.1 EN 301 489-17 V3.2.4 EN 301 489-19 V2.1.1 EN 301 489-52 V1.2.1 EN 55032:2015+A11:202 EN 55035:2017+A11:2020 EN IEC 61000-3-2:2019 EN 61000-3-3:2013+A1:2019	STR220722005012E	Shenzhen NTEK Testing Technology Co., Ltd.
3.2	Radio	EN 300 440 V2.2.1; EN 303 345-1 V1.1.1	STR220722005005E; STR220722005009E	Shenzhen NTEK Testing Technology Co., Ltd.
3.3	Others			
Othe	r solutions,	adopted to meet the essential		
Artic	е	Standard	Test Report No.	Issued by
	Health	EN 62209-1:2016 EN 62209-2:2010	STR220722005013E	Shenzhen NTEK Testing Technology Co., Ltd.
	Safety			
	EMC			
3.2	Radio		<u> </u>	
3.3				



3 of 3

Rationale for applied non-harmonised standards or other solutions:

- EN 62479 Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
- EN 62368-1 Audio/video, information and communication technology equipment Part 1: Safety requirements
- EN 55032 Electromagnetic compatibility of multimedia equipment Emission Requirements; EN 55035 Electromagnetic compatibility of multimedia equipment Immunity requirements; EN 61000-3-2 Electromagnetic compatibility (EMC) Part 3-2: Limits Limits for harmonic current emissions (equipment input current ≤16 A per phase); EN 61000-3-3: Part 3-3: Limits Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤16 A per phase and not subject to conditional connection; EN 301 489-1 Electro Magnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; EN 301 489-3 Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; EN 301 489-17 Part 17: Specific conditions for Broadband Data Transmission Systems; EN 301 489-19 Part 19: Specific conditions for Receive Only Mobile Earth Stations (ROMES) operating in the 1,5 GHz band providing data communications and GNSS receivers operating in the RNSS band (ROGNSS) providing positioning, navigation and timing data; EN 301 489-52 Part 52: Specific conditions for Cellular Communication Mobile and portable (UE) radio and ancillary equipment.
- EN 303 345-1 Broadcast Sound Receivers; Part 1: Generic requirements and measuring methods; EN 300 440 Short Range Devices (SRD); Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Harmonised Standard for access to radio spectrum.
- EN 62209-1 Measurement procedure for the assessment of specific absorption rate of human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices –Part 1: Devices used next to the ear (Frequency range of 300 MHz to 6 GHz); EN 62209-2 Human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices – Human models, instrumentation, and procedures – Part 2: Procedure to determine the specific absorption rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz).

Remarks:

- This Type Examination Certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity.
- This Type Examination Certificate only relates to the assessment of technical documentation to verify that the technical design
 of radio equipment meets the essential requirements of the RED 2014/53/EU and will not show compliance with essential
 requirements of other possible applicable EU Directives.
- The manufacturer has declared in compliance with art. 10.2 that the Radio Equipment can be operated in at least one Member State without infringing applicable requirements on the use of radio spectrum.
- Validity of this Type Examination Certificate is limited to the versions of the applied standard. If versions of standards change
 or modifications are made to the product, this Certificate will be invalidated.