

**Clause 4.2.26 Frequency error and Modulation accuracy in EGPRS Configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Type	Result	Low Limit	high Limit	Verdict
HVHT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-3.34	-174.74	174.74	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4.05	0	9	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	11.22	0	30	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	3.79	-174.74	174.74	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	3.56	0	9	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	11.06	0	30	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-3.33	-174.74	174.74	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	3.9	0	9	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	11.39	0	30	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	3.75	-174.74	174.74	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	3.53	0	9	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	11.01	0	30	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-3.28	-174.74	174.74	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4.02	0	9	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	11.3	0	30	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	3.9	-174.74	174.74	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	3.53	0	9	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	11.04	0	30	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-3.27	-174.74	174.74	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4	0	9	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	11.31	0	30	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	3.79	-174.74	174.74	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	3.57	0	9	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	11.14	0	30	PASS
Vibration-X	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-3.35	-174.74	174.74	PASS
Vibration-X	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	3.97	0	9	PASS
Vibration-X	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	11.32	0	30	PASS
Vibration-X	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	3.79	-174.74	174.74	PASS
Vibration-X	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	3.54	0	9	PASS
Vibration-X	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	11.15	0	30	PASS

Vibration-Y	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-3.33	-174.74	174.74	PASS
Vibration-Y	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4.02	0	9	PASS
Vibration-Y	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	11.3	0	30	PASS
Vibration-Y	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	3.92	-174.74	174.74	PASS
Vibration-Y	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	3.55	0	9	PASS
Vibration-Y	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	11.11	0	30	PASS
Vibration-Z	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-3.28	-174.74	174.74	PASS
Vibration-Z	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	3.97	0	9	PASS
Vibration-Z	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	11.25	0	30	PASS
Vibration-Z	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	3.82	-174.74	174.74	PASS
Vibration-Z	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	3.54	0	9	PASS
Vibration-Z	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	11.12	0	30	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	5.56	-89.76	89.76	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.88	0	9	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	8.09	0	30	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	16.71	-89.76	89.76	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	1.04	0	9	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	3.33	0	30	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	5.6	-89.76	89.76	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.9	0	9	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	8.05	0	30	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	16.6	-89.76	89.76	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	1.15	0	9	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	3.42	0	30	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	5.67	-89.76	89.76	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.8	0	9	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	8.01	0	30	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	16.58	-89.76	89.76	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	1.17	0	9	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	3.31	0	30	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	5.63	-89.76	89.76	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.77	0	9	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	8.18	0	30	PASS

LVL	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	16.63	-89.76	89.76	PASS
LVL	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	1.08	0	9	PASS
LVL	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	3.28	0	30	PASS
Vibration-X	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	5.69	-89.76	89.76	PASS
Vibration-X	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.91	0	9	PASS
Vibration-X	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	8.15	0	30	PASS
Vibration-X	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	16.64	-89.76	89.76	PASS
Vibration-X	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	1.05	0	9	PASS
Vibration-X	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	3.38	0	30	PASS
Vibration-Y	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	5.7	-89.76	89.76	PASS
Vibration-Y	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.79	0	9	PASS
Vibration-Y	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	8.11	0	30	PASS
Vibration-Y	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	16.65	-89.76	89.76	PASS
Vibration-Y	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	1.18	0	9	PASS
Vibration-Y	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	3.3	0	30	PASS
Vibration-Z	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	5.6	-89.76	89.76	PASS
Vibration-Z	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.8	0	9	PASS
Vibration-Z	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	8.02	0	30	PASS
Vibration-Z	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	16.63	-89.76	89.76	PASS
Vibration-Z	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	1.15	0	9	PASS
Vibration-Z	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	3.25	0	30	PASS

**Clause 4.2.27 Frequency error under multipath inEGPRS Configuration**

Condition	Band	Type	Channel	Frequency (MHz)	Gamma	Result (Hz)	Low Limit (Hz)	high Limit (Hz)	Verdict
HVHT	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	-0.21	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens1	698	1747.4	5;5;5;5	6.07	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens2	698	1747.4	5;5;5;5	0.85	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens3	698	1747.4	5;5;5;5	9.34	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens4	698	1747.4	5;5;5;5	0.44	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens5	698	1747.4	5;5;5;5	-0.33	-174.74	174.74	PASS

HVHT	EGPRS1800	HT100 @Connect	698	1747.4	5;5;5;5	-10.57	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens1	698	1747.4	5;5;5;5	-6.43	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens2	698	1747.4	5;5;5;5	-7.32	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens3	698	1747.4	5;5;5;5	14.04	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens4	698	1747.4	5;5;5;5	9.24	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens5	698	1747.4	5;5;5;5	14.52	-524.74	524.74	PASS
HVHT	EGPRS1800	TU50 @Connect	698	1747.4	5;5;5;5	12.64	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	6.49	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	5.9	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	3.25	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	5.01	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	18.13	-434.74	434.74	PASS
HVHT	EGPRS1800	TU3 @Connect	698	1747.4	5;5;5;5	18.33	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	7.97	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	8.82	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	-0.83	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	3.7	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	-8.97	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	-8.8	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	5.99	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-4.5	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	8.54	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	16.77	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	17.59	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	12.48	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	12.29	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	9.44	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	3.45	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	8.8	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	5.92	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	6.53	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	2.55	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	3.88	-174.74	174.74	PASS
HVLT	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	-0.3	-174.74	174.74	PASS
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	6.16	-174.74	174.74	PASS

		@Sens1							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	0.9	-174.74	174.74	PASS
		@Sens2							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	9.39	-174.74	174.74	PASS
		@Sens3							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	0.55	-174.74	174.74	PASS
		@Sens4							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	-0.25	-174.74	174.74	PASS
		@Sens5							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	-10.72	-524.74	524.74	PASS
		@Connect							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	-6.52	-524.74	524.74	PASS
		@Sens1							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	-7.3	-524.74	524.74	PASS
		@Sens2							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	14.05	-524.74	524.74	PASS
		@Sens3							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	9.23	-524.74	524.74	PASS
		@Sens4							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	14.5	-524.74	524.74	PASS
		@Sens5							
HVLT	EGPRS1800	TU50	698	1747.4	5;5;5;5	12.71	-434.74	434.74	PASS
		@Connect							
HVLT	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	6.56	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	5.85	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	3.26	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	4.87	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	18.03	-434.74	434.74	PASS
HVLT	EGPRS1800	TU3	698	1747.4	5;5;5;5	18.33	-174.74	174.74	PASS
		@Connect							
HVLT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	7.87	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	8.9	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	-0.86	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	3.59	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	-8.92	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	-8.95	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	5.99	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-4.54	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	8.5	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	16.83	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	17.54	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	12.56	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	12.39	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	9.31	-174.74	174.74	PASS

HVLT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	3.45	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	8.85	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	5.78	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	6.53	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	2.55	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	3.75	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	-0.2	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens1	698	1747.4	5;5;5;5	6.04	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens2	698	1747.4	5;5;5;5	0.83	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens3	698	1747.4	5;5;5;5	9.2	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens4	698	1747.4	5;5;5;5	0.5	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens5	698	1747.4	5;5;5;5	-0.32	-174.74	174.74	PASS
LVHT	EGPRS1800	HT100 @Connect	698	1747.4	5;5;5;5	-10.61	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens1	698	1747.4	5;5;5;5	-6.59	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens2	698	1747.4	5;5;5;5	-7.26	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens3	698	1747.4	5;5;5;5	14.17	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens4	698	1747.4	5;5;5;5	9.22	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens5	698	1747.4	5;5;5;5	14.39	-524.74	524.74	PASS
LVHT	EGPRS1800	TU50 @Connect	698	1747.4	5;5;5;5	12.59	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	6.59	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	5.81	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	3.22	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	4.88	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	18.01	-434.74	434.74	PASS
LVHT	EGPRS1800	TU3 @Connect	698	1747.4	5;5;5;5	18.29	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	7.82	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	8.75	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	-0.81	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	3.57	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	-8.98	-174.74	174.74	PASS

LVHT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	-8.84	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	6.06	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-4.58	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	8.52	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	16.71	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	17.53	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	12.48	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	12.23	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	9.43	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	3.46	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	8.93	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	5.87	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	6.39	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	2.5	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	3.74	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	-0.22	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Sens1	698	1747.4	5;5;5;5	6.16	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Sens2	698	1747.4	5;5;5;5	0.83	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Sens3	698	1747.4	5;5;5;5	9.36	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Sens4	698	1747.4	5;5;5;5	0.53	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Sens5	698	1747.4	5;5;5;5	-0.39	-174.74	174.74	PASS
LVLТ	EGPRS1800	HT100 @Connect	698	1747.4	5;5;5;5	-10.6	-524.74	524.74	PASS
LVLТ	EGPRS1800	HT100 @Sens1	698	1747.4	5;5;5;5	-6.58	-524.74	524.74	PASS
LVLТ	EGPRS1800	HT100 @Sens2	698	1747.4	5;5;5;5	-7.41	-524.74	524.74	PASS
LVLТ	EGPRS1800	HT100 @Sens3	698	1747.4	5;5;5;5	14.02	-524.74	524.74	PASS
LVLТ	EGPRS1800	HT100 @Sens4	698	1747.4	5;5;5;5	9.22	-524.74	524.74	PASS
LVLТ	EGPRS1800	HT100 @Sens5	698	1747.4	5;5;5;5	14.38	-524.74	524.74	PASS
LVLТ	EGPRS1800	TU50 @Connect	698	1747.4	5;5;5;5	12.62	-434.74	434.74	PASS
LVLТ	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	6.57	-434.74	434.74	PASS
LVLТ	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	5.8	-434.74	434.74	PASS
LVLТ	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	3.29	-434.74	434.74	PASS

LVL	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	4.92	-434.74	434.74	PASS
LVL	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	18.09	-434.74	434.74	PASS
LVL	EGPRS1800	TU3 @Connect	698	1747.4	5;5;5;5	18.27	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	7.99	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	8.75	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	-0.85	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	3.71	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	-8.94	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	-8.83	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	6.03	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-4.49	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	8.55	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	16.79	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	17.48	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	12.47	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	12.27	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	9.41	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	3.62	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	8.92	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	5.93	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	6.42	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	2.61	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	3.8	-174.74	174.74	PASS
HVHT	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	-1.12	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	4.69	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	4.68	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	0.8	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	1.07	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens5	38	897.6	6;6;6;6	-0.78	-389.76	389.76	PASS
HVHT	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	5.85	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	2.74	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	7.73	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	2.17	-269.76	269.76	PASS



HVHT	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	12.25	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	3.15	-269.76	269.76	PASS
HVHT	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	7.35	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-1.02	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	5.16	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	3.09	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	4.8	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	6.37	-249.76	249.76	PASS
HVHT	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	16.37	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	11.59	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	7.82	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	11.95	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	1.93	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-0.49	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	3.55	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-0.36	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	0.54	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	5.84	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	12.07	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	10.03	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	4.47	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	7.34	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	8.8	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	4.31	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	2.94	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	0.02	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	2.33	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	6.55	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	8.62	-319.76	319.76	PASS
HVLT	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	-1.15	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	4.64	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	4.65	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	0.79	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	1.03	-389.76	389.76	PASS
HVLT	EGPRS900	RA250	38	897.6	6;6;6;6	-0.88	-389.76	389.76	PASS

		@Sens5							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	5.77	-269.76	269.76	PASS
		@Connect							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	2.68	-269.76	269.76	PASS
		@Sens1							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	7.81	-269.76	269.76	PASS
		@Sens2							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	2.29	-269.76	269.76	PASS
		@Sens3							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	12.31	-269.76	269.76	PASS
		@Sens4							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	3.12	-269.76	269.76	PASS
		@Sens5							
HVLT	EGPRS900	TU50	38	897.6	6;6;6;6	7.2	-249.76	249.76	PASS
		@Connect							
HVLT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-1.03	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	5.22	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	3.23	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	4.73	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	6.36	-249.76	249.76	PASS
HVLT	EGPRS900	TU3	38	897.6	6;6;6;6	16.36	-319.76	319.76	PASS
		@Connect							
HVLT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	11.7	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	8	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	11.91	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	1.84	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-0.37	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	3.49	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-0.28	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	0.51	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	5.92	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	12.2	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	9.97	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	4.51	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	7.31	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	8.7	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	4.31	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	2.81	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	0	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	2.24	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	6.54	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	8.68	-319.76	319.76	PASS
LVHT	EGPRS900	RA250	38	897.6	6;6;6;6	-1.04	-389.76	389.76	PASS
		@Connect							

LVHT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	4.65	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	4.74	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	0.8	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	1.03	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens5	38	897.6	6;6;6;6	-0.82	-389.76	389.76	PASS
LVHT	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	5.8	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	2.75	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	7.85	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	2.16	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	12.14	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	3.1	-269.76	269.76	PASS
LVHT	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	7.22	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-0.97	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	5.13	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	3.13	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	4.75	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	6.39	-249.76	249.76	PASS
LVHT	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	16.4	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	11.62	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	7.87	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	11.89	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	1.86	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-0.47	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	3.59	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-0.25	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	0.61	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	5.84	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	12.15	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	10.07	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	4.49	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	7.37	-319.76	319.76	PASS

LVHT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	8.79	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	4.19	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	2.94	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	0.06	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	2.38	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	6.67	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	8.71	-319.76	319.76	PASS
LVLT	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	-1.07	-389.76	389.76	PASS
LVLT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	4.71	-389.76	389.76	PASS
LVLT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	4.61	-389.76	389.76	PASS
LVLT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	0.9	-389.76	389.76	PASS
LVLT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	0.95	-389.76	389.76	PASS
LVLT	EGPRS900	RA250 @Sens5	38	897.6	6;6;6;6	-0.8	-389.76	389.76	PASS
LVLT	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	5.85	-269.76	269.76	PASS
LVLT	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	2.78	-269.76	269.76	PASS
LVLT	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	7.85	-269.76	269.76	PASS
LVLT	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	2.35	-269.76	269.76	PASS
LVLT	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	12.17	-269.76	269.76	PASS
LVLT	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	3.05	-269.76	269.76	PASS
LVLT	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	7.33	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-1.08	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	5.19	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	3.22	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	4.83	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	6.29	-249.76	249.76	PASS
LVLT	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	16.44	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	11.69	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	7.9	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	11.83	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	1.9	-319.76	319.76	PASS

LVL	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-0.44	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @6	38	897.6	6;6;6;6	3.57	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-0.21	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @8	38	897.6	6;6;6;6	0.64	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @9	38	897.6	6;6;6;6	5.87	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @10	38	897.6	6;6;6;6	12.09	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @11	38	897.6	6;6;6;6	9.97	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @12	38	897.6	6;6;6;6	4.45	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @13	38	897.6	6;6;6;6	7.3	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @14	38	897.6	6;6;6;6	8.82	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @15	38	897.6	6;6;6;6	4.16	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @16	38	897.6	6;6;6;6	2.93	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @17	38	897.6	6;6;6;6	0.15	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @18	38	897.6	6;6;6;6	2.41	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @19	38	897.6	6;6;6;6	6.65	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @20	38	897.6	6;6;6;6	8.53	-319.76	319.76	PASS

**Clause 4.2.28 EGPRS Transmitter output power**

Condition	Band	Channel	Frequency (MHz)	Gamma	Slot	Result	Low Limit	high Limit	Verdict
HVHT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	slot1	25.29	22	29	PASS
HVHT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS1800	512	1710.2	6;6;6;6	slot1	24.27	21	27	PASS
HVHT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1800	512	1710.2	7;7;7;7	slot1	22.63	19	25	PASS
HVHT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS1800	512	1710.2	8;8;8;8	slot1	21.06	17	23	PASS
HVHT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS1800	512	1710.2	9;9;9;9	slot1	18.49	15	21	PASS
HVHT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS1800	512	1710.2	10;10;10;10	slot1	16.98	13	19	PASS
HVHT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1800	512	1710.2	11;11;11;11	slot1	14.16	10	18	PASS
HVHT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1800	512	1710.2	12;12;12;12	slot1	13.39	8	16	PASS
HVHT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS1800	512	1710.2	13;13;13;13	slot1	9.56	6	14	PASS
HVHT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS1800	512	1710.2	14;14;14;14	slot1	7.48	4	12	PASS
HVHT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS1800	512	1710.2	15;15;15;15	slot1	5.54	2	10	PASS
HVHT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS1800	512	1710.2	16;16;16;16	slot1	3.68	-1	9	PASS
HVHT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.17	0	0	PASS

HVHT	EGPRS1800	512	1710.2	17;17;17;17	slot1	1.74	-3	7	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	slot1	-0.63	-5	5	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	slot1	25.45	22	29	PASS
HVHT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS1800	698	1747.4	6;6;6;6	slot1	24.02	21	27	PASS
HVHT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS1800	698	1747.4	7;7;7;7	slot1	22.31	19	25	PASS
HVHT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS1800	698	1747.4	8;8;8;8	slot1	20.38	17	23	PASS
HVHT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1800	698	1747.4	9;9;9;9	slot1	19.37	15	21	PASS
HVHT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS1800	698	1747.4	10;10;10;10	slot1	16.84	13	19	PASS
HVHT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS1800	698	1747.4	11;11;11;11	slot1	14.4	10	18	PASS
HVHT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS1800	698	1747.4	12;12;12;12	slot1	12.55	8	16	PASS
HVHT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS1800	698	1747.4	13;13;13;13	slot1	10.12	6	14	PASS
HVHT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS1800	698	1747.4	14;14;14;14	slot1	7.6	4	12	PASS
HVHT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1800	698	1747.4	15;15;15;15	slot1	5.94	2	10	PASS
HVHT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS1800	698	1747.4	16;16;16;16	slot1	3.72	-1	9	PASS
HVHT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS1800	698	1747.4	17;17;17;17	slot1	1.95	-3	7	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	slot1	-0.12	-5	5	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	slot1	25.21	22	29	PASS
HVHT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1800	885	1784.8	6;6;6;6	slot1	24.08	21	27	PASS
HVHT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS1800	885	1784.8	7;7;7;7	slot1	22.89	19	25	PASS
HVHT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS1800	885	1784.8	8;8;8;8	slot1	21.13	17	23	PASS
HVHT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.01	15	21	PASS
HVHT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS1800	885	1784.8	10;10;10;10	slot1	17.1	13	19	PASS
HVHT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.02	0	0	PASS

HVHT	EGPRS1800	885	1784.8	11;11;11;11	slot1	14.54	10	18	PASS
HVHT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS1800	885	1784.8	12;12;12;12	slot1	13.08	8	16	PASS
HVHT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS1800	885	1784.8	13;13;13;13	slot1	9.68	6	14	PASS
HVHT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS1800	885	1784.8	14;14;14;14	slot1	7.64	4	12	PASS
HVHT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1800	885	1784.8	15;15;15;15	slot1	5.75	2	10	PASS
HVHT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS1800	885	1784.8	16;16;16;16	slot1	4.21	-1	9	PASS
HVHT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1800	885	1784.8	17;17;17;17	slot1	2.06	-3	7	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	slot1	-0.34	-5	5	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	slot1	25.31	22	29	PASS
HVLT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS1800	512	1710.2	6;6;6;6	slot1	24.22	21	27	PASS
HVLT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS1800	512	1710.2	7;7;7;7	slot1	22.6	19	25	PASS
HVLT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	512	1710.2	8;8;8;8	slot1	21	17	23	PASS
HVLT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS1800	512	1710.2	9;9;9;9	slot1	18.46	15	21	PASS
HVLT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1800	512	1710.2	10;10;10;10	slot1	17.05	13	19	PASS
HVLT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1800	512	1710.2	11;11;11;11	slot1	14.21	10	18	PASS
HVLT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.11	0	0	PASS
HVLT	EGPRS1800	512	1710.2	12;12;12;12	slot1	13.43	8	16	PASS
HVLT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS1800	512	1710.2	13;13;13;13	slot1	9.55	6	14	PASS
HVLT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS1800	512	1710.2	14;14;14;14	slot1	7.48	4	12	PASS
HVLT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1800	512	1710.2	15;15;15;15	slot1	5.66	2	10	PASS
HVLT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS1800	512	1710.2	16;16;16;16	slot1	3.7	-1	9	PASS
HVLT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS1800	512	1710.2	17;17;17;17	slot1	1.69	-3	7	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	slot1	-0.55	-5	5	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.08	0	0	PASS

HVLT	EGPRS1800	698	1747.4	5;5;5;5	slot1	25.37	22	29	PASS
HVLT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1800	698	1747.4	6;6;6;6	slot1	24.04	21	27	PASS
HVLT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1800	698	1747.4	7;7;7;7	slot1	22.28	19	25	PASS
HVLT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS1800	698	1747.4	8;8;8;8	slot1	20.42	17	23	PASS
HVLT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS1800	698	1747.4	9;9;9;9	slot1	19.32	15	21	PASS
HVLT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	698	1747.4	10;10;10;10	slot1	16.93	13	19	PASS
HVLT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS1800	698	1747.4	11;11;11;11	slot1	14.36	10	18	PASS
HVLT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.11	0	0	PASS
HVLT	EGPRS1800	698	1747.4	12;12;12;12	slot1	12.52	8	16	PASS
HVLT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.19	0	0	PASS
HVLT	EGPRS1800	698	1747.4	13;13;13;13	slot1	10.03	6	14	PASS
HVLT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS1800	698	1747.4	14;14;14;14	slot1	7.51	4	12	PASS
HVLT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1800	698	1747.4	15;15;15;15	slot1	5.95	2	10	PASS
HVLT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1800	698	1747.4	16;16;16;16	slot1	3.62	-1	9	PASS
HVLT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS1800	698	1747.4	17;17;17;17	slot1	1.93	-3	7	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	slot1	-0.22	-5	5	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	slot1	25.36	22	29	PASS
HVLT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1800	885	1784.8	6;6;6;6	slot1	24.23	21	27	PASS
HVLT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS1800	885	1784.8	7;7;7;7	slot1	22.81	19	25	PASS
HVLT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS1800	885	1784.8	8;8;8;8	slot1	21.05	17	23	PASS
HVLT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.05	15	21	PASS
HVLT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS1800	885	1784.8	10;10;10;10	slot1	17.01	13	19	PASS
HVLT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS1800	885	1784.8	11;11;11;11	slot1	14.69	10	18	PASS
HVLT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1800	885	1784.8	12;12;12;12	slot1	13.11	8	16	PASS
HVLT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.08	0	0	PASS



HVLT	EGPRS1800	885	1784.8	13;13;13;13	slot1	9.72	6	14	PASS
HVLT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1800	885	1784.8	14;14;14;14	slot1	7.63	4	12	PASS
HVLT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS1800	885	1784.8	15;15;15;15	slot1	5.76	2	10	PASS
HVLT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1800	885	1784.8	16;16;16;16	slot1	4.31	-1	9	PASS
HVLT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1800	885	1784.8	17;17;17;17	slot1	2.08	-3	7	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	slot1	-0.29	-5	5	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	slot1	25.27	22	29	PASS
LVHT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS1800	512	1710.2	6;6;6;6	slot1	24.28	21	27	PASS
LVHT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	512	1710.2	7;7;7;7	slot1	22.52	19	25	PASS
LVHT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	512	1710.2	8;8;8;8	slot1	21.06	17	23	PASS
LVHT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1800	512	1710.2	9;9;9;9	slot1	18.63	15	21	PASS
LVHT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS1800	512	1710.2	10;10;10;10	slot1	16.89	13	19	PASS
LVHT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.11	0	0	PASS
LVHT	EGPRS1800	512	1710.2	11;11;11;11	slot1	14.14	10	18	PASS
LVHT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS1800	512	1710.2	12;12;12;12	slot1	13.34	8	16	PASS
LVHT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	512	1710.2	13;13;13;13	slot1	9.57	6	14	PASS
LVHT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS1800	512	1710.2	14;14;14;14	slot1	7.51	4	12	PASS
LVHT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS1800	512	1710.2	15;15;15;15	slot1	5.57	2	10	PASS
LVHT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1800	512	1710.2	16;16;16;16	slot1	3.68	-1	9	PASS
LVHT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1800	512	1710.2	17;17;17;17	slot1	1.76	-3	7	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	slot1	-0.56	-5	5	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	slot1	25.38	22	29	PASS
LVHT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	698	1747.4	6;6;6;6	slot1	24.08	21	27	PASS
LVHT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.18	0	0	PASS

LVHT	EGPRS1800	698	1747.4	7;7;7;7	slot1	22.21	19	25	PASS
LVHT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS1800	698	1747.4	8;8;8;8	slot1	20.33	17	23	PASS
LVHT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS1800	698	1747.4	9;9;9;9	slot1	19.31	15	21	PASS
LVHT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS1800	698	1747.4	10;10;10;10	slot1	16.86	13	19	PASS
LVHT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS1800	698	1747.4	11;11;11;11	slot1	14.44	10	18	PASS
LVHT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS1800	698	1747.4	12;12;12;12	slot1	12.54	8	16	PASS
LVHT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1800	698	1747.4	13;13;13;13	slot1	10.11	6	14	PASS
LVHT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS1800	698	1747.4	14;14;14;14	slot1	7.51	4	12	PASS
LVHT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	698	1747.4	15;15;15;15	slot1	5.98	2	10	PASS
LVHT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS1800	698	1747.4	16;16;16;16	slot1	3.73	-1	9	PASS
LVHT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS1800	698	1747.4	17;17;17;17	slot1	1.92	-3	7	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	slot1	-0.14	-5	5	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	slot1	25.25	22	29	PASS
LVHT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS1800	885	1784.8	6;6;6;6	slot1	24.15	21	27	PASS
LVHT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS1800	885	1784.8	7;7;7;7	slot1	22.79	19	25	PASS
LVHT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	885	1784.8	8;8;8;8	slot1	21.15	17	23	PASS
LVHT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.15	15	21	PASS
LVHT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	885	1784.8	10;10;10;10	slot1	16.99	13	19	PASS
LVHT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS1800	885	1784.8	11;11;11;11	slot1	14.69	10	18	PASS
LVHT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	885	1784.8	12;12;12;12	slot1	13.18	8	16	PASS
LVHT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS1800	885	1784.8	13;13;13;13	slot1	9.58	6	14	PASS
LVHT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS1800	885	1784.8	14;14;14;14	slot1	7.69	4	12	PASS
LVHT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.02	0	0	PASS

LVHT	EGPRS1800	885	1784.8	15;15;15;15	slot1	5.78	2	10	PASS
LVHT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS1800	885	1784.8	16;16;16;16	slot1	4.14	-1	9	PASS
LVHT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1800	885	1784.8	17;17;17;17	slot1	2.12	-3	7	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	slot1	-0.46	-5	5	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	slot1	25.3	22	29	PASS
LVLT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1800	512	1710.2	6;6;6;6	slot1	24.1	21	27	PASS
LVLT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS1800	512	1710.2	7;7;7;7	slot1	22.51	19	25	PASS
LVLT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS1800	512	1710.2	8;8;8;8	slot1	21.02	17	23	PASS
LVLT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1800	512	1710.2	9;9;9;9	slot1	18.5	15	21	PASS
LVLT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS1800	512	1710.2	10;10;10;10	slot1	17.01	13	19	PASS
LVLT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS1800	512	1710.2	11;11;11;11	slot1	14.28	10	18	PASS
LVLT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS1800	512	1710.2	12;12;12;12	slot1	13.37	8	16	PASS
LVLT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	512	1710.2	13;13;13;13	slot1	9.58	6	14	PASS
LVLT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS1800	512	1710.2	14;14;14;14	slot1	7.61	4	12	PASS
LVLT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS1800	512	1710.2	15;15;15;15	slot1	5.67	2	10	PASS
LVLT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS1800	512	1710.2	16;16;16;16	slot1	3.63	-1	9	PASS
LVLT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS1800	512	1710.2	17;17;17;17	slot1	1.76	-3	7	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	slot1	-0.7	-5	5	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	slot1	25.53	22	29	PASS
LVLT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS1800	698	1747.4	6;6;6;6	slot1	24	21	27	PASS
LVLT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1800	698	1747.4	7;7;7;7	slot1	22.31	19	25	PASS
LVLT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.08	0	0	PASS
LVLT	EGPRS1800	698	1747.4	8;8;8;8	slot1	20.41	17	23	PASS
LVLT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.19	0	0	PASS

LVLT	EGPRS1800	698	1747.4	9;9;9;9	slot1	19.29	15	21	PASS
LVLT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.1	0	0	PASS
LVLT	EGPRS1800	698	1747.4	10;10;10;10	slot1	16.9	13	19	PASS
LVLT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS1800	698	1747.4	11;11;11;11	slot1	14.43	10	18	PASS
LVLT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS1800	698	1747.4	12;12;12;12	slot1	12.54	8	16	PASS
LVLT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS1800	698	1747.4	13;13;13;13	slot1	10.02	6	14	PASS
LVLT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1800	698	1747.4	14;14;14;14	slot1	7.55	4	12	PASS
LVLT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	698	1747.4	15;15;15;15	slot1	5.88	2	10	PASS
LVLT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS1800	698	1747.4	16;16;16;16	slot1	3.57	-1	9	PASS
LVLT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1800	698	1747.4	17;17;17;17	slot1	1.94	-3	7	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	slot1	-0.15	-5	5	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	slot1	25.26	22	29	PASS
LVLT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1800	885	1784.8	6;6;6;6	slot1	24.19	21	27	PASS
LVLT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS1800	885	1784.8	7;7;7;7	slot1	22.95	19	25	PASS
LVLT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS1800	885	1784.8	8;8;8;8	slot1	21.2	17	23	PASS
LVLT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.05	15	21	PASS
LVLT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	885	1784.8	10;10;10;10	slot1	17.05	13	19	PASS
LVLT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS1800	885	1784.8	11;11;11;11	slot1	14.71	10	18	PASS
LVLT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.08	0	0	PASS
LVLT	EGPRS1800	885	1784.8	12;12;12;12	slot1	13.24	8	16	PASS
LVLT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS1800	885	1784.8	13;13;13;13	slot1	9.66	6	14	PASS
LVLT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS1800	885	1784.8	14;14;14;14	slot1	7.56	4	12	PASS
LVLT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS1800	885	1784.8	15;15;15;15	slot1	5.71	2	10	PASS
LVLT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS1800	885	1784.8	16;16;16;16	slot1	4.19	-1	9	PASS
LVLT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.1	0	0	PASS

LVLT	EGPRS1800	885	1784.8	17;17;17;17	slot1	2.18	-3	7	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	slot1	-0.3	-5	5	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	slot1	24.71	24	30	PASS
HVHT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS900	975	880.2	7;7;7;7	slot1	23.31	22	28	PASS
HVHT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS900	975	880.2	8;8;8;8	slot1	22.02	20	26	PASS
HVHT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS900	975	880.2	9;9;9;9	slot1	19.22	18	24	PASS
HVHT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS900	975	880.2	10;10;10;10	slot1	17.25	16	22	PASS
HVHT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS900	975	880.2	11;11;11;11	slot1	16.03	14	20	PASS
HVHT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS900	975	880.2	12;12;12;12	slot1	12.92	12	18	PASS
HVHT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS900	975	880.2	13;13;13;13	slot1	11.25	10	16	PASS
HVHT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS900	975	880.2	14;14;14;14	slot1	9.04	6	16	PASS
HVHT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS900	975	880.2	15;15;15;15	slot1	7.14	4	14	PASS
HVHT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS900	975	880.2	16;16;16;16	slot1	5.34	2	12	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	slot1	3.64	0	10	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	slot1	24.7	24	30	PASS
HVHT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS900	38	897.6	7;7;7;7	slot1	23.08	22	28	PASS
HVHT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS900	38	897.6	8;8;8;8	slot1	21.89	20	26	PASS
HVHT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS900	38	897.6	9;9;9;9	slot1	19.71	18	24	PASS
HVHT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS900	38	897.6	10;10;10;10	slot1	17.53	16	22	PASS
HVHT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS900	38	897.6	11;11;11;11	slot1	15.91	14	20	PASS
HVHT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS900	38	897.6	12;12;12;12	slot1	14.02	12	18	PASS
HVHT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS900	38	897.6	13;13;13;13	slot1	12.1	10	16	PASS
HVHT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.05	0	0	PASS

HVHT	EGPRS900	38	897.6	14;14;14;14	slot1	9.9	6	16	PASS
HVHT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS900	38	897.6	15;15;15;15	slot1	7.41	4	14	PASS
HVHT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS900	38	897.6	16;16;16;16	slot1	5.34	2	12	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	slot1	3.97	0	10	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	slot1	24.9	24	30	PASS
HVHT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS900	124	914.8	7;7;7;7	slot1	23.83	22	28	PASS
HVHT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS900	124	914.8	8;8;8;8	slot1	21.71	20	26	PASS
HVHT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS900	124	914.8	9;9;9;9	slot1	19.59	18	24	PASS
HVHT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS900	124	914.8	10;10;10;10	slot1	17.48	16	22	PASS
HVHT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS900	124	914.8	11;11;11;11	slot1	15.96	14	20	PASS
HVHT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS900	124	914.8	12;12;12;12	slot1	13.45	12	18	PASS
HVHT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS900	124	914.8	13;13;13;13	slot1	11.41	10	16	PASS
HVHT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS900	124	914.8	14;14;14;14	slot1	9.6	6	16	PASS
HVHT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS900	124	914.8	15;15;15;15	slot1	7.61	4	14	PASS
HVHT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS900	124	914.8	16;16;16;16	slot1	5.54	2	12	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	slot1	4.03	0	10	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	slot1	24.69	24	30	PASS
HVLT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS900	975	880.2	7;7;7;7	slot1	23.28	22	28	PASS
HVLT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS900	975	880.2	8;8;8;8	slot1	21.9	20	26	PASS
HVLT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS900	975	880.2	9;9;9;9	slot1	19.36	18	24	PASS
HVLT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS900	975	880.2	10;10;10;10	slot1	17.27	16	22	PASS
HVLT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS900	975	880.2	11;11;11;11	slot1	16.04	14	20	PASS
HVLT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.16	0	0	PASS

HVLT	EGPRS900	975	880.2	12;12;12;12	slot1	12.83	12	18	PASS
HVLT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS900	975	880.2	13;13;13;13	slot1	11.29	10	16	PASS
HVLT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS900	975	880.2	14;14;14;14	slot1	9.06	6	16	PASS
HVLT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS900	975	880.2	15;15;15;15	slot1	7.2	4	14	PASS
HVLT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS900	975	880.2	16;16;16;16	slot1	5.28	2	12	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	slot1	3.54	0	10	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	slot1	24.72	24	30	PASS
HVLT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.19	0	0	PASS
HVLT	EGPRS900	38	897.6	7;7;7;7	slot1	23.06	22	28	PASS
HVLT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS900	38	897.6	8;8;8;8	slot1	21.81	20	26	PASS
HVLT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS900	38	897.6	9;9;9;9	slot1	19.8	18	24	PASS
HVLT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS900	38	897.6	10;10;10;10	slot1	17.6	16	22	PASS
HVLT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS900	38	897.6	11;11;11;11	slot1	16	14	20	PASS
HVLT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS900	38	897.6	12;12;12;12	slot1	13.86	12	18	PASS
HVLT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS900	38	897.6	13;13;13;13	slot1	12.04	10	16	PASS
HVLT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS900	38	897.6	14;14;14;14	slot1	9.94	6	16	PASS
HVLT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS900	38	897.6	15;15;15;15	slot1	7.45	4	14	PASS
HVLT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS900	38	897.6	16;16;16;16	slot1	5.27	2	12	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	slot1	3.92	0	10	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	slot1	24.82	24	30	PASS
HVLT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS900	124	914.8	7;7;7;7	slot1	23.93	22	28	PASS
HVLT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS900	124	914.8	8;8;8;8	slot1	21.64	20	26	PASS
HVLT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS900	124	914.8	9;9;9;9	slot1	19.68	18	24	PASS
HVLT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.04	0	0	PASS

HVLT	EGPRS900	124	914.8	10;10;10;10	slot1	17.58	16	22	PASS
HVLT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS900	124	914.8	11;11;11;11	slot1	15.93	14	20	PASS
HVLT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS900	124	914.8	12;12;12;12	slot1	13.49	12	18	PASS
HVLT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS900	124	914.8	13;13;13;13	slot1	11.34	10	16	PASS
HVLT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS900	124	914.8	14;14;14;14	slot1	9.65	6	16	PASS
HVLT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS900	124	914.8	15;15;15;15	slot1	7.59	4	14	PASS
HVLT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS900	124	914.8	16;16;16;16	slot1	5.67	2	12	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	slot1	4.02	0	10	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	slot1	24.84	24	30	PASS
LVHT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS900	975	880.2	7;7;7;7	slot1	23.35	22	28	PASS
LVHT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS900	975	880.2	8;8;8;8	slot1	21.86	20	26	PASS
LVHT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS900	975	880.2	9;9;9;9	slot1	19.24	18	24	PASS
LVHT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS900	975	880.2	10;10;10;10	slot1	17.15	16	22	PASS
LVHT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS900	975	880.2	11;11;11;11	slot1	16.01	14	20	PASS
LVHT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS900	975	880.2	12;12;12;12	slot1	12.78	12	18	PASS
LVHT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS900	975	880.2	13;13;13;13	slot1	11.28	10	16	PASS
LVHT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.11	0	0	PASS
LVHT	EGPRS900	975	880.2	14;14;14;14	slot1	9.12	6	16	PASS
LVHT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS900	975	880.2	15;15;15;15	slot1	7.23	4	14	PASS
LVHT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS900	975	880.2	16;16;16;16	slot1	5.33	2	12	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	slot1	3.69	0	10	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	slot1	24.66	24	30	PASS
LVHT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS900	38	897.6	7;7;7;7	slot1	23.13	22	28	PASS
LVHT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.03	0	0	PASS



LVHT	EGPRS900	38	897.6	8;8;8;8	slot1	21.94	20	26	PASS
LVHT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS900	38	897.6	9;9;9;9	slot1	19.7	18	24	PASS
LVHT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS900	38	897.6	10;10;10;10	slot1	17.65	16	22	PASS
LVHT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS900	38	897.6	11;11;11;11	slot1	16.05	14	20	PASS
LVHT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS900	38	897.6	12;12;12;12	slot1	13.88	12	18	PASS
LVHT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS900	38	897.6	13;13;13;13	slot1	12.06	10	16	PASS
LVHT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS900	38	897.6	14;14;14;14	slot1	9.85	6	16	PASS
LVHT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS900	38	897.6	15;15;15;15	slot1	7.51	4	14	PASS
LVHT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS900	38	897.6	16;16;16;16	slot1	5.21	2	12	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	slot1	4	0	10	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	slot1	24.74	24	30	PASS
LVHT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS900	124	914.8	7;7;7;7	slot1	23.84	22	28	PASS
LVHT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS900	124	914.8	8;8;8;8	slot1	21.62	20	26	PASS
LVHT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS900	124	914.8	9;9;9;9	slot1	19.71	18	24	PASS
LVHT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS900	124	914.8	10;10;10;10	slot1	17.53	16	22	PASS
LVHT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS900	124	914.8	11;11;11;11	slot1	16.04	14	20	PASS
LVHT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.11	0	0	PASS
LVHT	EGPRS900	124	914.8	12;12;12;12	slot1	13.4	12	18	PASS
LVHT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS900	124	914.8	13;13;13;13	slot1	11.37	10	16	PASS
LVHT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS900	124	914.8	14;14;14;14	slot1	9.61	6	16	PASS
LVHT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS900	124	914.8	15;15;15;15	slot1	7.54	4	14	PASS
LVHT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS900	124	914.8	16;16;16;16	slot1	5.5	2	12	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	slot1	4.03	0	10	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.14	0	0	PASS

LVLT	EGPRS900	975	880.2	6;6;6;6	slot1	24.73	24	30	PASS
LVLT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS900	975	880.2	7;7;7;7	slot1	23.27	22	28	PASS
LVLT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.06	0	0	PASS
LVLT	EGPRS900	975	880.2	8;8;8;8	slot1	21.9	20	26	PASS
LVLT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS900	975	880.2	9;9;9;9	slot1	19.36	18	24	PASS
LVLT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS900	975	880.2	10;10;10;10	slot1	17.25	16	22	PASS
LVLT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS900	975	880.2	11;11;11;11	slot1	16.03	14	20	PASS
LVLT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS900	975	880.2	12;12;12;12	slot1	12.92	12	18	PASS
LVLT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS900	975	880.2	13;13;13;13	slot1	11.31	10	16	PASS
LVLT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS900	975	880.2	14;14;14;14	slot1	9.08	6	16	PASS
LVLT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS900	975	880.2	15;15;15;15	slot1	7.28	4	14	PASS
LVLT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS900	975	880.2	16;16;16;16	slot1	5.19	2	12	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.1	0	0	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	slot1	3.56	0	10	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	slot1	24.67	24	30	PASS
LVLT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS900	38	897.6	7;7;7;7	slot1	23.17	22	28	PASS
LVLT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS900	38	897.6	8;8;8;8	slot1	21.9	20	26	PASS
LVLT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS900	38	897.6	9;9;9;9	slot1	19.78	18	24	PASS
LVLT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS900	38	897.6	10;10;10;10	slot1	17.56	16	22	PASS
LVLT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS900	38	897.6	11;11;11;11	slot1	16.05	14	20	PASS
LVLT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS900	38	897.6	12;12;12;12	slot1	13.96	12	18	PASS
LVLT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS900	38	897.6	13;13;13;13	slot1	11.93	10	16	PASS
LVLT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS900	38	897.6	14;14;14;14	slot1	9.86	6	16	PASS
LVLT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS900	38	897.6	15;15;15;15	slot1	7.45	4	14	PASS
LVLT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.15	0	0	PASS

LVLT	EGPRS900	38	897.6	16;16;16;16	slot1	5.27	2	12	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	slot1	4.01	0	10	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.1	0	0	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	slot1	24.76	24	30	PASS
LVLT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS900	124	914.8	7;7;7;7	slot1	23.96	22	28	PASS
LVLT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS900	124	914.8	8;8;8;8	slot1	21.72	20	26	PASS
LVLT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS900	124	914.8	9;9;9;9	slot1	19.59	18	24	PASS
LVLT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS900	124	914.8	10;10;10;10	slot1	17.53	16	22	PASS
LVLT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS900	124	914.8	11;11;11;11	slot1	15.86	14	20	PASS
LVLT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS900	124	914.8	12;12;12;12	slot1	13.4	12	18	PASS
LVLT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS900	124	914.8	13;13;13;13	slot1	11.26	10	16	PASS
LVLT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS900	124	914.8	14;14;14;14	slot1	9.62	6	16	PASS
LVLT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS900	124	914.8	15;15;15;15	slot1	7.46	4	14	PASS
LVLT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS900	124	914.8	16;16;16;16	slot1	5.59	2	12	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	slot1	4.14	0	10	PASS

**Clause 4.2.29 Modulation Spectrum in EGPRS configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Relative Result (dB)	Relative Limit (dB)	Absolute Result (dBm)	Absolute Limit (dBm)	Verdict
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-73.96	-60	-56.4	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-73.68	-60	-56.04	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-72.03	-60	-54.57	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-70.53	-60	-52.91	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-69.36	-60	-51.66	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-800	-66.67	-60	-49.04	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-64	-60	-46.45	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-58.43	-60	-40.77	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-250	-42.46	-33	-24.77	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-200	-37.49	-30	-19.83	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-100	-7.97	0.5	9.68	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	100	-7.62	0.5	9.97	-36	PASS

HVHT	EGPRS1800	512	1710.2	5;5;5;5	200	-37.19	-30	-19.61	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	250	-41.9	-33	-24.43	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-58.81	-60	-41.24	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-64.6	-60	-47.09	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	800	-67.6	-60	-49.91	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1000	-69.54	-60	-51.96	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-71.77	-60	-54.21	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1400	-71.94	-60	-54.51	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1600	-74.17	-60	-56.59	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-73.46	-60	-55.89	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-73.5	-60	-81.58	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-73.4	-60	-81.56	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-71.93	-60	-80.06	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-70.58	-60	-78.72	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-69.55	-60	-77.62	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-800	-67	-60	-74.96	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-63.9	-60	-71.99	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-58.52	-60	-66.62	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.6	-33	-49.69	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-200	-37.16	-30	-45.14	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.75	0.5	-16.88	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	100	-8.15	0.5	-16.1	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	200	-37.53	-30	-45.54	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	250	-40.6	-33	-48.71	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-59.2	-60	-67.44	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-63.7	-60	-71.86	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	800	-66.73	-60	-74.79	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1000	-68.72	-60	-76.79	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-69.86	-60	-77.82	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1400	-71.24	-60	-79.22	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1600	-73.42	-60	-81.61	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-73.47	-60	-81.55	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-74.32	-60	-55.84	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-74.14	-60	-55.67	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-72.28	-60	-53.89	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-71.25	-60	-52.78	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-69.43	-60	-51	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-800	-67.45	-60	-48.98	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-64.1	-60	-45.61	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-57.84	-60	-39.46	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-250	-42.97	-33	-24.59	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-200	-37.74	-30	-19.17	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-100	-8.01	0.5	10.52	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	100	-8.82	0.5	9.69	-36	PASS

HVHT	EGPRS1800	698	1747.4	5;5;5;5	200	-37.21	-30	-18.78	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	250	-42.95	-33	-24.45	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-58.19	-60	-39.7	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-63.98	-60	-45.6	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	800	-67.75	-60	-49.15	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1000	-70.05	-60	-51.6	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-70.98	-60	-52.45	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1400	-72.7	-60	-54.15	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1600	-74.16	-60	-55.63	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-74.62	-60	-56.13	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-73.88	-60	-81.56	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-73.3	-60	-81	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-72.02	-60	-79.78	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-70.48	-60	-78.01	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-69.28	-60	-76.94	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-800	-66.92	-60	-74.6	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-64.45	-60	-72.06	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-58.73	-60	-66.39	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-250	-41.85	-33	-49.51	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-200	-37.3	-30	-44.96	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-100	-8.35	0.5	-16	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	100	-7.56	0.5	-15.21	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	200	-36.83	-30	-44.43	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	250	-40.19	-33	-47.89	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-58.87	-60	-66.52	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-63.38	-60	-71.02	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	800	-66.94	-60	-74.56	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1000	-68.59	-60	-76.17	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-70.27	-60	-78.04	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1400	-71.22	-60	-78.99	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1600	-72.81	-60	-80.49	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-73.43	-60	-81.01	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-74.62	-60	-55.8	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-73.36	-60	-54.69	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-72.54	-60	-53.78	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-70.77	-60	-52	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-69.12	-60	-50.47	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-800	-67.62	-60	-48.81	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-63.79	-60	-45.02	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-57.8	-60	-39.04	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-250	-42.15	-33	-23.48	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-200	-38.11	-30	-19.37	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-100	-8.35	0.5	10.3	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	100	-7.85	0.5	10.79	-36	PASS

HVHT	EGPRS1800	885	1784.8	5;5;5;5	200	-36.94	-30	-18.2	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	250	-43.55	-33	-24.9	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-57.45	-60	-38.85	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-64.11	-60	-45.57	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	800	-66.85	-60	-48.11	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1000	-69.47	-60	-50.83	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-70.86	-60	-52.3	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1400	-72.94	-60	-54.29	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1600	-73.87	-60	-55.03	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-74.7	-60	-56.08	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-72.05	-60	-79.9	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-72.52	-60	-80.37	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-71.05	-60	-78.86	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-68.33	-60	-76.05	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-67.75	-60	-75.59	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-800	-65.68	-60	-73.53	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-62.98	-60	-70.78	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-58.36	-60	-66.11	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-250	-40.36	-33	-48.13	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-200	-37.28	-30	-45.15	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-100	-7.69	0.5	-15.6	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	100	-8.93	0.5	-16.89	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	200	-36.7	-30	-44.54	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	250	-41.91	-33	-49.74	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-57.94	-60	-65.78	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-63.61	-60	-71.38	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	800	-65.89	-60	-73.73	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1000	-67.85	-60	-75.62	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-69.51	-60	-77.49	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1400	-70.73	-60	-78.62	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1600	-72.4	-60	-80.34	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-72.5	-60	-80.28	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-73.88	-60	-56.28	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-73.65	-60	-56.15	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-72.14	-60	-54.41	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-70.52	-60	-52.93	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-69.39	-60	-51.81	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-800	-66.6	-60	-48.96	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-64.14	-60	-46.46	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-58.36	-60	-40.7	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-250	-42.49	-33	-24.9	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-200	-37.5	-30	-19.83	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-100	-7.99	0.5	9.64	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	100	-7.63	0.5	9.97	-36	PASS

HVLT	EGPRS1800	512	1710.2	5;5;5;5	200	-37.24	-30	-19.6	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	250	-41.99	-33	-24.48	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-58.74	-60	-41.28	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-64.56	-60	-47.03	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	800	-67.58	-60	-50.04	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1000	-69.4	-60	-51.8	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-71.82	-60	-54.25	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1400	-72.03	-60	-54.47	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1600	-74.18	-60	-56.73	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-73.48	-60	-56.06	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-73.51	-60	-81.63	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-73.4	-60	-81.44	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-71.95	-60	-80.11	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-70.52	-60	-78.66	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-69.67	-60	-77.71	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-800	-66.93	-60	-75.04	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-63.98	-60	-71.97	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-58.58	-60	-66.74	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.54	-33	-49.63	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-200	-37.06	-30	-45.14	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.74	0.5	-16.87	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	100	-8.09	0.5	-16.11	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	200	-37.49	-30	-45.62	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	250	-40.67	-33	-48.7	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-59.24	-60	-67.3	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-63.68	-60	-71.74	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	800	-66.76	-60	-74.83	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1000	-68.72	-60	-76.8	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-69.85	-60	-77.83	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1400	-71.26	-60	-79.29	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1600	-73.51	-60	-81.62	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-73.49	-60	-81.63	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-74.32	-60	-55.82	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-74.11	-60	-55.55	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-72.25	-60	-53.85	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-71.27	-60	-52.86	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-69.48	-60	-51.02	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-800	-67.43	-60	-49	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-64.2	-60	-45.6	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-57.96	-60	-39.4	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-250	-42.95	-33	-24.54	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-200	-37.64	-30	-19.23	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-100	-8.11	0.5	10.47	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	100	-8.87	0.5	9.65	-36	PASS

HVLT	EGPRS1800	698	1747.4	5;5;5;5	200	-37.39	-30	-18.84	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	250	-43.08	-33	-24.39	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-58.1	-60	-39.72	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-64.08	-60	-45.58	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	800	-67.72	-60	-49.21	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1000	-70.06	-60	-51.57	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-70.9	-60	-52.43	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1400	-72.72	-60	-54.23	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1600	-74.01	-60	-55.54	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-74.66	-60	-56.13	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-73.94	-60	-81.53	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-73.4	-60	-81	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-72.11	-60	-79.86	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-70.37	-60	-78.14	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-69.39	-60	-77.09	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-800	-66.9	-60	-74.55	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-64.39	-60	-72.2	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-58.63	-60	-66.31	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-250	-41.88	-33	-49.4	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-200	-37.27	-30	-44.99	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-100	-8.27	0.5	-16.01	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	100	-7.61	0.5	-15.26	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	200	-36.8	-30	-44.37	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	250	-40.21	-33	-47.89	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-58.81	-60	-66.54	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-63.4	-60	-71.02	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	800	-66.76	-60	-74.4	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1000	-68.56	-60	-76.18	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-70.44	-60	-77.98	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1400	-71.26	-60	-78.82	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1600	-72.73	-60	-80.46	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-73.29	-60	-81.03	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-74.5	-60	-55.87	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-73.4	-60	-54.67	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-72.43	-60	-53.68	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-70.82	-60	-51.97	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-69.26	-60	-50.47	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-800	-67.51	-60	-48.87	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-63.72	-60	-45.06	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-57.83	-60	-38.98	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-250	-42.2	-33	-23.58	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-200	-38.1	-30	-19.26	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-100	-8.28	0.5	10.33	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	100	-7.97	0.5	10.89	-36	PASS



HVLT	EGPRS1800	885	1784.8	5;5;5;5	200	-36.9	-30	-18.1	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	250	-43.51	-33	-24.8	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-57.49	-60	-38.79	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-64.21	-60	-45.52	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	800	-66.79	-60	-48.14	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1000	-69.44	-60	-50.74	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-70.97	-60	-52.15	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1400	-72.85	-60	-54.14	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1600	-73.84	-60	-55.09	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-74.76	-60	-56.09	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-72.2	-60	-79.81	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-72.59	-60	-80.29	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-70.96	-60	-78.75	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-68.3	-60	-76.08	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-67.93	-60	-75.57	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-800	-65.57	-60	-73.43	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-62.93	-60	-70.72	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-58.37	-60	-66.09	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-250	-40.3	-33	-48.08	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-200	-37.4	-30	-45.15	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-100	-7.8	0.5	-15.54	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	100	-9.05	0.5	-16.8	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	200	-36.78	-30	-44.66	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	250	-41.95	-33	-49.74	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-57.92	-60	-65.73	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-63.53	-60	-71.46	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	800	-65.8	-60	-73.64	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1000	-67.8	-60	-75.67	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-69.53	-60	-77.33	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1400	-70.92	-60	-78.57	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1600	-72.56	-60	-80.21	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-72.47	-60	-80.25	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-73.93	-60	-56.45	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-73.69	-60	-56.09	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-71.99	-60	-54.5	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-70.44	-60	-52.95	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-69.35	-60	-51.76	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-800	-66.67	-60	-49	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-64.06	-60	-46.48	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-58.33	-60	-40.69	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-250	-42.32	-33	-24.86	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-200	-37.41	-30	-19.91	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-100	-8	0.5	9.67	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	100	-7.66	0.5	9.95	-36	PASS

LVHT	EGPRS1800	512	1710.2	5;5;5;5	200	-37.33	-30	-19.68	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	250	-42.02	-33	-24.46	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-58.88	-60	-41.27	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-64.68	-60	-46.99	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	800	-67.57	-60	-49.86	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1000	-69.4	-60	-51.89	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-71.87	-60	-54.27	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1400	-71.97	-60	-54.39	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1600	-74.2	-60	-56.59	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-73.61	-60	-56.07	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-73.48	-60	-81.62	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-73.45	-60	-81.46	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-72.1	-60	-80.03	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-70.61	-60	-78.69	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-69.61	-60	-77.58	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-800	-67.04	-60	-74.91	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-63.92	-60	-71.99	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-58.63	-60	-66.71	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.61	-33	-49.58	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-200	-37.13	-30	-45.1	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.77	0.5	-16.77	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	100	-8.13	0.5	-16.21	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	200	-37.51	-30	-45.7	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	250	-40.61	-33	-48.71	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-59.26	-60	-67.29	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-63.74	-60	-71.88	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	800	-66.8	-60	-74.85	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1000	-68.77	-60	-76.7	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-69.88	-60	-77.84	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1400	-71.29	-60	-79.32	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1600	-73.42	-60	-81.51	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-73.52	-60	-81.55	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-74.23	-60	-55.75	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-74.06	-60	-55.58	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-72.42	-60	-53.82	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-71.32	-60	-52.93	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-69.46	-60	-50.98	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-800	-67.4	-60	-48.86	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-64.15	-60	-45.75	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-57.97	-60	-39.46	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-250	-43.13	-33	-24.62	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-200	-37.66	-30	-19.17	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-100	-8.12	0.5	10.5	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	100	-8.9	0.5	9.54	-36	PASS

LVHT	EGPRS1800	698	1747.4	5;5;5;5	200	-37.35	-30	-18.79	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	250	-43.03	-33	-24.44	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-58.22	-60	-39.77	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-64.14	-60	-45.53	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	800	-67.79	-60	-49.33	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1000	-70.06	-60	-51.46	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-71.03	-60	-52.35	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1400	-72.76	-60	-54.28	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1600	-74.15	-60	-55.53	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-74.61	-60	-56.21	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-73.8	-60	-81.52	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-73.35	-60	-80.88	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-72.12	-60	-79.82	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-70.42	-60	-77.98	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-69.46	-60	-76.98	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-800	-67.01	-60	-74.69	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-64.49	-60	-72.03	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-58.69	-60	-66.33	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-250	-41.89	-33	-49.39	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-200	-37.22	-30	-44.93	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-100	-8.38	0.5	-16.03	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	100	-7.6	0.5	-15.28	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	200	-36.76	-30	-44.49	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	250	-40.15	-33	-47.94	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-58.84	-60	-66.51	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-63.39	-60	-71.04	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	800	-66.77	-60	-74.55	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1000	-68.62	-60	-76.16	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-70.43	-60	-78.05	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1400	-71.31	-60	-78.97	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1600	-72.73	-60	-80.47	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-73.38	-60	-81.02	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-74.52	-60	-55.92	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-73.38	-60	-54.77	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-72.48	-60	-53.71	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-70.66	-60	-52.12	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-69.09	-60	-50.49	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-800	-67.67	-60	-48.9	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-63.71	-60	-44.99	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-57.75	-60	-39.07	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-250	-42.23	-33	-23.58	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-200	-38.11	-30	-19.36	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-100	-8.37	0.5	10.43	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	100	-7.9	0.5	10.74	-36	PASS

LVHT	EGPRS1800	885	1784.8	5;5;5;5	200	-36.87	-30	-18.18	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	250	-43.53	-33	-24.73	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-57.43	-60	-38.79	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-64.15	-60	-45.42	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	800	-66.73	-60	-48.15	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1000	-69.44	-60	-50.84	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-70.9	-60	-52.19	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1400	-72.86	-60	-54.14	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1600	-73.77	-60	-55.13	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-74.74	-60	-56.09	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-72.18	-60	-79.84	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-72.58	-60	-80.35	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-70.91	-60	-78.72	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-68.23	-60	-76.08	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-67.94	-60	-75.75	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-800	-65.66	-60	-73.35	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-62.85	-60	-70.75	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-58.3	-60	-66.07	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-250	-40.31	-33	-47.98	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-200	-37.41	-30	-45.19	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-100	-7.67	0.5	-15.6	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	100	-8.94	0.5	-16.78	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	200	-36.71	-30	-44.69	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	250	-41.9	-33	-49.74	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-57.91	-60	-65.73	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-63.49	-60	-71.31	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	800	-65.91	-60	-73.57	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1000	-67.77	-60	-75.62	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-69.62	-60	-77.48	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1400	-70.9	-60	-78.54	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1600	-72.44	-60	-80.34	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-72.36	-60	-80.2	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-73.97	-60	-56.36	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-73.58	-60	-56.03	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-72.12	-60	-54.44	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-70.62	-60	-52.9	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-69.22	-60	-51.71	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-800	-66.63	-60	-49.11	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-64.11	-60	-46.42	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-58.34	-60	-40.67	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-250	-42.39	-33	-24.88	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-200	-37.35	-30	-19.85	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-100	-7.88	0.5	9.73	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	100	-7.62	0.5	9.82	-36	PASS

LVLT	EGPRS1800	512	1710.2	5;5;5;5	200	-37.27	-30	-19.76	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	250	-41.89	-33	-24.48	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-58.77	-60	-41.29	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-64.61	-60	-47.06	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	800	-67.43	-60	-49.91	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1000	-69.52	-60	-51.93	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-71.88	-60	-54.29	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1400	-72.03	-60	-54.53	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1600	-74.32	-60	-56.75	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-73.58	-60	-55.99	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-73.56	-60	-81.62	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-73.46	-60	-81.42	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-71.94	-60	-80.09	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-70.54	-60	-78.71	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-69.62	-60	-77.55	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-800	-66.85	-60	-75.01	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-63.86	-60	-71.94	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-58.62	-60	-66.75	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.48	-33	-49.53	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-200	-37.2	-30	-45.16	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.78	0.5	-16.87	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	100	-8.19	0.5	-16.2	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	200	-37.52	-30	-45.67	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	250	-40.59	-33	-48.76	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-59.22	-60	-67.29	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-63.76	-60	-71.81	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	800	-66.76	-60	-74.9	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1000	-68.82	-60	-76.84	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-69.76	-60	-77.75	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1400	-71.27	-60	-79.34	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1600	-73.5	-60	-81.63	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-73.57	-60	-81.64	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-74.28	-60	-55.77	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-74.15	-60	-55.63	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-72.25	-60	-53.85	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-71.39	-60	-52.9	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-69.36	-60	-50.9	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-800	-67.51	-60	-49.04	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-64.09	-60	-45.56	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-57.91	-60	-39.34	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-250	-43.02	-33	-24.49	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-200	-37.72	-30	-19.18	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-100	-8.08	0.5	10.42	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	100	-8.83	0.5	9.64	-36	PASS

LVLT	EGPRS1800	698	1747.4	5;5;5;5	200	-37.26	-30	-18.83	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	250	-42.98	-33	-24.41	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-58.19	-60	-39.61	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-64.11	-60	-45.62	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	800	-67.65	-60	-49.29	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1000	-70	-60	-51.45	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-70.91	-60	-52.48	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1400	-72.78	-60	-54.22	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1600	-74.08	-60	-55.58	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-74.64	-60	-56.26	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-73.93	-60	-81.4	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-73.35	-60	-80.94	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-72.08	-60	-79.73	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-70.36	-60	-77.98	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-69.32	-60	-77.02	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-800	-66.95	-60	-74.66	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-64.37	-60	-72.02	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-58.63	-60	-66.31	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-250	-41.77	-33	-49.5	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-200	-37.22	-30	-44.99	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-100	-8.32	0.5	-16.05	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	100	-7.72	0.5	-15.27	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	200	-36.83	-30	-44.45	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	250	-40.15	-33	-47.9	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-58.9	-60	-66.44	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-63.48	-60	-70.95	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	800	-66.82	-60	-74.44	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1000	-68.59	-60	-76.19	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-70.27	-60	-77.93	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1400	-71.31	-60	-78.83	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1600	-72.83	-60	-80.44	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-73.4	-60	-81.03	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-74.54	-60	-55.9	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-73.49	-60	-54.65	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-72.47	-60	-53.74	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-70.71	-60	-52.14	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-69.14	-60	-50.46	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-800	-67.59	-60	-48.82	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-63.67	-60	-45.01	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-57.75	-60	-39.08	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-250	-42.14	-33	-23.56	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-200	-38.06	-30	-19.3	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-100	-8.33	0.5	10.4	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	100	-7.82	0.5	10.74	-36	PASS

LVLT	EGPRS1800	885	1784.8	5;5;5;5	200	-36.9	-30	-18.29	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	250	-43.47	-33	-24.73	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-57.54	-60	-38.73	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-64.11	-60	-45.58	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	800	-66.72	-60	-48.06	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1000	-69.6	-60	-50.74	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-70.95	-60	-52.3	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1400	-72.83	-60	-54.16	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1600	-73.84	-60	-55.2	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-74.8	-60	-55.97	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-72.16	-60	-79.89	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-72.45	-60	-80.38	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-71	-60	-78.71	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-68.38	-60	-76	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-67.75	-60	-75.63	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-800	-65.72	-60	-73.35	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-62.91	-60	-70.65	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-58.35	-60	-66.14	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-250	-40.2	-33	-48.04	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-200	-37.32	-30	-45.1	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-100	-7.68	0.5	-15.55	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	100	-9.06	0.5	-16.83	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	200	-36.76	-30	-44.58	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	250	-41.86	-33	-49.73	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-57.92	-60	-65.67	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-63.57	-60	-71.39	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	800	-65.88	-60	-73.61	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1000	-67.79	-60	-75.59	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-69.66	-60	-77.4	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1400	-70.81	-60	-78.65	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1600	-72.42	-60	-80.19	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-72.52	-60	-80.31	-55	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-76.4	-60	-60.29	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1600	-75.32	-60	-59.33	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1400	-74.81	-60	-58.9	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-74.09	-60	-58.11	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1000	-72.6	-60	-56.47	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-800	-71.44	-60	-55.36	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-600	-70.44	-60	-54.38	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-400	-64.34	-60	-48.29	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-250	-43.15	-33	-27.27	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-200	-37.8	-30	-21.67	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-100	-7.58	0.5	8.47	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	100	-8.05	0.5	8.08	-36	PASS

HVHT	EGPRS900	975	880.2	6;6;6;6	200	-37.49	-30	-21.36	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	250	-43.7	-33	-27.53	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	400	-64.7	-60	-48.51	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	600	-70.02	-60	-53.86	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	800	-71.07	-60	-54.93	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1000	-72.67	-60	-56.62	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1200	-73.8	-60	-57.57	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1400	-74.86	-60	-58.91	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1600	-75.68	-60	-59.71	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1800	-75.85	-60	-59.76	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-74.86	-60	-80.51	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1600	-75.39	-60	-80.97	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1400	-74.24	-60	-79.63	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-72.96	-60	-78.52	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1000	-71.63	-60	-77.24	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-800	-69.68	-60	-75.22	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-600	-68.72	-60	-74.13	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-400	-65.56	-60	-71.17	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-250	-41.85	-33	-47.44	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-200	-36.84	-30	-42.43	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-100	-8.31	0.5	-13.86	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	100	-6.7	0.5	-12.15	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	200	-37.35	-30	-42.94	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	250	-40.46	-33	-46	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	400	-64.23	-60	-69.89	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	600	-68.78	-60	-74.28	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	800	-70.71	-60	-76.17	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1000	-72.49	-60	-78.11	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1200	-73.03	-60	-78.49	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1400	-73.19	-60	-78.85	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1600	-75.44	-60	-80.93	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1800	-74.46	-60	-79.9	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-75.35	-60	-59.3	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1600	-76.79	-60	-60.92	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1400	-75.21	-60	-59.23	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-73.94	-60	-57.97	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1000	-72.42	-60	-56.52	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-800	-69.44	-60	-53.45	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-600	-67.98	-60	-51.99	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-400	-63.59	-60	-47.57	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-250	-45.13	-33	-29.04	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-200	-36.15	-30	-20.16	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-100	-7.25	0.5	8.73	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	100	-9.43	0.5	6.63	-36	PASS



HVHT	EGPRS900	38	897.6	6;6;6;6	200	-37.42	-30	-21.42	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	250	-42.9	-33	-26.78	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	400	-64.31	-60	-48.32	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	600	-70.69	-60	-54.7	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	800	-70.35	-60	-54.26	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1000	-73.92	-60	-57.92	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1200	-72.44	-60	-56.41	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1400	-76.46	-60	-60.43	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1600	-76.28	-60	-60.18	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1800	-76.29	-60	-60.35	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-75.17	-60	-79.78	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1600	-76.66	-60	-81.19	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1400	-75.16	-60	-79.78	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-73.28	-60	-78.06	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1000	-72.36	-60	-76.84	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-800	-70.94	-60	-75.59	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-600	-69.59	-60	-74.1	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-400	-65.7	-60	-70.37	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-250	-40.89	-33	-45.44	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-200	-38.22	-30	-42.71	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-100	-7.71	0.5	-12.23	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	100	-7.41	0.5	-11.93	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	200	-37.66	-30	-42.23	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	250	-42.12	-33	-46.75	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	400	-65.35	-60	-69.87	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	600	-69.17	-60	-73.66	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	800	-70.41	-60	-75.06	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1000	-72.53	-60	-77.09	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1200	-73.15	-60	-77.89	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1400	-74.5	-60	-79.06	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1600	-76.19	-60	-80.73	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1800	-75.69	-60	-80.26	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-75.36	-60	-59.85	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1600	-74.58	-60	-58.93	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1400	-74.36	-60	-58.69	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-73.07	-60	-57.29	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1000	-71.47	-60	-55.76	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-800	-70.49	-60	-54.87	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-600	-69.13	-60	-53.35	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-400	-62.67	-60	-47.15	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-250	-43.1	-33	-27.45	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-200	-36.67	-30	-21.08	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-100	-7.24	0.5	8.47	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	100	-7.05	0.5	8.6	-36	PASS

HVHT	EGPRS900	124	914.8	6;6;6;6	200	-36.58	-30	-20.93	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	250	-43.36	-33	-27.58	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	400	-63.35	-60	-47.63	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	600	-69.7	-60	-53.94	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	800	-70.83	-60	-55.18	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1000	-71.27	-60	-55.57	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1200	-73.81	-60	-58.26	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1400	-74.46	-60	-58.73	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1600	-75.52	-60	-59.85	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1800	-74.39	-60	-58.67	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-76.68	-60	-81.34	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1600	-74.67	-60	-79.3	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1400	-74.68	-60	-79.42	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-72.8	-60	-77.43	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1000	-74.43	-60	-79.08	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-800	-71.61	-60	-76.42	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-600	-69.25	-60	-73.88	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-400	-65.28	-60	-69.97	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-250	-41.21	-33	-45.99	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-200	-37.5	-30	-42.06	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-100	-7.6	0.5	-12.22	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	100	-9.11	0.5	-13.79	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	200	-38.5	-30	-43.07	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	250	-41.42	-33	-45.9	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	400	-63.91	-60	-68.71	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	600	-69.85	-60	-74.38	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	800	-71.36	-60	-76.08	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1000	-73.66	-60	-78.14	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1200	-73.22	-60	-77.89	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1400	-75.17	-60	-79.83	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1600	-74.37	-60	-79.08	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1800	-75.17	-60	-79.64	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-76.31	-60	-60.35	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1600	-75.3	-60	-59.26	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1400	-74.83	-60	-58.77	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-74.09	-60	-58.04	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1000	-72.6	-60	-56.44	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-800	-71.45	-60	-55.35	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-600	-70.47	-60	-54.43	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-400	-64.47	-60	-48.35	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-250	-43.21	-33	-27.21	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-200	-37.8	-30	-21.64	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-100	-7.7	0.5	8.5	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	100	-8.12	0.5	7.97	-36	PASS

HVLT	EGPRS900	975	880.2	6;6;6;6	200	-37.33	-30	-21.31	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	250	-43.58	-33	-27.52	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	400	-64.56	-60	-48.64	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	600	-69.97	-60	-53.85	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	800	-70.97	-60	-55.05	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1000	-72.66	-60	-56.62	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1200	-73.67	-60	-57.66	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1400	-74.83	-60	-58.9	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1600	-75.72	-60	-59.62	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1800	-75.76	-60	-59.77	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-74.88	-60	-80.37	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1600	-75.46	-60	-80.83	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1400	-74.13	-60	-79.66	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-72.88	-60	-78.47	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1000	-71.65	-60	-77.24	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-800	-69.59	-60	-75.16	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-600	-68.71	-60	-74.21	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-400	-65.65	-60	-71.03	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-250	-41.84	-33	-47.45	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-200	-36.9	-30	-42.3	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-100	-8.32	0.5	-13.89	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	100	-6.59	0.5	-12.26	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	200	-37.4	-30	-42.87	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	250	-40.46	-33	-46.17	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	400	-64.2	-60	-69.9	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	600	-68.71	-60	-74.3	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	800	-70.57	-60	-76.22	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1000	-72.57	-60	-78.09	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1200	-72.92	-60	-78.51	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1400	-73.28	-60	-78.67	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1600	-75.44	-60	-80.94	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1800	-74.42	-60	-80.01	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-75.37	-60	-59.34	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1600	-76.8	-60	-60.91	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1400	-75.21	-60	-59.13	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-73.95	-60	-58.01	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1000	-72.46	-60	-56.55	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-800	-69.45	-60	-53.45	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-600	-67.96	-60	-51.94	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-400	-63.59	-60	-47.54	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-250	-44.97	-33	-28.99	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-200	-36.13	-30	-20.18	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-100	-7.12	0.5	8.84	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	100	-9.31	0.5	6.69	-36	PASS

HVLT	EGPRS900	38	897.6	6;6;6;6	200	-37.42	-30	-21.33	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	250	-42.88	-33	-26.76	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	400	-64.23	-60	-48.35	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	600	-70.75	-60	-54.71	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	800	-70.21	-60	-54.24	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1000	-73.82	-60	-57.93	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1200	-72.56	-60	-56.41	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1400	-76.42	-60	-60.49	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1600	-76.28	-60	-60.27	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1800	-76.27	-60	-60.17	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-75.22	-60	-79.65	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1600	-76.66	-60	-81.32	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1400	-75.18	-60	-79.71	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-73.27	-60	-77.91	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1000	-72.19	-60	-76.79	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-800	-70.98	-60	-75.51	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-600	-69.55	-60	-74.18	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-400	-65.7	-60	-70.27	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-250	-40.82	-33	-45.47	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-200	-38.14	-30	-42.72	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-100	-7.68	0.5	-12.23	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	100	-7.36	0.5	-11.93	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	200	-37.52	-30	-42.21	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	250	-42.16	-33	-46.79	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	400	-65.34	-60	-69.79	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	600	-69.18	-60	-73.64	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	800	-70.52	-60	-75.11	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1000	-72.41	-60	-77.01	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1200	-73.26	-60	-77.94	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1400	-74.45	-60	-79.05	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1600	-76.23	-60	-80.74	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1800	-75.66	-60	-80.17	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-75.5	-60	-59.82	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1600	-74.43	-60	-58.98	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1400	-74.36	-60	-58.56	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-73	-60	-57.26	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1000	-71.44	-60	-55.93	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-800	-70.55	-60	-54.92	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-600	-69.06	-60	-53.35	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-400	-62.74	-60	-46.98	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-250	-42.99	-33	-27.41	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-200	-36.74	-30	-21.2	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-100	-7.18	0.5	8.41	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	100	-7.06	0.5	8.5	-36	PASS

HVLT	EGPRS900	124	914.8	6;6;6;6	200	-36.57	-30	-21.01	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	250	-43.35	-33	-27.67	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	400	-63.23	-60	-47.56	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	600	-69.66	-60	-54.09	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	800	-70.86	-60	-55.23	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1000	-71.33	-60	-55.65	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1200	-73.94	-60	-58.25	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1400	-74.5	-60	-58.86	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1600	-75.51	-60	-59.9	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1800	-74.39	-60	-58.61	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-76.67	-60	-81.37	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1600	-74.67	-60	-79.4	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1400	-74.66	-60	-79.33	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-72.89	-60	-77.52	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1000	-74.38	-60	-79.13	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-800	-71.77	-60	-76.3	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-600	-69.21	-60	-73.83	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-400	-65.33	-60	-70.09	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-250	-41.28	-33	-45.83	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-200	-37.58	-30	-42.11	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-100	-7.61	0.5	-12.33	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	100	-9.13	0.5	-13.88	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	200	-38.44	-30	-43.05	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	250	-41.33	-33	-46	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	400	-64.03	-60	-68.65	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	600	-69.79	-60	-74.48	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	800	-71.43	-60	-75.96	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1000	-73.57	-60	-78.11	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1200	-73.31	-60	-77.78	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1400	-75.07	-60	-79.81	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1600	-74.4	-60	-78.96	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1800	-75.18	-60	-79.82	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-76.38	-60	-60.4	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1600	-75.41	-60	-59.44	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1400	-74.87	-60	-58.8	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-74.18	-60	-58.2	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1000	-72.56	-60	-56.46	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-800	-71.31	-60	-55.44	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-600	-70.4	-60	-54.37	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-400	-64.34	-60	-48.45	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-250	-43.2	-33	-27.1	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-200	-37.8	-30	-21.65	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-100	-7.6	0.5	8.42	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	100	-7.97	0.5	8.06	-36	PASS

LVHT	EGPRS900	975	880.2	6;6;6;6	200	-37.37	-30	-21.45	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	250	-43.63	-33	-27.51	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	400	-64.67	-60	-48.65	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	600	-69.96	-60	-53.94	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	800	-71.11	-60	-55.06	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1000	-72.48	-60	-56.5	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1200	-73.68	-60	-57.62	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1400	-74.87	-60	-58.81	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1600	-75.76	-60	-59.7	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1800	-75.78	-60	-59.72	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-74.95	-60	-80.32	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1600	-75.32	-60	-80.89	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1400	-74.21	-60	-79.67	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-72.95	-60	-78.49	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1000	-71.58	-60	-77.28	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-800	-69.7	-60	-75.16	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-600	-68.7	-60	-74.21	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-400	-65.59	-60	-71.13	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-250	-41.81	-33	-47.34	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-200	-36.76	-30	-42.45	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-100	-8.35	0.5	-13.86	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	100	-6.75	0.5	-12.17	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	200	-37.33	-30	-43.06	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	250	-40.54	-33	-45.99	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	400	-64.24	-60	-69.79	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	600	-68.68	-60	-74.31	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	800	-70.62	-60	-76.12	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1000	-72.41	-60	-77.98	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1200	-72.99	-60	-78.51	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1400	-73.19	-60	-78.78	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1600	-75.39	-60	-80.91	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1800	-74.38	-60	-79.91	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-75.27	-60	-59.37	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1600	-76.89	-60	-60.93	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1400	-75.23	-60	-59.08	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-74.09	-60	-57.96	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1000	-72.49	-60	-56.43	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-800	-69.36	-60	-53.34	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-600	-67.95	-60	-51.9	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-400	-63.53	-60	-47.63	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-250	-45.09	-33	-29.03	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-200	-36.11	-30	-20.22	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-100	-7.19	0.5	8.73	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	100	-9.45	0.5	6.6	-36	PASS

LVHT	EGPRS900	38	897.6	6;6;6;6	200	-37.38	-30	-21.38	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	250	-42.9	-33	-26.73	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	400	-64.41	-60	-48.31	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	600	-70.75	-60	-54.77	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	800	-70.22	-60	-54.29	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1000	-73.83	-60	-57.84	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1200	-72.47	-60	-56.48	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1400	-76.42	-60	-60.39	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1600	-76.23	-60	-60.09	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1800	-76.25	-60	-60.35	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-75.21	-60	-79.8	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1600	-76.56	-60	-81.24	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1400	-75.05	-60	-79.73	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-73.45	-60	-78.02	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1000	-72.19	-60	-76.91	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-800	-71.01	-60	-75.51	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-600	-69.43	-60	-74.17	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-400	-65.75	-60	-70.24	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-250	-40.74	-33	-45.45	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-200	-38.11	-30	-42.79	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-100	-7.77	0.5	-12.28	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	100	-7.24	0.5	-11.86	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	200	-37.67	-30	-42.24	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	250	-42.14	-33	-46.85	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	400	-65.18	-60	-69.86	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	600	-69.08	-60	-73.69	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	800	-70.45	-60	-75.07	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1000	-72.52	-60	-77.02	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1200	-73.21	-60	-77.84	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1400	-74.36	-60	-79.01	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1600	-76.21	-60	-80.83	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1800	-75.73	-60	-80.26	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-75.33	-60	-59.84	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1600	-74.45	-60	-58.9	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1400	-74.17	-60	-58.59	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-72.99	-60	-57.44	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1000	-71.49	-60	-55.83	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-800	-70.44	-60	-54.85	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-600	-69.13	-60	-53.52	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-400	-62.72	-60	-47.02	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-250	-43.03	-33	-27.52	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-200	-36.8	-30	-21.12	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-100	-7.2	0.5	8.43	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	100	-7.13	0.5	8.57	-36	PASS

LVHT	EGPRS900	124	914.8	6;6;6;6	200	-36.65	-30	-20.85	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	250	-43.37	-33	-27.69	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	400	-63.29	-60	-47.57	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	600	-69.55	-60	-53.9	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	800	-70.85	-60	-55.21	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1000	-71.24	-60	-55.58	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1200	-73.95	-60	-58.31	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1400	-74.54	-60	-58.87	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1600	-75.4	-60	-59.81	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1800	-74.39	-60	-58.63	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-76.75	-60	-81.35	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1600	-74.8	-60	-79.39	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1400	-74.78	-60	-79.41	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-72.81	-60	-77.59	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1000	-74.4	-60	-79.08	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-800	-71.65	-60	-76.35	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-600	-69.16	-60	-73.92	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-400	-65.38	-60	-70.06	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-250	-41.29	-33	-46	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-200	-37.5	-30	-42.15	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-100	-7.63	0.5	-12.22	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	100	-9.28	0.5	-13.77	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	200	-38.5	-30	-43.1	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	250	-41.35	-33	-45.98	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	400	-64.09	-60	-68.7	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	600	-69.82	-60	-74.38	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	800	-71.4	-60	-76	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1000	-73.62	-60	-78.2	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1200	-73.21	-60	-77.8	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1400	-75.17	-60	-79.79	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1600	-74.49	-60	-78.98	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1800	-75.16	-60	-79.65	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-76.41	-60	-60.28	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1600	-75.41	-60	-59.39	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1400	-74.8	-60	-58.91	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-74.16	-60	-58.02	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1000	-72.54	-60	-56.46	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-800	-71.43	-60	-55.38	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-600	-70.55	-60	-54.42	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-400	-64.33	-60	-48.39	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-250	-43.19	-33	-27.21	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-200	-37.76	-30	-21.64	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-100	-7.61	0.5	8.46	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	100	-8.08	0.5	7.94	-36	PASS



LVLT	EGPRS900	975	880.2	6;6;6;6	200	-37.44	-30	-21.45	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	250	-43.68	-33	-27.49	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	400	-64.52	-60	-48.58	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	600	-70.05	-60	-54.03	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	800	-71	-60	-55	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1000	-72.48	-60	-56.53	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1200	-73.78	-60	-57.75	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1400	-74.93	-60	-58.84	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1600	-75.62	-60	-59.65	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1800	-75.89	-60	-59.88	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-74.9	-60	-80.41	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1600	-75.31	-60	-80.9	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1400	-74.13	-60	-79.71	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-73	-60	-78.4	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1000	-71.57	-60	-77.2	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-800	-69.62	-60	-75.23	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-600	-68.67	-60	-74.29	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-400	-65.48	-60	-71.06	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-250	-41.87	-33	-47.34	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-200	-36.73	-30	-42.31	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-100	-8.26	0.5	-13.89	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	100	-6.6	0.5	-12.19	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	200	-37.38	-30	-43.03	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	250	-40.58	-33	-46.06	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	400	-64.3	-60	-69.73	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	600	-68.62	-60	-74.18	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	800	-70.68	-60	-76.28	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1000	-72.38	-60	-77.95	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1200	-73.01	-60	-78.54	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1400	-73.25	-60	-78.79	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1600	-75.47	-60	-81.09	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1800	-74.49	-60	-80.07	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-75.28	-60	-59.3	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1600	-76.94	-60	-60.75	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1400	-75.27	-60	-59.2	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-74.05	-60	-58.01	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1000	-72.47	-60	-56.48	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-800	-69.42	-60	-53.47	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-600	-67.99	-60	-52.07	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-400	-63.69	-60	-47.58	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-250	-45.09	-33	-29.01	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-200	-36.15	-30	-20.26	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-100	-7.17	0.5	8.88	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	100	-9.46	0.5	6.58	-36	PASS

LVLT	EGPRS900	38	897.6	6;6;6;6	200	-37.49	-30	-21.29	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	250	-42.82	-33	-26.75	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	400	-64.35	-60	-48.27	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	600	-70.74	-60	-54.69	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	800	-70.34	-60	-54.18	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1000	-73.83	-60	-57.95	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1200	-72.58	-60	-56.49	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1400	-76.46	-60	-60.33	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1600	-76.21	-60	-60.18	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1800	-76.34	-60	-60.35	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-75.11	-60	-79.64	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1600	-76.7	-60	-81.28	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1400	-75.12	-60	-79.64	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-73.46	-60	-77.92	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1000	-72.33	-60	-76.97	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-800	-70.99	-60	-75.47	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-600	-69.55	-60	-74.01	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-400	-65.66	-60	-70.37	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-250	-40.74	-33	-45.38	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-200	-38.22	-30	-42.81	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-100	-7.63	0.5	-12.21	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	100	-7.24	0.5	-11.82	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	200	-37.64	-30	-42.1	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	250	-42.18	-33	-46.84	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	400	-65.32	-60	-69.77	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	600	-69.14	-60	-73.78	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	800	-70.41	-60	-75.09	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1000	-72.43	-60	-77.09	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1200	-73.19	-60	-77.92	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1400	-74.51	-60	-79.04	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1600	-76.17	-60	-80.71	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1800	-75.71	-60	-80.33	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-75.43	-60	-59.87	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1600	-74.44	-60	-58.97	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1400	-74.27	-60	-58.69	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-72.92	-60	-57.28	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1000	-71.47	-60	-55.91	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-800	-70.58	-60	-54.82	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-600	-69.17	-60	-53.49	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-400	-62.78	-60	-47.03	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-250	-43.09	-33	-27.34	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-200	-36.76	-30	-21.15	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-100	-7.2	0.5	8.34	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	100	-7.13	0.5	8.47	-36	PASS

LVLT	EGPRS900	124	914.8	6;6;6;6	200	-36.58	-30	-20.89	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	250	-43.32	-33	-27.61	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	400	-63.28	-60	-47.65	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	600	-69.61	-60	-54.07	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	800	-70.8	-60	-55.15	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1000	-71.3	-60	-55.72	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1200	-73.82	-60	-58.29	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1400	-74.43	-60	-58.91	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1600	-75.57	-60	-59.83	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1800	-74.31	-60	-58.71	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-76.82	-60	-81.29	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1600	-74.84	-60	-79.39	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1400	-74.8	-60	-79.34	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-72.98	-60	-77.52	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1000	-74.53	-60	-79.03	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-800	-71.71	-60	-76.37	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-600	-69.19	-60	-73.8	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-400	-65.31	-60	-69.93	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-250	-41.24	-33	-46.01	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-200	-37.56	-30	-42.05	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-100	-7.64	0.5	-12.19	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	100	-9.1	0.5	-13.87	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	200	-38.42	-30	-43.03	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	250	-41.3	-33	-46.07	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	400	-64.03	-60	-68.63	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	600	-69.87	-60	-74.56	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	800	-71.37	-60	-75.93	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1000	-73.66	-60	-78.2	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1200	-73.22	-60	-77.76	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1400	-75.07	-60	-79.84	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1600	-74.4	-60	-79.11	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1800	-75	-60	-79.65	-51	PASS

**Clause 4.2.29 Switching Spectrum in EGPRS configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Result (dBm)	Limit (dBm)	Verdict
HVHT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	26.07		PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-45.53	-30.81	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-41.24	-27.81	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-35.83	-25.9	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-26.8	-23	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-28.51	-23	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-35.53	-25.9	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-43.07	-27.81	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-46.2	-30.81	PASS

HVHT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	0.06		PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-70.02	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-67.62	-32	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-60.59	-26	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-56.69	-23	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-53.11	-23	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-61.67	-26	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-66.9	-32	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-71.21	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	26.47		PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-45.72	-30.43	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-42.93	-27.43	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-35.6	-25.72	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-27.25	-23	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-27.78	-23	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-33.31	-25.72	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-41.65	-27.43	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-45.49	-30.43	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	0.78		PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-69.32	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-67.03	-32	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-59.67	-26	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-55.67	-23	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-52.29	-23	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-57.84	-26	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-66.51	-32	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-69.32	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	26.85		PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-45.13	-30.09	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-40.82	-27.09	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-34.77	-25.54	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-26.65	-23	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-25.42	-23	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-34.26	-25.54	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-40.8	-27.09	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-44.19	-30.09	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	0.89		PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-70.17	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-65.42	-32	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-60.84	-26	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-52.16	-23	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-51.61	-23	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-58.59	-26	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-66.76	-32	PASS

HVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-68.98	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	26.06		PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-45.46	-30.81	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-41.26	-27.81	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-35.78	-25.9	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-26.82	-23	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-28.68	-23	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-35.56	-25.9	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-43.06	-27.81	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-46.36	-30.81	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	0.24		PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-70.18	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-67.55	-32	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-60.6	-26	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-56.67	-23	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-53.17	-23	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-61.55	-26	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-66.88	-32	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-71.29	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	26.38		PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-45.83	-30.43	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-42.91	-27.43	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-35.59	-25.72	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-27.25	-23	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-27.88	-23	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-33.16	-25.72	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-41.55	-27.43	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-45.43	-30.43	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	0.72		PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-69.34	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-67.21	-32	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-59.64	-26	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-55.7	-23	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-52.42	-23	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-57.76	-26	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-66.53	-32	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-69.5	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	26.78		PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-44.99	-30.09	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-40.69	-27.09	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-34.92	-25.54	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-26.54	-23	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-25.35	-23	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-34.22	-25.54	PASS

HVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-40.77	-27.09	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-44.18	-30.09	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	0.98		PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-70.1	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-65.46	-32	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-60.88	-26	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-52.17	-23	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-51.67	-23	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-58.61	-26	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-66.78	-32	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-68.95	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	26.14		PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-45.52	-30.81	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-41.11	-27.81	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-35.84	-25.9	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-26.76	-23	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-28.67	-23	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-35.66	-25.9	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-43.23	-27.81	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-46.26	-30.81	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	0.15		PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-70.12	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-67.68	-32	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-60.61	-26	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-56.84	-23	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-53.14	-23	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-61.54	-26	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-66.85	-32	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-71.3	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	26.55		PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-45.72	-30.43	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-42.82	-27.43	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-35.58	-25.72	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-27.29	-23	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-27.78	-23	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-33.2	-25.72	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-41.51	-27.43	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-45.39	-30.43	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	0.6		PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-69.35	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-67.09	-32	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-59.78	-26	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-55.7	-23	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-52.33	-23	PASS

LVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-57.78	-26	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-66.44	-32	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-69.4	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	26.76		PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-45.08	-30.09	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-40.82	-27.09	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-34.84	-25.54	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-26.65	-23	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-25.26	-23	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-34.21	-25.54	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-40.91	-27.09	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-44.22	-30.09	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	0.84		PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-70.12	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-65.35	-32	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-60.98	-26	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-52.01	-23	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-51.58	-23	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-58.53	-26	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-66.86	-32	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-68.95	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	26		PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-45.46	-30.81	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-41.27	-27.81	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-35.76	-25.9	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-26.76	-23	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-28.56	-23	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-35.66	-25.9	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-43.08	-27.81	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-46.21	-30.81	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	0.09		PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-70.06	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-67.62	-32	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-60.6	-26	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-56.77	-23	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-53.2	-23	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-61.65	-26	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-66.92	-32	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-71.23	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	26.45		PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-45.72	-30.43	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-42.9	-27.43	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-35.46	-25.72	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-27.17	-23	PASS

LVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-27.88	-23	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-33.18	-25.72	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-41.53	-27.43	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-45.38	-30.43	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	0.77		PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-69.3	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-67.14	-32	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-59.69	-26	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-55.71	-23	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-52.27	-23	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-57.81	-26	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-66.4	-32	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-69.46	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	26.82		PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-45.14	-30.09	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-40.72	-27.09	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-34.85	-25.54	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-26.73	-23	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-25.36	-23	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-34.25	-25.54	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-40.9	-27.09	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-44.28	-30.09	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	1.02		PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-70.18	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-65.43	-32	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-60.8	-26	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-52.08	-23	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-51.7	-23	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-58.63	-26	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-66.76	-32	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-69.07	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	Ref Power	24.38		PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-50.07	-32.53	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-44.78	-29.53	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-600	-42.89	-26	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-400	-35.1	-23	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	400	-32.23	-23	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	600	-42.76	-26	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1200	-46.74	-29.53	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1800	-49.98	-32.53	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	Ref Power	3.4		PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-70.75	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-68.3	-32	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-600	-63.03	-26	PASS



HVHT	EGPRS900	975	880.2	17;17;17;17	-400	-57.17	-23	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	400	-52.92	-23	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	600	-62.62	-26	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1200	-67.75	-32	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1800	-69.49	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	Ref Power	24.82		PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-49.5	-32.01	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-44.74	-29.01	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-600	-43.32	-26	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-400	-34.57	-23	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	400	-31.71	-23	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	600	-41.08	-26	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1200	-45.32	-29.01	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1800	-48.42	-32.01	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	Ref Power	3.85		PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-69.9	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-67.95	-32	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-600	-61.3	-26	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-400	-55.76	-23	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	400	-51.81	-23	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	600	-62.15	-26	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1200	-66.77	-32	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1800	-69.34	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	Ref Power	24.58		PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-45.96	-32.22	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-46.11	-29.22	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-600	-42.1	-26	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-400	-35.28	-23	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	400	-32.84	-23	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	600	-42.66	-26	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1200	-46.3	-29.22	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1800	-50.18	-32.22	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	Ref Power	3.97		PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-67.82	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-67.72	-32	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-600	-62.95	-26	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-400	-56.73	-23	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	400	-51.89	-23	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	600	-60.99	-26	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1200	-68.44	-32	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1800	-69.06	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	Ref Power	24.44		PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-50.11	-32.53	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-44.75	-29.53	PASS

HVLT	EGPRS900	975	880.2	6;6;6;6	-600	-42.85	-26	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-400	-35.24	-23	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	400	-32.42	-23	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	600	-42.83	-26	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1200	-46.64	-29.53	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1800	-50	-32.53	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	Ref Power	3.27		PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-70.83	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-68.45	-32	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-600	-62.88	-26	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-400	-57.17	-23	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	400	-52.9	-23	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	600	-62.6	-26	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1200	-67.63	-32	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1800	-69.56	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	Ref Power	24.94		PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-49.54	-32.01	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-44.8	-29.01	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-600	-43.33	-26	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-400	-34.7	-23	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	400	-31.73	-23	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	600	-41.03	-26	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1200	-45.49	-29.01	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1800	-48.42	-32.01	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	Ref Power	3.79		PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-69.93	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-67.98	-32	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-600	-61.33	-26	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-400	-55.87	-23	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	400	-51.82	-23	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	600	-62.18	-26	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1200	-66.8	-32	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1800	-69.33	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	Ref Power	24.71		PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-45.96	-32.22	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-46.15	-29.22	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-600	-42.03	-26	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-400	-35.36	-23	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	400	-32.88	-23	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	600	-42.64	-26	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1200	-46.23	-29.22	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1800	-50.13	-32.22	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	Ref Power	3.87		PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-67.99	-36	PASS

HVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-67.71	-32	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-600	-62.94	-26	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-400	-56.8	-23	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	400	-52.02	-23	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	600	-60.99	-26	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1200	-68.49	-32	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1800	-69.11	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	Ref Power	24.4		PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-50.13	-32.53	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-44.89	-29.53	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-600	-42.98	-26	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-400	-35.23	-23	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	400	-32.32	-23	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	600	-42.81	-26	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1200	-46.7	-29.53	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1800	-50.03	-32.53	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	Ref Power	3.35		PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-70.68	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-68.43	-32	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-600	-63.05	-26	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-400	-57.19	-23	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	400	-52.91	-23	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	600	-62.63	-26	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1200	-67.68	-32	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1800	-69.57	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	Ref Power	24.95		PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-49.36	-32.01	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-44.81	-29.01	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-600	-43.32	-26	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-400	-34.55	-23	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	400	-31.72	-23	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	600	-41.21	-26	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1200	-45.48	-29.01	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1800	-48.24	-32.01	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	Ref Power	3.91		PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-69.77	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-68.08	-32	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-600	-61.37	-26	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-400	-55.77	-23	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	400	-51.75	-23	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	600	-62.15	-26	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1200	-66.84	-32	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1800	-69.37	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	Ref Power	24.75		PASS

LVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-45.94	-32.22	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-46.07	-29.22	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-600	-41.99	-26	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-400	-35.31	-23	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	400	-32.88	-23	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	600	-42.49	-26	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1200	-46.26	-29.22	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1800	-50.17	-32.22	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	Ref Power	4.06		PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-67.97	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-67.68	-32	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-600	-62.79	-26	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-400	-56.81	-23	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	400	-51.89	-23	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	600	-60.91	-26	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1200	-68.38	-32	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1800	-69.21	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	Ref Power	24.39		PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-50.15	-32.53	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-44.81	-29.53	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-600	-42.9	-26	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-400	-35.13	-23	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	400	-32.25	-23	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	600	-42.95	-26	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1200	-46.75	-29.53	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1800	-49.93	-32.53	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	Ref Power	3.32		PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-70.7	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-68.32	-32	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-600	-62.93	-26	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-400	-57.26	-23	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	400	-52.85	-23	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	600	-62.59	-26	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1200	-67.6	-32	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1800	-69.61	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	Ref Power	24.79		PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-49.43	-32.01	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-44.88	-29.01	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-600	-43.51	-26	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-400	-34.63	-23	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	400	-31.7	-23	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	600	-41.15	-26	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1200	-45.49	-29.01	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1800	-48.39	-32.01	PASS

LVLT	EGPRS900	38	897.6	17;17;17;17	Ref Power	3.84			PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-69.78	-36		PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-68.06	-32		PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-600	-61.35	-26		PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-400	-55.81	-23		PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	400	-51.67	-23		PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	600	-62.22	-26		PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1200	-66.9	-32		PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1800	-69.27	-36		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	Ref Power	24.64			PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-45.85	-32.22		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-46.12	-29.22		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-600	-42.12	-26		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-400	-35.37	-23		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	400	-32.97	-23		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	600	-42.64	-26		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1200	-46.34	-29.22		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1800	-50.17	-32.22		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	Ref Power	3.91			PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-67.96	-36		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-67.75	-32		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-600	-62.83	-26		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-400	-56.72	-23		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	400	-52.03	-23		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	600	-61	-26		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1200	-68.49	-32		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1800	-69.16	-36		PASS

**Clause 4.2.4 Frequency error and phase error in GPRS multi slot configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Type	Result	Low Limit	high Limit	Verdict
HVHT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	20.18	-174.74	174.74	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	3.77	0	5	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	11.4	0	20	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	22.07	-174.74	174.74	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	3.79	0	5	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	11.92	0	20	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error	20.12	-174.74	174.74	PASS

					(Hz)				
HVLT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	3.86	0	5	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	11.58	0	20	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	22.09	-174.74	174.74	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	3.86	0	5	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	11.91	0	20	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	20.15	-174.74	174.74	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	3.87	0	5	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	11.57	0	20	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	22.05	-174.74	174.74	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	3.8	0	5	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	11.93	0	20	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	20.22	-174.74	174.74	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	3.85	0	5	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	11.4	0	20	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	22	-174.74	174.74	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	3.85	0	5	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	11.93	0	20	PASS
Vibration-X	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	20.24	-174.74	174.74	PASS
Vibration-X	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	3.89	0	5	PASS
Vibration-X	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	11.57	0	20	PASS
Vibration-X	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	21.98	-174.74	174.74	PASS
Vibration-X	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error	3.91	0	5	PASS

					(Degree)				
Vibration-X	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	11.89	0	20	PASS
Vibration-Y	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	20.24	-174.74	174.74	PASS
Vibration-Y	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	3.88	0	5	PASS
Vibration-Y	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	11.59	0	20	PASS
Vibration-Y	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	22.07	-174.74	174.74	PASS
Vibration-Y	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	3.76	0	5	PASS
Vibration-Y	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	11.92	0	20	PASS
Vibration-Z	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	20.18	-174.74	174.74	PASS
Vibration-Z	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	3.85	0	5	PASS
Vibration-Z	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	11.42	0	20	PASS
Vibration-Z	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	22.02	-174.74	174.74	PASS
Vibration-Z	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	3.77	0	5	PASS
Vibration-Z	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	11.9	0	20	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	20.77	-89.76	89.76	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.77	0	5	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	2.84	0	20	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	17.44	-89.76	89.76	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.84	0	5	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.68	0	20	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	20.81	-89.76	89.76	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.76	0	5	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error	2.75	0	20	PASS

					(Degree)				
HVLT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	17.45	-89.76	89.76	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.8	0	5	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.73	0	20	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	20.69	-89.76	89.76	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.88	0	5	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	2.81	0	20	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	17.48	-89.76	89.76	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.71	0	5	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.65	0	20	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	20.78	-89.76	89.76	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.82	0	5	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	2.86	0	20	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	17.55	-89.76	89.76	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.79	0	5	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.59	0	20	PASS
Vibration-X	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	20.75	-89.76	89.76	PASS
Vibration-X	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.85	0	5	PASS
Vibration-X	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	2.79	0	20	PASS
Vibration-X	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	17.43	-89.76	89.76	PASS
Vibration-X	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.74	0	5	PASS
Vibration-X	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.57	0	20	PASS
Vibration-Y	GPRS900	38	897.6	3;3;3;3	Frequency Error	20.7	-89.76	89.76	PASS



					(Hz)				
Vibration-Y	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.77	0	5	PASS
Vibration-Y	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	2.89	0	20	PASS
Vibration-Y	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	17.47	-89.76	89.76	PASS
Vibration-Y	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.83	0	5	PASS
Vibration-Y	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.73	0	20	PASS
Vibration-Z	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	20.76	-89.76	89.76	PASS
Vibration-Z	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.87	0	5	PASS
Vibration-Z	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	2.77	0	20	PASS
Vibration-Z	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	17.49	-89.76	89.76	PASS
Vibration-Z	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.84	0	5	PASS
Vibration-Z	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.6	0	20	PASS

**Clause 4.2.10 Transmitter output power in GPRS multi slot configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Slot	Result	Low Limit	high Limit	Verdict
HVHT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30.07	28	32	PASS
HVHT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	27.51	25	31	PASS
HVHT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	25.88	23	29	PASS
HVHT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	23.98	21	27	PASS
HVHT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	21.87	19	25	PASS
HVHT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	19.8	17	23	PASS
HVHT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	17.41	15	21	PASS
HVHT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	15.6	13	19	PASS
HVHT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	13.49	11	17	PASS

HVHT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	11.44	8	16	PASS
HVHT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	9.69	6	14	PASS
HVHT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	7.31	4	12	PASS
HVHT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	5.44	2	10	PASS
HVHT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	3.57	0	8	PASS
HVHT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	1.43	-3	7	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	-0.46	-5	5	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	27.16	25	31	PASS
HVHT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	25.79	23	29	PASS
HVHT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	23.65	21	27	PASS
HVHT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	21.73	19	25	PASS
HVHT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	19.71	17	23	PASS
HVHT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	17.28	15	21	PASS
HVHT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	15.5	13	19	PASS
HVHT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	13.35	11	17	PASS
HVHT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	11.34	8	16	PASS
HVHT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	9.61	6	14	PASS
HVHT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	7.28	4	12	PASS
HVHT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	5.35	2	10	PASS
HVHT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	3.55	0	8	PASS
HVHT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	1.65	-3	7	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.11	0	0	PASS

HVHT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	-0.42	-5	5	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	29.01	28	32	PASS
HVHT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	26.78	25	31	PASS
HVHT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	25.28	23	29	PASS
HVHT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	23.34	21	27	PASS
HVHT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	21.19	19	25	PASS
HVHT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	19.19	17	23	PASS
HVHT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	16.96	15	21	PASS
HVHT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	15.13	13	19	PASS
HVHT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	13.14	11	17	PASS
HVHT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	10.98	8	16	PASS
HVHT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	9.44	6	14	PASS
HVHT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	7.13	4	12	PASS
HVHT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	3.18	0	8	PASS
HVHT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	1.36	-3	7	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	-0.46	-5	5	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30.08	28	32	PASS
HVLT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	27.45	25	31	PASS
HVLT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	26.01	23	29	PASS
HVLT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	23.93	21	27	PASS
HVLT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	21.83	19	25	PASS
HVLT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	19.89	17	23	PASS

HVLT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	17.49	15	21	PASS
HVLT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	15.57	13	19	PASS
HVLT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	13.58	11	17	PASS
HVLT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	11.5	8	16	PASS
HVLT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	9.51	6	14	PASS
HVLT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	7.37	4	12	PASS
HVLT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	5.44	2	10	PASS
HVLT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	3.66	0	8	PASS
HVLT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	1.41	-3	7	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	-0.52	-5	5	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	27.07	25	31	PASS
HVLT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	25.61	23	29	PASS
HVLT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	23.76	21	27	PASS
HVLT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	21.6	19	25	PASS
HVLT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	19.59	17	23	PASS
HVLT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	17.42	15	21	PASS
HVLT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	15.35	13	19	PASS
HVLT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	13.43	11	17	PASS
HVLT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	11.26	8	16	PASS
HVLT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	9.52	6	14	PASS
HVLT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	7.29	4	12	PASS
HVLT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.17	0	0	PASS

HVLT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	5.43	2	10	PASS
HVLT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	3.5	0	8	PASS
HVLT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	1.55	-3	7	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	-0.26	-5	5	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	28.89	28	32	PASS
HVLT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	26.7	25	31	PASS
HVLT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	25.25	23	29	PASS
HVLT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	23.29	21	27	PASS
HVLT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	21.17	19	25	PASS
HVLT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	19.18	17	23	PASS
HVLT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	17.09	15	21	PASS
HVLT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	15.26	13	19	PASS
HVLT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	13.1	11	17	PASS
HVLT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	10.99	8	16	PASS
HVLT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	9.31	6	14	PASS
HVLT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	7.16	4	12	PASS
HVLT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	3.2	0	8	PASS
HVLT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	1.27	-3	7	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	-0.45	-5	5	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30	28	32	PASS
LVHT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	27.47	25	31	PASS
LVHT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	25.92	23	29	PASS

LVHT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	23.94	21	27	PASS
LVHT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	21.99	19	25	PASS
LVHT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	19.85	17	23	PASS
LVHT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	17.47	15	21	PASS
LVHT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	15.65	13	19	PASS
LVHT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	13.55	11	17	PASS
LVHT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	11.42	8	16	PASS
LVHT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	9.59	6	14	PASS
LVHT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	7.28	4	12	PASS
LVHT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	5.51	2	10	PASS
LVHT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	3.53	0	8	PASS
LVHT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	1.4	-3	7	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	-0.46	-5	5	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	27.16	25	31	PASS
LVHT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	25.79	23	29	PASS
LVHT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	23.79	21	27	PASS
LVHT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	21.57	19	25	PASS
LVHT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	19.68	17	23	PASS
LVHT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	17.36	15	21	PASS
LVHT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	15.5	13	19	PASS
LVHT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	13.29	11	17	PASS
LVHT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.09	0	0	PASS

LVHT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	11.29	8	16	PASS
LVHT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	9.61	6	14	PASS
LVHT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	7.24	4	12	PASS
LVHT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	5.53	2	10	PASS
LVHT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	3.56	0	8	PASS
LVHT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	1.52	-3	7	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	-0.41	-5	5	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	28.98	28	32	PASS
LVHT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	26.73	25	31	PASS
LVHT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	25.34	23	29	PASS
LVHT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	23.39	21	27	PASS
LVHT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	21.32	19	25	PASS
LVHT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	19.33	17	23	PASS
LVHT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	17.09	15	21	PASS
LVHT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	15.23	13	19	PASS
LVHT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	13.01	11	17	PASS
LVHT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	11	8	16	PASS
LVHT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	9.27	6	14	PASS
LVHT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	7.14	4	12	PASS
LVHT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	3.1	0	8	PASS
LVHT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	1.43	-3	7	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	-0.59	-5	5	PASS

LVLT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30.1	28	32	PASS
LVLT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	27.55	25	31	PASS
LVLT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	25.94	23	29	PASS
LVLT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	23.98	21	27	PASS
LVLT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	21.93	19	25	PASS
LVLT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	19.9	17	23	PASS
LVLT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	17.57	15	21	PASS
LVLT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	15.53	13	19	PASS
LVLT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	13.44	11	17	PASS
LVLT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	11.53	8	16	PASS
LVLT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	9.58	6	14	PASS
LVLT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	7.25	4	12	PASS
LVLT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	5.52	2	10	PASS
LVLT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	3.47	0	8	PASS
LVLT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	1.35	-3	7	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	-0.37	-5	5	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	27.05	25	31	PASS
LVLT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	25.64	23	29	PASS
LVLT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	23.77	21	27	PASS
LVLT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	21.65	19	25	PASS
LVLT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	19.59	17	23	PASS
LVLT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.17	0	0	PASS



LVLT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	17.34	15	21	PASS
LVLT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	15.49	13	19	PASS
LVLT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	13.48	11	17	PASS
LVLT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	11.32	8	16	PASS
LVLT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	9.55	6	14	PASS
LVLT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	7.23	4	12	PASS
LVLT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	5.36	2	10	PASS
LVLT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	3.48	0	8	PASS
LVLT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	1.61	-3	7	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	-0.29	-5	5	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	28.96	28	32	PASS
LVLT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	26.67	25	31	PASS
LVLT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	25.35	23	29	PASS
LVLT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	23.23	21	27	PASS
LVLT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	21.22	19	25	PASS
LVLT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	19.16	17	23	PASS
LVLT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	16.97	15	21	PASS
LVLT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	15.21	13	19	PASS
LVLT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	13.04	11	17	PASS
LVLT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	10.96	8	16	PASS
LVLT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	9.39	6	14	PASS
LVLT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	7.09	4	12	PASS
LVLT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.05	0	0	PASS

LVLT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	3.13	0	8	PASS
LVLT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	1.4	-3	7	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	-0.43	-5	5	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.37	31	35	PASS
HVHT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS900	975	880.2	4;4;4;4	Power slot1	30.45	28	34	PASS
HVHT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS900	975	880.2	5;5;5;5	Power slot1	28.57	26	32	PASS
HVHT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	975	880.2	6;6;6;6	Power slot1	26.55	24	30	PASS
HVHT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS900	975	880.2	7;7;7;7	Power slot1	24.51	22	28	PASS
HVHT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS900	975	880.2	8;8;8;8	Power slot1	22.49	20	26	PASS
HVHT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	975	880.2	9;9;9;9	Power slot1	20.12	18	24	PASS
HVHT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS900	975	880.2	10;10;10;10	Power slot1	18.22	16	22	PASS
HVHT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS900	975	880.2	11;11;11;11	Power slot1	16.12	14	20	PASS
HVHT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS900	975	880.2	12;12;12;12	Power slot1	14.17	12	18	PASS
HVHT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS900	975	880.2	13;13;13;13	Power slot1	11.98	10	16	PASS
HVHT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS900	975	880.2	14;14;14;14	Power slot1	9.74	6	16	PASS
HVHT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS900	975	880.2	15;15;15;15	Power slot1	7.73	4	14	PASS
HVHT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	975	880.2	16;16;16;16	Power slot1	5.41	2	12	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	Power slot1	3.61	0	10	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Power slot1	32.51	31	35	PASS
HVHT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS900	38	897.6	4;4;4;4	Power slot1	30.5	28	34	PASS
HVHT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS900	38	897.6	5;5;5;5	Power slot1	28.75	26	32	PASS
HVHT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS900	38	897.6	6;6;6;6	Power slot1	26.76	24	30	PASS

HVHT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS900	38	897.6	7;7;7;7	Power slot1	24.82	22	28	PASS
HVHT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS900	38	897.6	8;8;8;8	Power slot1	22.62	20	26	PASS
HVHT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS900	38	897.6	9;9;9;9	Power slot1	20.46	18	24	PASS
HVHT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS900	38	897.6	10;10;10;10	Power slot1	18.42	16	22	PASS
HVHT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS900	38	897.6	11;11;11;11	Power slot1	16.36	14	20	PASS
HVHT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS900	38	897.6	12;12;12;12	Power slot1	14.41	12	18	PASS
HVHT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS900	38	897.6	13;13;13;13	Power slot1	12.3	10	16	PASS
HVHT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS900	38	897.6	14;14;14;14	Power slot1	9.99	6	16	PASS
HVHT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	38	897.6	15;15;15;15	Power slot1	8.04	4	14	PASS
HVHT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS900	38	897.6	16;16;16;16	Power slot1	5.85	2	12	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Power slot1	3.96	0	10	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	Power slot1	32.79	31	35	PASS
HVHT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS900	124	914.8	4;4;4;4	Power slot1	30.57	28	34	PASS
HVHT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	124	914.8	5;5;5;5	Power slot1	28.84	26	32	PASS
HVHT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS900	124	914.8	6;6;6;6	Power slot1	26.84	24	30	PASS
HVHT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS900	124	914.8	7;7;7;7	Power slot1	24.85	22	28	PASS
HVHT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS900	124	914.8	8;8;8;8	Power slot1	22.91	20	26	PASS
HVHT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS900	124	914.8	9;9;9;9	Power slot1	20.6	18	24	PASS
HVHT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS900	124	914.8	10;10;10;10	Power slot1	18.56	16	22	PASS
HVHT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	124	914.8	11;11;11;11	Power slot1	16.43	14	20	PASS
HVHT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS900	124	914.8	12;12;12;12	Power slot1	14.47	12	18	PASS
HVHT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.05	0	0	PASS

HVHT	GPRS900	124	914.8	14;14;14;14	Power slot1	10.17	6	16	PASS
HVHT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS900	124	914.8	15;15;15;15	Power slot1	8	4	14	PASS
HVHT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS900	124	914.8	16;16;16;16	Power slot1	5.74	2	12	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	Power slot1	3.83	0	10	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.21	31	35	PASS
HVLT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS900	975	880.2	4;4;4;4	Power slot1	30.39	28	34	PASS
HVLT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS900	975	880.2	5;5;5;5	Power slot1	28.58	26	32	PASS
HVLT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS900	975	880.2	6;6;6;6	Power slot1	26.55	24	30	PASS
HVLT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS900	975	880.2	7;7;7;7	Power slot1	24.52	22	28	PASS
HVLT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS900	975	880.2	8;8;8;8	Power slot1	22.57	20	26	PASS
HVLT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS900	975	880.2	9;9;9;9	Power slot1	20.24	18	24	PASS
HVLT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS900	975	880.2	10;10;10;10	Power slot1	18.2	16	22	PASS
HVLT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS900	975	880.2	11;11;11;11	Power slot1	15.93	14	20	PASS
HVLT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS900	975	880.2	12;12;12;12	Power slot1	14.03	12	18	PASS
HVLT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	975	880.2	13;13;13;13	Power slot1	11.82	10	16	PASS
HVLT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	975	880.2	14;14;14;14	Power slot1	9.77	6	16	PASS
HVLT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS900	975	880.2	15;15;15;15	Power slot1	7.66	4	14	PASS
HVLT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS900	975	880.2	16;16;16;16	Power slot1	5.49	2	12	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	Power slot1	3.68	0	10	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Power slot1	32.63	31	35	PASS
HVLT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS900	38	897.6	4;4;4;4	Power slot1	30.58	28	34	PASS
HVLT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS900	38	897.6	5;5;5;5	Power slot1	28.91	26	32	PASS
HVLT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.1	0	0	PASS

HVLT	GPRS900	38	897.6	6;6;6;6	Power slot1	26.85	24	30	PASS
HVLT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	38	897.6	7;7;7;7	Power slot1	24.74	22	28	PASS
HVLT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS900	38	897.6	8;8;8;8	Power slot1	22.61	20	26	PASS
HVLT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS900	38	897.6	9;9;9;9	Power slot1	20.62	18	24	PASS
HVLT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS900	38	897.6	10;10;10;10	Power slot1	18.55	16	22	PASS
HVLT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS900	38	897.6	11;11;11;11	Power slot1	16.4	14	20	PASS
HVLT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS900	38	897.6	12;12;12;12	Power slot1	14.38	12	18	PASS
HVLT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS900	38	897.6	13;13;13;13	Power slot1	12.25	10	16	PASS
HVLT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS900	38	897.6	14;14;14;14	Power slot1	10.01	6	16	PASS
HVLT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS900	38	897.6	15;15;15;15	Power slot1	7.94	4	14	PASS
HVLT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS900	38	897.6	16;16;16;16	Power slot1	5.85	2	12	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Power slot1	4.08	0	10	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	Power slot1	32.84	31	35	PASS
HVLT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS900	124	914.8	4;4;4;4	Power slot1	30.53	28	34	PASS
HVLT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS900	124	914.8	5;5;5;5	Power slot1	28.83	26	32	PASS
HVLT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS900	124	914.8	6;6;6;6	Power slot1	26.81	24	30	PASS
HVLT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS900	124	914.8	7;7;7;7	Power slot1	24.94	22	28	PASS
HVLT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS900	124	914.8	8;8;8;8	Power slot1	22.75	20	26	PASS
HVLT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS900	124	914.8	9;9;9;9	Power slot1	20.55	18	24	PASS
HVLT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	124	914.8	10;10;10;10	Power slot1	18.48	16	22	PASS
HVLT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS900	124	914.8	11;11;11;11	Power slot1	16.39	14	20	PASS
HVLT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS900	124	914.8	12;12;12;12	Power slot1	14.46	12	18	PASS
HVLT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.02	0	0	PASS

HVLT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS900	124	914.8	14;14;14;14	Power slot1	10.11	6	16	PASS
HVLT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS900	124	914.8	15;15;15;15	Power slot1	8.05	4	14	PASS
HVLT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS900	124	914.8	16;16;16;16	Power slot1	5.69	2	12	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	Power slot1	4	0	10	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.26	31	35	PASS
LVHT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS900	975	880.2	4;4;4;4	Power slot1	30.45	28	34	PASS
LVHT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS900	975	880.2	5;5;5;5	Power slot1	28.59	26	32	PASS
LVHT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS900	975	880.2	6;6;6;6	Power slot1	26.71	24	30	PASS
LVHT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS900	975	880.2	7;7;7;7	Power slot1	24.46	22	28	PASS
LVHT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS900	975	880.2	8;8;8;8	Power slot1	22.54	20	26	PASS
LVHT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS900	975	880.2	9;9;9;9	Power slot1	20.27	18	24	PASS
LVHT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS900	975	880.2	10;10;10;10	Power slot1	18.11	16	22	PASS
LVHT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS900	975	880.2	11;11;11;11	Power slot1	16.01	14	20	PASS
LVHT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS900	975	880.2	12;12;12;12	Power slot1	14.02	12	18	PASS
LVHT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS900	975	880.2	13;13;13;13	Power slot1	11.84	10	16	PASS
LVHT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	975	880.2	14;14;14;14	Power slot1	9.75	6	16	PASS
LVHT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS900	975	880.2	15;15;15;15	Power slot1	7.72	4	14	PASS
LVHT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS900	975	880.2	16;16;16;16	Power slot1	5.55	2	12	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	Power slot1	3.6	0	10	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Power slot1	32.66	31	35	PASS
LVHT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS900	38	897.6	4;4;4;4	Power slot1	30.53	28	34	PASS
LVHT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS900	38	897.6	5;5;5;5	Power slot1	28.85	26	32	PASS

LVHT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS900	38	897.6	6;6;6;6	Power slot1	26.72	24	30	PASS
LVHT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS900	38	897.6	7;7;7;7	Power slot1	24.78	22	28	PASS
LVHT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS900	38	897.6	8;8;8;8	Power slot1	22.72	20	26	PASS
LVHT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS900	38	897.6	9;9;9;9	Power slot1	20.6	18	24	PASS
LVHT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	38	897.6	10;10;10;10	Power slot1	18.47	16	22	PASS
LVHT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	38	897.6	11;11;11;11	Power slot1	16.21	14	20	PASS
LVHT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS900	38	897.6	12;12;12;12	Power slot1	14.3	12	18	PASS
LVHT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS900	38	897.6	13;13;13;13	Power slot1	12.27	10	16	PASS
LVHT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS900	38	897.6	14;14;14;14	Power slot1	10.06	6	16	PASS
LVHT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS900	38	897.6	15;15;15;15	Power slot1	7.93	4	14	PASS
LVHT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS900	38	897.6	16;16;16;16	Power slot1	5.8	2	12	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Power slot1	3.91	0	10	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	Power slot1	32.91	31	35	PASS
LVHT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS900	124	914.8	4;4;4;4	Power slot1	30.57	28	34	PASS
LVHT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS900	124	914.8	5;5;5;5	Power slot1	28.79	26	32	PASS
LVHT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS900	124	914.8	6;6;6;6	Power slot1	26.92	24	30	PASS
LVHT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS900	124	914.8	7;7;7;7	Power slot1	24.95	22	28	PASS
LVHT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS900	124	914.8	8;8;8;8	Power slot1	22.78	20	26	PASS
LVHT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS900	124	914.8	9;9;9;9	Power slot1	20.67	18	24	PASS
LVHT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS900	124	914.8	10;10;10;10	Power slot1	18.48	16	22	PASS
LVHT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	124	914.8	11;11;11;11	Power slot1	16.37	14	20	PASS
LVHT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS900	124	914.8	12;12;12;12	Power slot1	14.47	12	18	PASS

LVHT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS900	124	914.8	14;14;14;14	Power slot1	10.11	6	16	PASS
LVHT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS900	124	914.8	15;15;15;15	Power slot1	8.01	4	14	PASS
LVHT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS900	124	914.8	16;16;16;16	Power slot1	5.73	2	12	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	Power slot1	3.83	0	10	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.25	31	35	PASS
LVLT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS900	975	880.2	4;4;4;4	Power slot1	30.29	28	34	PASS
LVLT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS900	975	880.2	5;5;5;5	Power slot1	28.6	26	32	PASS
LVLT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS900	975	880.2	6;6;6;6	Power slot1	26.66	24	30	PASS
LVLT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS900	975	880.2	7;7;7;7	Power slot1	24.49	22	28	PASS
LVLT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS900	975	880.2	8;8;8;8	Power slot1	22.48	20	26	PASS
LVLT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS900	975	880.2	9;9;9;9	Power slot1	20.24	18	24	PASS
LVLT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS900	975	880.2	10;10;10;10	Power slot1	18.21	16	22	PASS
LVLT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS900	975	880.2	11;11;11;11	Power slot1	15.97	14	20	PASS
LVLT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS900	975	880.2	12;12;12;12	Power slot1	14.17	12	18	PASS
LVLT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS900	975	880.2	13;13;13;13	Power slot1	11.98	10	16	PASS
LVLT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS900	975	880.2	14;14;14;14	Power slot1	9.79	6	16	PASS
LVLT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS900	975	880.2	15;15;15;15	Power slot1	7.57	4	14	PASS
LVLT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS900	975	880.2	16;16;16;16	Power slot1	5.5	2	12	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	Power slot1	3.69	0	10	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Power slot1	32.62	31	35	PASS
LVLT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS900	38	897.6	4;4;4;4	Power slot1	30.52	28	34	PASS
LVLT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.06	0	0	PASS



LVLT	GPRS900	38	897.6	5;5;5;5	Power slot1	28.76	26	32	PASS
LVLT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS900	38	897.6	6;6;6;6	Power slot1	26.81	24	30	PASS
LVLT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS900	38	897.6	7;7;7;7	Power slot1	24.8	22	28	PASS
LVLT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS900	38	897.6	8;8;8;8	Power slot1	22.77	20	26	PASS
LVLT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS900	38	897.6	9;9;9;9	Power slot1	20.61	18	24	PASS
LVLT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS900	38	897.6	10;10;10;10	Power slot1	18.4	16	22	PASS
LVLT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS900	38	897.6	11;11;11;11	Power slot1	16.38	14	20	PASS
LVLT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS900	38	897.6	12;12;12;12	Power slot1	14.33	12	18	PASS
LVLT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS900	38	897.6	13;13;13;13	Power slot1	12.13	10	16	PASS
LVLT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS900	38	897.6	14;14;14;14	Power slot1	9.98	6	16	PASS
LVLT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS900	38	897.6	15;15;15;15	Power slot1	7.96	4	14	PASS
LVLT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS900	38	897.6	16;16;16;16	Power slot1	5.84	2	12	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Power slot1	4	0	10	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	Power slot1	32.79	31	35	PASS
LVLT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS900	124	914.8	4;4;4;4	Power slot1	30.54	28	34	PASS
LVLT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS900	124	914.8	5;5;5;5	Power slot1	28.98	26	32	PASS
LVLT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS900	124	914.8	6;6;6;6	Power slot1	26.89	24	30	PASS
LVLT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS900	124	914.8	7;7;7;7	Power slot1	24.94	22	28	PASS
LVLT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS900	124	914.8	8;8;8;8	Power slot1	22.91	20	26	PASS
LVLT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS900	124	914.8	9;9;9;9	Power slot1	20.52	18	24	PASS
LVLT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS900	124	914.8	10;10;10;10	Power slot1	18.54	16	22	PASS
LVLT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS900	124	914.8	11;11;11;11	Power slot1	16.48	14	20	PASS
LVLT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.03	0	0	PASS

LVLT	GPRS900	124	914.8	12;12;12;12	Power slot1	14.36	12	18	PASS
LVLT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS900	124	914.8	14;14;14;14	Power slot1	10.12	6	16	PASS
LVLT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS900	124	914.8	15;15;15;15	Power slot1	8.06	4	14	PASS
LVLT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS900	124	914.8	16;16;16;16	Power slot1	5.68	2	12	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	Power slot1	3.85	0	10	PASS

**Clause 4.2.11 Modulation Spectrum in GPRS multi slot configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Relative Result (dB)	Relative Limit (dB)	Absolute Result (dBm)	Absolute Limit (dBm)	Verdict
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-77.82	-60	-55.25	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1600	-75.79	-60	-53.22	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1400	-75.04	-60	-52.44	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-73.34	-60	-50.83	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1000	-71.67	-60	-48.98	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-800	-69.08	-60	-46.68	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-65.8	-60	-43.32	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-59.7	-60	-37.19	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-250	-40.87	-33	-18.48	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-200	-37.06	-30	-14.49	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-100	-8.45	0.5	14.08	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	100	-9.96	0.5	12.63	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	200	-37.62	-30	-15.05	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	250	-41.01	-33	-18.37	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	400	-60.6	-60	-38.12	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	600	-65.84	-60	-43.32	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	800	-68.84	-60	-46.23	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1000	-72.74	-60	-49.99	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-73.87	-60	-51.24	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1400	-75.39	-60	-52.97	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1600	-75.74	-60	-53.21	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-77.15	-60	-54.59	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-74.18	-60	-82.41	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1600	-72.9	-60	-81.28	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1400	-69.31	-60	-77.66	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-68.39	-60	-76.68	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1000	-63.4	-60	-71.65	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-800	-60.13	-60	-68.36	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-62.23	-60	-70.5	-55	PASS

HVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-58.56	-60	-66.85	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-250	-40.95	-33	-49.35	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.55	-30	-44.75	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.6	0.5	-16.81	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	100	-8.99	0.5	-17.39	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	200	-36.54	-30	-44.79	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	250	-41.47	-33	-49.66	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	400	-58.99	-60	-67.26	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	600	-63.26	-60	-71.64	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	800	-63.62	-60	-71.9	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1000	-66.74	-60	-75.01	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-70.18	-60	-78.33	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1400	-72.4	-60	-80.73	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1600	-73.61	-60	-81.81	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-73.71	-60	-82	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-77.22	-60	-55.52	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1600	-75.74	-60	-54.08	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1400	-74.33	-60	-52.75	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-73.27	-60	-51.58	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1000	-71.68	-60	-49.96	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-800	-68.86	-60	-47.23	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-65.93	-60	-44.3	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-58.35	-60	-36.77	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-250	-40.87	-33	-19.12	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-200	-37.13	-30	-15.38	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-100	-8.85	0.5	12.87	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	100	-9.13	0.5	12.55	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	200	-36.72	-30	-15.08	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	250	-40.57	-33	-18.8	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	400	-59.18	-60	-37.59	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	600	-65.18	-60	-43.49	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	800	-68.41	-60	-46.89	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1000	-70.77	-60	-49.08	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-72.96	-60	-51.16	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1400	-73.69	-60	-52.01	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1600	-75.91	-60	-54.35	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-77.03	-60	-55.39	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-73.75	-60	-81.65	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1600	-72.34	-60	-80.28	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1400	-70.6	-60	-78.53	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-67.73	-60	-75.62	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1000	-63.05	-60	-71.02	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-800	-59.95	-60	-67.87	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-61.87	-60	-69.84	-55	PASS

HVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-58	-60	-66.01	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-250	-41.1	-33	-48.92	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.88	-30	-44.84	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-100	-9.31	0.5	-17.35	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	100	-9.3	0.5	-17.27	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	200	-36.44	-30	-44.37	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	250	-40.36	-33	-48.25	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	400	-57.48	-60	-65.58	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	600	-63.06	-60	-70.99	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	800	-62.82	-60	-70.75	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1000	-66.82	-60	-74.81	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-70.05	-60	-77.99	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1400	-72.11	-60	-80.15	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1600	-73.36	-60	-81.23	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-73.75	-60	-81.68	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-74.93	-60	-54.45	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1600	-74.81	-60	-54.24	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1400	-73.04	-60	-52.5	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-70.47	-60	-50.13	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1000	-69.47	-60	-48.94	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-800	-66.57	-60	-46.09	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-62.22	-60	-41.71	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-57.01	-60	-36.44	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-250	-40.15	-33	-19.54	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-200	-35.7	-30	-15.24	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-100	-8.48	0.5	12.06	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	100	-8.75	0.5	11.77	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	200	-35.83	-30	-15.49	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	250	-40.81	-33	-20.4	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	400	-57.06	-60	-36.37	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	600	-63.25	-60	-42.71	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	800	-65.84	-60	-45.39	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1000	-68.86	-60	-48.37	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-70.59	-60	-50.09	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1400	-72.29	-60	-51.73	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1600	-73.66	-60	-53.09	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-74.78	-60	-54.24	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-74.57	-60	-82.93	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1600	-71.99	-60	-80.33	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1400	-69.79	-60	-78.17	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-67.06	-60	-75.34	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1000	-63.57	-60	-71.86	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-800	-60.68	-60	-69.07	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-61.14	-60	-69.51	-55	PASS

HVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-57.71	-60	-66.13	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-250	-40.75	-33	-49.1	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-200	-36.55	-30	-44.86	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-100	-8.88	0.5	-17.19	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	100	-8.16	0.5	-16.55	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	200	-36.43	-30	-44.71	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	250	-40.02	-33	-48.4	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	400	-57.95	-60	-66.2	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	600	-62.19	-60	-70.71	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	800	-64.19	-60	-72.38	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1000	-66.99	-60	-75.26	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-69.97	-60	-78.35	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1400	-71.34	-60	-79.69	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1600	-72.96	-60	-81.31	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-74.06	-60	-82.34	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-77.74	-60	-55.18	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1600	-75.87	-60	-53.34	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1400	-75.14	-60	-52.61	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-73.33	-60	-50.84	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1000	-71.6	-60	-48.97	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-800	-69.13	-60	-46.51	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-65.87	-60	-43.23	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-59.78	-60	-37.21	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-250	-40.86	-33	-18.49	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-200	-36.95	-30	-14.5	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-100	-8.52	0.5	14	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	100	-10.09	0.5	12.55	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	200	-37.57	-30	-14.92	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	250	-40.9	-33	-18.29	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	400	-60.62	-60	-38.04	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	600	-65.84	-60	-43.37	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	800	-68.74	-60	-46.22	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1000	-72.64	-60	-50.14	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-73.71	-60	-51.13	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1400	-75.42	-60	-52.95	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1600	-75.85	-60	-53.15	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-77.1	-60	-54.49	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-74.12	-60	-82.41	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1600	-72.97	-60	-81.26	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1400	-69.3	-60	-77.65	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-68.37	-60	-76.69	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1000	-63.47	-60	-71.8	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-800	-60.08	-60	-68.4	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-62.24	-60	-70.5	-55	PASS

HVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-58.53	-60	-66.87	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-250	-41.03	-33	-49.23	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.54	-30	-44.76	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.59	0.5	-16.81	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	100	-8.93	0.5	-17.27	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	200	-36.55	-30	-44.73	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	250	-41.45	-33	-49.75	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	400	-58.97	-60	-67.16	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	600	-63.37	-60	-71.57	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	800	-63.56	-60	-71.92	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1000	-66.68	-60	-74.95	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-70.18	-60	-78.45	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1400	-72.52	-60	-80.76	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1600	-73.54	-60	-81.81	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-73.7	-60	-81.95	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-77.05	-60	-55.38	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1600	-75.68	-60	-53.91	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1400	-74.45	-60	-52.76	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-73.18	-60	-51.6	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1000	-71.64	-60	-49.89	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-800	-68.97	-60	-47.36	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-66	-60	-44.29	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-58.51	-60	-36.83	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-250	-40.88	-33	-19.2	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-200	-36.96	-30	-15.35	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-100	-8.7	0.5	12.85	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	100	-9.03	0.5	12.57	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	200	-36.78	-30	-15.11	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	250	-40.59	-33	-18.76	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	400	-59.13	-60	-37.54	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	600	-65.25	-60	-43.48	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	800	-68.42	-60	-46.88	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1000	-70.62	-60	-49.03	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-72.95	-60	-51.3	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1400	-73.67	-60	-52.18	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1600	-75.9	-60	-54.23	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-77.01	-60	-55.39	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-73.65	-60	-81.65	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1600	-72.41	-60	-80.29	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1400	-70.56	-60	-78.4	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-67.56	-60	-75.68	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1000	-63.02	-60	-71.04	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-800	-60.06	-60	-67.88	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-62.03	-60	-70	-55	PASS

HVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-57.97	-60	-65.91	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-250	-41.09	-33	-48.87	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.76	-30	-44.84	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-100	-9.36	0.5	-17.27	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	100	-9.42	0.5	-17.36	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	200	-36.38	-30	-44.39	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	250	-40.22	-33	-48.31	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	400	-57.59	-60	-65.44	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	600	-63.04	-60	-70.95	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	800	-62.67	-60	-70.66	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1000	-66.9	-60	-74.87	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-70.01	-60	-78	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1400	-72.11	-60	-80.04	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1600	-73.29	-60	-81.25	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-73.77	-60	-81.67	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-75.01	-60	-54.49	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1600	-74.8	-60	-54.28	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1400	-73.01	-60	-52.58	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-70.65	-60	-49.96	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1000	-69.48	-60	-48.92	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-800	-66.51	-60	-46.07	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-62.29	-60	-41.68	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-56.88	-60	-36.38	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-250	-40.16	-33	-19.5	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-200	-35.66	-30	-15.15	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-100	-8.53	0.5	11.92	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	100	-8.72	0.5	11.72	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	200	-35.91	-30	-15.41	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	250	-40.95	-33	-20.38	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	400	-57.01	-60	-36.55	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	600	-63.13	-60	-42.75	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	800	-65.94	-60	-45.33	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1000	-68.86	-60	-48.26	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-70.62	-60	-50.11	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1400	-72.18	-60	-51.75	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1600	-73.54	-60	-53.03	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-74.73	-60	-54.31	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-74.53	-60	-83.03	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1600	-71.97	-60	-80.32	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1400	-69.73	-60	-78.23	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-66.95	-60	-75.3	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1000	-63.43	-60	-71.77	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-800	-60.82	-60	-69.02	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-61.22	-60	-69.44	-55	PASS

HVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-57.67	-60	-65.99	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-250	-40.7	-33	-49.1	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-200	-36.44	-30	-44.89	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-100	-8.79	0.5	-17.09	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	100	-8.23	0.5	-16.49	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	200	-36.4	-30	-44.69	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	250	-40.14	-33	-48.38	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	400	-58.02	-60	-66.34	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	600	-62.22	-60	-70.62	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	800	-64.17	-60	-72.47	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1000	-66.89	-60	-75.24	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-69.91	-60	-78.29	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1400	-71.38	-60	-79.79	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1600	-73.05	-60	-81.42	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-74.03	-60	-82.33	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-77.77	-60	-55.29	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1600	-75.93	-60	-53.33	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1400	-75.14	-60	-52.57	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-73.29	-60	-50.89	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1000	-71.62	-60	-49.11	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-800	-69.23	-60	-46.67	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-65.89	-60	-43.38	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-59.75	-60	-37.03	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-250	-41.03	-33	-18.45	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-200	-37.11	-30	-14.44	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-100	-8.43	0.5	14.11	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	100	-10	0.5	12.55	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	200	-37.44	-30	-15.03	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	250	-40.86	-33	-18.4	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	400	-60.64	-60	-38.2	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	600	-65.95	-60	-43.33	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	800	-68.74	-60	-46.18	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1000	-72.67	-60	-50.16	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-73.73	-60	-51.16	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1400	-75.46	-60	-52.81	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1600	-75.79	-60	-53.13	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-77.19	-60	-54.54	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-74.15	-60	-82.47	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1600	-72.97	-60	-81.24	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1400	-69.34	-60	-77.64	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-68.29	-60	-76.59	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1000	-63.45	-60	-71.66	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-800	-60.06	-60	-68.35	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-62.23	-60	-70.56	-55	PASS



LVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-58.65	-60	-66.96	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-250	-41.03	-33	-49.28	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.57	-30	-44.81	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.61	0.5	-16.74	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	100	-9.08	0.5	-17.32	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	200	-36.47	-30	-44.88	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	250	-41.46	-33	-49.69	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	400	-58.88	-60	-67.26	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	600	-63.36	-60	-71.7	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	800	-63.55	-60	-71.99	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1000	-66.84	-60	-74.97	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-70.09	-60	-78.43	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1400	-72.4	-60	-80.79	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1600	-73.58	-60	-81.82	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-73.67	-60	-82.09	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-77.04	-60	-55.46	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1600	-75.7	-60	-54.07	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1400	-74.37	-60	-52.72	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-73.24	-60	-51.5	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1000	-71.59	-60	-49.94	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-800	-69	-60	-47.27	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-66.1	-60	-44.24	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-58.37	-60	-36.71	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-250	-40.86	-33	-19.19	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-200	-36.95	-30	-15.42	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-100	-8.76	0.5	13	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	100	-8.99	0.5	12.64	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	200	-36.68	-30	-15.01	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	250	-40.57	-33	-18.78	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	400	-59.1	-60	-37.54	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	600	-65.27	-60	-43.5	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	800	-68.37	-60	-46.89	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1000	-70.69	-60	-49.07	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-72.89	-60	-51.35	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1400	-73.68	-60	-52.14	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1600	-75.95	-60	-54.32	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-76.98	-60	-55.34	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-73.69	-60	-81.71	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1600	-72.32	-60	-80.25	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1400	-70.49	-60	-78.39	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-67.6	-60	-75.52	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1000	-63.04	-60	-70.95	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-800	-59.94	-60	-68.02	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-61.95	-60	-69.9	-55	PASS

LVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-58.03	-60	-65.92	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-250	-41.07	-33	-48.91	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.88	-30	-44.8	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-100	-9.39	0.5	-17.29	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	100	-9.37	0.5	-17.25	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	200	-36.47	-30	-44.4	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	250	-40.37	-33	-48.25	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	400	-57.56	-60	-65.48	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	600	-63.06	-60	-71.12	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	800	-62.75	-60	-70.66	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1000	-66.79	-60	-74.91	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-69.99	-60	-78.02	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1400	-72.21	-60	-80.02	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1600	-73.24	-60	-81.22	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-73.76	-60	-81.72	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-74.95	-60	-54.42	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1600	-74.71	-60	-54.31	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1400	-73	-60	-52.39	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-70.64	-60	-49.98	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1000	-69.44	-60	-48.93	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-800	-66.63	-60	-46.09	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-62.21	-60	-41.71	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-56.96	-60	-36.49	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-250	-40	-33	-19.61	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-200	-35.73	-30	-15.14	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-100	-8.42	0.5	12.01	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	100	-8.78	0.5	11.79	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	200	-35.92	-30	-15.42	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	250	-40.97	-33	-20.34	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	400	-56.96	-60	-36.5	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	600	-63.13	-60	-42.61	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	800	-65.97	-60	-45.42	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1000	-68.82	-60	-48.42	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-70.52	-60	-50.03	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1400	-72.13	-60	-51.72	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1600	-73.58	-60	-53.03	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-74.74	-60	-54.38	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-74.62	-60	-82.9	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1600	-72.1	-60	-80.47	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1400	-69.87	-60	-78.21	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-67.08	-60	-75.35	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1000	-63.54	-60	-71.77	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-800	-60.79	-60	-69.04	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-61.09	-60	-69.43	-55	PASS

LVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-57.69	-60	-65.96	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-250	-40.68	-33	-49.14	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-200	-36.51	-30	-44.71	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-100	-8.8	0.5	-17.15	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	100	-8.23	0.5	-16.51	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	200	-36.48	-30	-44.81	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	250	-40.14	-33	-48.31	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	400	-57.98	-60	-66.23	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	600	-62.36	-60	-70.7	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	800	-64.07	-60	-72.46	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1000	-66.92	-60	-75.18	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-69.99	-60	-78.16	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1400	-71.39	-60	-79.75	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1600	-73.06	-60	-81.37	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-73.99	-60	-82.35	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-77.91	-60	-55.26	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1600	-75.76	-60	-53.23	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1400	-75.01	-60	-52.44	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-73.4	-60	-50.89	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1000	-71.54	-60	-49.05	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-800	-69.27	-60	-46.64	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-65.91	-60	-43.26	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-59.63	-60	-37.21	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-250	-40.94	-33	-18.41	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-200	-37.1	-30	-14.57	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-100	-8.48	0.5	13.97	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	100	-10.05	0.5	12.54	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	200	-37.59	-30	-14.9	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	250	-40.91	-33	-18.45	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	400	-60.6	-60	-38.06	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	600	-65.94	-60	-43.38	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	800	-68.82	-60	-46.29	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1000	-72.71	-60	-50.02	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-73.78	-60	-51.22	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1400	-75.42	-60	-52.94	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1600	-75.87	-60	-53.19	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-77.04	-60	-54.51	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-74.12	-60	-82.41	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1600	-72.91	-60	-81.17	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1400	-69.33	-60	-77.59	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-68.41	-60	-76.7	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1000	-63.5	-60	-71.7	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-800	-60.24	-60	-68.35	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-62.36	-60	-70.58	-55	PASS

LVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-58.61	-60	-66.96	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-250	-41.05	-33	-49.34	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.61	-30	-44.87	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.56	0.5	-16.73	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	100	-8.97	0.5	-17.23	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	200	-36.51	-30	-44.69	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	250	-41.39	-33	-49.74	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	400	-58.89	-60	-67.13	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	600	-63.41	-60	-71.69	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	800	-63.65	-60	-71.86	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1000	-66.69	-60	-74.97	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-70.22	-60	-78.34	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1400	-72.45	-60	-80.79	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1600	-73.53	-60	-81.7	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-73.68	-60	-81.93	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-77.16	-60	-55.51	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1600	-75.63	-60	-54.1	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1400	-74.27	-60	-52.67	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-73.35	-60	-51.52	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1000	-71.6	-60	-49.92	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-800	-69.02	-60	-47.24	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-65.96	-60	-44.26	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-58.47	-60	-36.7	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-250	-40.88	-33	-19.25	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-200	-37.05	-30	-15.41	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-100	-8.75	0.5	13.01	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	100	-9.08	0.5	12.59	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	200	-36.65	-30	-14.98	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	250	-40.44	-33	-18.89	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	400	-59.11	-60	-37.58	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	600	-65.18	-60	-43.57	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	800	-68.56	-60	-46.74	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1000	-70.67	-60	-49.06	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-72.96	-60	-51.26	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1400	-73.84	-60	-52.19	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1600	-75.9	-60	-54.36	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-76.96	-60	-55.25	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-73.75	-60	-81.78	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1600	-72.46	-60	-80.36	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1400	-70.5	-60	-78.45	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-67.59	-60	-75.61	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1000	-63.02	-60	-70.96	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-800	-59.98	-60	-67.95	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-61.9	-60	-69.97	-55	PASS

LVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-58.09	-60	-66.05	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-250	-40.95	-33	-48.9	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.89	-30	-44.77	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-100	-9.27	0.5	-17.23	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	100	-9.36	0.5	-17.26	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	200	-36.51	-30	-44.51	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	250	-40.28	-33	-48.16	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	400	-57.47	-60	-65.53	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	600	-63.09	-60	-71.07	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	800	-62.75	-60	-70.65	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1000	-66.98	-60	-74.81	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-70.02	-60	-77.98	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1400	-72.11	-60	-80.16	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1600	-73.3	-60	-81.25	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-73.65	-60	-81.69	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-74.95	-60	-54.48	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1600	-74.75	-60	-54.31	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1400	-73.06	-60	-52.41	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-70.6	-60	-50.14	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1000	-69.48	-60	-48.95	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-800	-66.47	-60	-46.01	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-62.29	-60	-41.84	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-56.82	-60	-36.39	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-250	-40.15	-33	-19.48	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-200	-35.71	-30	-15.27	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-100	-8.6	0.5	11.91	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	100	-8.7	0.5	11.63	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	200	-36	-30	-15.38	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	250	-40.87	-33	-20.46	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	400	-57.05	-60	-36.36	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	600	-63.25	-60	-42.66	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	800	-65.82	-60	-45.44	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1000	-68.83	-60	-48.4	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-70.6	-60	-50.14	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1400	-72.19	-60	-51.8	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1600	-73.67	-60	-53.11	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-74.86	-60	-54.37	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-74.57	-60	-82.97	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1600	-72.12	-60	-80.37	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1400	-69.77	-60	-78.21	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-67.08	-60	-75.33	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1000	-63.38	-60	-71.73	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-800	-60.78	-60	-69.14	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-61.22	-60	-69.51	-55	PASS

LVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-57.81	-60	-66.06	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-250	-40.8	-33	-49.18	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-200	-36.37	-30	-44.89	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-100	-8.9	0.5	-17.15	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	100	-8.09	0.5	-16.57	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	200	-36.4	-30	-44.68	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	250	-39.97	-33	-48.35	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	400	-58	-60	-66.34	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	600	-62.2	-60	-70.61	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	800	-64.06	-60	-72.4	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1000	-66.93	-60	-75.19	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-69.92	-60	-78.17	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1400	-71.41	-60	-79.65	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1600	-72.93	-60	-81.31	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-73.99	-60	-82.25	-55	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1800	-81.16	-60	-56.73	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1600	-81.34	-60	-56.79	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1400	-80.02	-60	-55.57	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1200	-78.94	-60	-54.29	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1000	-77.66	-60	-53.15	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-800	-77.09	-60	-52.5	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-600	-73.66	-60	-49.21	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-400	-66.47	-60	-42.04	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-250	-41.11	-33	-16.55	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-200	-37.17	-30	-12.61	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-100	-9.61	0.5	14.97	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	100	-9.08	0.5	15.33	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	200	-37.13	-30	-12.65	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	250	-41.39	-33	-16.93	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	400	-66.24	-60	-41.62	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	600	-74.62	-60	-50.14	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	800	-76.45	-60	-51.91	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1000	-77.65	-60	-53.12	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1200	-78.38	-60	-53.93	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1400	-79.57	-60	-55.04	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1600	-81.23	-60	-56.64	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1800	-80.91	-60	-56.53	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1800	-78.17	-60	-82.41	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1600	-77.12	-60	-81.51	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1400	-75.25	-60	-79.48	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1200	-72.07	-60	-76.33	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1000	-70.85	-60	-75.22	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-800	-70.33	-60	-74.68	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-600	-67.82	-60	-72.17	-51	PASS

HVHT	GPRS900	975	880.2	17;17;17;17	-400	-64.55	-60	-68.91	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-250	-41.05	-33	-45.22	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-200	-37.46	-30	-41.82	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-100	-9.06	0.5	-13.36	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	100	-9.07	0.5	-13.44	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	200	-37.4	-30	-41.75	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	250	-42.84	-33	-47.1	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	400	-64.43	-60	-68.82	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	600	-67.96	-60	-72.29	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	800	-69.71	-60	-74.08	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1000	-70.44	-60	-74.66	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1200	-71.8	-60	-76.14	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1400	-75.16	-60	-79.37	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1600	-77	-60	-81.34	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1800	-77.98	-60	-82.34	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1800	-80.72	-60	-56.09	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1600	-80.75	-60	-56.2	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1400	-80.22	-60	-55.63	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1200	-79.75	-60	-55.08	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1000	-78.84	-60	-54.12	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-800	-75.83	-60	-51.2	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-600	-74.28	-60	-49.57	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-400	-66.16	-60	-41.51	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-250	-41.39	-33	-16.6	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-200	-38.19	-30	-13.49	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-100	-8.42	0.5	16.26	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	100	-8.93	0.5	15.7	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	200	-37.44	-30	-12.79	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	250	-41.73	-33	-16.99	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	400	-66.49	-60	-41.77	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	600	-73.52	-60	-49.04	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	800	-75.41	-60	-50.7	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1000	-78.36	-60	-53.69	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1200	-78.86	-60	-54.25	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1400	-79.09	-60	-54.43	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1600	-80.38	-60	-55.89	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1800	-81.08	-60	-56.42	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1800	-77.74	-60	-82.23	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1600	-77.84	-60	-82.18	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1400	-73.99	-60	-78.41	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1200	-72.16	-60	-76.6	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1000	-70.3	-60	-74.76	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-800	-68.81	-60	-73.23	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-600	-67.32	-60	-71.81	-51	PASS

HVHT	GPRS900	38	897.6	17;17;17;17	-400	-63.95	-60	-68.54	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-250	-41.21	-33	-45.75	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-200	-37.11	-30	-41.69	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-100	-8.14	0.5	-12.52	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	100	-8.61	0.5	-13.04	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	200	-37.49	-30	-41.83	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	250	-41.24	-33	-45.6	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	400	-63.88	-60	-68.42	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	600	-67.19	-60	-71.62	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	800	-68.86	-60	-73.22	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1000	-69.33	-60	-73.87	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1200	-71.67	-60	-76.01	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1400	-74.02	-60	-78.53	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1600	-76.04	-60	-80.46	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1800	-77.69	-60	-82.08	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1800	-80.78	-60	-55.52	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1600	-81.54	-60	-56.27	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1400	-81.13	-60	-55.81	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1200	-80.8	-60	-55.59	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1000	-79.22	-60	-54.06	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-800	-77.98	-60	-52.63	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-600	-75.73	-60	-50.53	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-400	-67.32	-60	-42.18	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-250	-42.16	-33	-16.98	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-200	-37.31	-30	-12.16	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-100	-10.42	0.5	14.83	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	100	-8.78	0.5	16.43	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	200	-37.55	-30	-12.42	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	250	-42.37	-33	-17.12	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	400	-66.47	-60	-41.35	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	600	-74.47	-60	-49.48	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	800	-77.29	-60	-52.2	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1000	-78.15	-60	-52.91	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1200	-79.2	-60	-53.98	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1400	-80.34	-60	-55.18	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1600	-82.03	-60	-57.01	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1800	-80.96	-60	-55.79	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1800	-78.81	-60	-82.65	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1600	-77.93	-60	-81.77	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1400	-75.72	-60	-79.66	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1200	-73.22	-60	-77.03	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1000	-71.34	-60	-75.16	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-800	-69.51	-60	-73.2	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-600	-68.94	-60	-72.67	-51	PASS



HVHT	GPRS900	124	914.8	17;17;17;17	-400	-65.21	-60	-69.09	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-250	-42.11	-33	-45.95	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-200	-37.82	-30	-41.61	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-100	-10.34	0.5	-14	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	100	-9.08	0.5	-12.83	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	200	-37.95	-30	-41.71	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	250	-43.05	-33	-46.86	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	400	-63.95	-60	-67.89	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	600	-67.71	-60	-71.51	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	800	-68.51	-60	-72.27	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1000	-71.36	-60	-75.32	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1200	-72.06	-60	-75.77	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1400	-74.71	-60	-78.5	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1600	-77.56	-60	-81.29	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1800	-77.83	-60	-81.72	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1800	-81.2	-60	-56.66	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1600	-81.28	-60	-56.79	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1400	-80.13	-60	-55.6	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1200	-78.77	-60	-54.32	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1000	-77.52	-60	-53.15	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-800	-77.04	-60	-52.59	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-600	-73.78	-60	-49.25	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-400	-66.47	-60	-41.93	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-250	-41.04	-33	-16.53	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-200	-37.13	-30	-12.67	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-100	-9.58	0.5	15.05	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	100	-9.12	0.5	15.37	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	200	-37.14	-30	-12.68	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	250	-41.4	-33	-16.94	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	400	-66.21	-60	-41.72	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	600	-74.79	-60	-50.26	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	800	-76.48	-60	-51.95	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1000	-77.6	-60	-53.05	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1200	-78.52	-60	-54.02	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1400	-79.54	-60	-55	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1600	-81.14	-60	-56.74	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1800	-81	-60	-56.44	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1800	-78.11	-60	-82.51	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1600	-77.1	-60	-81.48	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1400	-75.24	-60	-79.48	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1200	-72.04	-60	-76.32	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1000	-70.94	-60	-75.17	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-800	-70.19	-60	-74.61	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-600	-67.91	-60	-72.16	-51	PASS

HVLT	GPRS900	975	880.2	17;17;17;17	-400	-64.74	-60	-68.98	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-250	-40.88	-33	-45.23	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-200	-37.51	-30	-41.78	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-100	-9.1	0.5	-13.39	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	100	-9.13	0.5	-13.32	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	200	-37.29	-30	-41.61	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	250	-42.8	-33	-47.13	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	400	-64.45	-60	-68.81	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	600	-67.9	-60	-72.17	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	800	-69.74	-60	-74.02	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1000	-70.27	-60	-74.58	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1200	-71.86	-60	-76.17	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1400	-75.19	-60	-79.33	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1600	-76.92	-60	-81.31	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1800	-78.01	-60	-82.23	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1800	-80.7	-60	-56.11	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1600	-80.8	-60	-56.14	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1400	-80.33	-60	-55.53	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1200	-79.69	-60	-54.97	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1000	-78.68	-60	-54.06	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-800	-75.9	-60	-51.31	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-600	-74.12	-60	-49.46	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-400	-66.25	-60	-41.64	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-250	-41.24	-33	-16.75	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-200	-38.17	-30	-13.39	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-100	-8.42	0.5	16.27	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	100	-8.83	0.5	15.75	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	200	-37.4	-30	-12.85	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	250	-41.73	-33	-16.98	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	400	-66.47	-60	-41.86	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	600	-73.55	-60	-48.9	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	800	-75.41	-60	-50.67	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1000	-78.27	-60	-53.56	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1200	-78.88	-60	-54.26	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1400	-79.01	-60	-54.35	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1600	-80.44	-60	-55.74	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1800	-81.11	-60	-56.32	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1800	-77.81	-60	-82.15	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1600	-77.91	-60	-82.34	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1400	-73.94	-60	-78.31	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1200	-72.28	-60	-76.58	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1000	-70.49	-60	-74.9	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-800	-68.7	-60	-73.23	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-600	-67.44	-60	-71.9	-51	PASS

HVLT	GPRS900	38	897.6	17;17;17;17	-400	-63.94	-60	-68.38	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-250	-41.3	-33	-45.69	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-200	-37.23	-30	-41.64	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-100	-8.04	0.5	-12.53	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	100	-8.71	0.5	-13.12	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	200	-37.48	-30	-41.84	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	250	-41.34	-33	-45.64	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	400	-63.9	-60	-68.29	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	600	-67.22	-60	-71.57	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	800	-68.81	-60	-73.21	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1000	-69.42	-60	-73.7	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1200	-71.65	-60	-76.05	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1400	-74.06	-60	-78.4	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1600	-76.01	-60	-80.51	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1800	-77.57	-60	-82.14	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1800	-80.66	-60	-55.64	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1600	-81.49	-60	-56.39	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1400	-81.14	-60	-55.88	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1200	-80.82	-60	-55.51	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1000	-79.16	-60	-53.94	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-800	-77.98	-60	-52.68	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-600	-75.75	-60	-50.53	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-400	-67.3	-60	-42.12	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-250	-42.15	-33	-17.05	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-200	-37.47	-30	-12.29	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-100	-10.33	0.5	14.88	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	100	-8.82	0.5	16.3	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	200	-37.56	-30	-12.38	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	250	-42.22	-33	-17.17	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	400	-66.58	-60	-41.39	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	600	-74.46	-60	-49.32	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	800	-77.22	-60	-52.04	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1000	-78.14	-60	-52.98	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1200	-79.27	-60	-53.96	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1400	-80.36	-60	-55.13	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1600	-82.07	-60	-56.92	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1800	-80.97	-60	-55.86	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1800	-78.8	-60	-82.69	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1600	-77.95	-60	-81.76	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1400	-75.78	-60	-79.56	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1200	-73.29	-60	-77.12	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1000	-71.24	-60	-75.11	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-800	-69.46	-60	-73.34	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-600	-68.82	-60	-72.69	-51	PASS

HVLT	GPRS900	124	914.8	17;17;17;17	-400	-65.33	-60	-69.15	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-250	-42.12	-33	-45.92	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-200	-37.83	-30	-41.7	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-100	-10.24	0.5	-14.16	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	100	-8.99	0.5	-12.81	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	200	-37.96	-30	-41.81	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	250	-43.13	-33	-46.88	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	400	-64	-60	-67.91	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	600	-67.79	-60	-71.5	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	800	-68.45	-60	-72.25	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1000	-71.49	-60	-75.29	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1200	-72.01	-60	-75.84	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1400	-74.71	-60	-78.51	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1600	-77.52	-60	-81.18	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1800	-77.78	-60	-81.7	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1800	-81.09	-60	-56.61	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1600	-81.35	-60	-56.89	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1400	-80.15	-60	-55.48	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1200	-78.76	-60	-54.39	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1000	-77.61	-60	-53.08	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-800	-77.13	-60	-52.64	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-600	-73.65	-60	-49.22	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-400	-66.46	-60	-41.99	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-250	-41.04	-33	-16.65	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-200	-37.13	-30	-12.73	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-100	-9.48	0.5	15.03	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	100	-9.07	0.5	15.43	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	200	-37.32	-30	-12.83	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	250	-41.31	-33	-16.8	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	400	-66.22	-60	-41.68	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	600	-74.7	-60	-50.19	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	800	-76.48	-60	-51.97	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1000	-77.55	-60	-53.19	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1200	-78.4	-60	-53.95	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1400	-79.51	-60	-54.91	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1600	-81.17	-60	-56.75	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1800	-81	-60	-56.41	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1800	-78.12	-60	-82.33	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1600	-77.13	-60	-81.55	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1400	-75.11	-60	-79.39	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1200	-72.05	-60	-76.33	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1000	-70.96	-60	-75.22	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-800	-70.31	-60	-74.68	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-600	-67.92	-60	-72.09	-51	PASS

LVHT	GPRS900	975	880.2	17;17;17;17	-400	-64.66	-60	-68.86	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-250	-41.04	-33	-45.36	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-200	-37.58	-30	-41.7	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-100	-9.12	0.5	-13.35	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	100	-8.98	0.5	-13.37	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	200	-37.31	-30	-41.67	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	250	-42.77	-33	-47.2	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	400	-64.39	-60	-68.71	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	600	-67.94	-60	-72.26	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	800	-69.75	-60	-74	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1000	-70.39	-60	-74.73	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1200	-71.77	-60	-76.02	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1400	-75.18	-60	-79.43	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1600	-76.88	-60	-81.21	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1800	-77.92	-60	-82.18	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1800	-80.61	-60	-56	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1600	-80.72	-60	-56.1	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1400	-80.33	-60	-55.62	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1200	-79.63	-60	-55.08	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1000	-78.83	-60	-54.14	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-800	-75.86	-60	-51.15	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-600	-74.09	-60	-49.45	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-400	-66.29	-60	-41.65	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-250	-41.37	-33	-16.68	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-200	-38.04	-30	-13.51	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-100	-8.43	0.5	16.25	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	100	-8.88	0.5	15.72	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	200	-37.4	-30	-12.83	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	250	-41.7	-33	-17.1	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	400	-66.4	-60	-41.82	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	600	-73.52	-60	-49.03	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	800	-75.27	-60	-50.78	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1000	-78.21	-60	-53.7	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1200	-78.81	-60	-54.08	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1400	-79.08	-60	-54.4	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1600	-80.39	-60	-55.86	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1800	-81.06	-60	-56.45	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1800	-77.84	-60	-82.24	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1600	-77.9	-60	-82.27	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1400	-73.94	-60	-78.3	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1200	-72.25	-60	-76.6	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1000	-70.31	-60	-74.88	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-800	-68.83	-60	-73.11	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-600	-67.47	-60	-71.8	-51	PASS

LVHT	GPRS900	38	897.6	17;17;17;17	-400	-64.1	-60	-68.41	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-250	-41.22	-33	-45.72	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-200	-37.2	-30	-41.62	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-100	-8.16	0.5	-12.55	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	100	-8.7	0.5	-12.97	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	200	-37.53	-30	-41.95	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	250	-41.22	-33	-45.76	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	400	-63.97	-60	-68.31	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	600	-67.19	-60	-71.66	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	800	-68.89	-60	-73.34	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1000	-69.42	-60	-73.82	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1200	-71.64	-60	-76.1	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1400	-73.97	-60	-78.55	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1600	-76	-60	-80.45	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1800	-77.67	-60	-82.02	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1800	-80.64	-60	-55.49	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1600	-81.59	-60	-56.23	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1400	-81	-60	-55.92	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1200	-80.75	-60	-55.62	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1000	-79.11	-60	-53.9	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-800	-77.79	-60	-52.69	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-600	-75.84	-60	-50.66	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-400	-67.37	-60	-42.22	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-250	-42.26	-33	-17.1	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-200	-37.43	-30	-12.29	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-100	-10.33	0.5	14.85	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	100	-8.83	0.5	16.39	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	200	-37.66	-30	-12.41	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	250	-42.26	-33	-17.04	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	400	-66.5	-60	-41.41	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	600	-74.65	-60	-49.3	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	800	-77.35	-60	-52.16	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1000	-78.01	-60	-52.97	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1200	-79.27	-60	-54	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1400	-80.42	-60	-55.15	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1600	-82.16	-60	-56.98	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1800	-80.9	-60	-55.78	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1800	-78.92	-60	-82.69	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1600	-77.97	-60	-81.62	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1400	-75.76	-60	-79.58	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1200	-73.14	-60	-77.07	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1000	-71.22	-60	-75.2	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-800	-69.53	-60	-73.28	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-600	-68.86	-60	-72.69	-51	PASS

LVHT	GPRS900	124	914.8	17;17;17;17	-400	-65.27	-60	-69.17	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-250	-42.12	-33	-45.99	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-200	-37.83	-30	-41.64	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-100	-10.21	0.5	-14.19	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	100	-9.07	0.5	-12.79	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	200	-38.02	-30	-41.7	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	250	-43.22	-33	-46.95	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	400	-64	-60	-67.84	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	600	-67.71	-60	-71.65	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	800	-68.35	-60	-72.33	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1000	-71.48	-60	-75.19	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1200	-72.02	-60	-75.82	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1400	-74.8	-60	-78.61	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1600	-77.5	-60	-81.22	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1800	-77.78	-60	-81.74	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1800	-81.17	-60	-56.64	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1600	-81.38	-60	-56.87	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1400	-80.12	-60	-55.59	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1200	-78.88	-60	-54.39	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1000	-77.68	-60	-53.1	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-800	-77.09	-60	-52.59	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-600	-73.78	-60	-49.14	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-400	-66.52	-60	-42.05	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-250	-41.09	-33	-16.56	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-200	-37.18	-30	-12.59	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-100	-9.48	0.5	14.91	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	100	-9.03	0.5	15.42	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	200	-37.13	-30	-12.69	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	250	-41.29	-33	-16.83	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	400	-66.26	-60	-41.59	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	600	-74.65	-60	-50.12	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	800	-76.38	-60	-51.95	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1000	-77.61	-60	-53.05	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1200	-78.49	-60	-53.94	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1400	-79.52	-60	-55.08	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1600	-81.08	-60	-56.73	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1800	-80.98	-60	-56.37	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1800	-78.08	-60	-82.43	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1600	-77.15	-60	-81.37	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1400	-75.22	-60	-79.49	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1200	-71.96	-60	-76.41	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1000	-70.96	-60	-75.16	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-800	-70.32	-60	-74.63	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-600	-67.78	-60	-72.1	-51	PASS

LVLT	GPRS900	975	880.2	17;17;17;17	-400	-64.64	-60	-68.96	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-250	-40.98	-33	-45.25	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-200	-37.54	-30	-41.87	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-100	-8.99	0.5	-13.37	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	100	-9.03	0.5	-13.31	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	200	-37.37	-30	-41.66	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	250	-42.75	-33	-47.06	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	400	-64.49	-60	-68.79	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	600	-67.88	-60	-72.27	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	800	-69.7	-60	-74	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1000	-70.44	-60	-74.65	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1200	-71.82	-60	-76.17	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1400	-75.09	-60	-79.38	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1600	-77.07	-60	-81.28	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1800	-77.86	-60	-82.33	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1800	-80.58	-60	-56.1	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1600	-80.72	-60	-56.17	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1400	-80.15	-60	-55.53	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1200	-79.66	-60	-55.09	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1000	-78.65	-60	-54.14	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-800	-75.94	-60	-51.3	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-600	-74.14	-60	-49.52	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-400	-66.26	-60	-41.57	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-250	-41.29	-33	-16.73	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-200	-38.21	-30	-13.43	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-100	-8.44	0.5	16.25	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	100	-8.89	0.5	15.67	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	200	-37.36	-30	-12.69	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	250	-41.76	-33	-17.08	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	400	-66.59	-60	-41.83	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	600	-73.69	-60	-49.02	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	800	-75.35	-60	-50.68	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1000	-78.17	-60	-53.66	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1200	-78.81	-60	-54.18	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1400	-78.92	-60	-54.39	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1600	-80.44	-60	-55.79	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1800	-81.04	-60	-56.39	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1800	-77.76	-60	-82.14	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1600	-77.76	-60	-82.24	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1400	-73.93	-60	-78.29	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1200	-72.27	-60	-76.55	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1000	-70.41	-60	-74.9	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-800	-68.78	-60	-73.28	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-600	-67.36	-60	-71.74	-51	PASS



LVLT	GPRS900	38	897.6	17;17;17;17	-400	-64	-60	-68.37	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-250	-41.27	-33	-45.76	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-200	-37.23	-30	-41.64	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-100	-8.19	0.5	-12.65	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	100	-8.56	0.5	-13.13	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	200	-37.43	-30	-41.96	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	250	-41.34	-33	-45.78	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	400	-63.97	-60	-68.29	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	600	-67.26	-60	-71.73	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	800	-68.91	-60	-73.21	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1000	-69.35	-60	-73.87	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1200	-71.64	-60	-75.98	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1400	-73.97	-60	-78.54	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1600	-76	-60	-80.48	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1800	-77.56	-60	-82.08	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1800	-80.78	-60	-55.49	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1600	-81.46	-60	-56.28	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1400	-81	-60	-55.81	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1200	-80.69	-60	-55.63	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1000	-79.2	-60	-54.07	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-800	-77.91	-60	-52.72	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-600	-75.88	-60	-50.57	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-400	-67.24	-60	-42.19	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-250	-42.13	-33	-17.11	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-200	-37.37	-30	-12.21	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-100	-10.29	0.5	14.76	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	100	-8.78	0.5	16.37	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	200	-37.67	-30	-12.47	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	250	-42.22	-33	-17.02	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	400	-66.53	-60	-41.46	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	600	-74.46	-60	-49.31	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	800	-77.35	-60	-52.16	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1000	-78.03	-60	-52.88	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1200	-79.21	-60	-54.07	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1400	-80.44	-60	-55.27	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1600	-82.2	-60	-57.04	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1800	-80.88	-60	-55.83	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1800	-78.88	-60	-82.79	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1600	-77.98	-60	-81.71	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1400	-75.77	-60	-79.61	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1200	-73.25	-60	-77.06	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1000	-71.31	-60	-75.18	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-800	-69.44	-60	-73.34	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-600	-68.91	-60	-72.73	-51	PASS

LVLT	GPRS900	124	914.8	17;17;17;17	-400	-65.31	-60	-69.12	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-250	-42.25	-33	-45.95	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-200	-37.8	-30	-41.68	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-100	-10.36	0.5	-14.1	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	100	-9.11	0.5	-12.83	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	200	-37.92	-30	-41.85	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	250	-43.05	-33	-46.95	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	400	-63.98	-60	-67.86	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	600	-67.79	-60	-71.55	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	800	-68.46	-60	-72.24	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1000	-71.55	-60	-75.29	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1200	-72.06	-60	-75.89	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1400	-74.76	-60	-78.61	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1600	-77.43	-60	-81.25	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1800	-77.89	-60	-81.75	-51	PASS

**Clause 4.2.11 Switching Spectrum in GPRS multi slot configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Result (dBm)	Limit (dBm)	Verdict
HVHT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	30.28		PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-43.67	-26.69	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-40.91	-23.69	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-31.09	-23.69	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-26.7	-21.69	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	400	-23.46	-21.69	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	600	-31.81	-23.69	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-39.36	-23.69	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-43.1	-26.69	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	-0.27		PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-63.26	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-65.78	-32	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-53.93	-26	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-50.87	-23	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	400	-49.74	-23	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	600	-59.59	-26	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-65.05	-32	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-66.93	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	29.57		PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-44.49	-27.25	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-39.15	-24.25	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-31.99	-24.12	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-25.33	-22.12	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	400	-24.03	-22.12	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	600	-32.01	-24.12	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-39.05	-24.25	PASS

HVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-45.37	-27.25	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	-0.2		PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-62.83	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-62.57	-32	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-55.22	-26	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-50.34	-23	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	400	-50.41	-23	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	600	-58.98	-26	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-64.36	-32	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-67.53	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	29.09		PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-44.59	-27.83	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-39.86	-24.83	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-30.4	-24.41	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-23.06	-22.41	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	400	-23.56	-22.41	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	600	-30.09	-24.41	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-39.75	-24.83	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-44.41	-27.83	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	-0.35		PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-63.42	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-63.8	-32	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-58.42	-26	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-51.44	-23	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	400	-50.11	-23	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	600	-58.24	-26	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-65.54	-32	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-68.2	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	30.3		PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-43.74	-26.69	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-40.87	-23.69	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-31.1	-23.69	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-26.77	-21.69	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	400	-23.4	-21.69	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	600	-31.79	-23.69	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-39.49	-23.69	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-43.19	-26.69	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	-0.35		PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-63.3	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-65.75	-32	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-53.94	-26	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-50.91	-23	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	400	-49.6	-23	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	600	-59.41	-26	PASS

HVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-64.95	-32	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-66.85	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	29.68		PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-44.49	-27.25	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-39.25	-24.25	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-32.01	-24.12	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-25.2	-22.12	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	400	-24.04	-22.12	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	600	-32.01	-24.12	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-39.09	-24.25	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-45.41	-27.25	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	-0.23		PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-62.91	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-62.58	-32	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-55.23	-26	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-50.47	-23	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	400	-50.55	-23	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	600	-58.92	-26	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-64.43	-32	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-67.49	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	29.08		PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-44.47	-27.83	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-39.82	-24.83	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-30.24	-24.41	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-22.99	-22.41	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	400	-23.59	-22.41	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	600	-30.24	-24.41	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-39.69	-24.83	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-44.47	-27.83	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	-0.39		PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-63.35	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-63.85	-32	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-58.24	-26	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-51.46	-23	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	400	-50.07	-23	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	600	-58.28	-26	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-65.5	-32	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-68.26	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	30.14		PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-43.62	-26.69	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-40.88	-23.69	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-31.15	-23.69	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-26.83	-21.69	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	400	-23.5	-21.69	PASS

LVHT	GPRS1800	512	1710.2	3;3;3;3	600	-31.84	-23.69	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-39.46	-23.69	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-43.25	-26.69	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	-0.38		PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-63.27	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-65.87	-32	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-54.03	-26	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-50.8	-23	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	400	-49.59	-23	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	600	-59.59	-26	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-65.1	-32	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-66.92	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	29.58		PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-44.55	-27.25	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-39.32	-24.25	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-32.09	-24.12	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-25.32	-22.12	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	400	-23.85	-22.12	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	600	-31.99	-24.12	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-39.01	-24.25	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-45.32	-27.25	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	-0.34		PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-62.98	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-62.55	-32	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-55.21	-26	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-50.47	-23	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	400	-50.47	-23	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	600	-58.98	-26	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-64.26	-32	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-67.45	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	29		PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-44.5	-27.83	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-39.81	-24.83	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-30.34	-24.41	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-23.14	-22.41	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	400	-23.63	-22.41	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	600	-30.26	-24.41	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-39.79	-24.83	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-44.47	-27.83	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	-0.33		PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-63.44	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-63.74	-32	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-58.28	-26	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-51.52	-23	PASS

LVHT	GPRS1800	885	1784.8	18;18;18;18	400	-50.03	-23	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	600	-58.13	-26	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-65.36	-32	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-68.24	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	30.22		PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-43.6	-26.69	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-40.78	-23.69	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-31.11	-23.69	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-26.82	-21.69	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	400	-23.49	-21.69	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	600	-31.72	-23.69	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-39.39	-23.69	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-43.16	-26.69	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	-0.3		PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-63.15	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-65.87	-32	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-53.9	-26	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-50.83	-23	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	400	-49.67	-23	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	600	-59.41	-26	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-65.02	-32	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-66.82	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	29.72		PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-44.63	-27.25	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-39.28	-24.25	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-31.93	-24.12	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-25.28	-22.12	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	400	-23.89	-22.12	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	600	-32.1	-24.12	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-39.11	-24.25	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-45.26	-27.25	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	-0.26		PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-62.85	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-62.64	-32	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-55.17	-26	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-50.43	-23	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	400	-50.57	-23	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	600	-58.96	-26	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-64.31	-32	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-67.55	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	29.12		PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-44.54	-27.83	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-39.81	-24.83	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-30.35	-24.41	PASS

LVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-23.15	-22.41	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	400	-23.71	-22.41	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	600	-30.18	-24.41	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-39.75	-24.83	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-44.53	-27.83	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	-0.31		PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-63.42	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-63.76	-32	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-58.33	-26	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-51.43	-23	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	400	-50.15	-23	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	600	-58.29	-26	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-65.39	-32	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-68.29	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.4		PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1800	-44.96	-24.5	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1200	-44.42	-21.5	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-600	-37.24	-21.5	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-400	-29.84	-19.5	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	400	-27.46	-19.5	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	600	-38.13	-21.5	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1200	-43.89	-21.5	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1800	-46.8	-24.5	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	Ref Power	3.15		PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1800	-71.91	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1200	-66.14	-32	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-600	-60.37	-26	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-400	-55.6	-23	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	400	-52.23	-23	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	600	-60.24	-26	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1200	-65.27	-32	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1800	-72.84	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Ref Power	32.64		PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1800	-46.82	-24.2	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1200	-43.21	-21.2	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-600	-36.64	-21.2	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-400	-28.75	-19.2	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	400	-27.99	-19.2	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	600	-36	-21.2	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1200	-42.15	-21.2	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1800	-45	-24.2	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Ref Power	3.72		PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1800	-71.91	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1200	-66.06	-32	PASS

HVHT	GPRS900	38	897.6	17;17;17;17	-600	-60.98	-26	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-400	-55.1	-23	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	400	-49.61	-23	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	600	-59.03	-26	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1200	-64.13	-32	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1800	-71.58	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	Ref Power	32.96		PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1800	-44.48	-24	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1200	-43.82	-21	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-600	-39.32	-21	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-400	-30.85	-18.98	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	400	-27.93	-18.98	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	600	-40.25	-21	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1200	-44.05	-21	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1800	-46.18	-24	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	Ref Power	3.72		PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1800	-71.12	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1200	-64.97	-32	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-600	-60.77	-26	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-400	-54.39	-23	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	400	-49.43	-23	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	600	-60.28	-26	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1200	-63.46	-32	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1800	-71.15	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.32		PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1800	-45	-24.5	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1200	-44.33	-21.5	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-600	-37.12	-21.5	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-400	-29.85	-19.5	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	400	-27.52	-19.5	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	600	-38.1	-21.5	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1200	-43.96	-21.5	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1800	-46.83	-24.5	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	Ref Power	3.25		PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1800	-71.9	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1200	-66.07	-32	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-600	-60.51	-26	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-400	-55.44	-23	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	400	-52.12	-23	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	600	-60.38	-26	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1200	-65.09	-32	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1800	-72.88	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Ref Power	32.75		PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1800	-46.79	-24.2	PASS



HVLT	GPRS900	38	897.6	3;3;3;3	-1200	-43.17	-21.2	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-600	-36.71	-21.2	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-400	-28.76	-19.2	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	400	-27.88	-19.2	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	600	-36.08	-21.2	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1200	-42.04	-21.2	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1800	-45.01	-24.2	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Ref Power	3.62		PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1800	-71.84	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1200	-66.07	-32	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-600	-61.05	-26	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-400	-55.05	-23	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	400	-49.78	-23	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	600	-59.02	-26	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1200	-64.13	-32	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1800	-71.41	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	Ref Power	32.84		PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1800	-44.39	-24	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1200	-43.84	-21	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-600	-39.28	-21	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-400	-30.87	-18.98	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	400	-27.99	-18.98	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	600	-40.14	-21	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1200	-43.94	-21	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1800	-46.29	-24	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	Ref Power	3.65		PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1800	-71.03	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1200	-64.98	-32	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-600	-60.64	-26	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-400	-54.49	-23	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	400	-49.43	-23	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	600	-60.3	-26	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1200	-63.39	-32	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1800	-71.11	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.48		PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1800	-44.91	-24.5	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1200	-44.28	-21.5	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-600	-37.07	-21.5	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-400	-29.77	-19.5	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	400	-27.54	-19.5	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	600	-38.14	-21.5	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1200	-43.82	-21.5	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1800	-46.86	-24.5	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	Ref Power	3.29		PASS

LVHT	GPRS900	975	880.2	17;17;17;17	-1800	-71.92	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1200	-66.2	-32	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-600	-60.43	-26	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-400	-55.59	-23	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	400	-52.28	-23	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	600	-60.38	-26	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1200	-65.16	-32	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1800	-72.79	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Ref Power	32.78		PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1800	-46.69	-24.2	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1200	-43.16	-21.2	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-600	-36.71	-21.2	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-400	-28.76	-19.2	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	400	-27.96	-19.2	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	600	-36.02	-21.2	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1200	-42.1	-21.2	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1800	-44.85	-24.2	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Ref Power	3.66		PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1800	-71.87	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1200	-66	-32	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-600	-61.02	-26	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-400	-55.15	-23	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	400	-49.77	-23	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	600	-58.9	-26	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1200	-64.2	-32	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1800	-71.43	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	Ref Power	32.86		PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1800	-44.42	-24	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1200	-43.66	-21	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-600	-39.27	-21	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-400	-30.81	-18.98	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	400	-27.9	-18.98	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	600	-40.13	-21	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1200	-44.05	-21	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1800	-46.29	-24	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	Ref Power	3.81		PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1800	-71.08	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1200	-64.93	-32	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-600	-60.67	-26	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-400	-54.5	-23	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	400	-49.49	-23	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	600	-60.33	-26	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1200	-63.52	-32	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1800	-71.11	-36	PASS

LVLT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.49		PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1800	-44.95	-24.5	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1200	-44.35	-21.5	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-600	-37.22	-21.5	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-400	-29.73	-19.5	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	400	-27.54	-19.5	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	600	-38.05	-21.5	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1200	-43.92	-21.5	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1800	-46.74	-24.5	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	Ref Power	3.28		PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1800	-71.94	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1200	-66.06	-32	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-600	-60.49	-26	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-400	-55.48	-23	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	400	-52.22	-23	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	600	-60.24	-26	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1200	-65.22	-32	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1800	-72.77	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Ref Power	32.71		PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1800	-46.85	-24.2	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1200	-43.19	-21.2	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-600	-36.79	-21.2	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-400	-28.65	-19.2	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	400	-27.87	-19.2	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	600	-36.05	-21.2	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1200	-42.05	-21.2	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1800	-45.01	-24.2	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Ref Power	3.8		PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1800	-71.93	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1200	-65.91	-32	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-600	-61.01	-26	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-400	-55.04	-23	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	400	-49.72	-23	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	600	-59.01	-26	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1200	-64.13	-32	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1800	-71.57	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	Ref Power	32.88		PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1800	-44.36	-24	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1200	-43.68	-21	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-600	-39.25	-21	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-400	-30.78	-18.98	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	400	-27.93	-18.98	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	600	-40.21	-21	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1200	-44.07	-21	PASS

LVLT	GPRS900	124	914.8	3;3;3;3	1800	-46.27	-24	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	Ref Power	3.64		PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1800	-70.98	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1200	-64.92	-32	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-600	-60.69	-26	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-400	-54.44	-23	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	400	-49.43	-23	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	600	-60.42	-26	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1200	-63.41	-32	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1800	-71.18	-36	PASS

**Clause 4.2.1 Transmitter-Frequency error and phase error**

Condition	Band	Channel	Frequency (MHz)	PCL	Type	Result	Low Limit	high Limit	Verdict
HVHT	GSM1800	698	1747.4	0	Frequency Error (Hz)	15.66	-174.74	174.74	PASS
HVHT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	2.37	0	5	PASS
HVHT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	7.4	0	20	PASS
HVHT	GSM1800	698	1747.4	15	Frequency Error (Hz)	13.74	-174.74	174.74	PASS
HVHT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	2.44	0	5	PASS
HVHT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	8.08	0	20	PASS
HVLT	GSM1800	698	1747.4	0	Frequency Error (Hz)	15.66	-174.74	174.74	PASS
HVLT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	2.25	0	5	PASS
HVLT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	7.45	0	20	PASS
HVLT	GSM1800	698	1747.4	15	Frequency Error (Hz)	13.69	-174.74	174.74	PASS
HVLT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	2.46	0	5	PASS
HVLT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	8.07	0	20	PASS
LVHT	GSM1800	698	1747.4	0	Frequency Error (Hz)	15.58	-174.74	174.74	PASS
LVHT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	2.35	0	5	PASS
LVHT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	7.32	0	20	PASS
LVHT	GSM1800	698	1747.4	15	Frequency Error (Hz)	13.7	-174.74	174.74	PASS
LVHT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	2.48	0	5	PASS
LVHT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	7.91	0	20	PASS

LVL	GSM1800	698	1747.4	0	Frequency Error (Hz)	15.69	-174.74	174.74	PASS
LVL	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	2.18	0	5	PASS
LVL	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	7.44	0	20	PASS
LVL	GSM1800	698	1747.4	15	Frequency Error (Hz)	13.75	-174.74	174.74	PASS
LVL	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	2.49	0	5	PASS
LVL	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	7.92	0	20	PASS
Vibration-X	GSM1800	698	1747.4	0	Frequency Error (Hz)	15.62	-174.74	174.74	PASS
Vibration-X	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	2.26	0	5	PASS
Vibration-X	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	7.39	0	20	PASS
Vibration-X	GSM1800	698	1747.4	15	Frequency Error (Hz)	13.72	-174.74	174.74	PASS
Vibration-X	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	2.55	0	5	PASS
Vibration-X	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	8.06	0	20	PASS
Vibration-Y	GSM1800	698	1747.4	0	Frequency Error (Hz)	15.61	-174.74	174.74	PASS
Vibration-Y	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	2.19	0	5	PASS
Vibration-Y	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	7.4	0	20	PASS
Vibration-Y	GSM1800	698	1747.4	15	Frequency Error (Hz)	13.74	-174.74	174.74	PASS
Vibration-Y	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	2.51	0	5	PASS
Vibration-Y	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	8.03	0	20	PASS
Vibration-Z	GSM1800	698	1747.4	0	Frequency Error (Hz)	15.7	-174.74	174.74	PASS
Vibration-Z	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	2.2	0	5	PASS
Vibration-Z	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	7.32	0	20	PASS
Vibration-Z	GSM1800	698	1747.4	15	Frequency Error (Hz)	13.72	-174.74	174.74	PASS
Vibration-Z	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	2.41	0	5	PASS
Vibration-Z	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	7.97	0	20	PASS
HVHT	GSM900	38	897.6	5	Frequency Error (Hz)	13.79	-89.76	89.76	PASS
HVHT	GSM900	38	897.6	5	RMS Phase Error (Degree)	1.05	0	5	PASS
HVHT	GSM900	38	897.6	5	Peak Phase Error	3.07	0	20	PASS

					(Degree)				
HVHT	GSM900	38	897.6	19	Frequency Error (Hz)	-6.31	-89.76	89.76	PASS
HVHT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.97	0	5	PASS
HVHT	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.65	0	20	PASS
HVLT	GSM900	38	897.6	5	Frequency Error (Hz)	13.82	-89.76	89.76	PASS
HVLT	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.94	0	5	PASS
HVLT	GSM900	38	897.6	5	Peak Phase Error (Degree)	3.21	0	20	PASS
HVLT	GSM900	38	897.6	19	Frequency Error (Hz)	-6.2	-89.76	89.76	PASS
HVLT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.82	0	5	PASS
HVLT	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.58	0	20	PASS
LVHT	GSM900	38	897.6	5	Frequency Error (Hz)	13.69	-89.76	89.76	PASS
LVHT	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.97	0	5	PASS
LVHT	GSM900	38	897.6	5	Peak Phase Error (Degree)	3.12	0	20	PASS
LVHT	GSM900	38	897.6	19	Frequency Error (Hz)	-6.27	-89.76	89.76	PASS
LVHT	GSM900	38	897.6	19	RMS Phase Error (Degree)	1	0	5	PASS
LVHT	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.71	0	20	PASS
LVLT	GSM900	38	897.6	5	Frequency Error (Hz)	13.87	-89.76	89.76	PASS
LVLT	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.89	0	5	PASS
LVLT	GSM900	38	897.6	5	Peak Phase Error (Degree)	3.19	0	20	PASS
LVLT	GSM900	38	897.6	19	Frequency Error (Hz)	-6.19	-89.76	89.76	PASS
LVLT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.98	0	5	PASS
LVLT	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.63	0	20	PASS
Vibration-X	GSM900	38	897.6	5	Frequency Error (Hz)	13.78	-89.76	89.76	PASS
Vibration-X	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.91	0	5	PASS
Vibration-X	GSM900	38	897.6	5	Peak Phase Error (Degree)	3.2	0	20	PASS
Vibration-X	GSM900	38	897.6	19	Frequency Error (Hz)	-6.34	-89.76	89.76	PASS
Vibration-X	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.87	0	5	PASS

Vibration-X	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.61	0	20	PASS
Vibration-Y	GSM900	38	897.6	5	Frequency Error (Hz)	13.82	-89.76	89.76	PASS
Vibration-Y	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.94	0	5	PASS
Vibration-Y	GSM900	38	897.6	5	Peak Phase Error (Degree)	3.23	0	20	PASS
Vibration-Y	GSM900	38	897.6	19	Frequency Error (Hz)	-6.33	-89.76	89.76	PASS
Vibration-Y	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.92	0	5	PASS
Vibration-Y	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.6	0	20	PASS
Vibration-Z	GSM900	38	897.6	5	Frequency Error (Hz)	13.7	-89.76	89.76	PASS
Vibration-Z	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.98	0	5	PASS
Vibration-Z	GSM900	38	897.6	5	Peak Phase Error (Degree)	3.17	0	20	PASS
Vibration-Z	GSM900	38	897.6	19	Frequency Error (Hz)	-6.33	-89.76	89.76	PASS
Vibration-Z	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.88	0	5	PASS
Vibration-Z	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.63	0	20	PASS

**Clause 4.2.2 Transmitter-Frequency error under multi path**

Condition	Band	Type	Channel	Frequency (MHz)	PCL	Result (Hz)	Low Limit (Hz)	high Limit (Hz)	Verdict
HVHT	GSM1800	RA130 @RACH	698	1747.4	0	-6.44	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens1	698	1747.4	0	12.06	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens2	698	1747.4	0	7.58	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens3	698	1747.4	0	-2.26	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens4	698	1747.4	0	3.32	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens5	698	1747.4	0	-0.24	-574.74	574.74	PASS
HVHT	GSM1800	HT100 @RACH	698	1747.4	0	14	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens1	698	1747.4	0	17.72	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens2	698	1747.4	0	16.71	-524.74	524.74	PASS

HVHT	GSM1800	HT100 @Sens3	698	1747.4	0	5.36	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens4	698	1747.4	0	11.68	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens5	698	1747.4	0	5.26	-524.74	524.74	PASS
HVHT	GSM1800	TU50 @RACH	698	1747.4	0	14.15	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens1	698	1747.4	0	18.94	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens2	698	1747.4	0	15.34	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens3	698	1747.4	0	-4.17	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens4	698	1747.4	0	23.72	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens5	698	1747.4	0	8.87	-434.74	434.74	PASS
HVHT	GSM1800	TU1_5 @RACH	698	1747.4	0	11.21	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @1	698	1747.4	0	13.21	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @2	698	1747.4	0	20.8	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @3	698	1747.4	0	11.04	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @4	698	1747.4	0	13.35	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @5	698	1747.4	0	18.46	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @6	698	1747.4	0	1.1	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @7	698	1747.4	0	15.11	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @8	698	1747.4	0	31.22	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @9	698	1747.4	0	25.05	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @10	698	1747.4	0	7.31	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @11	698	1747.4	0	-2.93	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @12	698	1747.4	0	22.02	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @13	698	1747.4	0	15.41	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @14	698	1747.4	0	-1.53	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @15	698	1747.4	0	23.38	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @16	698	1747.4	0	19.9	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @17	698	1747.4	0	28.01	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @18	698	1747.4	0	11.8	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @19	698	1747.4	0	15.82	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @20	698	1747.4	0	17.47	-494.74	494.74	PASS
HVLT	GSM1800	RA130 @RACH	698	1747.4	0	-6.41	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens1	698	1747.4	0	12.17	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens2	698	1747.4	0	7.63	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens3	698	1747.4	0	-2.14	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens4	698	1747.4	0	3.33	-574.74	574.74	PASS



HVLT	GSM1800	RA130 @Sens5	698	1747.4	0	-0.38	-574.74	574.74	PASS
HVLT	GSM1800	HT100 @RACH	698	1747.4	0	13.98	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens1	698	1747.4	0	17.66	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens2	698	1747.4	0	16.7	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens3	698	1747.4	0	5.29	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens4	698	1747.4	0	11.84	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens5	698	1747.4	0	5.41	-524.74	524.74	PASS
HVLT	GSM1800	TU50 @RACH	698	1747.4	0	14.09	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens1	698	1747.4	0	19.01	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens2	698	1747.4	0	15.34	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens3	698	1747.4	0	-4.21	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens4	698	1747.4	0	23.72	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens5	698	1747.4	0	8.74	-434.74	434.74	PASS
HVLT	GSM1800	TU1_5 @RACH	698	1747.4	0	11.14	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @1	698	1747.4	0	13.32	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @2	698	1747.4	0	20.94	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @3	698	1747.4	0	10.91	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @4	698	1747.4	0	13.49	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @5	698	1747.4	0	18.6	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @6	698	1747.4	0	1.21	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @7	698	1747.4	0	15.1	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @8	698	1747.4	0	31.18	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @9	698	1747.4	0	25.1	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @10	698	1747.4	0	7.24	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @11	698	1747.4	0	-2.97	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @12	698	1747.4	0	22.13	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @13	698	1747.4	0	15.42	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @14	698	1747.4	0	-1.61	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @15	698	1747.4	0	23.34	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @16	698	1747.4	0	19.96	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @17	698	1747.4	0	28.02	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @18	698	1747.4	0	11.72	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @19	698	1747.4	0	15.81	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @20	698	1747.4	0	17.52	-494.74	494.74	PASS
LVHT	GSM1800	RA130 @RACH	698	1747.4	0	-6.5	-574.74	574.74	PASS

LVHT	GSM1800	RA130 @Sens1	698	1747.4	0	12.09	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens2	698	1747.4	0	7.56	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens3	698	1747.4	0	-2.16	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens4	698	1747.4	0	3.32	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens5	698	1747.4	0	-0.32	-574.74	574.74	PASS
LVHT	GSM1800	HT100 @RACH	698	1747.4	0	14.05	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens1	698	1747.4	0	17.74	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens2	698	1747.4	0	16.57	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens3	698	1747.4	0	5.34	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens4	698	1747.4	0	11.74	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens5	698	1747.4	0	5.36	-524.74	524.74	PASS
LVHT	GSM1800	TU50 @RACH	698	1747.4	0	14.17	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens1	698	1747.4	0	18.96	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens2	698	1747.4	0	15.3	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens3	698	1747.4	0	-4.3	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens4	698	1747.4	0	23.72	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens5	698	1747.4	0	8.86	-434.74	434.74	PASS
LVHT	GSM1800	TU1_5 @RACH	698	1747.4	0	11.24	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @1	698	1747.4	0	13.23	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @2	698	1747.4	0	20.91	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @3	698	1747.4	0	11.03	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @4	698	1747.4	0	13.34	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @5	698	1747.4	0	18.59	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @6	698	1747.4	0	1.07	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @7	698	1747.4	0	15.15	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @8	698	1747.4	0	31.17	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @9	698	1747.4	0	25.03	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @10	698	1747.4	0	7.37	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @11	698	1747.4	0	-3.01	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @12	698	1747.4	0	22.2	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @13	698	1747.4	0	15.35	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @14	698	1747.4	0	-1.5	-494.74	494.74	PASS

LVHT	GSM1800	TU1_5 @15	698	1747.4	0	23.49	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @16	698	1747.4	0	19.95	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @17	698	1747.4	0	28.07	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @18	698	1747.4	0	11.81	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @19	698	1747.4	0	15.69	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @20	698	1747.4	0	17.48	-494.74	494.74	PASS
LVL	GSM1800	RA130 @RACH	698	1747.4	0	-6.45	-574.74	574.74	PASS
LVL	GSM1800	RA130 @Sens1	698	1747.4	0	12.15	-574.74	574.74	PASS
LVL	GSM1800	RA130 @Sens2	698	1747.4	0	7.55	-574.74	574.74	PASS
LVL	GSM1800	RA130 @Sens3	698	1747.4	0	-2.28	-574.74	574.74	PASS
LVL	GSM1800	RA130 @Sens4	698	1747.4	0	3.41	-574.74	574.74	PASS
LVL	GSM1800	RA130 @Sens5	698	1747.4	0	-0.22	-574.74	574.74	PASS
LVL	GSM1800	HT100 @RACH	698	1747.4	0	14.15	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens1	698	1747.4	0	17.68	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens2	698	1747.4	0	16.56	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens3	698	1747.4	0	5.41	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens4	698	1747.4	0	11.66	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens5	698	1747.4	0	5.38	-524.74	524.74	PASS
LVL	GSM1800	TU50 @RACH	698	1747.4	0	14.18	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens1	698	1747.4	0	19.07	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens2	698	1747.4	0	15.23	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens3	698	1747.4	0	-4.2	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens4	698	1747.4	0	23.73	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens5	698	1747.4	0	8.75	-434.74	434.74	PASS
LVL	GSM1800	TU1_5 @RACH	698	1747.4	0	11.13	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @1	698	1747.4	0	13.2	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @2	698	1747.4	0	20.93	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @3	698	1747.4	0	10.88	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @4	698	1747.4	0	13.49	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @5	698	1747.4	0	18.49	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @6	698	1747.4	0	1.04	-494.74	494.74	PASS

LVLT	GSM1800	TU1_5 @7	698	1747.4	0	15.07	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @8	698	1747.4	0	31.16	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @9	698	1747.4	0	25.08	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @10	698	1747.4	0	7.33	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @11	698	1747.4	0	-2.89	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @12	698	1747.4	0	22.02	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @13	698	1747.4	0	15.49	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @14	698	1747.4	0	-1.61	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @15	698	1747.4	0	23.37	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @16	698	1747.4	0	19.9	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @17	698	1747.4	0	27.93	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @18	698	1747.4	0	11.78	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @19	698	1747.4	0	15.8	-494.74	494.74	PASS
LVLT	GSM1800	TU1_5 @20	698	1747.4	0	17.41	-494.74	494.74	PASS
HVHT	GSM900	RA250 @RACH	38	897.6	5	2.99	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens1	38	897.6	5	-0.71	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens2	38	897.6	5	-0.49	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens3	38	897.6	5	1.09	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens4	38	897.6	5	-10.21	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens5	38	897.6	5	-13.77	-389.76	389.76	PASS
HVHT	GSM900	HT100 @RACH	38	897.6	5	6.89	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens1	38	897.6	5	4.8	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens2	38	897.6	5	1.22	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens3	38	897.6	5	3.52	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens4	38	897.6	5	-1.83	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens5	38	897.6	5	3.99	-269.76	269.76	PASS
HVHT	GSM900	TU50 @RACH	38	897.6	5	12.57	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens1	38	897.6	5	6.09	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens2	38	897.6	5	10.16	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens3	38	897.6	5	16.64	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens4	38	897.6	5	4.39	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens5	38	897.6	5	-0.36	-249.76	249.76	PASS

HVHT	GSM900	TU3 @RACH	38	897.6	5	-1.59	-319.76	319.76	PASS
HVHT	GSM900	TU3 @1	38	897.6	5	4.41	-319.76	319.76	PASS
HVHT	GSM900	TU3 @2	38	897.6	5	-4.12	-319.76	319.76	PASS
HVHT	GSM900	TU3 @3	38	897.6	5	-2.94	-319.76	319.76	PASS
HVHT	GSM900	TU3 @4	38	897.6	5	-4.89	-319.76	319.76	PASS
HVHT	GSM900	TU3 @5	38	897.6	5	5.63	-319.76	319.76	PASS
HVHT	GSM900	TU3 @6	38	897.6	5	2.22	-319.76	319.76	PASS
HVHT	GSM900	TU3 @7	38	897.6	5	1.99	-319.76	319.76	PASS
HVHT	GSM900	TU3 @8	38	897.6	5	3.95	-319.76	319.76	PASS
HVHT	GSM900	TU3 @9	38	897.6	5	6.02	-319.76	319.76	PASS
HVHT	GSM900	TU3 @10	38	897.6	5	0.92	-319.76	319.76	PASS
HVHT	GSM900	TU3 @11	38	897.6	5	3.43	-319.76	319.76	PASS
HVHT	GSM900	TU3 @12	38	897.6	5	-5.33	-319.76	319.76	PASS
HVHT	GSM900	TU3 @13	38	897.6	5	6.64	-319.76	319.76	PASS
HVHT	GSM900	TU3 @14	38	897.6	5	4.32	-319.76	319.76	PASS
HVHT	GSM900	TU3 @15	38	897.6	5	-0.03	-319.76	319.76	PASS
HVHT	GSM900	TU3 @16	38	897.6	5	-0.55	-319.76	319.76	PASS
HVHT	GSM900	TU3 @17	38	897.6	5	-9.25	-319.76	319.76	PASS
HVHT	GSM900	TU3 @18	38	897.6	5	4.46	-319.76	319.76	PASS
HVHT	GSM900	TU3 @19	38	897.6	5	7.7	-319.76	319.76	PASS
HVHT	GSM900	TU3 @20	38	897.6	5	-0.98	-319.76	319.76	PASS
HVLT	GSM900	RA250 @RACH	38	897.6	5	2.93	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens1	38	897.6	5	-0.56	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens2	38	897.6	5	-0.42	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens3	38	897.6	5	0.93	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens4	38	897.6	5	-10.13	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens5	38	897.6	5	-13.69	-389.76	389.76	PASS
HVLT	GSM900	HT100 @RACH	38	897.6	5	6.91	-269.76	269.76	PASS
HVLT	GSM900	HT100 @Sens1	38	897.6	5	4.98	-269.76	269.76	PASS
HVLT	GSM900	HT100 @Sens2	38	897.6	5	1.22	-269.76	269.76	PASS
HVLT	GSM900	HT100 @Sens3	38	897.6	5	3.48	-269.76	269.76	PASS
HVLT	GSM900	HT100 @Sens4	38	897.6	5	-1.89	-269.76	269.76	PASS
HVLT	GSM900	HT100	38	897.6	5	3.95	-269.76	269.76	PASS

		@Sens5							
HVLT	GSM900	TU50 @RACH	38	897.6	5	12.61	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens1	38	897.6	5	6.2	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens2	38	897.6	5	10.19	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens3	38	897.6	5	16.65	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens4	38	897.6	5	4.24	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens5	38	897.6	5	-0.17	-249.76	249.76	PASS
HVLT	GSM900	TU3 @RACH	38	897.6	5	-1.52	-319.76	319.76	PASS
HVLT	GSM900	TU3 @1	38	897.6	5	4.45	-319.76	319.76	PASS
HVLT	GSM900	TU3 @2	38	897.6	5	-4.26	-319.76	319.76	PASS
HVLT	GSM900	TU3 @3	38	897.6	5	-3.03	-319.76	319.76	PASS
HVLT	GSM900	TU3 @4	38	897.6	5	-4.88	-319.76	319.76	PASS
HVLT	GSM900	TU3 @5	38	897.6	5	5.62	-319.76	319.76	PASS
HVLT	GSM900	TU3 @6	38	897.6	5	2.12	-319.76	319.76	PASS
HVLT	GSM900	TU3 @7	38	897.6	5	2.02	-319.76	319.76	PASS
HVLT	GSM900	TU3 @8	38	897.6	5	3.93	-319.76	319.76	PASS
HVLT	GSM900	TU3 @9	38	897.6	5	6.02	-319.76	319.76	PASS
HVLT	GSM900	TU3 @10	38	897.6	5	0.89	-319.76	319.76	PASS
HVLT	GSM900	TU3 @11	38	897.6	5	3.51	-319.76	319.76	PASS
HVLT	GSM900	TU3 @12	38	897.6	5	-5.46	-319.76	319.76	PASS
HVLT	GSM900	TU3 @13	38	897.6	5	6.52	-319.76	319.76	PASS
HVLT	GSM900	TU3 @14	38	897.6	5	4.22	-319.76	319.76	PASS
HVLT	GSM900	TU3 @15	38	897.6	5	-0.13	-319.76	319.76	PASS
HVLT	GSM900	TU3 @16	38	897.6	5	-0.47	-319.76	319.76	PASS
HVLT	GSM900	TU3 @17	38	897.6	5	-9.14	-319.76	319.76	PASS
HVLT	GSM900	TU3 @18	38	897.6	5	4.55	-319.76	319.76	PASS
HVLT	GSM900	TU3 @19	38	897.6	5	7.64	-319.76	319.76	PASS
HVLT	GSM900	TU3 @20	38	897.6	5	-1.02	-319.76	319.76	PASS
LVHT	GSM900	RA250 @RACH	38	897.6	5	2.97	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens1	38	897.6	5	-0.53	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens2	38	897.6	5	-0.49	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens3	38	897.6	5	0.93	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens4	38	897.6	5	-10.21	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens5	38	897.6	5	-13.74	-389.76	389.76	PASS
LVHT	GSM900	HT100 @RACH	38	897.6	5	6.93	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens1	38	897.6	5	4.83	-269.76	269.76	PASS

LVHT	GSM900	HT100 @Sens2	38	897.6	5	1.19	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens3	38	897.6	5	3.5	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens4	38	897.6	5	-1.8	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens5	38	897.6	5	3.92	-269.76	269.76	PASS
LVHT	GSM900	TU50 @RACH	38	897.6	5	12.6	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens1	38	897.6	5	6.15	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens2	38	897.6	5	10.25	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens3	38	897.6	5	16.6	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens4	38	897.6	5	4.26	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens5	38	897.6	5	-0.18	-249.76	249.76	PASS
LVHT	GSM900	TU3 @RACH	38	897.6	5	-1.5	-319.76	319.76	PASS
LVHT	GSM900	TU3 @1	38	897.6	5	4.51	-319.76	319.76	PASS
LVHT	GSM900	TU3 @2	38	897.6	5	-4.3	-319.76	319.76	PASS
LVHT	GSM900	TU3 @3	38	897.6	5	-3.04	-319.76	319.76	PASS
LVHT	GSM900	TU3 @4	38	897.6	5	-4.85	-319.76	319.76	PASS
LVHT	GSM900	TU3 @5	38	897.6	5	5.67	-319.76	319.76	PASS
LVHT	GSM900	TU3 @6	38	897.6	5	2.27	-319.76	319.76	PASS
LVHT	GSM900	TU3 @7	38	897.6	5	1.88	-319.76	319.76	PASS
LVHT	GSM900	TU3 @8	38	897.6	5	3.96	-319.76	319.76	PASS
LVHT	GSM900	TU3 @9	38	897.6	5	5.84	-319.76	319.76	PASS
LVHT	GSM900	TU3 @10	38	897.6	5	0.96	-319.76	319.76	PASS
LVHT	GSM900	TU3 @11	38	897.6	5	3.38	-319.76	319.76	PASS
LVHT	GSM900	TU3 @12	38	897.6	5	-5.27	-319.76	319.76	PASS
LVHT	GSM900	TU3 @13	38	897.6	5	6.63	-319.76	319.76	PASS
LVHT	GSM900	TU3 @14	38	897.6	5	4.19	-319.76	319.76	PASS
LVHT	GSM900	TU3 @15	38	897.6	5	-0.12	-319.76	319.76	PASS
LVHT	GSM900	TU3 @16	38	897.6	5	-0.41	-319.76	319.76	PASS
LVHT	GSM900	TU3 @17	38	897.6	5	-9.15	-319.76	319.76	PASS
LVHT	GSM900	TU3 @18	38	897.6	5	4.61	-319.76	319.76	PASS
LVHT	GSM900	TU3 @19	38	897.6	5	7.75	-319.76	319.76	PASS
LVHT	GSM900	TU3 @20	38	897.6	5	-0.94	-319.76	319.76	PASS
LVLT	GSM900	RA250 @RACH	38	897.6	5	2.89	-389.76	389.76	PASS
LVLT	GSM900	RA250 @Sens1	38	897.6	5	-0.54	-389.76	389.76	PASS
LVLT	GSM900	RA250 @Sens2	38	897.6	5	-0.39	-389.76	389.76	PASS
LVLT	GSM900	RA250 @Sens3	38	897.6	5	0.96	-389.76	389.76	PASS
LVLT	GSM900	RA250	38	897.6	5	-10.14	-389.76	389.76	PASS

		@Sens4							
LVL	GSM900	RA250	38	897.6	5	-13.74	-389.76	389.76	PASS
		@Sens5							
LVL	GSM900	HT100	38	897.6	5	6.86	-269.76	269.76	PASS
		@RACH							
LVL	GSM900	HT100	38	897.6	5	4.86	-269.76	269.76	PASS
		@Sens1							
LVL	GSM900	HT100	38	897.6	5	1.33	-269.76	269.76	PASS
		@Sens2							
LVL	GSM900	HT100	38	897.6	5	3.54	-269.76	269.76	PASS
		@Sens3							
LVL	GSM900	HT100	38	897.6	5	-1.82	-269.76	269.76	PASS
		@Sens4							
LVL	GSM900	HT100	38	897.6	5	3.96	-269.76	269.76	PASS
		@Sens5							
LVL	GSM900	TU50 @RACH	38	897.6	5	12.54	-249.76	249.76	PASS
LVL	GSM900	TU50 @Sens1	38	897.6	5	6.19	-249.76	249.76	PASS
LVL	GSM900	TU50 @Sens2	38	897.6	5	10.27	-249.76	249.76	PASS
LVL	GSM900	TU50 @Sens3	38	897.6	5	16.64	-249.76	249.76	PASS
LVL	GSM900	TU50 @Sens4	38	897.6	5	4.32	-249.76	249.76	PASS
LVL	GSM900	TU50 @Sens5	38	897.6	5	-0.21	-249.76	249.76	PASS
LVL	GSM900	TU3 @RACH	38	897.6	5	-1.59	-319.76	319.76	PASS
LVL	GSM900	TU3 @1	38	897.6	5	4.52	-319.76	319.76	PASS
LVL	GSM900	TU3 @2	38	897.6	5	-4.3	-319.76	319.76	PASS
LVL	GSM900	TU3 @3	38	897.6	5	-2.93	-319.76	319.76	PASS
LVL	GSM900	TU3 @4	38	897.6	5	-5.04	-319.76	319.76	PASS
LVL	GSM900	TU3 @5	38	897.6	5	5.76	-319.76	319.76	PASS
LVL	GSM900	TU3 @6	38	897.6	5	2.25	-319.76	319.76	PASS
LVL	GSM900	TU3 @7	38	897.6	5	2	-319.76	319.76	PASS
LVL	GSM900	TU3 @8	38	897.6	5	3.97	-319.76	319.76	PASS
LVL	GSM900	TU3 @9	38	897.6	5	5.93	-319.76	319.76	PASS
LVL	GSM900	TU3 @10	38	897.6	5	0.93	-319.76	319.76	PASS
LVL	GSM900	TU3 @11	38	897.6	5	3.57	-319.76	319.76	PASS
LVL	GSM900	TU3 @12	38	897.6	5	-5.29	-319.76	319.76	PASS
LVL	GSM900	TU3 @13	38	897.6	5	6.58	-319.76	319.76	PASS
LVL	GSM900	TU3 @14	38	897.6	5	4.22	-319.76	319.76	PASS
LVL	GSM900	TU3 @15	38	897.6	5	-0.04	-319.76	319.76	PASS
LVL	GSM900	TU3 @16	38	897.6	5	-0.44	-319.76	319.76	PASS
LVL	GSM900	TU3 @17	38	897.6	5	-9.13	-319.76	319.76	PASS
LVL	GSM900	TU3 @18	38	897.6	5	4.54	-319.76	319.76	PASS
LVL	GSM900	TU3 @19	38	897.6	5	7.64	-319.76	319.76	PASS
LVL	GSM900	TU3 @20	38	897.6	5	-0.97	-319.76	319.76	PASS

**Clause 4.2.5 Transmitter output power and burst timing**



Condition	Band	Channel	Frequency (MHz)	PCL	Type	Result	Low Limit	high Limit	Verdict
HVHT	GSM1800	512	1710.2	0	Power	30.05	28	32	PASS
HVHT	GSM1800	512	1710.2	0	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1800	512	1710.2	1	Power	27.61	25	31	PASS
HVHT	GSM1800	512	1710.2	1	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1800	512	1710.2	2	Power	26.11	23	29	PASS
HVHT	GSM1800	512	1710.2	2	PvT(%)	-0.15	0	0	PASS
HVHT	GSM1800	512	1710.2	3	Power	23.97	21	27	PASS
HVHT	GSM1800	512	1710.2	3	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	512	1710.2	4	Power	21.89	19	25	PASS
HVHT	GSM1800	512	1710.2	4	PvT(%)	-0.07	0	0	PASS
HVHT	GSM1800	512	1710.2	5	Power	19.94	17	23	PASS
HVHT	GSM1800	512	1710.2	5	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	512	1710.2	6	Power	17.54	15	21	PASS
HVHT	GSM1800	512	1710.2	6	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	512	1710.2	7	Power	15.62	13	19	PASS
HVHT	GSM1800	512	1710.2	7	PvT(%)	-0.04	0	0	PASS
HVHT	GSM1800	512	1710.2	8	Power	13.57	11	17	PASS
HVHT	GSM1800	512	1710.2	8	PvT(%)	-0.07	0	0	PASS
HVHT	GSM1800	512	1710.2	9	Power	11.5	8	16	PASS
HVHT	GSM1800	512	1710.2	9	PvT(%)	-0.06	0	0	PASS
HVHT	GSM1800	512	1710.2	10	Power	9.62	6	14	PASS
HVHT	GSM1800	512	1710.2	10	PvT(%)	-0.06	0	0	PASS
HVHT	GSM1800	512	1710.2	11	Power	7.46	4	12	PASS
HVHT	GSM1800	512	1710.2	11	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1800	512	1710.2	12	Power	5.57	2	10	PASS
HVHT	GSM1800	512	1710.2	12	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	512	1710.2	13	Power	3.49	0	8	PASS
HVHT	GSM1800	512	1710.2	13	PvT(%)	-0.18	0	0	PASS
HVHT	GSM1800	512	1710.2	14	Power	1.53	-3	7	PASS
HVHT	GSM1800	512	1710.2	14	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	512	1710.2	15	Power	-0.41	-5	5	PASS
HVHT	GSM1800	512	1710.2	15	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	698	1747.4	0	Power	29.6	28	32	PASS
HVHT	GSM1800	698	1747.4	0	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	698	1747.4	1	Power	27.26	25	31	PASS
HVHT	GSM1800	698	1747.4	1	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1800	698	1747.4	2	Power	25.72	23	29	PASS
HVHT	GSM1800	698	1747.4	2	PvT(%)	-0.15	0	0	PASS
HVHT	GSM1800	698	1747.4	3	Power	23.84	21	27	PASS
HVHT	GSM1800	698	1747.4	3	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1800	698	1747.4	4	Power	21.68	19	25	PASS
HVHT	GSM1800	698	1747.4	4	PvT(%)	-0.15	0	0	PASS
HVHT	GSM1800	698	1747.4	5	Power	19.75	17	23	PASS

HVHT	GSM1800	698	1747.4	5	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1800	698	1747.4	6	Power	17.48	15	21	PASS
HVHT	GSM1800	698	1747.4	6	PvT(%)	-0.15	0	0	PASS
HVHT	GSM1800	698	1747.4	7	Power	15.54	13	19	PASS
HVHT	GSM1800	698	1747.4	7	PvT(%)	-0.02	0	0	PASS
HVHT	GSM1800	698	1747.4	8	Power	13.54	11	17	PASS
HVHT	GSM1800	698	1747.4	8	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1800	698	1747.4	9	Power	11.32	8	16	PASS
HVHT	GSM1800	698	1747.4	9	PvT(%)	-0.15	0	0	PASS
HVHT	GSM1800	698	1747.4	10	Power	9.53	6	14	PASS
HVHT	GSM1800	698	1747.4	10	PvT(%)	-0.2	0	0	PASS
HVHT	GSM1800	698	1747.4	11	Power	7.32	4	12	PASS
HVHT	GSM1800	698	1747.4	11	PvT(%)	-0.02	0	0	PASS
HVHT	GSM1800	698	1747.4	12	Power	5.5	2	10	PASS
HVHT	GSM1800	698	1747.4	12	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1800	698	1747.4	13	Power	3.65	0	8	PASS
HVHT	GSM1800	698	1747.4	13	PvT(%)	-0.04	0	0	PASS
HVHT	GSM1800	698	1747.4	14	Power	1.66	-3	7	PASS
HVHT	GSM1800	698	1747.4	14	PvT(%)	-0.16	0	0	PASS
HVHT	GSM1800	698	1747.4	15	Power	-0.2	-5	5	PASS
HVHT	GSM1800	698	1747.4	15	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1800	885	1784.8	0	Power	28.91	28	32	PASS
HVHT	GSM1800	885	1784.8	0	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	885	1784.8	1	Power	26.87	25	31	PASS
HVHT	GSM1800	885	1784.8	1	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1800	885	1784.8	2	Power	25.39	23	29	PASS
HVHT	GSM1800	885	1784.8	2	PvT(%)	-0.19	0	0	PASS
HVHT	GSM1800	885	1784.8	3	Power	23.34	21	27	PASS
HVHT	GSM1800	885	1784.8	3	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	885	1784.8	4	Power	21.34	19	25	PASS
HVHT	GSM1800	885	1784.8	4	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	885	1784.8	5	Power	19.22	17	23	PASS
HVHT	GSM1800	885	1784.8	5	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	885	1784.8	6	Power	16.97	15	21	PASS
HVHT	GSM1800	885	1784.8	6	PvT(%)	-0.16	0	0	PASS
HVHT	GSM1800	885	1784.8	7	Power	15.21	13	19	PASS
HVHT	GSM1800	885	1784.8	7	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1800	885	1784.8	8	Power	13.13	11	17	PASS
HVHT	GSM1800	885	1784.8	8	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1800	885	1784.8	9	Power	11.07	8	16	PASS
HVHT	GSM1800	885	1784.8	9	PvT(%)	-0.04	0	0	PASS
HVHT	GSM1800	885	1784.8	10	Power	9.47	6	14	PASS
HVHT	GSM1800	885	1784.8	10	PvT(%)	-0.2	0	0	PASS
HVHT	GSM1800	885	1784.8	11	Power	7.17	4	12	PASS

HVHT	GSM1800	885	1784.8	11	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	885	1784.8	12	Power	5.36	2	10	PASS
HVHT	GSM1800	885	1784.8	12	PvT(%)	-0.2	0	0	PASS
HVHT	GSM1800	885	1784.8	13	Power	3.2	0	8	PASS
HVHT	GSM1800	885	1784.8	13	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	885	1784.8	14	Power	1.58	-3	7	PASS
HVHT	GSM1800	885	1784.8	14	PvT(%)	-0.18	0	0	PASS
HVHT	GSM1800	885	1784.8	15	Power	-0.37	-5	5	PASS
HVHT	GSM1800	885	1784.8	15	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	512	1710.2	0	Power	29.93	28	32	PASS
HVLT	GSM1800	512	1710.2	0	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1800	512	1710.2	1	Power	27.45	25	31	PASS
HVLT	GSM1800	512	1710.2	1	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	512	1710.2	2	Power	26.09	23	29	PASS
HVLT	GSM1800	512	1710.2	2	PvT(%)	-0.17	0	0	PASS
HVLT	GSM1800	512	1710.2	3	Power	23.93	21	27	PASS
HVLT	GSM1800	512	1710.2	3	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	512	1710.2	4	Power	21.86	19	25	PASS
HVLT	GSM1800	512	1710.2	4	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	512	1710.2	5	Power	19.93	17	23	PASS
HVLT	GSM1800	512	1710.2	5	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	512	1710.2	6	Power	17.5	15	21	PASS
HVLT	GSM1800	512	1710.2	6	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1800	512	1710.2	7	Power	15.6	13	19	PASS
HVLT	GSM1800	512	1710.2	7	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1800	512	1710.2	8	Power	13.64	11	17	PASS
HVLT	GSM1800	512	1710.2	8	PvT(%)	-0.2	0	0	PASS
HVLT	GSM1800	512	1710.2	9	Power	11.64	8	16	PASS
HVLT	GSM1800	512	1710.2	9	PvT(%)	-0.08	0	0	PASS
HVLT	GSM1800	512	1710.2	10	Power	9.54	6	14	PASS
HVLT	GSM1800	512	1710.2	10	PvT(%)	-0.08	0	0	PASS
HVLT	GSM1800	512	1710.2	11	Power	7.38	4	12	PASS
HVLT	GSM1800	512	1710.2	11	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	512	1710.2	12	Power	5.5	2	10	PASS
HVLT	GSM1800	512	1710.2	12	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1800	512	1710.2	13	Power	3.56	0	8	PASS
HVLT	GSM1800	512	1710.2	13	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	512	1710.2	14	Power	1.65	-3	7	PASS
HVLT	GSM1800	512	1710.2	14	PvT(%)	-0.17	0	0	PASS
HVLT	GSM1800	512	1710.2	15	Power	-0.3	-5	5	PASS
HVLT	GSM1800	512	1710.2	15	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1800	698	1747.4	0	Power	29.42	28	32	PASS
HVLT	GSM1800	698	1747.4	0	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	698	1747.4	1	Power	27.23	25	31	PASS

HVLT	GSM1800	698	1747.4	1	PvT(%)	-0.08	0	0	PASS
HVLT	GSM1800	698	1747.4	2	Power	25.74	23	29	PASS
HVLT	GSM1800	698	1747.4	2	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	698	1747.4	3	Power	23.76	21	27	PASS
HVLT	GSM1800	698	1747.4	3	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1800	698	1747.4	4	Power	21.69	19	25	PASS
HVLT	GSM1800	698	1747.4	4	PvT(%)	-0.1	0	0	PASS
HVLT	GSM1800	698	1747.4	5	Power	19.74	17	23	PASS
HVLT	GSM1800	698	1747.4	5	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1800	698	1747.4	6	Power	17.4	15	21	PASS
HVLT	GSM1800	698	1747.4	6	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	698	1747.4	7	Power	15.44	13	19	PASS
HVLT	GSM1800	698	1747.4	7	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	698	1747.4	8	Power	13.44	11	17	PASS
HVLT	GSM1800	698	1747.4	8	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	698	1747.4	9	Power	11.49	8	16	PASS
HVLT	GSM1800	698	1747.4	9	PvT(%)	-0.16	0	0	PASS
HVLT	GSM1800	698	1747.4	10	Power	9.58	6	14	PASS
HVLT	GSM1800	698	1747.4	10	PvT(%)	-0.07	0	0	PASS
HVLT	GSM1800	698	1747.4	11	Power	7.32	4	12	PASS
HVLT	GSM1800	698	1747.4	11	PvT(%)	-0.13	0	0	PASS
HVLT	GSM1800	698	1747.4	12	Power	5.4	2	10	PASS
HVLT	GSM1800	698	1747.4	12	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	698	1747.4	13	Power	3.65	0	8	PASS
HVLT	GSM1800	698	1747.4	13	PvT(%)	-0.02	0	0	PASS
HVLT	GSM1800	698	1747.4	14	Power	1.57	-3	7	PASS
HVLT	GSM1800	698	1747.4	14	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	698	1747.4	15	Power	-0.11	-5	5	PASS
HVLT	GSM1800	698	1747.4	15	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	885	1784.8	0	Power	28.83	28	32	PASS
HVLT	GSM1800	885	1784.8	0	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1800	885	1784.8	1	Power	26.79	25	31	PASS
HVLT	GSM1800	885	1784.8	1	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	885	1784.8	2	Power	25.3	23	29	PASS
HVLT	GSM1800	885	1784.8	2	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1800	885	1784.8	3	Power	23.35	21	27	PASS
HVLT	GSM1800	885	1784.8	3	PvT(%)	-0.16	0	0	PASS
HVLT	GSM1800	885	1784.8	4	Power	21.28	19	25	PASS
HVLT	GSM1800	885	1784.8	4	PvT(%)	-0.07	0	0	PASS
HVLT	GSM1800	885	1784.8	5	Power	19.19	17	23	PASS
HVLT	GSM1800	885	1784.8	5	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	885	1784.8	6	Power	17.16	15	21	PASS
HVLT	GSM1800	885	1784.8	6	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1800	885	1784.8	7	Power	15.23	13	19	PASS

HVLT	GSM1800	885	1784.8	7	PvT(%)	-0.02	0	0	PASS
HVLT	GSM1800	885	1784.8	8	Power	13.18	11	17	PASS
HVLT	GSM1800	885	1784.8	8	PvT(%)	-0.05	0	0	PASS
HVLT	GSM1800	885	1784.8	9	Power	11.06	8	16	PASS
HVLT	GSM1800	885	1784.8	9	PvT(%)	-0.18	0	0	PASS
HVLT	GSM1800	885	1784.8	10	Power	9.36	6	14	PASS
HVLT	GSM1800	885	1784.8	10	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	885	1784.8	11	Power	7.09	4	12	PASS
HVLT	GSM1800	885	1784.8	11	PvT(%)	-0.13	0	0	PASS
HVLT	GSM1800	885	1784.8	12	Power	5.39	2	10	PASS
HVLT	GSM1800	885	1784.8	12	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1800	885	1784.8	13	Power	3.16	0	8	PASS
HVLT	GSM1800	885	1784.8	13	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1800	885	1784.8	14	Power	1.64	-3	7	PASS
HVLT	GSM1800	885	1784.8	14	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	885	1784.8	15	Power	-0.3	-5	5	PASS
HVLT	GSM1800	885	1784.8	15	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1800	512	1710.2	0	Power	29.93	28	32	PASS
LVHT	GSM1800	512	1710.2	0	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	512	1710.2	1	Power	27.58	25	31	PASS
LVHT	GSM1800	512	1710.2	1	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1800	512	1710.2	2	Power	26.09	23	29	PASS
LVHT	GSM1800	512	1710.2	2	PvT(%)	-0.1	0	0	PASS
LVHT	GSM1800	512	1710.2	3	Power	23.99	21	27	PASS
LVHT	GSM1800	512	1710.2	3	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1800	512	1710.2	4	Power	21.81	19	25	PASS
LVHT	GSM1800	512	1710.2	4	PvT(%)	-0.14	0	0	PASS
LVHT	GSM1800	512	1710.2	5	Power	19.93	17	23	PASS
LVHT	GSM1800	512	1710.2	5	PvT(%)	-0.11	0	0	PASS
LVHT	GSM1800	512	1710.2	6	Power	17.44	15	21	PASS
LVHT	GSM1800	512	1710.2	6	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1800	512	1710.2	7	Power	15.59	13	19	PASS
LVHT	GSM1800	512	1710.2	7	PvT(%)	-0.19	0	0	PASS
LVHT	GSM1800	512	1710.2	8	Power	13.63	11	17	PASS
LVHT	GSM1800	512	1710.2	8	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1800	512	1710.2	9	Power	11.63	8	16	PASS
LVHT	GSM1800	512	1710.2	9	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1800	512	1710.2	10	Power	9.61	6	14	PASS
LVHT	GSM1800	512	1710.2	10	PvT(%)	-0.14	0	0	PASS
LVHT	GSM1800	512	1710.2	11	Power	7.33	4	12	PASS
LVHT	GSM1800	512	1710.2	11	PvT(%)	-0.13	0	0	PASS
LVHT	GSM1800	512	1710.2	12	Power	5.59	2	10	PASS
LVHT	GSM1800	512	1710.2	12	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1800	512	1710.2	13	Power	3.48	0	8	PASS

LVHT	GSM1800	512	1710.2	13	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	512	1710.2	14	Power	1.48	-3	7	PASS
LVHT	GSM1800	512	1710.2	14	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	512	1710.2	15	Power	-0.44	-5	5	PASS
LVHT	GSM1800	512	1710.2	15	PvT(%)	-0.19	0	0	PASS
LVHT	GSM1800	698	1747.4	0	Power	29.58	28	32	PASS
LVHT	GSM1800	698	1747.4	0	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1800	698	1747.4	1	Power	27.18	25	31	PASS
LVHT	GSM1800	698	1747.4	1	PvT(%)	-0.1	0	0	PASS
LVHT	GSM1800	698	1747.4	2	Power	25.66	23	29	PASS
LVHT	GSM1800	698	1747.4	2	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	698	1747.4	3	Power	23.66	21	27	PASS
LVHT	GSM1800	698	1747.4	3	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	698	1747.4	4	Power	21.59	19	25	PASS
LVHT	GSM1800	698	1747.4	4	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	698	1747.4	5	Power	19.8	17	23	PASS
LVHT	GSM1800	698	1747.4	5	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1800	698	1747.4	6	Power	17.46	15	21	PASS
LVHT	GSM1800	698	1747.4	6	PvT(%)	-0.1	0	0	PASS
LVHT	GSM1800	698	1747.4	7	Power	15.57	13	19	PASS
LVHT	GSM1800	698	1747.4	7	PvT(%)	-0.09	0	0	PASS
LVHT	GSM1800	698	1747.4	8	Power	13.46	11	17	PASS
LVHT	GSM1800	698	1747.4	8	PvT(%)	-0.17	0	0	PASS
LVHT	GSM1800	698	1747.4	9	Power	11.49	8	16	PASS
LVHT	GSM1800	698	1747.4	9	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1800	698	1747.4	10	Power	9.65	6	14	PASS
LVHT	GSM1800	698	1747.4	10	PvT(%)	-0.17	0	0	PASS
LVHT	GSM1800	698	1747.4	11	Power	7.25	4	12	PASS
LVHT	GSM1800	698	1747.4	11	PvT(%)	-0.07	0	0	PASS
LVHT	GSM1800	698	1747.4	12	Power	5.5	2	10	PASS
LVHT	GSM1800	698	1747.4	12	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1800	698	1747.4	13	Power	3.6	0	8	PASS
LVHT	GSM1800	698	1747.4	13	PvT(%)	-0.11	0	0	PASS
LVHT	GSM1800	698	1747.4	14	Power	1.52	-3	7	PASS
LVHT	GSM1800	698	1747.4	14	PvT(%)	-0.11	0	0	PASS
LVHT	GSM1800	698	1747.4	15	Power	-0.17	-5	5	PASS
LVHT	GSM1800	698	1747.4	15	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1800	885	1784.8	0	Power	28.87	28	32	PASS
LVHT	GSM1800	885	1784.8	0	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	885	1784.8	1	Power	26.8	25	31	PASS
LVHT	GSM1800	885	1784.8	1	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	885	1784.8	2	Power	25.28	23	29	PASS
LVHT	GSM1800	885	1784.8	2	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1800	885	1784.8	3	Power	23.46	21	27	PASS

LVHT	GSM1800	885	1784.8	3	PvT(%)	-0.19	0	0	PASS
LVHT	GSM1800	885	1784.8	4	Power	21.24	19	25	PASS
LVHT	GSM1800	885	1784.8	4	PvT(%)	-0.14	0	0	PASS
LVHT	GSM1800	885	1784.8	5	Power	19.33	17	23	PASS
LVHT	GSM1800	885	1784.8	5	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1800	885	1784.8	6	Power	17.03	15	21	PASS
LVHT	GSM1800	885	1784.8	6	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	885	1784.8	7	Power	15.23	13	19	PASS
LVHT	GSM1800	885	1784.8	7	PvT(%)	-0.13	0	0	PASS
LVHT	GSM1800	885	1784.8	8	Power	13.15	11	17	PASS
LVHT	GSM1800	885	1784.8	8	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	885	1784.8	9	Power	11.12	8	16	PASS
LVHT	GSM1800	885	1784.8	9	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	885	1784.8	10	Power	9.47	6	14	PASS
LVHT	GSM1800	885	1784.8	10	PvT(%)	-0.18	0	0	PASS
LVHT	GSM1800	885	1784.8	11	Power	7.08	4	12	PASS
LVHT	GSM1800	885	1784.8	11	PvT(%)	-0.07	0	0	PASS
LVHT	GSM1800	885	1784.8	12	Power	5.25	2	10	PASS
LVHT	GSM1800	885	1784.8	12	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1800	885	1784.8	13	Power	3.24	0	8	PASS
LVHT	GSM1800	885	1784.8	13	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1800	885	1784.8	14	Power	1.5	-3	7	PASS
LVHT	GSM1800	885	1784.8	14	PvT(%)	-0.1	0	0	PASS
LVHT	GSM1800	885	1784.8	15	Power	-0.39	-5	5	PASS
LVHT	GSM1800	885	1784.8	15	PvT(%)	-0.09	0	0	PASS
LVLT	GSM1800	512	1710.2	0	Power	29.95	28	32	PASS
LVLT	GSM1800	512	1710.2	0	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	512	1710.2	1	Power	27.57	25	31	PASS
LVLT	GSM1800	512	1710.2	1	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1800	512	1710.2	2	Power	25.99	23	29	PASS
LVLT	GSM1800	512	1710.2	2	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	512	1710.2	3	Power	23.93	21	27	PASS
LVLT	GSM1800	512	1710.2	3	PvT(%)	-0.02	0	0	PASS
LVLT	GSM1800	512	1710.2	4	Power	21.9	19	25	PASS
LVLT	GSM1800	512	1710.2	4	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	512	1710.2	5	Power	19.83	17	23	PASS
LVLT	GSM1800	512	1710.2	5	PvT(%)	-0.15	0	0	PASS
LVLT	GSM1800	512	1710.2	6	Power	17.6	15	21	PASS
LVLT	GSM1800	512	1710.2	6	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1800	512	1710.2	7	Power	15.68	13	19	PASS
LVLT	GSM1800	512	1710.2	7	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	512	1710.2	8	Power	13.66	11	17	PASS
LVLT	GSM1800	512	1710.2	8	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	512	1710.2	9	Power	11.47	8	16	PASS

LVLT	GSM1800	512	1710.2	9	PvT(%)	-0.2	0	0	PASS
LVLT	GSM1800	512	1710.2	10	Power	9.53	6	14	PASS
LVLT	GSM1800	512	1710.2	10	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1800	512	1710.2	11	Power	7.42	4	12	PASS
LVLT	GSM1800	512	1710.2	11	PvT(%)	-0.18	0	0	PASS
LVLT	GSM1800	512	1710.2	12	Power	5.45	2	10	PASS
LVLT	GSM1800	512	1710.2	12	PvT(%)	-0.14	0	0	PASS
LVLT	GSM1800	512	1710.2	13	Power	3.56	0	8	PASS
LVLT	GSM1800	512	1710.2	13	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1800	512	1710.2	14	Power	1.56	-3	7	PASS
LVLT	GSM1800	512	1710.2	14	PvT(%)	-0.1	0	0	PASS
LVLT	GSM1800	512	1710.2	15	Power	-0.45	-5	5	PASS
LVLT	GSM1800	512	1710.2	15	PvT(%)	-0.14	0	0	PASS
LVLT	GSM1800	698	1747.4	0	Power	29.58	28	32	PASS
LVLT	GSM1800	698	1747.4	0	PvT(%)	-0.19	0	0	PASS
LVLT	GSM1800	698	1747.4	1	Power	27.19	25	31	PASS
LVLT	GSM1800	698	1747.4	1	PvT(%)	-0.14	0	0	PASS
LVLT	GSM1800	698	1747.4	2	Power	25.69	23	29	PASS
LVLT	GSM1800	698	1747.4	2	PvT(%)	-0.11	0	0	PASS
LVLT	GSM1800	698	1747.4	3	Power	23.84	21	27	PASS
LVLT	GSM1800	698	1747.4	3	PvT(%)	-0.15	0	0	PASS
LVLT	GSM1800	698	1747.4	4	Power	21.63	19	25	PASS
LVLT	GSM1800	698	1747.4	4	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1800	698	1747.4	5	Power	19.79	17	23	PASS
LVLT	GSM1800	698	1747.4	5	PvT(%)	-0.08	0	0	PASS
LVLT	GSM1800	698	1747.4	6	Power	17.35	15	21	PASS
LVLT	GSM1800	698	1747.4	6	PvT(%)	-0.14	0	0	PASS
LVLT	GSM1800	698	1747.4	7	Power	15.42	13	19	PASS
LVLT	GSM1800	698	1747.4	7	PvT(%)	-0.17	0	0	PASS
LVLT	GSM1800	698	1747.4	8	Power	13.36	11	17	PASS
LVLT	GSM1800	698	1747.4	8	PvT(%)	-0.11	0	0	PASS
LVLT	GSM1800	698	1747.4	9	Power	11.46	8	16	PASS
LVLT	GSM1800	698	1747.4	9	PvT(%)	-0.08	0	0	PASS
LVLT	GSM1800	698	1747.4	10	Power	9.53	6	14	PASS
LVLT	GSM1800	698	1747.4	10	PvT(%)	-0.04	0	0	PASS
LVLT	GSM1800	698	1747.4	11	Power	7.34	4	12	PASS
LVLT	GSM1800	698	1747.4	11	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	698	1747.4	12	Power	5.36	2	10	PASS
LVLT	GSM1800	698	1747.4	12	PvT(%)	-0.07	0	0	PASS
LVLT	GSM1800	698	1747.4	13	Power	3.56	0	8	PASS
LVLT	GSM1800	698	1747.4	13	PvT(%)	-0.2	0	0	PASS
LVLT	GSM1800	698	1747.4	14	Power	1.52	-3	7	PASS
LVLT	GSM1800	698	1747.4	14	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	698	1747.4	15	Power	-0.21	-5	5	PASS



LVLT	GSM1800	698	1747.4	15	PvT(%)	-0.01	0	0	PASS
LVLT	GSM1800	885	1784.8	0	Power	28.99	28	32	PASS
LVLT	GSM1800	885	1784.8	0	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	885	1784.8	1	Power	26.76	25	31	PASS
LVLT	GSM1800	885	1784.8	1	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	885	1784.8	2	Power	25.35	23	29	PASS
LVLT	GSM1800	885	1784.8	2	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1800	885	1784.8	3	Power	23.36	21	27	PASS
LVLT	GSM1800	885	1784.8	3	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1800	885	1784.8	4	Power	21.37	19	25	PASS
LVLT	GSM1800	885	1784.8	4	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	885	1784.8	5	Power	19.32	17	23	PASS
LVLT	GSM1800	885	1784.8	5	PvT(%)	-0.09	0	0	PASS
LVLT	GSM1800	885	1784.8	6	Power	17.06	15	21	PASS
LVLT	GSM1800	885	1784.8	6	PvT(%)	-0.2	0	0	PASS
LVLT	GSM1800	885	1784.8	7	Power	15.28	13	19	PASS
LVLT	GSM1800	885	1784.8	7	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	885	1784.8	8	Power	13.08	11	17	PASS
LVLT	GSM1800	885	1784.8	8	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1800	885	1784.8	9	Power	11.11	8	16	PASS
LVLT	GSM1800	885	1784.8	9	PvT(%)	-0.2	0	0	PASS
LVLT	GSM1800	885	1784.8	10	Power	9.46	6	14	PASS
LVLT	GSM1800	885	1784.8	10	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1800	885	1784.8	11	Power	7.25	4	12	PASS
LVLT	GSM1800	885	1784.8	11	PvT(%)	-0.01	0	0	PASS
LVLT	GSM1800	885	1784.8	12	Power	5.33	2	10	PASS
LVLT	GSM1800	885	1784.8	12	PvT(%)	-0.04	0	0	PASS
LVLT	GSM1800	885	1784.8	13	Power	3.14	0	8	PASS
LVLT	GSM1800	885	1784.8	13	PvT(%)	-0.07	0	0	PASS
LVLT	GSM1800	885	1784.8	14	Power	1.51	-3	7	PASS
LVLT	GSM1800	885	1784.8	14	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	885	1784.8	15	Power	-0.45	-5	5	PASS
LVLT	GSM1800	885	1784.8	15	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	975	880.2	5	Power	32.14	31	35	PASS
HVHT	GSM900	975	880.2	5	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	975	880.2	6	Power	30.43	28	34	PASS
HVHT	GSM900	975	880.2	6	PvT(%)	-0.15	0	0	PASS
HVHT	GSM900	975	880.2	7	Power	28.68	26	32	PASS
HVHT	GSM900	975	880.2	7	PvT(%)	-0.2	0	0	PASS
HVHT	GSM900	975	880.2	8	Power	26.62	24	30	PASS
HVHT	GSM900	975	880.2	8	PvT(%)	-0.18	0	0	PASS
HVHT	GSM900	975	880.2	9	Power	24.55	22	28	PASS
HVHT	GSM900	975	880.2	9	PvT(%)	-0.11	0	0	PASS
HVHT	GSM900	975	880.2	10	Power	22.57	20	26	PASS

HVHT	GSM900	975	880.2	10	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	975	880.2	11	Power	20.27	18	24	PASS
HVHT	GSM900	975	880.2	11	PvT(%)	-0.17	0	0	PASS
HVHT	GSM900	975	880.2	12	Power	18.19	16	22	PASS
HVHT	GSM900	975	880.2	12	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	975	880.2	13	Power	16.11	14	20	PASS
HVHT	GSM900	975	880.2	13	PvT(%)	-0.12	0	0	PASS
HVHT	GSM900	975	880.2	14	Power	13.95	12	18	PASS
HVHT	GSM900	975	880.2	14	PvT(%)	-0.04	0	0	PASS
HVHT	GSM900	975	880.2	15	Power	11.9	10	16	PASS
HVHT	GSM900	975	880.2	15	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	975	880.2	16	Power	9.79	6	16	PASS
HVHT	GSM900	975	880.2	16	PvT(%)	-0.04	0	0	PASS
HVHT	GSM900	975	880.2	17	Power	7.68	4	14	PASS
HVHT	GSM900	975	880.2	17	PvT(%)	-0.07	0	0	PASS
HVHT	GSM900	975	880.2	18	Power	5.53	2	12	PASS
HVHT	GSM900	975	880.2	18	PvT(%)	-0.19	0	0	PASS
HVHT	GSM900	975	880.2	19	Power	3.69	0	10	PASS
HVHT	GSM900	975	880.2	19	PvT(%)	-0.18	0	0	PASS
HVHT	GSM900	38	897.6	5	Power	32.58	31	35	PASS
HVHT	GSM900	38	897.6	5	PvT(%)	-0.02	0	0	PASS
HVHT	GSM900	38	897.6	6	Power	30.54	28	34	PASS
HVHT	GSM900	38	897.6	6	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	38	897.6	7	Power	28.84	26	32	PASS
HVHT	GSM900	38	897.6	7	PvT(%)	-0.04	0	0	PASS
HVHT	GSM900	38	897.6	8	Power	26.92	24	30	PASS
HVHT	GSM900	38	897.6	8	PvT(%)	-0.15	0	0	PASS
HVHT	GSM900	38	897.6	9	Power	24.86	22	28	PASS
HVHT	GSM900	38	897.6	9	PvT(%)	-0.15	0	0	PASS
HVHT	GSM900	38	897.6	10	Power	22.71	20	26	PASS
HVHT	GSM900	38	897.6	10	PvT(%)	-0.08	0	0	PASS
HVHT	GSM900	38	897.6	11	Power	20.6	18	24	PASS
HVHT	GSM900	38	897.6	11	PvT(%)	-0.03	0	0	PASS
HVHT	GSM900	38	897.6	12	Power	18.53	16	22	PASS
HVHT	GSM900	38	897.6	12	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	38	897.6	13	Power	16.39	14	20	PASS
HVHT	GSM900	38	897.6	13	PvT(%)	-0.08	0	0	PASS
HVHT	GSM900	38	897.6	14	Power	14.33	12	18	PASS
HVHT	GSM900	38	897.6	14	PvT(%)	-0.07	0	0	PASS
HVHT	GSM900	38	897.6	15	Power	12.27	10	16	PASS
HVHT	GSM900	38	897.6	15	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	38	897.6	16	Power	10.16	6	16	PASS
HVHT	GSM900	38	897.6	16	PvT(%)	-0.19	0	0	PASS
HVHT	GSM900	38	897.6	17	Power	8.06	4	14	PASS

HVHT	GSM900	38	897.6	17	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	38	897.6	18	Power	5.73	2	12	PASS
HVHT	GSM900	38	897.6	18	PvT(%)	-0.04	0	0	PASS
HVHT	GSM900	38	897.6	19	Power	4.07	0	10	PASS
HVHT	GSM900	38	897.6	19	PvT(%)	-0.02	0	0	PASS
HVHT	GSM900	124	914.8	5	Power	32.75	31	35	PASS
HVHT	GSM900	124	914.8	5	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	124	914.8	6	Power	30.64	28	34	PASS
HVHT	GSM900	124	914.8	6	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	124	914.8	7	Power	28.96	26	32	PASS
HVHT	GSM900	124	914.8	7	PvT(%)	-0.01	0	0	PASS
HVHT	GSM900	124	914.8	8	Power	26.87	24	30	PASS
HVHT	GSM900	124	914.8	8	PvT(%)	-0.13	0	0	PASS
HVHT	GSM900	124	914.8	9	Power	24.93	22	28	PASS
HVHT	GSM900	124	914.8	9	PvT(%)	-0.13	0	0	PASS
HVHT	GSM900	124	914.8	10	Power	22.87	20	26	PASS
HVHT	GSM900	124	914.8	10	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	124	914.8	11	Power	20.66	18	24	PASS
HVHT	GSM900	124	914.8	11	PvT(%)	-0.03	0	0	PASS
HVHT	GSM900	124	914.8	12	Power	18.6	16	22	PASS
HVHT	GSM900	124	914.8	12	PvT(%)	-0.02	0	0	PASS
HVHT	GSM900	124	914.8	13	Power	16.55	14	20	PASS
HVHT	GSM900	124	914.8	13	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	124	914.8	14	Power	14.44	12	18	PASS
HVHT	GSM900	124	914.8	14	PvT(%)	-0.06	0	0	PASS
HVHT	GSM900	124	914.8	15	Power	12.45	10	16	PASS
HVHT	GSM900	124	914.8	15	PvT(%)	-0.2	0	0	PASS
HVHT	GSM900	124	914.8	16	Power	10.24	6	16	PASS
HVHT	GSM900	124	914.8	16	PvT(%)	-0.19	0	0	PASS
HVHT	GSM900	124	914.8	17	Power	8.09	4	14	PASS
HVHT	GSM900	124	914.8	17	PvT(%)	-0.18	0	0	PASS
HVHT	GSM900	124	914.8	18	Power	5.71	2	12	PASS
HVHT	GSM900	124	914.8	18	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	124	914.8	19	Power	4	0	10	PASS
HVHT	GSM900	124	914.8	19	PvT(%)	-0.03	0	0	PASS
HVLT	GSM900	975	880.2	5	Power	32.15	31	35	PASS
HVLT	GSM900	975	880.2	5	PvT(%)	-0.16	0	0	PASS
HVLT	GSM900	975	880.2	6	Power	30.37	28	34	PASS
HVLT	GSM900	975	880.2	6	PvT(%)	-0.07	0	0	PASS
HVLT	GSM900	975	880.2	7	Power	28.64	26	32	PASS
HVLT	GSM900	975	880.2	7	PvT(%)	-0.09	0	0	PASS
HVLT	GSM900	975	880.2	8	Power	26.74	24	30	PASS
HVLT	GSM900	975	880.2	8	PvT(%)	-0.07	0	0	PASS
HVLT	GSM900	975	880.2	9	Power	24.54	22	28	PASS

HVLT	GSM900	975	880.2	9	PvT(%)	-0.16	0	0	PASS
HVLT	GSM900	975	880.2	10	Power	22.52	20	26	PASS
HVLT	GSM900	975	880.2	10	PvT(%)	-0.15	0	0	PASS
HVLT	GSM900	975	880.2	11	Power	20.26	18	24	PASS
HVLT	GSM900	975	880.2	11	PvT(%)	-0.03	0	0	PASS
HVLT	GSM900	975	880.2	12	Power	18.2	16	22	PASS
HVLT	GSM900	975	880.2	12	PvT(%)	-0.04	0	0	PASS
HVLT	GSM900	975	880.2	13	Power	16.13	14	20	PASS
HVLT	GSM900	975	880.2	13	PvT(%)	-0.15	0	0	PASS
HVLT	GSM900	975	880.2	14	Power	13.96	12	18	PASS
HVLT	GSM900	975	880.2	14	PvT(%)	-0.05	0	0	PASS
HVLT	GSM900	975	880.2	15	Power	11.9	10	16	PASS
HVLT	GSM900	975	880.2	15	PvT(%)	-0.03	0	0	PASS
HVLT	GSM900	975	880.2	16	Power	9.82	6	16	PASS
HVLT	GSM900	975	880.2	16	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	975	880.2	17	Power	7.69	4	14	PASS
HVLT	GSM900	975	880.2	17	PvT(%)	-0.01	0	0	PASS
HVLT	GSM900	975	880.2	18	Power	5.52	2	12	PASS
HVLT	GSM900	975	880.2	18	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	975	880.2	19	Power	3.57	0	10	PASS
HVLT	GSM900	975	880.2	19	PvT(%)	-0.12	0	0	PASS
HVLT	GSM900	38	897.6	5	Power	32.47	31	35	PASS
HVLT	GSM900	38	897.6	5	PvT(%)	-0.01	0	0	PASS
HVLT	GSM900	38	897.6	6	Power	30.55	28	34	PASS
HVLT	GSM900	38	897.6	6	PvT(%)	-0.13	0	0	PASS
HVLT	GSM900	38	897.6	7	Power	28.83	26	32	PASS
HVLT	GSM900	38	897.6	7	PvT(%)	-0.06	0	0	PASS
HVLT	GSM900	38	897.6	8	Power	26.82	24	30	PASS
HVLT	GSM900	38	897.6	8	PvT(%)	-0.2	0	0	PASS
HVLT	GSM900	38	897.6	9	Power	24.81	22	28	PASS
HVLT	GSM900	38	897.6	9	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	38	897.6	10	Power	22.75	20	26	PASS
HVLT	GSM900	38	897.6	10	PvT(%)	-0.02	0	0	PASS
HVLT	GSM900	38	897.6	11	Power	20.51	18	24	PASS
HVLT	GSM900	38	897.6	11	PvT(%)	-0.09	0	0	PASS
HVLT	GSM900	38	897.6	12	Power	18.44	16	22	PASS
HVLT	GSM900	38	897.6	12	PvT(%)	-0.05	0	0	PASS
HVLT	GSM900	38	897.6	13	Power	16.43	14	20	PASS
HVLT	GSM900	38	897.6	13	PvT(%)	-0.17	0	0	PASS
HVLT	GSM900	38	897.6	14	Power	14.44	12	18	PASS
HVLT	GSM900	38	897.6	14	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	38	897.6	15	Power	12.23	10	16	PASS
HVLT	GSM900	38	897.6	15	PvT(%)	-0.17	0	0	PASS
HVLT	GSM900	38	897.6	16	Power	10.19	6	16	PASS

HVLT	GSM900	38	897.6	16	PvT(%)	-0.11	0	0	PASS
HVLT	GSM900	38	897.6	17	Power	8.04	4	14	PASS
HVLT	GSM900	38	897.6	17	PvT(%)	-0.14	0	0	PASS
HVLT	GSM900	38	897.6	18	Power	5.82	2	12	PASS
HVLT	GSM900	38	897.6	18	PvT(%)	-0.04	0	0	PASS
HVLT	GSM900	38	897.6	19	Power	3.95	0	10	PASS
HVLT	GSM900	38	897.6	19	PvT(%)	-0.12	0	0	PASS
HVLT	GSM900	124	914.8	5	Power	32.68	31	35	PASS
HVLT	GSM900	124	914.8	5	PvT(%)	-0.12	0	0	PASS
HVLT	GSM900	124	914.8	6	Power	30.66	28	34	PASS
HVLT	GSM900	124	914.8	6	PvT(%)	-0.01	0	0	PASS
HVLT	GSM900	124	914.8	7	Power	28.83	26	32	PASS
HVLT	GSM900	124	914.8	7	PvT(%)	-0.07	0	0	PASS
HVLT	GSM900	124	914.8	8	Power	27.01	24	30	PASS
HVLT	GSM900	124	914.8	8	PvT(%)	-0.15	0	0	PASS
HVLT	GSM900	124	914.8	9	Power	24.87	22	28	PASS
HVLT	GSM900	124	914.8	9	PvT(%)	-0.09	0	0	PASS
HVLT	GSM900	124	914.8	10	Power	22.83	20	26	PASS
HVLT	GSM900	124	914.8	10	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	124	914.8	11	Power	20.68	18	24	PASS
HVLT	GSM900	124	914.8	11	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	124	914.8	12	Power	18.55	16	22	PASS
HVLT	GSM900	124	914.8	12	PvT(%)	-0.07	0	0	PASS
HVLT	GSM900	124	914.8	13	Power	16.51	14	20	PASS
HVLT	GSM900	124	914.8	13	PvT(%)	-0.19	0	0	PASS
HVLT	GSM900	124	914.8	14	Power	14.47	12	18	PASS
HVLT	GSM900	124	914.8	14	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	124	914.8	15	Power	12.28	10	16	PASS
HVLT	GSM900	124	914.8	15	PvT(%)	-0.13	0	0	PASS
HVLT	GSM900	124	914.8	16	Power	10.23	6	16	PASS
HVLT	GSM900	124	914.8	16	PvT(%)	-0.11	0	0	PASS
HVLT	GSM900	124	914.8	17	Power	7.98	4	14	PASS
HVLT	GSM900	124	914.8	17	PvT(%)	-0.01	0	0	PASS
HVLT	GSM900	124	914.8	18	Power	5.88	2	12	PASS
HVLT	GSM900	124	914.8	18	PvT(%)	-0.02	0	0	PASS
HVLT	GSM900	124	914.8	19	Power	4.02	0	10	PASS
HVLT	GSM900	124	914.8	19	PvT(%)	-0.18	0	0	PASS
LVHT	GSM900	975	880.2	5	Power	32.12	31	35	PASS
LVHT	GSM900	975	880.2	5	PvT(%)	-0.08	0	0	PASS
LVHT	GSM900	975	880.2	6	Power	30.31	28	34	PASS
LVHT	GSM900	975	880.2	6	PvT(%)	-0.03	0	0	PASS
LVHT	GSM900	975	880.2	7	Power	28.64	26	32	PASS
LVHT	GSM900	975	880.2	7	PvT(%)	-0.18	0	0	PASS
LVHT	GSM900	975	880.2	8	Power	26.57	24	30	PASS

LVHT	GSM900	975	880.2	8	PvT(%)	-0.03	0	0	PASS
LVHT	GSM900	975	880.2	9	Power	24.59	22	28	PASS
LVHT	GSM900	975	880.2	9	PvT(%)	-0.09	0	0	PASS
LVHT	GSM900	975	880.2	10	Power	22.48	20	26	PASS
LVHT	GSM900	975	880.2	10	PvT(%)	-0.09	0	0	PASS
LVHT	GSM900	975	880.2	11	Power	20.15	18	24	PASS
LVHT	GSM900	975	880.2	11	PvT(%)	-0.07	0	0	PASS
LVHT	GSM900	975	880.2	12	Power	18.18	16	22	PASS
LVHT	GSM900	975	880.2	12	PvT(%)	-0.09	0	0	PASS
LVHT	GSM900	975	880.2	13	Power	16.08	14	20	PASS
LVHT	GSM900	975	880.2	13	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	975	880.2	14	Power	13.93	12	18	PASS
LVHT	GSM900	975	880.2	14	PvT(%)	-0.12	0	0	PASS
LVHT	GSM900	975	880.2	15	Power	11.98	10	16	PASS
LVHT	GSM900	975	880.2	15	PvT(%)	-0.04	0	0	PASS
LVHT	GSM900	975	880.2	16	Power	9.74	6	16	PASS
LVHT	GSM900	975	880.2	16	PvT(%)	-0.07	0	0	PASS
LVHT	GSM900	975	880.2	17	Power	7.73	4	14	PASS
LVHT	GSM900	975	880.2	17	PvT(%)	-0.2	0	0	PASS
LVHT	GSM900	975	880.2	18	Power	5.53	2	12	PASS
LVHT	GSM900	975	880.2	18	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	975	880.2	19	Power	3.6	0	10	PASS
LVHT	GSM900	975	880.2	19	PvT(%)	-0.19	0	0	PASS
LVHT	GSM900	38	897.6	5	Power	32.5	31	35	PASS
LVHT	GSM900	38	897.6	5	PvT(%)	-0.04	0	0	PASS
LVHT	GSM900	38	897.6	6	Power	30.56	28	34	PASS
LVHT	GSM900	38	897.6	6	PvT(%)	-0.11	0	0	PASS
LVHT	GSM900	38	897.6	7	Power	28.79	26	32	PASS
LVHT	GSM900	38	897.6	7	PvT(%)	-0.09	0	0	PASS
LVHT	GSM900	38	897.6	8	Power	26.87	24	30	PASS
LVHT	GSM900	38	897.6	8	PvT(%)	-0.07	0	0	PASS
LVHT	GSM900	38	897.6	9	Power	24.68	22	28	PASS
LVHT	GSM900	38	897.6	9	PvT(%)	-0.03	0	0	PASS
LVHT	GSM900	38	897.6	10	Power	22.7	20	26	PASS
LVHT	GSM900	38	897.6	10	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	38	897.6	11	Power	20.53	18	24	PASS
LVHT	GSM900	38	897.6	11	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	38	897.6	12	Power	18.57	16	22	PASS
LVHT	GSM900	38	897.6	12	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	38	897.6	13	Power	16.44	14	20	PASS
LVHT	GSM900	38	897.6	13	PvT(%)	-0.19	0	0	PASS
LVHT	GSM900	38	897.6	14	Power	14.38	12	18	PASS
LVHT	GSM900	38	897.6	14	PvT(%)	-0.16	0	0	PASS
LVHT	GSM900	38	897.6	15	Power	12.31	10	16	PASS

LVHT	GSM900	38	897.6	15	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	38	897.6	16	Power	10.07	6	16	PASS
LVHT	GSM900	38	897.6	16	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	38	897.6	17	Power	7.99	4	14	PASS
LVHT	GSM900	38	897.6	17	PvT(%)	-0.17	0	0	PASS
LVHT	GSM900	38	897.6	18	Power	5.78	2	12	PASS
LVHT	GSM900	38	897.6	18	PvT(%)	-0.12	0	0	PASS
LVHT	GSM900	38	897.6	19	Power	3.94	0	10	PASS
LVHT	GSM900	38	897.6	19	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	124	914.8	5	Power	32.78	31	35	PASS
LVHT	GSM900	124	914.8	5	PvT(%)	-0.08	0	0	PASS
LVHT	GSM900	124	914.8	6	Power	30.67	28	34	PASS
LVHT	GSM900	124	914.8	6	PvT(%)	-0.09	0	0	PASS
LVHT	GSM900	124	914.8	7	Power	28.87	26	32	PASS
LVHT	GSM900	124	914.8	7	PvT(%)	-0.09	0	0	PASS
LVHT	GSM900	124	914.8	8	Power	26.85	24	30	PASS
LVHT	GSM900	124	914.8	8	PvT(%)	-0.07	0	0	PASS
LVHT	GSM900	124	914.8	9	Power	24.87	22	28	PASS
LVHT	GSM900	124	914.8	9	PvT(%)	-0.08	0	0	PASS
LVHT	GSM900	124	914.8	10	Power	22.93	20	26	PASS
LVHT	GSM900	124	914.8	10	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	124	914.8	11	Power	20.71	18	24	PASS
LVHT	GSM900	124	914.8	11	PvT(%)	-0.18	0	0	PASS
LVHT	GSM900	124	914.8	12	Power	18.53	16	22	PASS
LVHT	GSM900	124	914.8	12	PvT(%)	-0.12	0	0	PASS
LVHT	GSM900	124	914.8	13	Power	16.47	14	20	PASS
LVHT	GSM900	124	914.8	13	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	124	914.8	14	Power	14.56	12	18	PASS
LVHT	GSM900	124	914.8	14	PvT(%)	-0.04	0	0	PASS
LVHT	GSM900	124	914.8	15	Power	12.27	10	16	PASS
LVHT	GSM900	124	914.8	15	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	124	914.8	16	Power	10.09	6	16	PASS
LVHT	GSM900	124	914.8	16	PvT(%)	-0.19	0	0	PASS
LVHT	GSM900	124	914.8	17	Power	8.03	4	14	PASS
LVHT	GSM900	124	914.8	17	PvT(%)	-0.03	0	0	PASS
LVHT	GSM900	124	914.8	18	Power	5.78	2	12	PASS
LVHT	GSM900	124	914.8	18	PvT(%)	-0.18	0	0	PASS
LVHT	GSM900	124	914.8	19	Power	3.89	0	10	PASS
LVHT	GSM900	124	914.8	19	PvT(%)	-0.19	0	0	PASS
LVLT	GSM900	975	880.2	5	Power	32.26	31	35	PASS
LVLT	GSM900	975	880.2	5	PvT(%)	-0.12	0	0	PASS
LVLT	GSM900	975	880.2	6	Power	30.45	28	34	PASS
LVLT	GSM900	975	880.2	6	PvT(%)	-0.04	0	0	PASS
LVLT	GSM900	975	880.2	7	Power	28.58	26	32	PASS

LVLT	GSM900	975	880.2	7	PvT(%)	-0.03	0	0	PASS
LVLT	GSM900	975	880.2	8	Power	26.55	24	30	PASS
LVLT	GSM900	975	880.2	8	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	975	880.2	9	Power	24.49	22	28	PASS
LVLT	GSM900	975	880.2	9	PvT(%)	-0.17	0	0	PASS
LVLT	GSM900	975	880.2	10	Power	22.55	20	26	PASS
LVLT	GSM900	975	880.2	10	PvT(%)	-0.08	0	0	PASS
LVLT	GSM900	975	880.2	11	Power	20.29	18	24	PASS
LVLT	GSM900	975	880.2	11	PvT(%)	-0.16	0	0	PASS
LVLT	GSM900	975	880.2	12	Power	18.15	16	22	PASS
LVLT	GSM900	975	880.2	12	PvT(%)	-0.14	0	0	PASS
LVLT	GSM900	975	880.2	13	Power	16.14	14	20	PASS
LVLT	GSM900	975	880.2	13	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	975	880.2	14	Power	14.1	12	18	PASS
LVLT	GSM900	975	880.2	14	PvT(%)	-0.11	0	0	PASS
LVLT	GSM900	975	880.2	15	Power	11.93	10	16	PASS
LVLT	GSM900	975	880.2	15	PvT(%)	-0.14	0	0	PASS
LVLT	GSM900	975	880.2	16	Power	9.83	6	16	PASS
LVLT	GSM900	975	880.2	16	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	975	880.2	17	Power	7.81	4	14	PASS
LVLT	GSM900	975	880.2	17	PvT(%)	-0.17	0	0	PASS
LVLT	GSM900	975	880.2	18	Power	5.57	2	12	PASS
LVLT	GSM900	975	880.2	18	PvT(%)	-0.07	0	0	PASS
LVLT	GSM900	975	880.2	19	Power	3.55	0	10	PASS
LVLT	GSM900	975	880.2	19	PvT(%)	-0.18	0	0	PASS
LVLT	GSM900	38	897.6	5	Power	32.45	31	35	PASS
LVLT	GSM900	38	897.6	5	PvT(%)	-0.13	0	0	PASS
LVLT	GSM900	38	897.6	6	Power	30.54	28	34	PASS
LVLT	GSM900	38	897.6	6	PvT(%)	-0.1	0	0	PASS
LVLT	GSM900	38	897.6	7	Power	28.86	26	32	PASS
LVLT	GSM900	38	897.6	7	PvT(%)	-0.05	0	0	PASS
LVLT	GSM900	38	897.6	8	Power	26.77	24	30	PASS
LVLT	GSM900	38	897.6	8	PvT(%)	-0.2	0	0	PASS
LVLT	GSM900	38	897.6	9	Power	24.81	22	28	PASS
LVLT	GSM900	38	897.6	9	PvT(%)	-0.12	0	0	PASS
LVLT	GSM900	38	897.6	10	Power	22.75	20	26	PASS
LVLT	GSM900	38	897.6	10	PvT(%)	-0.13	0	0	PASS
LVLT	GSM900	38	897.6	11	Power	20.67	18	24	PASS
LVLT	GSM900	38	897.6	11	PvT(%)	-0.05	0	0	PASS
LVLT	GSM900	38	897.6	12	Power	18.6	16	22	PASS
LVLT	GSM900	38	897.6	12	PvT(%)	-0.07	0	0	PASS
LVLT	GSM900	38	897.6	13	Power	16.43	14	20	PASS
LVLT	GSM900	38	897.6	13	PvT(%)	-0.05	0	0	PASS
LVLT	GSM900	38	897.6	14	Power	14.47	12	18	PASS



LVLT	GSM900	38	897.6	14	PvT(%)	-0.13	0	0	PASS
LVLT	GSM900	38	897.6	15	Power	12.26	10	16	PASS
LVLT	GSM900	38	897.6	15	PvT(%)	-0.2	0	0	PASS
LVLT	GSM900	38	897.6	16	Power	10.04	6	16	PASS
LVLT	GSM900	38	897.6	16	PvT(%)	-0.2	0	0	PASS
LVLT	GSM900	38	897.6	17	Power	8.1	4	14	PASS
LVLT	GSM900	38	897.6	17	PvT(%)	-0.13	0	0	PASS
LVLT	GSM900	38	897.6	18	Power	5.85	2	12	PASS
LVLT	GSM900	38	897.6	18	PvT(%)	-0.1	0	0	PASS
LVLT	GSM900	38	897.6	19	Power	4.06	0	10	PASS
LVLT	GSM900	38	897.6	19	PvT(%)	-0.03	0	0	PASS
LVLT	GSM900	124	914.8	5	Power	32.69	31	35	PASS
LVLT	GSM900	124	914.8	5	PvT(%)	-0.13	0	0	PASS
LVLT	GSM900	124	914.8	6	Power	30.6	28	34	PASS
LVLT	GSM900	124	914.8	6	PvT(%)	-0.19	0	0	PASS
LVLT	GSM900	124	914.8	7	Power	28.83	26	32	PASS
LVLT	GSM900	124	914.8	7	PvT(%)	-0.12	0	0	PASS
LVLT	GSM900	124	914.8	8	Power	26.88	24	30	PASS
LVLT	GSM900	124	914.8	8	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	124	914.8	9	Power	24.91	22	28	PASS
LVLT	GSM900	124	914.8	9	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	124	914.8	10	Power	22.78	20	26	PASS
LVLT	GSM900	124	914.8	10	PvT(%)	-0.06	0	0	PASS
LVLT	GSM900	124	914.8	11	Power	20.68	18	24	PASS
LVLT	GSM900	124	914.8	11	PvT(%)	-0.12	0	0	PASS
LVLT	GSM900	124	914.8	12	Power	18.49	16	22	PASS
LVLT	GSM900	124	914.8	12	PvT(%)	-0.14	0	0	PASS
LVLT	GSM900	124	914.8	13	Power	16.44	14	20	PASS
LVLT	GSM900	124	914.8	13	PvT(%)	-0.02	0	0	PASS
LVLT	GSM900	124	914.8	14	Power	14.45	12	18	PASS
LVLT	GSM900	124	914.8	14	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	124	914.8	15	Power	12.32	10	16	PASS
LVLT	GSM900	124	914.8	15	PvT(%)	-0.2	0	0	PASS
LVLT	GSM900	124	914.8	16	Power	10.23	6	16	PASS
LVLT	GSM900	124	914.8	16	PvT(%)	-0.07	0	0	PASS
LVLT	GSM900	124	914.8	17	Power	8.09	4	14	PASS
LVLT	GSM900	124	914.8	17	PvT(%)	-0.2	0	0	PASS
LVLT	GSM900	124	914.8	18	Power	5.72	2	12	PASS
LVLT	GSM900	124	914.8	18	PvT(%)	-0.13	0	0	PASS
LVLT	GSM900	124	914.8	19	Power	4	0	10	PASS
LVLT	GSM900	124	914.8	19	PvT(%)	-0.17	0	0	PASS

**Clause 4.2.6 Transmitter-Modulation Spectrum**

Condition	Band	Channel	Frequency	PCL	Offset	Relative	Relative	Absolute	Absolute	Verdict
-----------	------	---------	-----------	-----	--------	----------	----------	----------	----------	---------

			(MHz)		(kHz)	Result (dB)	Limit (dB)	Result (dBm)	Limit (dBm)	
HVHT	GSM1800	512	1710.2	0	-1800	-77.53	-60	-54.74	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1600	-77.19	-60	-54.51	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1400	-75.78	-60	-53.11	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1200	-73.74	-60	-50.96	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1000	-71.5	-60	-48.8	-55	PASS
HVHT	GSM1800	512	1710.2	0	-800	-70.29	-60	-47.47	-55	PASS
HVHT	GSM1800	512	1710.2	0	-600	-66.28	-60	-43.52	-55	PASS
HVHT	GSM1800	512	1710.2	0	-400	-60.48	-60	-37.77	-36	PASS
HVHT	GSM1800	512	1710.2	0	-250	-40.97	-33	-18.22	-36	PASS
HVHT	GSM1800	512	1710.2	0	-200	-36.48	-30	-13.84	-36	PASS
HVHT	GSM1800	512	1710.2	0	-100	-9.62	0.5	13.15	-36	PASS
HVHT	GSM1800	512	1710.2	0	100	-9.34	0.5	13.3	-36	PASS
HVHT	GSM1800	512	1710.2	0	200	-36.75	-30	-14.12	-36	PASS
HVHT	GSM1800	512	1710.2	0	250	-40.8	-33	-18.11	-36	PASS
HVHT	GSM1800	512	1710.2	0	400	-60.62	-60	-37.86	-36	PASS
HVHT	GSM1800	512	1710.2	0	600	-66.63	-60	-43.98	-55	PASS
HVHT	GSM1800	512	1710.2	0	800	-69.43	-60	-46.73	-55	PASS
HVHT	GSM1800	512	1710.2	0	1000	-72.16	-60	-49.56	-55	PASS
HVHT	GSM1800	512	1710.2	0	1200	-74.87	-60	-52.16	-55	PASS
HVHT	GSM1800	512	1710.2	0	1400	-75.48	-60	-52.77	-55	PASS
HVHT	GSM1800	512	1710.2	0	1600	-76.73	-60	-53.99	-55	PASS
HVHT	GSM1800	512	1710.2	0	1800	-77.89	-60	-55.19	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1800	-74.39	-60	-82.47	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1600	-72.4	-60	-80.54	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1400	-69.88	-60	-78	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1200	-67.02	-60	-75.04	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1000	-63.37	-60	-71.43	-55	PASS
HVHT	GSM1800	512	1710.2	15	-800	-60.41	-60	-68.52	-55	PASS
HVHT	GSM1800	512	1710.2	15	-600	-63.01	-60	-71.08	-55	PASS
HVHT	GSM1800	512	1710.2	15	-400	-58.98	-60	-67.09	-36	PASS
HVHT	GSM1800	512	1710.2	15	-250	-40.83	-33	-48.88	-36	PASS
HVHT	GSM1800	512	1710.2	15	-200	-36.27	-30	-44.41	-36	PASS
HVHT	GSM1800	512	1710.2	15	-100	-8.52	0.5	-16.6	-36	PASS
HVHT	GSM1800	512	1710.2	15	100	-9.39	0.5	-17.52	-36	PASS
HVHT	GSM1800	512	1710.2	15	200	-37.12	-30	-45.26	-36	PASS
HVHT	GSM1800	512	1710.2	15	250	-40.59	-33	-48.65	-36	PASS
HVHT	GSM1800	512	1710.2	15	400	-59.12	-60	-67.11	-36	PASS
HVHT	GSM1800	512	1710.2	15	600	-63.17	-60	-71.13	-55	PASS
HVHT	GSM1800	512	1710.2	15	800	-63.81	-60	-71.86	-55	PASS
HVHT	GSM1800	512	1710.2	15	1000	-66.88	-60	-75.02	-55	PASS
HVHT	GSM1800	512	1710.2	15	1200	-70.17	-60	-78.23	-55	PASS
HVHT	GSM1800	512	1710.2	15	1400	-72.66	-60	-80.71	-55	PASS

HVHT	GSM1800	512	1710.2	15	1600	-73.74	-60	-81.96	-55	PASS
HVHT	GSM1800	512	1710.2	15	1800	-74.84	-60	-82.86	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1800	-76.4	-60	-54.36	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1600	-75.77	-60	-53.86	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1400	-74.39	-60	-52.37	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1200	-72.97	-60	-51	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1000	-70.53	-60	-48.71	-55	PASS
HVHT	GSM1800	698	1747.4	0	-800	-68.67	-60	-46.65	-55	PASS
HVHT	GSM1800	698	1747.4	0	-600	-65.98	-60	-44.06	-55	PASS
HVHT	GSM1800	698	1747.4	0	-400	-58.61	-60	-36.63	-36	PASS
HVHT	GSM1800	698	1747.4	0	-250	-41	-33	-19.23	-36	PASS
HVHT	GSM1800	698	1747.4	0	-200	-36.95	-30	-15	-36	PASS
HVHT	GSM1800	698	1747.4	0	-100	-9.49	0.5	12.47	-36	PASS
HVHT	GSM1800	698	1747.4	0	100	-9.67	0.5	12.18	-36	PASS
HVHT	GSM1800	698	1747.4	0	200	-36.88	-30	-14.93	-36	PASS
HVHT	GSM1800	698	1747.4	0	250	-41	-33	-19.02	-36	PASS
HVHT	GSM1800	698	1747.4	0	400	-59.17	-60	-37.07	-36	PASS
HVHT	GSM1800	698	1747.4	0	600	-65.23	-60	-43.2	-55	PASS
HVHT	GSM1800	698	1747.4	0	800	-68.79	-60	-46.81	-55	PASS
HVHT	GSM1800	698	1747.4	0	1000	-71.34	-60	-49.41	-55	PASS
HVHT	GSM1800	698	1747.4	0	1200	-73.25	-60	-51.18	-55	PASS
HVHT	GSM1800	698	1747.4	0	1400	-74.01	-60	-52.1	-55	PASS
HVHT	GSM1800	698	1747.4	0	1600	-75.97	-60	-54.09	-55	PASS
HVHT	GSM1800	698	1747.4	0	1800	-77.77	-60	-55.78	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1800	-74.73	-60	-82.8	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1600	-72.43	-60	-80.24	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1400	-70.26	-60	-78.13	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1200	-67.05	-60	-74.89	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1000	-63.64	-60	-71.42	-55	PASS
HVHT	GSM1800	698	1747.4	15	-800	-58.89	-60	-66.67	-55	PASS
HVHT	GSM1800	698	1747.4	15	-600	-62.37	-60	-70.14	-55	PASS
HVHT	GSM1800	698	1747.4	15	-400	-58.24	-60	-66.2	-36	PASS
HVHT	GSM1800	698	1747.4	15	-250	-40.44	-33	-48.19	-36	PASS
HVHT	GSM1800	698	1747.4	15	-200	-36.66	-30	-44.4	-36	PASS
HVHT	GSM1800	698	1747.4	15	-100	-8.65	0.5	-16.53	-36	PASS
HVHT	GSM1800	698	1747.4	15	100	-10.03	0.5	-18.03	-36	PASS
HVHT	GSM1800	698	1747.4	15	200	-36.9	-30	-44.67	-36	PASS
HVHT	GSM1800	698	1747.4	15	250	-40.33	-33	-48.07	-36	PASS
HVHT	GSM1800	698	1747.4	15	400	-59.22	-60	-67.24	-36	PASS
HVHT	GSM1800	698	1747.4	15	600	-63.75	-60	-71.67	-55	PASS
HVHT	GSM1800	698	1747.4	15	800	-63.15	-60	-71.03	-55	PASS
HVHT	GSM1800	698	1747.4	15	1000	-67.94	-60	-75.74	-55	PASS
HVHT	GSM1800	698	1747.4	15	1200	-71.36	-60	-79.22	-55	PASS
HVHT	GSM1800	698	1747.4	15	1400	-72.59	-60	-80.34	-55	PASS

HVHT	GSM1800	698	1747.4	15	1600	-73.36	-60	-81.22	-55	PASS
HVHT	GSM1800	698	1747.4	15	1800	-74.21	-60	-82.16	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1800	-75.55	-60	-55.18	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1600	-75.24	-60	-54.79	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1400	-74.01	-60	-53.41	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1200	-72.34	-60	-51.93	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1000	-69.7	-60	-49.4	-55	PASS
HVHT	GSM1800	885	1784.8	0	-800	-66.69	-60	-46.31	-55	PASS
HVHT	GSM1800	885	1784.8	0	-600	-64.61	-60	-44.03	-55	PASS
HVHT	GSM1800	885	1784.8	0	-400	-58.5	-60	-38.04	-36	PASS
HVHT	GSM1800	885	1784.8	0	-250	-39.92	-33	-19.52	-36	PASS
HVHT	GSM1800	885	1784.8	0	-200	-36.05	-30	-15.65	-36	PASS
HVHT	GSM1800	885	1784.8	0	-100	-8.69	0.5	11.76	-36	PASS
HVHT	GSM1800	885	1784.8	0	100	-7.91	0.5	12.55	-36	PASS
HVHT	GSM1800	885	1784.8	0	200	-36.36	-30	-15.96	-36	PASS
HVHT	GSM1800	885	1784.8	0	250	-39.69	-33	-19.13	-36	PASS
HVHT	GSM1800	885	1784.8	0	400	-57.9	-60	-37.55	-36	PASS
HVHT	GSM1800	885	1784.8	0	600	-63.34	-60	-42.94	-55	PASS
HVHT	GSM1800	885	1784.8	0	800	-67.59	-60	-47.09	-55	PASS
HVHT	GSM1800	885	1784.8	0	1000	-70.18	-60	-49.89	-55	PASS
HVHT	GSM1800	885	1784.8	0	1200	-71.46	-60	-51.1	-55	PASS
HVHT	GSM1800	885	1784.8	0	1400	-72.76	-60	-52.32	-55	PASS
HVHT	GSM1800	885	1784.8	0	1600	-74.6	-60	-54.01	-55	PASS
HVHT	GSM1800	885	1784.8	0	1800	-75.85	-60	-55.42	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1800	-74.58	-60	-82.5	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1600	-72.54	-60	-80.41	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1400	-70.58	-60	-78.41	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1200	-67.17	-60	-75.25	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1000	-63.3	-60	-71.34	-55	PASS
HVHT	GSM1800	885	1784.8	15	-800	-61.62	-60	-69.67	-55	PASS
HVHT	GSM1800	885	1784.8	15	-600	-61.72	-60	-69.55	-55	PASS
HVHT	GSM1800	885	1784.8	15	-400	-58.45	-60	-66.26	-36	PASS
HVHT	GSM1800	885	1784.8	15	-250	-40.65	-33	-48.69	-36	PASS
HVHT	GSM1800	885	1784.8	15	-200	-37.25	-30	-45.23	-36	PASS
HVHT	GSM1800	885	1784.8	15	-100	-9.54	0.5	-17.4	-36	PASS
HVHT	GSM1800	885	1784.8	15	100	-9.35	0.5	-17.33	-36	PASS
HVHT	GSM1800	885	1784.8	15	200	-37.08	-30	-45.13	-36	PASS
HVHT	GSM1800	885	1784.8	15	250	-41.26	-33	-49.19	-36	PASS
HVHT	GSM1800	885	1784.8	15	400	-58.56	-60	-66.58	-36	PASS
HVHT	GSM1800	885	1784.8	15	600	-64.18	-60	-72.22	-55	PASS
HVHT	GSM1800	885	1784.8	15	800	-64.16	-60	-72.19	-55	PASS
HVHT	GSM1800	885	1784.8	15	1000	-67.3	-60	-75.29	-55	PASS
HVHT	GSM1800	885	1784.8	15	1200	-69.86	-60	-77.93	-55	PASS
HVHT	GSM1800	885	1784.8	15	1400	-71.6	-60	-79.43	-55	PASS

HVHT	GSM1800	885	1784.8	15	1600	-73.85	-60	-81.72	-55	PASS
HVHT	GSM1800	885	1784.8	15	1800	-74.63	-60	-82.69	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1800	-77.45	-60	-54.81	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1600	-77.1	-60	-54.54	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1400	-75.83	-60	-53.13	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1200	-73.74	-60	-51.1	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1000	-71.61	-60	-48.87	-55	PASS
HVLT	GSM1800	512	1710.2	0	-800	-70.16	-60	-47.53	-55	PASS
HVLT	GSM1800	512	1710.2	0	-600	-66.27	-60	-43.52	-55	PASS
HVLT	GSM1800	512	1710.2	0	-400	-60.57	-60	-37.86	-36	PASS
HVLT	GSM1800	512	1710.2	0	-250	-41.02	-33	-18.27	-36	PASS
HVLT	GSM1800	512	1710.2	0	-200	-36.49	-30	-13.94	-36	PASS
HVLT	GSM1800	512	1710.2	0	-100	-9.63	0.5	13.1	-36	PASS
HVLT	GSM1800	512	1710.2	0	100	-9.24	0.5	13.31	-36	PASS
HVLT	GSM1800	512	1710.2	0	200	-36.65	-30	-14.13	-36	PASS
HVLT	GSM1800	512	1710.2	0	250	-40.85	-33	-18.22	-36	PASS
HVLT	GSM1800	512	1710.2	0	400	-60.49	-60	-37.91	-36	PASS
HVLT	GSM1800	512	1710.2	0	600	-66.78	-60	-43.93	-55	PASS
HVLT	GSM1800	512	1710.2	0	800	-69.56	-60	-46.71	-55	PASS
HVLT	GSM1800	512	1710.2	0	1000	-72.32	-60	-49.51	-55	PASS
HVLT	GSM1800	512	1710.2	0	1200	-74.87	-60	-52.1	-55	PASS
HVLT	GSM1800	512	1710.2	0	1400	-75.41	-60	-52.64	-55	PASS
HVLT	GSM1800	512	1710.2	0	1600	-76.69	-60	-53.86	-55	PASS
HVLT	GSM1800	512	1710.2	0	1800	-77.78	-60	-55.03	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1800	-74.37	-60	-82.32	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1600	-72.34	-60	-80.55	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1400	-69.9	-60	-78.01	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1200	-67.1	-60	-75.09	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1000	-63.36	-60	-71.52	-55	PASS
HVLT	GSM1800	512	1710.2	15	-800	-60.35	-60	-68.38	-55	PASS
HVLT	GSM1800	512	1710.2	15	-600	-62.99	-60	-71	-55	PASS
HVLT	GSM1800	512	1710.2	15	-400	-59.11	-60	-67.13	-36	PASS
HVLT	GSM1800	512	1710.2	15	-250	-40.99	-33	-48.97	-36	PASS
HVLT	GSM1800	512	1710.2	15	-200	-36.35	-30	-44.27	-36	PASS
HVLT	GSM1800	512	1710.2	15	-100	-8.65	0.5	-16.52	-36	PASS
HVLT	GSM1800	512	1710.2	15	100	-9.52	0.5	-17.53	-36	PASS
HVLT	GSM1800	512	1710.2	15	200	-37.16	-30	-45.2	-36	PASS
HVLT	GSM1800	512	1710.2	15	250	-40.68	-33	-48.56	-36	PASS
HVLT	GSM1800	512	1710.2	15	400	-59.03	-60	-67.26	-36	PASS
HVLT	GSM1800	512	1710.2	15	600	-63.1	-60	-71.26	-55	PASS
HVLT	GSM1800	512	1710.2	15	800	-63.77	-60	-71.92	-55	PASS
HVLT	GSM1800	512	1710.2	15	1000	-66.88	-60	-75.07	-55	PASS
HVLT	GSM1800	512	1710.2	15	1200	-70.24	-60	-78.27	-55	PASS
HVLT	GSM1800	512	1710.2	15	1400	-72.75	-60	-80.78	-55	PASS

HVLT	GSM1800	512	1710.2	15	1600	-73.91	-60	-81.85	-55	PASS
HVLT	GSM1800	512	1710.2	15	1800	-74.8	-60	-82.89	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1800	-76.45	-60	-54.46	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1600	-75.74	-60	-53.94	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1400	-74.4	-60	-52.26	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1200	-72.88	-60	-50.88	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1000	-70.53	-60	-48.55	-55	PASS
HVLT	GSM1800	698	1747.4	0	-800	-68.59	-60	-46.71	-55	PASS
HVLT	GSM1800	698	1747.4	0	-600	-65.9	-60	-43.99	-55	PASS
HVLT	GSM1800	698	1747.4	0	-400	-58.57	-60	-36.71	-36	PASS
HVLT	GSM1800	698	1747.4	0	-250	-41.11	-33	-19.21	-36	PASS
HVLT	GSM1800	698	1747.4	0	-200	-36.89	-30	-14.85	-36	PASS
HVLT	GSM1800	698	1747.4	0	-100	-9.45	0.5	12.46	-36	PASS
HVLT	GSM1800	698	1747.4	0	100	-9.78	0.5	12.25	-36	PASS
HVLT	GSM1800	698	1747.4	0	200	-37.01	-30	-15.01	-36	PASS
HVLT	GSM1800	698	1747.4	0	250	-40.98	-33	-18.93	-36	PASS
HVLT	GSM1800	698	1747.4	0	400	-59.17	-60	-37.07	-36	PASS
HVLT	GSM1800	698	1747.4	0	600	-65.11	-60	-43.23	-55	PASS
HVLT	GSM1800	698	1747.4	0	800	-68.76	-60	-46.91	-55	PASS
HVLT	GSM1800	698	1747.4	0	1000	-71.51	-60	-49.56	-55	PASS
HVLT	GSM1800	698	1747.4	0	1200	-73.22	-60	-51.2	-55	PASS
HVLT	GSM1800	698	1747.4	0	1400	-73.91	-60	-52.12	-55	PASS
HVLT	GSM1800	698	1747.4	0	1600	-76.01	-60	-53.95	-55	PASS
HVLT	GSM1800	698	1747.4	0	1800	-77.7	-60	-55.69	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1800	-74.87	-60	-82.75	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1600	-72.37	-60	-80.18	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1400	-70.13	-60	-78.14	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1200	-67.01	-60	-75.08	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1000	-63.59	-60	-71.53	-55	PASS
HVLT	GSM1800	698	1747.4	15	-800	-58.96	-60	-66.7	-55	PASS
HVLT	GSM1800	698	1747.4	15	-600	-62.36	-60	-70.19	-55	PASS
HVLT	GSM1800	698	1747.4	15	-400	-58.39	-60	-66.13	-36	PASS
HVLT	GSM1800	698	1747.4	15	-250	-40.36	-33	-48.19	-36	PASS
HVLT	GSM1800	698	1747.4	15	-200	-36.53	-30	-44.4	-36	PASS
HVLT	GSM1800	698	1747.4	15	-100	-8.81	0.5	-16.61	-36	PASS
HVLT	GSM1800	698	1747.4	15	100	-10.12	0.5	-18.05	-36	PASS
HVLT	GSM1800	698	1747.4	15	200	-36.86	-30	-44.69	-36	PASS
HVLT	GSM1800	698	1747.4	15	250	-40.24	-33	-48.15	-36	PASS
HVLT	GSM1800	698	1747.4	15	400	-59.3	-60	-67.17	-36	PASS
HVLT	GSM1800	698	1747.4	15	600	-63.76	-60	-71.58	-55	PASS
HVLT	GSM1800	698	1747.4	15	800	-63.03	-60	-71.02	-55	PASS
HVLT	GSM1800	698	1747.4	15	1000	-67.92	-60	-75.73	-55	PASS
HVLT	GSM1800	698	1747.4	15	1200	-71.3	-60	-79.25	-55	PASS
HVLT	GSM1800	698	1747.4	15	1400	-72.63	-60	-80.34	-55	PASS

HVLT	GSM1800	698	1747.4	15	1600	-73.2	-60	-81.11	-55	PASS
HVLT	GSM1800	698	1747.4	15	1800	-74.29	-60	-82.01	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1800	-75.58	-60	-55.12	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1600	-75.19	-60	-54.91	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1400	-73.88	-60	-53.38	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1200	-72.43	-60	-51.97	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1000	-69.88	-60	-49.34	-55	PASS
HVLT	GSM1800	885	1784.8	0	-800	-66.64	-60	-46.17	-55	PASS
HVLT	GSM1800	885	1784.8	0	-600	-64.46	-60	-44.15	-55	PASS
HVLT	GSM1800	885	1784.8	0	-400	-58.48	-60	-38.1	-36	PASS
HVLT	GSM1800	885	1784.8	0	-250	-40.03	-33	-19.59	-36	PASS
HVLT	GSM1800	885	1784.8	0	-200	-35.96	-30	-15.47	-36	PASS
HVLT	GSM1800	885	1784.8	0	-100	-8.58	0.5	11.8	-36	PASS
HVLT	GSM1800	885	1784.8	0	100	-7.86	0.5	12.55	-36	PASS
HVLT	GSM1800	885	1784.8	0	200	-36.43	-30	-15.93	-36	PASS
HVLT	GSM1800	885	1784.8	0	250	-39.68	-33	-19.22	-36	PASS
HVLT	GSM1800	885	1784.8	0	400	-57.85	-60	-37.42	-36	PASS
HVLT	GSM1800	885	1784.8	0	600	-63.49	-60	-43	-55	PASS
HVLT	GSM1800	885	1784.8	0	800	-67.59	-60	-47.13	-55	PASS
HVLT	GSM1800	885	1784.8	0	1000	-70.17	-60	-49.71	-55	PASS
HVLT	GSM1800	885	1784.8	0	1200	-71.53	-60	-51.09	-55	PASS
HVLT	GSM1800	885	1784.8	0	1400	-72.78	-60	-52.44	-55	PASS
HVLT	GSM1800	885	1784.8	0	1600	-74.44	-60	-54.18	-55	PASS
HVLT	GSM1800	885	1784.8	0	1800	-75.77	-60	-55.37	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1800	-74.41	-60	-82.43	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1600	-72.48	-60	-80.43	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1400	-70.63	-60	-78.39	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1200	-67.26	-60	-75.22	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1000	-63.28	-60	-71.4	-55	PASS
HVLT	GSM1800	885	1784.8	15	-800	-61.78	-60	-69.74	-55	PASS
HVLT	GSM1800	885	1784.8	15	-600	-61.71	-60	-69.69	-55	PASS
HVLT	GSM1800	885	1784.8	15	-400	-58.3	-60	-66.35	-36	PASS
HVLT	GSM1800	885	1784.8	15	-250	-40.62	-33	-48.69	-36	PASS
HVLT	GSM1800	885	1784.8	15	-200	-37.34	-30	-45.35	-36	PASS
HVLT	GSM1800	885	1784.8	15	-100	-9.53	0.5	-17.49	-36	PASS
HVLT	GSM1800	885	1784.8	15	100	-9.4	0.5	-17.33	-36	PASS
HVLT	GSM1800	885	1784.8	15	200	-37.21	-30	-45.09	-36	PASS
HVLT	GSM1800	885	1784.8	15	250	-41.25	-33	-49.1	-36	PASS
HVLT	GSM1800	885	1784.8	15	400	-58.61	-60	-66.57	-36	PASS
HVLT	GSM1800	885	1784.8	15	600	-64.15	-60	-72.15	-55	PASS
HVLT	GSM1800	885	1784.8	15	800	-64.21	-60	-72.18	-55	PASS
HVLT	GSM1800	885	1784.8	15	1000	-67.28	-60	-75.23	-55	PASS
HVLT	GSM1800	885	1784.8	15	1200	-69.9	-60	-77.91	-55	PASS
HVLT	GSM1800	885	1784.8	15	1400	-71.64	-60	-79.59	-55	PASS

HVLT	GSM1800	885	1784.8	15	1600	-73.83	-60	-81.7	-55	PASS
HVLT	GSM1800	885	1784.8	15	1800	-74.7	-60	-82.64	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1800	-77.51	-60	-54.74	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1600	-77.1	-60	-54.41	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1400	-75.9	-60	-53.13	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1200	-73.71	-60	-50.97	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1000	-71.45	-60	-48.75	-55	PASS
LVHT	GSM1800	512	1710.2	0	-800	-70.14	-60	-47.49	-55	PASS
LVHT	GSM1800	512	1710.2	0	-600	-66.26	-60	-43.53	-55	PASS
LVHT	GSM1800	512	1710.2	0	-400	-60.44	-60	-37.8	-36	PASS
LVHT	GSM1800	512	1710.2	0	-250	-41.03	-33	-18.19	-36	PASS
LVHT	GSM1800	512	1710.2	0	-200	-36.58	-30	-13.8	-36	PASS
LVHT	GSM1800	512	1710.2	0	-100	-9.62	0.5	13.23	-36	PASS
LVHT	GSM1800	512	1710.2	0	100	-9.38	0.5	13.31	-36	PASS
LVHT	GSM1800	512	1710.2	0	200	-36.79	-30	-14.1	-36	PASS
LVHT	GSM1800	512	1710.2	0	250	-40.79	-33	-18.16	-36	PASS
LVHT	GSM1800	512	1710.2	0	400	-60.53	-60	-37.86	-36	PASS
LVHT	GSM1800	512	1710.2	0	600	-66.63	-60	-43.99	-55	PASS
LVHT	GSM1800	512	1710.2	0	800	-69.52	-60	-46.78	-55	PASS
LVHT	GSM1800	512	1710.2	0	1000	-72.28	-60	-49.59	-55	PASS
LVHT	GSM1800	512	1710.2	0	1200	-74.76	-60	-52.12	-55	PASS
LVHT	GSM1800	512	1710.2	0	1400	-75.5	-60	-52.66	-55	PASS
LVHT	GSM1800	512	1710.2	0	1600	-76.6	-60	-53.87	-55	PASS
LVHT	GSM1800	512	1710.2	0	1800	-77.84	-60	-55.02	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1800	-74.25	-60	-82.37	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1600	-72.41	-60	-80.37	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1400	-69.98	-60	-78.06	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1200	-67.05	-60	-74.98	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1000	-63.37	-60	-71.43	-55	PASS
LVHT	GSM1800	512	1710.2	15	-800	-60.4	-60	-68.37	-55	PASS
LVHT	GSM1800	512	1710.2	15	-600	-62.97	-60	-71	-55	PASS
LVHT	GSM1800	512	1710.2	15	-400	-59.04	-60	-67.03	-36	PASS
LVHT	GSM1800	512	1710.2	15	-250	-40.86	-33	-49	-36	PASS
LVHT	GSM1800	512	1710.2	15	-200	-36.18	-30	-44.35	-36	PASS
LVHT	GSM1800	512	1710.2	15	-100	-8.47	0.5	-16.63	-36	PASS
LVHT	GSM1800	512	1710.2	15	100	-9.51	0.5	-17.44	-36	PASS
LVHT	GSM1800	512	1710.2	15	200	-37.2	-30	-45.19	-36	PASS
LVHT	GSM1800	512	1710.2	15	250	-40.54	-33	-48.74	-36	PASS
LVHT	GSM1800	512	1710.2	15	400	-59.07	-60	-67.12	-36	PASS
LVHT	GSM1800	512	1710.2	15	600	-63.06	-60	-71.24	-55	PASS
LVHT	GSM1800	512	1710.2	15	800	-63.79	-60	-71.88	-55	PASS
LVHT	GSM1800	512	1710.2	15	1000	-67	-60	-74.96	-55	PASS
LVHT	GSM1800	512	1710.2	15	1200	-70.13	-60	-78.18	-55	PASS
LVHT	GSM1800	512	1710.2	15	1400	-72.61	-60	-80.77	-55	PASS



LVHT	GSM1800	512	1710.2	15	1600	-73.91	-60	-81.81	-55	PASS
LVHT	GSM1800	512	1710.2	15	1800	-74.85	-60	-82.95	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1800	-76.47	-60	-54.43	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1600	-75.84	-60	-53.82	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1400	-74.29	-60	-52.45	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1200	-72.82	-60	-50.96	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1000	-70.51	-60	-48.52	-55	PASS
LVHT	GSM1800	698	1747.4	0	-800	-68.75	-60	-46.68	-55	PASS
LVHT	GSM1800	698	1747.4	0	-600	-65.95	-60	-43.95	-55	PASS
LVHT	GSM1800	698	1747.4	0	-400	-58.56	-60	-36.59	-36	PASS
LVHT	GSM1800	698	1747.4	0	-250	-41.11	-33	-19.17	-36	PASS
LVHT	GSM1800	698	1747.4	0	-200	-36.94	-30	-15	-36	PASS
LVHT	GSM1800	698	1747.4	0	-100	-9.41	0.5	12.39	-36	PASS
LVHT	GSM1800	698	1747.4	0	100	-9.75	0.5	12.23	-36	PASS
LVHT	GSM1800	698	1747.4	0	200	-36.88	-30	-14.85	-36	PASS
LVHT	GSM1800	698	1747.4	0	250	-40.98	-33	-18.9	-36	PASS
LVHT	GSM1800	698	1747.4	0	400	-59.14	-60	-37.11	-36	PASS
LVHT	GSM1800	698	1747.4	0	600	-65.2	-60	-43.29	-55	PASS
LVHT	GSM1800	698	1747.4	0	800	-68.82	-60	-46.85	-55	PASS
LVHT	GSM1800	698	1747.4	0	1000	-71.39	-60	-49.43	-55	PASS
LVHT	GSM1800	698	1747.4	0	1200	-73.31	-60	-51.37	-55	PASS
LVHT	GSM1800	698	1747.4	0	1400	-74.01	-60	-51.98	-55	PASS
LVHT	GSM1800	698	1747.4	0	1600	-75.93	-60	-54.02	-55	PASS
LVHT	GSM1800	698	1747.4	0	1800	-77.69	-60	-55.74	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1800	-74.87	-60	-82.7	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1600	-72.4	-60	-80.32	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1400	-70.26	-60	-78.11	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1200	-67	-60	-74.93	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1000	-63.51	-60	-71.44	-55	PASS
LVHT	GSM1800	698	1747.4	15	-800	-58.86	-60	-66.86	-55	PASS
LVHT	GSM1800	698	1747.4	15	-600	-62.36	-60	-70.27	-55	PASS
LVHT	GSM1800	698	1747.4	15	-400	-58.4	-60	-66.18	-36	PASS
LVHT	GSM1800	698	1747.4	15	-250	-40.34	-33	-48.37	-36	PASS
LVHT	GSM1800	698	1747.4	15	-200	-36.64	-30	-44.54	-36	PASS
LVHT	GSM1800	698	1747.4	15	-100	-8.69	0.5	-16.52	-36	PASS
LVHT	GSM1800	698	1747.4	15	100	-10.04	0.5	-17.97	-36	PASS
LVHT	GSM1800	698	1747.4	15	200	-36.73	-30	-44.8	-36	PASS
LVHT	GSM1800	698	1747.4	15	250	-40.23	-33	-48.19	-36	PASS
LVHT	GSM1800	698	1747.4	15	400	-59.17	-60	-67.16	-36	PASS
LVHT	GSM1800	698	1747.4	15	600	-63.78	-60	-71.66	-55	PASS
LVHT	GSM1800	698	1747.4	15	800	-63.11	-60	-70.95	-55	PASS
LVHT	GSM1800	698	1747.4	15	1000	-67.94	-60	-75.85	-55	PASS
LVHT	GSM1800	698	1747.4	15	1200	-71.32	-60	-79.32	-55	PASS
LVHT	GSM1800	698	1747.4	15	1400	-72.46	-60	-80.34	-55	PASS

LVHT	GSM1800	698	1747.4	15	1600	-73.25	-60	-81.15	-55	PASS
LVHT	GSM1800	698	1747.4	15	1800	-74.24	-60	-82.16	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1800	-75.61	-60	-55.05	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1600	-75.26	-60	-54.92	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1400	-73.83	-60	-53.43	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1200	-72.31	-60	-51.91	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1000	-69.85	-60	-49.38	-55	PASS
LVHT	GSM1800	885	1784.8	0	-800	-66.6	-60	-46.26	-55	PASS
LVHT	GSM1800	885	1784.8	0	-600	-64.5	-60	-44.06	-55	PASS
LVHT	GSM1800	885	1784.8	0	-400	-58.54	-60	-38.11	-36	PASS
LVHT	GSM1800	885	1784.8	0	-250	-40	-33	-19.55	-36	PASS
LVHT	GSM1800	885	1784.8	0	-200	-35.94	-30	-15.59	-36	PASS
LVHT	GSM1800	885	1784.8	0	-100	-8.67	0.5	11.77	-36	PASS
LVHT	GSM1800	885	1784.8	0	100	-7.95	0.5	12.48	-36	PASS
LVHT	GSM1800	885	1784.8	0	200	-36.29	-30	-15.82	-36	PASS
LVHT	GSM1800	885	1784.8	0	250	-39.51	-33	-19.13	-36	PASS
LVHT	GSM1800	885	1784.8	0	400	-58.01	-60	-37.54	-36	PASS
LVHT	GSM1800	885	1784.8	0	600	-63.39	-60	-43.05	-55	PASS
LVHT	GSM1800	885	1784.8	0	800	-67.56	-60	-47.09	-55	PASS
LVHT	GSM1800	885	1784.8	0	1000	-70.25	-60	-49.86	-55	PASS
LVHT	GSM1800	885	1784.8	0	1200	-71.56	-60	-51.08	-55	PASS
LVHT	GSM1800	885	1784.8	0	1400	-72.86	-60	-52.46	-55	PASS
LVHT	GSM1800	885	1784.8	0	1600	-74.55	-60	-54.07	-55	PASS
LVHT	GSM1800	885	1784.8	0	1800	-75.89	-60	-55.4	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1800	-74.58	-60	-82.35	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1600	-72.55	-60	-80.55	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1400	-70.64	-60	-78.42	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1200	-67.28	-60	-75.11	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1000	-63.34	-60	-71.22	-55	PASS
LVHT	GSM1800	885	1784.8	15	-800	-61.63	-60	-69.55	-55	PASS
LVHT	GSM1800	885	1784.8	15	-600	-61.75	-60	-69.7	-55	PASS
LVHT	GSM1800	885	1784.8	15	-400	-58.44	-60	-66.22	-36	PASS
LVHT	GSM1800	885	1784.8	15	-250	-40.64	-33	-48.66	-36	PASS
LVHT	GSM1800	885	1784.8	15	-200	-37.33	-30	-45.19	-36	PASS
LVHT	GSM1800	885	1784.8	15	-100	-9.48	0.5	-17.4	-36	PASS
LVHT	GSM1800	885	1784.8	15	100	-9.33	0.5	-17.21	-36	PASS
LVHT	GSM1800	885	1784.8	15	200	-37.23	-30	-45	-36	PASS
LVHT	GSM1800	885	1784.8	15	250	-41.22	-33	-49.08	-36	PASS
LVHT	GSM1800	885	1784.8	15	400	-58.69	-60	-66.54	-36	PASS
LVHT	GSM1800	885	1784.8	15	600	-64.17	-60	-72.15	-55	PASS
LVHT	GSM1800	885	1784.8	15	800	-64.32	-60	-72.24	-55	PASS
LVHT	GSM1800	885	1784.8	15	1000	-67.38	-60	-75.37	-55	PASS
LVHT	GSM1800	885	1784.8	15	1200	-69.91	-60	-77.82	-55	PASS
LVHT	GSM1800	885	1784.8	15	1400	-71.55	-60	-79.52	-55	PASS

LVHT	GSM1800	885	1784.8	15	1600	-73.72	-60	-81.7	-55	PASS
LVHT	GSM1800	885	1784.8	15	1800	-74.69	-60	-82.58	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1800	-77.45	-60	-54.87	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1600	-77.26	-60	-54.39	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1400	-75.88	-60	-53.12	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1200	-73.63	-60	-50.92	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1000	-71.57	-60	-48.72	-55	PASS
LVLT	GSM1800	512	1710.2	0	-800	-70.22	-60	-47.52	-55	PASS
LVLT	GSM1800	512	1710.2	0	-600	-66.17	-60	-43.56	-55	PASS
LVLT	GSM1800	512	1710.2	0	-400	-60.41	-60	-37.76	-36	PASS
LVLT	GSM1800	512	1710.2	0	-250	-41.07	-33	-18.34	-36	PASS
LVLT	GSM1800	512	1710.2	0	-200	-36.57	-30	-13.82	-36	PASS
LVLT	GSM1800	512	1710.2	0	-100	-9.63	0.5	13.19	-36	PASS
LVLT	GSM1800	512	1710.2	0	100	-9.29	0.5	13.36	-36	PASS
LVLT	GSM1800	512	1710.2	0	200	-36.79	-30	-14.11	-36	PASS
LVLT	GSM1800	512	1710.2	0	250	-40.8	-33	-18.04	-36	PASS
LVLT	GSM1800	512	1710.2	0	400	-60.57	-60	-37.86	-36	PASS
LVLT	GSM1800	512	1710.2	0	600	-66.7	-60	-43.97	-55	PASS
LVLT	GSM1800	512	1710.2	0	800	-69.5	-60	-46.69	-55	PASS
LVLT	GSM1800	512	1710.2	0	1000	-72.26	-60	-49.45	-55	PASS
LVLT	GSM1800	512	1710.2	0	1200	-74.86	-60	-52.05	-55	PASS
LVLT	GSM1800	512	1710.2	0	1400	-75.46	-60	-52.6	-55	PASS
LVLT	GSM1800	512	1710.2	0	1600	-76.66	-60	-54	-55	PASS
LVLT	GSM1800	512	1710.2	0	1800	-77.8	-60	-55.02	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1800	-74.34	-60	-82.46	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1600	-72.49	-60	-80.48	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1400	-70.02	-60	-78.1	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1200	-66.94	-60	-75.07	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1000	-63.41	-60	-71.45	-55	PASS
LVLT	GSM1800	512	1710.2	15	-800	-60.44	-60	-68.47	-55	PASS
LVLT	GSM1800	512	1710.2	15	-600	-63	-60	-71.01	-55	PASS
LVLT	GSM1800	512	1710.2	15	-400	-59.03	-60	-67.19	-36	PASS
LVLT	GSM1800	512	1710.2	15	-250	-40.83	-33	-48.85	-36	PASS
LVLT	GSM1800	512	1710.2	15	-200	-36.28	-30	-44.28	-36	PASS
LVLT	GSM1800	512	1710.2	15	-100	-8.58	0.5	-16.53	-36	PASS
LVLT	GSM1800	512	1710.2	15	100	-9.37	0.5	-17.45	-36	PASS
LVLT	GSM1800	512	1710.2	15	200	-37.05	-30	-45.29	-36	PASS
LVLT	GSM1800	512	1710.2	15	250	-40.6	-33	-48.66	-36	PASS
LVLT	GSM1800	512	1710.2	15	400	-59.05	-60	-67.17	-36	PASS
LVLT	GSM1800	512	1710.2	15	600	-63.22	-60	-71.12	-55	PASS
LVLT	GSM1800	512	1710.2	15	800	-63.87	-60	-71.78	-55	PASS
LVLT	GSM1800	512	1710.2	15	1000	-66.86	-60	-75.06	-55	PASS
LVLT	GSM1800	512	1710.2	15	1200	-70.27	-60	-78.28	-55	PASS
LVLT	GSM1800	512	1710.2	15	1400	-72.64	-60	-80.76	-55	PASS

LVLT	GSM1800	512	1710.2	15	1600	-73.82	-60	-81.8	-55	PASS
LVLT	GSM1800	512	1710.2	15	1800	-74.8	-60	-82.91	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1800	-76.33	-60	-54.52	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1600	-75.87	-60	-53.91	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1400	-74.23	-60	-52.44	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1200	-72.99	-60	-50.97	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1000	-70.53	-60	-48.55	-55	PASS
LVLT	GSM1800	698	1747.4	0	-800	-68.65	-60	-46.66	-55	PASS
LVLT	GSM1800	698	1747.4	0	-600	-65.99	-60	-44.02	-55	PASS
LVLT	GSM1800	698	1747.4	0	-400	-58.62	-60	-36.73	-36	PASS
LVLT	GSM1800	698	1747.4	0	-250	-41.09	-33	-19.14	-36	PASS
LVLT	GSM1800	698	1747.4	0	-200	-36.84	-30	-14.98	-36	PASS
LVLT	GSM1800	698	1747.4	0	-100	-9.46	0.5	12.43	-36	PASS
LVLT	GSM1800	698	1747.4	0	100	-9.77	0.5	12.3	-36	PASS
LVLT	GSM1800	698	1747.4	0	200	-36.83	-30	-14.94	-36	PASS
LVLT	GSM1800	698	1747.4	0	250	-41.01	-33	-18.97	-36	PASS
LVLT	GSM1800	698	1747.4	0	400	-59.15	-60	-37.03	-36	PASS
LVLT	GSM1800	698	1747.4	0	600	-65.22	-60	-43.22	-55	PASS
LVLT	GSM1800	698	1747.4	0	800	-68.77	-60	-46.95	-55	PASS
LVLT	GSM1800	698	1747.4	0	1000	-71.34	-60	-49.38	-55	PASS
LVLT	GSM1800	698	1747.4	0	1200	-73.19	-60	-51.34	-55	PASS
LVLT	GSM1800	698	1747.4	0	1400	-73.99	-60	-51.96	-55	PASS
LVLT	GSM1800	698	1747.4	0	1600	-76	-60	-53.98	-55	PASS
LVLT	GSM1800	698	1747.4	0	1800	-77.76	-60	-55.8	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1800	-74.87	-60	-82.78	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1600	-72.26	-60	-80.18	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1400	-70.1	-60	-78.01	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1200	-67.01	-60	-75.06	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1000	-63.59	-60	-71.4	-55	PASS
LVLT	GSM1800	698	1747.4	15	-800	-58.96	-60	-66.75	-55	PASS
LVLT	GSM1800	698	1747.4	15	-600	-62.24	-60	-70.16	-55	PASS
LVLT	GSM1800	698	1747.4	15	-400	-58.34	-60	-66.23	-36	PASS
LVLT	GSM1800	698	1747.4	15	-250	-40.31	-33	-48.27	-36	PASS
LVLT	GSM1800	698	1747.4	15	-200	-36.64	-30	-44.45	-36	PASS
LVLT	GSM1800	698	1747.4	15	-100	-8.7	0.5	-16.68	-36	PASS
LVLT	GSM1800	698	1747.4	15	100	-10.07	0.5	-18.1	-36	PASS
LVLT	GSM1800	698	1747.4	15	200	-36.85	-30	-44.71	-36	PASS
LVLT	GSM1800	698	1747.4	15	250	-40.3	-33	-48.2	-36	PASS
LVLT	GSM1800	698	1747.4	15	400	-59.16	-60	-67.07	-36	PASS
LVLT	GSM1800	698	1747.4	15	600	-63.7	-60	-71.56	-55	PASS
LVLT	GSM1800	698	1747.4	15	800	-63.21	-60	-71.1	-55	PASS
LVLT	GSM1800	698	1747.4	15	1000	-67.87	-60	-75.72	-55	PASS
LVLT	GSM1800	698	1747.4	15	1200	-71.34	-60	-79.28	-55	PASS
LVLT	GSM1800	698	1747.4	15	1400	-72.5	-60	-80.45	-55	PASS

LVLT	GSM1800	698	1747.4	15	1600	-73.36	-60	-81.24	-55	PASS
LVLT	GSM1800	698	1747.4	15	1800	-74.28	-60	-82.16	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1800	-75.62	-60	-55.1	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1600	-75.34	-60	-54.9	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1400	-73.87	-60	-53.56	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1200	-72.33	-60	-51.88	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1000	-69.8	-60	-49.35	-55	PASS
LVLT	GSM1800	885	1784.8	0	-800	-66.66	-60	-46.29	-55	PASS
LVLT	GSM1800	885	1784.8	0	-600	-64.55	-60	-44	-55	PASS
LVLT	GSM1800	885	1784.8	0	-400	-58.49	-60	-38.04	-36	PASS
LVLT	GSM1800	885	1784.8	0	-250	-40.03	-33	-19.55	-36	PASS
LVLT	GSM1800	885	1784.8	0	-200	-36.08	-30	-15.56	-36	PASS
LVLT	GSM1800	885	1784.8	0	-100	-8.71	0.5	11.77	-36	PASS
LVLT	GSM1800	885	1784.8	0	100	-7.94	0.5	12.56	-36	PASS
LVLT	GSM1800	885	1784.8	0	200	-36.44	-30	-15.88	-36	PASS
LVLT	GSM1800	885	1784.8	0	250	-39.54	-33	-19.13	-36	PASS
LVLT	GSM1800	885	1784.8	0	400	-57.87	-60	-37.43	-36	PASS
LVLT	GSM1800	885	1784.8	0	600	-63.39	-60	-42.96	-55	PASS
LVLT	GSM1800	885	1784.8	0	800	-67.68	-60	-47.12	-55	PASS
LVLT	GSM1800	885	1784.8	0	1000	-70.18	-60	-49.73	-55	PASS
LVLT	GSM1800	885	1784.8	0	1200	-71.59	-60	-51.17	-55	PASS
LVLT	GSM1800	885	1784.8	0	1400	-72.84	-60	-52.32	-55	PASS
LVLT	GSM1800	885	1784.8	0	1600	-74.44	-60	-54.01	-55	PASS
LVLT	GSM1800	885	1784.8	0	1800	-75.83	-60	-55.34	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1800	-74.48	-60	-82.46	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1600	-72.58	-60	-80.43	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1400	-70.46	-60	-78.52	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1200	-67.36	-60	-75.22	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1000	-63.28	-60	-71.3	-55	PASS
LVLT	GSM1800	885	1784.8	15	-800	-61.8	-60	-69.55	-55	PASS
LVLT	GSM1800	885	1784.8	15	-600	-61.62	-60	-69.66	-55	PASS
LVLT	GSM1800	885	1784.8	15	-400	-58.27	-60	-66.39	-36	PASS
LVLT	GSM1800	885	1784.8	15	-250	-40.74	-33	-48.68	-36	PASS
LVLT	GSM1800	885	1784.8	15	-200	-37.43	-30	-45.26	-36	PASS
LVLT	GSM1800	885	1784.8	15	-100	-9.44	0.5	-17.34	-36	PASS
LVLT	GSM1800	885	1784.8	15	100	-9.44	0.5	-17.23	-36	PASS
LVLT	GSM1800	885	1784.8	15	200	-37.24	-30	-45.09	-36	PASS
LVLT	GSM1800	885	1784.8	15	250	-41.32	-33	-49.23	-36	PASS
LVLT	GSM1800	885	1784.8	15	400	-58.71	-60	-66.61	-36	PASS
LVLT	GSM1800	885	1784.8	15	600	-64.25	-60	-72.24	-55	PASS
LVLT	GSM1800	885	1784.8	15	800	-64.18	-60	-72.1	-55	PASS
LVLT	GSM1800	885	1784.8	15	1000	-67.4	-60	-75.22	-55	PASS
LVLT	GSM1800	885	1784.8	15	1200	-69.95	-60	-77.97	-55	PASS
LVLT	GSM1800	885	1784.8	15	1400	-71.53	-60	-79.48	-55	PASS

LVLT	GSM1800	885	1784.8	15	1600	-73.74	-60	-81.8	-55	PASS
LVLT	GSM1800	885	1784.8	15	1800	-74.66	-60	-82.62	-55	PASS
HVHT	GSM900	975	880.2	5	-1800	-81.06	-60	-56.09	-51	PASS
HVHT	GSM900	975	880.2	5	-1600	-81.69	-60	-56.7	-51	PASS
HVHT	GSM900	975	880.2	5	-1400	-80.08	-60	-55.09	-51	PASS
HVHT	GSM900	975	880.2	5	-1200	-79.98	-60	-55.15	-51	PASS
HVHT	GSM900	975	880.2	5	-1000	-78.77	-60	-53.73	-51	PASS
HVHT	GSM900	975	880.2	5	-800	-76.95	-60	-51.9	-51	PASS
HVHT	GSM900	975	880.2	5	-600	-74.25	-60	-49.31	-51	PASS
HVHT	GSM900	975	880.2	5	-400	-67.5	-60	-42.69	-36	PASS
HVHT	GSM900	975	880.2	5	-250	-41.98	-33	-17	-36	PASS
HVHT	GSM900	975	880.2	5	-200	-37.74	-30	-12.83	-36	PASS
HVHT	GSM900	975	880.2	5	-100	-9.14	0.5	15.75	-36	PASS
HVHT	GSM900	975	880.2	5	100	-9.78	0.5	15.13	-36	PASS
HVHT	GSM900	975	880.2	5	200	-38.45	-30	-13.46	-36	PASS
HVHT	GSM900	975	880.2	5	250	-41.42	-33	-16.55	-36	PASS
HVHT	GSM900	975	880.2	5	400	-67.83	-60	-42.88	-36	PASS
HVHT	GSM900	975	880.2	5	600	-74.3	-60	-49.38	-51	PASS
HVHT	GSM900	975	880.2	5	800	-76.05	-60	-50.99	-51	PASS
HVHT	GSM900	975	880.2	5	1000	-78.63	-60	-53.65	-51	PASS
HVHT	GSM900	975	880.2	5	1200	-79.45	-60	-54.44	-51	PASS
HVHT	GSM900	975	880.2	5	1400	-80.37	-60	-55.43	-51	PASS
HVHT	GSM900	975	880.2	5	1600	-80.84	-60	-55.76	-51	PASS
HVHT	GSM900	975	880.2	5	1800	-81.27	-60	-56.18	-51	PASS
HVHT	GSM900	975	880.2	19	-1800	-77.4	-60	-81.57	-51	PASS
HVHT	GSM900	975	880.2	19	-1600	-76.13	-60	-80.4	-51	PASS
HVHT	GSM900	975	880.2	19	-1400	-71.81	-60	-76.06	-51	PASS
HVHT	GSM900	975	880.2	19	-1200	-67.36	-60	-71.71	-51	PASS
HVHT	GSM900	975	880.2	19	-1000	-67.94	-60	-72.27	-51	PASS
HVHT	GSM900	975	880.2	19	-800	-66.15	-60	-70.45	-51	PASS
HVHT	GSM900	975	880.2	19	-600	-60.99	-60	-65.28	-51	PASS
HVHT	GSM900	975	880.2	19	-400	-64.53	-60	-68.72	-36	PASS
HVHT	GSM900	975	880.2	19	-250	-41.54	-33	-45.86	-36	PASS
HVHT	GSM900	975	880.2	19	-200	-37.54	-30	-41.78	-36	PASS
HVHT	GSM900	975	880.2	19	-100	-7.98	0.5	-12.17	-36	PASS
HVHT	GSM900	975	880.2	19	100	-10.83	0.5	-15.17	-36	PASS
HVHT	GSM900	975	880.2	19	200	-37.25	-30	-41.67	-36	PASS
HVHT	GSM900	975	880.2	19	250	-41.11	-33	-45.31	-36	PASS
HVHT	GSM900	975	880.2	19	400	-64.13	-60	-68.53	-36	PASS
HVHT	GSM900	975	880.2	19	600	-60.72	-60	-64.8	-51	PASS
HVHT	GSM900	975	880.2	19	800	-66.61	-60	-70.84	-51	PASS
HVHT	GSM900	975	880.2	19	1000	-66.98	-60	-71.22	-51	PASS
HVHT	GSM900	975	880.2	19	1200	-66.15	-60	-70.28	-51	PASS
HVHT	GSM900	975	880.2	19	1400	-72.05	-60	-76.47	-51	PASS

HVHT	GSM900	975	880.2	19	1600	-75.29	-60	-79.58	-51	PASS
HVHT	GSM900	975	880.2	19	1800	-77.54	-60	-81.63	-51	PASS
HVHT	GSM900	38	897.6	5	-1800	-80.4	-60	-56.27	-51	PASS
HVHT	GSM900	38	897.6	5	-1600	-79.98	-60	-55.76	-51	PASS
HVHT	GSM900	38	897.6	5	-1400	-79.85	-60	-55.74	-51	PASS
HVHT	GSM900	38	897.6	5	-1200	-78	-60	-53.78	-51	PASS
HVHT	GSM900	38	897.6	5	-1000	-77.08	-60	-52.84	-51	PASS
HVHT	GSM900	38	897.6	5	-800	-75.97	-60	-51.9	-51	PASS
HVHT	GSM900	38	897.6	5	-600	-73.18	-60	-49	-51	PASS
HVHT	GSM900	38	897.6	5	-400	-65.74	-60	-41.5	-36	PASS
HVHT	GSM900	38	897.6	5	-250	-40.66	-33	-16.29	-36	PASS
HVHT	GSM900	38	897.6	5	-200	-37.47	-30	-13.26	-36	PASS
HVHT	GSM900	38	897.6	5	-100	-8.69	0.5	15.64	-36	PASS
HVHT	GSM900	38	897.6	5	100	-8.49	0.5	15.75	-36	PASS
HVHT	GSM900	38	897.6	5	200	-37.51	-30	-13.22	-36	PASS
HVHT	GSM900	38	897.6	5	250	-41.54	-33	-17.37	-36	PASS
HVHT	GSM900	38	897.6	5	400	-66.16	-60	-41.99	-36	PASS
HVHT	GSM900	38	897.6	5	600	-72.74	-60	-48.52	-51	PASS
HVHT	GSM900	38	897.6	5	800	-76.14	-60	-51.94	-51	PASS
HVHT	GSM900	38	897.6	5	1000	-77.48	-60	-53.28	-51	PASS
HVHT	GSM900	38	897.6	5	1200	-79.21	-60	-55.13	-51	PASS
HVHT	GSM900	38	897.6	5	1400	-78.81	-60	-54.66	-51	PASS
HVHT	GSM900	38	897.6	5	1600	-79.77	-60	-55.59	-51	PASS
HVHT	GSM900	38	897.6	5	1800	-80.41	-60	-56.16	-51	PASS
HVHT	GSM900	38	897.6	19	-1800	-77.17	-60	-81.33	-51	PASS
HVHT	GSM900	38	897.6	19	-1600	-75.52	-60	-79.64	-51	PASS
HVHT	GSM900	38	897.6	19	-1400	-71.51	-60	-75.61	-51	PASS
HVHT	GSM900	38	897.6	19	-1200	-67.41	-60	-71.51	-51	PASS
HVHT	GSM900	38	897.6	19	-1000	-68.42	-60	-72.46	-51	PASS
HVHT	GSM900	38	897.6	19	-800	-64.38	-60	-68.6	-51	PASS
HVHT	GSM900	38	897.6	19	-600	-61.5	-60	-65.46	-51	PASS
HVHT	GSM900	38	897.6	19	-400	-63.72	-60	-67.76	-36	PASS
HVHT	GSM900	38	897.6	19	-250	-41.74	-33	-45.73	-36	PASS
HVHT	GSM900	38	897.6	19	-200	-37.49	-30	-41.45	-36	PASS
HVHT	GSM900	38	897.6	19	-100	-8.82	0.5	-13	-36	PASS
HVHT	GSM900	38	897.6	19	100	-10.85	0.5	-15.01	-36	PASS
HVHT	GSM900	38	897.6	19	200	-37.53	-30	-41.53	-36	PASS
HVHT	GSM900	38	897.6	19	250	-41.2	-33	-45.21	-36	PASS
HVHT	GSM900	38	897.6	19	400	-64.39	-60	-68.36	-36	PASS
HVHT	GSM900	38	897.6	19	600	-60.75	-60	-64.86	-51	PASS
HVHT	GSM900	38	897.6	19	800	-64.06	-60	-68.28	-51	PASS
HVHT	GSM900	38	897.6	19	1000	-68.18	-60	-72.45	-51	PASS
HVHT	GSM900	38	897.6	19	1200	-66.78	-60	-70.71	-51	PASS
HVHT	GSM900	38	897.6	19	1400	-70.89	-60	-75.07	-51	PASS

HVHT	GSM900	38	897.6	19	1600	-74.89	-60	-78.91	-51	PASS
HVHT	GSM900	38	897.6	19	1800	-77.54	-60	-81.69	-51	PASS
HVHT	GSM900	124	914.8	5	-1800	-80.42	-60	-55.66	-51	PASS
HVHT	GSM900	124	914.8	5	-1600	-82.01	-60	-56.95	-51	PASS
HVHT	GSM900	124	914.8	5	-1400	-81.14	-60	-56.16	-51	PASS
HVHT	GSM900	124	914.8	5	-1200	-79.89	-60	-54.91	-51	PASS
HVHT	GSM900	124	914.8	5	-1000	-78.22	-60	-53.36	-51	PASS
HVHT	GSM900	124	914.8	5	-800	-77.42	-60	-52.54	-51	PASS
HVHT	GSM900	124	914.8	5	-600	-75.35	-60	-50.49	-51	PASS
HVHT	GSM900	124	914.8	5	-400	-67.59	-60	-42.56	-36	PASS
HVHT	GSM900	124	914.8	5	-250	-41.97	-33	-17.05	-36	PASS
HVHT	GSM900	124	914.8	5	-200	-37.47	-30	-12.61	-36	PASS
HVHT	GSM900	124	914.8	5	-100	-8.49	0.5	16.23	-36	PASS
HVHT	GSM900	124	914.8	5	100	-8.91	0.5	16.11	-36	PASS
HVHT	GSM900	124	914.8	5	200	-37	-30	-12.1	-36	PASS
HVHT	GSM900	124	914.8	5	250	-41.61	-33	-16.73	-36	PASS
HVHT	GSM900	124	914.8	5	400	-67.05	-60	-41.97	-36	PASS
HVHT	GSM900	124	914.8	5	600	-74.55	-60	-49.57	-51	PASS
HVHT	GSM900	124	914.8	5	800	-77.64	-60	-52.82	-51	PASS
HVHT	GSM900	124	914.8	5	1000	-78.23	-60	-53.34	-51	PASS
HVHT	GSM900	124	914.8	5	1200	-79.25	-60	-54.35	-51	PASS
HVHT	GSM900	124	914.8	5	1400	-80.04	-60	-55.17	-51	PASS
HVHT	GSM900	124	914.8	5	1600	-81.25	-60	-56.21	-51	PASS
HVHT	GSM900	124	914.8	5	1800	-80.24	-60	-55.26	-51	PASS
HVHT	GSM900	124	914.8	19	-1800	-75.82	-60	-80.34	-51	PASS
HVHT	GSM900	124	914.8	19	-1600	-75.97	-60	-80.4	-51	PASS
HVHT	GSM900	124	914.8	19	-1400	-72.79	-60	-77.27	-51	PASS
HVHT	GSM900	124	914.8	19	-1200	-67.47	-60	-71.88	-51	PASS
HVHT	GSM900	124	914.8	19	-1000	-68.2	-60	-72.7	-51	PASS
HVHT	GSM900	124	914.8	19	-800	-67.2	-60	-71.51	-51	PASS
HVHT	GSM900	124	914.8	19	-600	-60.9	-60	-65.47	-51	PASS
HVHT	GSM900	124	914.8	19	-400	-64.1	-60	-68.53	-36	PASS
HVHT	GSM900	124	914.8	19	-250	-41.05	-33	-45.51	-36	PASS
HVHT	GSM900	124	914.8	19	-200	-36.9	-30	-41.46	-36	PASS
HVHT	GSM900	124	914.8	19	-100	-8.65	0.5	-13.11	-36	PASS
HVHT	GSM900	124	914.8	19	100	-9.13	0.5	-13.64	-36	PASS
HVHT	GSM900	124	914.8	19	200	-37.6	-30	-41.92	-36	PASS
HVHT	GSM900	124	914.8	19	250	-41.72	-33	-46.13	-36	PASS
HVHT	GSM900	124	914.8	19	400	-63.31	-60	-67.77	-36	PASS
HVHT	GSM900	124	914.8	19	600	-60.11	-60	-64.47	-51	PASS
HVHT	GSM900	124	914.8	19	800	-66.83	-60	-71.31	-51	PASS
HVHT	GSM900	124	914.8	19	1000	-67.11	-60	-71.71	-51	PASS
HVHT	GSM900	124	914.8	19	1200	-65.82	-60	-70.25	-51	PASS
HVHT	GSM900	124	914.8	19	1400	-71.89	-60	-76.37	-51	PASS



HVHT	GSM900	124	914.8	19	1600	-75.32	-60	-79.96	-51	PASS
HVHT	GSM900	124	914.8	19	1800	-76.78	-60	-81.42	-51	PASS
HVLT	GSM900	975	880.2	5	-1800	-81.17	-60	-56.13	-51	PASS
HVLT	GSM900	975	880.2	5	-1600	-81.71	-60	-56.61	-51	PASS
HVLT	GSM900	975	880.2	5	-1400	-80.21	-60	-55.06	-51	PASS
HVLT	GSM900	975	880.2	5	-1200	-80.13	-60	-55.01	-51	PASS
HVLT	GSM900	975	880.2	5	-1000	-78.7	-60	-53.77	-51	PASS
HVLT	GSM900	975	880.2	5	-800	-76.88	-60	-51.99	-51	PASS
HVLT	GSM900	975	880.2	5	-600	-74.39	-60	-49.35	-51	PASS
HVLT	GSM900	975	880.2	5	-400	-67.63	-60	-42.67	-36	PASS
HVLT	GSM900	975	880.2	5	-250	-41.97	-33	-16.92	-36	PASS
HVLT	GSM900	975	880.2	5	-200	-37.7	-30	-12.88	-36	PASS
HVLT	GSM900	975	880.2	5	-100	-9.21	0.5	15.75	-36	PASS
HVLT	GSM900	975	880.2	5	100	-9.81	0.5	15.07	-36	PASS
HVLT	GSM900	975	880.2	5	200	-38.48	-30	-13.41	-36	PASS
HVLT	GSM900	975	880.2	5	250	-41.47	-33	-16.46	-36	PASS
HVLT	GSM900	975	880.2	5	400	-67.86	-60	-42.85	-36	PASS
HVLT	GSM900	975	880.2	5	600	-74.33	-60	-49.49	-51	PASS
HVLT	GSM900	975	880.2	5	800	-75.96	-60	-50.9	-51	PASS
HVLT	GSM900	975	880.2	5	1000	-78.77	-60	-53.8	-51	PASS
HVLT	GSM900	975	880.2	5	1200	-79.59	-60	-54.52	-51	PASS
HVLT	GSM900	975	880.2	5	1400	-80.32	-60	-55.39	-51	PASS
HVLT	GSM900	975	880.2	5	1600	-80.82	-60	-55.75	-51	PASS
HVLT	GSM900	975	880.2	5	1800	-81.18	-60	-56.28	-51	PASS
HVLT	GSM900	975	880.2	19	-1800	-77.32	-60	-81.57	-51	PASS
HVLT	GSM900	975	880.2	19	-1600	-76.07	-60	-80.34	-51	PASS
HVLT	GSM900	975	880.2	19	-1400	-71.73	-60	-76.15	-51	PASS
HVLT	GSM900	975	880.2	19	-1200	-67.34	-60	-71.59	-51	PASS
HVLT	GSM900	975	880.2	19	-1000	-68.03	-60	-72.21	-51	PASS
HVLT	GSM900	975	880.2	19	-800	-66.14	-60	-70.36	-51	PASS
HVLT	GSM900	975	880.2	19	-600	-61	-60	-65.24	-51	PASS
HVLT	GSM900	975	880.2	19	-400	-64.42	-60	-68.69	-36	PASS
HVLT	GSM900	975	880.2	19	-250	-41.66	-33	-45.9	-36	PASS
HVLT	GSM900	975	880.2	19	-200	-37.57	-30	-41.74	-36	PASS
HVLT	GSM900	975	880.2	19	-100	-8	0.5	-12.19	-36	PASS
HVLT	GSM900	975	880.2	19	100	-10.81	0.5	-15.21	-36	PASS
HVLT	GSM900	975	880.2	19	200	-37.35	-30	-41.65	-36	PASS
HVLT	GSM900	975	880.2	19	250	-41.15	-33	-45.42	-36	PASS
HVLT	GSM900	975	880.2	19	400	-64.29	-60	-68.52	-36	PASS
HVLT	GSM900	975	880.2	19	600	-60.6	-60	-64.89	-51	PASS
HVLT	GSM900	975	880.2	19	800	-66.51	-60	-70.77	-51	PASS
HVLT	GSM900	975	880.2	19	1000	-66.92	-60	-71.25	-51	PASS
HVLT	GSM900	975	880.2	19	1200	-66.16	-60	-70.39	-51	PASS
HVLT	GSM900	975	880.2	19	1400	-72.05	-60	-76.42	-51	PASS

HVLT	GSM900	975	880.2	19	1600	-75.28	-60	-79.72	-51	PASS
HVLT	GSM900	975	880.2	19	1800	-77.56	-60	-81.79	-51	PASS
HVLT	GSM900	38	897.6	5	-1800	-80.51	-60	-56.3	-51	PASS
HVLT	GSM900	38	897.6	5	-1600	-79.92	-60	-55.74	-51	PASS
HVLT	GSM900	38	897.6	5	-1400	-79.84	-60	-55.73	-51	PASS
HVLT	GSM900	38	897.6	5	-1200	-78.04	-60	-53.72	-51	PASS
HVLT	GSM900	38	897.6	5	-1000	-77.03	-60	-52.79	-51	PASS
HVLT	GSM900	38	897.6	5	-800	-76.05	-60	-51.79	-51	PASS
HVLT	GSM900	38	897.6	5	-600	-73.19	-60	-49.11	-51	PASS
HVLT	GSM900	38	897.6	5	-400	-65.77	-60	-41.44	-36	PASS
HVLT	GSM900	38	897.6	5	-250	-40.51	-33	-16.36	-36	PASS
HVLT	GSM900	38	897.6	5	-200	-37.4	-30	-13.16	-36	PASS
HVLT	GSM900	38	897.6	5	-100	-8.56	0.5	15.53	-36	PASS
HVLT	GSM900	38	897.6	5	100	-8.5	0.5	15.87	-36	PASS
HVLT	GSM900	38	897.6	5	200	-37.53	-30	-13.27	-36	PASS
HVLT	GSM900	38	897.6	5	250	-41.5	-33	-17.18	-36	PASS
HVLT	GSM900	38	897.6	5	400	-66.2	-60	-42.07	-36	PASS
HVLT	GSM900	38	897.6	5	600	-72.71	-60	-48.6	-51	PASS
HVLT	GSM900	38	897.6	5	800	-76.15	-60	-51.96	-51	PASS
HVLT	GSM900	38	897.6	5	1000	-77.4	-60	-53.35	-51	PASS
HVLT	GSM900	38	897.6	5	1200	-79.25	-60	-54.99	-51	PASS
HVLT	GSM900	38	897.6	5	1400	-78.93	-60	-54.64	-51	PASS
HVLT	GSM900	38	897.6	5	1600	-79.71	-60	-55.53	-51	PASS
HVLT	GSM900	38	897.6	5	1800	-80.54	-60	-56.31	-51	PASS
HVLT	GSM900	38	897.6	19	-1800	-77.22	-60	-81.17	-51	PASS
HVLT	GSM900	38	897.6	19	-1600	-75.53	-60	-79.54	-51	PASS
HVLT	GSM900	38	897.6	19	-1400	-71.59	-60	-75.67	-51	PASS
HVLT	GSM900	38	897.6	19	-1200	-67.3	-60	-71.44	-51	PASS
HVLT	GSM900	38	897.6	19	-1000	-68.44	-60	-72.58	-51	PASS
HVLT	GSM900	38	897.6	19	-800	-64.47	-60	-68.61	-51	PASS
HVLT	GSM900	38	897.6	19	-600	-61.51	-60	-65.52	-51	PASS
HVLT	GSM900	38	897.6	19	-400	-63.68	-60	-67.7	-36	PASS
HVLT	GSM900	38	897.6	19	-250	-41.56	-33	-45.76	-36	PASS
HVLT	GSM900	38	897.6	19	-200	-37.39	-30	-41.52	-36	PASS
HVLT	GSM900	38	897.6	19	-100	-8.8	0.5	-13	-36	PASS
HVLT	GSM900	38	897.6	19	100	-10.74	0.5	-15.01	-36	PASS
HVLT	GSM900	38	897.6	19	200	-37.53	-30	-41.69	-36	PASS
HVLT	GSM900	38	897.6	19	250	-41.3	-33	-45.21	-36	PASS
HVLT	GSM900	38	897.6	19	400	-64.35	-60	-68.51	-36	PASS
HVLT	GSM900	38	897.6	19	600	-60.91	-60	-65	-51	PASS
HVLT	GSM900	38	897.6	19	800	-64.24	-60	-68.34	-51	PASS
HVLT	GSM900	38	897.6	19	1000	-68.21	-60	-72.43	-51	PASS
HVLT	GSM900	38	897.6	19	1200	-66.63	-60	-70.77	-51	PASS
HVLT	GSM900	38	897.6	19	1400	-70.83	-60	-75.06	-51	PASS

HVLT	GSM900	38	897.6	19	1600	-74.88	-60	-78.94	-51	PASS
HVLT	GSM900	38	897.6	19	1800	-77.6	-60	-81.57	-51	PASS
HVLT	GSM900	124	914.8	5	-1800	-80.54	-60	-55.57	-51	PASS
HVLT	GSM900	124	914.8	5	-1600	-81.87	-60	-57.13	-51	PASS
HVLT	GSM900	124	914.8	5	-1400	-81.05	-60	-56.15	-51	PASS
HVLT	GSM900	124	914.8	5	-1200	-79.85	-60	-55.03	-51	PASS
HVLT	GSM900	124	914.8	5	-1000	-78.27	-60	-53.22	-51	PASS
HVLT	GSM900	124	914.8	5	-800	-77.4	-60	-52.4	-51	PASS
HVLT	GSM900	124	914.8	5	-600	-75.3	-60	-50.51	-51	PASS
HVLT	GSM900	124	914.8	5	-400	-67.49	-60	-42.67	-36	PASS
HVLT	GSM900	124	914.8	5	-250	-41.92	-33	-16.95	-36	PASS
HVLT	GSM900	124	914.8	5	-200	-37.65	-30	-12.67	-36	PASS
HVLT	GSM900	124	914.8	5	-100	-8.66	0.5	16.27	-36	PASS
HVLT	GSM900	124	914.8	5	100	-8.94	0.5	15.95	-36	PASS
HVLT	GSM900	124	914.8	5	200	-37.02	-30	-12.28	-36	PASS
HVLT	GSM900	124	914.8	5	250	-41.51	-33	-16.68	-36	PASS
HVLT	GSM900	124	914.8	5	400	-66.94	-60	-42.07	-36	PASS
HVLT	GSM900	124	914.8	5	600	-74.43	-60	-49.52	-51	PASS
HVLT	GSM900	124	914.8	5	800	-77.77	-60	-52.82	-51	PASS
HVLT	GSM900	124	914.8	5	1000	-78.11	-60	-53.22	-51	PASS
HVLT	GSM900	124	914.8	5	1200	-79.35	-60	-54.28	-51	PASS
HVLT	GSM900	124	914.8	5	1400	-80.13	-60	-55.13	-51	PASS
HVLT	GSM900	124	914.8	5	1600	-81.24	-60	-56.24	-51	PASS
HVLT	GSM900	124	914.8	5	1800	-80.34	-60	-55.38	-51	PASS
HVLT	GSM900	124	914.8	19	-1800	-75.91	-60	-80.32	-51	PASS
HVLT	GSM900	124	914.8	19	-1600	-75.99	-60	-80.42	-51	PASS
HVLT	GSM900	124	914.8	19	-1400	-72.76	-60	-77.29	-51	PASS
HVLT	GSM900	124	914.8	19	-1200	-67.31	-60	-71.77	-51	PASS
HVLT	GSM900	124	914.8	19	-1000	-68.26	-60	-72.7	-51	PASS
HVLT	GSM900	124	914.8	19	-800	-67.12	-60	-71.67	-51	PASS
HVLT	GSM900	124	914.8	19	-600	-60.99	-60	-65.38	-51	PASS
HVLT	GSM900	124	914.8	19	-400	-64.05	-60	-68.45	-36	PASS
HVLT	GSM900	124	914.8	19	-250	-40.93	-33	-45.52	-36	PASS
HVLT	GSM900	124	914.8	19	-200	-36.93	-30	-41.4	-36	PASS
HVLT	GSM900	124	914.8	19	-100	-8.63	0.5	-13.14	-36	PASS
HVLT	GSM900	124	914.8	19	100	-9.05	0.5	-13.58	-36	PASS
HVLT	GSM900	124	914.8	19	200	-37.55	-30	-41.94	-36	PASS
HVLT	GSM900	124	914.8	19	250	-41.74	-33	-46.16	-36	PASS
HVLT	GSM900	124	914.8	19	400	-63.32	-60	-67.78	-36	PASS
HVLT	GSM900	124	914.8	19	600	-59.99	-60	-64.6	-51	PASS
HVLT	GSM900	124	914.8	19	800	-66.9	-60	-71.22	-51	PASS
HVLT	GSM900	124	914.8	19	1000	-67.17	-60	-71.76	-51	PASS
HVLT	GSM900	124	914.8	19	1200	-65.78	-60	-70.32	-51	PASS
HVLT	GSM900	124	914.8	19	1400	-71.88	-60	-76.44	-51	PASS

HVLT	GSM900	124	914.8	19	1600	-75.38	-60	-79.95	-51	PASS
HVLT	GSM900	124	914.8	19	1800	-76.87	-60	-81.35	-51	PASS
LVHT	GSM900	975	880.2	5	-1800	-81.12	-60	-56.03	-51	PASS
LVHT	GSM900	975	880.2	5	-1600	-81.54	-60	-56.58	-51	PASS
LVHT	GSM900	975	880.2	5	-1400	-80.2	-60	-55.22	-51	PASS
LVHT	GSM900	975	880.2	5	-1200	-80.08	-60	-55.04	-51	PASS
LVHT	GSM900	975	880.2	5	-1000	-78.74	-60	-53.8	-51	PASS
LVHT	GSM900	975	880.2	5	-800	-76.9	-60	-51.9	-51	PASS
LVHT	GSM900	975	880.2	5	-600	-74.24	-60	-49.37	-51	PASS
LVHT	GSM900	975	880.2	5	-400	-67.59	-60	-42.59	-36	PASS
LVHT	GSM900	975	880.2	5	-250	-41.93	-33	-16.92	-36	PASS
LVHT	GSM900	975	880.2	5	-200	-37.71	-30	-12.75	-36	PASS
LVHT	GSM900	975	880.2	5	-100	-9.19	0.5	15.79	-36	PASS
LVHT	GSM900	975	880.2	5	100	-9.79	0.5	15.09	-36	PASS
LVHT	GSM900	975	880.2	5	200	-38.36	-30	-13.43	-36	PASS
LVHT	GSM900	975	880.2	5	250	-41.45	-33	-16.56	-36	PASS
LVHT	GSM900	975	880.2	5	400	-67.89	-60	-42.97	-36	PASS
LVHT	GSM900	975	880.2	5	600	-74.4	-60	-49.44	-51	PASS
LVHT	GSM900	975	880.2	5	800	-76.01	-60	-51.04	-51	PASS
LVHT	GSM900	975	880.2	5	1000	-78.71	-60	-53.77	-51	PASS
LVHT	GSM900	975	880.2	5	1200	-79.55	-60	-54.61	-51	PASS
LVHT	GSM900	975	880.2	5	1400	-80.37	-60	-55.5	-51	PASS
LVHT	GSM900	975	880.2	5	1600	-80.76	-60	-55.78	-51	PASS
LVHT	GSM900	975	880.2	5	1800	-81.15	-60	-56.12	-51	PASS
LVHT	GSM900	975	880.2	19	-1800	-77.41	-60	-81.65	-51	PASS
LVHT	GSM900	975	880.2	19	-1600	-76	-60	-80.36	-51	PASS
LVHT	GSM900	975	880.2	19	-1400	-71.85	-60	-76.04	-51	PASS
LVHT	GSM900	975	880.2	19	-1200	-67.36	-60	-71.68	-51	PASS
LVHT	GSM900	975	880.2	19	-1000	-67.85	-60	-72.26	-51	PASS
LVHT	GSM900	975	880.2	19	-800	-66.2	-60	-70.36	-51	PASS
LVHT	GSM900	975	880.2	19	-600	-61.11	-60	-65.29	-51	PASS
LVHT	GSM900	975	880.2	19	-400	-64.51	-60	-68.66	-36	PASS
LVHT	GSM900	975	880.2	19	-250	-41.63	-33	-45.94	-36	PASS
LVHT	GSM900	975	880.2	19	-200	-37.56	-30	-41.85	-36	PASS
LVHT	GSM900	975	880.2	19	-100	-7.96	0.5	-12.27	-36	PASS
LVHT	GSM900	975	880.2	19	100	-10.86	0.5	-15.11	-36	PASS
LVHT	GSM900	975	880.2	19	200	-37.23	-30	-41.64	-36	PASS
LVHT	GSM900	975	880.2	19	250	-41.11	-33	-45.29	-36	PASS
LVHT	GSM900	975	880.2	19	400	-64.25	-60	-68.43	-36	PASS
LVHT	GSM900	975	880.2	19	600	-60.53	-60	-64.83	-51	PASS
LVHT	GSM900	975	880.2	19	800	-66.49	-60	-70.72	-51	PASS
LVHT	GSM900	975	880.2	19	1000	-67.01	-60	-71.24	-51	PASS
LVHT	GSM900	975	880.2	19	1200	-66.06	-60	-70.36	-51	PASS
LVHT	GSM900	975	880.2	19	1400	-72.22	-60	-76.36	-51	PASS

LVHT	GSM900	975	880.2	19	1600	-75.39	-60	-79.7	-51	PASS
LVHT	GSM900	975	880.2	19	1800	-77.49	-60	-81.8	-51	PASS
LVHT	GSM900	38	897.6	5	-1800	-80.39	-60	-56.25	-51	PASS
LVHT	GSM900	38	897.6	5	-1600	-79.97	-60	-55.65	-51	PASS
LVHT	GSM900	38	897.6	5	-1400	-79.84	-60	-55.8	-51	PASS
LVHT	GSM900	38	897.6	5	-1200	-77.97	-60	-53.81	-51	PASS
LVHT	GSM900	38	897.6	5	-1000	-77.07	-60	-52.84	-51	PASS
LVHT	GSM900	38	897.6	5	-800	-76.13	-60	-51.81	-51	PASS
LVHT	GSM900	38	897.6	5	-600	-73.22	-60	-49.13	-51	PASS
LVHT	GSM900	38	897.6	5	-400	-65.71	-60	-41.57	-36	PASS
LVHT	GSM900	38	897.6	5	-250	-40.64	-33	-16.31	-36	PASS
LVHT	GSM900	38	897.6	5	-200	-37.53	-30	-13.27	-36	PASS
LVHT	GSM900	38	897.6	5	-100	-8.68	0.5	15.61	-36	PASS
LVHT	GSM900	38	897.6	5	100	-8.51	0.5	15.7	-36	PASS
LVHT	GSM900	38	897.6	5	200	-37.49	-30	-13.17	-36	PASS
LVHT	GSM900	38	897.6	5	250	-41.58	-33	-17.19	-36	PASS
LVHT	GSM900	38	897.6	5	400	-66.27	-60	-41.93	-36	PASS
LVHT	GSM900	38	897.6	5	600	-72.72	-60	-48.58	-51	PASS
LVHT	GSM900	38	897.6	5	800	-76.29	-60	-52.01	-51	PASS
LVHT	GSM900	38	897.6	5	1000	-77.43	-60	-53.29	-51	PASS
LVHT	GSM900	38	897.6	5	1200	-79.19	-60	-55.04	-51	PASS
LVHT	GSM900	38	897.6	5	1400	-78.79	-60	-54.72	-51	PASS
LVHT	GSM900	38	897.6	5	1600	-79.7	-60	-55.56	-51	PASS
LVHT	GSM900	38	897.6	5	1800	-80.45	-60	-56.24	-51	PASS
LVHT	GSM900	38	897.6	19	-1800	-77.09	-60	-81.24	-51	PASS
LVHT	GSM900	38	897.6	19	-1600	-75.5	-60	-79.61	-51	PASS
LVHT	GSM900	38	897.6	19	-1400	-71.61	-60	-75.7	-51	PASS
LVHT	GSM900	38	897.6	19	-1200	-67.32	-60	-71.39	-51	PASS
LVHT	GSM900	38	897.6	19	-1000	-68.49	-60	-72.6	-51	PASS
LVHT	GSM900	38	897.6	19	-800	-64.35	-60	-68.57	-51	PASS
LVHT	GSM900	38	897.6	19	-600	-61.46	-60	-65.61	-51	PASS
LVHT	GSM900	38	897.6	19	-400	-63.64	-60	-67.81	-36	PASS
LVHT	GSM900	38	897.6	19	-250	-41.75	-33	-45.68	-36	PASS
LVHT	GSM900	38	897.6	19	-200	-37.41	-30	-41.51	-36	PASS
LVHT	GSM900	38	897.6	19	-100	-8.85	0.5	-12.9	-36	PASS
LVHT	GSM900	38	897.6	19	100	-10.82	0.5	-14.98	-36	PASS
LVHT	GSM900	38	897.6	19	200	-37.52	-30	-41.5	-36	PASS
LVHT	GSM900	38	897.6	19	250	-41.3	-33	-45.29	-36	PASS
LVHT	GSM900	38	897.6	19	400	-64.23	-60	-68.36	-36	PASS
LVHT	GSM900	38	897.6	19	600	-60.83	-60	-64.88	-51	PASS
LVHT	GSM900	38	897.6	19	800	-64.05	-60	-68.22	-51	PASS
LVHT	GSM900	38	897.6	19	1000	-68.3	-60	-72.31	-51	PASS
LVHT	GSM900	38	897.6	19	1200	-66.75	-60	-70.78	-51	PASS
LVHT	GSM900	38	897.6	19	1400	-70.82	-60	-74.89	-51	PASS

LVHT	GSM900	38	897.6	19	1600	-74.91	-60	-79	-51	PASS
LVHT	GSM900	38	897.6	19	1800	-77.52	-60	-81.7	-51	PASS
LVHT	GSM900	124	914.8	5	-1800	-80.51	-60	-55.63	-51	PASS
LVHT	GSM900	124	914.8	5	-1600	-82.05	-60	-56.97	-51	PASS
LVHT	GSM900	124	914.8	5	-1400	-81.13	-60	-56.1	-51	PASS
LVHT	GSM900	124	914.8	5	-1200	-79.94	-60	-54.89	-51	PASS
LVHT	GSM900	124	914.8	5	-1000	-78.08	-60	-53.34	-51	PASS
LVHT	GSM900	124	914.8	5	-800	-77.48	-60	-52.56	-51	PASS
LVHT	GSM900	124	914.8	5	-600	-75.3	-60	-50.51	-51	PASS
LVHT	GSM900	124	914.8	5	-400	-67.57	-60	-42.69	-36	PASS
LVHT	GSM900	124	914.8	5	-250	-41.96	-33	-16.88	-36	PASS
LVHT	GSM900	124	914.8	5	-200	-37.52	-30	-12.68	-36	PASS
LVHT	GSM900	124	914.8	5	-100	-8.55	0.5	16.27	-36	PASS
LVHT	GSM900	124	914.8	5	100	-8.89	0.5	16.08	-36	PASS
LVHT	GSM900	124	914.8	5	200	-37.03	-30	-12.15	-36	PASS
LVHT	GSM900	124	914.8	5	250	-41.49	-33	-16.67	-36	PASS
LVHT	GSM900	124	914.8	5	400	-67.07	-60	-42.06	-36	PASS
LVHT	GSM900	124	914.8	5	600	-74.58	-60	-49.7	-51	PASS
LVHT	GSM900	124	914.8	5	800	-77.76	-60	-52.77	-51	PASS
LVHT	GSM900	124	914.8	5	1000	-78.11	-60	-53.35	-51	PASS
LVHT	GSM900	124	914.8	5	1200	-79.17	-60	-54.44	-51	PASS
LVHT	GSM900	124	914.8	5	1400	-80.12	-60	-55.26	-51	PASS
LVHT	GSM900	124	914.8	5	1600	-81.2	-60	-56.3	-51	PASS
LVHT	GSM900	124	914.8	5	1800	-80.2	-60	-55.28	-51	PASS
LVHT	GSM900	124	914.8	19	-1800	-75.9	-60	-80.44	-51	PASS
LVHT	GSM900	124	914.8	19	-1600	-75.88	-60	-80.35	-51	PASS
LVHT	GSM900	124	914.8	19	-1400	-72.88	-60	-77.27	-51	PASS
LVHT	GSM900	124	914.8	19	-1200	-67.3	-60	-71.87	-51	PASS
LVHT	GSM900	124	914.8	19	-1000	-68.25	-60	-72.82	-51	PASS
LVHT	GSM900	124	914.8	19	-800	-67.16	-60	-71.64	-51	PASS
LVHT	GSM900	124	914.8	19	-600	-60.9	-60	-65.49	-51	PASS
LVHT	GSM900	124	914.8	19	-400	-64.08	-60	-68.47	-36	PASS
LVHT	GSM900	124	914.8	19	-250	-40.9	-33	-45.42	-36	PASS
LVHT	GSM900	124	914.8	19	-200	-36.86	-30	-41.43	-36	PASS
LVHT	GSM900	124	914.8	19	-100	-8.59	0.5	-13.24	-36	PASS
LVHT	GSM900	124	914.8	19	100	-9.23	0.5	-13.64	-36	PASS
LVHT	GSM900	124	914.8	19	200	-37.54	-30	-42.09	-36	PASS
LVHT	GSM900	124	914.8	19	250	-41.73	-33	-46.04	-36	PASS
LVHT	GSM900	124	914.8	19	400	-63.26	-60	-67.72	-36	PASS
LVHT	GSM900	124	914.8	19	600	-60.03	-60	-64.63	-51	PASS
LVHT	GSM900	124	914.8	19	800	-66.84	-60	-71.28	-51	PASS
LVHT	GSM900	124	914.8	19	1000	-67.25	-60	-71.65	-51	PASS
LVHT	GSM900	124	914.8	19	1200	-65.75	-60	-70.38	-51	PASS
LVHT	GSM900	124	914.8	19	1400	-71.94	-60	-76.4	-51	PASS

LVHT	GSM900	124	914.8	19	1600	-75.37	-60	-79.8	-51	PASS
LVHT	GSM900	124	914.8	19	1800	-76.86	-60	-81.42	-51	PASS
LVLT	GSM900	975	880.2	5	-1800	-81.06	-60	-56.2	-51	PASS
LVLT	GSM900	975	880.2	5	-1600	-81.67	-60	-56.73	-51	PASS
LVLT	GSM900	975	880.2	5	-1400	-80.04	-60	-55.05	-51	PASS
LVLT	GSM900	975	880.2	5	-1200	-80.14	-60	-55.15	-51	PASS
LVLT	GSM900	975	880.2	5	-1000	-78.79	-60	-53.7	-51	PASS
LVLT	GSM900	975	880.2	5	-800	-76.99	-60	-52.03	-51	PASS
LVLT	GSM900	975	880.2	5	-600	-74.25	-60	-49.27	-51	PASS
LVLT	GSM900	975	880.2	5	-400	-67.68	-60	-42.69	-36	PASS
LVLT	GSM900	975	880.2	5	-250	-42.06	-33	-16.92	-36	PASS
LVLT	GSM900	975	880.2	5	-200	-37.76	-30	-12.76	-36	PASS
LVLT	GSM900	975	880.2	5	-100	-9.16	0.5	15.8	-36	PASS
LVLT	GSM900	975	880.2	5	100	-9.85	0.5	15.06	-36	PASS
LVLT	GSM900	975	880.2	5	200	-38.31	-30	-13.44	-36	PASS
LVLT	GSM900	975	880.2	5	250	-41.5	-33	-16.55	-36	PASS
LVLT	GSM900	975	880.2	5	400	-67.84	-60	-42.84	-36	PASS
LVLT	GSM900	975	880.2	5	600	-74.32	-60	-49.34	-51	PASS
LVLT	GSM900	975	880.2	5	800	-75.95	-60	-50.93	-51	PASS
LVLT	GSM900	975	880.2	5	1000	-78.67	-60	-53.72	-51	PASS
LVLT	GSM900	975	880.2	5	1200	-79.59	-60	-54.54	-51	PASS
LVLT	GSM900	975	880.2	5	1400	-80.31	-60	-55.4	-51	PASS
LVLT	GSM900	975	880.2	5	1600	-80.75	-60	-55.77	-51	PASS
LVLT	GSM900	975	880.2	5	1800	-81.19	-60	-56.2	-51	PASS
LVLT	GSM900	975	880.2	19	-1800	-77.39	-60	-81.57	-51	PASS
LVLT	GSM900	975	880.2	19	-1600	-76.12	-60	-80.22	-51	PASS
LVLT	GSM900	975	880.2	19	-1400	-71.89	-60	-76.01	-51	PASS
LVLT	GSM900	975	880.2	19	-1200	-67.47	-60	-71.7	-51	PASS
LVLT	GSM900	975	880.2	19	-1000	-67.87	-60	-72.27	-51	PASS
LVLT	GSM900	975	880.2	19	-800	-66.22	-60	-70.51	-51	PASS
LVLT	GSM900	975	880.2	19	-600	-61.03	-60	-65.38	-51	PASS
LVLT	GSM900	975	880.2	19	-400	-64.5	-60	-68.69	-36	PASS
LVLT	GSM900	975	880.2	19	-250	-41.62	-33	-45.81	-36	PASS
LVLT	GSM900	975	880.2	19	-200	-37.52	-30	-41.83	-36	PASS
LVLT	GSM900	975	880.2	19	-100	-7.94	0.5	-12.26	-36	PASS
LVLT	GSM900	975	880.2	19	100	-10.86	0.5	-15.23	-36	PASS
LVLT	GSM900	975	880.2	19	200	-37.38	-30	-41.57	-36	PASS
LVLT	GSM900	975	880.2	19	250	-41.18	-33	-45.3	-36	PASS
LVLT	GSM900	975	880.2	19	400	-64.1	-60	-68.38	-36	PASS
LVLT	GSM900	975	880.2	19	600	-60.55	-60	-64.81	-51	PASS
LVLT	GSM900	975	880.2	19	800	-66.64	-60	-70.89	-51	PASS
LVLT	GSM900	975	880.2	19	1000	-66.87	-60	-71.28	-51	PASS
LVLT	GSM900	975	880.2	19	1200	-66.15	-60	-70.34	-51	PASS
LVLT	GSM900	975	880.2	19	1400	-72.17	-60	-76.33	-51	PASS

LVLT	GSM900	975	880.2	19	1600	-75.35	-60	-79.6	-51	PASS
LVLT	GSM900	975	880.2	19	1800	-77.56	-60	-81.73	-51	PASS
LVLT	GSM900	38	897.6	5	-1800	-80.46	-60	-56.26	-51	PASS
LVLT	GSM900	38	897.6	5	-1600	-80.01	-60	-55.6	-51	PASS
LVLT	GSM900	38	897.6	5	-1400	-79.97	-60	-55.71	-51	PASS
LVLT	GSM900	38	897.6	5	-1200	-78.09	-60	-53.73	-51	PASS
LVLT	GSM900	38	897.6	5	-1000	-77.11	-60	-52.9	-51	PASS
LVLT	GSM900	38	897.6	5	-800	-76.03	-60	-51.79	-51	PASS
LVLT	GSM900	38	897.6	5	-600	-73.35	-60	-49.14	-51	PASS
LVLT	GSM900	38	897.6	5	-400	-65.63	-60	-41.48	-36	PASS
LVLT	GSM900	38	897.6	5	-250	-40.55	-33	-16.42	-36	PASS
LVLT	GSM900	38	897.6	5	-200	-37.49	-30	-13.14	-36	PASS
LVLT	GSM900	38	897.6	5	-100	-8.66	0.5	15.57	-36	PASS
LVLT	GSM900	38	897.6	5	100	-8.52	0.5	15.76	-36	PASS
LVLT	GSM900	38	897.6	5	200	-37.52	-30	-13.13	-36	PASS
LVLT	GSM900	38	897.6	5	250	-41.52	-33	-17.19	-36	PASS
LVLT	GSM900	38	897.6	5	400	-66.19	-60	-41.92	-36	PASS
LVLT	GSM900	38	897.6	5	600	-72.74	-60	-48.66	-51	PASS
LVLT	GSM900	38	897.6	5	800	-76.22	-60	-52.07	-51	PASS
LVLT	GSM900	38	897.6	5	1000	-77.48	-60	-53.22	-51	PASS
LVLT	GSM900	38	897.6	5	1200	-79.29	-60	-55.15	-51	PASS
LVLT	GSM900	38	897.6	5	1400	-78.87	-60	-54.66	-51	PASS
LVLT	GSM900	38	897.6	5	1600	-79.73	-60	-55.46	-51	PASS
LVLT	GSM900	38	897.6	5	1800	-80.39	-60	-56.33	-51	PASS
LVLT	GSM900	38	897.6	19	-1800	-77.16	-60	-81.32	-51	PASS
LVLT	GSM900	38	897.6	19	-1600	-75.6	-60	-79.69	-51	PASS
LVLT	GSM900	38	897.6	19	-1400	-71.48	-60	-75.55	-51	PASS
LVLT	GSM900	38	897.6	19	-1200	-67.37	-60	-71.44	-51	PASS
LVLT	GSM900	38	897.6	19	-1000	-68.42	-60	-72.59	-51	PASS
LVLT	GSM900	38	897.6	19	-800	-64.5	-60	-68.6	-51	PASS
LVLT	GSM900	38	897.6	19	-600	-61.46	-60	-65.5	-51	PASS
LVLT	GSM900	38	897.6	19	-400	-63.55	-60	-67.78	-36	PASS
LVLT	GSM900	38	897.6	19	-250	-41.73	-33	-45.8	-36	PASS
LVLT	GSM900	38	897.6	19	-200	-37.41	-30	-41.56	-36	PASS
LVLT	GSM900	38	897.6	19	-100	-8.89	0.5	-12.92	-36	PASS
LVLT	GSM900	38	897.6	19	100	-10.87	0.5	-14.85	-36	PASS
LVLT	GSM900	38	897.6	19	200	-37.47	-30	-41.68	-36	PASS
LVLT	GSM900	38	897.6	19	250	-41.11	-33	-45.28	-36	PASS
LVLT	GSM900	38	897.6	19	400	-64.27	-60	-68.38	-36	PASS
LVLT	GSM900	38	897.6	19	600	-60.88	-60	-64.96	-51	PASS
LVLT	GSM900	38	897.6	19	800	-64.16	-60	-68.34	-51	PASS
LVLT	GSM900	38	897.6	19	1000	-68.18	-60	-72.46	-51	PASS
LVLT	GSM900	38	897.6	19	1200	-66.61	-60	-70.83	-51	PASS
LVLT	GSM900	38	897.6	19	1400	-70.94	-60	-74.97	-51	PASS



LVLT	GSM900	38	897.6	19	1600	-74.85	-60	-78.97	-51	PASS
LVLT	GSM900	38	897.6	19	1800	-77.47	-60	-81.63	-51	PASS
LVLT	GSM900	124	914.8	5	-1800	-80.43	-60	-55.66	-51	PASS
LVLT	GSM900	124	914.8	5	-1600	-81.99	-60	-56.98	-51	PASS
LVLT	GSM900	124	914.8	5	-1400	-81.14	-60	-56.2	-51	PASS
LVLT	GSM900	124	914.8	5	-1200	-79.91	-60	-55	-51	PASS
LVLT	GSM900	124	914.8	5	-1000	-78.17	-60	-53.24	-51	PASS
LVLT	GSM900	124	914.8	5	-800	-77.32	-60	-52.41	-51	PASS
LVLT	GSM900	124	914.8	5	-600	-75.33	-60	-50.54	-51	PASS
LVLT	GSM900	124	914.8	5	-400	-67.5	-60	-42.58	-36	PASS
LVLT	GSM900	124	914.8	5	-250	-41.79	-33	-16.94	-36	PASS
LVLT	GSM900	124	914.8	5	-200	-37.53	-30	-12.59	-36	PASS
LVLT	GSM900	124	914.8	5	-100	-8.5	0.5	16.41	-36	PASS
LVLT	GSM900	124	914.8	5	100	-8.81	0.5	16.01	-36	PASS
LVLT	GSM900	124	914.8	5	200	-37.04	-30	-12.11	-36	PASS
LVLT	GSM900	124	914.8	5	250	-41.61	-33	-16.6	-36	PASS
LVLT	GSM900	124	914.8	5	400	-67.07	-60	-41.99	-36	PASS
LVLT	GSM900	124	914.8	5	600	-74.49	-60	-49.57	-51	PASS
LVLT	GSM900	124	914.8	5	800	-77.63	-60	-52.7	-51	PASS
LVLT	GSM900	124	914.8	5	1000	-78.07	-60	-53.28	-51	PASS
LVLT	GSM900	124	914.8	5	1200	-79.21	-60	-54.43	-51	PASS
LVLT	GSM900	124	914.8	5	1400	-80.11	-60	-55.2	-51	PASS
LVLT	GSM900	124	914.8	5	1600	-81.26	-60	-56.24	-51	PASS
LVLT	GSM900	124	914.8	5	1800	-80.19	-60	-55.29	-51	PASS
LVLT	GSM900	124	914.8	19	-1800	-75.98	-60	-80.47	-51	PASS
LVLT	GSM900	124	914.8	19	-1600	-76	-60	-80.38	-51	PASS
LVLT	GSM900	124	914.8	19	-1400	-72.8	-60	-77.29	-51	PASS
LVLT	GSM900	124	914.8	19	-1200	-67.34	-60	-71.75	-51	PASS
LVLT	GSM900	124	914.8	19	-1000	-68.2	-60	-72.65	-51	PASS
LVLT	GSM900	124	914.8	19	-800	-67.13	-60	-71.69	-51	PASS
LVLT	GSM900	124	914.8	19	-600	-61	-60	-65.36	-51	PASS
LVLT	GSM900	124	914.8	19	-400	-64.09	-60	-68.51	-36	PASS
LVLT	GSM900	124	914.8	19	-250	-40.89	-33	-45.45	-36	PASS
LVLT	GSM900	124	914.8	19	-200	-36.96	-30	-41.39	-36	PASS
LVLT	GSM900	124	914.8	19	-100	-8.58	0.5	-13.21	-36	PASS
LVLT	GSM900	124	914.8	19	100	-9.21	0.5	-13.53	-36	PASS
LVLT	GSM900	124	914.8	19	200	-37.61	-30	-42.09	-36	PASS
LVLT	GSM900	124	914.8	19	250	-41.59	-33	-46.08	-36	PASS
LVLT	GSM900	124	914.8	19	400	-63.32	-60	-67.8	-36	PASS
LVLT	GSM900	124	914.8	19	600	-60.09	-60	-64.64	-51	PASS
LVLT	GSM900	124	914.8	19	800	-66.9	-60	-71.39	-51	PASS
LVLT	GSM900	124	914.8	19	1000	-67.24	-60	-71.63	-51	PASS
LVLT	GSM900	124	914.8	19	1200	-65.8	-60	-70.26	-51	PASS
LVLT	GSM900	124	914.8	19	1400	-71.95	-60	-76.38	-51	PASS

LVLT	GSM900	124	914.8	19	1600	-75.47	-60	-79.84	-51	PASS
LVLT	GSM900	124	914.8	19	1800	-76.78	-60	-81.26	-51	PASS

**Clause 4.2.6 Transmitter-Switching Spectrum**

Condition	Band	Channel	Frequency (MHz)	PCL	Offset (kHz)	Result (dBm)	Limit (dBm)	Verdict
HVHT	GSM1800	512	1710.2	0	Ref Power	30.07		PASS
HVHT	GSM1800	512	1710.2	0	-1800	-43.3	-26.78	PASS
HVHT	GSM1800	512	1710.2	0	-1200	-41.36	-23.78	PASS
HVHT	GSM1800	512	1710.2	0	-600	-32.62	-23.78	PASS
HVHT	GSM1800	512	1710.2	0	-400	-26.3	-21.78	PASS
HVHT	GSM1800	512	1710.2	0	400	-26.14	-21.78	PASS
HVHT	GSM1800	512	1710.2	0	600	-32.37	-23.78	PASS
HVHT	GSM1800	512	1710.2	0	1200	-38.93	-23.78	PASS
HVHT	GSM1800	512	1710.2	0	1800	-44.36	-26.78	PASS
HVHT	GSM1800	512	1710.2	15	Ref Power	-0.24		PASS
HVHT	GSM1800	512	1710.2	15	-1800	-63.26	-36	PASS
HVHT	GSM1800	512	1710.2	15	-1200	-62.76	-32	PASS
HVHT	GSM1800	512	1710.2	15	-600	-53.93	-26	PASS
HVHT	GSM1800	512	1710.2	15	-400	-50.86	-23	PASS
HVHT	GSM1800	512	1710.2	15	400	-48.57	-23	PASS
HVHT	GSM1800	512	1710.2	15	600	-59.86	-26	PASS
HVHT	GSM1800	512	1710.2	15	1200	-63.97	-32	PASS
HVHT	GSM1800	512	1710.2	15	1800	-66.87	-36	PASS
HVHT	GSM1800	698	1747.4	0	Ref Power	29.49		PASS
HVHT	GSM1800	698	1747.4	0	-1800	-44.22	-27.34	PASS
HVHT	GSM1800	698	1747.4	0	-1200	-39.19	-24.34	PASS
HVHT	GSM1800	698	1747.4	0	-600	-31.93	-24.17	PASS
HVHT	GSM1800	698	1747.4	0	-400	-25.98	-22.17	PASS
HVHT	GSM1800	698	1747.4	0	400	-24.99	-22.17	PASS
HVHT	GSM1800	698	1747.4	0	600	-32.21	-24.17	PASS
HVHT	GSM1800	698	1747.4	0	1200	-39.01	-24.34	PASS
HVHT	GSM1800	698	1747.4	0	1800	-41.43	-27.34	PASS
HVHT	GSM1800	698	1747.4	15	Ref Power	-0.16		PASS
HVHT	GSM1800	698	1747.4	15	-1800	-62.63	-36	PASS
HVHT	GSM1800	698	1747.4	15	-1200	-64.27	-32	PASS
HVHT	GSM1800	698	1747.4	15	-600	-55.22	-26	PASS
HVHT	GSM1800	698	1747.4	15	-400	-50.52	-23	PASS
HVHT	GSM1800	698	1747.4	15	400	-49.42	-23	PASS
HVHT	GSM1800	698	1747.4	15	600	-59.29	-26	PASS
HVHT	GSM1800	698	1747.4	15	1200	-64.17	-32	PASS
HVHT	GSM1800	698	1747.4	15	1800	-67.52	-36	PASS
HVHT	GSM1800	885	1784.8	0	Ref Power	29		PASS
HVHT	GSM1800	885	1784.8	0	-1800	-43.43	-27.89	PASS
HVHT	GSM1800	885	1784.8	0	-1200	-39.42	-24.89	PASS

HVHT	GSM1800	885	1784.8	0	-600	-31.62	-24.45	PASS
HVHT	GSM1800	885	1784.8	0	-400	-26.69	-22.45	PASS
HVHT	GSM1800	885	1784.8	0	400	-25.82	-22.45	PASS
HVHT	GSM1800	885	1784.8	0	600	-31.45	-24.45	PASS
HVHT	GSM1800	885	1784.8	0	1200	-38.53	-24.89	PASS
HVHT	GSM1800	885	1784.8	0	1800	-44.15	-27.89	PASS
HVHT	GSM1800	885	1784.8	15	Ref Power	-0.23		PASS
HVHT	GSM1800	885	1784.8	15	-1800	-63.53	-36	PASS
HVHT	GSM1800	885	1784.8	15	-1200	-65.09	-32	PASS
HVHT	GSM1800	885	1784.8	15	-600	-57.8	-26	PASS
HVHT	GSM1800	885	1784.8	15	-400	-51.21	-23	PASS
HVHT	GSM1800	885	1784.8	15	400	-49.72	-23	PASS
HVHT	GSM1800	885	1784.8	15	600	-58.45	-26	PASS
HVHT	GSM1800	885	1784.8	15	1200	-65.35	-32	PASS
HVHT	GSM1800	885	1784.8	15	1800	-68.72	-36	PASS
HVLT	GSM1800	512	1710.2	0	Ref Power	30.07		PASS
HVLT	GSM1800	512	1710.2	0	-1800	-43.12	-26.78	PASS
HVLT	GSM1800	512	1710.2	0	-1200	-41.23	-23.78	PASS
HVLT	GSM1800	512	1710.2	0	-600	-32.52	-23.78	PASS
HVLT	GSM1800	512	1710.2	0	-400	-26.41	-21.78	PASS
HVLT	GSM1800	512	1710.2	0	400	-26.12	-21.78	PASS
HVLT	GSM1800	512	1710.2	0	600	-32.29	-23.78	PASS
HVLT	GSM1800	512	1710.2	0	1200	-38.87	-23.78	PASS
HVLT	GSM1800	512	1710.2	0	1800	-44.44	-26.78	PASS
HVLT	GSM1800	512	1710.2	15	Ref Power	-0.26		PASS
HVLT	GSM1800	512	1710.2	15	-1800	-63.33	-36	PASS
HVLT	GSM1800	512	1710.2	15	-1200	-62.84	-32	PASS
HVLT	GSM1800	512	1710.2	15	-600	-53.85	-26	PASS
HVLT	GSM1800	512	1710.2	15	-400	-50.83	-23	PASS
HVLT	GSM1800	512	1710.2	15	400	-48.56	-23	PASS
HVLT	GSM1800	512	1710.2	15	600	-59.99	-26	PASS
HVLT	GSM1800	512	1710.2	15	1200	-64.11	-32	PASS
HVLT	GSM1800	512	1710.2	15	1800	-66.93	-36	PASS
HVLT	GSM1800	698	1747.4	0	Ref Power	29.55		PASS
HVLT	GSM1800	698	1747.4	0	-1800	-44.27	-27.34	PASS
HVLT	GSM1800	698	1747.4	0	-1200	-39.33	-24.34	PASS
HVLT	GSM1800	698	1747.4	0	-600	-31.96	-24.17	PASS
HVLT	GSM1800	698	1747.4	0	-400	-25.92	-22.17	PASS
HVLT	GSM1800	698	1747.4	0	400	-25.01	-22.17	PASS
HVLT	GSM1800	698	1747.4	0	600	-32.29	-24.17	PASS
HVLT	GSM1800	698	1747.4	0	1200	-39.11	-24.34	PASS
HVLT	GSM1800	698	1747.4	0	1800	-41.42	-27.34	PASS
HVLT	GSM1800	698	1747.4	15	Ref Power	-0.11		PASS
HVLT	GSM1800	698	1747.4	15	-1800	-62.72	-36	PASS

HVLT	GSM1800	698	1747.4	15	-1200	-64.23	-32	PASS
HVLT	GSM1800	698	1747.4	15	-600	-55.17	-26	PASS
HVLT	GSM1800	698	1747.4	15	-400	-50.41	-23	PASS
HVLT	GSM1800	698	1747.4	15	400	-49.45	-23	PASS
HVLT	GSM1800	698	1747.4	15	600	-59.42	-26	PASS
HVLT	GSM1800	698	1747.4	15	1200	-64.28	-32	PASS
HVLT	GSM1800	698	1747.4	15	1800	-67.41	-36	PASS
HVLT	GSM1800	885	1784.8	0	Ref Power	28.97		PASS
HVLT	GSM1800	885	1784.8	0	-1800	-43.31	-27.89	PASS
HVLT	GSM1800	885	1784.8	0	-1200	-39.45	-24.89	PASS
HVLT	GSM1800	885	1784.8	0	-600	-31.52	-24.45	PASS
HVLT	GSM1800	885	1784.8	0	-400	-26.71	-22.45	PASS
HVLT	GSM1800	885	1784.8	0	400	-25.84	-22.45	PASS
HVLT	GSM1800	885	1784.8	0	600	-31.35	-24.45	PASS
HVLT	GSM1800	885	1784.8	0	1200	-38.47	-24.89	PASS
HVLT	GSM1800	885	1784.8	0	1800	-44.14	-27.89	PASS
HVLT	GSM1800	885	1784.8	15	Ref Power	-0.37		PASS
HVLT	GSM1800	885	1784.8	15	-1800	-63.61	-36	PASS
HVLT	GSM1800	885	1784.8	15	-1200	-65.02	-32	PASS
HVLT	GSM1800	885	1784.8	15	-600	-57.73	-26	PASS
HVLT	GSM1800	885	1784.8	15	-400	-51.22	-23	PASS
HVLT	GSM1800	885	1784.8	15	400	-49.8	-23	PASS
HVLT	GSM1800	885	1784.8	15	600	-58.47	-26	PASS
HVLT	GSM1800	885	1784.8	15	1200	-65.32	-32	PASS
HVLT	GSM1800	885	1784.8	15	1800	-68.57	-36	PASS
LVHT	GSM1800	512	1710.2	0	Ref Power	30.14		PASS
LVHT	GSM1800	512	1710.2	0	-1800	-43.27	-26.78	PASS
LVHT	GSM1800	512	1710.2	0	-1200	-41.23	-23.78	PASS
LVHT	GSM1800	512	1710.2	0	-600	-32.52	-23.78	PASS
LVHT	GSM1800	512	1710.2	0	-400	-26.28	-21.78	PASS
LVHT	GSM1800	512	1710.2	0	400	-26.1	-21.78	PASS
LVHT	GSM1800	512	1710.2	0	600	-32.45	-23.78	PASS
LVHT	GSM1800	512	1710.2	0	1200	-38.93	-23.78	PASS
LVHT	GSM1800	512	1710.2	0	1800	-44.28	-26.78	PASS
LVHT	GSM1800	512	1710.2	15	Ref Power	-0.13		PASS
LVHT	GSM1800	512	1710.2	15	-1800	-63.35	-36	PASS
LVHT	GSM1800	512	1710.2	15	-1200	-62.8	-32	PASS
LVHT	GSM1800	512	1710.2	15	-600	-53.93	-26	PASS
LVHT	GSM1800	512	1710.2	15	-400	-50.93	-23	PASS
LVHT	GSM1800	512	1710.2	15	400	-48.57	-23	PASS
LVHT	GSM1800	512	1710.2	15	600	-59.93	-26	PASS
LVHT	GSM1800	512	1710.2	15	1200	-64.1	-32	PASS
LVHT	GSM1800	512	1710.2	15	1800	-66.94	-36	PASS
LVHT	GSM1800	698	1747.4	0	Ref Power	29.56		PASS

LVHT	GSM1800	698	1747.4	0	-1800	-44.17	-27.34	PASS
LVHT	GSM1800	698	1747.4	0	-1200	-39.34	-24.34	PASS
LVHT	GSM1800	698	1747.4	0	-600	-31.86	-24.17	PASS
LVHT	GSM1800	698	1747.4	0	-400	-26	-22.17	PASS
LVHT	GSM1800	698	1747.4	0	400	-25.11	-22.17	PASS
LVHT	GSM1800	698	1747.4	0	600	-32.19	-24.17	PASS
LVHT	GSM1800	698	1747.4	0	1200	-39.19	-24.34	PASS
LVHT	GSM1800	698	1747.4	0	1800	-41.28	-27.34	PASS
LVHT	GSM1800	698	1747.4	15	Ref Power	-0.13		PASS
LVHT	GSM1800	698	1747.4	15	-1800	-62.7	-36	PASS
LVHT	GSM1800	698	1747.4	15	-1200	-64.24	-32	PASS
LVHT	GSM1800	698	1747.4	15	-600	-55.16	-26	PASS
LVHT	GSM1800	698	1747.4	15	-400	-50.35	-23	PASS
LVHT	GSM1800	698	1747.4	15	400	-49.49	-23	PASS
LVHT	GSM1800	698	1747.4	15	600	-59.33	-26	PASS
LVHT	GSM1800	698	1747.4	15	1200	-64.2	-32	PASS
LVHT	GSM1800	698	1747.4	15	1800	-67.5	-36	PASS
LVHT	GSM1800	885	1784.8	0	Ref Power	28.98		PASS
LVHT	GSM1800	885	1784.8	0	-1800	-43.45	-27.89	PASS
LVHT	GSM1800	885	1784.8	0	-1200	-39.32	-24.89	PASS
LVHT	GSM1800	885	1784.8	0	-600	-31.66	-24.45	PASS
LVHT	GSM1800	885	1784.8	0	-400	-26.66	-22.45	PASS
LVHT	GSM1800	885	1784.8	0	400	-25.83	-22.45	PASS
LVHT	GSM1800	885	1784.8	0	600	-31.31	-24.45	PASS
LVHT	GSM1800	885	1784.8	0	1200	-38.53	-24.89	PASS
LVHT	GSM1800	885	1784.8	0	1800	-44.16	-27.89	PASS
LVHT	GSM1800	885	1784.8	15	Ref Power	-0.37		PASS
LVHT	GSM1800	885	1784.8	15	-1800	-63.5	-36	PASS
LVHT	GSM1800	885	1784.8	15	-1200	-65.13	-32	PASS
LVHT	GSM1800	885	1784.8	15	-600	-57.87	-26	PASS
LVHT	GSM1800	885	1784.8	15	-400	-51.25	-23	PASS
LVHT	GSM1800	885	1784.8	15	400	-49.67	-23	PASS
LVHT	GSM1800	885	1784.8	15	600	-58.58	-26	PASS
LVHT	GSM1800	885	1784.8	15	1200	-65.42	-32	PASS
LVHT	GSM1800	885	1784.8	15	1800	-68.68	-36	PASS
LVLT	GSM1800	512	1710.2	0	Ref Power	30.18		PASS
LVLT	GSM1800	512	1710.2	0	-1800	-43.21	-26.78	PASS
LVLT	GSM1800	512	1710.2	0	-1200	-41.29	-23.78	PASS
LVLT	GSM1800	512	1710.2	0	-600	-32.64	-23.78	PASS
LVLT	GSM1800	512	1710.2	0	-400	-26.33	-21.78	PASS
LVLT	GSM1800	512	1710.2	0	400	-26.23	-21.78	PASS
LVLT	GSM1800	512	1710.2	0	600	-32.46	-23.78	PASS
LVLT	GSM1800	512	1710.2	0	1200	-38.84	-23.78	PASS
LVLT	GSM1800	512	1710.2	0	1800	-44.27	-26.78	PASS

LVLT	GSM1800	512	1710.2	15	Ref Power	-0.19		PASS
LVLT	GSM1800	512	1710.2	15	-1800	-63.16	-36	PASS
LVLT	GSM1800	512	1710.2	15	-1200	-62.8	-32	PASS
LVLT	GSM1800	512	1710.2	15	-600	-53.88	-26	PASS
LVLT	GSM1800	512	1710.2	15	-400	-50.98	-23	PASS
LVLT	GSM1800	512	1710.2	15	400	-48.5	-23	PASS
LVLT	GSM1800	512	1710.2	15	600	-59.86	-26	PASS
LVLT	GSM1800	512	1710.2	15	1200	-64.06	-32	PASS
LVLT	GSM1800	512	1710.2	15	1800	-66.87	-36	PASS
LVLT	GSM1800	698	1747.4	0	Ref Power	29.55		PASS
LVLT	GSM1800	698	1747.4	0	-1800	-44.22	-27.34	PASS
LVLT	GSM1800	698	1747.4	0	-1200	-39.24	-24.34	PASS
LVLT	GSM1800	698	1747.4	0	-600	-31.87	-24.17	PASS
LVLT	GSM1800	698	1747.4	0	-400	-25.94	-22.17	PASS
LVLT	GSM1800	698	1747.4	0	400	-25.17	-22.17	PASS
LVLT	GSM1800	698	1747.4	0	600	-32.24	-24.17	PASS
LVLT	GSM1800	698	1747.4	0	1200	-39.07	-24.34	PASS
LVLT	GSM1800	698	1747.4	0	1800	-41.26	-27.34	PASS
LVLT	GSM1800	698	1747.4	15	Ref Power	-0.08		PASS
LVLT	GSM1800	698	1747.4	15	-1800	-62.77	-36	PASS
LVLT	GSM1800	698	1747.4	15	-1200	-64.37	-32	PASS
LVLT	GSM1800	698	1747.4	15	-600	-55.21	-26	PASS
LVLT	GSM1800	698	1747.4	15	-400	-50.4	-23	PASS
LVLT	GSM1800	698	1747.4	15	400	-49.42	-23	PASS
LVLT	GSM1800	698	1747.4	15	600	-59.39	-26	PASS
LVLT	GSM1800	698	1747.4	15	1200	-64.23	-32	PASS
LVLT	GSM1800	698	1747.4	15	1800	-67.49	-36	PASS
LVLT	GSM1800	885	1784.8	0	Ref Power	29.04		PASS
LVLT	GSM1800	885	1784.8	0	-1800	-43.39	-27.89	PASS
LVLT	GSM1800	885	1784.8	0	-1200	-39.45	-24.89	PASS
LVLT	GSM1800	885	1784.8	0	-600	-31.57	-24.45	PASS
LVLT	GSM1800	885	1784.8	0	-400	-26.71	-22.45	PASS
LVLT	GSM1800	885	1784.8	0	400	-25.83	-22.45	PASS
LVLT	GSM1800	885	1784.8	0	600	-31.43	-24.45	PASS
LVLT	GSM1800	885	1784.8	0	1200	-38.57	-24.89	PASS
LVLT	GSM1800	885	1784.8	0	1800	-44.12	-27.89	PASS
LVLT	GSM1800	885	1784.8	15	Ref Power	-0.33		PASS
LVLT	GSM1800	885	1784.8	15	-1800	-63.52	-36	PASS
LVLT	GSM1800	885	1784.8	15	-1200	-65.08	-32	PASS
LVLT	GSM1800	885	1784.8	15	-600	-57.83	-26	PASS
LVLT	GSM1800	885	1784.8	15	-400	-51.31	-23	PASS
LVLT	GSM1800	885	1784.8	15	400	-49.8	-23	PASS
LVLT	GSM1800	885	1784.8	15	600	-58.48	-26	PASS
LVLT	GSM1800	885	1784.8	15	1200	-65.43	-32	PASS

LVLT	GSM1800	885	1784.8	15	1800	-68.7	-36	PASS
HVHT	GSM900	975	880.2	5	Ref Power	32.32		PASS
HVHT	GSM900	975	880.2	5	-1800	-43.54	-24.52	PASS
HVHT	GSM900	975	880.2	5	-1200	-44.16	-21.52	PASS
HVHT	GSM900	975	880.2	5	-600	-37.99	-21.52	PASS
HVHT	GSM900	975	880.2	5	-400	-29.5	-19.52	PASS
HVHT	GSM900	975	880.2	5	400	-28.35	-19.52	PASS
HVHT	GSM900	975	880.2	5	600	-37.39	-21.52	PASS
HVHT	GSM900	975	880.2	5	1200	-44.35	-21.52	PASS
HVHT	GSM900	975	880.2	5	1800	-46.61	-24.52	PASS
HVHT	GSM900	975	880.2	19	Ref Power	3.54		PASS
HVHT	GSM900	975	880.2	19	-1800	-71.18	-36	PASS
HVHT	GSM900	975	880.2	19	-1200	-60.43	-32	PASS
HVHT	GSM900	975	880.2	19	-600	-54.67	-26	PASS
HVHT	GSM900	975	880.2	19	-400	-56.52	-23	PASS
HVHT	GSM900	975	880.2	19	400	-51.56	-23	PASS
HVHT	GSM900	975	880.2	19	600	-54.77	-26	PASS
HVHT	GSM900	975	880.2	19	1200	-59.79	-32	PASS
HVHT	GSM900	975	880.2	19	1800	-71.6	-36	PASS
HVHT	GSM900	38	897.6	5	Ref Power	32.7		PASS
HVHT	GSM900	38	897.6	5	-1800	-46.23	-24.21	PASS
HVHT	GSM900	38	897.6	5	-1200	-43.78	-21.21	PASS
HVHT	GSM900	38	897.6	5	-600	-38.75	-21.21	PASS
HVHT	GSM900	38	897.6	5	-400	-30.65	-19.21	PASS
HVHT	GSM900	38	897.6	5	400	-26.66	-19.21	PASS
HVHT	GSM900	38	897.6	5	600	-38.42	-21.21	PASS
HVHT	GSM900	38	897.6	5	1200	-41.37	-21.21	PASS
HVHT	GSM900	38	897.6	5	1800	-44.48	-24.21	PASS
HVHT	GSM900	38	897.6	19	Ref Power	3.72		PASS
HVHT	GSM900	38	897.6	19	-1800	-69.58	-36	PASS
HVHT	GSM900	38	897.6	19	-1200	-60.16	-32	PASS
HVHT	GSM900	38	897.6	19	-600	-54.94	-26	PASS
HVHT	GSM900	38	897.6	19	-400	-54.85	-23	PASS
HVHT	GSM900	38	897.6	19	400	-49.87	-23	PASS
HVHT	GSM900	38	897.6	19	600	-54.45	-26	PASS
HVHT	GSM900	38	897.6	19	1200	-58.19	-32	PASS
HVHT	GSM900	38	897.6	19	1800	-70.25	-36	PASS
HVHT	GSM900	124	914.8	5	Ref Power	32.94		PASS
HVHT	GSM900	124	914.8	5	-1800	-44.77	-24.01	PASS
HVHT	GSM900	124	914.8	5	-1200	-45.32	-21.01	PASS
HVHT	GSM900	124	914.8	5	-600	-39.2	-21.01	PASS
HVHT	GSM900	124	914.8	5	-400	-31.58	-19.01	PASS
HVHT	GSM900	124	914.8	5	400	-28.06	-19.01	PASS
HVHT	GSM900	124	914.8	5	600	-40.03	-21.01	PASS

HVHT	GSM900	124	914.8	5	1200	-44.1	-21.01	PASS
HVHT	GSM900	124	914.8	5	1800	-45.23	-24.01	PASS
HVHT	GSM900	124	914.8	19	Ref Power	3.82		PASS
HVHT	GSM900	124	914.8	19	-1800	-68.9	-36	PASS
HVHT	GSM900	124	914.8	19	-1200	-60.26	-32	PASS
HVHT	GSM900	124	914.8	19	-600	-54.88	-26	PASS
HVHT	GSM900	124	914.8	19	-400	-55.04	-23	PASS
HVHT	GSM900	124	914.8	19	400	-49.82	-23	PASS
HVHT	GSM900	124	914.8	19	600	-54.76	-26	PASS
HVHT	GSM900	124	914.8	19	1200	-59.68	-32	PASS
HVHT	GSM900	124	914.8	19	1800	-70.55	-36	PASS
HVLT	GSM900	975	880.2	5	Ref Power	32.41		PASS
HVLT	GSM900	975	880.2	5	-1800	-43.42	-24.52	PASS
HVLT	GSM900	975	880.2	5	-1200	-44.18	-21.52	PASS
HVLT	GSM900	975	880.2	5	-600	-37.99	-21.52	PASS
HVLT	GSM900	975	880.2	5	-400	-29.52	-19.52	PASS
HVLT	GSM900	975	880.2	5	400	-28.38	-19.52	PASS
HVLT	GSM900	975	880.2	5	600	-37.48	-21.52	PASS
HVLT	GSM900	975	880.2	5	1200	-44.22	-21.52	PASS
HVLT	GSM900	975	880.2	5	1800	-46.48	-24.52	PASS
HVLT	GSM900	975	880.2	19	Ref Power	3.43		PASS
HVLT	GSM900	975	880.2	19	-1800	-71.27	-36	PASS
HVLT	GSM900	975	880.2	19	-1200	-60.5	-32	PASS
HVLT	GSM900	975	880.2	19	-600	-54.79	-26	PASS
HVLT	GSM900	975	880.2	19	-400	-56.43	-23	PASS
HVLT	GSM900	975	880.2	19	400	-51.41	-23	PASS
HVLT	GSM900	975	880.2	19	600	-54.76	-26	PASS
HVLT	GSM900	975	880.2	19	1200	-59.72	-32	PASS
HVLT	GSM900	975	880.2	19	1800	-71.48	-36	PASS
HVLT	GSM900	38	897.6	5	Ref Power	32.66		PASS
HVLT	GSM900	38	897.6	5	-1800	-46.18	-24.21	PASS
HVLT	GSM900	38	897.6	5	-1200	-43.76	-21.21	PASS
HVLT	GSM900	38	897.6	5	-600	-38.72	-21.21	PASS
HVLT	GSM900	38	897.6	5	-400	-30.7	-19.21	PASS
HVLT	GSM900	38	897.6	5	400	-26.59	-19.21	PASS
HVLT	GSM900	38	897.6	5	600	-38.54	-21.21	PASS
HVLT	GSM900	38	897.6	5	1200	-41.56	-21.21	PASS
HVLT	GSM900	38	897.6	5	1800	-44.55	-24.21	PASS
HVLT	GSM900	38	897.6	19	Ref Power	3.72		PASS
HVLT	GSM900	38	897.6	19	-1800	-69.54	-36	PASS
HVLT	GSM900	38	897.6	19	-1200	-60.07	-32	PASS
HVLT	GSM900	38	897.6	19	-600	-55.05	-26	PASS
HVLT	GSM900	38	897.6	19	-400	-54.86	-23	PASS
HVLT	GSM900	38	897.6	19	400	-49.88	-23	PASS



HVLT	GSM900	38	897.6	19	600	-54.48	-26	PASS
HVLT	GSM900	38	897.6	19	1200	-58.13	-32	PASS
HVLT	GSM900	38	897.6	19	1800	-70.37	-36	PASS
HVLT	GSM900	124	914.8	5	Ref Power	32.98		PASS
HVLT	GSM900	124	914.8	5	-1800	-44.7	-24.01	PASS
HVLT	GSM900	124	914.8	5	-1200	-45.43	-21.01	PASS
HVLT	GSM900	124	914.8	5	-600	-39.34	-21.01	PASS
HVLT	GSM900	124	914.8	5	-400	-31.71	-19.01	PASS
HVLT	GSM900	124	914.8	5	400	-28.24	-19.01	PASS
HVLT	GSM900	124	914.8	5	600	-40.17	-21.01	PASS
HVLT	GSM900	124	914.8	5	1200	-44.05	-21.01	PASS
HVLT	GSM900	124	914.8	5	1800	-45.33	-24.01	PASS
HVLT	GSM900	124	914.8	19	Ref Power	3.69		PASS
HVLT	GSM900	124	914.8	19	-1800	-68.93	-36	PASS
HVLT	GSM900	124	914.8	19	-1200	-60.34	-32	PASS
HVLT	GSM900	124	914.8	19	-600	-54.8	-26	PASS
HVLT	GSM900	124	914.8	19	-400	-55.08	-23	PASS
HVLT	GSM900	124	914.8	19	400	-49.88	-23	PASS
HVLT	GSM900	124	914.8	19	600	-54.75	-26	PASS
HVLT	GSM900	124	914.8	19	1200	-59.61	-32	PASS
HVLT	GSM900	124	914.8	19	1800	-70.64	-36	PASS
LVHT	GSM900	975	880.2	5	Ref Power	32.41		PASS
LVHT	GSM900	975	880.2	5	-1800	-43.36	-24.52	PASS
LVHT	GSM900	975	880.2	5	-1200	-44.1	-21.52	PASS
LVHT	GSM900	975	880.2	5	-600	-37.96	-21.52	PASS
LVHT	GSM900	975	880.2	5	-400	-29.41	-19.52	PASS
LVHT	GSM900	975	880.2	5	400	-28.23	-19.52	PASS
LVHT	GSM900	975	880.2	5	600	-37.32	-21.52	PASS
LVHT	GSM900	975	880.2	5	1200	-44.18	-21.52	PASS
LVHT	GSM900	975	880.2	5	1800	-46.57	-24.52	PASS
LVHT	GSM900	975	880.2	19	Ref Power	3.57		PASS
LVHT	GSM900	975	880.2	19	-1800	-71.18	-36	PASS
LVHT	GSM900	975	880.2	19	-1200	-60.36	-32	PASS
LVHT	GSM900	975	880.2	19	-600	-54.75	-26	PASS
LVHT	GSM900	975	880.2	19	-400	-56.48	-23	PASS
LVHT	GSM900	975	880.2	19	400	-51.39	-23	PASS
LVHT	GSM900	975	880.2	19	600	-54.82	-26	PASS
LVHT	GSM900	975	880.2	19	1200	-59.73	-32	PASS
LVHT	GSM900	975	880.2	19	1800	-71.5	-36	PASS
LVHT	GSM900	38	897.6	5	Ref Power	32.71		PASS
LVHT	GSM900	38	897.6	5	-1800	-46.2	-24.21	PASS
LVHT	GSM900	38	897.6	5	-1200	-43.74	-21.21	PASS
LVHT	GSM900	38	897.6	5	-600	-38.83	-21.21	PASS
LVHT	GSM900	38	897.6	5	-400	-30.62	-19.21	PASS

LVHT	GSM900	38	897.6	5	400	-26.7	-19.21	PASS
LVHT	GSM900	38	897.6	5	600	-38.48	-21.21	PASS
LVHT	GSM900	38	897.6	5	1200	-41.42	-21.21	PASS
LVHT	GSM900	38	897.6	5	1800	-44.52	-24.21	PASS
LVHT	GSM900	38	897.6	19	Ref Power	3.74		PASS
LVHT	GSM900	38	897.6	19	-1800	-69.63	-36	PASS
LVHT	GSM900	38	897.6	19	-1200	-60.25	-32	PASS
LVHT	GSM900	38	897.6	19	-600	-55.03	-26	PASS
LVHT	GSM900	38	897.6	19	-400	-54.71	-23	PASS
LVHT	GSM900	38	897.6	19	400	-49.82	-23	PASS
LVHT	GSM900	38	897.6	19	600	-54.53	-26	PASS
LVHT	GSM900	38	897.6	19	1200	-58.14	-32	PASS
LVHT	GSM900	38	897.6	19	1800	-70.36	-36	PASS
LVHT	GSM900	124	914.8	5	Ref Power	32.85		PASS
LVHT	GSM900	124	914.8	5	-1800	-44.82	-24.01	PASS
LVHT	GSM900	124	914.8	5	-1200	-45.4	-21.01	PASS
LVHT	GSM900	124	914.8	5	-600	-39.35	-21.01	PASS
LVHT	GSM900	124	914.8	5	-400	-31.56	-19.01	PASS
LVHT	GSM900	124	914.8	5	400	-28.25	-19.01	PASS
LVHT	GSM900	124	914.8	5	600	-40.02	-21.01	PASS
LVHT	GSM900	124	914.8	5	1200	-44.03	-21.01	PASS
LVHT	GSM900	124	914.8	5	1800	-45.33	-24.01	PASS
LVHT	GSM900	124	914.8	19	Ref Power	3.74		PASS
LVHT	GSM900	124	914.8	19	-1800	-68.91	-36	PASS
LVHT	GSM900	124	914.8	19	-1200	-60.31	-32	PASS
LVHT	GSM900	124	914.8	19	-600	-54.83	-26	PASS
LVHT	GSM900	124	914.8	19	-400	-55.06	-23	PASS
LVHT	GSM900	124	914.8	19	400	-49.75	-23	PASS
LVHT	GSM900	124	914.8	19	600	-54.72	-26	PASS
LVHT	GSM900	124	914.8	19	1200	-59.64	-32	PASS
LVHT	GSM900	124	914.8	19	1800	-70.55	-36	PASS
LVLT	GSM900	975	880.2	5	Ref Power	32.31		PASS
LVLT	GSM900	975	880.2	5	-1800	-43.5	-24.52	PASS
LVLT	GSM900	975	880.2	5	-1200	-44.22	-21.52	PASS
LVLT	GSM900	975	880.2	5	-600	-38.04	-21.52	PASS
LVLT	GSM900	975	880.2	5	-400	-29.45	-19.52	PASS
LVLT	GSM900	975	880.2	5	400	-28.27	-19.52	PASS
LVLT	GSM900	975	880.2	5	600	-37.43	-21.52	PASS
LVLT	GSM900	975	880.2	5	1200	-44.34	-21.52	PASS
LVLT	GSM900	975	880.2	5	1800	-46.59	-24.52	PASS
LVLT	GSM900	975	880.2	19	Ref Power	3.43		PASS
LVLT	GSM900	975	880.2	19	-1800	-71.32	-36	PASS
LVLT	GSM900	975	880.2	19	-1200	-60.46	-32	PASS
LVLT	GSM900	975	880.2	19	-600	-54.81	-26	PASS

LVLT	GSM900	975	880.2	19	-400	-56.59	-23	PASS
LVLT	GSM900	975	880.2	19	400	-51.5	-23	PASS
LVLT	GSM900	975	880.2	19	600	-54.72	-26	PASS
LVLT	GSM900	975	880.2	19	1200	-59.8	-32	PASS
LVLT	GSM900	975	880.2	19	1800	-71.5	-36	PASS
LVLT	GSM900	38	897.6	5	Ref Power	32.59		PASS
LVLT	GSM900	38	897.6	5	-1800	-46.15	-24.21	PASS
LVLT	GSM900	38	897.6	5	-1200	-43.8	-21.21	PASS
LVLT	GSM900	38	897.6	5	-600	-38.8	-21.21	PASS
LVLT	GSM900	38	897.6	5	-400	-30.64	-19.21	PASS
LVLT	GSM900	38	897.6	5	400	-26.66	-19.21	PASS
LVLT	GSM900	38	897.6	5	600	-38.48	-21.21	PASS
LVLT	GSM900	38	897.6	5	1200	-41.41	-21.21	PASS
LVLT	GSM900	38	897.6	5	1800	-44.51	-24.21	PASS
LVLT	GSM900	38	897.6	19	Ref Power	3.8		PASS
LVLT	GSM900	38	897.6	19	-1800	-69.49	-36	PASS
LVLT	GSM900	38	897.6	19	-1200	-60.21	-32	PASS
LVLT	GSM900	38	897.6	19	-600	-55.05	-26	PASS
LVLT	GSM900	38	897.6	19	-400	-54.78	-23	PASS
LVLT	GSM900	38	897.6	19	400	-49.76	-23	PASS
LVLT	GSM900	38	897.6	19	600	-54.53	-26	PASS
LVLT	GSM900	38	897.6	19	1200	-58.27	-32	PASS
LVLT	GSM900	38	897.6	19	1800	-70.41	-36	PASS
LVLT	GSM900	124	914.8	5	Ref Power	32.96		PASS
LVLT	GSM900	124	914.8	5	-1800	-44.68	-24.01	PASS
LVLT	GSM900	124	914.8	5	-1200	-45.26	-21.01	PASS
LVLT	GSM900	124	914.8	5	-600	-39.24	-21.01	PASS
LVLT	GSM900	124	914.8	5	-400	-31.53	-19.01	PASS
LVLT	GSM900	124	914.8	5	400	-28.2	-19.01	PASS
LVLT	GSM900	124	914.8	5	600	-40.07	-21.01	PASS
LVLT	GSM900	124	914.8	5	1200	-44.14	-21.01	PASS
LVLT	GSM900	124	914.8	5	1800	-45.34	-24.01	PASS
LVLT	GSM900	124	914.8	19	Ref Power	3.8		PASS
LVLT	GSM900	124	914.8	19	-1800	-68.94	-36	PASS
LVLT	GSM900	124	914.8	19	-1200	-60.32	-32	PASS
LVLT	GSM900	124	914.8	19	-600	-54.88	-26	PASS
LVLT	GSM900	124	914.8	19	-400	-54.95	-23	PASS
LVLT	GSM900	124	914.8	19	400	-49.73	-23	PASS
LVLT	GSM900	124	914.8	19	600	-54.7	-26	PASS
LVLT	GSM900	124	914.8	19	1200	-59.78	-32	PASS
LVLT	GSM900	124	914.8	19	1800	-70.64	-36	PASS